

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Physical education and physical activity	41.9	35.3 - 48.8	107	47.7	40.5 - 55.1	122	44.1	31.6 - 57.3	41	45.0	40.3 - 49.8	270
b. Nutrition	44.8	37.8 - 51.9	107	45.3	38.4 - 52.3	122	48.8	38.1 - 59.7	41	45.6	41.1 - 50.2	270
c. Tobacco-use prevention	55.8	49.5 - 61.8	107	47.1	39.6 - 54.7	121	56.1	44.4 - 67.2	41	51.7	47.0 - 56.3	269
d. Alcohol- and other drug-use prevention	55.8	49.5 - 61.8	107	46.1	38.3 - 54.0	121	56.1	44.4 - 67.2	41	51.2	46.5 - 55.9	269
e. Chronic health conditions (e.g., asthma, food allergies)	29.0	23.2 - 35.5	107	29.7	23.2 - 37.1	122	24.6	14.8 - 37.9	41	28.7	24.5 - 33.3	270
f. Unintentional injury and violence prevention (safety)	34.3	27.6 - 41.8	106	31.8	25.5 - 38.8	121	34.2	22.8 - 47.8	41	33.1	28.7 - 37.8	268
g. Sexual health, including HIV, other STD, and pregnancy prevention	40.8	34.8 - 47.0	106	34.3	27.9 - 41.4	120	36.7	24.3 - 51.1	41	37.1	32.7 - 41.6	267

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Reviewed district's local wellness policy	91.6	87.1 - 94.6	110	89.8	84.7 - 93.4	125	90.4	80.3 - 95.6	41	90.6	87.5 - 92.9	276
b. Helped revise district's local wellness policy	72.7	66.6 - 78.0	110	60.0	53.6 - 66.1	125	78.3	65.6 - 87.3	41	67.4	63.3 - 71.3	276
c. Communicated to school staff about district's local wellness policy	84.2	78.4 - 88.6	109	85.8	80.9 - 89.7	125	83.1	71.2 - 90.7	41	84.8	81.4 - 87.7	275
d. Communicated to parents and families about district's local wellness policy	73.3	66.5 - 79.1	106	72.4	66.3 - 77.7	124	75.8	62.6 - 85.4	41	73.2	69.1 - 77.0	271
e. Communicated to students about district's local wellness policy	72.7	67.0 - 77.7	108	71.8	65.1 - 77.6	124	80.7	68.3 - 89.0	41	73.4	69.3 - 77.1	273
f. Measured school's compliance with district's local wellness policy	67.3	60.6 - 73.3	108	69.0	63.0 - 74.5	124	73.4	62.8 - 81.9	41	69.0	65.0 - 72.8	273
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	65.3	59.2 - 70.9	107	60.4	54.2 - 66.2	124	63.7	51.0 - 74.8	41	62.7	58.6 - 66.6	272

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

---

3. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
92.8	87.9 - 95.8	112	94.8	90.8 - 97.1	125	95.1	86.4 - 98.3	41	94.1	91.5 - 95.9	278

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
62.2	56.1 - 67.9	112	55.8	49.6 - 61.8	122	58.7	46.4 - 70.0	41	58.7	54.5 - 62.7	275

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	80.0	70.9 - 86.8	69	68.7	60.1 - 76.2	67	75.3	57.9 - 87.1	24	74.3	68.6 - 79.2	160
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	83.6	75.0 - 89.7	68	79.6	71.1 - 86.0	67	75.3	57.1 - 87.5	24	80.6	75.1 - 85.1	159
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	76.5	66.3 - 84.3	67	68.2	59.0 - 76.1	67	62.9	49.3 - 74.7	24	70.7	64.7 - 76.0	158
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	88.7	80.9 - 93.6	68	85.3	77.2 - 90.9	67	83.6	67.4 - 92.6	24	86.4	81.5 - 90.2	159
e. Reviewed health-related curricula or instructional materials	82.8	74.0 - 89.0	67	79.2	70.5 - 85.8	67	83.6	68.3 - 92.3	24	81.2	75.8 - 85.7	158

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
N = Unweighted number of observations

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that use the following types of security staff during the regular school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Security guards (private or school employees/contractors)	21.9	17.2 - 27.3	107	8.6	5.8 - 12.7	123	7.9	3.2 - 18.2	38	13.5	11.0 - 16.5	268
b. School resource officers (SROs)	91.4	86.3 - 94.7	110	85.8	80.7 - 89.7	125	95.2	86.7 - 98.4	41	89.3	86.2 - 91.7	276
c. Police officers other than SROs (i.e., county or local law enforcement)	37.1	31.1 - 43.4	108	24.3	19.1 - 30.4	124	29.0	20.1 - 39.8	38	29.8	26.1 - 33.7	270

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Included before- or after-school settings as part of the School Improvement Plan	52.6	45.8 - 59.3	111	54.9	48.0 - 61.6	122	52.4	40.4 - 64.1	40	53.7	49.1 - 58.1	273
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	43.9	37.5 - 50.5	111	38.1	32.1 - 44.5	122	47.4	34.7 - 60.4	40	41.7	37.4 - 46.0	273
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	50.2	42.7 - 57.7	111	64.3	57.4 - 70.7	121	53.8	43.1 - 64.1	39	57.4	52.8 - 61.9	271

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
66.6	61.1 - 71.7	109	35.8	30.3 - 41.7	122	30.1	20.3 - 42.0	40	46.7	43.0 - 50.4	271



## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	90.4	85.0 - 94.0	108	91.7	86.8 - 94.9	122	85.0	75.9 - 91.1	40	90.2	87.1 - 92.6	270
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	108	98.3	95.0 - 99.4	121	100.0	†	40	99.2	97.6 - 99.7	269
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	83.6	77.3 - 88.4	107	77.2	70.6 - 82.6	121	67.6	55.5 - 77.7	40	78.2	74.0 - 81.8	268
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	53.2	46.3 - 59.9	107	48.3	40.8 - 55.9	119	51.3	39.5 - 62.9	39	50.6	45.8 - 55.4	265
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	71.1	64.8 - 76.7	106	61.9	55.1 - 68.4	119	54.0	41.7 - 65.9	39	64.3	59.9 - 68.4	264

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

10. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
99.1	96.1 - 99.8	107	95.1	91.0 - 97.4	123	94.8	85.7 - 98.3	39	96.6	94.3 - 97.9	269

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

11. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.7	89.0 - 96.5	108	95.9	92.2 - 97.9	123	97.5	89.5 - 99.5	40	95.3	92.9 - 96.9	271

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.3	93.6 - 98.9	108	97.8	94.7 - 99.1	123	97.5	89.2 - 99.5	40	97.5	95.7 - 98.6	271

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have written protocols for the following suicide prevention practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Assessing student suicide risk	95.8	91.8 - 97.8	107	96.6	93.0 - 98.4	122	92.5	82.9 - 96.9	40	95.7	93.4 - 97.2	269
b. Notifying parents when a student is at risk for suicide	98.0	94.4 - 99.3	107	99.1	96.2 - 99.8	122	95.0	86.2 - 98.3	40	98.1	96.4 - 99.0	269
c. Referring students at risk for suicide to mental health services	96.5	93.7 - 98.1	107	99.1	96.2 - 99.8	122	97.5	89.2 - 99.5	40	97.9	96.4 - 98.8	269
d. Responding to a suicide attempt at school	93.8	90.0 - 96.2	107	95.0	91.0 - 97.3	122	92.6	83.0 - 97.0	40	94.2	91.8 - 96.0	269
e. Supporting students returning to school after a suicide attempt	92.6	88.4 - 95.4	107	95.0	91.0 - 97.3	122	97.5	89.2 - 99.5	40	94.5	92.1 - 96.2	269
f. Responding to the death of a student or staff member from suicide	90.2	85.3 - 93.5	105	89.8	85.1 - 93.1	120	92.6	83.0 - 97.0	40	90.3	87.4 - 92.6	265

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Grade 6	§	§	§	92.5	87.0 - 95.8	93	-	-	13	93.4	88.5 - 96.3	106
b. Grade 7	§	§	§	93.4	89.0 - 96.2	118	94.7	85.7 - 98.2	38	93.7	90.0 - 96.1	156
c. Grade 8	§	§	§	94.3	90.0 - 96.8	119	92.2	82.1 - 96.8	38	93.8	90.1 - 96.2	157
d. Grade 9	98.9	95.2 - 99.8	105	-	-	1	92.1	82.3 - 96.7	38	97.1	93.9 - 98.6	144
e. Grade 10	57.6	51.2 - 63.8	93	§	§	§	24.9	14.7 - 38.9	36	48.2	42.4 - 54.0	129
f. Grade 11	33.5	26.1 - 41.7	88	§	§	§	19.9	11.1 - 33.2	35	29.5	23.4 - 36.3	123
g. Grade 12	33.5	26.1 - 41.7	88	§	§	§	19.9	11.1 - 33.2	35	29.5	23.4 - 36.3	123

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which any physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
72.6	65.1 - 79.0	106	60.8	53.9 - 67.3	120	65.9	55.2 - 75.2	38	66.0	61.4 - 70.3	264

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	91.7	87.8 - 94.4	106	84.7	78.7 - 89.3	120	84.2	74.5 - 90.6	38	87.3	83.9 - 90.0	264
b. Require physical education teachers to follow a written physical education curriculum	82.6	77.0 - 87.1	106	81.4	75.5 - 86.2	120	79.0	66.0 - 87.9	38	81.5	77.7 - 84.8	264
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	76.2	69.7 - 81.7	104	51.8	45.0 - 58.6	119	58.7	48.0 - 68.6	39	61.9	57.6 - 66.1	262
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	11.5	7.5 - 17.4	106	12.0	8.5 - 16.6	121	10.1	4.7 - 20.7	39	11.6	9.0 - 14.8	266
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	97.4	93.9 - 98.9	106	98.3	95.0 - 99.4	121	94.9	85.9 - 98.3	39	97.5	95.5 - 98.6	266
f. Limit physical education class sizes so that they are the same size as other subject areas	64.4	56.9 - 71.2	105	66.0	58.7 - 72.7	120	58.8	46.7 - 70.0	39	64.4	59.6 - 68.9	264
g. Have a dedicated budget for physical education materials and equipment	89.2	83.5 - 93.1	106	87.1	81.9 - 91.1	120	87.2	75.9 - 93.7	39	87.9	84.5 - 90.7	265
h. Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	88.6	83.9 - 92.0	106	81.1	75.0 - 85.9	121	76.9	65.1 - 85.6	39	83.3	79.7 - 86.4	266
i. Include students with disabilities in regular physical education courses as appropriate	99.1	96.0 - 99.8	106	100.0	†	121	97.4	89.0 - 99.4	39	99.3	98.0 - 99.8	266

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
39.5	32.3 - 47.1	105	52.6	46.5 - 58.7	120	44.6	31.9 - 58.1	38	46.5	42.1 - 51.0	263

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
37.0	30.0 - 44.5	106	58.4	52.0 - 64.6	120	58.1	46.2 - 69.2	38	50.3	45.8 - 54.7	264

\*Not including physical education and classroom physical activity.  
N = Unweighted number of observations

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
92.1	87.2 - 95.3	106	83.2	78.0 - 87.3	120	76.4	63.4 - 85.9	38	85.6	82.2 - 88.5	264

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Before the school day	70.6	63.5 - 76.7	105	25.6	19.7 - 32.7	118	60.7	50.8 - 69.8	38	47.7	43.4 - 52.0	261
b. After the school day	95.0	90.3 - 97.5	105	87.2	82.4 - 90.8	120	92.1	82.2 - 96.7	38	90.8	87.9 - 93.1	263

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	66.5	60.3 - 72.1	106	56.0	49.0 - 62.7	118	39.6	30.2 - 49.9	38	57.6	53.3 - 61.8	262
b. Kitchen facilities and equipment	23.6	18.8 - 29.2	105	17.8	12.9 - 24.0	119	31.5	21.9 - 43.1	38	21.9	18.5 - 25.8	262
c. Gardens (e.g., herb or vegetable plots)	10.9	7.2 - 16.3	105	9.6	6.1 - 14.9	119	15.9	8.8 - 27.0	38	11.0	8.4 - 14.4	262

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
21.7	15.9 - 28.9	103	7.6	4.6 - 12.5	119	26.1	16.5 - 38.7	38	15.5	12.4 - 19.3	260

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
43.0	36.5 - 49.8	106	37.9	32.2 - 44.0	117	50.4	35.7 - 65.0	38	41.7	37.4 - 46.1	261

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.8	93.8 - 99.3	105	96.7	93.1 - 98.5	120	97.4	88.7 - 99.4	38	97.2	95.1 - 98.4	263



## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

25A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	97.8	93.8 - 99.2	104	95.0	90.9 - 97.3	119	97.4	88.7 - 99.4	38	96.4	94.1 - 97.8	261
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	96.7	92.3 - 98.6	104	94.1	89.8 - 96.7	119	97.4	88.7 - 99.4	38	95.6	93.1 - 97.2	261
c. Cigars	92.8	87.4 - 96.0	104	90.9	85.9 - 94.3	119	94.7	85.3 - 98.2	38	92.2	89.1 - 94.4	261
d. Pipes	92.8	87.4 - 96.0	104	90.9	85.9 - 94.3	119	94.7	85.3 - 98.2	38	92.2	89.1 - 94.4	261
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	97.8	93.8 - 99.2	104	95.0	90.9 - 97.3	119	97.4	88.7 - 99.4	38	96.4	94.1 - 97.8	261

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

25B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.9	92.7 - 98.7	104	95.9	92.1 - 97.9	119	97.4	88.7 - 99.4	38	96.5	94.2 - 97.9	261
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	95.8	91.2 - 98.0	104	95.9	92.1 - 97.9	119	97.4	88.7 - 99.4	38	96.1	93.7 - 97.6	261
c. Cigars	93.0	87.7 - 96.1	104	93.3	88.8 - 96.1	118	97.4	88.7 - 99.4	38	93.8	91.0 - 95.7	260
d. Pipes	93.0	87.7 - 96.1	104	93.4	88.8 - 96.1	119	97.4	88.7 - 99.4	38	93.8	91.0 - 95.8	261
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	96.9	92.7 - 98.7	104	96.7	93.0 - 98.5	119	97.4	88.7 - 99.4	38	96.9	94.7 - 98.2	261

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

25C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	97.8	93.8 - 99.2	104	95.9	92.1 - 97.9	119	97.4	88.7 - 99.4	38	96.8	94.6 - 98.1	261
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	97.8	93.8 - 99.2	104	94.2	89.9 - 96.7	118	97.4	88.7 - 99.4	38	96.0	93.6 - 97.5	260
c. Cigars	93.9	88.8 - 96.7	104	93.4	88.8 - 96.1	119	97.4	88.7 - 99.4	38	94.1	91.4 - 96.0	261
d. Pipes	93.9	88.8 - 96.7	104	93.4	88.8 - 96.1	119	97.4	88.7 - 99.4	38	94.1	91.4 - 96.0	261
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	97.8	93.8 - 99.2	104	95.9	92.1 - 97.9	119	97.4	88.7 - 99.4	38	96.8	94.6 - 98.1	261

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

26A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	97.8	93.8 - 99.2	104	96.7	93.0 - 98.5	119	97.4	88.7 - 99.4	38	97.2	95.1 - 98.4	261
b. During non-school hours	83.3	77.1 - 88.0	104	79.8	74.0 - 84.6	118	89.5	82.6 - 93.9	38	82.5	78.9 - 85.6	260

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

26B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	96.9	92.7 - 98.7	104	94.1	89.8 - 96.7	119	97.4	88.7 - 99.4	38	95.6	93.2 - 97.2	261
b. During non-school hours	71.0	63.6 - 77.5	103	68.5	61.7 - 74.6	117	77.9	66.4 - 86.3	36	70.8	66.3 - 74.9	256

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

26C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. During school hours	97.8	93.8 - 99.2	104	93.2	88.6 - 96.1	119	97.4	88.7 - 99.4	38	95.5	93.0 - 97.2	261
b. During non-school hours	77.5	70.5 - 83.2	102	76.4	69.7 - 81.9	118	86.5	75.0 - 93.2	37	78.2	74.0 - 82.0	257

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

27A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.8	93.7 - 99.2	103	95.9	92.1 - 97.9	119	97.4	88.7 - 99.4	38	96.8	94.6 - 98.1	260
b. Outside on school grounds, including parking lots and playing fields	97.8	93.7 - 99.2	103	94.9	90.7 - 97.3	119	97.4	88.7 - 99.4	38	96.3	94.0 - 97.8	260
c. On school buses or other vehicles used to transport students	97.8	93.7 - 99.2	103	96.7	93.0 - 98.5	119	97.4	88.7 - 99.4	38	97.2	95.1 - 98.4	260
d. At off-campus, school-sponsored events	97.8	93.7 - 99.2	103	95.0	90.9 - 97.3	119	92.1	81.9 - 96.8	38	95.6	93.2 - 97.2	260

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

27B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.8	93.7 - 99.2	103	96.7	93.0 - 98.5	119	97.4	88.7 - 99.4	38	97.2	95.1 - 98.4	260
b. Outside on school grounds, including parking lots and playing fields	96.7	92.2 - 98.6	103	95.8	91.8 - 97.9	119	97.4	88.7 - 99.4	38	96.3	94.0 - 97.8	260
c. On school buses or other vehicles used to transport students	97.8	93.7 - 99.2	103	96.7	93.0 - 98.5	119	97.4	88.7 - 99.4	38	97.2	95.1 - 98.4	260
d. At off-campus, school-sponsored events	96.1	91.7 - 98.2	101	94.1	89.8 - 96.7	119	86.9	75.6 - 93.4	38	93.8	91.0 - 95.8	258



## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

27C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.8	93.7 - 99.2	103	96.7	93.0 - 98.5	119	97.4	88.7 - 99.4	38	97.2	95.1 - 98.4	260
b. Outside on school grounds, including parking lots and playing fields	96.7	92.2 - 98.6	103	96.7	93.0 - 98.5	119	97.4	88.7 - 99.4	38	96.8	94.5 - 98.1	260
c. On school buses or other vehicles used to transport students	97.8	93.7 - 99.2	103	95.9	92.1 - 97.9	119	97.4	88.7 - 99.4	38	96.8	94.6 - 98.1	260
d. At off-campus, school-sponsored events	87.3	81.0 - 91.7	103	86.7	81.4 - 90.7	119	79.1	66.6 - 87.8	38	85.9	82.2 - 88.9	260

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

27N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
58.3	50.1 - 66.0	101	59.0	51.9 - 65.7	116	64.2	50.2 - 76.2	36	59.5	54.5 - 64.2	253

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

TOBVAP. Percentage of schools that follow a policy that mandates a "tobacco-free environment" including prohibiting electronic vapor products (EVPs). A "tobacco-free environment" is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
58.3	50.1 - 66.0	101	59.0	51.9 - 65.7	116	64.2	50.2 - 76.2	36	59.5	54.5 - 64.2	253

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

28\_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	36.6	30.7 - 43.0	100	28.9	23.1 - 35.4	118	34.3	22.0 - 49.2	38	32.5	28.4 - 36.9	256
b. Confiscate product	0.0	†	103	0.0	†	120	0.0	†	38	0.0	†	261
c. Notify parents or guardians	0.0	†	103	0.0	†	120	0.0	†	37	0.0	†	260
d. Develop a behavior contract with the student	13.3	8.8 - 19.7	103	14.8	10.8 - 19.9	118	18.3	10.0 - 31.0	38	14.7	11.7 - 18.4	259
e. Refer to a school counselor	18.0	13.2 - 24.1	102	7.8	4.7 - 12.6	119	13.0	6.6 - 24.2	38	12.3	9.6 - 15.7	259
f. Refer to a school administrator	1.1	0.2 - 4.9	103	0.9	0.2 - 3.9	120	0.0	†	38	0.8	0.3 - 2.4	261
g. Refer to an assistance, education, or cessation program	9.1	5.6 - 14.4	102	12.0	8.2 - 17.1	119	0.0	†	38	9.2	6.8 - 12.2	259
h. Refer to legal authorities (e.g., school resource officer)	4.0	1.8 - 8.3	103	5.4	2.9 - 9.8	118	0.0	†	38	4.1	2.5 - 6.5	259
i. Issue an in-school suspension (half day or full day)	22.4	16.7 - 29.4	102	22.4	17.4 - 28.3	120	13.4	7.2 - 23.7	38	21.1	17.6 - 25.1	260
j. Issue an after-school or weekend detention	42.9	35.6 - 50.4	102	59.3	52.2 - 66.0	119	50.1	39.3 - 61.0	38	51.9	47.2 - 56.5	259
k. Issue an out-of-school suspension	3.1	1.3 - 7.4	103	8.5	5.2 - 13.5	120	7.8	4.6 - 12.9	38	6.4	4.5 - 9.1	261
l. Expel from school	22.5	17.3 - 28.8	103	30.1	24.5 - 36.3	118	26.2	19.8 - 33.7	38	26.7	23.2 - 30.6	259

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

28\_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	7.0	4.2 - 11.5	100	7.8	4.7 - 12.7	118	15.7	8.4 - 27.6	38	8.7	6.3 - 11.8	256
b. Confiscate product	0.0	†	103	0.0	†	120	0.0	†	38	0.0	†	261
c. Notify parents or guardians	1.1	0.2 - 4.9	103	0.0	†	120	0.0	†	37	0.4	0.1 - 1.8	260
d. Develop a behavior contract with the student	15.9	10.9 - 22.8	103	17.1	12.3 - 23.2	118	23.7	16.2 - 33.3	38	17.6	14.3 - 21.6	259
e. Refer to a school counselor	16.4	11.5 - 22.7	102	15.5	11.2 - 21.0	119	21.2	14.2 - 30.3	38	16.6	13.6 - 20.3	259
f. Refer to a school administrator	0.0	†	103	0.0	†	120	0.0	†	38	0.0	†	261
g. Refer to an assistance, education, or cessation program	7.4	4.6 - 11.6	102	19.2	14.3 - 25.3	119	15.8	8.4 - 27.7	38	14.3	11.4 - 17.9	259
h. Refer to legal authorities (e.g., school resource officer)	16.3	11.4 - 22.8	103	15.3	11.0 - 20.8	118	7.9	3.2 - 18.1	38	14.6	11.6 - 18.2	259
i. Issue an in-school suspension (half day or full day)	14.1	9.3 - 20.7	102	14.4	10.6 - 19.2	120	13.0	6.4 - 24.5	38	14.1	11.1 - 17.6	260
j. Issue an after-school or weekend detention	23.0	17.2 - 30.1	102	16.8	12.3 - 22.5	119	13.0	7.6 - 21.6	38	18.6	15.3 - 22.4	259
k. Issue an out-of-school suspension	16.5	11.8 - 22.4	103	9.9	6.7 - 14.4	120	13.0	6.6 - 24.2	38	12.8	10.1 - 16.0	261
l. Expel from school	36.7	30.1 - 44.0	103	38.5	32.4 - 45.0	118	45.0	34.5 - 56.0	38	38.8	34.6 - 43.2	259

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

28\_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Issue a warning to the student	9.8	6.3 - 14.8	100	15.0	11.2 - 19.9	118	7.9	3.2 - 18.0	38	12.0	9.5 - 15.1	256
b. Confiscate product	0.0	†	103	0.0	†	120	0.0	†	38	0.0	†	261
c. Notify parents or guardians	0.0	†	103	0.0	†	120	0.0	†	37	0.0	†	260
d. Develop a behavior contract with the student	46.4	38.5 - 54.4	103	47.2	40.0 - 54.5	118	36.5	25.3 - 49.3	38	45.3	40.5 - 50.3	259
e. Refer to a school counselor	48.7	41.1 - 56.3	102	48.6	42.6 - 54.6	119	49.8	38.3 - 61.3	38	48.8	44.4 - 53.2	259
f. Refer to a school administrator	2.0	0.7 - 5.8	103	2.5	1.1 - 6.0	120	2.6	0.6 - 11.3	38	2.4	1.3 - 4.3	261
g. Refer to an assistance, education, or cessation program	47.1	40.2 - 54.0	102	36.2	29.5 - 43.5	119	55.5	43.8 - 66.6	38	43.0	38.5 - 47.6	259
h. Refer to legal authorities (e.g., school resource officer)	28.7	22.4 - 35.8	103	32.0	26.2 - 38.4	118	36.6	24.4 - 50.8	38	31.4	27.2 - 35.9	259
i. Issue an in-school suspension (half day or full day)	33.5	26.1 - 41.8	102	33.4	27.7 - 39.7	120	34.2	24.9 - 44.9	38	33.6	29.3 - 38.1	260
j. Issue an after-school or weekend detention	22.3	16.7 - 29.2	102	19.7	14.2 - 26.7	119	31.7	22.6 - 42.4	38	22.4	18.6 - 26.7	259
k. Issue an out-of-school suspension	44.7	36.9 - 52.8	103	39.9	33.4 - 46.8	120	34.0	22.9 - 47.3	38	40.8	36.2 - 45.7	261
l. Expel from school	37.7	31.2 - 44.7	103	30.5	24.6 - 37.2	118	28.8	19.4 - 40.4	38	33.0	28.9 - 37.3	259

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

28\_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	46.6	39.7 - 53.7	100	48.3	42.3 - 54.4	118	42.1	29.8 - 55.4	38	46.8	42.4 - 51.2	256
b. Confiscate product	100.0	†	103	100.0	†	120	100.0	†	38	100.0	†	261
c. Notify parents or guardians	98.9	95.1 - 99.8	103	100.0	†	120	100.0	†	37	99.6	98.2 - 99.9	260
d. Develop a behavior contract with the student	24.4	17.9 - 32.2	103	21.0	16.5 - 26.2	118	21.5	15.6 - 28.9	38	22.3	18.9 - 26.2	259
e. Refer to a school counselor	16.9	11.6 - 24.2	102	28.2	23.3 - 33.7	119	16.0	8.7 - 27.6	38	22.2	18.8 - 26.2	259
f. Refer to a school administrator	96.9	92.6 - 98.7	103	96.6	92.9 - 98.4	120	97.4	88.7 - 99.4	38	96.8	94.6 - 98.1	261
g. Refer to an assistance, education, or cessation program	36.5	29.9 - 43.5	102	32.6	26.4 - 39.5	119	28.7	19.4 - 40.3	38	33.5	29.3 - 38.0	259
h. Refer to legal authorities (e.g., school resource officer)	51.1	43.5 - 58.6	103	47.4	41.1 - 53.8	118	55.5	42.5 - 67.7	38	50.0	45.4 - 54.5	259
i. Issue an in-school suspension (half day or full day)	30.0	23.4 - 37.5	102	29.8	24.5 - 35.8	120	39.4	26.9 - 53.5	38	31.3	27.2 - 35.7	260
j. Issue an after-school or weekend detention	11.8	7.5 - 18.0	102	4.2	2.4 - 7.2	119	5.2	1.7 - 14.3	38	7.2	5.1 - 9.9	259
k. Issue an out-of-school suspension	35.7	28.5 - 43.7	103	41.8	34.8 - 49.0	120	45.1	31.9 - 59.1	38	40.0	35.2 - 45.0	261
l. Expel from school	3.0	1.3 - 7.2	103	0.9	0.2 - 4.0	118	0.0	†	38	1.6	0.7 - 3.3	259

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Foods or beverages are not offered at school celebrations	2.8	1.2 - 6.7	101	3.4	1.6 - 7.2	119	2.6	0.6 - 10.9	38	3.1	1.8 - 5.2	258
b. Never	0.0	†	101	2.4	1.0 - 5.7	119	2.6	0.6 - 11.0	38	1.6	0.7 - 3.3	258
c. Rarely	12.8	8.5 - 18.8	101	18.7	14.2 - 24.3	119	15.7	9.3 - 25.4	38	16.1	13.1 - 19.7	258
d. Sometimes	59.8	51.1 - 67.9	101	56.4	49.3 - 63.2	119	65.7	55.7 - 74.5	38	59.0	54.1 - 63.7	258
e. Always or almost always	24.6	18.5 - 32.0	101	19.0	14.0 - 25.2	119	13.3	7.1 - 23.5	38	20.2	16.7 - 24.4	258

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
77.4	70.6 - 83.1	102	32.0	26.7 - 38.0	120	50.4	37.7 - 63.0	38	51.4	47.4 - 55.5	260

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	13.9	9.4 - 20.0	102	4.1	2.1 - 7.9	119	5.3	1.8 - 14.7	38	7.9	5.7 - 10.8	259
b. Other kinds of candy	18.6	13.5 - 25.1	101	5.0	2.7 - 9.1	119	7.9	3.2 - 18.1	38	10.4	7.9 - 13.6	258
c. Salty snacks that are not low in fat (e.g., regular potato chips)	27.9	21.3 - 35.7	102	8.2	5.3 - 12.5	119	13.4	6.6 - 25.2	38	16.3	13.1 - 20.0	259
d. Low sodium or "no added salt" pretzels, crackers, or chips	55.1	47.9 - 62.1	102	20.4	15.9 - 25.7	119	38.2	27.5 - 50.1	37	35.8	32.0 - 39.9	258
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	20.4	14.6 - 27.6	102	8.3	5.1 - 13.2	119	5.3	1.8 - 14.7	38	12.3	9.5 - 15.9	259
f. Ice cream or frozen yogurt that is not low in fat	5.7	3.0 - 10.4	102	6.5	4.0 - 10.4	119	2.6	0.6 - 11.3	38	5.6	3.9 - 8.1	259
g. 2% or whole milk (plain or flavored)	24.9	19.3 - 31.6	102	9.2	6.0 - 13.8	119	13.1	6.5 - 24.7	38	15.6	12.6 - 19.1	259
h. Nonfat or 1% (low-fat) milk (plain)	36.6	29.6 - 44.2	102	14.4	10.3 - 19.8	119	26.9	18.7 - 37.0	37	24.4	20.8 - 28.4	258
i. Water ices or frozen slushes that do not contain juice	23.4	17.6 - 30.4	102	6.5	3.8 - 10.9	119	10.5	4.9 - 21.1	38	13.3	10.5 - 16.8	259
j. Soda pop or fruit drinks that are not 100% juice	36.2	28.8 - 44.4	101	9.2	6.0 - 13.8	119	10.6	4.8 - 21.6	38	19.3	15.9 - 23.3	258
k. Sports drinks (e.g., Gatorade)	65.6	57.8 - 72.6	102	14.2	10.0 - 19.7	119	39.8	27.4 - 53.8	38	36.9	32.9 - 41.2	259
l. Energy drinks (e.g., Red Bull, Monster)	10.0	6.2 - 15.9	102	1.7	0.6 - 4.8	118	2.6	0.6 - 11.3	38	4.9	3.2 - 7.5	258

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	75.7	68.6 - 81.5	102	28.3	22.9 - 34.3	118	50.4	37.7 - 63.0	38	49.1	45.0 - 53.2	258
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	61.5	53.6 - 68.9	102	14.5	11.1 - 18.8	119	34.3	21.8 - 49.4	38	34.8	30.9 - 39.0	259
o. 100% fruit or vegetable juice	50.9	43.1 - 58.8	101	19.7	14.7 - 25.9	119	37.0	25.7 - 49.9	38	33.8	29.5 - 38.3	258
p. Foods or beverages containing caffeine	46.0	38.1 - 54.2	100	7.8	5.0 - 11.9	119	16.0	8.4 - 28.5	38	23.0	19.5 - 26.9	257
q. Fruits (not fruit juice)	33.9	27.2 - 41.3	102	11.5	8.0 - 16.2	119	29.3	20.0 - 40.8	38	22.4	19.0 - 26.2	259
r. Non-fried vegetables (not vegetable juice)	25.3	18.7 - 33.3	102	9.1	6.2 - 13.1	119	15.7	8.5 - 27.1	38	16.1	12.9 - 19.8	259

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	21.6	15.9 - 28.7	100	19.6	14.5 - 25.8	117	26.1	15.8 - 40.0	38	21.3	17.5 - 25.6	255
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	49.4	41.5 - 57.4	101	37.1	30.5 - 44.2	117	52.6	41.0 - 63.9	38	43.9	39.2 - 48.8	256
c. Provided information to students or families on the nutrition and caloric content of foods available	71.1	63.8 - 77.5	100	69.3	63.1 - 74.9	117	53.7	40.4 - 66.6	37	67.8	63.3 - 71.9	254
d. Conducted taste tests to determine food preferences for nutritious items	40.8	33.2 - 48.9	101	39.2	33.6 - 45.2	117	41.9	30.3 - 54.5	38	40.2	35.9 - 44.7	256
e. Served locally or regionally grown foods in the cafeteria or classrooms	38.8	31.6 - 46.4	100	40.6	33.6 - 47.9	115	31.7	21.6 - 43.8	38	38.6	34.0 - 43.4	253
f. Planted a school food or vegetable garden	24.2	18.0 - 31.7	101	23.9	19.5 - 28.8	118	33.9	23.8 - 45.7	38	25.4	21.9 - 29.4	257
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	82.7	75.6 - 88.0	101	78.4	71.6 - 83.8	117	84.3	75.1 - 90.5	38	80.8	76.6 - 84.4	256
h. Used attractive displays for fruits and vegetables in the cafeteria	70.9	63.2 - 77.6	100	73.7	66.9 - 79.5	117	65.6	53.1 - 76.2	38	71.5	66.9 - 75.7	255
i. Offered a self-serve salad bar to students	35.7	28.8 - 43.2	100	22.3	17.0 - 28.6	118	42.3	30.2 - 55.4	38	30.1	26.0 - 34.6	256

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
j. Provided students with at least 20 minutes to eat lunch after they receive their meal	99.2	96.3 - 99.8	100	94.1	89.7 - 96.7	118	97.4	88.7 - 99.4	38	96.4	94.1 - 97.9	256
k. Encouraged students to drink plain water	93.0	87.7 - 96.1	100	92.4	87.6 - 95.5	118	89.5	78.7 - 95.2	38	92.2	89.1 - 94.5	256
l. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	22.9	17.7 - 29.0	100	28.3	22.8 - 34.6	117	31.3	21.9 - 42.6	38	26.7	23.1 - 30.8	255
m. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	44.1	36.7 - 51.7	100	38.1	32.0 - 44.7	117	31.7	23.0 - 41.8	38	39.4	35.1 - 43.8	255

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	56.6	48.9 - 64.0	101	63.1	55.8 - 69.8	113	47.8	35.8 - 60.0	38	58.4	53.5 - 63.0	252
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	49.0	41.7 - 56.3	101	59.1	51.9 - 66.0	112	39.8	27.4 - 53.7	38	52.4	47.6 - 57.2	251
c. On school buses or other vehicles used to transport students	62.2	54.9 - 68.9	100	68.9	62.0 - 75.0	111	52.7	42.5 - 62.7	38	63.9	59.4 - 68.1	249
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	48.0	41.1 - 55.1	101	65.4	58.3 - 71.9	111	42.4	29.7 - 56.2	38	55.4	50.7 - 59.9	250
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	57.2	49.8 - 64.3	101	63.5	56.0 - 70.5	111	42.3	30.0 - 55.5	38	58.0	53.1 - 62.7	250

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	86.2	79.8 - 90.8	102	95.8	91.8 - 97.9	119	92.1	82.0 - 96.8	38	91.7	88.6 - 94.0	259
b. Yes, in certain locations	10.8	6.8 - 16.6	102	3.4	1.6 - 7.2	119	7.9	3.2 - 18.0	38	6.8	4.8 - 9.6	259
c. No	3.1	1.3 - 7.2	102	0.8	0.2 - 3.4	119	0.0	†	38	1.5	0.7 - 3.2	259

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.9	92.8 - 98.7	102	99.2	96.6 - 99.8	119	100.0	†	38	98.5	96.8 - 99.3	259

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cafeteria during breakfast	96.3	93.9 - 97.8	101	95.8	91.9 - 97.9	117	92.1	82.3 - 96.7	38	95.5	93.3 - 97.0	256
b. Cafeteria during lunch	97.3	93.6 - 98.9	101	95.8	91.9 - 97.9	117	92.1	82.3 - 96.7	38	95.8	93.5 - 97.4	256
c. Gymnasium or other indoor physical activity facilities	96.8	92.6 - 98.7	102	97.5	94.2 - 99.0	118	100.0	†	38	97.6	95.7 - 98.7	258
d. Outdoor physical activity facilities or sports fields	94.1	89.2 - 96.8	97	76.7	70.2 - 82.2	112	86.9	75.3 - 93.5	38	84.7	80.9 - 87.9	247
e. Hallways throughout the school	97.8	93.7 - 99.2	102	100.0	†	118	100.0	†	38	99.2	97.6 - 99.7	258

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
88.4	82.3 - 92.6	102	84.8	80.1 - 88.6	119	86.8	78.7 - 92.1	38	86.4	83.2 - 89.1	259

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
40.8	33.8 - 48.3	101	29.9	24.6 - 35.8	117	47.3	36.5 - 58.3	38	36.5	32.5 - 40.7	256

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
32.8	26.4 - 39.8	102	24.5	19.0 - 31.0	119	21.2	13.2 - 32.3	38	27.1	23.2 - 31.3	259

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	3.2	1.3 - 7.5	101	0.0	†	117	0.0	†	38	1.2	0.5 - 2.8	256
b. HIV treatment (ongoing medical care for persons living with HIV)	2.3	0.8 - 6.4	101	0.0	†	117	2.9	0.6 - 12.2	38	1.3	0.5 - 3.0	256
c. STD testing	3.2	1.3 - 7.5	101	0.8	0.2 - 3.5	117	2.6	0.6 - 11.0	38	1.9	1.0 - 3.8	256
d. STD treatment	2.3	0.8 - 6.4	101	0.0	†	117	2.9	0.6 - 12.2	38	1.3	0.5 - 3.0	256
e. Pregnancy testing	3.2	1.3 - 7.5	101	0.9	0.2 - 4.0	117	2.6	0.6 - 11.0	38	2.0	1.0 - 3.9	256
f. Provision of condoms	3.4	1.4 - 7.9	101	0.9	0.2 - 4.0	117	5.2	1.8 - 14.0	38	2.5	1.3 - 4.5	256
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	2.3	0.8 - 6.4	101	0.0	†	116	0.0	†	38	0.8	0.3 - 2.4	255
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	2.3	0.8 - 6.4	101	0.0	†	117	0.0	†	38	0.8	0.3 - 2.4	256
i. Prenatal care	6.5	3.5 - 11.8	101	0.0	†	117	8.1	3.3 - 18.5	38	3.6	2.2 - 5.9	256
j. Human papillomavirus (HPV) vaccine administration	5.1	2.5 - 9.8	101	0.8	0.2 - 3.5	117	2.6	0.6 - 10.6	38	2.6	1.5 - 4.6	256
k. Assessment for alcohol or other drug use, abuse, or dependency	26.1	20.1 - 33.0	101	14.6	10.2 - 20.5	117	26.3	17.4 - 37.7	38	20.6	17.1 - 24.7	256

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
l. Tobacco-use cessation (e.g., individual or group counseling)	32.0	25.5 - 39.2	101	22.4	17.2 - 28.6	117	31.5	22.9 - 41.7	38	27.3	23.5 - 31.5	256
m. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	88.9	82.8 - 93.0	100	84.3	79.4 - 88.3	117	94.7	85.3 - 98.2	38	87.5	84.3 - 90.2	255
n. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	84.2	77.7 - 89.1	101	79.4	73.5 - 84.2	117	94.5	84.7 - 98.1	38	83.4	79.6 - 86.6	256
o. Case management for students with chronic health conditions (e.g., asthma, diabetes)	70.9	64.1 - 76.9	101	73.2	66.5 - 79.0	117	78.7	66.1 - 87.4	38	73.1	68.8 - 77.1	256

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. HIV testing	29.3	23.0 - 36.4	96	19.9	15.5 - 25.3	115	33.9	23.8 - 45.7	38	25.4	21.8 - 29.4	249
b. HIV treatment (ongoing medical care for persons living with HIV)	29.2	23.0 - 36.4	97	19.0	14.7 - 24.3	115	33.9	23.8 - 45.7	38	25.0	21.4 - 28.9	250
c. nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	25.2	19.0 - 32.6	96	17.3	13.0 - 22.6	115	28.7	18.6 - 41.4	38	21.9	18.3 - 25.9	249
d. PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	25.2	19.0 - 32.6	96	17.3	13.0 - 22.6	115	28.7	18.6 - 41.4	38	21.9	18.3 - 25.9	249
e. STD testing	29.2	22.8 - 36.6	97	21.0	16.0 - 26.9	115	33.9	23.8 - 45.7	38	25.9	22.1 - 30.1	250
f. STD treatment	28.9	22.8 - 35.9	97	21.0	16.0 - 26.9	115	36.5	26.9 - 47.3	38	26.2	22.5 - 30.3	250
g. Pregnancy testing	37.4	30.5 - 44.8	97	22.8	17.7 - 28.8	114	41.7	33.4 - 50.5	38	31.0	27.1 - 35.1	249
h. Provision of condoms	18.4	12.9 - 25.5	96	16.5	12.1 - 22.2	114	21.5	12.5 - 34.3	37	17.9	14.5 - 22.0	247
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	17.2	11.7 - 24.5	97	15.6	11.3 - 21.1	114	23.5	14.8 - 35.1	38	17.4	14.0 - 21.3	249
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	18.2	12.5 - 25.6	97	18.2	13.5 - 24.1	115	24.2	15.5 - 35.6	37	19.1	15.5 - 23.2	249

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
k. Prenatal care	37.6	30.8 - 45.0	96	20.8	16.1 - 26.5	115	45.8	35.3 - 56.6	37	30.6	26.7 - 34.8	248
l. Human papillomavirus (HPV) vaccine administration	29.0	23.0 - 35.8	97	24.5	19.4 - 30.4	115	36.5	25.8 - 48.9	38	28.0	24.2 - 32.1	250
m. Alcohol or other drug abuse treatment	65.9	57.7 - 73.3	97	46.9	40.1 - 53.9	116	62.7	52.0 - 72.2	38	56.2	51.4 - 60.8	251
n. Tobacco-use cessation (e.g., individual or group counseling)	64.3	56.4 - 71.6	97	52.8	46.5 - 59.0	116	63.4	49.5 - 75.4	36	58.5	53.9 - 63.0	249



**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
68.7	60.8 - 75.7	99	57.0	50.3 - 63.5	114	72.9	58.2 - 83.9	37	63.7	58.9 - 68.2	250

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Asthma	95.4	92.1 - 97.4	101	95.7	91.7 - 97.8	116	97.4	89.0 - 99.4	38	95.8	93.7 - 97.3	255
b. Food allergies	96.3	93.3 - 97.9	101	94.8	90.5 - 97.2	116	97.4	89.0 - 99.4	38	95.7	93.5 - 97.2	255
c. Diabetes	95.1	91.4 - 97.3	101	95.7	91.7 - 97.8	116	97.4	89.0 - 99.4	38	95.7	93.5 - 97.2	255
d. Epilepsy or seizure disorder	96.3	93.3 - 97.9	101	95.7	91.7 - 97.8	116	97.4	89.0 - 99.4	38	96.1	94.0 - 97.5	255
e. Obesity	26.4	20.0 - 33.9	101	32.5	26.6 - 39.1	115	39.5	29.5 - 50.4	38	31.2	27.1 - 35.7	254
f. Hypertension/high blood pressure	67.3	59.0 - 74.6	100	62.2	55.0 - 69.0	116	76.3	66.1 - 84.1	38	66.2	61.3 - 70.7	254
g. Oral health condition (e.g., abscess, tooth decay)	39.1	31.9 - 46.7	97	42.9	36.3 - 49.8	115	57.9	46.1 - 68.9	38	43.8	39.2 - 48.4	250

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	39.0	31.9 - 46.7	99	36.5	29.9 - 43.8	115	47.3	35.9 - 59.0	38	39.1	34.5 - 43.8	252
b. Food allergies	35.0	28.1 - 42.6	99	36.0	29.3 - 43.4	114	47.3	35.9 - 59.0	38	37.3	32.8 - 42.1	251
c. Diabetes	39.0	31.9 - 46.7	99	37.5	30.6 - 44.8	115	44.6	32.8 - 57.1	38	39.1	34.4 - 44.0	252
d. Epilepsy or seizure disorder	38.1	30.8 - 45.9	99	37.5	30.6 - 44.8	115	44.6	32.8 - 57.1	38	38.8	34.1 - 43.7	252
e. Obesity	24.6	18.1 - 32.6	99	30.6	24.4 - 37.6	115	36.6	26.5 - 48.0	38	29.3	25.0 - 33.9	252
f. Hypertension/high blood pressure	36.1	28.9 - 43.9	99	33.1	26.7 - 40.2	115	41.8	30.7 - 53.7	38	35.5	31.0 - 40.2	252
g. Oral health condition (e.g., abscess, tooth decay)	37.9	31.0 - 45.3	97	35.6	28.7 - 43.2	115	44.3	32.6 - 56.8	38	37.8	33.1 - 42.7	250

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	30.0	23.4 - 37.5	100	29.2	23.0 - 36.4	114	27.2	17.7 - 39.5	37	29.2	24.9 - 33.9	251
b. Sexual health services that adolescents should receive	26.0	20.0 - 33.1	99	28.8	22.6 - 35.9	113	24.5	15.7 - 36.2	37	27.1	23.0 - 31.6	249
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	42.4	34.7 - 50.5	100	40.5	34.4 - 47.0	114	35.2	24.2 - 48.0	37	40.5	35.9 - 45.2	251
d. Importance of maintaining student confidentiality for sexual health services	48.5	40.8 - 56.3	100	49.3	42.6 - 56.1	114	40.6	29.7 - 52.5	37	47.7	43.1 - 52.4	251
e. How to create or use a student referral guide for sexual health services	26.0	19.8 - 33.4	100	24.6	18.6 - 31.8	112	24.4	15.4 - 36.5	37	25.1	21.0 - 29.7	249
f. How to make successful referrals of students to sexual health services	26.0	20.0 - 33.1	100	24.8	18.7 - 32.1	111	29.8	19.3 - 43.1	37	26.0	21.8 - 30.6	248
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	23.0	16.9 - 30.5	100	30.6	24.6 - 37.3	112	27.2	17.3 - 39.9	37	27.2	23.1 - 31.7	249
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	32.6	25.4 - 40.6	100	28.3	22.0 - 35.5	111	27.2	18.5 - 38.0	37	29.7	25.4 - 34.5	248

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that provide the following mental health programs or services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports)	89.9	85.0 - 93.4	101	95.6	91.5 - 97.8	117	97.4	88.7 - 99.4	38	93.8	91.2 - 95.6	256
b. Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma)	72.3	65.5 - 78.2	101	77.3	71.8 - 82.0	116	79.0	68.1 - 86.9	38	75.7	71.8 - 79.2	255
c. School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success)	85.3	80.1 - 89.4	102	90.7	86.2 - 93.8	117	84.3	72.1 - 91.8	38	87.7	84.6 - 90.3	257
d. Cognitive behavioral therapy groups (e.g., for students with depression, anxiety, or other mental health disorders)	60.7	53.3 - 67.7	100	58.1	51.9 - 64.0	113	52.6	39.7 - 65.1	38	58.2	53.8 - 62.6	251
e. Pro-social skills training (e.g., school counseling groups)	75.2	69.2 - 80.3	101	87.9	82.0 - 92.0	116	73.8	59.5 - 84.4	38	81.1	77.1 - 84.4	255
f. Small groups for specific issues (e.g., depression, parental divorce)	68.8	61.2 - 75.6	101	85.2	79.7 - 89.5	114	60.8	47.9 - 72.3	38	75.4	71.2 - 79.3	253

## INDIANA

### 2022 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provided parents with information to support parent-adolescent communication about sex	15.8	11.2 - 22.0	100	19.6	14.3 - 26.3	113	39.5	27.6 - 52.9	38	21.2	17.4 - 25.4	251
b. Provided parents with information to support parent-adolescent communication about topics other than sex	38.3	31.7 - 45.4	100	43.4	36.3 - 50.8	114	44.8	33.4 - 56.7	38	41.7	37.1 - 46.5	252
c. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	32.9	26.0 - 40.7	100	45.9	38.2 - 53.8	113	49.9	37.3 - 62.6	38	41.6	36.7 - 46.8	251
d. Provided parents with information to support one-on-one time between adolescents and their health care providers	20.7	15.4 - 27.2	100	20.7	14.9 - 27.8	113	34.4	26.3 - 43.4	38	22.7	19.0 - 27.0	251
e. Provided parents with information about physical education and physical activity programs	53.4	45.9 - 60.7	99	55.5	48.2 - 62.5	114	57.9	44.0 - 70.6	38	55.1	50.1 - 59.9	251
f. Involved parents as school volunteers in the delivery of health education activities and services	23.2	17.5 - 29.9	100	19.5	14.3 - 26.1	114	36.9	28.0 - 46.8	38	23.5	19.8 - 27.6	252
g. Involved parents as school volunteers in physical education or physical activity programs	26.8	20.3 - 34.6	99	26.9	20.6 - 34.2	113	36.9	25.3 - 50.3	38	28.4	24.0 - 33.2	250
h. Linked parents and families to health services and programs in the community	65.5	57.3 - 72.8	99	71.9	65.8 - 77.3	116	68.5	56.6 - 78.3	38	69.0	64.5 - 73.2	253

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	32.3	24.9 - 40.6	99	33.2	26.5 - 40.7	115	39.5	31.4 - 48.4	38	33.8	29.3 - 38.6	252
j. Provided parents with information about before- or after-school programs available in the community	69.9	61.5 - 77.1	99	74.0	67.8 - 79.4	116	65.6	53.1 - 76.2	38	71.2	66.7 - 75.4	253

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	70.9	64.3 - 76.7	100	44.1	37.1 - 51.3	114	68.6	55.4 - 79.4	38	57.8	53.2 - 62.2	252
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	66.1	58.6 - 72.8	100	49.5	42.5 - 56.5	114	70.4	57.2 - 80.8	37	58.8	54.0 - 63.3	251



**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	67.5	60.4 - 73.8	100	42.1	35.4 - 49.1	114	53.1	41.4 - 64.4	38	53.2	48.7 - 57.7	252
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	63.8	55.6 - 71.3	98	49.9	43.1 - 56.6	114	55.5	43.8 - 66.7	38	55.9	51.1 - 60.5	250

**INDIANA**

**2022 School Health Profiles Report  
Weighted Principal Survey Results**

---

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
36.7	29.2 - 44.9	98	30.0	24.0 - 36.7	113	41.8	28.9 - 55.8	36	34.2	29.7 - 39.0	247