

INDIANA

2012 ADULT Land Line Only Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5192	4,277,720	3321	54.5	52.1-56.9	1871	45.5	43.1-47.9
Male	1847	2,087,791	1163	51.4	47.7-55.1	684	48.6	44.9-52.3
Female	3345	2,189,930	2158	57.4	54.5-60.3	1187	42.6	39.7-45.5
White/Non-Hisp	4284	3,515,012	2736	55.1	52.6-57.6	1548	44.9	42.4-47.4
Black or Afr. Am./Non-Hisp	553	353,119	375	60.6	51.8-69.4	178	39.4	30.6-48.2
Oth. Race/Non-Hisp.	65	68,330	34	36.0	16.8-55.2	31	64.0	44.8-83.2
MultiRacial/Non-Hisp.	70	61,922	39	53.0	32.6-73.4	31	47.0	26.6-67.4
Hispanic	138	229,863	80	38.8	26.5-51.1	58	61.2	48.9-73.5
18-24	149	623,122	43	22.7	15.3-30.1	106	77.3	69.9-84.7
25-34	338	796,736	181	50.7	43.8-57.6	157	49.3	42.4-56.2
35-44	659	779,038	337	49.6	44.7-54.5	322	50.4	45.5-55.3
45-54	906	776,842	591	64.5	60.4-68.6	315	35.5	31.4-39.6
55-64	1149	609,256	811	70.9	67.4-74.4	338	29.1	25.6-32.6
65+	1940	669,781	1328	67.3	64.4-70.2	612	32.7	29.8-35.6
Less Than H.S.	442	578,607	241	40.4	33.0-47.8	201	59.6	52.2-67.0
H.S. or G.E.D.	1881	1,474,934	1190	54.0	49.9-58.1	691	46.0	41.9-50.1
Some Post-H.S.	1323	1,294,071	870	57.5	53.0-62.0	453	42.5	38.0-47.0
College Graduate	1532	923,850	1008	59.5	55.6-63.4	524	40.5	36.6-44.4
Less than \$15,000	489	357,581	291	52.1	43.7-60.5	198	47.9	39.5-56.3
\$15,000- 24,999	907	712,140	557	47.5	41.4-53.6	350	52.5	46.4-58.6
\$25,000- 34,999	532	418,311	343	57.0	49.4-64.6	189	43.0	35.4-50.6
\$35,000- 49,999	694	552,057	479	64.6	58.7-70.5	215	35.4	29.5-41.3
\$50,000- 74,999	726	652,754	492	57.6	51.5-63.7	234	42.4	36.3-48.5
\$75,000+	1050	967,037	684	58.2	53.5-62.9	366	41.8	37.1-46.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1847	2,087,791	1163	51.4	47.7-55.1	684	48.6	44.9-52.3
White/Non-Hisp	1545	1,698,610	974	52.7	48.8-56.6	571	47.3	43.4-51.2
Black or Afr. Am./Non-Hisp	165	169,431	111	56.1	41.8-70.4	54	43.9	29.6-58.2
Hispanic	51	118,690	26	32.0	14.8-49.2	25	68.0	50.8-85.2
18-24	67	346,312	14	19.5	09.3-29.7	53	80.5	70.3-90.7
25-34	122	381,241	54	40.8	30.2-51.4	68	59.2	48.6-69.8
35-44	256	392,379	135	50.2	42.6-57.8	121	49.8	42.2-57.4
45-54	351	388,023	228	65.3	58.8-71.8	123	34.7	28.2-41.2
55-64	429	287,810	307	71.1	65.2-77.0	122	28.9	23.0-34.8
65+	609	285,042	415	66.6	61.1-72.1	194	33.4	27.9-38.9
Less Than H.S.	164	299,418	84	36.4	25.6-47.2	80	63.6	52.8-74.4
H.S. or G.E.D.	643	767,551	391	48.6	42.3-54.9	252	51.4	45.1-57.7
Some Post-H.S.	428	553,726	278	56.9	49.6-64.2	150	43.1	35.8-50.4
College Graduate	607	463,247	405	58.8	52.5-65.1	202	41.2	34.9-47.5
Less than \$15,000	138	160,853	75	41.5	27.0-56.0	63	58.5	44.0-73.0
\$15,000- 24,999	279	312,905	166	40.6	31.4-49.8	113	59.4	50.2-68.6
\$25,000- 34,999	189	200,514	123	59.9	48.1-71.7	66	40.1	28.3-51.9
\$35,000- 49,999	274	284,065	185	62.9	53.5-72.3	89	37.1	27.7-46.5
\$50,000- 74,999	300	347,867	197	52.0	43.0-61.0	103	48.0	39.0-57.0
\$75,000+	468	538,484	311	56.7	49.8-63.6	157	43.3	36.4-50.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3345	2,189,930	2158	57.4	54.5-60.3	1187	42.6	39.7-45.5
White/Non-Hisp	2739	1,816,402	1762	57.4	54.3-60.5	977	42.6	39.5-45.7
Black or Afr. Am./Non-Hisp	388	183,687	264	64.8	54.4-75.2	124	35.2	24.8-45.6
Hispanic	87	111,174	54	46.1	29.6-62.6	33	53.9	37.4-70.4
18-24	82	276,810	29	26.7	15.7-37.7	53	73.3	62.3-84.3
25-34	216	415,494	127	59.9	51.5-68.3	89	40.1	31.7-48.5
35-44	403	386,659	202	48.9	42.6-55.2	201	51.1	44.8-57.4
45-54	555	388,819	363	63.7	58.6-68.8	192	36.3	31.2-41.4
55-64	720	321,446	504	70.7	66.4-75.0	216	29.3	25.0-33.6
65+	1331	384,739	913	67.8	64.9-70.7	418	32.2	29.3-35.1
Less Than H.S.	278	279,189	157	44.7	34.7-54.7	121	55.3	45.3-65.3
H.S. or G.E.D.	1238	707,383	799	59.9	55.4-64.4	439	40.1	35.6-44.6
Some Post-H.S.	895	740,344	592	57.9	52.2-63.6	303	42.1	36.4-47.8
College Graduate	925	460,603	603	60.2	55.3-65.1	322	39.8	34.9-44.7
Less than \$15,000	351	196,728	216	60.8	52.0-69.6	135	39.2	30.4-48.0
\$15,000- 24,999	628	399,235	391	52.9	45.5-60.3	237	47.1	39.7-54.5
\$25,000- 34,999	343	217,797	220	54.2	44.4-64.0	123	45.8	36.0-55.6
\$35,000- 49,999	420	267,992	294	66.4	59.7-73.1	126	33.6	26.9-40.3
\$50,000- 74,999	426	304,887	295	63.9	56.1-71.7	131	36.1	28.3-43.9
\$75,000+	582	428,553	373	60.0	54.1-65.9	209	40.0	34.1-45.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5381	4,386,888	453	6.4	05.4-07.4	52	1.1	00.5-01.7	4876	92.5	91.5-93.5
Male	1917	2,134,790	154	5.5	04.1-06.9				1763	94.5	93.1-95.9
Female	3464	2,252,098	299	7.1	05.9-08.3	52	2.2	01.2-03.2	3113	90.6	89.0-92.2
White/Non-Hisp	4453	3,607,838	351	6.2	05.2-07.2	41	1.0	00.6-01.4	4061	92.9	91.7-94.1
Black or Afr. Am./Non-Hisp	564	363,518	66	8.3	04.2-12.4	7	3.2	00.0-07.1	491	88.4	82.9-93.9
Oth. Race/Non-Hisp.	68	70,869	5	5.7	00.0-12.2	1	0.3	00.0-00.9	62	94.0	87.5-0100
MultiRacial/Non-Hisp.	74	64,932	6	9.6	00.0-20.4	2	2.3	00.0-06.0	66	88.2	76.8-99.6
Hispanic	138	229,863	14	4.2	00.1-08.3	1	0.6	00.0-01.8	123	95.2	91.1-99.3
18-24	149	620,754	3	2.5	00.0-05.4	1	0.1	00.0-00.3	145	97.4	94.5-0100
25-34	348	817,205	16	4.4	01.7-07.1	7	1.8	00.0-03.8	325	93.8	90.5-97.1
35-44	676	794,754	27	3.3	01.7-04.9	12	1.8	00.2-03.4	637	94.9	92.7-97.1
45-54	941	801,029	74	7.7	05.5-09.9	13	1.2	00.4-02.0	854	91.1	88.7-93.5
55-64	1195	634,354	115	10.1	07.7-12.5	9	1.3	00.3-02.3	1071	88.6	86.1-91.1
65+	2018	694,379	214	10.4	08.8-12.0	10	0.4	00.0-00.8	1794	89.2	87.4-91.0
Less Than H.S.	453	589,797	49	6.8	03.9-09.7	1	0.0	00.0-00.0	403	93.1	90.2-96.0
H.S. or G.E.D.	1949	1,516,673	142	6.5	04.5-08.5	15	0.7	00.3-01.1	1792	92.8	90.8-94.8
Some Post-H.S.	1371	1,322,020	137	6.9	05.3-08.5	20	2.5	00.9-04.1	1214	90.7	88.5-92.9
College Graduate	1594	952,139	123	5.1	03.9-06.3	16	0.7	00.3-01.1	1455	94.3	93.1-95.5
Less than \$15,000	509	374,867	60	9.5	04.8-14.2	7	2.6	00.1-05.1	442	87.9	82.8-93.0
\$15,000- 24,999	929	720,141	73	6.9	04.2-09.6	6	1.9	00.0-04.3	850	91.2	87.7-94.7
\$25,000- 34,999	551	434,161	49	6.3	03.4-09.2	3	0.6	00.0-01.4	499	93.1	90.2-96.0
\$35,000- 49,999	710	562,131	58	5.4	03.4-07.4	8	1.1	00.1-02.1	644	93.5	91.3-95.7
\$50,000- 74,999	751	662,160	69	6.9	04.2-09.6	8	0.5	00.1-00.9	674	92.6	89.7-95.5
\$75,000+	1085	984,879	80	6.1	04.3-07.9	13	0.8	00.2-01.4	992	93.1	91.3-94.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1917	2,134,790	154	5.5	04.1-06.9	1763	94.5	93.1-95.9
White/Non-Hisp	1612	1,744,379	116	5.6	04.0-07.2	1496	94.4	92.8-96.0
Black or Afr. Am./Non-Hisp	168	170,826	19	5.5	01.6-09.4	149	94.5	90.6-98.4
Hispanic	51	118,690	4	1.3	00.0-03.1	47	98.7	96.9-0100
18-24	66	342,641	1	2.3	00.0-06.6	65	97.7	93.4-0100
25-34	127	393,832	2	1.9	00.0-05.6	125	98.1	94.4-0100
35-44	260	396,890	9	2.1	00.5-03.7	251	97.9	96.3-99.5
45-54	362	395,380	29	7.7	04.2-11.2	333	92.3	88.8-95.8
55-64	455	304,601	43	11.0	07.1-14.9	412	89.0	85.1-92.9
65+	633	293,671	70	10.2	07.3-13.1	563	89.8	86.9-92.7
Less Than H.S.	164	299,534	13	3.6	00.9-06.3	151	96.4	93.7-99.1
H.S. or G.E.D.	662	780,356	48	6.2	03.1-09.3	614	93.8	90.7-96.9
Some Post-H.S.	451	572,762	43	6.1	03.7-08.5	408	93.9	91.5-96.3
College Graduate	635	478,289	49	4.8	03.2-06.4	586	95.2	93.6-96.8
Less than \$15,000	145	165,400	16	8.6	00.0-17.2	129	91.4	82.8-0100
\$15,000- 24,999	291	318,187	19	4.2	01.3-07.1	272	95.8	92.9-98.7
\$25,000- 34,999	196	208,055	20	6.0	02.5-09.5	176	94.0	90.5-97.5
\$35,000- 49,999	279	289,454	16	2.9	01.1-04.7	263	97.1	95.3-98.9
\$50,000- 74,999	313	357,070	30	6.9	02.4-11.4	283	93.1	88.6-97.6
\$75,000+	479	544,894	43	6.9	04.4-09.4	436	93.1	90.6-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3464	2,252,098	299	7.1	05.9-08.3	52	2.2	01.2-03.2	3113	90.6	89.0-92.2
White/Non-Hisp	2841	1,863,459	235	6.6	05.4-07.8	41	1.9	01.1-02.7	2565	91.5	90.1-92.9
Black or Afr. Am./Non-Hisp	396	192,692	47	10.9	04.2-17.6	7	6.1	00.0-13.4	342	83.0	73.8-92.2
Hispanic	87	111,174	10	7.3	00.0-15.3	1	1.1	00.0-03.3	76	91.6	83.4-99.8
18-24	83	278,113	2	2.8	00.0-06.7	1	0.3	00.0-00.9	80	96.9	93.0-0100
25-34	221	423,374	14	6.7	02.6-10.8	7	3.5	00.0-07.0	200	89.8	84.5-95.1
35-44	416	397,864	18	4.5	02.0-07.0	12	3.5	00.6-06.4	386	91.9	88.0-95.8
45-54	579	405,648	45	7.8	05.1-10.5	13	2.3	00.7-03.9	521	90.0	86.9-93.1
55-64	740	329,753	72	9.3	06.8-11.8	9	2.4	00.4-04.4	659	88.3	85.2-91.4
65+	1385	400,708	144	10.6	08.6-12.6	10	0.7	00.1-01.3	1231	88.8	86.8-90.8
Less Than H.S.	289	290,263	36	10.2	05.1-15.3	1	0.0	00.0-00.0	252	89.8	84.7-94.9
H.S. or G.E.D.	1287	736,317	94	6.8	04.6-09.0	15	1.4	00.4-02.4	1178	91.8	89.4-94.2
Some Post-H.S.	920	749,258	94	7.4	05.2-09.6	20	4.4	01.9-06.9	806	88.2	84.9-91.5
College Graduate	959	473,850	74	5.4	03.6-07.2	16	1.3	00.5-02.1	869	93.3	91.3-95.3
Less than \$15,000	364	209,467	44	10.3	05.6-15.0	7	4.6	00.3-08.9	313	85.1	78.8-91.4
\$15,000- 24,999	638	401,954	54	9.0	04.9-13.1	6	3.4	00.0-07.5	578	87.5	82.0-93.0
\$25,000- 34,999	355	226,107	29	6.6	02.3-10.9	3	1.2	00.0-02.6	323	92.2	87.7-96.7
\$35,000- 49,999	431	272,678	42	8.1	04.8-11.4	8	2.3	00.5-04.1	381	89.6	85.9-93.3
\$50,000- 74,999	438	305,090	39	6.8	03.9-09.7	8	1.1	00.1-02.1	391	92.1	89.0-95.2
\$75,000+	606	439,985	37	5.1	02.9-07.3	13	1.9	00.7-03.1	556	93.0	90.5-95.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1016	510,869	14	2.7	00.2-05.2	81	11.2	07.9-14.5	184	24.3	19.8-28.8	463	41.2	36.9-45.5	274	20.5	17.4-23.6
Male	409	248,196	5	1.2	00.0-02.8	26	8.9	04.8-13.0	86	29.2	21.8-36.6	193	40.7	34.2-47.2	99	20.0	15.1-24.9
Female	607	262,673	9	4.1	00.0-08.8	55	13.4	08.3-18.5	98	19.6	14.9-24.3	270	41.8	36.1-47.5	175	21.1	17.0-25.2
White/Non-Hisp	768	405,443	11	1.8	00.2-03.4	54	9.8	06.7-12.9	127	21.8	17.7-25.9	347	43.4	38.9-47.9	229	23.1	19.4-26.8
Black or Afr. Am./Non-Hisp	172	52,701	17	21.0	04.1-37.9	40	33.5	20.2-46.8	86	34.2	22.6-45.8	29	11.3	05.0-17.6			
45-54	126	104,947	4	1.4	00.0-03.0	15	14.8	06.4-23.2	57	43.4	32.4-54.4	50	40.4	29.6-51.2			
55-64	296	141,255	3	0.6	00.0-01.4	23	7.7	03.6-11.8	55	22.8	16.1-29.5	197	63.9	56.6-71.2	18	5.0	02.1-07.9
65+	539	198,313	2	0.2	00.0-00.6	18	2.5	01.1-03.9	54	10.4	07.3-13.5	209	37.6	32.3-42.9	256	49.3	43.6-55.0
Less Than H.S.	136	102,575				12	11.2	03.2-19.2	21	22.4	07.7-37.1	55	34.5	23.1-45.9	48	31.8	20.4-43.2
H.S. or G.E.D.	427	201,465	5	0.8	00.0-01.6	33	10.2	05.9-14.5	79	25.9	19.6-32.2	185	41.9	35.8-48.0	125	21.2	16.9-25.5
Some Post-H.S.	256	140,982	6	6.7	00.0-15.1	23	13.2	05.2-21.2	51	24.6	17.2-32.0	126	42.4	33.8-51.0	50	13.1	08.6-17.6
College Graduate	197	65,847	3	4.5	00.0-10.0	13	10.3	04.0-16.6	33	21.4	13.2-29.6	97	47.1	37.9-56.3	51	16.7	11.2-22.2
Less than \$15,000	186	78,744	4	4.5	00.0-11.0	21	12.1	05.2-19.0	32	22.7	12.7-32.7	72	34.9	25.3-44.5	57	25.8	17.8-33.8
\$15,000- 24,999	238	131,946	1	0.1	00.0-00.3	20	16.2	07.2-25.2	47	24.5	16.3-32.7	103	34.1	25.9-42.3	67	25.1	17.1-33.1
\$25,000- 34,999	125	59,950	3	2.3	00.0-05.0	8	9.5	02.1-16.9	25	23.1	13.7-32.5	52	42.1	31.1-53.1	37	23.1	14.5-31.7
\$35,000- 49,999	120	51,660	1	0.2	00.0-00.6	6	5.4	00.1-10.7	20	23.0	12.4-33.6	63	52.0	40.4-63.6	30	19.4	11.8-27.0
\$50,000- 74,999	103	63,814	1	1.0	00.0-03.0	9	13.3	03.1-23.5	23	29.6	18.2-41.0	54	49.7	37.2-62.2	16	6.3	02.2-10.4
\$75,000+	100	53,098	3	4.3	00.0-10.8	7	7.3	00.8-13.8	20	24.6	13.0-36.2	54	51.8	39.5-64.1	16	12.0	05.1-18.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	409	248,196	5	1.2	00.0-02.8	26	8.9	04.8-13.0	86	29.2	21.8-36.6	193	40.7	34.2-47.2	99	20.0	14.9-25.1
White/Non-Hisp	314	200,275	4	1.5	00.0-03.3	18	8.0	03.7-12.3	61	25.4	18.9-31.9	149	43.4	36.5-50.3	82	21.7	16.0-27.4
Black or Afr. Am./Non-Hisp	61	21,359				4	8.2	00.0-18.4	15	39.3	18.9-59.7	33	38.7	20.9-56.5	9	13.8	02.0-25.6
45-54	56	53,413	3	2.2	00.0-04.9	7	17.7	04.4-31.0	25	43.0	27.3-58.7	21	37.1	21.6-52.6			
55-64	134	76,187	1	0.1	00.0-00.3	4	1.9	00.0-04.3	31	28.8	18.4-39.2	90	62.6	51.8-73.4	8	6.6	01.3-11.9
65+	199	87,776				6	2.3	00.1-04.5	22	10.8	05.5-16.1	80	36.1	27.7-44.5	91	50.8	41.8-59.8
H.S. or G.E.D.	164	102,497	2	0.3	00.0-00.7	12	9.1	02.6-15.6	33	30.3	20.1-40.5	75	40.8	31.4-50.2	42	19.5	12.8-26.2
Some Post-H.S.	98	64,739	1	0.5	00.0-01.5	4	6.2	00.0-13.6	27	33.4	21.8-45.0	50	47.7	35.7-59.7	16	12.3	05.8-18.8
College Graduate	102	41,014	2	5.9	00.0-14.3	7	12.4	03.0-21.8	17	15.3	06.1-24.5	53	50.7	38.0-63.4	23	15.8	08.5-23.1
\$15,000- 24,999	90	59,129				9	16.8	05.2-28.4	22	30.5	17.4-43.6	33	24.9	14.7-35.1	26	27.8	15.1-40.5
\$25,000- 34,999	54	30,700	1	1.0	00.0-03.0	3	6.7	00.0-15.1	9	14.7	03.7-25.7	25	47.4	31.3-63.5	16	30.2	15.9-44.5
\$35,000- 49,999	68	34,945	1	0.3	00.0-00.9	1	0.3	00.0-00.9	13	23.8	10.5-37.1	38	58.2	43.7-72.7	15	17.4	08.2-26.6
\$50,000- 74,999	51	37,957	1	1.7	00.0-05.0	4	12.5	00.0-26.2	14	36.6	20.1-53.1	23	41.6	24.5-58.7	9	7.6	01.3-13.9
\$75,000+	65	39,419	1	4.4	00.0-12.8	3	6.5	00.0-14.5	15	27.3	12.8-41.8	38	50.9	35.8-66.0	8	10.8	02.6-19.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	607	262,673	9	4.1	00.0-08.8	55	13.4	08.3-18.5	98	19.6	14.9-24.3	270	41.8	36.1-47.5	175	21.1	16.8-25.4
White/Non-Hisp	454	205,167	7	2.2	00.0-04.7	36	11.6	07.1-16.1	66	18.3	13.6-23.0	198	43.5	37.4-49.6	147	24.4	19.5-29.3
Black or Afr. Am./Non-Hisp	111	31,343				13	29.8	04.9-54.7	25	29.6	12.7-46.5	53	31.0	16.1-45.9	20	9.6	02.7-16.5
45-54	70	51,534	1	0.5	00.0-01.5	8	11.7	01.9-21.5	32	43.9	28.6-59.2	29	43.9	28.4-59.4			
55-64	162	65,067	2	1.2	00.0-03.0	19	14.4	06.2-22.6	24	15.7	08.4-23.0	107	65.4	55.6-75.2	10	3.2	00.8-05.6
65+	340	110,537	2	0.4	00.0-01.0	12	2.7	00.9-04.5	32	10.0	06.1-13.9	129	38.7	31.8-45.6	165	48.2	41.1-55.3
Less Than H.S.	91	62,629				9	12.6	02.4-22.8	12	15.0	04.6-25.4	40	44.5	30.6-58.4	30	27.9	15.7-40.1
H.S. or G.E.D.	263	98,968	3	1.2	00.0-02.6	21	11.2	05.5-16.9	46	21.4	14.7-28.1	110	43.1	35.5-50.7	83	23.0	17.5-28.5
Some Post-H.S.	158	76,242	5	12.0	00.0-26.7	19	19.1	06.2-32.0	24	17.1	08.3-25.9	76	38.0	26.4-49.6	34	13.9	07.8-20.0
College Graduate	95	24,833	1	2.2	00.0-06.5	6	6.7	00.6-12.8	16	31.7	17.6-45.8	44	41.3	28.8-53.8	28	18.1	10.3-25.9
Less than \$15,000	137	56,986	3	5.8	00.0-14.6	18	14.9	05.9-23.9	23	18.0	08.6-27.4	51	36.1	24.5-47.7	42	25.2	15.8-34.6
\$15,000- 24,999	148	72,817	1	0.2	00.0-00.6	11	15.6	01.9-29.3	25	19.7	09.9-29.5	70	41.6	29.3-53.9	41	22.9	12.5-33.3
\$25,000- 34,999	71	29,250	2	3.7	00.0-08.8	5	12.3	00.0-24.6	16	32.0	17.3-46.7	27	36.4	22.1-50.7	21	15.6	07.8-23.4
\$35,000- 49,999	52	16,715				5	16.1	01.4-30.8	7	21.3	03.5-39.1	25	39.1	22.8-55.4	15	23.5	10.6-36.4
\$50,000- 74,999	52	25,857				5	14.5	00.0-30.0	9	19.4	05.9-32.9	31	61.6	44.0-79.2	7	4.5	00.4-08.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1065	531,496	343	31.5	27.6-35.4	722	68.5	64.6-72.4
Male	426	256,564	158	36.1	29.8-42.4	268	63.9	57.6-70.2
Female	639	274,932	185	27.2	22.3-32.1	454	72.8	67.9-77.7
White/Non-Hisp	798	420,274	251	34.2	29.9-38.5	547	65.8	61.5-70.1
Black or Afr. Am./Non-Hisp	186	57,438	64	29.3	18.7-39.9	122	70.7	60.1-81.3
45-54	127	105,796	46	31.3	21.5-41.1	81	68.7	58.9-78.5
55-64	306	147,080	97	33.1	26.0-40.2	209	66.9	59.8-74.0
65+	572	209,584	181	32.3	27.2-37.4	391	67.7	62.6-72.8
Less Than H.S.	145	107,525	59	32.8	22.2-43.4	86	67.2	56.6-77.8
H.S. or G.E.D.	455	213,433	130	28.3	22.8-33.8	325	71.7	66.2-77.2
Some Post-H.S.	259	142,029	99	37.1	28.7-45.5	160	62.9	54.5-71.3
College Graduate	205	67,895	55	28.0	19.4-36.6	150	72.0	63.4-80.6
Less than \$15,000	196	81,560	77	41.5	31.3-51.7	119	58.5	48.3-68.7
\$15,000- 24,999	243	133,862	95	35.8	27.4-44.2	148	64.2	55.8-72.6
\$25,000- 34,999	133	64,013	39	31.0	21.0-41.0	94	69.0	59.0-79.0
\$35,000- 49,999	122	53,183	38	34.2	23.0-45.4	84	65.8	54.6-77.0
\$50,000- 74,999	105	64,176	25	22.8	12.6-33.0	80	77.2	67.0-87.4
\$75,000+	102	54,452	28	28.5	16.9-40.1	74	71.5	59.9-83.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	426	256,564	158	36.1	29.8-42.4	268	63.9	57.6-70.2
White/Non-Hisp	324	204,968	115	38.0	31.1-44.9	209	62.0	55.1-68.9
Black or Afr. Am./Non-Hisp	65	24,237	29	44.6	26.6-62.6	36	55.4	37.4-73.4
45-54	56	53,413	25	37.5	22.6-52.4	31	62.5	47.6-77.4
55-64	138	79,641	48	39.7	28.9-50.5	90	60.3	49.5-71.1
65+	211	92,598	77	36.5	28.1-44.9	134	63.5	55.1-71.9
H.S. or G.E.D.	172	107,608	58	30.8	22.2-39.4	114	69.2	60.6-77.8
Some Post-H.S.	99	64,942	43	47.4	35.1-59.7	56	52.6	40.3-64.9
College Graduate	107	42,205	35	33.2	21.2-45.2	72	66.8	54.8-78.8
Less than \$15,000	50	22,025	26	64.6	46.6-82.6	24	35.4	17.4-53.4
\$15,000- 24,999	93	60,628	43	43.1	29.6-56.6	50	56.9	43.4-70.4
\$25,000- 34,999	58	34,107	23	39.2	24.3-54.1	35	60.8	45.9-75.7
\$35,000- 49,999	68	34,945	24	36.6	22.1-51.1	44	63.4	48.9-77.9
\$50,000- 74,999	53	38,320	12	25.0	10.3-39.7	41	75.0	60.3-89.7
\$75,000+	66	40,181	18	29.8	15.3-44.3	48	70.2	55.7-84.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	639	274,932	185	27.2	22.3-32.1	454	72.8	67.9-77.7
White/Non-Hisp	474	215,305	136	30.6	25.1-36.1	338	69.4	63.9-74.9
Black or Afr. Am./Non-Hisp	121	33,201	35	18.2	08.2-28.2	86	81.8	71.8-91.8
45-54	71	52,383	21	25.0	12.5-37.5	50	75.0	62.5-87.5
55-64	168	67,439	49	25.3	17.3-33.3	119	74.7	66.7-82.7
65+	361	116,986	104	29.0	22.9-35.1	257	71.0	64.9-77.1
Less Than H.S.	97	65,717	37	31.5	19.7-43.3	60	68.5	56.7-80.3
H.S. or G.E.D.	283	105,824	72	25.7	19.0-32.4	211	74.3	67.6-81.0
Some Post-H.S.	160	77,087	56	28.5	18.1-38.9	104	71.5	61.1-81.9
College Graduate	98	25,690	20	19.5	08.9-30.1	78	80.5	69.9-91.1
Less than \$15,000	146	59,534	51	33.0	22.0-44.0	95	67.0	56.0-78.0
\$15,000- 24,999	150	73,234	52	29.8	19.8-39.8	98	70.2	60.2-80.2
\$25,000- 34,999	75	29,906	16	21.7	08.8-34.6	59	78.3	65.4-91.2
\$35,000- 49,999	54	18,237	14	29.6	12.9-46.3	40	70.4	53.7-87.1
\$50,000- 74,999	52	25,857	13	19.6	07.8-31.4	39	80.4	68.6-92.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1056	522,767	102	10.1	07.6-12.6	263	26.9	22.6-31.2	676	61.3	56.8-65.8	15	1.8	00.6-03.0
Male	422	255,094	39	7.2	04.3-10.1	133	32.4	25.5-39.3	242	58.3	51.4-65.2	8	2.1	00.5-03.7
Female	634	267,673	63	12.7	08.8-16.6	130	21.6	16.5-26.7	434	64.2	58.5-69.9	7	1.5	00.0-03.5
White/Non-Hisp	793	418,014	83	9.6	07.1-12.1	205	24.2	20.7-27.7	494	64.1	60.0-68.2	11	2.0	00.4-03.6
Black or Afr. Am./Non-Hisp	186	57,438	9	10.5	00.9-20.1	40	25.2	10.3-40.1	136	63.5	48.4-78.6	1	0.8	00.0-02.4
45-54	127	105,796	18	13.4	05.6-21.2	30	27.1	17.1-37.1	75	57.6	46.6-68.6	4	1.9	00.0-04.1
55-64	303	145,359	25	7.1	03.8-10.4	80	24.9	18.8-31.0	194	67.0	60.3-73.7	4	1.0	00.0-02.2
65+	567	208,399	51	8.9	06.2-11.6	138	25.2	20.7-29.7	373	64.7	59.6-69.8	5	1.2	00.0-02.6
Less Than H.S.	145	106,980	15	10.9	03.8-18.0	30	27.7	13.8-41.6	100	61.4	47.9-74.9			
H.S. or G.E.D.	452	212,097	35	8.3	04.8-11.8	120	27.4	22.1-32.7	291	63.1	57.2-69.0	6	1.1	00.0-02.3
Some Post-H.S.	257	135,765	20	8.4	03.7-13.1	57	25.0	16.8-33.2	174	63.2	54.4-72.0	6	3.4	00.0-07.5
College Graduate	201	67,311	32	17.5	10.6-24.4	56	27.8	19.8-35.8	110	51.3	42.3-60.3	3	3.4	00.0-07.3
Less than \$15,000	195	80,916	21	9.5	04.4-14.6	29	13.7	07.6-19.8	142	72.8	63.8-81.8	3	4.0	00.0-10.3
\$15,000- 24,999	243	134,273	26	14.3	07.2-21.4	57	23.9	14.9-32.9	157	60.8	51.2-70.4	3	1.0	00.0-02.4
\$25,000- 34,999	131	62,380	5	3.9	00.2-07.6	42	34.2	23.8-44.6	83	60.8	50.0-71.6	1	1.1	00.0-03.3
\$35,000- 49,999	122	53,183	10	8.2	02.3-14.1	40	37.8	26.4-49.2	71	53.8	42.2-65.4	1	0.2	00.0-00.6
\$50,000- 74,999	104	63,939	8	8.1	00.8-15.4	30	24.9	15.1-34.7	63	63.0	51.2-74.8	3	4.0	00.0-08.5
\$75,000+	102	54,452	13	11.7	04.6-18.8	32	35.1	23.3-46.9	55	51.5	39.3-63.7	2	1.7	00.0-04.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	422	255,094	39	7.2	04.3-10.1	133	32.4	25.7-39.1	242	58.3	51.6-65.0	8	2.1	00.5-03.7
White/Non-Hisp	321	203,882	31	6.3	03.8-08.8	104	29.1	23.2-35.0	179	62.1	55.6-68.6	7	2.5	00.5-04.5
Black or Afr. Am./Non-Hisp	65	24,237	4	16.5	00.0-35.7	16	22.0	07.9-36.1	45	61.5	42.3-80.7			
45-54	56	53,413	3	8.1	00.0-17.9	15	29.4	15.1-43.7	36	59.6	43.9-75.3	2	3.0	00.0-07.3
55-64	137	78,755	12	4.9	01.6-08.2	44	29.9	20.5-39.3	79	64.2	54.4-74.0	2	1.0	00.0-02.6
65+	208	92,014	23	10.1	05.6-14.6	70	32.9	25.1-40.7	112	54.6	46.0-63.2	3	2.4	00.0-05.3
H.S. or G.E.D.	170	107,008	11	6.8	01.5-12.1	58	31.8	23.2-40.4	97	59.5	50.1-68.9	4	1.9	00.0-04.1
Some Post-H.S.	99	64,942	8	5.9	01.4-10.4	28	26.7	15.9-37.5	62	65.9	54.3-77.5	1	1.4	00.0-04.1
College Graduate	105	41,881	16	13.4	05.8-21.0	31	30.4	19.2-41.6	55	50.7	38.5-62.9	3	5.5	00.0-11.6
\$15,000- 24,999	93	61,039	11	12.1	02.9-21.3	25	22.7	11.3-34.1	55	63.1	50.2-76.0	2	2.0	00.0-05.1
\$25,000- 34,999	57	33,210	3	3.4	00.0-08.3	22	40.1	24.8-55.4	31	54.4	38.9-69.9	1	2.1	00.0-06.2
\$35,000- 49,999	68	34,945	3	4.3	00.0-09.2	26	43.1	28.0-58.2	38	52.2	37.1-67.3	1	0.3	00.0-00.9
\$50,000- 74,999	52	38,082	1	0.5	00.0-01.5	16	22.5	10.3-34.7	32	70.4	56.3-84.5	3	6.7	00.0-14.1
\$75,000+	66	40,181	11	12.3	04.5-20.1	22	38.7	24.0-53.4	32	47.3	32.4-62.2	1	1.6	00.0-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	634	267,673	63	12.7	08.8-16.6	130	21.6	16.5-26.7	434	64.2	58.3-70.1	7	1.5	00.0-03.5
White/Non-Hisp	472	214,132	52	12.8	08.7-16.9	101	19.6	15.5-23.7	315	66.1	60.6-71.6	4	1.5	00.0-03.9
Black or Afr. Am./Non-Hisp	121	33,201	5	6.1	00.0-13.4	24	27.6	04.7-50.5	91	64.9	42.9-86.9	1	1.4	00.0-04.1
45-54	71	52,383	15	18.8	06.6-31.0	15	24.8	11.1-38.5	39	55.6	40.1-71.1	2	0.8	00.0-02.0
55-64	166	66,604	13	9.8	03.7-15.9	36	19.1	11.7-26.5	115	70.2	61.2-79.2	2	1.0	00.0-02.4
65+	359	116,385	28	8.0	04.7-11.3	68	19.1	14.2-24.0	261	72.6	66.9-78.3	2	0.2	00.0-00.6
Less Than H.S.	97	65,717	11	15.0	04.4-25.6	14	16.9	05.9-27.9	72	68.0	54.7-81.3			
H.S. or G.E.D.	282	105,088	24	9.9	05.6-14.2	62	23.0	17.1-28.9	194	66.8	60.1-73.5	2	0.3	00.0-00.7
Some Post-H.S.	158	70,823	12	10.7	02.7-18.7	29	23.3	10.6-36.0	112	60.8	47.9-73.7	5	5.1	00.0-12.4
College Graduate	96	25,430	16	24.3	12.0-36.6	25	23.4	12.6-34.2	55	52.2	39.1-65.3			
Less than \$15,000	146	59,550	15	9.9	03.8-16.0	20	14.0	06.6-21.4	108	70.7	59.7-81.7	3	5.5	00.0-13.9
\$15,000- 24,999	150	73,234	15	16.1	06.1-26.1	32	24.8	10.9-38.7	102	58.9	44.8-73.0	1	0.1	00.0-00.3
\$25,000- 34,999	74	29,170	2	4.3	00.0-10.2	20	27.5	13.4-41.6	52	68.2	53.7-82.7			
\$35,000- 49,999	54	18,237	7	15.6	02.3-28.9	14	27.7	13.2-42.2	33	56.8	39.9-73.7			
\$50,000- 74,999	52	25,857	7	19.3	03.0-35.6	14	28.6	12.9-44.3	31	52.1	34.3-69.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1037	518,620	609	56.2	51.7-60.7	218	20.9	17.4-24.4	53	5.5	03.7-07.3	8	1.2	00.2-02.2	143	15.8	12.1-19.5	6	0.4	00.0-00.8
Male	412	250,975	232	57.5	50.8-64.2	76	18.1	13.2-23.0	27	7.8	04.5-11.1	8	2.4	00.4-04.4	68	14.1	09.8-18.4	1	0.3	00.0-00.9
Female	625	267,645	377	55.1	49.0-61.2	142	23.5	18.4-28.6	26	3.3	01.7-04.9				75	17.5	11.8-23.2	5	0.5	00.0-01.1
White/Non-Hisp	777	410,126	438	56.6	52.1-61.1	175	22.2	18.5-25.9	44	6.0	04.0-08.0	8	1.5	00.3-02.7	108	13.3	10.2-16.4	4	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	181	54,749	123	58.3	43.2-73.4	32	22.5	06.8-38.2	9	7.3	00.0-16.3				16	11.6	04.0-19.2	1	0.2	00.0-00.6
45-54	122	102,889	74	54.7	43.3-66.1	22	17.8	09.6-26.0	6	6.5	00.8-12.2	2	2.1	00.0-05.2	18	19.0	09.0-29.0			
55-64	301	144,605	191	61.6	54.5-68.7	62	22.0	16.1-27.9	17	6.2	02.9-09.5	3	1.9	00.0-04.1	27	7.9	04.4-11.4	1	0.5	00.0-01.5
65+	555	202,369	314	55.6	50.1-61.1	121	21.7	17.0-26.4	26	5.1	02.6-07.6	3	0.6	00.0-01.2	86	16.3	12.6-20.0	5	0.7	00.0-01.5
Less Than H.S.	137	102,951	80	55.7	42.8-68.6	22	18.5	09.3-27.7	9	5.7	01.4-10.0	1	1.0	00.0-03.0	25	19.1	09.3-28.9			
H.S. or G.E.D.	443	208,108	261	59.3	53.2-65.4	89	17.7	13.4-22.0	17	5.2	02.1-08.3	6	2.3	00.1-04.5	66	14.9	10.6-19.2	4	0.6	00.0-01.4
Some Post-H.S.	256	139,890	161	56.1	46.5-65.7	54	24.2	15.6-32.8	18	5.6	02.5-08.7				21	13.5	04.9-22.1	2	0.6	00.0-01.6
College Graduate	200	67,057	107	48.4	39.2-57.6	52	26.6	19.0-34.2	9	6.0	01.1-10.9	1	0.4	00.0-01.2	31	18.6	10.8-26.4			
Less than \$15,000	191	78,573	124	68.7	59.7-77.7	33	14.9	08.2-21.6	11	6.5	02.2-10.8				23	9.9	04.6-15.2			
\$15,000- 24,999	239	131,484	142	53.1	43.3-62.9	47	21.6	12.8-30.4	8	4.6	00.1-09.1	3	2.2	00.0-04.7	37	18.2	10.6-25.8	2	0.3	00.0-00.9
\$25,000- 34,999	127	61,292	80	59.2	48.2-70.2	24	20.3	11.1-29.5	6	4.3	00.0-08.6	1	0.9	00.0-02.7	15	15.0	06.4-23.6	1	0.2	00.0-00.6
\$35,000- 49,999	121	52,114	68	56.7	45.5-67.9	23	17.2	09.2-25.2	10	12.3	04.3-20.3	2	1.1	00.0-02.7	16	11.0	04.9-17.1	2	1.7	00.0-04.1
\$50,000- 74,999	102	63,674	66	60.1	47.8-72.4	26	25.4	15.2-35.6	4	3.4	00.0-07.1				6	11.1	00.9-21.3			
\$75,000+	101	54,173	48	44.7	32.7-56.7	27	26.6	15.8-37.4	7	5.5	00.6-10.4	1	2.9	00.0-08.6	17	19.0	08.6-29.4	1	1.3	00.0-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	412	250,975	232	57.5	50.6-64.4	76	18.1	13.2-23.0	27	7.8	04.5-11.1	8	2.4	00.4-04.4	68	14.1	09.8-18.4	1	0.3	00.0-00.9
White/Non-Hisp	315	200,857	171	56.6	49.7-63.5	61	19.5	14.0-25.0	23	8.2	04.7-11.7	8	3.0	00.6-05.4	51	12.3	08.0-16.6	1	0.3	00.0-00.9
Black or Afr. Am./Non-Hisp	61	22,616	40	55.0	35.4-74.6	9	14.7	01.0-28.4	4	13.0	00.0-32.6				8	17.3	03.6-31.0			
45-54	53	51,713	29	50.2	33.9-66.5	10	21.6	08.7-34.5	6	12.8	02.0-23.6	2	4.3	00.0-10.6	6	11.1	00.0-22.7			
55-64	138	79,921	79	60.6	50.6-70.6	29	19.1	11.7-26.5	10	7.8	02.5-13.1	3	3.4	00.0-07.5	16	8.2	03.5-12.9	1	0.9	00.0-02.7
65+	201	88,709	116	56.6	47.8-65.4	31	15.5	08.4-22.6	11	7.4	02.3-12.5	3	1.3	00.0-02.9	40	19.2	12.9-25.5			
H.S. or G.E.D.	164	104,743	101	61.3	51.9-70.7	22	12.3	06.8-17.8	9	7.6	01.9-13.3	6	4.5	00.4-08.6	26	14.4	07.3-21.5			
Some Post-H.S.	98	64,433	63	62.3	50.0-74.6	18	21.9	10.7-33.1	8	7.4	01.9-12.9				8	7.4	01.3-13.5	1	1.1	00.0-03.3
College Graduate	105	41,763	48	40.0	28.0-52.0	28	27.9	17.5-38.3	5	8.0	00.6-15.4	1	0.7	00.0-02.1	23	23.5	12.5-34.5			
Less than \$15,000	50	22,238	30	68.2	51.0-85.4	8	7.8	00.5-15.1	4	10.5	00.0-21.3				8	13.6	01.8-25.4			
\$15,000- 24,999	89	58,249	50	54.5	40.4-68.6	13	16.5	05.5-27.5	5	9.4	00.0-19.2	3	4.9	00.0-10.6	18	14.7	06.5-22.9			
\$25,000- 34,999	54	32,510	31	55.3	39.4-71.2	11	21.2	07.9-34.5	4	7.5	00.0-15.3	1	1.8	00.0-05.1	7	14.3	03.1-25.5			
\$35,000- 49,999	68	34,945	37	57.5	43.0-72.0	10	12.6	03.8-21.4	8	17.1	05.3-28.9	2	1.6	00.0-03.8	11	11.2	03.8-18.6			
\$50,000- 74,999	52	37,990	35	63.3	46.4-80.2	14	27.4	13.1-41.7	1	1.5	00.0-04.4				2	7.8	00.0-20.7			
\$75,000+	65	39,903	30	41.5	27.2-55.8	15	26.7	13.0-40.4	4	5.4	00.0-11.3	1	4.0	00.0-11.6	14	20.8	08.3-33.3	1	1.7	00.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	625	267,645	377	55.1	48.8-61.4	142	23.5	18.4-28.6	26	3.3	01.7-04.9	75	17.5	11.8-23.2	5	0.5	00.0-01.1
White/Non-Hisp	462	209,269	267	56.7	50.8-62.6	114	24.8	19.7-29.9	21	3.7	01.7-05.7	57	14.2	09.9-18.5	3	0.6	00.0-01.2
Black or Afr. Am./Non-Hisp	120	32,133	83	60.6	39.0-82.2	23	28.1	05.0-51.2	5	3.3	00.0-07.8	8	7.6	00.0-16.0	1	0.4	00.0-01.2
45-54	69	51,176	45	59.2	43.3-75.1	12	13.8	03.6-24.0				12	26.9	11.4-42.4			
55-64	163	64,684	112	62.9	52.9-72.9	33	25.5	16.3-34.7	7	4.1	00.4-07.8	11	7.5	01.8-13.2			
65+	354	113,660	198	54.8	47.9-61.7	90	26.5	20.4-32.6	15	3.3	01.3-05.3	46	14.1	09.6-18.6	5	1.3	00.1-02.5
Less Than H.S.	92	62,915	60	54.3	40.2-68.4	14	19.7	08.5-30.9	4	3.8	00.1-07.5	14	22.3	09.0-35.6			
H.S. or G.E.D.	279	103,365	160	57.2	49.8-64.6	67	23.2	16.9-29.5	8	2.7	00.3-05.1	40	15.5	10.2-20.8	4	1.3	00.0-02.7
Some Post-H.S.	158	75,457	98	50.8	37.1-64.5	36	26.2	13.5-38.9	10	4.0	00.9-07.1	13	18.8	04.3-33.3	1	0.1	00.0-00.3
College Graduate	95	25,294	59	62.3	49.6-75.0	24	24.5	13.9-35.1	4	2.7	00.0-05.8	8	10.5	00.7-20.3			
Less than \$15,000	141	56,335	94	68.9	58.1-79.7	25	17.7	09.1-26.3	7	5.0	00.7-09.3	15	8.4	02.5-14.3			
\$15,000- 24,999	150	73,234	92	51.9	38.2-65.6	34	25.7	12.8-38.6	3	0.8	00.0-01.8	19	21.0	09.2-32.8	2	0.6	00.0-01.6
\$25,000- 34,999	73	28,783	49	63.7	48.2-79.2	13	19.3	06.8-31.8	2	0.7	00.0-01.7	8	15.9	02.6-29.2	1	0.4	00.0-01.2
\$35,000- 49,999	53	17,169	31	55.0	37.9-72.1	13	26.4	11.3-41.5	2	2.6	00.0-06.9	5	10.7	00.0-21.7	2	5.3	00.0-12.6
\$50,000- 74,999	50	25,684	31	55.3	37.5-73.1	12	22.4	08.9-35.9	3	6.4	00.0-14.6	4	15.9	00.0-32.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LANDWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1027	515,331	175	16.7	13.6-19.8	213	20.1	16.8-23.4	151	16.6	12.3-20.9	212	19.9	16.6-23.2	148	13.5	10.8-16.2	128	13.2	10.1-16.3
Male	416	250,664	69	17.4	12.5-22.3	97	22.6	17.3-27.9	61	16.7	09.8-23.6	83	21.6	15.9-27.3	58	12.4	08.5-16.3	48	9.3	06.2-12.4
Female	611	264,667	106	16.0	11.9-20.1	116	17.7	13.4-22.0	90	16.6	11.3-21.9	129	18.3	14.4-22.2	90	14.4	10.5-18.3	80	17.0	11.9-22.1
White/Non-Hisp	771	407,728	127	16.2	12.9-19.5	174	22.4	18.7-26.1	115	15.0	11.9-18.1	160	21.8	17.9-25.7	102	12.9	09.8-16.0	93	11.6	08.9-14.3
Black or Afr. Am./Non-Hisp	177	54,507	36	20.7	09.1-32.3	27	12.3	05.6-19.0	20	11.2	03.8-18.6	41	17.3	09.3-25.3	34	20.3	10.5-30.1	19	18.2	02.3-34.1
45-54	126	105,223	27	27.7	17.3-38.1	21	15.1	07.7-22.5	18	13.2	06.1-20.3	26	20.6	11.6-29.6	17	8.7	03.4-14.0	17	14.6	06.8-22.4
55-64	301	143,524	58	17.3	12.0-22.6	57	18.7	13.2-24.2	40	13.5	08.2-18.8	67	22.3	16.0-28.6	49	18.2	12.5-23.9	30	9.9	05.4-14.4
65+	544	198,984	81	13.3	09.8-16.8	120	22.7	18.0-27.4	84	16.1	12.2-20.0	113	21.5	17.0-26.0	72	12.4	08.7-16.1	74	13.9	10.6-17.2
Less Than H.S.	140	103,317	18	14.0	05.8-22.2	22	15.0	06.6-23.4	21	22.7	08.2-37.2	32	20.1	11.7-28.5	20	10.5	04.4-16.6	27	17.7	09.1-26.3
H.S. or G.E.D.	439	207,195	73	16.8	12.1-21.5	96	22.5	17.4-27.6	65	14.1	10.2-18.0	90	22.9	17.2-28.6	60	12.3	08.4-16.2	55	11.5	08.0-15.0
Some Post-H.S.	247	137,765	42	16.3	10.0-22.6	45	16.0	10.1-21.9	37	17.4	08.6-26.2	51	16.3	10.4-22.2	47	20.6	13.5-27.7	25	13.4	05.6-21.2
College Graduate	201	67,053	42	21.6	14.0-29.2	50	28.6	20.2-37.0	28	13.6	07.5-19.7	39	17.8	10.9-24.7	21	7.0	03.1-10.9	21	11.4	05.5-17.3
Less than \$15,000	187	77,791	20	9.4	03.3-15.5	44	21.1	13.1-29.1	24	14.0	06.9-21.1	40	21.0	11.6-30.4	37	21.8	12.6-31.0	22	12.8	06.9-18.7
\$15,000- 24,999	237	129,581	37	14.7	08.0-21.4	36	14.9	08.0-21.8	31	11.0	06.3-15.7	58	25.3	17.7-32.9	38	13.8	08.1-19.5	37	20.3	10.9-29.7
\$25,000- 34,999	131	63,825	25	19.7	10.5-28.9	33	25.8	16.4-35.2	21	15.6	07.8-23.4	24	19.6	11.0-28.2	14	10.1	03.6-16.6	14	9.4	04.1-14.7
\$35,000- 49,999	121	53,039	24	19.2	10.2-28.2	21	20.9	11.3-30.5	26	24.0	14.0-34.0	22	17.3	08.1-26.5	16	10.3	04.0-16.6	12	8.3	03.2-13.4
\$50,000- 74,999	101	62,525	24	26.1	14.7-37.5	26	26.1	14.9-37.3	11	10.1	02.3-17.9	20	18.4	08.2-28.6	12	11.3	03.5-19.1	8	7.9	02.0-13.8
\$75,000+	102	54,452	21	23.2	12.2-34.2	26	26.8	16.2-37.4	12	10.7	03.6-17.8	19	15.9	07.3-24.5	13	12.4	04.2-20.6	11	10.9	04.0-17.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LANDWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	416	250,664	69	17.4	12.5-22.3	97	22.6	17.3-27.9	61	16.7	10.0-23.4	83	21.6	15.9-27.3	58	12.4	08.5-16.3	48	9.3	06.2-12.4
White/Non-Hisp	316	199,812	52	18.2	12.7-23.7	79	24.5	19.0-30.0	45	13.5	09.2-17.8	61	23.4	16.9-29.9	43	11.9	07.6-16.2	36	8.4	05.1-11.7
Black or Afr. Am./Non-Hisp	63	23,159	11	18.1	00.0-36.9	11	15.1	02.8-27.4	8	16.6	02.5-30.7	18	24.5	10.0-39.0	11	18.6	05.7-31.5	4	7.0	00.0-15.6
45-54	56	53,413	9	24.4	09.7-39.1	12	16.7	06.3-27.1	5	8.9	00.9-16.9	14	28.2	13.1-43.3	10	11.3	02.7-19.9	6	10.5	00.9-20.1
55-64	136	77,782	31	21.9	13.3-30.5	31	22.5	14.1-30.9	15	12.5	04.7-20.3	29	25.4	15.4-35.4	18	11.9	05.8-18.0	12	5.7	01.8-09.6
65+	203	88,557	26	13.2	07.3-19.1	46	22.7	15.6-29.8	37	18.2	11.9-24.5	39	19.0	11.9-26.1	26	13.4	06.7-20.1	29	13.6	08.5-18.7
H.S. or G.E.D.	168	105,252	28	19.3	11.1-27.5	42	25.6	17.4-33.8	27	13.4	07.7-19.1	36	26.9	17.3-36.5	18	6.9	03.4-10.4	17	8.1	03.8-12.4
Some Post-H.S.	97	64,502	12	14.3	05.3-23.3	20	16.4	08.2-24.6	13	15.7	07.5-23.9	17	16.4	07.2-25.6	22	24.9	14.3-35.5	13	12.4	04.4-20.4
College Graduate	105	41,915	19	19.9	09.7-30.1	29	33.2	21.2-45.2	17	16.5	07.5-25.5	18	14.7	06.3-23.1	11	6.1	01.2-11.0	11	9.5	02.6-16.4
\$15,000- 24,999	91	57,523	12	15.3	04.7-25.9	14	17.0	06.4-27.6	15	13.2	05.4-21.0	25	33.3	20.0-46.6	12	13.3	03.9-22.7	13	7.9	02.4-13.4
\$25,000- 34,999	56	33,918	10	18.5	06.0-31.0	15	27.8	13.9-41.7	9	16.1	04.5-27.7	11	23.0	09.7-36.3	5	6.1	00.0-12.2	6	8.6	01.3-15.9
\$35,000- 49,999	68	34,945	13	19.3	07.3-31.3	14	23.6	11.1-36.1	13	19.7	07.9-31.5	10	17.6	04.9-30.3	11	12.1	03.5-20.7	7	7.8	01.7-13.9
\$50,000- 74,999	51	37,219	9	20.5	06.0-35.0	15	27.4	12.5-42.3	6	12.0	00.0-24.2	10	19.3	04.4-34.2	7	14.3	02.3-26.3	4	6.5	00.0-13.8
\$75,000+	66	40,181	15	26.6	12.5-40.7	18	28.4	15.1-41.7	6	8.4	00.8-16.0	13	18.6	07.2-30.0	9	11.5	01.7-21.3	5	6.5	00.6-12.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	611	264,667	106	16.0	11.9-20.1	116	17.7	13.2-22.2	90	16.6	11.3-21.9	129	18.3	14.4-22.2	90	14.4	10.5-18.3	80	17.0	11.7-22.3
White/Non-Hisp	455	207,916	75	14.2	10.3-18.1	95	20.4	15.3-25.5	70	16.4	11.9-20.9	99	20.3	15.8-24.8	59	13.9	09.6-18.2	57	14.8	10.5-19.1
Black or Afr. Am./Non-Hisp	114	31,348	25	22.7	07.8-37.6	16	10.2	03.7-16.7	12	7.3	00.0-14.6	23	11.9	03.9-19.9	23	21.5	07.6-35.4	15	26.4	01.9-50.9
45-54	70	51,810	18	31.1	16.2-46.0	9	13.6	03.0-24.2	13	17.7	06.5-28.9	12	12.7	03.9-21.5	7	6.1	00.2-12.0	11	18.8	06.3-31.3
55-64	165	65,742	27	11.9	06.4-17.4	26	14.3	07.8-20.8	25	14.7	07.6-21.8	38	18.7	11.8-25.6	31	25.6	16.4-34.8	18	14.8	06.4-23.2
65+	341	110,427	55	13.4	09.3-17.5	74	22.8	16.1-29.5	47	14.4	09.5-19.3	74	23.5	17.6-29.4	46	11.7	07.6-15.8	45	14.2	09.9-18.5
Less Than H.S.	94	64,322	8	13.3	02.5-24.1	16	15.8	05.4-26.2	17	19.8	09.0-30.6	20	18.3	09.1-27.5	13	8.6	02.9-14.3	20	24.2	12.0-36.4
H.S. or G.E.D.	271	101,943	45	14.2	09.5-18.9	54	19.4	13.1-25.7	38	14.9	09.4-20.4	54	18.7	13.2-24.2	42	17.8	11.3-24.3	38	14.9	09.6-20.2
Some Post-H.S.	150	73,263	30	18.1	09.3-26.9	25	15.7	07.5-23.9	24	18.9	04.8-33.0	34	16.2	08.8-23.6	25	16.9	07.7-26.1	12	14.3	01.6-27.0
College Graduate	96	25,139	23	24.5	12.9-36.1	21	20.9	11.1-30.7	11	8.6	02.9-14.3	21	23.0	11.4-34.6	10	8.5	02.2-14.8	10	14.5	03.9-25.1
Less than \$15,000	138	55,855	12	8.6	01.2-16.0	27	19.0	09.4-28.6	23	17.8	08.6-27.0	32	20.8	12.2-29.4	28	21.4	10.2-32.6	16	12.4	05.7-19.1
\$15,000- 24,999	146	72,058	25	14.3	05.5-23.1	22	13.3	03.9-22.7	16	9.2	03.3-15.1	33	18.8	11.0-26.6	26	14.1	07.0-21.2	24	30.2	15.3-45.1
\$25,000- 34,999	75	29,906	15	21.0	07.5-34.5	18	23.5	11.5-35.5	12	15.0	05.0-25.0	13	15.7	05.1-26.3	9	14.6	02.8-26.4	8	10.2	02.6-17.8
\$35,000- 49,999	53	18,094	11	19.0	06.7-31.3	7	15.7	01.8-29.6	13	32.4	14.8-50.0	12	16.7	06.3-27.1	5	7.0	00.0-14.8	5	9.3	00.3-18.3
\$50,000- 74,999	50	25,305	15	34.3	17.1-51.5	11	24.2	07.1-41.3	5	7.5	00.1-14.9	10	17.0	04.3-29.7	5	6.9	00.0-14.3	4	10.0	00.2-19.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	995	495,454	460	46.1	41.6-50.6	343	33.2	29.1-37.3	30	2.6	0.1-03.8	19	1.7	0.07-02.7	90	11.6	07.5-15.7	53	4.7	02.7-06.7
Male	407	247,159	202	50.4	43.3-57.5	141	33.8	27.5-40.1	10	1.6	0.2-03.0	5	1.1	0.0-02.3	34	11.2	04.5-17.9	15	1.9	0.7-03.1
Female	588	248,295	258	41.8	36.3-47.3	202	32.7	27.6-37.8	20	3.6	0.1-05.6	14	2.4	0.1-03.8	56	12.0	07.1-16.9	38	7.5	03.8-11.2
White/Non-Hisp	756	398,245	362	48.5	43.8-53.2	261	34.5	30.2-38.8	21	2.6	0.1-04.0	16	2.0	0.0-03.2	61	8.4	05.9-10.9	35	4.0	02.0-06.0
Black or Afr. Am./Non-Hisp	166	52,946	65	30.7	18.4-43.0	60	38.5	25.2-51.8	7	4.2	0.1-08.3	3	1.0	0.0-02.2	20	20.5	04.2-36.8	11	5.2	0.9-09.5
45-54	122	97,836	60	49.9	38.7-61.1	41	35.2	24.4-46.0	4	2.7	0.0-06.2	1	0.1	0.0-00.3	10	6.9	02.0-11.8	6	5.1	0.0-11.0
55-64	294	141,867	138	50.2	42.8-57.6	114	38.4	31.3-45.5	9	2.6	0.4-04.8	5	1.5	0.0-03.1	24	6.8	02.9-10.7	4	0.6	0.0-01.2
65+	523	194,280	234	40.8	35.3-46.3	176	34.9	29.6-40.2	16	3.2	0.1-05.2	11	2.7	0.0-04.5	45	10.0	06.7-13.3	41	8.5	04.8-12.2
Less Than H.S.	123	95,657	35	27.1	16.3-37.9	42	31.6	20.0-43.2	4	2.5	0.0-05.2	4	1.6	0.0-03.4	23	24.7	09.2-40.2	15	12.6	03.8-21.4
H.S. or G.E.D.	426	204,723	203	51.1	44.8-57.4	136	32.6	26.7-38.5	18	4.0	0.1-06.4	9	2.1	0.0-03.7	37	7.6	04.7-10.5	23	2.7	0.1-03.9
Some Post-H.S.	248	129,410	113	48.1	39.3-56.9	94	34.1	26.1-42.1	7	1.7	0.0-03.3	4	2.0	0.0-04.2	18	10.7	02.9-18.5	12	3.3	0.1-05.5
College Graduate	197	65,049	109	54.9	45.7-64.1	71	36.3	27.5-45.1	1	0.2	0.0-00.6	2	0.3	0.0-00.7	12	6.8	02.1-11.5	2	1.5	0.0-04.0
Less than \$15,000	179	75,326	71	44.8	33.8-55.8	53	31.7	22.1-41.3	8	2.7	0.0-04.9	4	1.4	0.0-03.0	26	12.6	06.7-18.5	17	6.9	03.0-10.8
\$15,000- 24,999	228	125,446	89	33.5	24.7-42.3	82	33.5	24.9-42.1	9	4.4	0.1-07.7	6	2.6	0.4-04.8	26	17.2	08.2-26.2	16	8.8	02.1-15.5
\$25,000- 34,999	125	61,369	65	51.1	39.9-62.3	43	33.9	23.3-44.5	3	2.0	0.0-04.5	1	1.0	0.0-03.0	9	10.8	03.0-18.6	4	1.2	0.0-02.4
\$35,000- 49,999	119	52,723	60	54.6	43.2-66.0	44	37.2	26.0-48.4	3	1.2	0.0-02.8	2	0.4	0.0-01.0	9	5.6	0.1-09.7	1	1.0	0.0-03.0
\$50,000- 74,999	102	62,773	57	61.1	49.1-73.1	39	33.6	22.0-45.2	1	0.2	0.0-00.6	1	1.5	0.0-04.4	3	3.3	0.0-07.8	1	0.2	0.0-00.6
\$75,000+	99	51,789	59	63.2	51.6-74.8	33	30.3	19.3-41.3	2	2.7	0.0-06.8	1	0.2	0.0-00.6	3	2.6	0.0-05.5	1	1.0	0.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	407	247,159	202	50.4	43.3-57.5	141	33.8	27.3-40.3	10	1.6	00.2-03.0	5	1.1	00.0-02.3	34	11.2	04.5-17.9	15	1.9	00.7-03.1
White/Non-Hisp	316	199,260	159	52.5	45.4-59.6	109	35.7	28.8-42.6	8	1.7	00.1-03.3	4	1.3	00.0-02.7	23	6.6	03.5-09.7	13	2.2	00.8-03.6
Black or Afr. Am./Non-Hisp	58	21,158	22	32.9	12.5-53.3	25	47.3	27.9-66.7	2	2.6	00.0-06.7	1	0.7	00.0-02.1	6	15.1	01.6-28.6	2	1.5	00.0-03.7
45-54	54	50,319	24	46.5	30.2-62.8	21	38.8	22.7-54.9	2	3.0	00.0-08.5				6	10.7	01.9-19.5	1	1.0	00.0-03.0
55-64	134	76,705	72	59.8	50.0-69.6	47	33.0	23.6-42.4	3	1.8	00.0-04.0	2	1.2	00.0-03.4	8	3.7	00.6-06.8	2	0.6	00.0-01.4
65+	198	89,223	92	43.0	34.2-51.8	70	40.5	31.5-49.5	5	1.2	00.0-02.4	3	2.0	00.0-04.5	16	9.1	03.8-14.4	12	4.3	01.4-07.2
H.S. or G.E.D.	165	105,173	82	57.0	47.4-66.6	58	31.2	22.4-40.0	4	2.0	00.0-04.7	2	1.4	00.0-03.4	13	7.1	02.8-11.4	6	1.1	00.1-02.1
Some Post-H.S.	95	61,384	47	50.7	38.0-63.4	32	35.6	23.3-47.9	5	2.7	00.0-05.4	1	1.5	00.0-04.4	5	6.0	00.3-11.7	5	3.5	00.4-06.6
College Graduate	103	40,816	64	59.9	47.6-72.2	29	30.7	19.1-42.3	1	0.3	00.0-00.9	1	0.3	00.0-00.9	6	6.4	00.0-12.9	2	2.3	00.0-06.4
\$15,000- 24,999	92	60,465	29	34.1	20.2-48.0	37	40.5	27.0-54.0	4	3.8	00.0-08.7	2	2.5	00.0-05.8	13	13.8	05.4-22.2	7	5.4	01.1-09.7
\$25,000- 34,999	54	32,599	27	48.1	32.2-64.0	21	39.9	24.2-55.6	2	2.5	00.0-06.4				3	8.9	00.0-19.7	1	0.6	00.0-01.8
\$35,000- 49,999	67	34,737	39	63.8	49.3-78.3	21	29.6	15.5-43.7	1	0.4	00.0-01.2	1	0.4	00.0-01.2	5	5.7	00.4-11.0			
\$50,000- 74,999	51	37,270	31	63.7	47.0-80.4	16	30.0	13.9-46.1	1	0.3	00.0-00.9	1	2.5	00.0-07.4	1	3.0	00.0-08.9	1	0.4	00.0-01.2
\$75,000+	65	39,234	43	68.5	55.0-82.0	19	28.7	15.4-42.0				1	0.3	00.0-00.9	2	2.5	00.0-06.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	588	248,295	258	41.8	36.3-47.3	202	32.7	27.6-37.8	20	3.6	01.6-05.6	14	2.4	01.0-03.8	56	12.0	07.1-16.9	38	7.5	03.8-11.2
White/Non-Hisp	440	198,986	203	44.5	38.4-50.6	152	33.3	27.6-39.0	13	3.5	01.3-05.7	12	2.8	01.0-04.6	38	10.2	06.1-14.3	22	5.8	02.3-09.3
Black or Afr. Am./Non-Hisp	108	31,788	43	29.1	14.0-44.2	35	32.7	16.0-49.4	5	5.2	00.0-11.7	2	1.1	00.0-03.1	14	24.2	00.0-48.7	9	7.7	00.6-14.8
45-54	68	47,517	36	53.4	38.1-68.7	20	31.4	17.5-45.3	2	2.4	00.0-06.7	1	0.3	00.0-00.9	4	3.0	00.0-06.7	5	9.4	00.0-21.2
55-64	160	65,162	66	38.8	29.4-48.2	67	44.7	34.5-54.9	6	3.6	00.0-07.3	3	1.8	00.0-04.3	16	10.4	02.8-18.0	2	0.6	00.0-01.6
65+	325	105,056	142	39.0	32.3-45.7	106	30.1	24.0-36.2	11	4.9	01.6-08.2	8	3.2	00.7-05.7	29	10.8	06.5-15.1	29	12.0	05.7-18.3
Less Than H.S.	79	55,871	26	30.2	17.5-42.9	20	25.0	13.0-37.0	4	4.2	00.0-08.9	3	2.4	00.0-05.3	13	17.5	06.1-28.9	13	20.6	06.9-34.3
H.S. or G.E.D.	261	99,550	121	44.9	37.3-52.5	78	34.0	26.6-41.4	14	6.1	02.4-09.8	7	2.7	00.3-05.1	24	8.1	04.4-11.8	17	4.3	01.9-06.7
Some Post-H.S.	153	68,026	66	45.6	33.3-57.9	62	32.9	22.5-43.3	2	0.8	00.0-02.2	3	2.5	00.0-05.6	13	15.0	01.7-28.3	7	3.2	00.3-06.1
College Graduate	94	24,234	45	46.5	33.6-59.4	42	45.7	32.8-58.6				1	0.3	00.0-00.9	6	7.5	00.4-14.6			
Less than \$15,000	133	54,515	49	41.0	28.5-53.5	41	33.5	22.1-44.9	6	2.6	00.1-05.1	4	1.9	00.0-04.1	19	12.5	05.6-19.4	14	8.5	03.4-13.6
\$15,000- 24,999	136	64,981	60	33.1	22.3-43.9	45	27.0	17.4-36.6	5	4.9	00.2-09.6	4	2.6	00.0-05.5	13	20.3	04.8-35.8	9	12.0	00.0-24.2
\$25,000- 34,999	71	28,770	38	54.4	39.1-69.7	22	27.0	13.5-40.5	1	1.5	00.0-04.4	1	2.1	00.0-06.2	6	13.0	01.6-24.4	3	1.9	00.0-04.3
\$35,000- 49,999	52	17,986	21	36.9	20.4-53.4	23	51.8	34.6-69.0	2	2.6	00.0-06.9	1	0.5	00.0-01.5	4	5.4	00.0-11.7	1	2.9	00.0-08.4
\$50,000- 74,999	51	25,503	26	57.3	40.2-74.4	23	38.9	22.2-55.6							2	3.8	00.0-10.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1031	511,462	202	18.4	15.3-21.5	197	18.3	15.2-21.4	101	9.4	07.0-11.8	120	11.7	08.8-14.6	92	7.4	05.4-09.4	319	34.8	30.3-39.3
Male	415	251,123	81	18.2	13.5-22.9	87	19.0	14.3-23.7	36	7.2	04.3-10.1	42	12.8	07.9-17.7	42	8.6	05.3-11.9	127	34.1	26.8-41.4
Female	616	260,339	121	18.6	14.3-22.9	110	17.7	13.6-21.8	65	11.4	07.7-15.1	78	10.7	07.8-13.6	50	6.2	03.8-08.6	192	35.4	29.7-41.1
White/Non-Hisp	780	410,065	160	19.7	16.2-23.2	148	18.0	14.9-21.1	71	9.3	06.6-12.0	92	12.5	09.2-15.8	62	7.6	05.2-10.0	247	32.8	28.5-37.1
Black or Afr. Am./Non-Hisp	175	54,906	29	12.4	04.2-20.6	36	24.3	12.9-35.7	23	13.4	05.0-21.8	20	10.2	03.3-17.1	24	9.1	03.2-15.0	43	30.7	15.4-46.0
45-54	124	102,422	24	15.1	07.7-22.5	23	18.1	09.5-26.7	10	8.6	02.9-14.3	10	10.1	02.7-17.5	10	7.6	01.3-13.9	47	40.5	29.7-51.3
55-64	297	143,117	62	19.8	14.1-25.5	61	21.3	15.6-27.0	20	7.8	03.5-12.1	39	14.7	08.8-20.6	25	7.3	04.0-10.6	90	29.1	22.2-36.0
65+	552	204,144	101	19.0	14.9-23.1	101	16.7	13.0-20.4	66	12.8	08.7-16.9	69	13.2	09.1-17.3	53	8.1	05.4-10.8	162	30.3	25.4-35.2
Less Than H.S.	137	104,204	18	11.5	05.0-18.0	23	15.4	07.6-23.2	15	9.8	02.5-17.1	15	10.2	03.3-17.1	18	9.3	03.4-15.2	48	43.8	30.1-57.5
H.S. or G.E.D.	435	204,960	84	17.6	13.3-21.9	80	18.3	13.6-23.0	41	10.0	06.5-13.5	49	12.8	07.9-17.7	36	6.9	04.2-09.6	145	34.3	28.4-40.2
Some Post-H.S.	253	133,789	50	22.8	15.4-30.2	46	15.6	10.3-20.9	28	9.0	04.7-13.3	33	12.1	07.2-17.0	24	8.1	03.6-12.6	72	32.4	23.6-41.2
College Graduate	205	67,895	50	23.1	15.7-30.5	48	28.4	20.0-36.8	17	7.5	03.0-12.0	23	10.0	04.5-15.5	14	4.5	01.0-08.0	53	26.6	18.6-34.6
Less than \$15,000	187	78,159	35	19.4	10.4-28.4	30	14.2	07.7-20.7	13	9.6	03.1-16.1	17	11.4	02.8-20.0	31	12.2	06.7-17.7	61	33.1	23.7-42.5
\$15,000- 24,999	238	131,997	34	12.4	07.3-17.5	46	17.6	10.7-24.5	19	8.3	02.8-13.8	32	11.6	05.9-17.3	22	10.0	04.9-15.1	85	40.2	30.4-50.0
\$25,000- 34,999	130	62,329	28	18.9	10.7-27.1	32	23.2	14.4-32.0	16	12.1	05.0-19.2	15	14.0	06.0-22.0	7	5.2	00.7-09.7	32	26.5	16.5-36.5
\$35,000- 49,999	119	52,135	28	23.4	13.6-33.2	24	23.6	14.0-33.2	14	9.3	02.8-15.8	16	15.9	06.5-25.3	8	4.4	00.9-07.9	29	23.3	13.5-33.1
\$50,000- 74,999	103	61,805	17	16.6	07.2-26.0	26	22.8	13.6-32.0	10	7.4	01.9-12.9	9	12.0	02.4-21.6	6	3.6	00.0-07.5	35	37.6	25.3-49.9
\$75,000+	101	53,770	34	34.4	23.0-45.8	22	23.0	13.0-33.0	9	7.5	00.8-14.2	10	7.1	01.2-13.0	4	1.7	00.0-03.7	22	26.2	14.8-37.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	415	251,123	81	18.2	13.5-22.9	87	19.0	14.5-23.5	36	7.2	04.3-10.1	42	12.8	08.1-17.5	42	8.6	05.3-11.9	127	34.1	26.8-41.4
White/Non-Hisp	319	201,684	65	19.5	14.2-24.8	65	18.5	13.8-23.2	27	7.7	04.4-11.0	33	14.6	08.9-20.3	32	9.0	05.1-12.9	97	30.8	24.3-37.3
Black or Afr. Am./Non-Hisp	61	22,523	9	6.0	01.3-10.7	16	35.2	15.4-55.0	7	10.9	00.0-21.9	7	10.1	00.0-20.9	8	12.8	01.0-24.6	14	24.9	09.6-40.2
45-54	55	51,202	8	13.5	03.5-23.5	12	17.8	06.0-29.6	2	5.1	00.0-12.2	7	17.5	04.0-31.0	6	9.0	00.0-18.4	20	37.2	21.9-52.5
55-64	136	79,080	30	20.1	11.9-28.3	28	23.6	15.2-32.0	5	3.9	00.0-07.8	16	16.2	06.8-25.6	11	7.1	02.4-11.8	46	29.0	19.4-38.6
65+	203	89,930	38	20.3	13.2-27.4	42	17.5	11.4-23.6	29	13.8	08.1-19.5	19	11.5	04.6-18.4	23	10.6	05.1-16.1	52	26.2	18.4-34.0
H.S. or G.E.D.	166	104,731	29	14.6	08.7-20.5	33	19.9	12.5-27.3	13	7.1	02.6-11.6	17	15.7	07.1-24.3	15	7.7	03.2-12.2	59	34.9	25.7-44.1
Some Post-H.S.	98	64,261	22	23.9	13.3-34.5	21	15.8	08.2-23.4	5	5.2	00.5-09.9	10	10.9	03.6-18.2	13	12.9	04.3-21.5	27	31.2	19.6-42.8
College Graduate	107	42,205	25	24.8	14.4-35.2	27	28.8	17.6-40.0	11	7.7	02.4-13.0	10	10.5	02.3-18.7	9	4.5	00.0-09.2	25	23.7	13.1-34.3
\$15,000- 24,999	93	60,894	13	13.4	05.2-21.6	20	20.1	09.7-30.5	7	5.4	00.3-10.5	10	11.5	02.1-20.9	11	14.5	04.7-24.3	32	35.1	21.8-48.4
\$25,000- 34,999	57	33,353	11	18.7	06.4-31.0	13	18.2	07.4-29.0	6	12.6	02.4-22.8	6	14.9	02.9-26.9	5	8.2	00.4-16.0	16	27.4	13.1-41.7
\$35,000- 49,999	68	34,945	10	15.0	04.2-25.8	17	27.6	14.9-40.3	9	8.7	01.4-16.0	7	15.6	02.9-28.3	6	4.5	00.4-08.6	19	28.6	15.1-42.1
\$50,000- 74,999	51	35,948	10	19.5	06.2-32.8	12	21.4	09.1-33.7	4	4.9	00.0-10.2	5	16.3	01.0-31.6	3	3.7	00.0-09.2	17	34.2	17.5-50.9
\$75,000+	65	39,500	24	36.4	22.5-50.3	15	23.2	10.9-35.5	2	5.2	00.0-13.2	7	8.0	00.2-15.8	2	0.6	00.0-01.4	15	26.6	12.5-40.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	616	260,339	121	18.6	14.3-22.9	110	17.7	13.6-21.8	65	11.4	07.7-15.1	78	10.7	07.8-13.6	50	6.2	03.8-08.6	192	35.4	29.5-41.3
White/Non-Hisp	461	208,381	95	19.9	15.2-24.6	83	17.5	13.2-21.8	44	11.0	06.7-15.3	59	10.5	07.4-13.6	30	6.4	03.5-09.3	150	34.8	29.1-40.5
Black or Afr. Am./Non-Hisp	114	32,383	20	16.8	03.5-30.1	20	16.7	05.7-27.7	16	15.1	02.6-27.6	13	10.2	01.4-19.0	16	6.5	01.8-11.2	29	34.7	12.4-57.0
45-54	69	51,220	16	16.7	05.5-27.9	11	18.3	05.6-31.0	8	12.2	03.2-21.2	3	2.8	00.0-06.5	4	6.2	00.0-14.6	27	43.8	28.3-59.3
55-64	161	64,037	32	19.4	11.6-27.2	33	18.3	11.2-25.4	15	12.5	04.5-20.5	23	12.9	06.6-19.2	14	7.6	02.9-12.3	44	29.2	19.6-38.8
65+	349	114,214	63	18.0	13.1-22.9	59	16.0	11.5-20.5	37	12.0	06.1-17.9	50	14.6	09.7-19.5	30	6.0	03.5-08.5	110	33.5	27.2-39.8
Less Than H.S.	93	64,278	13	11.5	04.1-18.9	17	17.8	07.2-28.4	8	9.5	00.0-19.5	10	10.1	03.0-17.2	13	9.9	02.5-17.3	32	41.2	27.7-54.7
H.S. or G.E.D.	269	100,229	55	20.7	14.6-26.8	47	16.7	10.8-22.6	28	13.1	07.6-18.6	32	9.8	05.9-13.7	21	6.0	02.7-09.3	86	33.6	26.2-41.0
Some Post-H.S.	155	69,528	28	21.8	11.4-32.2	25	15.4	08.3-22.5	23	12.5	05.4-19.6	23	13.1	06.2-20.0	11	3.7	00.8-06.6	45	33.5	20.6-46.4
College Graduate	98	25,690	25	20.3	11.1-29.5	21	27.7	15.4-40.0	6	7.1	00.0-15.7	13	9.2	03.5-14.9	5	4.4	00.0-09.5	28	31.3	19.1-43.5
Less than \$15,000	140	56,959	27	23.2	11.8-34.6	23	15.4	07.4-23.4	12	12.3	03.7-20.9	12	7.1	02.2-12.0	21	8.4	04.1-12.7	45	33.6	22.8-44.4
\$15,000- 24,999	145	71,103	21	11.5	05.2-17.8	26	15.4	06.4-24.4	12	10.7	01.7-19.7	22	11.7	05.2-18.2	11	6.1	02.0-10.2	53	44.5	30.4-58.6
\$25,000- 34,999	73	28,977	17	19.2	09.0-29.4	19	29.0	15.1-42.9	10	11.5	02.1-20.9	9	13.0	02.4-23.6	2	1.7	00.0-04.6	16	25.6	11.5-39.7
\$35,000- 49,999	51	17,190	18	40.6	22.8-58.4	7	15.4	01.9-28.9	5	10.4	00.0-22.9	9	16.7	04.4-29.0	2	4.3	00.0-11.2	10	12.7	03.7-21.7
\$50,000- 74,999	52	25,857	7	12.6	00.3-24.9	14	24.7	10.8-38.6	6	11.0	00.4-21.6	4	5.9	00.0-12.8	3	3.5	00.0-09.2	18	42.4	24.4-60.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1057	525,716	160	12.5	09.8-15.2	546	47.9	43.4-52.4	162	20.0	15.5-24.5	146	13.8	11.1-16.5	43	5.8	03.4-08.2
Male	422	254,033	56	11.2	07.1-15.3	233	52.8	45.9-59.7	62	19.1	12.0-26.2	49	10.4	06.7-14.1	22	6.5	03.0-10.0
Female	635	271,684	104	13.7	10.4-17.0	313	43.4	37.7-49.1	100	20.8	14.7-26.9	97	17.0	12.9-21.1	21	5.2	02.3-08.1
White/Non-Hisp	790	415,007	118	13.5	10.6-16.4	412	50.1	45.6-54.6	117	16.3	12.8-19.8	114	15.3	12.0-18.6	29	4.8	02.4-07.2
Black or Afr. Am./Non-Hisp	186	57,438	28	8.7	03.8-13.6	99	47.0	33.7-60.3	27	28.7	12.4-45.0	26	9.4	04.3-14.5	6	6.1	00.0-12.2
45-54	125	104,282	15	8.2	03.1-13.3	66	52.6	41.4-63.8	16	15.1	07.1-23.1	22	17.7	09.3-26.1	6	6.4	00.0-13.5
55-64	304	146,553	34	11.3	05.8-16.8	153	47.3	40.0-54.6	54	21.2	14.9-27.5	47	13.8	08.7-18.9	16	6.3	02.8-09.8
65+	570	207,866	107	17.5	13.6-21.4	300	51.6	46.3-56.9	80	13.5	09.8-17.2	67	12.5	09.0-16.0	16	4.8	01.7-07.9
Less Than H.S.	145	107,084	25	15.0	07.4-22.6	56	30.9	20.3-41.5	31	26.0	12.3-39.7	21	14.7	06.9-22.5	12	13.4	05.0-21.8
H.S. or G.E.D.	451	211,519	70	14.8	10.3-19.3	230	52.7	46.6-58.8	59	12.8	08.7-16.9	75	14.6	10.7-18.5	17	5.0	01.9-08.1
Some Post-H.S.	258	140,823	35	8.0	04.7-11.3	145	50.3	40.9-59.7	48	28.8	18.4-39.2	24	11.4	05.7-17.1	6	1.5	00.1-02.9
College Graduate	202	65,676	30	10.8	05.9-15.7	115	55.6	46.6-64.6	23	13.4	06.7-20.1	26	15.0	08.3-21.7	8	5.2	01.1-09.3
Less than \$15,000	195	80,212	34	19.6	10.4-28.8	79	36.4	27.0-45.8	30	21.6	12.0-31.2	43	19.2	12.1-26.3	9	3.2	00.8-05.6
\$15,000- 24,999	244	134,827	29	12.0	06.3-17.7	110	40.6	31.6-49.6	46	20.5	11.9-29.1	45	16.3	10.2-22.4	14	10.7	04.2-17.2
\$25,000- 34,999	132	63,348	20	13.1	06.6-19.6	73	46.8	36.0-57.6	16	14.1	05.9-22.3	18	20.7	10.9-30.5	5	5.3	00.0-10.6
\$35,000- 49,999	122	53,183	16	8.7	03.0-14.4	74	63.9	52.7-75.1	18	15.0	06.4-23.6	10	7.6	01.7-13.5	4	4.7	00.0-10.6
\$50,000- 74,999	103	63,234	18	9.3	04.0-14.6	64	61.7	49.0-74.4	13	17.5	06.5-28.5	6	6.2	00.9-11.5	2	5.3	00.0-13.3
\$75,000+	100	52,430	13	12.2	04.9-19.5	65	68.9	58.3-79.5	13	11.1	04.2-18.0	5	5.1	00.4-09.8	4	2.7	00.0-05.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	422	254,033	56	11.2	06.9-15.5	233	52.8	45.9-59.7	62	19.1	12.0-26.2	49	10.4	06.7-14.1	22	6.5	03.0-10.0
White/Non-Hisp	319	202,029	40	11.2	06.7-15.7	179	54.7	47.8-61.6	46	16.1	11.0-21.2	41	12.3	07.8-16.8	13	5.7	01.8-09.6
Black or Afr. Am./Non-Hisp	65	24,237	10	11.4	01.4-21.4	37	55.4	36.6-74.2	6	14.1	00.0-32.5	7	5.3	01.0-09.6	5	13.8	00.3-27.3
45-54	55	52,748	4	4.2	00.0-09.5	31	54.0	37.9-70.1	7	16.3	04.3-28.3	10	19.3	06.8-31.8	3	6.2	00.0-15.8
55-64	138	80,408	15	11.9	03.3-20.5	75	52.5	41.9-63.1	24	22.4	13.2-31.6	15	7.0	02.3-11.7	9	6.3	01.4-11.2
65+	210	91,986	35	14.5	08.8-20.2	115	55.7	46.9-64.5	29	12.8	06.9-18.7	22	9.2	04.7-13.7	9	7.8	01.7-13.9
H.S. or G.E.D.	171	107,633	27	14.3	07.0-21.6	90	54.7	44.9-64.5	21	13.8	06.7-20.9	27	11.6	06.3-16.9	6	5.6	00.1-11.1
Some Post-H.S.	98	64,197	9	4.5	00.6-08.4	62	62.7	51.1-74.3	18	21.2	10.6-31.8	6	9.9	00.9-18.9	3	1.7	00.0-03.9
College Graduate	104	39,987	14	10.4	03.5-17.3	62	59.7	47.7-71.7	12	10.8	03.7-17.9	10	13.0	03.8-22.2	6	6.1	00.4-11.8
Less than \$15,000	51	22,433	8	26.8	02.9-50.7	22	40.1	21.3-58.9	7	16.2	02.5-29.9	11	12.4	02.0-22.8	3	4.5	00.0-10.0
\$15,000- 24,999	94	61,592	10	12.5	02.9-22.1	49	48.2	34.7-61.7	15	17.3	07.1-27.5	12	10.4	03.1-17.7	8	11.6	02.4-20.8
\$25,000- 34,999	57	33,442	7	11.3	02.3-20.3	29	44.5	29.2-59.8	12	24.2	09.9-38.5	6	13.3	01.5-25.1	3	6.7	00.0-15.3
\$35,000- 49,999	68	34,945	10	9.6	01.8-17.4	39	60.9	46.2-75.6	11	17.6	05.8-29.4	6	8.3	00.0-16.7	2	3.6	00.0-09.7
\$50,000- 74,999	51	37,377	6	6.3	00.2-12.4	35	62.2	44.4-80.0	4	16.1	01.4-30.8	5	8.4	00.4-16.4	1	7.1	00.0-20.2
\$75,000+	64	38,160	7	7.5	00.8-14.2	42	73.9	62.1-85.7	8	10.5	02.7-18.3	3	4.3	00.0-09.8	4	3.8	00.0-08.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	635	271,684	104	13.7	10.4-17.0	313	43.4	37.7-49.1	100	20.8	14.7-26.9	97	17.0	12.9-21.1	21	5.2	02.3-08.1
White/Non-Hisp	471	212,977	78	15.7	11.6-19.8	233	45.7	40.0-51.4	71	16.5	11.8-21.2	73	18.1	13.4-22.8	16	4.0	01.5-06.5
Black or Afr. Am./Non-Hisp	121	33,201	18	6.8	02.7-10.9	62	40.9	23.5-58.3	21	39.3	17.0-61.6	19	12.5	04.3-20.7	1	0.5	00.0-01.5
45-54	70	51,534	11	12.3	03.5-21.1	35	51.1	36.0-66.2	9	14.0	03.8-24.2	12	15.9	04.5-27.3	3	6.6	00.0-16.8
55-64	166	66,145	19	10.6	04.3-16.9	78	41.0	31.4-50.6	30	19.9	11.7-28.1	32	22.1	13.1-31.1	7	6.4	01.1-11.7
65+	360	115,880	72	20.0	14.7-25.3	185	48.3	41.6-55.0	51	14.1	09.6-18.6	45	15.1	10.0-20.2	7	2.5	00.0-05.0
Less Than H.S.	96	64,868	19	15.3	06.7-23.9	37	33.8	21.1-46.5	20	18.8	09.8-27.8	15	20.5	08.9-32.1	5	11.6	00.8-22.4
H.S. or G.E.D.	280	103,886	43	15.4	10.1-20.7	140	50.6	43.2-58.0	38	11.9	07.4-16.4	48	17.8	12.1-23.5	11	4.4	01.5-07.3
Some Post-H.S.	160	76,626	26	10.9	05.6-16.2	83	40.0	28.2-51.8	30	35.1	19.4-50.8	18	12.7	05.4-20.0	3	1.3	00.0-03.3
College Graduate	98	25,690	16	11.3	05.0-17.6	53	49.3	36.4-62.2	11	17.4	04.9-29.9	16	18.1	08.9-27.3	2	3.9	00.0-09.6
Less than \$15,000	144	57,779	26	16.9	08.7-25.1	57	35.0	24.0-46.0	23	23.6	11.6-35.6	32	21.8	12.8-30.8	6	2.7	00.3-05.1
\$15,000- 24,999	150	73,234	19	11.5	04.6-18.4	61	34.1	21.8-46.4	31	23.1	10.2-36.0	33	21.4	12.0-30.8	6	9.9	00.5-19.3
\$25,000- 34,999	75	29,906	13	15.0	05.8-24.2	44	49.5	34.6-64.4	4	2.7	00.0-05.6	12	29.0	13.5-44.5	2	3.8	00.0-09.1
\$35,000- 49,999	54	18,237	6	7.0	00.0-14.3	35	69.8	53.5-86.1	7	10.0	00.0-21.0	4	6.3	00.0-13.0	2	7.0	00.0-19.2
\$50,000- 74,999	52	25,857	12	13.6	04.4-22.8	29	61.1	43.9-78.3	9	19.6	03.7-35.5	1	3.0	00.0-08.9	1	2.7	00.0-08.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1060	529,623	194	18.7	15.4-22.0	866	81.3	78.0-84.6
Male	422	255,512	82	19.2	14.1-24.3	340	80.8	75.7-85.9
Female	638	274,111	112	18.3	14.0-22.6	526	81.7	77.4-86.0
White/Non-Hisp	796	419,194	134	19.2	15.5-22.9	662	80.8	77.1-84.5
Black or Afr. Am./Non-Hisp	183	57,149	39	20.9	11.3-30.5	144	79.1	69.5-88.7
45-54	127	105,796	28	17.6	10.2-25.0	99	82.4	75.0-89.8
55-64	306	147,154	67	25.4	18.3-32.5	239	74.6	67.5-81.7
65+	567	207,636	90	16.6	12.5-20.7	477	83.4	79.3-87.5
Less Than H.S.	145	107,069	31	20.0	12.0-28.0	114	80.0	72.0-88.0
H.S. or G.E.D.	453	213,253	85	19.1	14.2-24.0	368	80.9	76.0-85.8
Some Post-H.S.	258	141,095	50	20.6	13.3-27.9	208	79.4	72.1-86.7
College Graduate	203	67,593	28	11.6	06.1-17.1	175	88.4	82.9-93.9
Less than \$15,000	196	81,135	52	32.5	21.9-43.1	144	67.5	56.9-78.1
\$15,000- 24,999	244	134,827	52	20.9	14.0-27.8	192	79.1	72.2-86.0
\$25,000- 34,999	132	63,830	17	14.1	06.3-21.9	115	85.9	78.1-93.7
\$35,000- 49,999	121	53,046	21	21.5	12.1-30.9	100	78.5	69.1-87.9
\$50,000- 74,999	103	63,066	18	15.9	06.7-25.1	85	84.1	74.9-93.3
\$75,000+	101	53,539	9	7.8	01.9-13.7	92	92.2	86.3-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	422	255,512	82	19.2	13.9-24.5	340	80.8	75.5-86.1
White/Non-Hisp	322	204,639	59	20.7	14.6-26.8	263	79.3	73.2-85.4
Black or Afr. Am./Non-Hisp	63	24,019	11	15.2	04.0-26.4	52	84.8	73.6-96.0
45-54	56	53,413	10	17.1	05.5-28.7	46	82.9	71.3-94.5
55-64	138	79,715	32	27.4	17.0-37.8	106	72.6	62.2-83.0
65+	207	91,472	37	17.1	10.6-23.6	170	82.9	76.4-89.4
H.S. or G.E.D.	171	107,499	32	19.7	11.7-27.7	139	80.3	72.3-88.3
Some Post-H.S.	97	63,894	22	23.7	12.3-35.1	75	76.3	64.9-87.7
College Graduate	105	41,903	18	13.1	05.5-20.7	87	86.9	79.3-94.5
Less than \$15,000	50	22,351	16	40.0	17.7-62.3	34	60.0	37.7-82.3
\$15,000- 24,999	94	61,592	24	24.5	13.3-35.7	70	75.5	64.3-86.7
\$25,000- 34,999	57	33,924	11	19.4	06.5-32.3	46	80.6	67.7-93.5
\$35,000- 49,999	67	34,808	12	19.0	07.8-30.2	55	81.0	69.8-92.2
\$50,000- 74,999	51	37,210	10	20.9	06.8-35.0	41	79.1	65.0-93.2
\$75,000+	65	39,269	3	3.9	00.0-09.0	62	96.1	91.0-100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	638	274,111	112	18.3	14.0-22.6	526	81.7	77.4-86.0
White/Non-Hisp	474	214,555	75	17.8	13.1-22.5	399	82.2	77.5-86.9
Black or Afr. Am./Non-Hisp	120	33,130	28	25.1	10.4-39.8	92	74.9	60.2-89.6
45-54	71	52,383	18	18.1	08.3-27.9	53	81.9	72.1-91.7
55-64	168	67,439	35	23.1	14.3-31.9	133	76.9	68.1-85.7
65+	360	116,165	53	16.2	11.1-21.3	307	83.8	78.7-88.9
Less Than H.S.	96	64,853	21	21.7	11.5-31.9	75	78.3	68.1-88.5
H.S. or G.E.D.	282	105,754	53	18.6	12.7-24.5	229	81.4	75.5-87.3
Some Post-H.S.	161	77,201	28	18.0	08.6-27.4	133	82.0	72.6-91.4
College Graduate	98	25,690	10	9.2	01.9-16.5	88	90.8	83.5-98.1
Less than \$15,000	146	58,784	36	29.6	18.0-41.2	110	70.4	58.8-82.0
\$15,000- 24,999	150	73,234	28	17.9	09.7-26.1	122	82.1	73.9-90.3
\$25,000- 34,999	75	29,906	6	8.1	00.8-15.4	69	91.9	84.6-99.2
\$35,000- 49,999	54	18,237	9	26.2	09.5-42.9	45	73.8	57.1-90.5
\$50,000- 74,999	52	25,857	8	8.6	00.8-16.4	44	91.4	83.6-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1063	530,627	626	55.6	51.1-60.1	437	44.4	39.9-48.9
Male	425	256,123	232	53.0	46.1-59.9	193	47.0	40.1-53.9
Female	638	274,504	394	58.0	52.1-63.9	244	42.0	36.1-47.9
White/Non-Hisp	798	419,964	455	55.3	50.8-59.8	343	44.7	40.2-49.2
Black or Afr. Am./Non-Hisp	186	57,438	122	63.6	51.4-75.8	64	36.4	24.2-48.6
45-54	125	104,408	76	56.3	45.3-67.3	49	43.7	32.7-54.7
55-64	307	148,045	191	58.6	51.3-65.9	116	41.4	34.1-48.7
65+	571	209,138	323	51.9	46.4-57.4	248	48.1	42.6-53.6
Less Than H.S.	143	106,117	63	39.2	27.8-50.6	80	60.8	49.4-72.2
H.S. or G.E.D.	455	214,038	254	54.3	48.2-60.4	201	45.7	39.6-51.8
Some Post-H.S.	260	142,143	172	65.6	57.4-73.8	88	34.4	26.2-42.6
College Graduate	204	67,715	137	64.4	55.6-73.2	67	35.6	26.8-44.4
Less than \$15,000	197	81,476	111	57.3	47.3-67.3	86	42.7	32.7-52.7
\$15,000- 24,999	243	133,798	139	49.3	39.7-58.9	104	50.7	41.1-60.3
\$25,000- 34,999	133	64,013	80	53.7	42.9-64.5	53	46.3	35.5-57.1
\$35,000- 49,999	122	53,183	64	46.2	34.8-57.6	58	53.8	42.4-65.2
\$50,000- 74,999	104	63,997	68	61.9	49.6-74.2	36	38.1	25.8-50.4
\$75,000+	102	54,452	70	71.4	61.2-81.6	32	28.6	18.4-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	425	256,123	232	53.0	46.3-59.7	193	47.0	40.3-53.7
White/Non-Hisp	324	204,904	167	52.8	45.9-59.7	157	47.2	40.3-54.1
Black or Afr. Am./Non-Hisp	65	24,237	42	63.2	46.1-80.3	23	36.8	19.7-53.9
45-54	55	52,385	32	62.0	46.7-77.3	23	38.0	22.7-53.3
55-64	139	80,606	84	60.1	49.9-70.3	55	39.9	29.7-50.1
65+	210	92,221	103	43.6	35.2-52.0	107	56.4	48.0-64.8
H.S. or G.E.D.	173	108,573	88	53.6	44.0-63.2	85	46.4	36.8-56.0
Some Post-H.S.	99	64,942	60	60.2	48.2-72.2	39	39.8	27.8-51.8
College Graduate	106	42,025	69	65.3	53.9-76.7	37	34.7	23.3-46.1
Less than \$15,000	50	21,828	26	48.3	26.7-69.9	24	51.7	30.1-73.3
\$15,000- 24,999	93	60,564	46	45.7	32.2-59.2	47	54.3	40.8-67.8
\$25,000- 34,999	58	34,107	34	51.1	35.6-66.6	24	48.9	33.4-64.4
\$35,000- 49,999	68	34,945	32	42.6	28.1-57.1	36	57.4	42.9-71.9
\$50,000- 74,999	52	38,140	35	69.5	54.0-85.0	17	30.5	15.0-46.0
\$75,000+	66	40,181	43	72.9	61.1-84.7	23	27.1	15.3-38.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	638	274,504	394	58.0	52.1-63.9	244	42.0	36.1-47.9
White/Non-Hisp	474	215,059	288	57.6	51.7-63.5	186	42.4	36.5-48.3
Black or Afr. Am./Non-Hisp	121	33,201	80	63.8	46.7-80.9	41	36.2	19.1-53.3
45-54	70	52,023	44	50.5	35.2-65.8	26	49.5	34.2-64.8
55-64	168	67,439	107	56.8	46.8-66.8	61	43.2	33.2-53.2
65+	361	116,917	220	58.4	51.5-65.3	141	41.6	34.7-48.5
Less Than H.S.	96	65,534	48	46.9	33.6-60.2	48	53.1	39.8-66.4
H.S. or G.E.D.	282	105,465	166	55.1	47.7-62.5	116	44.9	37.5-52.3
Some Post-H.S.	161	77,201	112	70.2	59.2-81.2	49	29.8	18.8-40.8
College Graduate	98	25,690	68	62.9	49.8-76.0	30	37.1	24.0-50.2
Less than \$15,000	147	59,648	85	60.6	49.4-71.8	62	39.4	28.2-50.6
\$15,000- 24,999	150	73,234	93	52.3	38.8-65.8	57	47.7	34.2-61.2
\$25,000- 34,999	75	29,906	46	56.6	41.5-71.7	29	43.4	28.3-58.5
\$35,000- 49,999	54	18,237	32	53.0	35.6-70.4	22	47.0	29.6-64.4
\$50,000- 74,999	52	25,857	33	50.7	33.1-68.3	19	49.3	31.7-66.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2012**

End of Module Data Report