

INDIANA

2015 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 27, 2016



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015**

MODULE 2: DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19 MALES AND FEMALES	22
20 MALES ONLY	23
21 FEMALES ONLY	24
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	25
23 MALES ONLY	26
24 FEMALES ONLY	27
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	28
26 MALES ONLY	29
27 FEMALES ONLY	30

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	853	556,653	26	6.8	03.7-09.9	47	8.8	05.7-11.9	192	28.5	23.6-33.4	363	39.6	34.9-44.3	225	16.3	13.6-19.0
Male	403	292,181	15	8.7	03.6-13.8	21	8.6	04.1-13.1	91	27.9	21.2-34.6	171	38.8	31.9-45.7	105	15.9	11.8-20.0
Female	450	264,471	11	4.7	01.2-08.2	26	9.0	04.5-13.5	101	29.2	22.3-36.1	192	40.4	33.9-46.9	120	16.7	12.8-20.6
White/Non-Hisp	737	446,469	22	7.6	03.9-11.3	33	6.5	03.6-09.4	165	27.7	23.0-32.4	307	39.3	34.4-44.2	210	18.9	15.6-22.2
Black or Afr. Am./Non-Hisp	56	57,788	2	2.2	00.0-05.3	3	6.2	00.0-14.2	15	35.2	15.4-55.0	28	49.4	29.6-69.2	8	7.0	00.7-13.3
45-54	111	117,842	4	3.4	00.1-06.7	12	8.8	02.1-15.5	62	56.1	43.6-68.6	33	31.6	19.4-43.8			
55-64	237	150,771	4	1.8	00.0-03.8	8	2.8	00.4-05.2	60	23.4	16.7-30.1	151	66.8	59.4-74.2	14	5.1	02.0-08.2
65+	452	193,932	5	1.2	00.0-02.6	7	1.2	00.0-02.4	51	12.5	08.2-16.8	179	42.4	36.1-48.7	210	42.6	36.5-48.7
Less Than H.S.	101	100,628	4	6.7	00.0-15.7	7	8.7	01.1-16.3	28	38.8	24.5-53.1	39	35.5	22.2-48.8	23	10.3	05.0-15.6
H.S. or G.E.D.	309	200,138	10	6.8	01.5-12.1	21	12.3	06.0-18.6	61	21.9	15.6-28.2	124	38.5	31.1-45.9	93	20.5	15.2-25.8
Some Post-H.S.	233	182,880	7	7.4	01.9-12.9	8	3.7	00.6-06.8	61	34.4	25.2-43.6	111	41.0	32.6-49.4	46	13.5	08.6-18.4
College Graduate	203	69,767	5	5.8	00.3-11.3	11	13.0	03.4-22.6	42	18.3	11.4-25.2	85	44.0	34.0-54.0	60	19.0	12.5-25.5
Less than \$15,000	101	63,954	1	0.2	00.0-00.6	12	13.9	04.1-23.7	30	45.8	29.9-61.7	38	29.7	17.5-41.9	20	10.4	03.9-16.9
\$15,000- 24,999	166	105,423	7	9.5	01.3-17.7	9	12.4	03.0-21.8	33	26.2	14.6-37.8	74	36.4	26.0-46.8	43	15.5	09.2-21.8
\$25,000- 34,999	106	78,001	2	8.1	00.0-19.7	6	10.0	00.0-20.4	26	27.5	14.0-41.0	45	36.8	24.3-49.3	27	17.6	09.2-26.0
\$35,000- 49,999	126	68,521	2	2.4	00.0-05.7	5	3.6	00.3-06.9	21	16.3	08.1-24.5	62	58.7	47.7-69.7	36	19.1	11.5-26.7
\$50,000- 74,999	114	67,537	3	6.0	00.0-14.2	2	2.9	00.0-07.2	29	41.4	28.1-54.7	44	30.2	19.4-41.0	36	19.4	10.6-28.2
\$75,000+	110	81,300	7	16.4	04.6-28.2	7	7.7	00.0-15.7	28	23.9	12.5-35.3	51	44.3	29.8-58.8	17	7.7	02.8-12.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	403	292,181	15	8.7	03.6-13.8	21	8.6	04.1-13.1	91	27.9	21.2-34.6	171	38.8	31.9-45.7	105	15.9	11.8-20.0
White/Non-Hisp	358	239,422	13	10.0	03.9-16.1	14	5.6	01.9-09.3	82	27.4	20.7-34.1	149	37.9	31.0-44.8	100	19.0	14.1-23.9
55-64	112	72,594	2	1.9	00.0-04.4	2	1.1	00.0-02.9	28	23.4	13.6-33.2	74	69.1	58.7-79.5	6	4.5	00.0-09.0
65+	213	101,996	1	0.4	00.0-01.2	3	1.4	00.0-03.4	24	11.9	05.8-18.0	87	44.1	34.7-53.5	98	42.2	33.0-51.4
H.S. or G.E.D.	139	104,679	4	6.0	00.0-12.9	9	12.3	02.9-21.7	29	24.8	15.2-34.4	58	38.3	27.5-49.1	39	18.5	11.1-25.9
Some Post-H.S.	107	92,096	6	12.5	02.7-22.3	4	3.8	00.0-08.7	24	31.3	17.4-45.2	49	35.6	24.4-46.8	24	16.8	08.6-25.0
College Graduate	113	42,244	2	3.6	00.0-08.9	6	14.8	00.7-28.9	25	19.9	10.1-29.7	46	43.0	30.1-55.9	34	18.7	09.7-27.7
\$15,000- 24,999	61	43,780	1	1.7	00.0-05.0	2	8.8	00.0-20.8	16	35.8	14.8-56.8	30	39.7	22.3-57.1	12	14.0	03.6-24.4
\$25,000- 34,999	53	42,424	2	14.9	00.0-35.1	4	13.6	00.0-30.7	10	15.2	03.4-27.0	23	35.9	19.2-52.6	14	20.4	07.1-33.7
\$35,000- 49,999	55	30,943	2	5.3	00.0-12.6	1	2.5	00.0-07.4	10	20.0	05.1-34.9	29	55.3	38.2-72.4	13	17.0	06.4-27.6
\$50,000- 74,999	68	43,270	3	9.3	00.0-21.8	1	1.3	00.0-03.8	14	36.6	19.2-54.0	24	30.6	15.9-45.3	26	22.2	09.9-34.5
\$75,000+	72	60,547	6	19.9	04.6-35.2	5	9.4	00.0-20.0	21	22.8	09.9-35.7	28	39.9	21.7-58.1	12	8.0	01.7-14.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	450	264,471	11	4.7	01.2-08.2	26	9.0	04.5-13.5	101	29.2	23.1-35.3	192	40.4	34.1-46.7	120	16.7	13.0-20.4
White/Non-Hisp	379	207,046	9	4.8	00.7-08.9	19	7.5	02.6-12.4	83	28.0	20.9-35.1	158	41.0	33.7-48.3	110	18.7	14.2-23.2
45-54	65	54,504	1	2.4	00.0-07.1	9	12.8	01.4-24.2	32	50.0	34.1-65.9	23	34.9	20.2-49.6			
55-64	125	78,177	2	1.7	00.0-04.4	6	4.5	00.4-08.6	32	23.4	14.4-32.4	77	64.7	54.3-75.1	8	5.7	01.0-10.4
65+	239	91,937	4	2.2	00.0-04.9	4	1.0	00.0-02.0	27	13.1	07.0-19.2	92	40.6	32.4-48.8	112	43.1	34.9-51.3
Less Than H.S.	59	48,704	1	1.1	00.0-03.3	5	12.6	00.0-25.5	15	42.9	28.6-57.2	22	28.4	16.1-40.7	16	14.9	06.3-23.5
H.S. or G.E.D.	170	95,459	6	7.8	00.0-16.0	12	12.2	03.2-21.2	32	18.7	11.1-26.3	66	38.7	28.5-48.9	54	22.6	15.2-30.0
Some Post-H.S.	126	90,784	1	2.2	00.0-06.5	4	3.5	00.0-07.6	37	37.5	25.2-49.8	62	46.5	34.3-58.7	22	10.2	04.7-15.7
College Graduate	90	27,523	3	9.1	00.0-20.3	5	10.2	00.0-21.0	17	15.8	06.4-25.2	39	45.5	30.2-60.8	26	19.4	10.0-28.8
Less than \$15,000	64	39,557	1	0.4	00.0-01.2	8	16.4	02.9-29.9	19	46.4	33.1-59.7	25	27.1	14.8-39.4	11	9.7	01.7-17.7
\$15,000- 24,999	105	61,642	6	15.1	01.8-28.4	7	14.9	01.4-28.4	17	19.3	09.5-29.1	44	34.1	21.8-46.4	31	16.6	09.0-24.2
\$25,000- 34,999	53	35,577				2	5.7	00.0-14.1	16	42.2	20.6-63.8	22	37.9	19.5-56.3	13	14.2	04.6-23.8
\$35,000- 49,999	71	37,578				4	4.5	00.0-09.2	11	13.3	04.7-21.9	33	61.5	47.6-75.4	23	20.8	09.8-31.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	854	541,725	101	11.7	08.2-15.2	224	24.6	20.5-28.7	518	62.0	57.1-66.9	11	1.6	00.2-03.0
Male	392	277,342	40	9.3	05.4-13.2	114	26.8	20.5-33.1	233	61.7	54.6-68.8	5	2.2	00.0-04.9
Female	462	264,383	61	14.3	08.6-20.0	110	22.3	16.8-27.8	285	62.4	55.5-69.3	6	1.0	00.2-01.8
White/Non-Hisp	742	440,862	88	11.0	07.9-14.1	196	24.2	19.9-28.5	447	62.8	57.9-67.7	11	2.0	00.2-03.8
Black or Afr. Am./Non-Hisp	52	48,998	5	8.2	00.0-18.8	12	27.8	07.6-48.0	35	63.9	43.3-84.5			
45-54	107	105,480	11	11.2	03.2-19.2	24	25.5	13.5-37.5	70	62.1	49.6-74.6	2	1.2	00.0-02.8
55-64	228	142,824	25	10.2	05.7-14.7	61	24.4	17.5-31.3	141	65.3	57.7-72.9	1	0.2	00.0-00.6
65+	467	199,659	57	11.1	07.4-14.8	128	27.0	21.5-32.5	278	61.4	55.3-67.5	4	0.5	00.0-01.1
Less Than H.S.	103	94,352	13	15.8	03.1-28.5	20	19.9	10.1-29.7	70	64.3	50.6-78.0			
H.S. or G.E.D.	317	203,936	37	11.1	05.8-16.4	91	26.1	19.4-32.8	187	61.0	53.4-68.6	2	1.8	00.0-04.9
Some Post-H.S.	226	177,041	22	8.8	04.1-13.5	55	26.7	18.5-34.9	146	62.8	54.0-71.6	3	1.6	00.0-04.0
College Graduate	201	63,156	27	15.1	08.6-21.6	58	22.3	15.4-29.2	110	59.1	49.9-68.3	6	3.5	00.4-06.6
Less than \$15,000	103	64,397	11	17.7	00.8-34.6	30	21.0	10.2-31.8	62	61.3	45.0-77.6			
\$15,000- 24,999	170	106,271	20	8.6	03.1-14.1	42	30.2	18.2-42.2	106	60.2	48.2-72.2	2	1.0	00.0-02.4
\$25,000- 34,999	103	75,728	7	5.6	00.0-11.9	27	20.1	10.5-29.7	68	73.5	62.1-84.9	1	0.8	00.0-02.4
\$35,000- 49,999	125	69,412	15	8.0	03.5-12.5	35	27.5	17.5-37.5	72	62.9	52.3-73.5	3	1.6	00.0-03.6
\$50,000- 74,999	113	65,020	16	18.6	07.6-29.6	35	25.1	14.7-35.5	62	56.3	43.2-69.4			
\$75,000+	105	70,408	15	13.0	04.8-21.2	25	23.5	11.9-35.1	61	55.3	41.4-69.2	4	8.2	00.0-18.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	392	277,342	40	9.3	05.4-13.2	114	26.8	20.5-33.1	233	61.7	54.6-68.8	5	2.2	00.0-04.9
White/Non-Hisp	350	230,870	37	10.4	05.7-15.1	100	25.8	19.7-31.9	208	61.1	53.8-68.4	5	2.7	00.0-06.0
55-64	108	69,805	12	9.0	03.5-14.5	28	24.0	14.8-33.2	67	66.6	56.4-76.8	1	0.3	00.0-00.9
65+	212	100,979	21	10.6	04.5-16.7	67	30.6	22.0-39.2	122	58.2	48.8-67.6	2	0.6	00.0-01.4
H.S. or G.E.D.	137	105,223	14	9.6	02.2-17.0	48	29.3	19.5-39.1	74	58.1	46.7-69.5	1	3.1	00.0-09.0
Some Post-H.S.	101	88,351	8	8.3	01.0-15.6	26	28.8	16.1-41.5	66	60.5	47.4-73.6	1	2.4	00.0-06.9
College Graduate	111	38,941	14	15.1	06.1-24.1	32	22.0	13.0-31.0	62	60.6	48.6-72.6	3	2.2	00.0-04.7
\$15,000- 24,999	61	44,981	6	4.4	00.0-09.1	14	33.0	11.8-54.2	41	62.6	42.0-83.2			
\$25,000- 34,999	51	41,522	1	0.8	00.0-02.4	16	26.1	11.2-41.0	34	73.2	58.1-88.3			
\$35,000- 49,999	54	30,577	8	10.7	02.9-18.5	15	24.0	11.3-36.7	30	64.1	49.2-79.0	1	1.2	00.0-03.6
\$50,000- 74,999	68	42,175	6	10.8	00.0-21.6	24	28.6	13.9-43.3	38	60.6	43.7-77.5			
\$75,000+	68	51,326	10	14.9	03.9-25.9	17	26.9	11.8-42.0	37	46.9	29.8-64.0	4	11.3	00.0-24.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	462	264,383	61	14.3	10.0-18.6	110	22.3	17.0-27.6	285	62.4	56.3-68.5	6	1.0	00.2-01.8
White/Non-Hisp	392	209,992	51	11.6	07.1-16.1	96	22.4	16.5-28.3	239	64.7	57.8-71.6	6	1.2	00.0-02.4
45-54	65	53,564	10	21.5	06.8-36.2	10	13.1	04.1-22.1	43	63.1	47.4-78.8	2	2.3	00.0-05.4
55-64	120	73,019	13	11.3	04.0-18.6	33	24.7	14.5-34.9	74	64.0	52.8-75.2			
65+	255	98,680	36	11.7	07.0-16.4	61	23.3	16.2-30.4	156	64.7	56.9-72.5	2	0.4	00.0-01.0
Less Than H.S.	62	50,765	10	25.9	14.9-36.9	12	18.3	06.7-29.9	40	55.9	41.8-70.0			
H.S. or G.E.D.	180	98,713	23	12.7	05.3-20.1	43	22.7	13.5-31.9	113	64.2	53.8-74.6	1	0.4	00.0-01.2
Some Post-H.S.	125	88,690	14	9.3	03.0-15.6	29	24.7	14.7-34.7	80	65.1	53.7-76.5	2	0.9	00.0-02.3
College Graduate	90	24,215	13	15.1	06.1-24.1	26	22.6	11.8-33.4	48	56.6	42.3-70.9	3	5.7	00.0-12.6
Less than \$15,000	69	41,395	8	25.2	15.4-35.0	19	15.2	05.4-25.0	42	59.6	46.7-72.5			
\$15,000- 24,999	109	61,290	14	11.7	06.2-17.2	28	28.2	14.3-42.1	65	58.4	44.3-72.5	2	1.7	00.0-04.1
\$25,000- 34,999	52	34,206	6	11.5	00.0-24.8	11	12.8	02.4-23.2	34	73.9	57.4-90.4	1	1.8	00.0-05.3
\$35,000- 49,999	71	38,836	7	5.8	00.7-10.9	20	30.3	15.8-44.8	42	61.9	46.8-77.0	2	2.0	00.0-05.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	836	535,017	456	53.3	48.4-58.2	189	21.0	17.1-24.9	38	4.7	02.5-06.9	17	1.4	00.6-02.2	128	18.7	14.4-23.0	8	0.8	00.2-01.4
Male	384	273,638	200	49.9	42.6-57.2	82	21.0	15.3-26.7	18	5.8	02.3-09.3	10	1.6	00.4-02.8	70	21.1	15.0-27.2	4	0.6	00.0-01.4
Female	452	261,379	256	56.9	50.0-63.8	107	21.0	16.1-25.9	20	3.7	01.5-05.9	7	1.2	00.0-02.4	58	16.2	09.9-22.5	4	1.0	00.0-02.0
White/Non-Hisp	726	436,382	396	54.1	49.0-59.2	164	20.9	17.0-24.8	37	5.5	03.0-08.0	14	1.3	00.3-02.3	108	17.3	13.0-21.6	7	0.8	00.0-01.6
Black or Afr. Am./Non-Hisp	50	46,230	30	61.9	42.5-81.3	13	19.1	04.8-33.4							6	17.4	01.3-33.5	1	1.6	00.0-04.7
45-54	106	104,597	68	70.5	59.7-81.3	18	10.5	04.6-16.4	3	5.3	00.0-11.4	1	0.7	00.0-02.1	14	12.0	04.2-19.8	2	1.0	00.0-02.6
55-64	227	142,909	131	57.3	49.3-65.3	50	23.8	16.7-30.9	10	2.9	00.7-05.1	3	0.4	00.0-01.0	31	14.8	09.1-20.5	2	0.8	00.0-02.2
65+	451	196,336	231	47.0	40.7-53.3	113	26.7	21.0-32.4	22	5.0	02.3-07.7	12	2.8	00.8-04.8	71	18.1	12.6-23.6	2	0.4	00.0-01.0
Less Than H.S.	96	90,475	45	41.3	27.8-54.8	21	16.1	07.9-24.3	5	7.7	00.1-15.3	1	0.5	00.0-01.5	23	33.6	19.1-48.1	1	0.8	00.0-02.4
H.S. or G.E.D.	309	199,886	164	49.6	41.8-57.4	70	24.8	17.9-31.7	17	5.0	01.9-08.1	5	1.5	00.0-03.1	49	18.3	11.6-25.0	4	0.7	00.0-01.5
Some Post-H.S.	227	179,653	137	62.1	53.7-70.5	47	18.3	12.0-24.6	8	3.1	00.0-06.4	6	1.5	00.1-02.9	27	14.0	07.7-20.3	2	1.1	00.0-02.7
College Graduate	197	61,763	104	55.2	45.0-65.4	51	24.7	15.5-33.9	7	4.1	00.4-07.8	5	2.6	00.0-05.3	29	13.0	06.7-19.3	1	0.4	00.0-01.2
Less than \$15,000	98	60,892	53	44.0	29.1-58.9	22	17.6	08.0-27.2	3	7.7	00.0-17.7	1	1.4	00.0-04.1	16	27.2	09.6-44.8	3	2.0	00.0-04.7
\$15,000- 24,999	170	108,510	92	53.1	41.7-64.5	34	20.9	12.1-29.7	6	3.1	00.0-06.6	5	1.8	00.0-03.6	29	18.5	09.5-27.5	4	2.5	00.0-05.2
\$25,000- 34,999	102	75,559	60	65.8	52.7-78.9	25	21.7	09.9-33.5	7	5.9	00.2-11.6	1	0.3	00.0-00.9	9	6.3	01.2-11.4			
\$35,000- 49,999	125	69,370	78	60.5	48.9-72.1	23	21.1	10.9-31.3	3	1.2	00.0-02.8	1	0.3	00.0-00.9	20	16.9	08.3-25.5			
\$50,000- 74,999	109	63,836	55	48.9	35.8-62.0	29	23.7	13.1-34.3	8	10.1	00.9-19.3	5	3.0	00.0-06.1	12	14.4	02.6-26.2			
\$75,000+	105	70,408	60	58.3	44.4-72.2	20	14.7	05.9-23.5	6	4.3	00.4-08.2	1	0.3	00.0-00.9	18	22.4	09.7-35.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	384	273,638	200	49.9	42.6-57.2	82	21.0	15.3-26.7	18	5.8	02.3-09.3	10	1.6	00.4-02.8	70	21.1	15.0-27.2	4	0.6	00.0-01.4
White/Non-Hisp	344	229,235	183	51.1	43.7-58.5	71	19.9	14.4-25.4	18	6.9	02.8-11.0	8	1.3	00.3-02.3	60	20.1	13.8-26.4	4	0.7	00.0-01.7
55-64	107	70,297	61	55.0	43.6-66.4	23	24.3	14.7-33.9	1	1.3	00.0-03.8	2	0.7	00.0-01.7	19	18.5	09.7-27.3	1	0.3	00.3-00.3
65+	204	98,275	100	45.2	35.6-54.8	48	26.2	17.6-34.8	12	5.0	01.9-08.1	6	2.6	00.2-05.0	37	20.8	12.4-29.2	1	0.2	00.0-00.6
H.S. or G.E.D.	134	104,544	65	45.1	34.1-56.1	33	29.6	19.2-40.0	9	5.1	00.8-09.4	2	1.1	00.0-02.7	23	18.7	09.7-27.7	2	0.4	00.0-00.8
Some Post-H.S.	102	88,561	57	57.6	44.9-70.3	22	16.4	08.6-24.2	4	4.4	00.0-10.7	4	2.1	00.0-04.5	14	18.3	07.9-28.7	1	1.1	00.0-03.3
College Graduate	109	38,494	60	53.5	40.2-66.8	23	23.1	10.2-36.0	2	4.0	00.0-09.5	4	3.8	00.0-08.1	19	14.9	05.9-23.9	1	0.7	00.0-02.1
\$15,000- 24,999	61	45,375	30	53.3	35.1-71.5	15	27.1	11.2-43.0	2	1.2	00.0-03.0	2	2.2	00.0-05.7	10	13.6	04.0-23.2	2	2.6	00.0-06.9
\$25,000- 34,999	50	40,885	26	56.3	36.3-76.3	14	27.5	08.9-46.1	3	5.7	00.0-13.7	1	0.6	00.0-01.8	6	9.9	00.7-19.1			
\$35,000- 49,999	54	30,535	33	59.1	41.9-76.3	7	20.2	03.5-36.9	1	0.5	00.0-01.5				13	20.2	08.0-32.4			
\$50,000- 74,999	65	41,127	32	47.9	31.2-64.6	17	23.9	09.8-38.0	4	11.4	00.0-24.5	4	4.3	00.0-09.0	8	12.5	00.0-26.8			
\$75,000+	68	51,326	38	52.5	35.1-69.9	12	15.1	03.7-26.5	2	3.3	00.0-08.0	1	0.4	00.0-01.2	15	28.6	12.1-45.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	452	261,379	256	56.9	50.6-63.2	107	21.0	16.3-25.7	20	3.7	01.5-05.9	7	1.2	00.0-02.4	58	16.2	11.3-21.1	4	1.0	00.0-02.0
White/Non-Hisp	382	207,147	213	57.4	50.1-64.7	93	22.1	16.6-27.6	19	3.9	01.5-06.3	6	1.3	00.0-02.7	48	14.3	08.8-19.8	3	0.9	00.0-02.1
45-54	64	52,878	41	69.7	55.4-84.0	12	11.5	03.7-19.3							10	17.4	04.3-30.5	1	1.4	00.0-04.1
55-64	120	72,612	70	59.6	48.2-71.0	27	23.4	13.6-33.2	9	4.4	01.1-07.7	1	0.2	00.0-00.6	12	11.2	03.9-18.5	1	1.3	00.0-03.8
65+	247	98,061	131	48.8	40.4-57.2	65	27.1	19.5-34.7	10	5.1	00.8-09.4	6	3.0	00.0-06.1	34	15.4	08.7-22.1	1	0.6	00.0-01.8
Less Than H.S.	59	49,675	29	42.0	27.9-56.1	17	23.2	11.0-35.4	2	4.0	00.0-09.9	1	0.8	00.0-02.4	9	28.4	15.9-40.9	1	1.5	00.0-04.4
H.S. or G.E.D.	175	95,342	99	54.7	44.3-65.1	37	19.6	12.2-27.0	8	5.0	00.5-09.5	3	1.9	00.0-04.8	26	17.8	08.6-27.0	2	1.1	00.0-02.7
Some Post-H.S.	125	91,091	80	66.4	55.4-77.4	25	20.2	11.2-29.2	4	1.8	00.0-03.6	2	0.9	00.0-02.1	13	9.7	03.0-16.4	1	1.0	00.0-03.0
College Graduate	88	23,269	44	58.0	44.3-71.7	28	27.3	15.5-39.1	5	4.3	00.4-08.2	1	0.5	00.0-01.5	10	9.8	02.7-16.9			
Less than \$15,000	66	39,400	38	49.1	35.2-63.0	15	17.2	07.2-27.2	1	0.4	00.0-01.2				11	31.4	20.0-42.8	1	1.9	00.0-05.6
\$15,000- 24,999	109	63,135	62	53.0	38.7-67.3	19	16.6	06.8-26.4	4	4.4	00.0-10.3	3	1.5	00.0-03.3	19	22.1	10.1-34.1	2	2.5	00.0-06.0
\$25,000- 34,999	52	34,674	34	76.9	62.8-91.0	11	14.9	03.7-26.1	4	6.2	00.0-14.4				3	2.0	00.0-04.5			
\$35,000- 49,999	71	38,836	45	61.5	46.0-77.0	16	21.8	09.5-34.1	2	1.8	00.0-04.3	1	0.5	00.0-01.5	7	14.4	01.9-26.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	828	527,480	139	15.4	12.1-18.7	185	22.3	18.0-26.6	135	16.8	13.1-20.5	186	23.2	19.1-27.3	87	10.9	07.6-14.2	96	11.5	07.8-15.2			
Male	385	270,578	64	12.8	08.7-16.9	83	23.0	16.7-29.3	60	15.2	10.5-19.9	86	25.6	19.3-31.9	45	13.1	07.8-18.4	47	10.3	06.4-14.2			
Female	443	256,902	75	18.2	13.1-23.3	102	21.5	16.0-27.0	75	18.4	12.9-23.9	100	20.6	15.5-25.7	42	8.5	05.0-12.0	49	12.7	06.6-18.8			
White/Non-Hisp	725	437,076	118	15.0	11.5-18.5	160	21.0	16.9-25.1	111	15.9	12.0-19.8	170	25.3	21.0-29.6	78	11.6	07.9-15.3	88	11.3	08.0-14.6			
45-54	103	98,714	15	15.8	06.2-25.4	20	21.6	09.6-33.6	22	19.4	10.4-28.4	24	18.4	10.0-26.8	14	15.3	06.1-24.5	8	9.5	02.1-16.9			
55-64	230	144,715	39	17.0	11.1-22.9	46	18.5	12.2-24.8	35	16.1	10.0-22.2	66	30.8	23.2-38.4	25	10.5	05.2-15.8	19	7.1	03.6-10.6			
65+	442	189,719	74	14.9	10.8-19.0	106	25.4	19.7-31.1	70	15.5	11.0-20.0	87	22.2	16.5-27.9	44	9.6	06.1-13.1	61	12.3	08.2-16.4			
Less Than H.S.	97	89,724	20	17.6	09.0-26.2	17	12.7	05.6-19.8	15	10.8	04.3-17.3	21	18.5	09.5-27.5	13	22.9	09.6-36.2	11	17.5	04.0-31.0			
H.S. or G.E.D.	308	199,067	55	15.1	10.0-20.2	69	26.1	18.8-33.4	43	15.2	09.9-20.5	62	20.5	14.2-26.8	34	9.1	05.0-13.2	45	14.0	08.1-19.9			
Some Post-H.S.	223	173,734	34	15.1	08.8-21.4	47	23.0	14.6-31.4	43	20.8	13.0-28.6	57	27.3	19.5-35.1	21	7.3	03.6-11.0	21	6.5	03.0-10.0			
College Graduate	193	61,716	28	13.5	06.4-20.6	50	21.5	14.4-28.6	32	19.0	10.4-27.6	45	27.6	17.6-37.6	19	9.4	04.3-14.5	19	9.1	04.0-14.2			
Less than \$15,000	98	63,565	13	10.1	03.2-17.0	20	17.4	06.4-28.4	17	15.7	06.9-24.5	18	17.3	07.3-27.3	18	25.3	12.4-38.2	12	14.2	00.0-31.1			
\$15,000- 24,999	166	103,756	32	19.0	10.8-27.2	33	22.7	10.9-34.5	23	11.9	05.2-18.6	33	17.9	10.3-25.5	19	13.2	04.8-21.6	26	15.4	06.6-24.2			
\$25,000- 34,999	102	75,429	22	20.6	10.2-31.0	20	15.7	07.7-23.7	16	15.6	03.1-28.1	23	25.3	12.8-37.8	10	9.7	00.0-21.3	11	13.1	03.7-22.5			
\$35,000- 49,999	121	67,289	18	12.6	05.7-19.5	29	28.9	17.3-40.5	16	11.4	04.0-18.8	26	21.9	11.7-32.1	14	11.3	04.6-18.0	18	13.9	06.1-21.7			
\$50,000- 74,999	113	65,020	20	15.0	06.8-23.2	32	36.4	22.9-49.9	21	19.6	09.4-29.8	23	20.6	10.4-30.8	8	3.1	00.7-05.5	9	5.4	01.1-09.7			
\$75,000+	102	66,753	14	16.5	04.2-28.8	22	14.4	07.0-21.8	19	21.7	09.7-33.7	34	35.8	22.1-49.5	6	6.4	00.3-12.5	7	5.2	00.9-09.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	385	270,578	64	12.8	08.7-16.9	83	23.0	16.5-29.5	60	15.2	10.5-19.9	86	25.6	19.3-31.9	45	13.1	07.8-18.4	47	10.3	06.4-14.2
White/Non-Hisp	345	229,933	53	12.6	08.1-17.1	75	21.5	15.6-27.4	53	14.8	09.7-19.9	77	25.8	19.3-32.3	44	14.7	08.8-20.6	43	10.6	06.3-14.9
55-64	111	73,950	18	16.7	08.9-24.5	18	14.7	06.7-22.7	18	14.7	06.7-22.7	34	31.0	20.6-41.4	13	13.9	04.7-23.1	10	9.1	03.4-14.8
65+	201	94,455	36	11.5	07.2-15.8	51	30.4	21.2-39.6	28	13.7	07.8-19.6	36	22.8	14.0-31.6	23	10.9	05.4-16.4	27	10.7	05.2-16.2
H.S. or G.E.D.	134	103,543	27	14.3	06.9-21.7	32	24.4	14.8-34.0	18	17.0	08.4-25.6	26	23.2	13.0-33.4	13	9.5	02.6-16.4	18	11.5	04.1-18.9
Some Post-H.S.	103	86,802	13	8.5	02.2-14.8	18	27.1	13.0-41.2	20	17.3	08.3-26.3	28	29.7	17.9-41.5	13	10.5	03.8-17.2	11	6.9	02.2-11.6
College Graduate	107	38,492	15	16.1	05.5-26.7	27	20.1	11.1-29.1	17	14.4	05.0-23.8	22	27.4	13.5-41.3	12	9.5	02.6-16.4	14	12.5	04.7-20.3
\$15,000- 24,999	58	41,237	12	12.7	03.9-21.5	9	22.7	00.4-45.0	5	8.0	00.0-16.2	16	29.3	12.4-46.2	7	15.3	00.6-30.0	9	11.9	02.3-21.5
\$25,000- 34,999	50	41,436	12	21.2	07.5-34.9	11	17.9	05.4-30.4	7	7.8	00.2-15.4	9	25.4	06.6-44.2	5	14.7	00.0-34.5	6	12.8	00.6-25.0
\$35,000- 49,999	55	30,943	6	7.6	00.9-14.3	12	30.8	13.2-48.4	9	14.8	03.6-26.0	10	16.9	05.3-28.5	9	17.8	05.3-30.3	9	12.2	03.6-20.8
\$50,000- 74,999	68	42,175	13	12.1	03.3-20.9	21	40.5	22.9-58.1	11	18.5	05.0-32.0	14	21.0	07.3-34.7	3	1.7	00.0-03.9	6	6.2	00.3-12.1
\$75,000+	66	48,139	8	15.4	01.1-29.7	12	11.2	03.2-19.2	14	22.3	07.6-37.0	22	38.7	21.5-55.9	4	6.3	00.0-13.9	6	6.1	00.4-11.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	443	256,902	75	18.2	13.1-23.3	102	21.5	16.0-27.0	75	18.4	12.9-23.9	100	20.6	15.5-25.7	42	8.5	05.0-12.0	49	12.7	08.4-17.0
White/Non-Hisp	380	207,143	65	17.7	12.2-23.2	85	20.5	14.8-26.2	58	17.1	11.0-23.2	93	24.7	18.6-30.8	34	8.1	04.2-12.0	45	12.0	06.7-17.3
45-54	62	52,061	10	16.5	04.3-28.7	12	18.7	06.5-30.9	13	20.1	08.3-31.9	15	17.1	07.1-27.1	8	16.4	03.5-29.3	4	11.2	00.0-23.2
55-64	119	70,765	21	17.3	08.7-25.9	28	22.6	13.0-32.2	17	17.5	08.3-26.7	32	30.5	19.1-41.9	12	7.0	02.1-11.9	9	5.1	01.4-08.8
65+	241	95,264	38	18.2	11.1-25.3	55	20.4	13.9-26.9	42	17.2	10.7-23.7	51	21.7	14.4-29.0	21	8.4	03.7-13.1	34	14.0	07.9-20.1
Less Than H.S.	58	49,222	12	20.8	09.4-32.2	11	11.2	03.6-18.8	10	13.8	04.2-23.4	12	16.8	06.4-27.2	6	15.9	02.2-29.6	7	21.4	11.6-31.2
H.S. or G.E.D.	174	95,524	28	16.0	08.9-23.1	37	28.0	17.2-38.8	25	13.1	06.8-19.4	36	17.4	10.7-24.1	21	8.7	04.0-13.4	27	16.7	07.7-25.7
Some Post-H.S.	120	86,932	21	21.6	11.2-32.0	29	18.9	10.9-26.9	23	24.3	12.3-36.3	29	24.9	14.5-35.3	8	4.2	01.1-07.3	10	6.1	00.8-11.4
College Graduate	86	23,224	13	9.1	03.0-15.2	23	23.9	12.7-35.1	15	26.4	10.1-42.7	23	27.9	14.6-41.2	7	9.2	01.9-16.5	5	3.5	00.0-07.4
Less than \$15,000	64	40,514	9	12.7	02.9-22.5	13	17.0	03.7-30.3	11	16.3	05.9-26.7	14	18.3	06.9-29.7	8	14.7	03.1-26.3	9	21.0	14.5-27.5
\$15,000- 24,999	108	62,519	20	23.1	11.5-34.7	24	22.7	10.4-35.0	18	14.5	05.5-23.5	17	10.3	04.4-16.2	12	11.8	01.4-22.2	17	17.6	06.4-28.8
\$25,000- 34,999	52	33,993	10	19.9	04.2-35.6	9	12.9	03.3-22.5	9	25.0	01.5-48.5	14	25.2	10.1-40.3	5	3.7	00.0-07.4	5	13.3	00.0-27.6
\$35,000- 49,999	66	36,346	12	17.0	05.8-28.2	17	27.3	12.2-42.4	7	8.4	00.0-18.4	16	26.1	10.2-42.0	5	5.8	00.0-11.7	9	15.5	03.0-28.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 13: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	816	524,623	403	49.3	44.2-54.4	314	35.8	31.1-40.5	23	3.3	0.1-05.5	11	1.1	0.0-01.9	55	9.6	05.9-13.3	10	0.9	0.0-01.7
Male	387	272,446	192	47.2	40.1-54.3	142	35.8	29.1-42.5	12	4.9	0.8-09.0	3	0.8	0.0-01.8	33	10.7	06.2-15.2	5	0.6	0.0-01.4
Female	429	252,177	211	51.6	44.5-58.7	172	35.8	29.3-42.3	11	1.7	0.0-03.1	8	1.4	0.0-02.6	22	8.3	02.6-14.0	5	1.3	0.0-02.9
White/Non-Hisp	714	430,413	356	49.7	44.4-55.0	277	36.3	31.4-41.2	22	4.0	0.1-06.7	7	0.9	0.0-01.7	44	8.4	05.1-11.7	8	0.6	0.0-01.2
45-54	102	102,209	52	58.5	46.3-70.7	40	30.3	19.5-41.1	3	4.3	0.0-09.8	1	0.7	0.0-02.1	6	6.2	0.7-11.7			
55-64	227	143,456	109	47.1	39.1-55.1	95	43.4	35.2-51.6	6	2.2	0.0-04.6	4	1.4	0.0-03.0	13	6.0	02.5-09.5			
65+	435	185,864	215	49.2	42.7-55.7	166	37.5	31.2-43.8	13	2.8	0.0-04.8	6	1.6	0.0-03.2	27	7.5	03.6-11.4	8	1.4	0.0-02.6
Less Than H.S.	91	85,997	38	40.0	26.5-53.5	29	25.7	14.7-36.7	5	11.1	0.0-22.9	3	2.2	0.0-05.1	14	20.3	06.2-34.4	2	0.7	0.0-01.7
H.S. or G.E.D.	297	194,317	148	50.0	42.2-57.8	105	33.1	25.8-40.4	12	3.3	0.1-05.5	4	1.1	0.0-02.5	24	11.4	05.3-17.5	4	1.0	0.0-02.2
Some Post-H.S.	225	178,896	115	52.1	43.1-61.1	93	40.8	31.8-49.8	2	0.4	0.0-01.0	2	0.7	0.0-01.7	11	4.8	01.3-08.3	2	1.1	0.0-03.3
College Graduate	196	62,173	99	51.6	41.4-61.8	84	43.3	33.1-53.5	4	1.4	0.0-03.0	2	0.4	0.0-01.0	5	2.9	0.0-06.2	2	0.3	0.0-00.7
Less than \$15,000	91	58,595	37	37.7	22.8-52.6	39	36.6	22.1-51.1	3	6.1	0.0-15.1	4	4.8	0.0-10.1	7	14.7	0.0-33.1	1	0.1	0.0-00.3
\$15,000- 24,999	163	105,204	80	51.9	39.9-63.9	58	31.8	21.8-41.8	3	2.0	0.0-04.9	2	0.6	0.0-01.4	16	11.1	03.3-18.9	4	2.6	0.0-06.3
\$25,000- 34,999	101	74,508	48	40.6	27.1-54.1	40	38.6	23.9-53.3	2	7.0	0.0-18.8	1	1.5	0.0-04.4	9	11.6	02.8-20.4	1	0.7	0.0-02.1
\$35,000- 49,999	122	68,018	59	46.5	34.9-58.1	50	44.2	32.4-56.0	3	1.7	0.0-03.9	2	1.2	0.0-02.8	8	6.4	01.7-11.1			
\$50,000- 74,999	111	64,432	63	70.1	59.5-80.7	37	23.6	14.2-33.0	4	1.6	0.0-03.4	1	0.1	0.0-00.3	4	4.1	0.0-08.4	2	0.4	0.0-01.0
\$75,000+	104	70,294	49	47.5	33.4-61.6	49	46.5	32.4-60.6	2	0.5	0.0-01.3				4	5.5	0.0-12.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 14: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	387	272,446	192	47.2	40.3-54.1	142	35.8	28.9-42.7	12	4.9	0.8-09.0	3	0.8	0.0-01.8	33	10.7	06.2-15.2	5	0.6	00.0-01.4
White/Non-Hisp	347	228,716	175	48.8	41.5-56.1	126	34.2	27.3-41.1	12	5.8	01.1-10.5	3	0.9	00.0-02.1	26	9.6	04.9-14.3	5	0.7	00.0-01.5
55-64	110	71,803	51	47.8	36.8-58.8	43	36.8	26.2-47.4	4	3.7	00.0-08.2	1	1.5	00.0-04.4	11	10.1	03.8-16.4			
65+	204	94,556	108	49.2	39.8-58.6	71	36.9	27.5-46.3	5	2.4	00.2-04.6	2	1.1	00.0-02.9	13	8.7	02.0-15.4	5	1.8	00.0-03.8
H.S. or G.E.D.	136	103,563	69	48.7	37.5-59.9	45	34.2	23.4-45.0	5	3.8	00.1-07.5				14	11.9	03.9-19.9	3	1.4	00.0-03.2
Some Post-H.S.	102	88,641	49	51.3	38.2-64.4	44	39.5	27.0-52.0	2	0.9	00.0-02.1	1	1.0	00.0-03.0	6	7.4	00.9-13.9			
College Graduate	109	38,636	60	56.3	42.6-70.0	39	36.6	22.9-50.3	2	1.5	00.0-03.7	1	0.4	00.0-01.4	5	4.7	00.0-10.0	2	0.5	00.0-01.3
\$15,000- 24,999	61	44,262	28	49.9	30.1-69.7	25	36.4	19.0-53.8	1	3.4	00.0-09.9				6	10.1	01.3-18.9	1	0.2	00.0-00.6
\$25,000- 34,999	50	40,433	24	37.7	19.3-56.1	17	34.5	15.1-53.9	2	13.0	00.0-33.4				7	14.9	02.9-26.9			
\$35,000- 49,999	54	30,150	26	46.4	30.3-62.5	21	40.9	24.4-57.4	2	3.3	00.0-08.0				5	9.4	00.8-18.0			
\$50,000- 74,999	68	42,175	44	77.4	65.4-89.4	18	17.7	06.9-28.5	2	1.6	00.0-03.8				2	2.6	00.0-06.7	2	0.6	00.0-01.6
\$75,000+	67	51,212	30	41.1	24.2-58.0	32	50.9	33.7-68.1	1	0.5	00.0-01.5				4	7.5	00.0-16.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 15: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	429	252,177	211	51.6	44.9-58.3	172	35.8	29.5-42.1	11	1.7	0.3-03.1	8	1.4	0.2-02.6	22	8.3	04.6-12.0	5	1.3	00.0-02.9
White/Non-Hisp	367	201,696	181	50.8	43.2-58.4	151	38.8	31.5-46.1	10	2.0	0.4-03.6	4	0.9	0.0-02.1	18	7.0	02.5-11.5	3	0.6	00.0-01.2
45-54	60	51,388	33	63.6	49.1-78.1	22	27.1	14.4-39.8	1	1.5	0.0-04.4	1	1.4	0.0-04.1	3	6.4	00.0-15.4			
55-64	117	71,653	58	46.3	34.9-57.7	52	50.0	38.4-61.6	2	0.6	0.0-01.6	3	1.2	0.0-02.8	2	1.9	0.0-04.4			
65+	231	91,309	107	49.3	40.7-57.9	95	38.1	29.7-46.5	8	3.3	0.2-06.4	4	2.0	0.0-04.5	14	6.3	02.4-10.2	3	0.9	00.0-02.3
Less Than H.S.	53	45,629	25	52.5	38.2-66.8	16	21.4	09.6-33.2	2	3.5	0.0-08.8	2	1.9	0.0-05.0	6	19.4	12.3-26.5	2	1.3	00.0-03.1
H.S. or G.E.D.	161	90,754	79	51.6	40.4-62.8	60	31.9	22.7-41.1	7	2.7	0.3-05.1	4	2.4	0.0-05.1	10	10.8	01.6-20.0	1	0.6	00.0-01.8
Some Post-H.S.	123	90,255	66	53.0	40.5-65.5	49	42.1	29.6-54.6				1	0.4	0.0-01.2	5	2.2	0.0-04.6	2	2.3	0.0-06.6
College Graduate	87	23,537	39	44.0	29.1-58.9	45	54.5	39.6-69.4	2	1.2	0.0-03.0	1	0.4	0.0-01.2						
Less than \$15,000	58	36,583	26	45.4	29.9-60.9	24	30.2	16.7-43.7	2	2.4	0.0-06.1	2	2.3	0.0-06.2	3	19.5	13.2-25.8	1	0.1	00.0-00.3
\$15,000- 24,999	102	60,943	52	53.3	38.8-67.8	33	28.5	16.9-40.1	2	1.0	0.0-02.6	2	1.1	0.0-02.7	10	11.8	00.0-23.6	3	4.3	00.0-10.8
\$25,000- 34,999	51	34,075	24	44.1	24.1-64.1	23	43.4	21.8-65.0				1	3.2	0.0-09.5	2	7.8	0.0-20.7	1	1.5	00.0-04.4
\$35,000- 49,999	68	37,868	33	46.7	30.8-62.6	29	46.8	30.7-62.9	1	0.5	0.0-01.5	2	2.1	0.0-05.0	3	4.0	0.0-08.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	837	533,909	181	20.7	16.8-24.6	187	22.7	18.6-26.8	86	11.4	08.1-14.7	111	11.8	08.9-14.7	54	6.5	04.0-09.0	218	26.9	22.2-31.6
Male	384	273,381	92	23.6	17.5-29.7	89	24.5	18.2-30.8	34	9.0	05.1-12.9	56	13.3	08.8-17.8	22	6.9	02.4-11.4	91	22.7	16.8-28.6
Female	453	260,528	89	17.8	13.1-22.5	98	20.8	15.7-25.9	52	13.9	08.4-19.4	55	10.2	06.5-13.9	32	6.0	03.3-08.7	127	31.4	24.5-38.3
White/Non-Hisp	728	436,781	155	20.5	16.4-24.6	165	22.5	18.4-26.6	71	11.3	07.6-15.0	102	13.1	09.8-16.4	49	7.2	04.1-10.3	186	25.4	20.9-29.9
45-54	104	101,848	19	20.5	09.9-31.1	29	27.5	15.7-39.3	11	10.7	02.9-18.5	9	6.7	01.2-12.2	10	8.5	01.6-15.4	26	26.1	15.1-37.1
55-64	232	147,005	53	20.2	14.1-26.3	48	22.8	15.7-29.9	28	11.5	06.2-16.8	35	13.9	08.2-19.6	13	6.5	02.0-11.0	55	25.2	18.3-32.1
65+	450	192,097	98	19.7	15.0-24.4	103	25.4	19.5-31.3	39	10.1	06.2-14.0	61	13.0	08.9-17.1	29	5.9	03.2-08.6	120	26.0	20.1-31.9
Less Than H.S.	99	91,194	16	17.1	07.3-26.9	17	12.9	05.5-20.3	8	10.8	02.4-19.2	11	4.8	01.7-07.9	13	18.0	06.0-30.0	34	36.4	22.5-50.3
H.S. or G.E.D.	307	198,691	65	21.7	14.8-28.6	65	23.4	16.7-30.1	29	10.1	05.2-15.0	43	12.6	07.9-17.3	19	5.0	01.9-08.1	86	27.1	19.8-34.4
Some Post-H.S.	226	178,074	57	22.5	15.4-29.6	55	26.9	18.5-35.3	25	12.1	05.4-18.8	31	12.7	06.8-18.6	7	2.1	00.1-04.1	51	23.6	16.0-31.2
College Graduate	198	62,711	40	17.1	10.6-23.6	50	23.8	16.0-31.6	24	14.9	06.9-22.9	24	15.7	06.5-24.9	15	6.9	02.8-11.0	45	21.6	14.0-29.2
Less than \$15,000	98	62,617	21	24.6	11.7-37.5	21	15.0	06.6-23.4	7	5.9	00.4-11.4	13	9.0	02.3-15.7	12	18.9	06.9-30.9	24	26.6	09.7-43.5
\$15,000- 24,999	164	103,039	41	22.4	13.6-31.2	33	21.3	09.5-33.1	15	14.8	06.2-23.4	16	7.6	02.3-12.9	13	6.7	01.2-12.2	46	27.3	16.7-37.9
\$25,000- 34,999	104	76,785	26	26.8	14.1-39.5	25	20.7	11.1-30.3	8	10.6	00.0-22.6	14	8.5	03.2-13.8	8	9.9	00.0-21.3	23	23.5	12.3-34.7
\$35,000- 49,999	125	69,437	26	20.3	11.3-29.3	32	29.6	18.4-40.8	10	6.5	00.8-12.2	19	17.1	07.7-26.5	4	2.0	00.0-04.2	34	24.5	14.9-34.1
\$50,000- 74,999	112	64,950	18	16.2	05.2-27.2	31	33.0	20.5-45.5	9	7.6	01.7-13.5	13	8.4	03.3-13.5	7	4.9	00.4-09.4	34	29.9	17.6-42.2
\$75,000+	104	70,294	21	16.5	06.1-26.9	21	16.4	08.2-24.6	20	20.0	08.4-31.6	20	25.0	12.3-37.7	1	0.3	00.0-00.9	21	21.7	09.4-34.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	384	273,381	92	23.6	17.5-29.7	89	24.5	18.2-30.8	34	9.0	05.1-12.9	56	13.3	08.8-17.8	22	6.9	02.4-11.4	91	22.7	17.0-28.4
White/Non-Hisp	343	228,858	80	23.9	17.4-30.4	81	22.8	16.9-28.7	30	9.4	05.1-13.7	52	14.4	09.5-19.3	22	8.3	03.0-13.6	78	21.2	15.5-26.9
55-64	110	73,257	28	25.3	15.9-34.7	24	21.4	11.8-31.0	11	9.6	02.7-16.5	18	13.2	06.5-19.9	7	9.5	01.3-17.7	22	21.0	12.0-30.0
65+	202	95,034	48	18.0	11.7-24.3	48	31.6	22.0-41.2	15	8.6	03.3-13.9	30	14.3	07.6-21.0	11	4.2	01.5-06.9	50	23.3	14.7-31.9
H.S. or G.E.D.	134	104,348	34	24.3	13.7-34.9	32	24.3	14.7-33.9	12	12.1	04.1-20.1	16	12.0	04.7-19.3	6	4.6	00.0-09.7	34	22.7	13.7-31.7
Some Post-H.S.	103	88,884	26	23.5	12.7-34.3	22	27.7	14.8-40.6	11	9.1	02.4-15.8	18	14.4	06.2-22.6	4	3.3	00.0-07.0	22	21.9	11.1-32.7
College Graduate	108	38,496	24	20.2	10.8-29.6	26	24.0	13.8-34.2	11	10.5	03.2-17.8	15	20.9	07.2-34.6	8	5.4	01.3-09.5	24	19.0	09.0-29.0
\$15,000- 24,999	58	42,074	20	27.9	12.0-43.8	8	21.9	00.0-44.0	6	15.5	02.8-28.2	7	11.3	00.0-23.1	4	8.3	00.0-20.1	13	15.1	05.1-25.1
\$25,000- 34,999	51	41,791	12	33.2	13.8-52.6	16	26.7	11.2-42.2	2	0.7	00.0-01.9	6	6.2	00.7-11.7	2	12.0	00.0-31.8	13	21.1	07.8-34.4
\$35,000- 49,999	55	30,943	15	27.5	11.8-43.2	11	29.7	12.3-47.1	5	5.6	00.3-10.9	9	16.7	04.7-28.7	2	2.5	00.0-06.0	13	18.1	07.5-28.7
\$50,000- 74,999	67	42,104	8	16.9	01.4-32.4	25	41.1	23.7-58.5	4	6.7	00.0-14.1	8	8.0	01.7-14.3	2	0.8	00.0-01.6	20	26.5	11.4-41.6
\$75,000+	67	51,212	16	20.0	06.3-33.7	11	10.9	03.5-18.3	13	21.4	06.9-35.9	15	27.5	11.8-43.2	1	0.5	00.0-01.5	11	19.7	05.2-34.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	453	260,528	89	17.8	13.1-22.5	98	20.8	15.7-25.9	52	13.9	08.4-19.4	55	10.2	06.5-13.9	32	6.0	03.3-08.7	127	31.4	25.3-37.5
White/Non-Hisp	385	207,924	75	16.8	12.1-21.5	84	22.0	16.1-27.9	41	13.4	07.1-19.7	50	11.6	07.3-15.9	27	6.1	03.2-09.0	108	30.1	23.0-37.2
45-54	63	51,286	11	16.3	05.5-27.1	13	17.1	07.5-26.7	8	16.8	03.3-30.3	6	6.1	00.4-11.8	7	10.5	01.5-19.5	18	33.3	17.0-49.6
55-64	122	73,747	25	15.2	08.1-22.3	24	24.2	13.8-34.6	17	13.3	05.5-21.1	17	14.5	05.1-23.9	6	3.5	00.4-06.6	33	29.3	19.1-39.5
65+	248	97,062	50	21.3	14.4-28.2	55	19.3	13.4-25.2	24	11.5	05.4-17.6	31	11.7	07.0-16.4	18	7.5	03.0-12.0	70	28.7	20.9-36.5
Less Than H.S.	62	50,780	9	11.5	01.9-21.1	8	7.9	01.4-14.4	8	19.4	05.7-33.1	5	4.0	00.3-07.7	9	14.5	04.1-24.9	23	42.7	29.4-56.0
H.S. or G.E.D.	173	94,342	31	18.9	10.7-27.1	33	22.4	13.2-31.6	17	8.0	03.3-12.7	27	13.2	07.3-19.1	13	5.4	01.9-08.9	52	32.1	21.3-42.9
Some Post-H.S.	123	89,191	31	21.5	12.7-30.3	33	26.2	16.0-36.4	14	15.1	03.7-26.5	13	10.9	02.9-18.9	3	1.0	00.0-02.2	29	25.3	14.3-36.3
College Graduate	90	24,215	16	12.1	04.7-19.5	24	23.6	12.4-34.8	13	21.9	06.2-37.6	9	7.4	02.1-12.7	7	9.4	01.4-17.4	21	25.6	13.6-37.6
Less than \$15,000	65	39,708	13	23.3	08.8-37.8	14	13.9	05.7-22.1	6	7.7	00.1-15.3	10	11.8	02.4-21.2	5	10.8	00.0-21.8	17	32.7	21.3-44.1
\$15,000- 24,999	106	60,965	21	18.6	08.6-28.6	25	20.9	08.6-33.2	9	14.3	02.3-26.3	9	5.0	01.3-08.7	9	5.6	01.3-09.9	33	35.7	21.6-49.8
\$25,000- 34,999	53	34,994	14	19.2	06.5-31.9	9	13.6	03.2-24.0	6	22.4	00.0-45.7	8	11.2	01.6-20.8	6	7.4	00.1-14.7	10	26.3	08.1-44.5
\$35,000- 49,999	70	38,494	11	14.5	04.7-24.3	21	29.5	14.8-44.2	5	7.2	00.0-16.6	10	17.4	03.3-31.5	2	1.7	00.0-04.2	21	29.7	15.0-44.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	861	548,784	142	15.5	12.2-18.8	425	43.6	38.9-48.3	120	14.1	10.8-17.4	139	19.1	15.2-23.0	35	7.7	04.4-11.0
Male	400	282,866	65	17.3	12.2-22.4	198	44.4	37.5-51.3	51	10.7	06.6-14.8	65	18.6	12.9-24.3	21	8.9	04.8-13.0
Female	461	265,917	77	13.6	09.7-17.5	227	42.7	36.0-49.4	69	17.6	12.5-22.7	74	19.7	14.2-25.2	14	6.4	01.3-11.5
White/Non-Hisp	748	447,683	118	15.2	11.9-18.5	379	45.2	40.1-50.3	102	15.0	11.3-18.7	120	18.5	14.4-22.6	29	6.0	03.3-08.7
Black or Afr. Am./Non-Hisp	54	50,448	11	14.0	01.7-26.3	25	48.3	29.1-67.5	9	9.5	01.7-17.3	6	16.3	01.8-30.8	3	11.9	00.0-25.0
45-54	106	105,243	14	12.9	04.5-21.3	47	40.7	28.4-53.0	16	14.4	06.4-22.4	22	22.9	12.9-32.9	7	9.2	01.8-16.6
55-64	236	148,104	32	13.4	08.1-18.7	112	48.9	40.9-56.9	37	15.6	09.9-21.3	45	17.6	11.9-23.3	10	4.5	01.2-07.8
65+	465	200,797	92	22.0	16.9-27.1	249	47.6	41.3-53.9	57	11.8	07.7-15.9	58	13.7	09.4-18.0	9	4.8	00.9-08.7
Less Than H.S.	104	95,209	17	12.0	04.4-19.6	44	37.1	24.4-49.8	13	10.2	04.3-16.1	20	19.6	10.4-28.8	10	21.1	07.0-35.2
H.S. or G.E.D.	323	208,865	50	16.1	10.8-21.4	158	40.2	32.9-47.5	43	13.6	08.5-18.7	54	23.1	15.5-30.7	18	7.0	03.3-10.7
Some Post-H.S.	227	178,559	40	14.5	08.8-20.2	112	49.4	40.4-58.4	35	17.1	10.0-24.2	36	15.5	09.6-21.4	4	3.5	00.0-07.0
College Graduate	201	63,156	33	20.6	11.2-30.0	108	47.9	37.9-57.9	29	13.2	06.5-19.9	29	16.7	09.4-24.0	2	1.6	00.0-04.1
Less than \$15,000	102	64,590	17	17.9	06.1-29.7	48	34.5	21.6-47.4	14	12.9	04.7-21.1	16	17.9	07.5-28.3	7	16.8	00.0-34.0
\$15,000- 24,999	174	109,392	20	10.4	04.3-16.5	80	44.7	33.3-56.1	23	11.5	04.4-18.6	42	26.6	16.6-36.6	9	6.8	00.7-12.9
\$25,000- 34,999	105	76,687	13	11.5	04.1-18.9	53	46.5	32.4-60.6	14	11.1	04.6-17.6	17	22.6	09.9-35.3	8	8.3	01.2-15.4
\$35,000- 49,999	125	69,588	16	10.6	04.9-16.3	66	50.2	38.6-61.8	22	18.8	09.6-28.0	17	13.1	04.9-21.3	4	7.3	00.0-14.6
\$50,000- 74,999	112	63,526	19	11.0	03.7-18.3	63	47.6	34.7-60.5	18	24.2	10.9-37.5	12	17.2	06.4-28.0			
\$75,000+	105	70,408	22	24.2	11.7-36.7	53	39.7	26.4-53.0	15	15.9	06.1-25.7	13	15.8	04.6-27.0	2	4.3	00.0-10.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	400	282,866	65	17.3	12.2-22.4	198	44.4	37.5-51.3	51	10.7	06.6-14.8	65	18.6	12.9-24.3	21	8.9	04.8-13.0
White/Non-Hisp	357	235,484	58	17.8	12.5-23.1	183	46.1	38.8-53.4	42	11.0	06.3-15.7	57	17.7	12.0-23.4	17	7.4	03.5-11.3
55-64	113	74,385	17	16.2	08.2-24.2	53	46.6	35.6-57.6	12	10.7	03.6-17.8	25	19.9	11.7-28.1	6	6.6	00.5-12.7
65+	212	100,708	38	21.3	13.5-29.1	112	47.3	38.1-56.5	30	10.6	05.9-15.3	26	13.3	06.6-20.0	6	7.5	00.6-14.4
H.S. or G.E.D.	143	109,860	25	17.2	09.9-24.5	62	40.3	29.5-51.1	17	9.0	03.7-14.3	28	23.8	12.8-34.8	11	9.7	03.2-16.2
Some Post-H.S.	103	89,239	12	12.9	03.5-22.3	59	52.4	39.1-65.7	14	14.5	04.5-24.5	15	14.0	06.0-22.0	3	6.1	00.0-13.0
College Graduate	111	38,941	18	23.8	09.9-37.7	60	45.7	32.6-58.8	15	10.2	03.1-17.3	17	18.3	07.9-28.7	1	2.0	00.0-05.9
\$15,000- 24,999	63	45,860	10	15.4	03.1-27.7	28	59.1	42.0-76.2	9	8.6	01.3-15.9	14	15.6	05.2-26.0	2	1.2	00.0-03.0
\$25,000- 34,999	51	41,222	4	6.9	00.0-16.3	32	53.4	33.6-73.2	6	11.1	01.7-20.5	5	18.8	00.0-37.6	4	9.8	00.0-20.6
\$35,000- 49,999	55	30,943	7	9.5	02.1-16.9	28	46.4	30.1-62.7	8	12.6	02.2-23.0	9	19.5	04.0-35.0	3	12.0	00.0-26.1
\$50,000- 74,999	68	42,175	10	12.3	02.1-22.5	40	48.0	31.5-64.5	10	24.6	05.8-43.4	8	15.1	03.9-26.3			
\$75,000+	68	51,326	14	26.1	10.0-42.2	34	39.6	23.3-55.9	8	9.1	01.3-16.9	10	19.3	04.6-34.0	2	5.9	00.0-14.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	461	265,917	77	13.6	09.7-17.5	227	42.7	36.4-49.0	69	17.6	12.7-22.5	74	19.7	14.2-25.2	14	6.4	03.5-09.3
White/Non-Hisp	391	212,199	60	12.4	08.7-16.1	196	44.3	37.0-51.6	60	19.5	13.6-25.4	63	19.4	13.3-25.5	12	4.4	00.9-07.9
45-54	63	52,990	7	6.2	00.5-11.9	26	33.3	19.6-47.0	13	24.4	11.1-37.7	14	28.0	13.5-42.5	3	8.1	00.0-19.3
55-64	123	73,720	15	10.5	04.4-16.6	59	51.1	39.7-62.5	25	20.5	11.9-29.1	20	15.4	07.8-23.0	4	2.4	00.0-05.1
65+	253	100,088	54	22.6	15.9-29.3	137	48.0	39.8-56.2	27	13.1	06.6-19.6	32	14.2	08.3-20.1	3	2.1	00.0-05.0
Less Than H.S.	63	51,622	7	4.2	00.7-07.7	29	38.4	24.9-51.9	8	11.9	03.7-20.1	15	22.9	11.5-34.3	4	22.5	10.9-34.1
H.S. or G.E.D.	180	99,005	25	14.8	07.7-21.9	96	40.1	30.5-49.7	26	18.8	10.0-27.6	26	22.3	12.1-32.5	7	4.0	00.5-07.5
Some Post-H.S.	124	89,320	28	16.0	09.1-22.9	53	46.4	34.1-58.7	21	19.7	10.1-29.3	21	16.9	08.3-25.5	1	1.0	00.0-03.0
College Graduate	90	24,215	15	15.5	07.1-23.9	48	51.3	36.6-66.0	14	18.2	05.9-30.5	12	14.1	05.3-22.9	1	0.9	00.0-02.7
Less than \$15,000	66	40,575	12	17.7	04.4-31.0	35	36.5	23.4-49.6	9	16.5	04.9-28.1	8	13.4	02.4-24.4	2	15.8	11.7-19.9
\$15,000- 24,999	111	63,532	10	6.8	01.7-11.9	52	34.4	22.4-46.4	14	13.6	02.8-24.4	28	34.4	20.3-48.5	7	10.8	00.6-21.0
\$25,000- 34,999	54	35,465	9	16.9	04.9-28.9	21	38.5	17.3-59.7	8	11.1	01.9-20.3	12	26.9	08.9-44.9	4	6.5	00.0-14.7
\$35,000- 49,999	70	38,645	9	11.5	02.9-20.1	38	53.2	37.1-69.3	14	23.7	09.8-37.6	8	8.0	01.5-14.5	1	3.6	00.0-10.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	863	543,956	141	17.8	14.1-21.5	722	82.2	78.5-85.9
Male	398	277,488	75	22.6	16.5-28.7	323	77.4	71.3-83.5
Female	465	266,468	66	12.8	08.9-16.7	399	87.2	83.3-91.1
White/Non-Hisp	750	446,330	112	15.0	11.5-18.5	638	85.0	81.5-88.5
Black or Afr. Am./Non-Hisp	53	49,810	14	38.7	19.5-57.9	39	61.3	42.1-80.5
45-54	108	105,817	25	27.6	16.4-38.8	83	72.4	61.2-83.6
55-64	233	145,704	36	12.2	07.3-17.1	197	87.8	82.9-92.7
65+	469	201,758	71	18.8	13.5-24.1	398	81.2	75.9-86.5
Less Than H.S.	105	95,418	20	18.2	08.8-27.6	85	81.8	72.4-91.2
H.S. or G.E.D.	320	201,732	56	22.0	15.5-28.5	264	78.0	71.5-84.5
Some Post-H.S.	230	180,410	38	14.7	08.8-20.6	192	85.3	79.4-91.2
College Graduate	201	63,156	25	12.8	06.5-19.1	176	87.2	80.9-93.5
Less than \$15,000	105	65,409	26	26.6	14.4-38.8	79	73.4	61.2-85.6
\$15,000- 24,999	173	108,143	33	17.7	10.1-25.3	140	82.3	74.7-89.9
\$25,000- 34,999	103	71,860	16	14.6	06.2-23.0	87	85.4	77.0-93.8
\$35,000- 49,999	126	69,779	17	12.1	04.1-20.1	109	87.9	79.9-95.9
\$50,000- 74,999	112	63,606	11	10.5	02.1-18.9	101	89.5	81.1-97.9
\$75,000+	105	70,408	15	20.9	08.0-33.8	90	79.1	66.2-92.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	398	277,488	75	22.6	16.7-28.5	323	77.4	71.5-83.3
White/Non-Hisp	356	234,070	59	18.1	12.6-23.6	297	81.9	76.4-87.4
55-64	112	72,971	18	12.1	05.2-19.0	94	87.9	81.0-94.8
65+	212	100,706	39	25.3	16.1-34.5	173	74.7	65.5-83.9
H.S. or G.E.D.	140	103,845	31	28.8	18.6-39.0	109	71.2	61.0-81.4
Some Post-H.S.	104	89,875	18	18.7	09.3-28.1	86	81.3	71.9-90.7
College Graduate	111	38,941	17	16.0	06.6-25.4	94	84.0	74.6-93.4
\$15,000- 24,999	63	45,860	19	30.8	14.5-47.1	44	69.2	52.9-85.5
\$25,000- 34,999	50	37,257	8	15.8	02.9-28.7	42	84.2	71.3-97.1
\$35,000- 49,999	55	30,943	10	21.8	06.1-37.5	45	78.2	62.5-93.9
\$50,000- 74,999	67	40,761	8	14.1	01.4-26.8	59	85.9	73.2-98.6
\$75,000+	68	51,326	12	27.1	10.4-43.8	56	72.9	56.2-89.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	465	266,468	66	12.8	08.9-16.7	399	87.2	83.3-91.1
White/Non-Hisp	394	212,260	53	11.5	07.8-15.2	341	88.5	84.8-92.2
45-54	65	53,564	12	17.2	06.4-28.0	53	82.8	72.0-93.6
55-64	121	72,733	18	12.3	05.6-19.0	103	87.7	81.0-94.4
65+	257	101,052	32	12.2	07.3-17.1	225	87.8	82.9-92.7
Less Than H.S.	64	51,831	11	14.8	05.0-24.6	53	85.2	75.4-95.0
H.S. or G.E.D.	180	97,887	25	14.9	07.6-22.2	155	85.1	77.8-92.4
Some Post-H.S.	126	90,535	20	10.6	05.1-16.1	106	89.4	83.9-94.9
College Graduate	90	24,215	8	7.6	01.3-13.9	82	92.4	86.1-98.7
Less than \$15,000	69	41,395	18	29.9	15.6-44.2	51	70.1	55.8-84.4
\$15,000- 24,999	110	62,283	14	8.1	03.4-12.8	96	91.9	87.2-96.6
\$25,000- 34,999	53	34,603	8	13.3	02.7-23.9	45	86.7	76.1-97.3
\$35,000- 49,999	71	38,836	7	4.4	00.7-08.1	64	95.6	91.9-99.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	867	551,677	543	61.7	56.8-66.6	324	38.3	33.4-43.2
Male	400	282,864	244	63.5	56.8-70.2	156	36.5	29.8-43.2
Female	467	268,813	299	59.9	53.0-66.8	168	40.1	33.2-47.0
White/Non-Hisp	752	448,839	476	63.4	58.5-68.3	276	36.6	31.7-41.5
Black or Afr. Am./Non-Hisp	53	49,810	32	64.4	46.6-82.2	21	35.6	17.8-53.4
45-54	108	105,817	77	73.3	62.9-83.7	31	26.7	16.3-37.1
55-64	237	149,598	143	62.6	55.0-70.2	94	37.4	29.8-45.0
65+	468	201,622	288	57.8	51.5-64.1	180	42.2	35.9-48.5
Less Than H.S.	105	95,418	46	46.5	33.2-59.8	59	53.5	40.2-66.8
H.S. or G.E.D.	323	208,591	188	58.6	51.0-66.2	135	41.4	33.8-49.0
Some Post-H.S.	231	181,272	164	71.7	63.7-79.7	67	28.3	20.3-36.3
College Graduate	201	63,156	142	67.5	57.9-77.1	59	32.5	22.9-42.1
Less than \$15,000	105	65,409	59	54.6	39.1-70.1	46	45.4	29.9-60.9
\$15,000- 24,999	173	109,256	101	61.2	50.2-72.2	72	38.8	27.8-49.8
\$25,000- 34,999	105	76,684	66	56.8	42.5-71.1	39	43.2	28.9-57.5
\$35,000- 49,999	126	69,779	89	61.0	49.0-73.0	37	39.0	27.0-51.0
\$50,000- 74,999	113	65,020	73	70.0	58.6-81.4	40	30.0	18.6-41.4
\$75,000+	105	70,408	83	81.4	70.8-92.0	22	18.6	08.0-29.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	400	282,864	244	63.5	56.8-70.2	156	36.5	29.8-43.2
White/Non-Hisp	357	235,484	221	65.0	58.3-71.7	136	35.0	28.3-41.7
55-64	113	74,385	66	59.3	48.7-69.9	47	40.7	30.1-51.3
65+	212	100,706	119	53.8	44.2-63.4	93	46.2	36.6-55.8
H.S. or G.E.D.	142	109,221	80	58.2	47.0-69.4	62	41.8	30.6-53.0
Some Post-H.S.	104	89,875	73	76.1	66.3-85.9	31	23.9	14.1-33.7
College Graduate	111	38,941	73	66.6	54.3-78.9	38	33.4	21.1-45.7
\$15,000- 24,999	63	45,860	35	65.9	49.8-82.0	28	34.1	18.0-50.2
\$25,000- 34,999	51	41,220	31	58.3	38.7-77.9	20	41.7	22.1-61.3
\$35,000- 49,999	55	30,943	34	53.9	36.7-71.1	21	46.1	28.9-63.3
\$50,000- 74,999	68	42,175	43	69.6	54.1-85.1	25	30.4	14.9-45.9
\$75,000+	68	51,326	53	80.4	66.9-93.9	15	19.6	06.1-33.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	467	268,813	299	59.9	53.4-66.4	168	40.1	33.6-46.6
White/Non-Hisp	395	213,355	255	61.6	54.2-69.0	140	38.4	31.0-45.8
45-54	65	53,564	40	61.6	46.9-76.3	25	38.4	23.7-53.1
55-64	124	75,214	77	66.0	55.6-76.4	47	34.0	23.6-44.4
65+	256	100,916	169	61.9	53.9-69.9	87	38.1	30.1-46.1
Less Than H.S.	64	51,831	29	45.0	30.9-59.1	35	55.0	40.9-69.1
H.S. or G.E.D.	181	99,370	108	59.1	48.7-69.5	73	40.9	30.5-51.3
Some Post-H.S.	127	91,397	91	67.3	55.0-79.6	36	32.7	20.4-45.0
College Graduate	90	24,215	69	68.8	53.3-84.3	21	31.2	15.7-46.7
Less than \$15,000	69	41,395	41	51.2	37.3-65.1	28	48.8	34.9-62.7
\$15,000- 24,999	110	63,396	66	57.7	43.8-71.6	44	42.3	28.4-56.2
\$25,000- 34,999	54	35,465	35	55.0	33.8-76.2	19	45.0	23.8-66.2
\$35,000- 49,999	71	38,836	55	66.6	49.9-83.3	16	33.4	16.7-50.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015**

MODULE 4: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)	
1 MALES AND FEMALES	33
2 MALES ONLY	34
3 FEMALES ONLY	35
WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)	
4 MALES AND FEMALES	36
5 MALES ONLY	37
6 FEMALES ONLY	38
FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)	
7 MALES AND FEMALES	39
8 MALES ONLY	40
9 FEMALES ONLY	41
IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)	
10 MALES AND FEMALES	42
11 MALES ONLY	43
12 FEMALES ONLY	44
WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB1)	
13 MALES AND FEMALES	45
14 MALES ONLY	46
15 FEMALES ONLY	47
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING? (CRGVPEPS)	
16 MALES AND FEMALES	48
17 MALES ONLY	49
18 FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015**

MODULE 4: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS? (CRGVHOUS)	
19 MALES AND FEMALES	51
20 MALES ONLY	52
21 FEMALES ONLY	53
OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)	
22 MALES AND FEMALES	54
23 MALES ONLY	55
24 FEMALES ONLY	56
IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)	
25 MALES AND FEMALES	57
26 MALES ONLY	58
27 FEMALES ONLY	59

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 1: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5241	4,157,059	1208	23.3	21.5-25.1	4027	76.7	74.9-78.5	6	0.1	0.1-0.1
Male	2199	1,982,079	436	19.4	17.0-21.8	1758	80.5	78.1-82.9	5	0.1	0.0-0.3
Female	3042	2,174,980	772	26.8	24.3-29.3	2269	73.2	70.7-75.7	1	0.0	0.0-0.0
White/Non-Hisp	4605	3,420,337	1065	23.9	21.9-25.9	3536	76.1	74.1-78.1	4	0.0	0.0-0.0
Black or Afr. Am./Non-Hisp	251	325,173	56	20.1	13.2-27.0	195	79.9	73.0-86.8			
Oth. Race/Non-Hisp.	86	70,068	23	28.5	15.0-42.0	62	70.4	56.9-83.9	1	1.1	0.0-0.3
MultiRacial/Non-Hisp.	66	41,557	18	27.7	11.2-44.2	47	71.8	55.3-88.3	1	0.5	0.0-0.1
Hispanic	155	233,052	30	16.2	08.9-23.5	125	83.8	76.5-91.1			
18-24	208	525,379	44	25.0	17.6-32.4	164	75.0	67.6-82.4			
25-34	343	630,724	67	19.8	14.5-25.1	276	80.2	74.9-85.5			
35-44	515	649,574	116	22.7	18.2-27.2	399	77.3	72.8-81.8			
45-54	794	736,515	203	25.4	21.7-29.1	590	74.6	70.9-78.3	1	0.1	0.0-0.3
55-64	1221	728,610	343	27.2	24.1-30.3	876	72.6	69.5-75.7	2	0.2	0.0-0.4
65+	2113	860,560	421	19.8	17.4-22.2	1689	80.2	77.8-82.6	3	0.1	0.0-0.3
Less Than H.S.	408	567,327	74	20.4	14.7-26.1	334	79.6	73.9-85.3			
H.S. or G.E.D.	1757	1,414,045	395	24.0	21.1-26.9	1360	75.9	73.0-78.8	2	0.1	0.0-0.3
Some Post-H.S.	1327	1,288,774	340	23.9	20.8-27.0	985	76.0	72.9-79.1	2	0.1	0.1-0.1
College Graduate	1722	865,718	392	22.7	19.8-25.6	1328	77.2	74.3-80.1	2	0.1	0.0-0.3
Less than \$15,000	458	423,256	95	26.0	19.5-32.5	362	73.9	67.4-80.4	1	0.1	0.0-0.3
\$15,000- 24,999	798	644,357	186	23.6	19.1-28.1	611	76.4	71.9-80.9	1	0.0	0.0-0.0
\$25,000- 34,999	491	383,871	118	24.1	18.6-29.6	372	75.8	70.3-81.3	1	0.1	0.0-0.3
\$35,000- 49,999	749	604,547	167	22.3	18.0-26.6	580	77.5	73.2-81.8	2	0.2	0.0-0.6
\$50,000- 74,999	746	604,364	190	22.8	18.5-27.1	556	77.2	72.9-81.5			
\$75,000+	1263	963,341	294	22.3	19.0-25.6	968	77.6	74.3-80.9	1	0.1	0.0-0.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 2: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2199	1,982,079	436	19.4	17.0-21.8	1758	80.5	78.1-82.9	5	0.1	00.0-00.3
White/Non-Hisp	1934	1,627,316	387	20.1	17.6-22.6	1544	79.8	77.3-82.3	3	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	90	139,969	10	7.7	01.6-13.8	80	92.3	86.2-98.4			
Hispanic	54	102,540	8	15.2	02.9-27.5	46	84.8	72.5-97.1			
18-24	111	258,527	19	19.0	10.2-27.8	92	81.0	72.2-89.8			
25-34	154	321,084	27	18.7	11.1-26.3	127	81.3	73.7-88.9			
35-44	226	314,326	45	18.0	12.1-23.9	181	82.0	76.1-87.9			
45-54	350	362,602	69	21.1	15.6-26.6	280	78.8	73.3-84.3	1	0.1	00.0-00.3
55-64	545	352,933	113	21.0	16.7-25.3	431	78.8	74.5-83.1	1	0.2	00.0-00.6
65+	800	367,322	162	18.6	15.1-22.1	635	81.2	77.7-84.7	3	0.2	00.0-00.4
Less Than H.S.	165	276,290	30	21.0	12.4-29.6	135	79.0	70.4-87.6			
H.S. or G.E.D.	728	727,102	146	19.5	15.8-23.2	580	80.4	76.7-84.1	2	0.2	00.0-00.4
Some Post-H.S.	502	554,643	109	19.6	14.9-24.3	392	80.4	75.7-85.1	1	0.0	00.0-00.0
College Graduate	794	415,955	147	17.4	13.7-21.1	645	82.4	78.7-86.1	2	0.1	00.0-00.3
Less than \$15,000	159	153,895	33	26.5	15.7-37.3	125	73.3	62.5-84.1	1	0.1	00.0-00.3
\$15,000- 24,999	273	264,532	50	16.2	10.7-21.7	222	83.7	78.2-89.2	1	0.0	00.0-00.0
\$25,000- 34,999	187	189,311	39	21.9	13.9-29.9	148	78.1	70.1-86.1			
\$35,000- 49,999	332	291,613	70	19.3	13.6-25.0	260	80.3	74.6-86.0	2	0.4	00.0-01.0
\$50,000- 74,999	360	329,443	67	16.3	10.6-22.0	293	83.7	78.0-89.4			
\$75,000+	643	536,414	126	19.8	15.1-24.5	516	80.1	75.4-84.8	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 3: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3042	2,174,980	772	26.8	24.3-29.3	2269	73.2	70.7-75.7	1	0.0	00.0-00.0
White/Non-Hisp	2671	1,793,021	678	27.3	24.6-30.0	1992	72.6	69.9-75.3	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	161	185,204	46	29.4	19.0-39.8	115	70.6	60.2-81.0			
Hispanic	101	130,512	22	17.0	08.2-25.8	79	83.0	74.2-91.8			
18-24	97	266,852	25	30.8	19.2-42.4	72	69.2	57.6-80.8			
25-34	189	309,640	40	21.0	13.7-28.3	149	79.0	71.7-86.3			
35-44	289	335,248	71	27.0	20.5-33.5	218	73.0	66.5-79.5			
45-54	444	373,914	134	29.5	24.2-34.8	310	70.5	65.2-75.8			
55-64	676	375,676	230	33.0	28.5-37.5	445	66.8	62.3-71.3	1	0.1	00.0-00.3
65+	1313	493,237	259	20.6	17.7-23.5	1054	79.4	76.5-82.3			
Less Than H.S.	243	291,037	44	19.9	12.3-27.5	199	80.1	72.5-87.7			
H.S. or G.E.D.	1029	686,943	249	28.9	24.2-33.6	780	71.1	66.4-75.8			
Some Post-H.S.	825	734,131	231	27.2	23.1-31.3	593	72.7	68.6-76.8	1	0.1	00.0-00.3
College Graduate	928	449,763	245	27.6	23.5-31.7	683	72.4	68.3-76.5			
Less than \$15,000	299	269,361	62	25.7	17.7-33.7	237	74.3	66.3-82.3			
\$15,000- 24,999	525	379,825	136	28.7	22.2-35.2	389	71.3	64.8-77.8			
\$25,000- 34,999	304	194,560	79	26.2	19.1-33.3	224	73.6	66.5-80.7	1	0.2	00.0-00.6
\$35,000- 49,999	417	312,934	97	25.1	18.6-31.6	320	74.9	68.4-81.4			
\$50,000- 74,999	386	274,921	123	30.5	24.0-37.0	263	69.5	63.0-76.0			
\$75,000+	620	426,928	168	25.5	21.2-29.8	452	74.5	70.2-78.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 4: WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1199	956,984	354	31.5	27.4-35.6	165	14.0	10.9-17.1	268	16.8	14.1-19.5	154	16.5	13.2-19.8	74	6.9	04.5-09.3	184	14.3	11.6-17.0
Male	431	377,827	118	28.3	22.0-34.6	61	14.1	09.0-19.2	101	16.7	12.6-20.8	45	14.8	09.3-20.3	21	5.6	02.7-08.5	85	20.4	14.7-26.1
Female	768	579,157	236	33.6	28.3-38.9	104	14.0	10.3-17.7	167	16.8	13.3-20.3	109	17.6	13.3-21.9	53	7.7	04.6-10.8	99	10.3	07.6-13.0
White/Non-Hisp	1058	809,693	315	30.5	26.2-34.8	148	14.8	11.5-18.1	250	18.1	15.2-21.0	119	14.6	11.1-18.1	65	7.3	04.8-09.8	161	14.7	11.6-17.8
Black or Afr. Am./Non-Hisp	55	63,406	18	51.7	32.7-70.7	5	2.6	00.0-05.3	6	6.2	00.3-12.1	17	31.5	14.6-48.4	3	2.5	00.0-05.8	6	5.5	00.0-11.0
25-34	67	124,836	19	24.5	12.0-37.0	8	22.7	08.2-37.2	6	7.3	00.6-14.0	19	22.8	11.4-34.2	8	10.1	02.5-17.7	7	12.5	02.1-22.9
35-44	116	147,157	40	36.8	26.0-47.6	11	8.9	03.0-14.8	5	7.6	00.0-15.2	26	16.5	09.4-23.6	12	10.6	04.1-17.1	22	19.6	11.0-28.2
45-54	202	184,090	89	39.7	31.5-47.9	30	14.1	08.4-19.8	25	14.4	08.1-20.7	28	13.1	07.6-18.6	5	1.2	00.0-02.4	25	17.6	10.3-24.9
55-64	342	197,233	115	32.5	26.2-38.8	62	18.6	13.5-23.7	80	24.2	18.7-29.7	24	7.0	03.7-10.3	15	4.7	01.6-07.8	46	13.1	08.6-17.6
65+	417	166,791	68	16.2	11.5-20.9	48	10.4	06.9-13.9	150	38.9	32.6-45.2	39	8.2	05.1-11.3	32	10.3	05.8-14.8	80	16.1	11.6-20.6
Less Than H.S.	74	115,965	11	19.7	05.8-33.6	12	13.4	03.0-23.8	15	12.1	04.5-19.7	17	20.8	08.8-32.8	5	9.8	00.0-21.2	14	24.3	10.8-37.8
H.S. or G.E.D.	393	338,463	109	27.7	21.0-34.4	58	14.1	09.2-19.0	88	16.1	11.4-20.8	49	19.6	12.7-26.5	22	6.5	03.2-09.8	67	16.0	11.3-20.7
Some Post-H.S.	336	302,975	122	41.3	33.7-48.9	38	13.6	07.7-19.5	72	18.3	13.4-23.2	31	10.0	05.3-14.7	25	6.4	03.3-09.5	48	10.4	06.7-14.1
College Graduate	389	192,809	110	29.7	23.2-36.2	56	15.2	09.9-20.5	91	17.9	13.0-22.8	57	19.2	12.9-25.5	22	6.8	02.7-10.9	53	11.1	07.0-15.2
Less than \$15,000	94	108,619	30	32.3	17.2-47.4	9	9.0	01.7-16.3	11	11.3	03.3-19.3	18	23.8	10.9-36.7	8	6.2	00.5-11.9	18	17.4	07.8-27.0
\$15,000- 24,999	185	150,885	52	30.5	20.9-40.1	31	15.3	07.9-22.7	40	16.7	09.8-23.6	20	17.9	07.5-28.3	11	9.2	00.4-18.0	31	10.4	05.5-15.3
\$25,000- 34,999	118	92,419	29	19.2	10.6-27.8	10	7.8	00.7-14.9	31	25.5	13.7-37.3	16	13.8	05.6-22.0	8	4.6	01.1-08.1	24	29.1	16.2-42.0
\$35,000- 49,999	165	132,690	43	31.3	20.3-42.3	16	6.0	01.9-10.1	43	19.6	12.3-26.9	25	20.5	10.9-30.1	12	8.4	02.1-14.7	26	14.2	07.1-21.3
\$50,000- 74,999	190	137,650	57	34.0	23.8-44.2	27	20.7	10.1-31.3	41	14.5	09.0-20.0	29	14.7	07.6-21.8	10	6.8	01.9-11.7	26	9.4	04.7-14.1
\$75,000+	294	215,298	98	32.4	25.1-39.7	53	18.2	12.1-24.3	61	16.3	11.0-21.6	35	16.4	09.0-23.8	15	5.2	01.7-08.7	32	11.5	05.4-17.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 5: WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	431	377,827	118	28.3	22.0-34.6	61	14.1	09.0-19.2	101	16.7	12.6-20.8	45	14.8	09.3-20.3	21	5.6	02.7-08.5	85	20.4	14.7-26.1
White/Non-Hisp	383	321,649	105	28.4	21.5-35.3	56	14.3	08.8-19.8	95	17.6	13.1-22.1	32	11.8	06.5-17.1	19	6.3	02.8-09.8	76	21.5	15.4-27.6
45-54	68	73,836	31	39.6	26.3-52.9	12	15.9	06.5-25.3	6	9.7	01.1-18.3	8	12.3	02.5-22.1				11	22.6	08.9-36.3
55-64	113	74,066	35	28.0	17.4-38.6	23	20.4	11.4-29.4	26	28.9	18.1-39.7	5	2.5	00.0-05.0	4	3.3	00.0-06.6	20	16.9	08.1-25.7
65+	159	65,616	20	12.3	06.2-18.4	20	10.8	04.3-17.3	63	40.7	30.5-50.9	11	6.5	01.8-11.2	10	10.1	01.5-18.7	35	19.6	11.4-27.8
H.S. or G.E.D.	146	141,429	46	31.2	21.4-41.0	19	10.4	04.9-15.9	27	11.8	06.5-17.1	14	15.7	06.9-24.5	10	10.0	03.3-16.7	30	21.0	12.4-29.6
Some Post-H.S.	106	103,604	33	29.6	17.8-41.4	15	21.1	07.2-35.0	23	15.6	08.0-23.2	7	12.0	01.8-22.2	8	6.0	00.5-11.5	20	15.8	06.8-24.8
College Graduate	145	70,633	33	26.5	16.1-36.9	22	13.8	06.7-20.9	42	27.9	16.9-38.9	21	19.6	07.4-31.8	3	1.4	00.0-03.2	24	10.9	04.8-17.0
\$15,000- 24,999	50	42,981	21	47.6	29.2-66.0	9	20.6	05.1-36.1	8	12.1	02.7-21.5	4	13.5	00.0-27.6	2	1.1	00.0-02.9	6	5.1	00.0-10.2
\$35,000- 49,999	69	55,938	16	31.0	16.5-45.5	4	4.8	00.0-10.9	22	22.2	10.8-33.6	5	7.9	00.0-16.1	4	9.4	00.0-20.0	18	24.7	11.0-38.4
\$50,000- 74,999	67	53,802	10	13.9	03.3-24.5	15	34.6	14.0-55.2	13	11.4	03.2-19.6	10	16.7	03.4-30.0	4	8.9	00.0-18.9	15	14.4	05.0-23.8
\$75,000+	126	106,416	34	24.9	14.1-35.7	23	15.6	06.6-24.6	29	18.2	09.6-26.8	18	22.0	08.5-35.5	5	4.7	00.0-10.4	17	14.6	03.8-25.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 6: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	768	579,157	236	33.6	28.3-38.9	104	14.0	10.3-17.7	167	16.8	13.5-20.1	109	17.6	13.3-21.9	53	7.7	04.6-10.8	99	10.3	07.6-13.0
White/Non-Hisp	675	488,044	210	31.8	26.3-37.3	92	15.1	10.8-19.4	155	18.5	14.6-22.4	87	16.4	11.7-21.1	46	8.0	04.5-11.5	85	10.3	07.4-13.2
35-44	71	90,577	25	40.3	26.2-54.4	9	10.8	02.6-19.0	4	11.9	00.0-24.1	17	18.1	08.7-27.5	6	6.4	01.1-11.7	10	12.4	04.2-20.6
45-54	134	110,254	58	39.7	29.7-49.7	18	12.9	06.0-19.8	19	17.6	09.6-25.6	20	13.7	07.2-20.2	5	1.9	00.1-03.7	14	14.2	06.6-21.8
55-64	229	123,167	80	35.3	27.5-43.1	39	17.5	11.2-23.8	54	21.3	15.2-27.4	19	9.8	04.7-14.9	11	5.4	00.7-10.1	26	10.7	05.8-15.6
65+	258	101,175	48	18.7	12.0-25.4	28	10.1	06.0-14.2	87	37.7	29.9-45.5	28	9.3	05.2-13.4	22	10.4	05.3-15.5	45	13.9	09.2-18.6
H.S. or G.E.D.	247	197,035	63	25.1	16.3-33.9	39	16.8	09.4-24.2	61	19.1	12.4-25.8	35	22.5	12.9-32.1	12	4.0	00.9-07.1	37	12.4	07.3-17.5
Some Post-H.S.	230	199,370	89	47.5	38.5-56.5	23	9.7	05.2-14.2	49	19.7	13.2-26.2	24	9.0	04.5-13.5	17	6.6	02.9-10.3	28	7.5	04.2-10.8
College Graduate	244	122,176	77	31.6	23.4-39.8	34	16.1	08.8-23.4	49	12.1	08.0-16.2	36	19.0	11.7-26.3	19	10.0	03.7-16.3	29	11.2	05.7-16.7
Less than \$15,000	62	69,320	16	27.5	10.1-44.9	7	8.8	00.0-17.8	4	5.1	00.0-11.6	17	36.4	18.6-54.2	7	9.1	00.3-17.9	11	13.0	03.4-22.6
\$15,000- 24,999	135	107,904	31	23.7	13.1-34.3	22	13.2	05.2-21.2	32	18.5	10.1-26.9	16	19.7	06.6-32.8	9	12.5	00.5-24.5	25	12.5	05.8-19.2
\$25,000- 34,999	79	50,942	20	17.1	08.1-26.1	7	12.1	00.1-24.1	21	35.6	18.4-52.8	12	12.4	04.6-20.2	6	5.1	00.4-09.8	13	17.6	05.8-29.4
\$35,000- 49,999	96	76,752	27	31.6	15.9-47.3	12	6.8	01.1-12.5	21	17.8	08.6-27.0	20	29.7	15.2-44.2	8	7.6	00.0-15.4	8	6.5	00.8-12.2
\$50,000- 74,999	123	83,848	47	46.8	33.9-59.7	12	11.8	03.0-20.6	28	16.4	09.3-23.5	19	13.4	05.8-21.0	6	5.4	00.9-09.9	11	6.2	00.9-11.5
\$75,000+	168	108,882	64	39.7	30.5-48.9	30	20.7	12.9-28.5	32	14.4	07.9-20.9	17	11.0	05.3-16.7	10	5.7	01.6-09.8	15	8.5	03.4-13.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 7: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1190	949,810	206	19.0	15.3-22.7	135	11.4	08.9-13.9	237	20.4	17.1-23.7	270	21.3	18.0-24.6	342	27.9	24.0-31.8
Male	429	379,602	71	18.9	13.0-24.8	43	11.9	07.6-16.2	76	17.4	12.5-22.3	113	23.6	17.7-29.5	126	28.2	21.7-34.7
Female	761	570,208	135	19.0	14.3-23.7	92	11.0	08.1-13.9	161	22.4	17.9-26.9	157	19.8	15.7-23.9	216	27.7	22.8-32.6
White/Non-Hisp	1051	804,281	178	17.4	13.7-21.1	117	11.2	08.7-13.7	220	22.5	18.8-26.2	237	21.5	17.8-25.2	299	27.4	23.3-31.5
Black or Afr. Am./Non-Hisp	53	60,402	12	33.5	12.3-54.7	9	12.7	02.1-23.3	6	5.8	00.0-12.3	12	23.8	08.1-39.5	14	24.1	10.0-38.2
25-34	66	124,433	13	21.1	08.4-33.8	9	13.4	04.2-22.6	11	18.7	06.4-31.0	18	26.8	13.3-40.3	15	20.0	09.0-31.0
35-44	115	145,105	22	19.3	10.5-28.1	13	10.4	04.1-16.7	25	25.8	15.6-36.0	23	19.0	10.6-27.4	32	25.6	16.0-35.2
45-54	200	183,178	43	21.3	14.0-28.6	22	11.2	06.1-16.3	48	23.0	15.9-30.1	35	16.4	10.1-22.7	52	28.1	20.5-35.7
55-64	341	197,293	47	12.2	07.9-16.5	41	12.5	08.0-17.0	65	20.7	15.2-26.2	89	26.8	20.9-32.7	99	27.8	21.9-33.7
65+	413	167,829	67	13.5	09.4-17.6	44	12.2	07.9-16.5	79	21.0	15.7-26.3	96	24.6	18.9-30.3	127	28.6	22.9-34.3
Less Than H.S.	73	115,695	12	31.5	15.0-48.0	11	9.5	02.4-16.6	10	10.5	02.3-18.7	19	19.1	08.7-29.5	21	29.4	15.3-43.5
H.S. or G.E.D.	388	329,847	60	18.4	11.9-24.9	43	10.2	06.3-14.1	83	22.2	16.5-27.9	89	19.8	14.5-25.1	113	29.4	22.3-36.5
Some Post-H.S.	335	302,102	47	12.2	07.9-16.5	47	14.2	09.1-19.3	71	22.8	15.9-29.7	81	23.5	16.8-30.2	89	27.3	20.8-33.8
College Graduate	387	195,393	86	23.4	17.3-29.5	33	10.0	05.5-14.5	73	20.3	14.0-26.6	80	22.4	16.5-28.3	115	24.0	18.3-29.7
Less than \$15,000	94	108,182	19	18.2	07.4-29.0	12	10.9	02.9-18.9	13	14.1	02.5-25.7	17	17.4	06.6-28.2	33	39.4	24.7-54.1
\$15,000- 24,999	182	148,906	23	14.5	05.1-23.9	26	14.6	07.3-21.9	32	16.6	09.3-23.9	53	23.4	15.2-31.6	48	31.0	19.8-42.2
\$25,000- 34,999	118	92,419	10	13.8	02.8-24.8	15	10.3	04.0-16.6	27	26.4	14.4-38.4	28	21.1	11.1-31.1	38	28.4	17.4-39.4
\$35,000- 49,999	166	134,444	32	20.2	11.4-29.0	18	11.7	05.2-18.2	38	25.9	15.3-36.5	34	17.0	09.9-24.1	44	25.2	15.6-34.8
\$50,000- 74,999	188	137,103	37	19.7	11.5-27.9	17	11.0	04.5-17.5	42	20.7	13.1-28.3	37	25.7	15.3-36.1	55	22.9	14.1-31.7
\$75,000+	292	214,414	55	21.0	13.6-28.4	35	12.9	07.4-18.4	56	21.6	14.9-28.3	63	19.5	13.4-25.6	83	24.9	18.2-31.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 8: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	429	379,602	71	18.9	13.0-24.8	43	11.9	07.6-16.2	76	17.4	12.5-22.3	113	23.6	17.7-29.5	126	28.2	21.7-34.7
White/Non-Hisp	382	324,900	64	17.7	11.8-23.6	38	11.7	07.0-16.4	70	19.7	14.0-25.4	103	25.4	18.7-32.1	107	25.5	18.8-32.2
45-54	69	76,488	16	27.1	13.4-40.8	9	12.0	03.4-20.6	14	21.2	09.4-33.0	11	14.6	04.8-24.4	19	25.2	13.6-36.8
55-64	111	73,182	13	12.7	04.7-20.7	12	12.5	04.7-20.3	17	14.6	07.0-22.2	34	28.8	18.6-39.0	35	31.4	20.4-42.4
65+	159	67,231	25	12.2	05.1-19.3	11	8.8	02.1-15.5	31	23.2	13.8-32.6	46	31.1	21.1-41.1	46	24.7	16.5-32.9
H.S. or G.E.D.	143	137,691	22	20.3	11.1-29.5	15	12.1	05.2-19.0	30	18.7	11.1-26.3	36	21.3	13.3-29.3	40	27.6	17.6-37.6
Some Post-H.S.	108	108,292	12	8.7	02.2-15.2	16	16.3	05.9-26.7	21	19.0	09.4-28.6	35	31.1	17.8-44.4	24	24.8	13.8-35.8
College Graduate	145	71,729	28	14.6	07.7-21.5	9	9.3	02.2-16.4	23	21.5	09.0-34.0	34	25.0	14.4-35.6	51	29.6	19.4-39.8
\$35,000- 49,999	69	55,831	13	21.6	07.1-36.1	6	12.4	01.0-23.8	13	19.2	06.7-31.7	18	19.9	09.3-30.5	19	26.9	12.6-41.2
\$50,000- 74,999	66	53,356	11	12.8	01.6-24.0	6	6.7	00.4-13.0	15	25.1	10.4-39.8	15	34.6	14.0-55.2	19	20.7	07.6-33.8
\$75,000+	124	105,532	20	21.8	08.7-34.9	13	13.3	03.9-22.7	19	16.0	06.2-25.8	29	21.2	10.8-31.6	43	27.6	16.4-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 9: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	761	570,208	135	19.0	14.3-23.7	92	11.0	08.1-13.9	161	22.4	17.9-26.9	157	19.8	15.7-23.9	216	27.7	22.8-32.6
White/Non-Hisp	669	479,382	114	17.2	12.5-21.9	79	10.8	07.7-13.9	150	24.5	19.4-29.6	134	18.9	14.6-23.2	192	28.7	23.4-34.0
35-44	70	88,525	14	18.7	07.9-29.5	8	9.5	02.4-16.6	18	31.9	17.6-46.2	13	19.7	08.1-31.3	17	20.2	09.8-30.6
45-54	131	106,690	27	17.1	10.0-24.2	13	10.7	04.2-17.2	34	24.3	16.1-32.5	24	17.7	09.9-25.5	33	30.2	20.2-40.2
55-64	230	124,112	34	11.9	07.0-16.8	29	12.5	07.2-17.8	48	24.3	16.9-31.7	55	25.6	18.3-32.9	64	25.7	19.0-32.4
65+	254	100,597	42	14.4	09.1-19.7	33	14.5	08.8-20.2	48	19.5	13.2-25.8	50	20.3	13.6-27.0	81	31.2	23.8-38.6
H.S. or G.E.D.	245	192,156	38	17.0	08.0-26.0	28	8.8	04.5-13.1	53	24.7	16.7-32.7	53	18.8	11.5-26.1	73	30.6	21.0-40.2
Some Post-H.S.	227	193,811	35	14.1	08.4-19.8	31	13.1	07.8-18.4	50	24.8	15.8-33.8	46	19.3	12.4-26.2	65	28.7	20.7-36.7
College Graduate	242	123,664	58	28.5	20.1-36.9	24	10.5	04.6-16.4	50	19.6	12.7-26.5	46	20.8	13.7-27.9	64	20.7	13.8-27.6
Less than \$15,000	61	67,371	14	17.8	03.9-31.7	8	9.0	00.6-17.4	7	15.3	00.0-31.8	11	21.5	05.8-37.2	21	36.5	19.6-53.4
\$15,000- 24,999	133	106,194	16	14.3	02.1-26.5	21	12.6	05.5-19.7	25	18.9	09.9-27.9	36	21.7	11.7-31.7	35	32.6	18.7-46.5
\$25,000- 34,999	79	50,942	5	3.9	00.2-07.6	11	12.5	03.5-21.5	18	30.9	14.2-47.6	16	22.5	08.6-36.4	29	30.2	17.1-43.3
\$35,000- 49,999	97	78,613	19	19.2	08.4-30.0	12	11.2	03.6-18.8	25	30.6	15.1-46.1	16	15.0	05.6-24.4	25	24.0	10.7-37.3
\$50,000- 74,999	122	83,747	26	24.0	13.0-35.0	11	13.8	04.2-23.4	27	17.8	09.6-26.0	22	20.0	11.0-29.0	36	24.4	12.8-36.0
\$75,000+	168	108,882	35	20.3	12.9-27.7	22	12.6	06.5-18.7	37	27.0	18.4-35.6	34	17.9	11.0-24.8	40	22.3	14.3-30.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 10: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1145	919,428	681	56.7	52.4-61.0	140	14.8	11.5-18.1	124	10.5	08.0-13.0	200	18.1	15.0-21.2
Male	418	366,756	272	62.2	55.3-69.1	40	12.5	07.8-17.2	43	9.1	05.4-12.8	63	16.2	10.9-21.5
Female	727	552,672	409	53.0	47.5-58.5	100	16.3	11.6-21.0	81	11.4	08.1-14.7	137	19.3	15.4-23.2
White/Non-Hisp	1011	776,630	610	56.8	52.1-61.5	123	15.3	11.6-19.0	101	9.4	06.9-11.9	177	18.6	15.1-22.1
Black or Afr. Am./Non-Hisp	53	60,948	20	44.1	23.7-64.5	8	15.2	02.7-27.7	13	19.8	06.7-32.9	12	20.8	06.7-34.9
25-34	64	116,363	31	52.7	37.8-67.6	11	20.6	08.8-32.4	7	7.2	00.1-14.3	15	19.5	08.9-30.1
35-44	113	143,149	61	47.2	36.0-58.4	17	20.9	10.5-31.3	16	15.3	07.3-23.3	19	16.6	08.4-24.8
45-54	195	180,525	124	62.3	54.1-70.5	17	8.6	04.1-13.1	18	9.5	04.6-14.4	36	19.5	12.6-26.4
55-64	332	192,311	201	60.9	54.4-67.4	41	12.1	08.0-16.2	32	9.1	05.4-12.8	58	17.9	12.6-23.2
65+	387	155,547	228	54.1	47.4-60.8	43	10.0	05.9-14.1	46	11.2	07.3-15.1	70	24.7	18.6-30.8
Less Than H.S.	69	112,827	31	45.5	29.4-61.6	8	14.3	01.6-27.0	7	10.8	01.6-20.0	23	29.5	15.0-44.0
H.S. or G.E.D.	367	316,621	199	53.9	46.5-61.3	45	14.8	09.1-20.5	45	10.8	06.5-15.1	78	20.6	14.9-26.3
Some Post-H.S.	324	290,081	184	54.8	47.4-62.2	48	18.5	12.0-25.0	38	12.1	07.2-17.0	54	14.6	10.1-19.1
College Graduate	378	193,127	262	70.4	63.7-77.1	39	10.0	05.3-14.7	33	7.2	04.1-10.3	44	12.3	07.4-17.2
Less than \$15,000	91	107,078	45	47.7	32.8-62.6	9	5.5	01.0-10.0	8	8.3	00.7-15.9	29	38.6	23.7-53.5
\$15,000- 24,999	177	148,407	79	38.9	27.7-50.1	23	20.5	09.5-31.5	28	15.3	08.0-22.6	47	25.4	16.6-34.2
\$25,000- 34,999	117	90,779	61	52.3	39.2-65.4	17	23.8	10.9-36.7	15	12.3	04.5-20.1	24	11.6	06.1-17.1
\$35,000- 49,999	154	125,706	85	51.0	39.4-62.6	20	14.5	04.1-24.9	15	9.4	01.6-17.2	34	25.1	15.9-34.3
\$50,000- 74,999	181	127,172	115	67.1	58.1-76.1	18	11.5	04.4-18.6	25	11.5	06.2-16.8	23	9.8	05.1-14.5
\$75,000+	288	213,588	216	71.6	64.0-79.2	35	13.3	07.4-19.2	17	8.4	03.3-13.5	20	6.7	03.4-10.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 11: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	418	366,756	272	62.2	55.3-69.1	40	12.5	07.6-17.4	43	9.1	05.4-12.8	63	16.2	10.9-21.5
White/Non-Hisp	373	313,382	249	63.0	55.6-70.4	33	11.9	06.6-17.2	36	7.9	04.4-11.4	55	17.2	11.3-23.1
45-54	68	75,340	47	71.5	59.0-84.0	6	7.8	01.1-14.5	5	5.6	00.0-11.5	10	15.0	04.8-25.2
55-64	108	71,611	74	62.9	51.1-74.7	9	7.3	01.8-12.8	12	12.3	04.1-20.5	13	17.5	07.7-27.3
65+	154	65,174	94	53.2	42.4-64.0	13	8.7	03.0-14.4	17	9.3	04.4-14.2	30	28.8	18.4-39.2
H.S. or G.E.D.	139	133,349	89	59.4	48.4-70.4	13	16.1	06.7-25.5	14	9.5	03.2-15.8	23	15.0	07.9-22.1
Some Post-H.S.	106	101,202	67	59.4	46.7-72.1	12	13.4	04.6-22.2	12	13.0	03.4-22.6	15	14.2	06.2-22.2
College Graduate	140	70,314	100	74.9	65.3-84.5	11	7.8	00.9-14.7	14	7.1	02.8-11.4	15	10.3	04.2-16.4
\$35,000- 49,999	67	54,590	36	54.7	38.6-70.8	6	11.7	00.5-22.9	9	6.6	01.5-11.7	16	27.0	12.9-41.1
\$50,000- 74,999	64	45,968	43	69.2	54.3-84.1	5	7.0	00.0-17.2	7	11.6	01.6-21.6	9	12.2	02.6-21.8
\$75,000+	124	105,858	97	73.4	61.1-85.7	12	13.1	02.9-23.3	8	8.1	00.5-15.7	7	5.4	01.1-09.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 12: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	727	552,672	409	53.0	47.5-58.5	100	16.3	11.6-21.0	81	11.4	08.1-14.7	137	19.3	15.4-23.2
White/Non-Hisp	638	463,248	361	52.6	46.7-58.5	90	17.6	12.3-22.9	65	10.4	06.9-13.9	122	19.5	15.2-23.8
35-44	68	86,569	30	37.6	24.1-51.1	13	21.8	08.7-34.9	11	18.2	07.0-29.4	14	22.3	10.3-34.3
45-54	127	105,185	77	55.7	45.3-66.1	11	9.2	02.9-15.5	13	12.3	05.2-19.4	26	22.7	13.7-31.7
55-64	224	120,700	127	59.7	51.9-67.5	32	14.9	09.2-20.6	20	7.2	03.7-10.7	45	18.2	12.1-24.3
65+	233	90,373	134	54.7	46.5-62.9	30	11.0	05.3-16.7	29	12.6	06.9-18.3	40	21.8	14.7-28.9
H.S. or G.E.D.	228	183,272	110	49.9	39.7-60.1	32	13.8	06.7-20.9	31	11.7	05.6-17.8	55	24.6	16.6-32.6
Some Post-H.S.	218	188,879	117	52.3	43.1-61.5	36	21.2	12.8-29.6	26	11.7	06.4-17.0	39	14.8	09.3-20.3
College Graduate	238	122,813	162	67.9	59.1-76.7	28	11.3	04.8-17.8	19	7.3	03.2-11.4	29	13.5	06.6-20.4
Less than \$15,000	58	66,267	28	47.6	29.2-66.0	3	1.1	00.0-02.5	7	13.0	01.0-25.0	20	38.3	20.9-55.7
\$15,000- 24,999	130	106,384	54	34.4	21.1-47.7	19	23.4	09.5-37.3	19	13.1	05.5-20.7	38	29.0	17.6-40.4
\$25,000- 34,999	78	49,302	36	45.6	29.3-61.9	12	27.2	09.2-45.2	9	10.2	02.8-17.6	21	16.9	08.5-25.3
\$35,000- 49,999	87	71,116	49	48.2	32.1-64.3	14	16.6	00.7-32.5	6	11.6	00.0-24.5	18	23.6	11.4-35.8
\$50,000- 74,999	117	81,204	72	65.9	54.5-77.3	13	14.1	04.5-23.7	18	11.5	05.8-17.2	14	8.5	03.4-13.6
\$75,000+	164	107,730	119	69.9	60.9-78.9	23	13.6	07.3-19.9	9	8.6	02.1-15.1	13	7.9	02.8-13.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 13: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values (1,2,4)			Cancer (3)			Values (5,6,10)			Diabetes, Heart Disease, Hypertension (Values 7,8)			Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1138	894,435	137	14.5	11.0-18.0	95	8.6	06.2-11.0	207	17.0	13.9-20.1	183	16.9	13.6-20.2	35	3.6	01.8-05.4	481	39.4	35.3-43.5
Male	406	358,814	48	12.8	07.1-18.5	34	9.2	05.1-13.3	77	17.5	12.2-22.8	60	15.9	10.8-21.0	10	4.2	01.1-07.3	177	40.4	33.5-47.3
Female	732	535,620	89	15.6	11.1-20.1	61	8.2	05.7-10.7	130	16.7	13.0-20.4	123	17.5	13.2-21.8	25	3.2	01.2-05.2	304	38.7	33.6-43.8
White/Non-Hisp	1008	764,779	128	15.5	11.6-19.4	79	7.3	05.3-09.3	175	15.9	12.6-19.2	155	16.1	12.6-19.6	34	4.1	02.1-06.1	437	41.1	36.6-45.6
Black or Afr. Am./Non-Hisp	52	52,390	1	5.9	00.0-17.1	7	13.9	01.9-25.9	12	25.9	10.8-41.0	12	22.4	07.9-36.9	1	1.3	00.0-03.8	19	30.5	15.2-45.8
25-34	61	116,440	11	19.3	05.0-33.6	6	8.7	01.3-16.1	11	17.3	06.3-28.3	11	25.9	10.8-41.0	3	3.0	00.0-06.5	19	25.8	13.8-37.8
35-44	113	143,092	10	10.8	03.0-18.6	16	12.2	05.9-18.5	18	12.2	05.9-18.5	25	21.2	12.2-30.2	5	6.0	00.0-12.5	39	37.5	26.5-48.5
45-54	193	176,030	23	14.3	07.8-20.8	18	8.5	04.0-13.0	37	20.0	13.1-26.9	26	11.9	06.6-17.2	6	3.3	00.4-06.2	83	41.9	33.5-50.3
55-64	326	187,185	47	12.6	08.5-16.7	24	9.0	04.7-13.3	71	20.1	14.6-25.6	44	13.6	08.7-18.5	11	3.0	01.0-05.0	129	41.6	34.7-48.5
65+	396	157,138	36	11.2	06.5-15.9	29	7.5	04.0-11.0	60	16.2	11.3-21.1	68	18.2	13.3-23.1	9	2.5	00.1-04.9	194	44.5	38.0-51.0
Less Than H.S.	67	109,566	5	11.3	00.0-22.9	8	10.3	00.5-20.1	12	19.2	05.7-32.7	10	15.7	04.5-26.9	1	0.7	00.0-02.1	31	42.9	26.8-59.0
H.S. or G.E.D.	371	308,662	47	17.4	10.5-24.3	30	9.9	05.6-14.2	57	14.6	09.9-19.3	54	13.7	09.2-18.2	14	5.9	01.6-10.2	169	38.6	31.7-45.5
Some Post-H.S.	317	281,418	47	17.6	11.1-24.1	24	5.2	02.8-07.6	56	14.9	10.0-19.8	60	21.7	15.0-28.4	5	1.3	00.0-02.9	125	39.2	31.9-46.5
College Graduate	378	190,043	36	7.1	04.4-09.8	33	10.8	06.3-15.3	82	23.3	17.0-29.6	59	15.8	09.7-21.9	15	5.0	02.1-07.9	153	37.9	30.8-45.0
Less than \$15,000	90	104,331	13	12.0	02.6-21.4	9	6.0	00.1-11.9	15	20.8	06.9-34.7	13	17.0	04.5-29.5	1	4.4	00.0-12.8	39	39.7	25.6-53.8
\$15,000- 24,999	177	145,279	22	16.7	06.1-27.3	16	11.2	04.7-17.7	37	22.6	13.6-31.6	29	15.9	08.8-23.0	6	2.2	00.2-04.2	67	31.4	20.6-42.2
\$25,000- 34,999	112	86,989	12	12.5	03.3-21.7	8	6.9	00.4-13.4	19	13.9	05.3-22.5	12	10.2	02.9-17.5	6	6.8	00.3-13.3	55	49.6	36.3-62.9
\$35,000- 49,999	159	122,798	22	16.8	07.4-26.2	14	9.7	03.4-16.0	31	16.1	08.8-23.4	25	13.9	07.0-20.8				67	43.6	33.0-54.2
\$50,000- 74,999	184	132,968	22	15.2	04.8-25.6	18	8.4	03.9-12.9	31	16.4	09.3-23.5	28	15.8	08.5-23.1	5	2.0	00.0-04.4	80	42.2	31.6-52.8
\$75,000+	283	209,776	37	14.6	08.1-21.1	21	9.4	03.7-15.1	52	14.2	09.5-18.9	42	15.7	09.0-22.4	12	5.9	01.2-10.6	119	40.2	32.4-48.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 14: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values (1,2,4)			Cancer (3)			Values (5,6,10)			Diabetes, Heart Disease, Hypertension (Values 7,8)			Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	406	358,814	48	12.8	07.1-18.5	34	9.2	05.1-13.3	77	17.5	12.2-22.8	60	15.9	10.8-21.0	10	4.2	01.1-07.3	177	40.4	33.7-47.1
White/Non-Hisp	365	309,689	42	13.5	07.0-20.0	32	8.6	04.9-12.3	65	16.8	10.9-22.7	54	15.8	10.3-21.3	10	4.9	01.2-08.6	162	40.4	33.3-47.5
45-54	61	67,980	6	11.9	01.7-22.1	4	5.8	00.1-11.5	13	20.0	08.4-31.6	9	10.1	02.5-17.7	3	5.5	00.0-12.0	26	46.7	31.6-61.8
55-64	105	68,219	13	7.0	02.7-11.3	7	9.0	02.1-15.9	27	20.8	11.8-29.8	11	13.9	04.1-23.7	1	1.2	00.0-03.6	46	48.1	36.1-60.1
65+	152	63,460	17	14.2	05.6-22.8	14	11.1	03.7-18.5	22	14.8	08.1-21.5	22	17.7	09.5-25.9	2	3.0	00.0-08.3	75	39.3	29.3-49.3
H.S. or G.E.D.	138	131,766	16	10.1	03.8-16.4	14	12.0	04.9-19.1	21	11.6	05.9-17.3	21	15.3	08.0-22.6	4	6.7	00.0-14.0	62	44.3	33.3-55.3
Some Post-H.S.	102	100,420	20	23.9	10.0-37.8	5	3.0	00.1-05.9	18	17.7	07.5-27.9	16	15.4	05.6-25.2	3	2.9	00.0-07.0	40	37.1	23.8-50.4
College Graduate	137	69,292	10	4.4	01.3-07.5	10	6.5	02.0-11.0	33	24.1	14.5-33.7	17	17.0	04.3-29.7	3	4.7	00.0-10.0	64	43.4	30.9-55.9
\$35,000- 49,999	65	53,356	7	15.2	02.1-28.3	6	7.8	00.0-16.8	12	15.7	04.3-27.1	9	15.3	03.7-26.9				31	46.0	29.5-62.5
\$50,000- 74,999	64	52,671	7	20.4	00.0-42.5	5	8.8	00.4-17.2	15	22.2	08.7-35.7	7	6.5	00.6-12.4				30	42.1	23.9-60.3
\$75,000+	121	104,383	16	15.1	04.1-26.1	10	9.9	00.3-19.5	25	11.8	06.1-17.5	14	14.8	03.6-26.0	5	8.2	00.0-16.8	51	40.2	27.5-52.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 15: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values (1,2,4)			Cancer (3)			Values (5,6,10)			Diabetes, Heart Disease, Hypertension (Values 7,8)			Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	732	535,620	89	15.6	11.1-20.1	61	8.2	05.7-10.7	130	16.7	13.0-20.4	123	17.5	13.4-21.6	25	3.2	01.2-05.2	304	38.7	33.6-43.8
White/Non-Hisp	643	455,090	86	16.9	11.8-22.0	47	6.4	04.0-08.8	110	15.3	11.6-19.0	101	16.2	11.7-20.7	24	3.6	01.2-06.0	275	41.6	35.9-47.3
35-44	68	86,511	7	15.4	03.1-27.7	12	15.6	06.6-24.6	9	10.6	02.6-18.6	17	26.5	13.6-39.4	2	1.7	00.0-04.1	21	30.3	16.8-43.8
45-54	132	108,050	17	15.9	07.5-24.3	14	10.3	03.8-16.8	24	20.0	11.6-28.4	17	13.1	06.8-19.4	3	1.9	00.0-04.3	57	38.9	29.3-48.5
55-64	221	118,966	34	15.8	09.9-21.7	17	9.1	03.4-14.8	44	19.7	12.8-26.6	33	13.5	08.2-18.8	10	4.1	01.4-06.8	83	37.9	29.9-45.9
65+	244	93,678	19	9.2	03.9-14.5	15	5.0	02.1-07.9	38	17.1	10.4-23.8	46	18.5	12.4-24.6	7	2.1	00.1-04.1	119	48.0	39.8-56.2
H.S. or G.E.D.	233	176,895	31	22.8	12.4-33.2	16	8.2	03.1-13.3	36	16.9	09.8-24.0	33	12.6	07.3-17.9	10	5.2	00.0-10.5	107	34.3	25.9-42.7
Some Post-H.S.	215	180,997	27	14.2	07.9-20.5	19	6.4	03.1-09.7	38	13.3	08.2-18.4	44	25.3	16.7-33.9	2	0.5	00.0-01.1	85	40.4	31.8-49.0
College Graduate	241	120,751	26	8.7	04.8-12.6	23	13.3	07.0-19.6	49	22.9	14.9-30.9	42	15.2	09.1-21.3	12	5.2	01.7-08.7	89	34.7	26.3-43.1
Less than \$15,000	60	66,821	8	16.8	02.5-31.1	8	8.6	00.0-17.4	7	13.0	01.4-24.6	8	15.3	00.0-31.8	1	6.9	00.0-19.6	28	39.5	22.4-56.6
\$15,000- 24,999	128	102,567	17	19.4	05.5-33.3	9	6.9	01.4-12.4	30	24.4	13.2-35.6	17	12.3	05.2-19.4	4	2.2	00.0-04.6	51	34.7	21.0-48.4
\$25,000- 34,999	76	49,406	6	11.5	00.0-23.7	8	12.1	00.9-23.3	14	12.2	04.6-19.8	8	12.5	01.7-23.3	4	4.4	00.0-09.3	36	47.3	30.8-63.8
\$35,000- 49,999	94	69,442	15	18.0	04.7-31.3	8	11.1	02.7-19.5	19	16.3	07.1-25.5	16	12.8	04.2-21.4				36	41.9	28.0-55.8
\$50,000- 74,999	120	80,296	15	11.8	03.8-19.8	13	8.2	03.1-13.3	16	12.6	05.0-20.2	21	21.8	11.2-32.4	5	3.4	00.0-07.3	50	42.2	29.5-54.9
\$75,000+	162	105,393	21	14.1	07.2-21.0	11	9.0	03.1-14.9	27	16.5	09.2-23.8	28	16.5	09.2-23.8	7	3.6	00.7-06.5	68	40.3	31.1-49.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 16: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1196	954,063	603	54.6	50.3-58.9	593	45.4	41.1-49.7
Male	429	378,654	200	52.3	45.2-59.4	229	47.7	40.6-54.8
Female	767	575,408	403	56.1	50.8-61.4	364	43.9	38.6-49.2
White/Non-Hisp	1055	806,731	512	52.9	48.4-57.4	543	47.1	42.6-51.6
Black or Afr. Am./Non-Hisp	54	61,934	35	58.3	37.7-78.9	19	41.7	21.1-62.3
25-34	66	124,433	41	58.5	43.4-73.6	25	41.5	26.4-56.6
35-44	115	146,422	71	59.2	48.2-70.2	44	40.8	29.8-51.8
45-54	201	184,595	98	53.1	44.5-61.7	103	46.9	38.3-55.5
55-64	340	196,009	175	54.0	47.3-60.7	165	46.0	39.3-52.7
65+	418	169,019	186	48.4	41.9-54.9	232	51.6	45.1-58.1
Less Than H.S.	73	115,350	42	62.1	47.2-77.0	31	37.9	23.0-52.8
H.S. or G.E.D.	391	332,101	199	53.9	46.6-61.2	192	46.1	38.8-53.4
Some Post-H.S.	337	304,931	170	53.8	46.4-61.2	167	46.2	38.8-53.6
College Graduate	388	194,908	188	51.8	44.5-59.1	200	48.2	40.9-55.5
Less than \$15,000	94	108,710	50	61.5	48.0-75.0	44	38.5	25.0-52.0
\$15,000- 24,999	186	151,830	118	70.6	60.2-81.0	68	29.4	19.0-39.8
\$25,000- 34,999	117	91,804	59	47.8	35.1-60.5	58	52.2	39.5-64.9
\$35,000- 49,999	164	133,994	90	56.5	45.7-67.3	74	43.5	32.7-54.3
\$50,000- 74,999	190	137,650	78	42.7	32.3-53.1	112	57.3	46.9-67.7
\$75,000+	292	214,253	142	53.1	44.9-61.3	150	46.9	38.7-55.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 17: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	429	378,654	200	52.3	45.2-59.4	229	47.7	40.6-54.8
White/Non-Hisp	381	323,682	170	49.2	41.6-56.8	211	50.8	43.2-58.4
45-54	69	76,488	30	46.3	31.8-60.8	39	53.7	39.2-68.2
55-64	110	71,897	51	54.2	42.8-65.6	59	45.8	34.4-57.2
65+	160	67,568	65	43.9	33.3-54.5	95	56.1	45.5-66.7
H.S. or G.E.D.	144	138,274	70	54.9	44.5-65.3	74	45.1	34.7-55.5
Some Post-H.S.	107	106,614	46	51.0	37.5-64.5	61	49.0	35.5-62.5
College Graduate	144	71,606	65	47.3	35.3-59.3	79	52.7	40.7-64.7
\$15,000- 24,999	50	42,981	30	62.9	45.3-80.5	20	37.1	19.5-54.7
\$35,000- 49,999	68	55,709	36	59.0	43.3-74.7	32	41.0	25.3-56.7
\$50,000- 74,999	67	53,802	20	35.5	18.1-52.9	47	64.5	47.1-81.9
\$75,000+	125	106,106	61	55.8	42.3-69.3	64	44.2	30.7-57.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 18: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPERS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	767	575,408	403	56.1	50.8-61.4	364	43.9	38.6-49.2
White/Non-Hisp	674	483,049	342	55.4	49.7-61.1	332	44.6	38.9-50.3
35-44	70	89,842	43	55.5	41.2-69.8	27	44.5	30.2-58.8
45-54	132	108,107	68	57.9	47.9-67.9	64	42.1	32.1-52.1
55-64	230	124,112	124	54.0	45.8-62.2	106	46.0	37.8-54.2
65+	258	101,451	121	51.4	43.6-59.2	137	48.6	40.8-56.4
H.S. or G.E.D.	247	193,828	129	53.3	43.1-63.5	118	46.7	36.5-56.9
Some Post-H.S.	230	198,317	124	55.4	46.6-64.2	106	44.6	35.8-53.4
College Graduate	244	123,302	123	54.5	45.7-63.3	121	45.5	36.7-54.3
Less than \$15,000	62	69,320	29	54.5	36.9-72.1	33	45.5	27.9-63.1
\$15,000- 24,999	136	108,849	88	73.7	61.2-86.2	48	26.3	13.8-38.8
\$25,000- 34,999	78	50,327	45	58.3	41.8-74.8	33	41.7	25.2-58.2
\$35,000- 49,999	96	78,285	54	54.8	39.9-69.7	42	45.2	30.3-60.1
\$50,000- 74,999	123	83,848	58	47.3	34.8-59.8	65	52.7	40.2-65.2
\$75,000+	167	108,147	81	50.5	41.1-59.9	86	49.5	40.1-58.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 19: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOUS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1194	951,482	931	81.7	78.6-84.8	263	18.3	15.2-21.4
Male	428	376,659	324	82.2	77.9-86.5	104	17.8	13.5-22.1
Female	766	574,823	607	81.3	77.0-85.6	159	18.7	14.4-23.0
White/Non-Hisp	1053	804,809	811	80.6	77.1-84.1	242	19.4	15.9-22.9
Black or Afr. Am./Non-Hisp	55	62,549	49	93.9	87.0-100	6	6.1	00.0-13.0
25-34	65	123,160	54	87.4	76.8-98.0	11	12.6	02.0-23.2
35-44	116	147,157	88	80.5	72.3-88.7	28	19.5	11.3-27.7
45-54	201	182,558	166	83.7	77.4-90.0	35	16.3	10.0-22.6
55-64	339	196,162	274	80.7	75.2-86.2	65	19.3	13.8-24.8
65+	417	168,861	306	77.5	72.6-82.4	111	22.5	17.6-27.4
Less Than H.S.	74	115,965	62	84.4	71.9-96.9	12	15.6	03.1-28.1
H.S. or G.E.D.	390	331,494	306	83.2	78.7-87.7	84	16.8	12.3-21.3
Some Post-H.S.	336	303,542	267	81.8	75.7-87.9	69	18.2	12.1-24.3
College Graduate	387	193,709	293	77.9	72.2-83.6	94	22.1	16.4-27.8
Less than \$15,000	95	110,131	75	82.3	70.7-93.9	20	17.7	06.1-29.3
\$15,000- 24,999	184	151,037	147	83.0	73.8-92.2	37	17.0	07.8-26.2
\$25,000- 34,999	118	92,419	96	88.0	80.9-95.1	22	12.0	04.9-19.1
\$35,000- 49,999	164	133,994	135	81.7	73.5-89.9	29	18.3	10.1-26.5
\$50,000- 74,999	189	136,377	145	76.2	67.0-85.4	44	23.8	14.6-33.0
\$75,000+	292	214,327	219	81.5	76.2-86.8	73	18.5	13.2-23.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 20: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOUS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	428	376,659	324	82.2	77.9-86.5	104	17.8	13.5-22.1
White/Non-Hisp	380	321,686	286	81.9	77.2-86.6	94	18.1	13.4-22.8
45-54	68	73,836	53	75.7	63.7-87.7	15	24.3	12.3-36.3
55-64	109	72,051	85	79.4	70.0-88.8	24	20.6	11.2-30.0
65+	161	68,071	114	77.1	69.1-85.1	47	22.9	14.9-30.9
H.S. or G.E.D.	143	137,667	109	79.1	71.5-86.7	34	20.9	13.3-28.5
Some Post-H.S.	108	105,886	84	86.0	78.6-93.4	24	14.0	06.6-21.4
College Graduate	143	70,946	103	77.3	68.5-86.1	40	22.7	13.9-31.5
\$35,000- 49,999	68	55,709	54	79.1	66.8-91.4	14	20.9	08.6-33.2
\$50,000- 74,999	67	53,802	46	75.1	62.0-88.2	21	24.9	11.8-38.0
\$75,000+	124	105,446	91	84.3	76.9-91.7	33	15.7	08.3-23.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 21: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVH0US)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	766	574,823	607	81.3	77.0-85.6	159	18.7	14.4-23.0
White/Non-Hisp	673	483,122	525	79.7	74.8-84.6	148	20.3	15.4-25.2
35-44	71	90,577	55	81.9	71.3-92.5	16	18.1	07.5-28.7
45-54	133	108,722	113	89.1	82.8-95.4	20	10.9	04.6-17.2
55-64	230	124,112	189	81.4	74.7-88.1	41	18.6	11.9-25.3
65+	256	100,790	192	77.8	71.5-84.1	64	22.2	15.9-28.5
H.S. or G.E.D.	247	193,828	197	86.2	80.9-91.5	50	13.8	08.5-19.1
Some Post-H.S.	228	197,656	183	79.5	71.3-87.7	45	20.5	12.3-28.7
College Graduate	244	122,763	190	78.3	70.9-85.7	54	21.7	14.3-29.1
Less than \$15,000	62	69,320	48	82.1	66.2-98.0	14	17.9	02.0-33.8
\$15,000- 24,999	135	108,663	109	82.1	69.9-94.3	26	17.9	05.7-30.1
\$25,000- 34,999	79	50,942	65	89.1	82.2-96.0	14	10.9	04.0-17.8
\$35,000- 49,999	96	78,285	81	83.4	72.4-94.4	15	16.6	05.6-27.6
\$50,000- 74,999	122	82,575	99	76.9	64.4-89.4	23	23.1	10.6-35.6
\$75,000+	168	108,882	128	78.7	71.3-86.1	40	21.3	13.9-28.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 22: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1173	942,639	9	0.7	00.1-01.3	67	4.5	03.1-05.9	29	1.7	00.9-02.5	30	2.5	01.3-03.7	33	2.4	01.2-03.6	1005	88.2	85.8-90.6
Male	424	378,374	4	0.7	00.0-01.5	19	3.9	01.5-06.3	9	0.9	00.1-01.7	3	1.0	00.0-02.6	6	1.3	00.0-02.9	383	92.2	88.9-95.5
Female	749	564,265	5	0.6	00.0-01.4	48	4.9	03.1-06.7	20	2.3	01.1-03.5	27	3.5	01.7-05.3	27	3.1	01.3-04.9	622	85.5	82.2-88.8
White/Non-Hisp	1037	796,997	7	0.6	00.0-01.2	55	4.4	02.8-06.0	25	1.9	00.9-02.9	24	2.6	01.2-04.0	28	2.4	01.2-03.6	898	88.1	85.6-90.6
Black or Afr. Am./Non-Hisp	54	64,374	2	2.1	00.0-05.8	6	6.2	00.0-13.5	1	0.3	00.0-00.9	1	0.5	00.0-01.5				44	90.9	82.7-99.1
25-34	63	120,065	1	1.0	00.0-03.0	2	0.7	00.0-01.7	4	3.2	00.0-07.1	4	6.2	00.0-12.7	4	7.9	00.1-15.7	48	81.0	70.2-91.8
35-44	116	147,157	1	0.2	00.0-00.6	9	7.2	01.9-12.5	4	2.4	00.0-04.9	1	0.4	00.0-01.2	3	1.8	00.0-04.0	98	88.0	81.9-94.1
45-54	200	184,761	3	2.0	00.0-04.4	20	9.3	04.4-14.2	5	1.6	00.0-03.2	9	5.4	01.3-09.5	7	2.2	00.2-04.2	156	79.5	72.8-86.2
55-64	331	191,550	1	0.1	00.0-00.3	15	3.0	01.4-04.6	7	1.7	00.1-03.3	10	1.8	00.6-03.0	9	1.5	00.3-02.7	289	91.9	89.2-94.6
65+	407	164,210	3	0.5	00.0-01.1	19	3.9	01.5-06.3	9	1.6	00.0-03.2	6	1.4	00.0-02.8	10	2.2	00.8-03.6	360	90.4	87.1-93.7
Less Than H.S.	70	113,892				5	3.8	00.0-07.9				2	2.7	00.0-06.8				63	93.5	87.6-99.4
H.S. or G.E.D.	388	332,574	5	1.4	00.0-02.8	17	3.7	01.3-06.1	7	1.3	00.3-02.3	9	2.9	00.4-05.4	12	2.9	00.7-05.1	338	87.7	83.4-92.0
Some Post-H.S.	327	299,148	4	0.5	00.0-01.1	21	5.4	02.5-08.3	7	2.0	00.2-03.8	11	2.4	00.8-04.0	5	0.8	00.0-01.6	279	89.0	85.1-92.9
College Graduate	382	191,339				24	5.0	02.6-07.4	15	3.2	01.0-05.4	8	2.0	00.4-03.6	16	5.5	01.2-09.8	319	84.3	79.0-89.6
Less than \$15,000	91	106,965	2	1.5	00.0-03.9	7	5.5	00.2-10.8	3	3.0	00.0-06.5	4	3.3	00.0-07.6	2	3.7	00.0-09.0	73	83.1	73.5-92.7
\$15,000- 24,999	178	146,831	1	0.2	00.0-00.6	11	4.5	00.6-08.4	3	0.6	00.0-01.4	9	5.4	00.3-10.5	3	0.5	00.0-01.1	151	88.7	82.4-95.0
\$25,000- 34,999	113	89,734	1	0.1	00.0-00.3	8	6.4	00.3-12.5	3	1.2	00.0-02.8	3	3.7	00.0-09.0	3	1.1	00.0-02.5	95	87.5	79.5-95.5
\$35,000- 49,999	161	131,018	1	1.2	00.0-03.6	5	1.0	00.0-02.0	3	1.3	00.0-03.1	3	1.4	00.0-03.2	7	3.0	00.3-05.7	142	92.1	87.8-96.4
\$50,000- 74,999	189	136,377	1	0.3	00.0-00.9	11	6.0	01.5-10.5	11	4.1	00.8-07.4	5	2.0	00.0-04.0	5	0.7	00.0-01.5	156	86.9	80.8-93.0
\$75,000+	290	213,829	2	0.5	00.0-01.3	19	5.1	02.6-07.6	4	1.2	00.0-02.6	2	0.7	00.0-01.7	9	3.7	00.6-06.8	254	88.8	84.5-93.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 23: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	424	378,374	4	0.7	00.0-01.5	19	3.9	01.5-06.3	9	0.9	00.1-01.7	3	1.0	00.0-02.6	6	1.3	00.0-02.9	383	92.2	88.9-95.5
White/Non-Hisp	377	321,158	4	0.8	00.0-01.8	17	4.0	01.5-06.5	7	0.8	00.0-01.6	2	1.0	00.0-02.8	6	1.5	00.0-03.5	341	91.8	88.1-95.5
45-54	68	76,123	1	1.2	00.0-03.6	6	8.4	00.2-16.6										61	90.4	82.0-98.8
55-64	109	71,864	1	0.3	00.0-00.9	1	0.6	00.0-01.8	2	0.7	00.0-01.9	1	0.8	00.0-02.4	1	1.0	00.0-03.0	103	96.5	93.4-99.6
65+	157	66,056				6	2.2	00.2-04.2	5	2.4	00.0-05.7				3	1.3	00.0-02.9	143	94.1	89.8-98.4
H.S. or G.E.D.	144	140,456	1	0.9	00.0-02.7	6	2.5	00.0-05.2	1	0.3	00.0-00.9	3	2.8	00.0-06.7	2	0.5	00.0-01.3	131	93.0	87.9-98.1
Some Post-H.S.	106	106,396	3	1.4	00.0-03.2	5	5.3	00.0-11.0	1	0.1	00.0-00.3							97	93.2	87.1-99.3
College Graduate	141	70,448				5	2.7	00.0-05.6	7	4.0	00.1-07.9				4	6.0	00.0-14.0	125	87.3	78.1-96.5
\$35,000- 49,999	65	52,732				3	1.5	00.0-03.5	1	0.3	00.0-00.9				2	1.0	00.0-02.6	59	97.2	94.7-99.7
\$50,000- 74,999	67	53,802				2	3.7	00.0-09.0	5	3.0	00.0-06.3							60	93.3	87.0-99.6
\$75,000+	122	104,948	2	1.1	00.0-02.9	5	2.5	00.1-04.9	1	1.1	00.0-03.3				3	3.9	00.0-09.6	111	91.4	84.7-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

**TABLE 24: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	749	564,265	5	0.6	00.0-01.4	48	4.9	03.1-06.7	20	2.3	01.1-03.5	27	3.5	01.7-05.3	27	3.1	01.3-04.9	622	85.5	82.2-88.8
White/Non-Hisp	660	475,838	3	0.5	00.0-01.3	38	4.7	02.9-06.5	18	2.6	01.2-04.0	22	3.7	01.7-05.7	22	2.9	01.1-04.7	557	85.7	82.2-89.2
35-44	71	90,577				5	5.5	00.0-11.4	2	2.6	00.0-06.3				2	2.4	00.0-05.9	62	89.4	81.8-97.0
45-54	132	108,639	2	2.6	00.0-06.1	14	9.9	04.0-15.8	5	2.8	00.1-05.5	9	9.2	02.3-16.1	7	3.7	00.6-06.8	95	71.8	62.6-81.0
55-64	222	119,686				14	4.4	01.9-06.9	5	2.3	00.0-04.7	9	2.4	00.6-04.2	8	1.8	00.2-03.4	186	89.1	85.0-93.2
65+	250	98,154	3	0.8	00.0-01.8	13	5.1	01.4-08.8	4	1.1	00.0-02.3	6	2.4	00.2-04.6	7	2.7	00.5-04.9	217	87.9	83.2-92.6
H.S. or G.E.D.	244	192,118	4	1.8	00.0-04.0	11	4.6	01.1-08.1	6	2.0	00.2-03.8	6	3.0	00.0-06.5	10	4.7	01.2-08.2	207	83.8	77.3-90.3
Some Post-H.S.	221	192,752	1	0.1	00.0-00.3	16	5.4	02.3-08.5	6	3.0	00.3-05.7	11	3.7	01.2-06.2	5	1.2	00.0-02.4	182	86.6	81.7-91.5
College Graduate	241	120,891				19	6.3	03.0-09.6	8	2.8	00.4-05.2	8	3.1	00.6-05.6	12	5.3	00.2-10.4	194	82.5	75.8-89.2
Less than \$15,000	58	66,154	1	1.9	00.0-05.6	3	5.1	00.0-12.0	3	4.8	00.0-10.7	4	5.3	00.0-12.4	2	6.0	00.0-14.4	45	77.0	63.1-90.9
\$15,000- 24,999	129	104,457	1	0.3	00.0-00.9	10	4.1	01.0-07.2	2	0.5	00.0-01.3	7	4.4	00.0-09.3	2	0.4	00.0-01.0	107	90.2	84.3-96.1
\$25,000- 34,999	75	48,622	1	0.2	00.0-00.6	4	2.9	00.0-05.8	3	2.2	00.0-04.9	2	5.6	00.0-14.8	3	2.0	00.0-04.5	62	87.0	76.8-97.2
\$35,000- 49,999	96	78,285	1	2.1	00.0-06.0	2	0.7	00.0-01.7	2	1.9	00.0-04.8	3	2.3	00.0-05.0	5	4.4	00.1-08.7	83	88.7	81.6-95.8
\$50,000- 74,999	122	82,575	1	0.4	00.0-01.2	9	7.5	00.8-14.2	6	4.9	00.0-10.0	5	3.2	00.0-06.5	5	1.2	00.0-02.6	96	82.7	74.1-91.3
\$75,000+	168	108,882				14	7.6	03.3-11.9	3	1.4	00.0-03.2	2	1.4	00.0-03.6	6	3.4	00.5-06.3	143	86.2	80.5-91.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 25: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3868	3,066,813	668	17.5	15.7-19.3	3200	82.5	80.7-84.3
Male	1688	1,532,472	257	14.0	11.6-16.4	1431	86.0	83.6-88.4
Female	2180	1,534,341	411	21.0	18.3-23.7	1769	79.0	76.3-81.7
White/Non-Hisp	3408	2,521,192	577	16.9	15.1-18.7	2831	83.1	81.3-84.9
Black or Afr. Am./Non-Hisp	181	239,210	39	20.4	12.8-28.0	142	79.6	72.0-87.2
Oth. Race/Non-Hisp.	58	48,069	9	11.5	02.3-20.7	49	88.5	79.3-97.7
Hispanic	117	183,817	31	26.1	15.5-36.7	86	73.9	63.3-84.5
18-24	158	375,313	21	12.3	06.2-18.4	137	87.7	81.6-93.8
25-34	267	484,933	39	13.8	08.9-18.7	228	86.2	81.3-91.1
35-44	387	486,318	71	19.5	14.2-24.8	316	80.5	75.2-85.8
45-54	566	525,849	139	24.0	19.3-28.7	427	76.0	71.3-80.7
55-64	848	513,557	186	22.3	18.6-26.0	662	77.7	74.0-81.4
65+	1612	666,292	209	13.1	10.7-15.5	1403	86.9	84.5-89.3
Less Than H.S.	312	425,290	56	18.6	12.5-24.7	256	81.4	75.3-87.5
H.S. or G.E.D.	1305	1,031,034	209	17.2	14.3-20.1	1096	82.8	79.9-85.7
Some Post-H.S.	942	946,052	148	16.4	13.1-19.7	794	83.6	80.3-86.9
College Graduate	1291	653,148	251	18.8	15.9-21.7	1040	81.2	78.3-84.1
Less than \$15,000	345	289,891	49	17.5	11.0-24.0	296	82.5	76.0-89.0
\$15,000- 24,999	593	482,658	100	19.9	14.6-25.2	493	80.1	74.8-85.4
\$25,000- 34,999	356	272,724	56	15.1	10.0-20.2	300	84.9	79.8-90.0
\$35,000- 49,999	556	446,078	96	18.9	13.8-24.0	460	81.1	76.0-86.2
\$50,000- 74,999	536	455,311	106	17.9	13.6-22.2	430	82.1	77.8-86.4
\$75,000+	946	737,426	190	16.7	13.6-19.8	756	83.3	80.2-86.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 26: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1688	1,532,472	257	14.0	11.6-16.4	1431	86.0	83.6-88.4
White/Non-Hisp	1486	1,253,228	220	13.3	10.9-15.7	1266	86.7	84.3-89.1
Black or Afr. Am./Non-Hisp	75	122,814	10	16.1	04.9-27.3	65	83.9	72.7-95.1
18-24	88	201,229	10	9.1	02.0-16.2	78	90.9	83.8-98.0
25-34	121	244,425	17	11.6	05.5-17.7	104	88.4	82.3-94.5
35-44	175	247,658	28	11.4	06.5-16.3	147	88.6	83.7-93.5
45-54	273	279,421	55	22.6	15.7-29.5	218	77.4	70.5-84.3
55-64	418	268,221	79	17.4	12.9-21.9	339	82.6	78.1-87.1
65+	602	286,767	66	10.3	07.2-13.4	536	89.7	86.6-92.8
Less Than H.S.	126	211,529	24	12.4	06.5-18.3	102	87.6	81.7-93.5
H.S. or G.E.D.	551	551,541	77	14.1	10.2-18.0	474	85.9	82.0-89.8
Some Post-H.S.	377	430,268	41	12.1	07.4-16.8	336	87.9	83.2-92.6
College Graduate	629	335,921	115	17.6	13.7-21.5	514	82.4	78.5-86.3
Less than \$15,000	118	106,047	17	13.9	06.1-21.7	101	86.1	78.3-93.9
\$15,000- 24,999	214	218,475	29	15.1	08.0-22.2	185	84.9	77.8-92.0
\$25,000- 34,999	138	134,696	18	12.2	05.1-19.3	120	87.8	80.7-94.9
\$35,000- 49,999	247	219,679	36	17.4	09.6-25.2	211	82.6	74.8-90.4
\$50,000- 74,999	281	267,316	49	14.7	09.4-20.0	232	85.3	80.0-90.6
\$75,000+	508	425,685	92	13.0	09.7-16.3	416	87.0	83.7-90.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 4: CAREGIVER**

TABLE 27: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2180	1,534,341	411	21.0	18.3-23.7	1769	79.0	76.3-81.7
White/Non-Hisp	1922	1,267,964	357	20.5	17.6-23.4	1565	79.5	76.6-82.4
Black or Afr. Am./Non-Hisp	106	116,396	29	24.9	14.3-35.5	77	75.1	64.5-85.7
Hispanic	74	100,466	18	28.0	13.7-42.3	56	72.0	57.7-86.3
18-24	70	174,085	11	15.9	05.7-26.1	59	84.1	73.9-94.3
25-34	146	240,508	22	16.1	08.7-23.5	124	83.9	76.5-91.3
35-44	212	238,660	43	27.9	19.3-36.5	169	72.1	63.5-80.7
45-54	293	246,428	84	25.7	19.4-32.0	209	74.3	68.0-80.6
55-64	430	245,336	107	27.6	21.9-33.3	323	72.4	66.7-78.1
65+	1010	379,524	143	15.1	12.0-18.2	867	84.9	81.8-88.0
Less Than H.S.	186	213,760	32	24.7	14.7-34.7	154	75.3	65.3-85.3
H.S. or G.E.D.	754	479,494	132	20.9	16.4-25.4	622	79.1	74.6-83.6
Some Post-H.S.	565	515,784	107	20.1	15.4-24.8	458	79.9	75.2-84.6
College Graduate	662	317,227	136	20.1	15.8-24.4	526	79.9	75.6-84.2
Less than \$15,000	227	183,844	32	19.6	10.6-28.6	195	80.4	71.4-89.4
\$15,000- 24,999	379	264,184	71	23.8	16.2-31.4	308	76.2	68.6-83.8
\$25,000- 34,999	218	138,029	38	18.0	10.7-25.3	180	82.0	74.7-89.3
\$35,000- 49,999	309	226,399	60	20.4	13.9-26.9	249	79.6	73.1-86.1
\$50,000- 74,999	255	187,995	57	22.4	15.3-29.5	198	77.6	70.5-84.7
\$75,000+	438	311,742	98	21.8	16.5-27.1	340	78.2	72.9-83.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015**

MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)	
1	MALES AND FEMALES	61
2	MALES ONLY	62
3	FEMALES ONLY	63
	HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)	
4	MALES AND FEMALES	64
5	MALES ONLY	65
6	FEMALES ONLY	66
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)	
7	MALES AND FEMALES	67
8	MALES ONLY	68
9	FEMALES ONLY	69

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 1: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5174	4,088,597	3066	54.7	52.7-56.7	2108	45.3	43.3-47.3
Male	2160	1,943,635	1203	50.4	47.3-53.5	957	49.6	46.5-52.7
Female	3014	2,144,962	1863	58.5	55.8-61.2	1151	41.5	38.8-44.2
White/Non-Hisp	4552	3,369,712	2648	52.7	50.5-54.9	1904	47.3	45.1-49.5
Black or Afr. Am./Non-Hisp	245	314,495	191	69.2	60.8-77.6	54	30.8	22.4-39.2
Oth. Race/Non-Hisp.	83	68,033	42	46.8	31.5-62.1	41	53.2	37.9-68.5
MultiRacial/Non-Hisp.	63	39,792	39	67.7	51.2-84.2	24	32.3	15.8-48.8
Hispanic	153	231,079	92	60.3	49.7-70.9	61	39.7	29.1-50.3
18-24	204	515,330	69	33.2	25.4-41.0	135	66.8	59.0-74.6
25-34	335	611,545	150	44.6	38.1-51.1	185	55.4	48.9-61.9
35-44	507	636,963	225	49.0	43.5-54.5	282	51.0	45.5-56.5
45-54	788	729,356	433	57.2	52.7-61.7	355	42.8	38.3-47.3
55-64	1209	722,149	760	65.2	61.9-68.5	449	34.8	31.5-38.1
65+	2086	849,132	1401	67.8	65.1-70.5	685	32.2	29.5-34.9
Less Than H.S.	402	557,297	257	57.4	50.1-64.7	145	42.6	35.3-49.9
H.S. or G.E.D.	1728	1,386,953	1053	56.2	52.7-59.7	675	43.8	40.3-47.3
Some Post-H.S.	1310	1,266,367	808	56.1	52.4-59.8	502	43.9	40.2-47.6
College Graduate	1708	857,724	932	48.0	44.7-51.3	776	52.0	48.7-55.3
Less than \$15,000	454	417,546	295	59.8	52.7-66.9	159	40.2	33.1-47.3
\$15,000- 24,999	788	632,066	523	62.0	56.9-67.1	265	38.0	32.9-43.1
\$25,000- 34,999	485	377,277	319	63.8	57.5-70.1	166	36.2	29.9-42.5
\$35,000- 49,999	736	594,743	428	53.4	47.9-58.9	308	46.6	41.1-52.1
\$50,000- 74,999	738	595,581	413	48.4	43.1-53.7	325	51.6	46.3-56.9
\$75,000+	1255	957,595	656	47.0	43.1-50.9	599	53.0	49.1-56.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 2: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2160	1,943,635	1203	50.4	47.3-53.5	957	49.6	46.5-52.7
White/Non-Hisp	1902	1,601,040	1043	48.8	45.5-52.1	859	51.2	47.9-54.5
Black or Afr. Am./Non-Hisp	87	131,960	65	67.8	54.1-81.5	22	32.2	18.5-45.9
Hispanic	53	101,601	26	45.4	28.2-62.6	27	54.6	37.4-71.8
18-24	110	255,810	31	23.8	15.4-32.2	79	76.2	67.8-84.6
25-34	149	310,971	59	37.9	28.5-47.3	90	62.1	52.7-71.5
35-44	222	305,286	101	48.7	40.5-56.9	121	51.3	43.1-59.5
45-54	346	359,116	179	55.4	48.5-62.3	167	44.6	37.7-51.5
55-64	537	349,378	324	62.7	57.6-67.8	213	37.3	32.2-42.4
65+	784	358,341	503	65.0	60.5-69.5	281	35.0	30.5-39.5
Less Than H.S.	161	268,977	100	56.9	46.1-67.7	61	43.1	32.3-53.9
H.S. or G.E.D.	714	711,893	400	49.7	44.6-54.8	314	50.3	45.2-55.4
Some Post-H.S.	497	547,168	287	51.8	45.7-57.9	210	48.2	42.1-54.3
College Graduate	779	408,446	409	45.1	40.2-50.0	370	54.9	50.0-59.8
Less than \$15,000	159	152,614	97	56.8	45.6-68.0	62	43.2	32.0-54.4
\$15,000- 24,999	270	263,495	169	58.7	50.5-66.9	101	41.3	33.1-49.5
\$25,000- 34,999	183	182,354	117	60.3	50.3-70.3	66	39.7	29.7-49.7
\$35,000- 49,999	323	283,082	183	50.9	42.9-58.9	140	49.1	41.1-57.1
\$50,000- 74,999	354	323,112	188	44.7	37.1-52.3	166	55.3	47.7-62.9
\$75,000+	635	530,667	321	43.6	37.9-49.3	314	56.4	50.7-62.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 3: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3014	2,144,962	1863	58.5	55.8-61.2	1151	41.5	38.8-44.2
White/Non-Hisp	2650	1,768,672	1605	56.3	53.4-59.2	1045	43.7	40.8-46.6
Black or Afr. Am./Non-Hisp	158	182,536	126	70.2	59.8-80.6	32	29.8	19.4-40.2
Hispanic	100	129,478	66	72.0	61.2-82.8	34	28.0	17.2-38.8
18-24	94	259,520	38	42.4	30.1-54.7	56	57.6	45.3-69.9
25-34	186	300,574	91	51.6	43.0-60.2	95	48.4	39.8-57.0
35-44	285	331,677	124	49.2	41.8-56.6	161	50.8	43.4-58.2
45-54	442	370,240	254	59.0	53.3-64.7	188	41.0	35.3-46.7
55-64	672	372,771	436	67.5	63.0-72.0	236	32.5	28.0-37.0
65+	1302	490,791	898	69.9	66.6-73.2	404	30.1	26.8-33.4
Less Than H.S.	241	288,319	157	57.9	48.1-67.7	84	42.1	32.3-51.9
H.S. or G.E.D.	1014	675,060	653	63.2	58.7-67.7	361	36.8	32.3-41.3
Some Post-H.S.	813	719,199	521	59.4	54.7-64.1	292	40.6	35.9-45.3
College Graduate	929	449,279	523	50.6	46.1-55.1	406	49.4	44.9-53.9
Less than \$15,000	295	264,932	198	61.5	52.5-70.5	97	38.5	29.5-47.5
\$15,000- 24,999	518	368,571	354	64.4	57.7-71.1	164	35.6	28.9-42.3
\$25,000- 34,999	302	194,923	202	67.1	59.5-74.7	100	32.9	25.3-40.5
\$35,000- 49,999	413	311,662	245	55.7	48.1-63.3	168	44.3	36.7-51.9
\$50,000- 74,999	384	272,470	225	52.8	45.5-60.1	159	47.2	39.9-54.5
\$75,000+	620	426,928	335	51.4	46.1-56.7	285	48.6	43.3-53.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 4: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2962	2,152,078	198	8.9	07.1-10.7	65	2.1	01.3-02.9	28	1.7	00.9-02.5	268	11.5	09.7-13.3	2403	75.8	73.3-78.3
Male	1168	946,547	74	8.8	06.1-11.5	28	1.6	00.8-02.4	16	2.2	00.6-03.8	106	12.4	09.5-15.3	944	75.0	71.1-78.9
Female	1794	1,205,532	124	9.0	06.6-11.4	37	2.6	01.4-03.8	12	1.2	00.2-02.2	162	10.8	08.4-13.2	1459	76.4	73.3-79.5
White/Non-Hisp	2569	1,725,144	170	8.5	06.5-10.5	48	1.8	01.0-02.6	23	1.8	00.8-02.8	215	10.3	08.3-12.3	2113	77.6	75.1-80.1
Black or Afr. Am./Non-Hisp	177	200,634	8	5.9	01.2-10.6	10	2.8	00.8-04.8	2	0.7	00.0-01.7	23	13.6	06.9-20.3	134	77.0	68.8-85.2
Hispanic	86	129,923	10	21.4	08.3-34.5	2	3.2	00.0-07.9	2	2.1	00.0-05.2	15	20.1	09.5-30.7	57	53.1	39.4-66.8
18-24	68	169,686	3	6.1	00.0-14.5	2	1.3	00.0-03.3	4	5.7	00.0-12.0	24	28.1	16.7-39.5	35	58.8	44.9-72.7
25-34	146	266,031	14	14.2	06.2-22.2	7	3.3	00.4-06.2	5	4.3	00.0-09.0	31	20.9	13.1-28.7	89	57.3	47.3-67.3
35-44	217	295,784	22	13.5	07.0-20.0	9	3.5	00.8-06.2	2	1.3	00.0-03.5	32	16.5	10.2-22.8	152	65.2	57.0-73.4
45-54	422	405,764	32	8.7	04.8-12.6	11	1.9	00.3-03.5	3	0.6	00.0-01.4	42	8.2	05.1-11.3	334	80.6	75.7-85.5
55-64	740	453,250	40	5.5	03.5-07.5	11	1.5	00.3-02.7	6	1.3	00.1-02.5	50	7.4	04.9-09.9	633	84.3	80.8-87.8
65+	1342	547,679	85	7.8	05.6-10.0	24	1.5	00.7-02.3	8	0.4	00.0-00.8	86	4.8	03.6-06.0	1139	85.5	83.0-88.0
Less Than H.S.	240	300,361	18	12.6	05.3-19.9	5	2.2	00.0-04.6	5	3.8	00.0-07.9	24	11.7	06.2-17.2	188	69.8	61.0-78.6
H.S. or G.E.D.	1005	743,092	66	9.0	05.9-12.1	24	2.0	01.0-03.0	14	2.2	00.6-03.8	107	12.1	09.2-15.0	794	74.6	70.3-78.9
Some Post-H.S.	788	693,693	63	9.2	06.3-12.1	20	2.4	01.0-03.8	5	0.8	00.0-01.8	70	11.2	07.9-14.5	630	76.4	72.1-80.7
College Graduate	915	404,843	48	5.2	03.4-07.0	16	1.9	00.7-03.1	4	0.6	00.0-01.4	65	10.4	06.7-14.1	782	81.9	77.8-86.0
Less than \$15,000	278	237,347	20	12.1	05.2-19.0	12	4.5	00.8-08.2	1	0.6	00.0-01.8	33	12.1	06.4-17.8	212	70.7	62.1-79.3
\$15,000- 24,999	511	388,027	35	9.0	04.5-13.5	15	2.6	01.0-04.2	8	1.1	00.1-02.1	50	14.8	09.9-19.7	403	72.4	66.3-78.5
\$25,000- 34,999	303	225,763	15	5.4	01.9-08.9	6	1.1	00.1-02.1	1	1.3	00.0-03.8	25	9.3	04.8-13.8	256	82.9	76.8-89.0
\$35,000- 49,999	418	306,299	31	9.8	05.1-14.5	3	1.1	00.0-02.7	2	1.7	00.0-04.8	28	8.5	04.2-12.8	354	79.0	72.5-85.5
\$50,000- 74,999	406	281,419	14	5.0	00.9-09.1	5	1.6	00.0-03.4	3	1.6	00.0-04.0	45	15.7	09.8-21.6	339	76.1	69.0-83.2
\$75,000+	646	442,610	39	7.6	03.7-11.5	14	2.1	00.9-03.3	8	2.5	00.0-05.0	51	8.4	05.1-11.7	534	79.5	74.2-84.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 5: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1168	946,547	74	8.8	06.1-11.5	28	1.6	00.8-02.4	16	2.2	00.6-03.8	106	12.4	09.5-15.3	944	75.0	71.1-78.9
White/Non-Hisp	1017	761,544	63	8.9	05.8-12.0	23	1.6	00.6-02.6	15	2.6	00.6-04.6	82	10.9	07.8-14.0	834	75.9	71.6-80.2
Black or Afr. Am./Non-Hisp	60	81,442	3	6.9	00.0-15.1	4	2.4	00.0-04.9	1	0.9	00.0-02.7	8	12.1	02.9-21.3	44	77.7	65.4-90.0
25-34	58	116,369	6	18.3	03.2-33.4	3	1.6	00.0-03.8	2	7.3	00.0-17.3	13	20.9	08.6-33.2	34	51.9	35.8-68.0
35-44	96	139,263	7	7.5	01.4-13.6	5	2.7	00.2-05.2	2	2.8	00.0-07.3	17	18.5	09.3-27.7	65	68.5	57.5-79.5
45-54	174	195,331	12	9.8	02.9-16.7	5	2.1	00.0-04.6	1	0.2	00.0-00.6	15	7.6	02.7-12.5	141	80.3	72.1-88.5
55-64	320	213,424	20	5.7	02.8-08.6	4	0.7	00.0-01.5	4	2.3	00.0-04.7	20	6.4	02.9-09.9	272	84.9	80.0-89.8
65+	484	220,394	27	8.3	04.4-12.2	10	1.3	00.3-02.3	6	0.9	00.1-01.7	25	3.7	01.9-05.5	416	85.8	81.5-90.1
Less Than H.S.	94	144,602	9	14.1	02.9-25.3				5	7.9	00.0-16.3	10	14.3	05.5-23.1	70	63.7	50.2-77.2
H.S. or G.E.D.	385	338,845	24	9.0	04.5-13.5	8	1.1	00.3-01.9	6	1.4	00.0-02.8	37	10.9	06.8-15.0	310	77.7	72.0-83.4
Some Post-H.S.	280	277,887	24	9.2	04.3-14.1	9	2.2	00.0-04.4	3	1.4	00.0-03.6	24	14.5	08.2-20.8	220	72.6	65.0-80.2
College Graduate	402	179,304	15	2.9	01.3-04.5	11	2.9	00.7-05.1	2	0.4	00.0-01.0	35	11.0	05.1-16.9	339	82.8	76.7-88.9
Less than \$15,000	93	83,304	7	10.0	01.6-18.4	4	1.1	00.0-02.3	1	1.6	00.0-04.7	10	16.3	05.1-27.5	71	71.1	58.2-84.0
\$15,000- 24,999	165	152,892	6	4.9	00.2-09.6	2	0.5	00.0-01.3	5	2.0	00.0-04.4	17	15.8	08.2-23.4	135	76.9	68.3-85.5
\$25,000- 34,999	112	103,494	8	7.4	01.7-13.1	5	2.1	00.0-04.3	1	2.9	00.0-08.6	9	10.6	02.8-18.4	89	76.9	66.3-87.5
\$35,000- 49,999	178	139,271	11	9.4	01.6-17.2				1	0.2	00.0-00.6	10	8.5	01.4-15.6	156	81.8	72.0-91.6
\$50,000- 74,999	184	138,689	8	7.2	00.0-15.0	2	0.6	00.0-01.6	1	2.2	00.0-06.5	22	16.4	07.6-25.2	151	73.6	62.6-84.6
\$75,000+	313	223,834	14	7.0	00.7-13.3	10	3.0	01.0-05.0	5	3.7	00.0-08.6	29	11.6	05.5-17.7	255	74.6	66.0-83.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 6: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1794	1,205,532	124	9.0	06.6-11.4	37	2.6	01.4-03.8	12	1.2	00.2-02.2	162	10.8	08.4-13.2	1459	76.4	73.3-79.5
White/Non-Hisp	1552	963,600	107	8.2	05.8-10.6	25	2.0	00.8-03.2	8	1.2	00.0-02.4	133	9.7	07.3-12.1	1279	78.9	75.6-82.2
Black or Afr. Am./Non-Hisp	117	119,191	5	5.3	00.0-10.8	6	3.0	00.5-05.5	1	0.6	00.0-01.8	15	14.6	05.4-23.8	90	76.5	65.7-87.3
Hispanic	61	84,961	8	25.1	08.2-42.0	2	4.9	00.0-12.0	2	3.2	00.0-08.1	9	18.9	05.6-32.2	40	47.8	31.3-64.3
25-34	88	149,663	8	11.0	03.4-18.6	4	4.7	00.0-09.8	3	1.9	00.0-04.1	18	20.9	10.9-30.9	55	61.5	49.5-73.5
35-44	121	156,521	15	18.9	08.3-29.5	4	4.2	00.0-08.7				15	14.7	06.3-23.1	87	62.2	50.2-74.2
45-54	248	210,434	20	7.8	03.7-11.9	6	1.8	00.2-03.4	2	1.0	00.0-02.4	27	8.7	04.8-12.6	193	80.8	75.1-86.5
55-64	420	239,825	20	5.3	02.6-08.0	7	2.3	00.3-04.3	2	0.3	00.0-00.9	30	8.4	04.7-12.1	361	83.7	79.0-88.4
65+	858	327,284	58	7.5	05.0-10.0	14	1.6	00.6-02.6	2	0.1	00.0-00.3	61	5.5	03.9-07.1	723	85.3	82.4-88.2
Less Than H.S.	146	155,760	9	11.2	02.0-20.4	5	4.2	00.0-08.9				14	9.3	02.8-15.8	118	75.4	64.2-86.6
H.S. or G.E.D.	620	404,247	42	9.0	04.5-13.5	16	2.9	01.1-04.7	8	2.9	00.2-05.6	70	13.2	08.9-17.5	484	72.1	66.0-78.2
Some Post-H.S.	508	415,806	39	9.2	05.7-12.7	11	2.5	00.7-04.3	2	0.4	00.0-01.0	46	9.1	05.4-12.8	410	78.9	74.0-83.8
College Graduate	513	225,539	33	7.1	04.0-10.2	5	1.1	00.0-02.5	2	0.7	00.0-01.9	30	10.0	05.3-14.7	443	81.1	75.6-86.6
Less than \$15,000	185	154,043	13	13.2	03.8-22.6	8	6.3	00.6-12.0				23	9.9	03.6-16.2	141	70.6	59.2-82.0
\$15,000- 24,999	346	235,135	29	11.7	05.0-18.4	13	4.0	01.5-06.5	3	0.6	00.0-01.4	33	14.2	07.7-20.7	268	69.5	61.3-77.7
\$25,000- 34,999	191	122,268	7	3.7	00.0-08.2	1	0.2	00.0-00.6				16	8.1	03.2-13.0	167	88.0	81.5-94.5
\$35,000- 49,999	240	167,028	20	10.1	04.2-16.0	3	1.9	00.0-04.6	1	2.9	00.0-08.4	18	8.4	03.1-13.7	198	76.6	67.8-85.4
\$50,000- 74,999	222	142,730	6	2.9	00.0-06.0	3	2.7	00.0-06.0	2	1.0	00.0-02.4	23	14.9	07.1-22.7	188	78.5	69.9-87.1
\$75,000+	333	218,776	25	8.1	03.8-12.4	4	1.1	00.0-02.3	3	1.2	00.0-02.8	22	5.1	02.6-07.6	279	84.5	79.4-89.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 7: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5195	4,105,160	1412	22.3	20.7-23.9	3783	77.7	76.1-79.3
Male	2178	1,961,296	599	22.4	20.0-24.8	1579	77.6	75.2-80.0
Female	3017	2,143,864	813	22.2	20.0-24.4	2204	77.8	75.6-80.0
White/Non-Hisp	4562	3,372,236	1222	21.4	19.8-23.0	3340	78.6	77.0-80.2
Black or Afr. Am./Non-Hisp	246	318,819	105	38.9	30.5-47.3	141	61.1	52.7-69.5
Oth. Race/Non-Hisp.	87	70,372	10	5.8	01.5-10.1	77	94.2	89.9-98.5
MultiRacial/Non-Hisp.	65	40,284	19	23.3	07.6-39.0	46	76.7	61.0-92.4
Hispanic	155	233,052	39	18.8	11.5-26.1	116	81.2	73.9-88.5
18-24	205	518,047	23	12.0	06.5-17.5	182	88.0	82.5-93.5
25-34	336	612,227	34	10.3	06.4-14.2	302	89.7	85.8-93.6
35-44	510	640,884	75	14.4	10.7-18.1	435	85.6	81.9-89.3
45-54	789	731,519	172	20.3	17.0-23.6	617	79.7	76.4-83.0
55-64	1210	721,002	391	33.8	30.3-37.3	819	66.2	62.7-69.7
65+	2099	855,900	714	35.7	32.8-38.6	1385	64.3	61.4-67.2
Less Than H.S.	404	563,769	156	28.7	22.8-34.6	248	71.3	65.4-77.2
H.S. or G.E.D.	1739	1,396,752	492	24.0	21.3-26.7	1247	76.0	73.3-78.7
Some Post-H.S.	1314	1,265,478	358	20.7	18.0-23.4	956	79.3	76.6-82.0
College Graduate	1711	857,966	399	17.9	15.5-20.3	1312	82.1	79.7-84.5
Less than \$15,000	455	414,820	170	28.9	23.0-34.8	285	71.1	65.2-77.0
\$15,000- 24,999	793	634,906	273	27.9	23.6-32.2	520	72.1	67.8-76.4
\$25,000- 34,999	485	380,253	149	27.4	21.7-33.1	336	72.6	66.9-78.3
\$35,000- 49,999	742	597,220	188	21.8	17.3-26.3	554	78.2	73.7-82.7
\$50,000- 74,999	739	597,832	191	20.6	16.5-24.7	548	79.4	75.3-83.5
\$75,000+	1255	956,756	256	16.3	13.8-18.8	999	83.7	81.2-86.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 8: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2178	1,961,296	599	22.4	20.0-24.8	1579	77.6	75.2-80.0
White/Non-Hisp	1913	1,606,172	532	22.2	19.8-24.6	1381	77.8	75.4-80.2
Black or Afr. Am./Non-Hisp	88	137,945	33	38.6	25.5-51.7	55	61.4	48.3-74.5
Hispanic	54	102,540	12	15.3	05.9-24.7	42	84.7	75.3-94.1
18-24	111	258,527	10	11.4	03.8-19.0	101	88.6	81.0-96.2
25-34	150	313,250	18	10.6	04.9-16.3	132	89.4	83.7-95.1
35-44	225	311,597	33	12.9	08.0-17.8	192	87.1	82.2-92.0
45-54	348	359,817	83	20.8	15.7-25.9	265	79.2	74.1-84.3
55-64	540	350,739	191	37.0	31.7-42.3	349	63.0	57.7-68.3
65+	791	362,082	264	36.5	31.8-41.2	527	63.5	58.8-68.2
Less Than H.S.	165	275,495	58	27.6	19.2-36.0	107	72.4	64.0-80.8
H.S. or G.E.D.	720	719,984	207	23.9	19.8-28.0	513	76.1	72.0-80.2
Some Post-H.S.	498	548,263	134	19.9	15.8-24.0	364	80.1	76.0-84.2
College Graduate	785	409,464	196	19.7	16.2-23.2	589	80.3	76.8-83.8
Less than \$15,000	159	152,614	58	32.9	22.7-43.1	101	67.1	56.9-77.3
\$15,000- 24,999	272	265,395	93	28.5	21.6-35.4	179	71.5	64.6-78.4
\$25,000- 34,999	184	186,477	59	28.0	18.8-37.2	125	72.0	62.8-81.2
\$35,000- 49,999	327	284,961	93	24.1	17.4-30.8	234	75.9	69.2-82.6
\$50,000- 74,999	357	325,159	105	21.0	15.9-26.1	252	79.0	73.9-84.1
\$75,000+	637	531,739	141	15.6	12.3-18.9	496	84.4	81.1-87.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 7: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 9: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3017	2,143,864	813	22.2	20.0-24.4	2204	77.8	75.6-80.0
White/Non-Hisp	2649	1,766,064	690	20.6	18.4-22.8	1959	79.4	77.2-81.6
Black or Afr. Am./Non-Hisp	158	180,874	72	39.2	28.4-50.0	86	60.8	50.0-71.6
Hispanic	101	130,512	27	21.6	11.4-31.8	74	78.4	68.2-88.6
18-24	94	259,520	13	12.6	04.4-20.8	81	87.4	79.2-95.6
25-34	186	298,978	16	9.9	04.8-15.0	170	90.1	85.0-95.2
35-44	285	329,288	42	15.8	10.3-21.3	243	84.2	78.7-89.7
45-54	441	371,702	89	19.8	15.3-24.3	352	80.2	75.7-84.7
55-64	670	370,263	200	30.7	26.0-35.4	470	69.3	64.6-74.0
65+	1308	493,818	450	35.0	31.3-38.7	858	65.0	61.3-68.7
Less Than H.S.	239	288,274	98	29.7	21.9-37.5	141	70.3	62.5-78.1
H.S. or G.E.D.	1019	676,768	285	24.1	20.4-27.8	734	75.9	72.2-79.6
Some Post-H.S.	816	717,215	224	21.3	17.6-25.0	592	78.7	75.0-82.4
College Graduate	926	448,502	203	16.2	13.1-19.3	723	83.8	80.7-86.9
Less than \$15,000	296	262,206	112	26.5	19.4-33.6	184	73.5	66.4-80.6
\$15,000- 24,999	521	369,511	180	27.5	22.0-33.0	341	72.5	67.0-78.0
\$25,000- 34,999	301	193,775	90	26.8	20.1-33.5	211	73.2	66.5-79.9
\$35,000- 49,999	415	312,259	95	19.6	13.7-25.5	320	80.4	74.5-86.3
\$50,000- 74,999	382	272,673	86	20.2	13.9-26.5	296	79.8	73.5-86.1
\$75,000+	618	425,017	115	17.3	13.2-21.4	503	82.7	78.6-86.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015

MODULE 13: SHINGLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
1	MALES AND FEMALES	71
2	MALES ONLY	72
3	FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 13: SHINGLES**

TABLE 1: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3774	2,010,757	1052	21.4	19.8-23.0	2722	78.6	77.0-80.2
Male	1529	916,106	409	19.9	17.4-22.4	1120	80.1	77.6-82.6
Female	2245	1,094,651	643	22.7	20.5-24.9	1602	77.3	75.1-79.5
White/Non-Hisp	3423	1,753,707	995	22.9	21.1-24.7	2428	77.1	75.3-78.9
Black or Afr. Am./Non-Hisp	156	142,502	19	10.1	04.4-15.8	137	89.9	84.2-95.6
45-54	468	436,628	22	4.0	01.8-06.2	446	96.0	93.8-98.2
55-64	1210	721,727	206	14.8	12.4-17.2	1004	85.2	82.8-87.6
65+	2096	852,402	824	35.9	33.2-38.6	1272	64.1	61.4-66.8
Less Than H.S.	291	260,935	52	15.0	10.1-19.9	239	85.0	80.1-89.9
H.S. or G.E.D.	1372	756,186	329	19.6	17.1-22.1	1043	80.4	77.9-82.9
Some Post-H.S.	948	624,730	253	21.5	18.4-24.6	695	78.5	75.4-81.6
College Graduate	1145	357,625	414	30.0	26.7-33.3	731	70.0	66.7-73.3
Less than \$15,000	328	189,337	74	20.0	14.1-25.9	254	80.0	74.1-85.9
\$15,000- 24,999	626	348,021	149	17.1	13.4-20.8	477	82.9	79.2-86.6
\$25,000- 34,999	386	224,508	108	20.1	15.2-25.0	278	79.9	75.0-84.8
\$35,000- 49,999	562	295,495	158	23.0	18.7-27.3	404	77.0	72.7-81.3
\$50,000- 74,999	523	273,112	172	25.2	20.7-29.7	351	74.8	70.3-79.3
\$75,000+	762	381,945	220	21.6	18.1-25.1	542	78.4	74.9-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 13: SHINGLES**

TABLE 2: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1529	916,106	409	19.9	17.4-22.4	1120	80.1	77.6-82.6
White/Non-Hisp	1383	788,952	382	21.4	18.7-24.1	1001	78.6	75.9-81.3
Black or Afr. Am./Non-Hisp	59	69,006	4	5.0	00.0-11.3	55	95.0	88.7-0100
45-54	202	208,612	12	5.6	01.7-09.5	190	94.4	90.5-98.3
55-64	537	347,600	95	14.1	10.6-17.6	442	85.9	82.4-89.4
65+	790	359,894	302	33.7	29.4-38.0	488	66.3	62.0-70.6
Less Than H.S.	112	131,392	20	14.0	06.7-21.3	92	86.0	78.7-93.3
H.S. or G.E.D.	517	342,104	101	15.5	11.8-19.2	416	84.5	80.8-88.2
Some Post-H.S.	353	257,489	91	22.3	16.8-27.8	262	77.7	72.2-83.2
College Graduate	540	180,344	197	29.5	25.0-34.0	343	70.5	66.0-75.0
Less than \$15,000	117	84,993	20	12.6	04.4-20.8	97	87.4	79.2-95.6
\$15,000- 24,999	199	146,105	41	13.7	07.8-19.6	158	86.3	80.4-92.2
\$25,000- 34,999	142	96,236	38	21.0	12.4-29.6	104	79.0	70.4-87.6
\$35,000- 49,999	242	135,278	63	22.3	15.8-28.8	179	77.7	71.2-84.2
\$50,000- 74,999	252	142,529	87	26.1	19.6-32.6	165	73.9	67.4-80.4
\$75,000+	392	197,945	116	23.7	18.6-28.8	276	76.3	71.2-81.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 13: SHINGLES**

TABLE 3: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2245	1,094,651	643	22.7	20.5-24.9	1602	77.3	75.1-79.5
White/Non-Hisp	2040	964,755	613	24.1	21.7-26.5	1427	75.9	73.5-78.3
Black or Afr. Am./Non-Hisp	97	73,496	15	14.9	05.7-24.1	82	85.1	75.9-94.3
45-54	266	228,016	10	2.6	00.6-04.6	256	97.4	95.4-99.4
55-64	673	374,127	111	15.4	12.1-18.7	562	84.6	81.3-87.9
65+	1306	492,509	522	37.5	34.0-41.0	784	62.5	59.0-66.0
Less Than H.S.	179	129,543	32	15.9	09.6-22.2	147	84.1	77.8-90.4
H.S. or G.E.D.	855	414,082	228	23.0	19.5-26.5	627	77.0	73.5-80.5
Some Post-H.S.	595	367,241	162	20.9	17.2-24.6	433	79.1	75.4-82.8
College Graduate	605	177,280	217	30.5	25.6-35.4	388	69.5	64.6-74.4
Less than \$15,000	211	104,344	54	26.0	18.0-34.0	157	74.0	66.0-82.0
\$15,000- 24,999	427	201,916	108	19.5	15.0-24.0	319	80.5	76.0-85.0
\$25,000- 34,999	244	128,272	70	19.4	13.7-25.1	174	80.6	74.9-86.3
\$35,000- 49,999	320	160,217	95	23.6	17.5-29.7	225	76.4	70.3-82.5
\$50,000- 74,999	271	130,584	85	24.3	18.2-30.4	186	75.7	69.6-81.8
\$75,000+	370	184,000	104	19.4	14.7-24.1	266	80.6	75.9-85.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015

MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)	
1	MALES AND FEMALES	75
2	MALES ONLY	76
3	FEMALES ONLY	77
	DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)	
4	MALES AND FEMALES	78
5	MALES ONLY	79
6	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 1: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5065	3,984,044	4943	96.5	95.5-97.5	52	1.2	00.8-01.6	59	2.1	01.3-02.9	11	0.2	00.0-00.4
Male	2133	1,909,022	2074	96.7	95.5-97.9	24	1.1	00.3-01.9	32	2.0	01.2-02.8	3	0.2	00.0-00.4
Female	2932	2,075,022	2869	96.3	94.7-97.9	28	1.2	00.6-01.8	27	2.3	00.9-03.7	8	0.3	00.1-00.5
White/Non-Hisp	4487	3,323,453	4386	97.1	96.3-97.9	46	1.0	00.6-01.4	46	1.7	00.9-02.5	9	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	240	310,772	231	92.3	85.6-99.0	2	1.3	00.0-03.3	7	6.4	00.0-12.9			
Oth. Race/Non-Hisp.	84	68,334	81	93.5	84.5-0100				2	5.4	00.0-14.4	1	1.1	00.0-03.3
MultiRacial/Non-Hisp.	64	40,211	60	92.3	83.9-0100	2	3.5	00.0-08.4	2	4.2	00.0-11.1			
Hispanic	119	175,851	115	94.5	88.6-0100	1	2.7	00.0-08.0	2	1.8	00.0-04.3	1	0.9	00.0-02.7
18-24	204	515,927	182	88.5	82.8-94.2	5	2.1	00.1-04.1	15	8.7	03.4-14.0	2	0.7	00.0-01.7
25-34	323	583,147	309	95.8	92.9-98.7	4	1.4	00.0-03.2	10	2.8	00.4-05.2			
35-44	497	619,247	486	98.7	97.7-99.7	5	0.6	00.0-01.2	5	0.7	00.0-01.5	1	0.1	00.0-00.3
45-54	773	711,932	750	96.8	95.2-98.4	13	1.7	00.5-02.9	8	1.4	00.2-02.6	2	0.1	00.0-00.3
55-64	1193	705,954	1173	98.6	97.8-99.4	10	0.5	00.1-00.9	9	0.9	00.3-01.5	1	0.1	00.0-00.3
65+	2039	829,964	2009	98.3	97.3-99.3	15	1.0	00.2-01.8	10	0.4	00.2-00.6	5	0.3	00.0-00.7
Less Than H.S.	357	498,787	348	94.7	89.8-99.6	3	0.6	00.0-01.4	4	4.2	00.0-08.9	2	0.4	00.0-01.2
H.S. or G.E.D.	1696	1,370,349	1661	96.5	94.9-98.1	10	0.8	00.2-01.4	19	2.3	00.9-03.7	6	0.3	00.0-00.7
Some Post-H.S.	1293	1,247,288	1263	96.6	95.0-98.2	18	1.8	00.6-03.0	11	1.5	00.5-02.5	1	0.1	00.0-00.3
College Graduate	1699	852,113	1651	97.3	96.3-98.3	21	1.1	00.5-01.7	25	1.5	00.7-02.3	2	0.1	00.0-00.3
Less than \$15,000	431	394,743	413	91.9	86.2-97.6	10	3.2	00.8-05.6	7	4.9	00.0-10.2	1	0.0	00.0-00.0
\$15,000- 24,999	755	602,484	730	94.5	91.6-97.4	6	0.7	00.0-01.5	14	3.9	01.4-06.4	5	1.0	00.0-02.0
\$25,000- 34,999	477	377,266	465	98.0	96.2-99.8	6	0.7	00.0-01.5	5	1.3	00.0-02.9	1	0.1	00.0-00.3
\$35,000- 49,999	733	584,822	716	96.5	94.1-98.9	7	1.8	00.0-03.8	9	1.5	00.1-02.9	1	0.1	00.0-00.3
\$50,000- 74,999	731	585,883	722	97.5	95.0-0100	4	0.5	00.0-01.1	5	2.0	00.0-04.5			
\$75,000+	1252	953,416	1227	98.3	97.5-99.1	14	0.9	00.3-01.5	11	0.7	00.1-01.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 2: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2133	1,909,022	2074	96.7	95.5-97.9	24	1.1	00.3-01.9	32	2.0	01.2-02.8	3	0.2	00.0-00.4
White/Non-Hisp	1890	1,590,633	1839	97.1	95.9-98.3	23	1.1	00.5-01.7	25	1.7	00.9-02.5	3	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	86	133,697	84	97.1	92.8-0100				2	2.9	00.0-07.2			
18-24	111	258,527	101	92.0	86.7-97.3	3	2.7	00.0-05.8	7	5.3	01.0-09.6			
25-34	143	298,929	136	96.0	92.1-99.9	3	2.2	00.0-05.5	4	1.9	00.0-04.3			
35-44	220	299,756	216	98.9	97.5-0100	3	0.5	00.0-01.1	1	0.6	00.0-01.8			
45-54	342	351,046	330	96.5	94.0-99.0	5	0.8	00.0-01.6	6	2.5	00.1-04.9	1	0.2	00.0-00.6
55-64	530	337,755	520	98.3	96.9-99.7	2	0.1	00.0-00.3	8	1.6	00.2-03.0			
65+	776	358,140	761	97.7	96.1-99.3	8	1.0	00.0-02.2	5	0.6	00.0-01.2	2	0.6	00.0-01.6
Less Than H.S.	147	241,793	144	97.5	94.6-0100	1	0.6	00.0-01.8	1	1.2	00.0-03.6	1	0.8	00.0-02.4
H.S. or G.E.D.	705	709,632	688	97.0	95.2-98.8	2	0.3	00.0-00.9	13	2.6	00.8-04.4	2	0.1	00.0-00.3
Some Post-H.S.	493	543,816	478	95.8	93.1-98.5	10	2.5	00.1-04.9	5	1.6	00.0-03.2			
College Graduate	780	408,168	756	97.0	95.4-98.6	11	1.0	00.2-01.8	13	1.9	00.5-03.3			
Less than \$15,000	149	143,945	139	91.9	86.0-97.8	6	4.8	00.0-09.7	4	3.3	00.0-06.6			
\$15,000- 24,999	259	252,766	247	94.5	90.4-98.6	3	0.4	00.0-01.0	6	3.9	00.2-07.6	3	1.1	00.0-02.7
\$25,000- 34,999	181	184,886	177	97.8	94.7-0100	2	0.1	00.0-00.3	2	2.1	00.0-05.2			
\$35,000- 49,999	323	280,296	313	95.1	90.8-99.4	4	2.4	00.0-05.9	6	2.5	00.0-05.2			
\$50,000- 74,999	352	315,288	348	99.2	98.2-0100	1	0.1	00.0-00.3	3	0.7	00.0-01.7			
\$75,000+	637	531,639	623	98.0	96.6-99.4	6	0.8	00.0-01.6	8	1.2	00.2-02.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 3: DO YOU CONSIDER YOURSELF TO BE: (SXORIENT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Straight			Lesbian or gay			Bisexual			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2932	2,075,022	2869	96.3	94.7-97.9	28	1.2	00.6-01.8	27	2.3	00.9-03.7	8	0.3	00.1-00.5
White/Non-Hisp	2597	1,732,820	2547	97.0	95.6-98.4	23	1.0	00.4-01.6	21	1.7	00.5-02.9	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	154	177,075	147	88.6	77.6-99.6	2	2.3	00.0-05.6	5	9.1	00.0-19.9			
Hispanic	78	101,160	77	98.4	95.3-0100							1	1.6	00.0-04.7
18-24	93	257,401	81	84.9	75.1-94.7	2	1.5	00.0-03.7	8	12.1	02.5-21.7	2	1.5	00.0-03.7
25-34	180	284,218	173	95.6	91.3-99.9	1	0.6	00.0-01.8	6	3.9	00.0-08.0			
35-44	277	319,491	270	98.4	97.0-99.8	2	0.6	00.0-01.6	4	0.7	00.0-01.5	1	0.2	00.0-00.6
45-54	431	360,886	420	97.0	94.8-99.2	8	2.6	00.6-04.6	2	0.3	00.0-00.9	1	0.1	00.0-00.3
55-64	663	368,199	653	98.9	98.1-99.7	8	0.8	00.2-01.4	1	0.2	00.0-00.6	1	0.2	00.0-00.6
65+	1263	471,823	1248	98.7	97.7-99.7	7	0.9	00.0-01.9	5	0.2	00.0-00.4	3	0.1	00.0-00.3
Less Than H.S.	210	256,993	204	92.1	83.3-0100	2	0.7	00.0-01.7	3	7.1	00.0-15.9	1	0.1	00.0-00.3
H.S. or G.E.D.	991	660,718	973	96.0	93.5-98.5	8	1.4	00.2-02.6	6	2.1	00.0-04.3	4	0.5	00.0-01.3
Some Post-H.S.	800	703,472	785	97.1	95.3-98.9	8	1.2	00.2-02.2	6	1.5	00.1-02.9	1	0.2	00.0-00.6
College Graduate	919	443,944	895	97.6	96.4-98.8	10	1.1	00.1-02.1	12	1.1	00.3-01.9	2	0.2	00.0-00.6
Less than \$15,000	282	250,797	274	91.8	83.6-0100	4	2.3	00.0-04.8	3	5.8	00.0-13.8	1	0.1	00.0-00.3
\$15,000- 24,999	496	349,719	483	94.4	90.5-98.3	3	0.8	00.0-02.0	8	3.9	00.4-07.4	2	0.8	00.0-02.2
\$25,000- 34,999	296	192,381	288	98.1	96.5-99.7	4	1.2	00.0-02.6	3	0.6	00.0-01.2	1	0.2	00.0-00.6
\$35,000- 49,999	410	304,526	403	97.8	95.8-99.8	3	1.3	00.0-03.1	3	0.7	00.0-01.7	1	0.2	00.0-00.6
\$50,000- 74,999	379	270,595	374	95.5	90.2-0100	3	0.9	00.0-02.3	2	3.5	00.0-08.8			
\$75,000+	615	421,777	604	98.8	97.8-99.8	8	1.0	00.0-02.0	3	0.2	00.0-00.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 4: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5129	4,059,465	12	0.3	00.1-00.5	7	0.2	00.0-00.4	4	0.1	00.1-00.1	5106	99.4	99.0-99.8
Male	2160	1,946,584	7	0.3	00.1-00.5	2	0.1	00.0-00.3	2	0.1	00.1-00.1	2149	99.6	99.4-99.8
Female	2969	2,112,881	5	0.3	00.0-00.7	5	0.2	00.0-00.6	2	0.1	00.0-00.3	2957	99.3	98.7-99.9
White/Non-Hisp	4512	3,334,183	11	0.3	00.1-00.5	5	0.1	00.0-00.3	3	0.1	00.1-00.1	4493	99.5	99.1-99.9
Black or Afr. Am./Non-Hisp	243	318,288				1	0.2	00.0-00.6				242	99.8	99.4-0100
Oth. Race/Non-Hisp.	87	70,372										87	100.0	0100-0100
MultiRacial/Non-Hisp.	62	39,898										62	100.0	0100-0100
Hispanic	152	229,894	1	0.5	00.0-01.5	1	1.3	00.0-03.8	1	0.3	00.0-00.9	149	97.8	94.9-0100
18-24	205	518,805	1	0.2	00.0-00.6	1	0.3	00.0-00.9				203	99.5	98.7-0100
25-34	333	604,976	1	0.5	00.0-01.5				1	0.3	00.0-00.9	331	99.3	98.3-0100
35-44	507	639,637				1	0.5	00.0-01.5				506	99.5	98.5-0100
45-54	784	723,195	1	0.0	00.0-00.0	2	0.1	00.0-00.3	1	0.1	00.0-00.3	780	99.7	99.5-99.9
55-64	1202	715,450	5	0.8	00.0-01.6							1197	99.2	98.4-0100
65+	2058	835,210	4	0.3	00.0-00.7	3	0.2	00.0-00.4	2	0.1	00.1-00.1	2049	99.4	99.0-99.8
Less Than H.S.	381	540,553				2	0.3	00.0-00.9				379	99.7	99.1-0100
H.S. or G.E.D.	1713	1,385,991	6	0.3	00.1-00.5	2	0.1	00.0-00.3	3	0.1	00.0-00.3	1702	99.5	99.1-99.9
Some Post-H.S.	1307	1,260,773	4	0.6	00.0-01.2	3	0.3	00.0-00.9	1	0.1	00.0-00.3	1299	99.0	98.2-99.8
College Graduate	1704	852,306	2	0.1	00.1-00.1							1702	99.9	99.9-99.9
Less than \$15,000	445	409,960				3	1.0	00.0-02.6				442	99.0	97.4-0100
\$15,000- 24,999	776	621,941	2	0.3	00.0-00.7				1	0.1	00.0-00.3	773	99.6	99.2-0100
\$25,000- 34,999	484	381,097	3	0.9	00.0-02.5	1	0.2	00.0-00.6	1	0.0	00.0-00.0	479	98.9	97.3-0100
\$35,000- 49,999	738	596,080	5	0.8	00.0-01.8	1	0.1	00.0-00.3	1	0.3	00.0-00.9	731	98.9	97.7-0100
\$50,000- 74,999	738	596,470							1	0.1	00.0-00.3	737	99.9	99.7-0100
\$75,000+	1253	956,496	2	0.2	00.0-00.6	1	0.1	00.0-00.3				1250	99.7	99.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 5: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2160	1,946,584	7	0.3	00.1-00.5	2	0.1	00.0-00.3	2	0.1	00.1-00.1	2149	99.6	99.4-99.8
White/Non-Hisp	1902	1,596,889	6	0.2	00.0-00.4	2	0.1	00.0-00.3	1	0.0	00.0-00.0	1893	99.6	99.2-0100
Black or Afr. Am./Non-Hisp	87	135,892										87	100.0	0100-0100
Hispanic	53	101,045	1	1.2	00.0-03.6				1	0.8	00.0-02.4	51	98.1	95.4-0100
18-24	110	257,032	1	0.5	00.0-01.5	1	0.6	00.0-01.8				108	99.0	97.6-0100
25-34	149	312,556										149	100.0	0100-0100
35-44	224	311,156										224	100.0	0100-0100
45-54	345	354,981							1	0.2	00.0-00.6	344	99.8	99.4-0100
55-64	534	345,054	3	0.5	00.0-01.3							531	99.5	98.7-0100
65+	786	360,774	3	0.5	00.0-01.3	1	0.2	00.0-00.6	1	0.1	00.0-00.3	781	99.2	98.4-0100
Less Than H.S.	155	266,084				1	0.5	00.0-01.5				154	99.5	98.5-0100
H.S. or G.E.D.	715	716,287	4	0.5	00.0-01.1	1	0.1	00.0-00.3	2	0.2	00.0-00.4	708	99.3	98.7-99.9
Some Post-H.S.	497	547,824	2	0.3	00.0-00.7							495	99.7	99.3-0100
College Graduate	783	408,299	1	0.1	00.0-00.3							782	99.9	99.7-0100
Less than \$15,000	155	148,906										155	100.0	0100-0100
\$15,000- 24,999	267	260,625	2	0.6	00.0-01.6				1	0.3	00.0-00.9	264	99.1	97.9-0100
\$25,000- 34,999	186	187,926	1	0.1	00.0-00.3							185	99.9	99.7-0100
\$35,000- 49,999	326	284,776	2	0.2	00.0-00.6							324	99.8	99.4-0100
\$50,000- 74,999	354	323,174							1	0.1	00.0-00.3	353	99.9	99.7-0100
\$75,000+	638	532,741	2	0.4	00.0-01.0	1	0.2	00.0-00.6				635	99.4	98.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015
MODULE 21: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 6: DO YOU CONSIDER YOURSELF TO BE TRANSGENDER? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2969	2,112,881	5	0.3	00.0-00.7	5	0.2	00.0-00.6	2	0.1	00.0-00.3	2957	99.3	98.7-99.9
White/Non-Hisp	2610	1,737,294	5	0.4	00.0-00.8	3	0.1	00.0-00.3	2	0.1	00.0-00.3	2600	99.4	98.8-0100
Black or Afr. Am./Non-Hisp	156	182,395				1	0.3	00.0-00.9				155	99.7	99.1-0100
Hispanic	99	128,850				1	2.4	00.0-06.9				98	97.6	93.1-0100
18-24	95	261,773										95	100.0	0100-0100
25-34	184	292,421	1	1.0	00.0-03.0				1	0.5	00.0-01.5	182	98.5	96.3-0100
35-44	283	328,481				1	0.9	00.0-02.7				282	99.1	97.3-0100
45-54	439	368,214	1	0.1	00.0-00.3	2	0.2	00.0-00.6				436	99.7	99.3-0100
55-64	668	370,396	2	1.0	00.0-02.6							666	99.0	97.4-0100
65+	1272	474,435	1	0.1	00.0-00.3	2	0.3	00.0-00.7	1	0.0	00.0-00.0	1268	99.6	99.2-0100
Less Than H.S.	226	274,469				1	0.1	00.0-00.3				225	99.9	99.7-0100
H.S. or G.E.D.	998	669,703	2	0.2	00.0-00.4	1	0.1	00.0-00.3	1	0.0	00.0-00.0	994	99.7	99.3-0100
Some Post-H.S.	810	712,949	2	0.8	00.0-02.0	3	0.6	00.0-01.4	1	0.2	00.0-00.6	804	98.4	97.0-99.8
College Graduate	921	444,007	1	0.1	00.0-00.3							920	99.9	99.7-0100
Less than \$15,000	290	261,054				3	1.5	00.0-03.9				287	98.5	96.1-0100
\$15,000- 24,999	509	361,315										509	100.0	0100-0100
\$25,000- 34,999	298	193,172	2	1.7	00.0-04.6	1	0.3	00.0-00.9	1	0.1	00.0-00.3	294	97.9	95.0-0100
\$35,000- 49,999	412	311,303	3	1.3	00.0-03.1	1	0.2	00.0-00.6	1	0.5	00.0-01.5	407	98.0	95.8-0100
\$50,000- 74,999	384	273,295										384	100.0	0100-0100
\$75,000+	615	423,755										615	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2015**

End of Module Data Report