

INDIANA

2016 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11033	5,077,251	8724	81.5	80.5-82.5	2309	18.5	17.5-19.5
Male	4544	2,473,721	3648	82.4	80.8-84.0	896	17.6	16.0-19.2
Female	6489	2,603,529	5076	80.7	79.3-82.1	1413	19.3	17.9-20.7
White/Non-Hisp	9405	4,108,305	7515	82.3	81.3-83.3	1890	17.7	16.7-18.7
Black or Afr. Am./Non-Hisp	732	433,320	543	76.5	72.2-80.8	189	23.5	19.2-27.8
Oth. Race/Non-Hisp.	224	122,845	173	86.9	80.0-93.8	51	13.1	6.2-20.0
MultiRacial/Non-Hisp.	158	55,144	102	76.9	68.5-85.3	56	23.1	14.7-31.5
Hispanic	358	280,745	277	78.4	72.9-83.9	81	21.6	16.1-27.1
18-24	456	687,791	418	91.7	88.8-94.6	38	8.3	5.4-11.2
25-34	816	835,977	721	89.3	86.9-91.7	95	10.7	8.3-13.1
35-44	1095	815,952	931	83.5	80.8-86.2	164	16.5	13.8-19.2
45-54	1619	823,769	1316	79.0	76.5-81.5	303	21.0	18.5-23.5
55-64	2447	850,352	1854	74.0	71.6-76.4	593	26.0	23.6-28.4
65+	4450	1,007,005	3363	75.1	73.3-76.9	1087	24.9	23.1-26.7
Less Than H.S.	888	659,263	476	63.2	58.9-67.5	412	36.8	32.5-41.1
H.S. or G.E.D.	3750	1,740,351	2799	78.7	76.9-80.5	951	21.3	19.5-23.1
Some Post-H.S.	2743	1,562,348	2216	85.1	83.3-86.9	527	14.9	13.1-16.7
College Graduate	3627	1,103,610	3216	92.0	90.8-93.2	411	8.0	6.8- 9.2
Less than \$15,000	933	463,136	517	59.6	55.1-64.1	416	40.4	35.9-44.9
\$15,000- 24,999	1831	824,034	1172	67.2	64.1-70.3	659	32.8	29.7-35.9
\$25,000- 34,999	1144	495,640	867	81.1	78.2-84.0	277	18.9	16.0-21.8
\$35,000- 49,999	1489	690,004	1227	84.3	81.8-86.8	262	15.7	13.2-18.2
\$50,000- 74,999	1506	706,593	1326	90.1	88.3-91.9	180	9.9	8.1-11.7
\$75,000+	2614	1,281,287	2410	92.9	91.5-94.3	204	7.1	5.7- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4544	2,473,721	3648	82.4	80.8-84.0	896	17.6	16.0-19.2
White/Non-Hisp	3844	1,981,068	3109	83.0	81.4-84.6	735	17.0	15.4-18.6
Black or Afr. Am./Non-Hisp	268	202,608	214	80.4	74.1-86.7	54	19.6	13.3-25.9
Oth. Race/Non-Hisp.	127	78,196	102	88.4	79.4-97.4	25	11.6	2.6-20.6
MultiRacial/Non-Hisp.	65	26,553	46	88.1	80.8-95.4	19	11.9	4.6-19.2
Hispanic	157	132,111	115	73.6	65.0-82.2	42	26.4	17.8-35.0
18-24	251	351,455	230	91.7	87.8-95.6	21	8.3	4.4-12.2
25-34	381	420,378	349	91.8	88.7-94.9	32	8.2	5.1-11.3
35-44	499	410,502	428	84.2	80.1-88.3	71	15.8	11.7-19.9
45-54	701	410,980	577	79.8	75.9-83.7	124	20.2	16.3-24.1
55-64	1010	414,549	778	74.0	70.5-77.5	232	26.0	22.5-29.5
65+	1649	443,665	1245	74.9	72.2-77.6	404	25.1	22.4-27.8
Less Than H.S.	375	346,064	211	64.7	58.6-70.8	164	35.3	29.2-41.4
H.S. or G.E.D.	1462	848,108	1100	80.2	77.7-82.7	362	19.8	17.3-22.3
Some Post-H.S.	1020	707,073	830	85.6	83.1-88.1	190	14.4	11.9-16.9
College Graduate	1675	565,733	1498	92.7	91.3-94.1	177	7.3	5.9- 8.7
Less than \$15,000	313	198,692	182	61.0	53.7-68.3	131	39.0	31.7-46.3
\$15,000- 24,999	655	377,144	419	67.1	62.0-72.2	236	32.9	27.8-38.0
\$25,000- 34,999	441	231,507	335	83.3	79.2-87.4	106	16.7	12.6-20.8
\$35,000- 49,999	647	358,229	529	85.7	82.4-89.0	118	14.3	11.0-17.6
\$50,000- 74,999	707	363,732	613	89.7	87.0-92.4	94	10.3	7.6-13.0
\$75,000+	1309	694,222	1202	92.7	90.9-94.5	107	7.3	5.5- 9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6489	2,603,529	5076	80.7	79.3-82.1	1413	19.3	17.9-20.7
White/Non-Hisp	5561	2,127,237	4406	81.6	80.2-83.0	1155	18.4	17.0-19.8
Black or Afr. Am./Non-Hisp	464	230,711	329	73.1	67.2-79.0	135	26.9	21.0-32.8
Oth. Race/Non-Hisp.	97	44,650	71	84.2	73.8-94.6	26	15.8	5.4-26.2
MultiRacial/Non-Hisp.	93	28,591	56	66.5	53.0-80.0	37	33.5	20.0-47.0
Hispanic	201	148,635	162	82.6	75.7-89.5	39	17.4	10.5-24.3
18-24	205	336,336	188	91.7	87.4-96.0	17	8.3	4.0-12.6
25-34	435	415,599	372	86.8	83.3-90.3	63	13.2	9.7-16.7
35-44	596	405,450	503	82.7	78.8-86.6	93	17.3	13.4-21.2
45-54	918	412,789	739	78.2	74.7-81.7	179	21.8	18.3-25.3
55-64	1437	435,804	1076	74.0	71.1-76.9	361	26.0	23.1-28.9
65+	2801	563,340	2118	75.3	73.1-77.5	683	24.7	22.5-26.9
Less Than H.S.	513	313,200	265	61.6	55.7-67.5	248	38.4	32.5-44.3
H.S. or G.E.D.	2288	892,243	1699	77.3	74.9-79.7	589	22.7	20.3-25.1
Some Post-H.S.	1723	855,276	1386	84.8	82.6-87.0	337	15.2	13.0-17.4
College Graduate	1952	537,876	1718	91.2	89.6-92.8	234	8.8	7.2-10.4
Less than \$15,000	620	264,444	335	58.6	52.7-64.5	285	41.4	35.5-47.3
\$15,000- 24,999	1176	446,890	753	67.3	63.4-71.2	423	32.7	28.8-36.6
\$25,000- 34,999	703	264,133	532	79.1	75.0-83.2	171	20.9	16.8-25.0
\$35,000- 49,999	842	331,775	698	82.9	79.2-86.6	144	17.1	13.4-20.8
\$50,000- 74,999	799	342,861	713	90.5	88.0-93.0	86	9.5	7.0-12.0
\$75,000+	1305	587,064	1208	93.3	91.3-95.3	97	6.7	4.7- 8.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10799	4,985,021	6615	61.8	60.4-63.2	2574	25.5	24.3-26.7	1610	12.6	11.8-13.4
Male	4461	2,429,133	2931	65.4	63.4-67.4	963	23.4	21.6-25.2	567	11.3	10.1-12.5
Female	6338	2,555,888	3684	58.5	56.7-60.3	1611	27.6	25.8-29.4	1043	14.0	12.8-15.2
White/Non-Hisp	9224	4,044,989	5664	61.4	59.8-63.0	2208	25.7	24.3-27.1	1352	12.9	11.9-13.9
Black or Afr. Am./Non-Hisp	708	421,523	437	60.8	55.5-66.1	157	25.5	20.8-30.2	114	13.8	10.3-17.3
Oth. Race/Non-Hisp.	218	120,056	141	75.3	66.3-84.3	41	20.2	11.4-29.0	36	4.5	2.3- 6.7
MultiRacial/Non-Hisp.	156	54,950	62	48.5	36.5-60.5	48	34.4	23.6-45.2	46	17.1	9.3-24.9
Hispanic	343	267,789	220	67.2	60.9-73.5	83	23.4	17.7-29.1	40	9.4	5.5-13.3
18-24	450	674,031	287	62.3	57.0-67.6	134	31.3	26.4-36.2	29	6.3	3.8- 8.8
25-34	803	822,869	528	65.6	61.7-69.5	222	28.4	24.7-32.1	53	6.0	4.0- 8.0
35-44	1085	807,127	718	64.7	61.2-68.2	276	26.7	23.4-30.0	91	8.6	6.4-10.8
45-54	1604	812,426	970	60.0	56.9-63.1	377	22.7	20.2-25.2	257	17.3	14.9-19.7
55-64	2406	833,863	1380	57.3	54.8-59.8	583	23.5	21.3-25.7	443	19.2	17.2-21.2
65+	4307	979,249	2638	61.5	59.5-63.5	951	22.2	20.6-23.8	718	16.4	15.0-17.8
Less Than H.S.	851	637,062	378	49.7	45.0-54.4	225	27.4	23.3-31.5	248	23.0	19.3-26.7
H.S. or G.E.D.	3627	1,694,575	2129	60.5	58.1-62.9	874	25.5	23.3-27.7	624	14.0	12.6-15.4
Some Post-H.S.	2698	1,543,542	1649	63.0	60.5-65.5	633	25.5	23.0-28.0	416	11.5	10.1-12.9
College Graduate	3602	1,098,717	2443	69.2	67.0-71.4	837	24.5	22.5-26.5	322	6.3	5.3- 7.3
Less than \$15,000	898	447,746	344	39.5	34.8-44.2	241	31.1	26.6-35.6	313	29.4	25.3-33.5
\$15,000- 24,999	1772	805,212	877	52.1	48.6-55.6	450	27.9	24.6-31.2	445	20.0	17.5-22.5
\$25,000- 34,999	1114	482,893	654	60.1	55.6-64.6	281	27.0	22.9-31.1	179	12.9	10.0-15.8
\$35,000- 49,999	1468	680,111	929	63.4	59.9-66.9	368	27.0	23.7-30.3	171	9.6	7.6-11.6
\$50,000- 74,999	1493	701,739	987	66.0	62.5-69.5	365	26.0	22.7-29.3	141	8.0	6.2- 9.8
\$75,000+	2602	1,275,125	1881	72.6	70.1-75.1	559	21.2	18.8-23.6	162	6.2	4.8- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4461	2,429,133	2931	65.4	63.4-67.4	963	23.4	21.6-25.2	567	11.3	10.1-12.5
White/Non-Hisp	3778	1,944,327	2495	65.3	63.1-67.5	811	23.4	21.4-25.4	472	11.2	9.8-12.6
Black or Afr. Am./Non-Hisp	256	197,984	174	63.4	55.4-71.4	51	23.8	16.5-31.1	31	12.8	6.9-18.7
Oth. Race/Non-Hisp.	127	78,196	86	72.5	60.2-84.8	25	24.2	12.0-36.4	16	3.3	0.8- 5.8
MultiRacial/Non-Hisp.	65	26,909	29	54.5	36.7-72.3	23	37.9	21.0-54.8	13	7.6	2.1-13.1
Hispanic	153	128,798	99	69.1	60.3-77.9	33	19.5	12.1-26.9	21	11.4	5.3-17.5
18-24	249	346,599	170	68.4	61.7-75.1	64	25.0	18.9-31.1	15	6.6	2.7-10.5
25-34	374	411,395	258	68.0	62.3-73.7	99	27.0	21.5-32.5	17	5.0	2.1- 7.9
35-44	492	405,898	347	67.2	61.9-72.5	118	26.8	21.7-31.9	27	6.0	3.1- 8.9
45-54	690	403,420	454	63.8	59.3-68.3	142	19.8	16.1-23.5	94	16.3	12.8-19.8
55-64	990	404,968	608	60.5	56.6-64.4	220	22.0	18.7-25.3	162	17.5	14.4-20.6
65+	1614	435,327	1062	65.0	61.9-68.1	307	19.7	17.2-22.2	245	15.2	12.8-17.6
Less Than H.S.	360	332,541	176	52.0	45.1-58.9	89	25.2	19.1-31.3	95	22.8	17.1-28.5
H.S. or G.E.D.	1418	826,510	871	65.0	61.7-68.3	316	22.2	19.3-25.1	231	12.9	10.7-15.1
Some Post-H.S.	1005	700,939	676	66.6	62.7-70.5	213	24.4	20.7-28.1	116	9.0	6.8-11.2
College Graduate	1665	562,026	1197	72.1	69.2-75.0	343	22.8	19.9-25.7	125	5.1	3.9- 6.3
Less than \$15,000	305	194,713	115	38.7	31.3-46.1	91	31.5	24.4-38.6	99	29.8	23.3-36.3
\$15,000- 24,999	642	370,893	349	56.5	51.0-62.0	154	26.4	21.5-31.3	139	17.1	13.4-20.8
\$25,000- 34,999	426	222,140	266	63.0	56.1-69.9	90	25.2	18.7-31.7	70	11.8	7.5-16.1
\$35,000- 49,999	634	350,536	427	68.4	63.3-73.5	139	24.3	19.6-29.0	68	7.3	4.9- 9.7
\$50,000- 74,999	704	362,847	486	67.3	62.2-72.4	155	25.1	20.4-29.8	63	7.7	5.2-10.2
\$75,000+	1301	689,606	999	76.4	73.1-79.7	242	18.2	15.3-21.1	60	5.4	3.4- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6338	2,555,888	3684	58.5	56.7-60.3	1611	27.6	25.8-29.4	1043	14.0	12.8-15.2
White/Non-Hisp	5446	2,100,663	3169	57.8	55.8-59.8	1397	27.9	25.9-29.9	880	14.3	13.1-15.5
Black or Afr. Am./Non-Hisp	452	223,538	263	58.5	51.6-65.4	106	26.9	20.4-33.4	83	14.6	10.3-18.9
Oth. Race/Non-Hisp.	91	41,860	55	80.6	69.8-91.4	16	12.8	3.0-22.6	20	6.7	2.2-11.2
MultiRacial/Non-Hisp.	91	28,041	33	42.7	27.4-58.0	25	31.1	17.6-44.6	33	26.1	13.0-39.2
Hispanic	190	138,991	121	65.3	56.3-74.3	50	27.1	18.7-35.5	19	7.6	2.7-12.5
18-24	201	327,432	117	55.9	48.1-63.7	70	38.0	30.2-45.8	14	6.1	2.6- 9.6
25-34	429	411,474	270	63.2	57.7-68.7	123	29.9	24.6-35.2	36	6.9	4.4- 9.4
35-44	593	401,229	371	62.2	57.3-67.1	158	26.6	22.1-31.1	64	11.2	8.1-14.3
45-54	914	409,006	516	56.3	52.2-60.4	235	25.6	22.1-29.1	163	18.2	15.1-21.3
55-64	1416	428,895	772	54.3	51.2-57.4	363	25.0	22.3-27.7	281	20.7	18.0-23.4
65+	2693	543,922	1576	58.6	56.2-61.0	644	24.1	21.9-26.3	473	17.3	15.5-19.1
Less Than H.S.	491	304,521	202	47.1	40.6-53.6	136	29.7	23.8-35.6	153	23.2	18.3-28.1
H.S. or G.E.D.	2209	868,065	1258	56.2	53.1-59.3	558	28.7	25.8-31.6	393	15.1	13.1-17.1
Some Post-H.S.	1693	842,603	973	60.0	56.5-63.5	420	26.4	23.1-29.7	300	13.6	11.6-15.6
College Graduate	1937	536,691	1246	66.1	63.2-69.0	494	26.3	23.6-29.0	197	7.6	6.0- 9.2
Less than \$15,000	593	253,033	229	40.2	34.1-46.3	150	30.7	24.8-36.6	214	29.1	23.8-34.4
\$15,000- 24,999	1130	434,319	528	48.4	43.9-52.9	296	29.2	24.9-33.5	306	22.5	19.2-25.8
\$25,000- 34,999	688	260,754	388	57.7	52.0-63.4	191	28.4	23.1-33.7	109	13.8	10.1-17.5
\$35,000- 49,999	834	329,576	502	58.0	52.9-63.1	229	29.9	25.0-34.8	103	12.0	8.9-15.1
\$50,000- 74,999	789	338,892	501	64.7	59.8-69.6	210	26.9	22.2-31.6	78	8.4	6.0-10.8
\$75,000+	1301	585,519	882	68.2	64.5-71.9	317	24.7	21.4-28.0	102	7.1	5.3- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10863	5,008,657	7395	62.8	61.4-64.2	2287	24.0	22.8-25.2	1181	13.2	12.2-14.2
Male	4481	2,437,427	3299	68.6	66.6-70.6	771	19.9	18.1-21.7	411	11.5	10.1-12.9
Female	6382	2,571,230	4096	57.4	55.4-59.4	1516	27.9	26.1-29.7	770	14.8	13.4-16.2
White/Non-Hisp	9271	4,050,982	6337	62.7	61.1-64.3	1941	24.0	22.6-25.4	993	13.3	12.3-14.3
Black or Afr. Am./Non-Hisp	720	430,060	483	60.3	55.0-65.6	160	25.9	21.0-30.8	77	13.9	10.0-17.8
Oth. Race/Non-Hisp.	218	121,540	146	69.3	59.9-78.7	37	15.8	8.7-22.9	35	14.9	7.3-22.5
MultiRacial/Non-Hisp.	152	53,898	84	46.9	34.9-58.9	45	42.9	30.4-55.4	23	10.2	4.5-15.9
Hispanic	347	275,297	229	64.6	58.1-71.1	80	25.3	19.2-31.4	38	10.2	6.5-13.9
18-24	457	687,158	210	46.8	41.5-52.1	165	34.8	29.7-39.9	82	18.5	14.4-22.6
25-34	808	827,270	431	54.2	50.1-58.3	254	31.3	27.4-35.2	123	14.4	11.7-17.1
35-44	1075	804,124	657	62.9	59.4-66.4	280	24.0	20.9-27.1	138	13.2	10.7-15.7
45-54	1601	813,024	976	61.4	58.5-64.3	394	23.1	20.6-25.6	231	15.5	13.1-17.9
55-64	2412	832,418	1599	66.8	64.4-69.2	502	20.1	18.1-22.1	311	13.1	11.3-14.9
65+	4361	988,260	3405	78.2	76.6-79.8	677	15.0	13.6-16.4	279	6.7	5.7- 7.7
Less Than H.S.	856	639,512	481	50.9	46.2-55.6	200	29.4	24.9-33.9	175	19.6	15.9-23.3
H.S. or G.E.D.	3667	1,710,480	2489	64.4	62.0-66.8	711	21.3	19.3-23.3	467	14.3	12.7-15.9
Some Post-H.S.	2707	1,548,823	1810	63.1	60.6-65.6	582	23.1	20.7-25.5	315	13.8	11.8-15.8
College Graduate	3608	1,098,168	2597	67.0	64.8-69.2	789	26.1	23.9-28.3	222	6.9	5.7- 8.1
Less than \$15,000	904	451,400	471	47.2	42.5-51.9	214	26.8	22.3-31.3	219	26.0	21.9-30.1
\$15,000- 24,999	1788	815,452	1093	54.1	50.6-57.6	389	25.3	22.2-28.4	306	20.6	17.7-23.5
\$25,000- 34,999	1119	488,040	730	59.9	55.4-64.4	265	27.6	23.3-31.9	124	12.4	9.5-15.3
\$35,000- 49,999	1473	677,894	1039	64.2	60.5-67.9	308	24.5	21.2-27.8	126	11.2	8.7-13.7
\$50,000- 74,999	1502	706,097	1105	69.1	65.6-72.6	291	21.1	18.2-24.0	106	9.8	7.3-12.3
\$75,000+	2604	1,273,380	1895	69.6	67.1-72.1	548	23.0	20.6-25.4	161	7.4	5.8- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4481	2,437,427	3299	68.6	66.6-70.6	771	19.9	18.1-21.7	411	11.5	10.1-12.9
White/Non-Hisp	3790	1,948,133	2813	68.6	66.4-70.8	647	19.9	18.1-21.7	330	11.5	9.9-13.1
Black or Afr. Am./Non-Hisp	263	201,439	193	69.9	62.3-77.5	43	17.4	10.7-24.1	27	12.7	7.4-18.0
Oth. Race/Non-Hisp.	127	78,196	89	71.6	59.3-83.9	21	16.5	6.9-26.1	17	12.0	2.4-21.6
MultiRacial/Non-Hisp.	63	26,595	40	55.7	36.5-74.9	16	38.5	18.7-58.3	7	5.8	0.0-12.1
Hispanic	154	129,751	100	63.4	53.8-73.0	34	26.6	17.6-35.6	20	10.1	5.0-15.2
18-24	253	353,418	138	56.0	48.9-63.1	75	27.6	21.3-33.9	40	16.4	11.1-21.7
25-34	375	413,505	213	58.0	52.1-63.9	112	28.7	23.2-34.2	50	13.3	9.2-17.4
35-44	487	402,433	327	68.1	63.0-73.2	105	19.4	15.3-23.5	55	12.5	8.8-16.2
45-54	694	406,542	485	69.3	65.0-73.6	134	18.6	14.9-22.3	75	12.1	9.0-15.2
55-64	990	401,748	737	74.2	70.7-77.7	152	15.6	12.7-18.5	101	10.3	7.9-12.7
65+	1630	437,876	1357	82.9	80.4-85.4	188	11.4	9.4-13.4	85	5.7	4.1- 7.3
Less Than H.S.	362	335,144	201	52.4	45.5-59.3	84	27.7	21.4-34.0	77	19.8	14.5-25.1
H.S. or G.E.D.	1429	830,508	1031	69.9	66.6-73.2	245	18.2	15.5-20.9	153	11.9	9.5-14.3
Some Post-H.S.	1008	701,554	758	71.8	68.1-75.5	150	16.6	13.5-19.7	100	11.6	8.9-14.3
College Graduate	1668	562,905	1298	72.4	69.3-75.5	289	21.6	18.7-24.5	81	6.0	4.2- 7.8
Less than \$15,000	301	192,272	166	50.7	43.1-58.3	64	23.2	16.7-29.7	71	26.1	19.4-32.8
\$15,000- 24,999	648	373,931	412	58.0	52.5-63.5	138	25.3	20.4-30.2	98	16.7	12.4-21.0
\$25,000- 34,999	430	226,900	308	68.2	61.5-74.9	85	24.3	17.8-30.8	37	7.4	4.3-10.5
\$35,000- 49,999	640	351,652	475	69.9	64.8-75.0	114	20.4	15.9-24.9	51	9.7	6.4-13.0
\$50,000- 74,999	706	364,157	566	73.5	68.4-78.6	96	16.1	12.0-20.2	44	10.4	6.5-14.3
\$75,000+	1302	689,156	1025	75.5	72.2-78.8	208	16.8	14.1-19.5	69	7.7	5.3-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6382	2,571,230	4096	57.4	55.4-59.4	1516	27.9	26.1-29.7	770	14.8	13.4-16.2
White/Non-Hisp	5481	2,102,850	3524	57.3	55.3-59.3	1294	27.7	25.7-29.7	663	15.0	13.6-16.4
Black or Afr. Am./Non-Hisp	457	228,621	290	51.8	44.9-58.7	117	33.3	26.6-40.0	50	14.9	9.2-20.6
Oth. Race/Non-Hisp.	91	43,344	57	65.2	50.5-79.9	16	14.5	4.7-24.3	18	20.3	7.6-33.0
MultiRacial/Non-Hisp.	89	27,304	44	38.3	23.8-52.8	29	47.2	31.5-62.9	16	14.5	5.5-23.5
Hispanic	193	145,546	129	65.7	56.9-74.5	46	24.1	16.1-32.1	18	10.3	4.8-15.8
18-24	204	333,740	72	37.0	29.4-44.6	90	42.4	34.8-50.0	42	20.6	14.3-26.9
25-34	433	413,765	218	50.5	44.8-56.2	142	33.9	28.4-39.4	73	15.6	11.9-19.3
35-44	588	401,690	330	57.6	52.7-62.5	175	28.6	24.1-33.1	83	13.9	10.4-17.4
45-54	907	406,482	491	53.5	49.4-57.6	260	27.7	24.2-31.2	156	18.8	15.5-22.1
55-64	1422	430,670	862	59.9	56.8-63.0	350	24.4	21.7-27.1	210	15.7	13.3-18.1
65+	2731	550,385	2048	74.5	72.3-76.7	489	17.9	16.1-19.7	194	7.5	6.1- 8.9
Less Than H.S.	494	304,368	280	49.3	42.8-55.8	116	31.3	24.8-37.8	98	19.4	14.5-24.3
H.S. or G.E.D.	2238	879,972	1458	59.2	56.1-62.3	466	24.2	21.5-26.9	314	16.5	14.1-18.9
Some Post-H.S.	1699	847,269	1052	55.8	52.3-59.3	432	28.5	25.2-31.8	215	15.7	13.2-18.2
College Graduate	1940	535,263	1299	61.3	58.2-64.4	500	30.9	27.8-34.0	141	7.8	6.0- 9.6
Less than \$15,000	603	259,127	305	44.6	38.5-50.7	150	29.4	23.3-35.5	148	26.0	20.9-31.1
\$15,000- 24,999	1140	441,521	681	50.7	46.2-55.2	251	25.3	21.2-29.4	208	24.0	19.9-28.1
\$25,000- 34,999	689	261,140	422	52.7	46.8-58.6	180	30.5	24.8-36.2	87	16.8	12.3-21.3
\$35,000- 49,999	833	326,242	564	58.2	53.1-63.3	194	29.0	24.3-33.7	75	12.9	9.2-16.6
\$50,000- 74,999	796	341,940	539	64.4	59.5-69.3	195	26.5	22.0-31.0	62	9.1	6.2-12.0
\$75,000+	1302	584,224	870	62.7	58.8-66.6	340	30.3	26.6-34.0	92	7.0	5.0- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6422	3,999,818	5807	86.4	85.0-87.8	615	13.6	12.2-15.0
Male	2835	1,999,415	2501	83.9	81.9-85.9	334	16.1	14.1-18.1
Female	3587	2,000,403	3306	88.9	87.1-90.7	281	11.1	9.3-12.9
White/Non-Hisp	5264	3,156,497	4852	89.2	87.8-90.6	412	10.8	9.4-12.2
Black or Afr. Am./Non-Hisp	510	361,502	451	82.9	77.8-88.0	59	17.1	12.0-22.2
Oth. Race/Non-Hisp.	163	113,728	146	84.6	75.6-93.6	17	15.4	6.4-24.4
MultiRacial/Non-Hisp.	95	41,999	85	86.3	77.1-95.5	10	13.7	4.5-22.9
Hispanic	313	267,687	208	60.6	53.7-67.5	105	39.4	32.5-46.3
18-24	451	679,460	377	80.8	76.3-85.3	74	19.2	14.7-23.7
25-34	814	834,126	701	84.5	81.6-87.4	113	15.5	12.6-18.4
35-44	1095	815,964	948	82.1	79.2-85.0	147	17.9	15.0-20.8
45-54	1618	821,350	1481	89.5	87.5-91.5	137	10.5	8.5-12.5
55-64	2444	848,920	2300	93.8	92.4-95.2	144	6.2	4.8-7.6
Less Than H.S.	528	536,930	396	66.9	61.4-72.4	132	33.1	27.6-38.6
H.S. or G.E.D.	1992	1,295,144	1761	86.2	84.0-88.4	231	13.8	11.6-16.0
Some Post-H.S.	1654	1,261,748	1502	88.4	86.2-90.6	152	11.6	9.4-13.8
College Graduate	2238	900,422	2143	95.7	94.7-96.7	95	4.3	3.3-5.3
Less than \$15,000	601	385,219	499	76.3	71.4-81.2	102	23.7	18.8-28.6
\$15,000- 24,999	904	613,376	732	74.7	70.6-78.8	172	25.3	21.2-29.4
\$25,000- 34,999	527	355,276	436	78.6	73.3-83.9	91	21.4	16.1-26.7
\$35,000- 49,999	793	520,732	706	87.3	84.2-90.4	87	12.7	9.6-15.8
\$50,000- 74,999	944	573,400	897	92.4	89.9-94.9	47	7.6	5.1-10.1
\$75,000+	2023	1,147,785	1973	96.4	95.0-97.8	50	3.6	2.2-5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2835	1,999,415	2501	83.9	81.9-85.9	334	16.1	14.1-18.1
White/Non-Hisp	2317	1,565,121	2087	86.5	84.5-88.5	230	13.5	11.5-15.5
Black or Afr. Am./Non-Hisp	191	168,310	164	81.0	73.0-89.0	27	19.0	11.0-27.0
Oth. Race/Non-Hisp.	96	73,625	83	82.6	71.0-94.2	13	17.4	5.8-29.0
Hispanic	146	128,311	97	60.1	50.3-69.9	49	39.9	30.1-49.7
18-24	249	347,823	209	81.0	74.7-87.3	40	19.0	12.7-25.3
25-34	380	418,946	311	79.5	74.6-84.4	69	20.5	15.6-25.4
35-44	497	408,530	417	79.7	75.2-84.2	80	20.3	15.8-24.8
45-54	698	409,575	628	86.5	83.0-90.0	70	13.5	10.0-17.0
55-64	1011	414,541	936	92.2	90.0-94.4	75	7.8	5.6-10.0
Less Than H.S.	256	296,142	175	61.8	54.2-69.4	81	38.2	30.6-45.8
H.S. or G.E.D.	905	666,895	780	84.6	81.7-87.5	125	15.4	12.5-18.3
Some Post-H.S.	659	579,510	587	86.5	83.2-89.8	72	13.5	10.2-16.8
College Graduate	1011	453,686	956	94.1	92.1-96.1	55	5.9	3.9- 7.9
Less than \$15,000	239	172,710	184	68.0	59.8-76.2	55	32.0	23.8-40.2
\$15,000- 24,999	377	297,552	282	70.3	64.2-76.4	95	29.7	23.6-35.8
\$25,000- 34,999	223	172,722	173	72.8	64.6-81.0	50	27.2	19.0-35.4
\$35,000- 49,999	356	275,205	312	85.2	80.3-90.1	44	14.8	9.9-19.7
\$50,000- 74,999	418	286,596	384	88.8	84.5-93.1	34	11.2	6.9-15.5
\$75,000+	989	618,889	962	95.8	93.4-98.2	27	4.2	1.8- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3587	2,000,403	3306	88.9	87.1-90.7	281	11.1	9.3-12.9
White/Non-Hisp	2947	1,591,376	2765	92.0	90.4-93.6	182	8.0	6.4- 9.6
Black or Afr. Am./Non-Hisp	319	193,192	287	84.5	77.8-91.2	32	15.5	8.8-22.2
Oth. Race/Non-Hisp.	67	40,102	63	88.4	74.1- 100	4	11.6	0.0-25.9
MultiRacial/Non-Hisp.	58	20,592	55	90.1	78.1- 100	3	9.9	0.0-21.9
Hispanic	167	139,377	111	61.0	51.4-70.6	56	39.0	29.4-48.6
18-24	202	331,637	168	80.5	73.8-87.2	34	19.5	12.8-26.2
25-34	434	415,179	390	89.5	86.0-93.0	44	10.5	7.0-14.0
35-44	598	407,433	531	84.6	80.7-88.5	67	15.4	11.5-19.3
45-54	920	411,775	853	92.5	90.3-94.7	67	7.5	5.3- 9.7
55-64	1433	434,378	1364	95.2	93.8-96.6	69	4.8	3.4- 6.2
Less Than H.S.	272	240,788	221	73.3	65.9-80.7	51	26.7	19.3-34.1
H.S. or G.E.D.	1087	628,249	981	87.9	85.2-90.6	106	12.1	9.4-14.8
Some Post-H.S.	995	682,238	915	90.0	87.1-92.9	80	10.0	7.1-12.9
College Graduate	1227	446,736	1187	97.4	96.4-98.4	40	2.6	1.6- 3.6
Less than \$15,000	362	212,509	315	83.0	77.5-88.5	47	17.0	11.5-22.5
\$15,000- 24,999	527	315,824	450	78.8	73.3-84.3	77	21.2	15.7-26.7
\$25,000- 34,999	304	182,554	263	84.0	77.5-90.5	41	16.0	9.5-22.5
\$35,000- 49,999	437	245,528	394	89.6	85.9-93.3	43	10.4	6.7-14.1
\$50,000- 74,999	526	286,804	513	96.1	93.4-98.8	13	3.9	1.2- 6.6
\$75,000+	1034	528,896	1011	97.1	95.5-98.7	23	2.9	1.3- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11042	5,083,691	7835	73.2	72.0-74.4	3207	26.8	25.6-28.0
Male	4548	2,475,070	3361	75.0	73.2-76.8	1187	25.0	23.2-26.8
Female	6494	2,608,620	4474	71.5	69.9-73.1	2020	28.5	26.9-30.1
White/Non-Hisp	9407	4,109,890	6704	73.7	72.5-74.9	2703	26.3	25.1-27.5
Black or Afr. Am./Non-Hisp	732	433,414	504	72.5	67.8-77.2	228	27.5	22.8-32.2
Oth. Race/Non-Hisp.	224	122,845	165	74.5	64.9-84.1	59	25.5	15.9-35.1
MultiRacial/Non-Hisp.	159	55,558	115	75.7	65.9-85.5	44	24.3	14.5-34.1
Hispanic	362	285,691	239	67.1	61.0-73.2	123	32.9	26.8-39.0
18-24	458	689,754	382	83.6	79.7-87.5	76	16.4	12.5-20.3
25-34	817	837,571	647	78.6	75.3-81.9	170	21.4	18.1-24.7
35-44	1096	817,006	879	77.9	74.8-81.0	217	22.1	19.0-25.2
45-54	1619	823,004	1217	71.0	68.1-73.9	402	29.0	26.1-31.9
55-64	2448	850,814	1717	68.1	65.7-70.5	731	31.9	29.5-34.3
65+	4454	1,009,020	2870	63.6	61.8-65.4	1584	36.4	34.6-38.2
Less Than H.S.	890	661,514	473	58.8	54.3-63.3	417	41.2	36.7-45.7
H.S. or G.E.D.	3746	1,738,779	2307	66.0	63.8-68.2	1439	34.0	31.8-36.2
Some Post-H.S.	2750	1,567,150	1996	77.7	75.7-79.7	754	22.3	20.3-24.3
College Graduate	3628	1,103,623	3041	86.9	85.5-88.3	587	13.1	11.7-14.5
Less than \$15,000	933	463,194	498	57.5	52.8-62.2	435	42.5	37.8-47.2
\$15,000- 24,999	1832	827,611	1074	62.0	58.7-65.3	758	38.0	34.7-41.3
\$25,000- 34,999	1143	495,419	746	69.1	65.2-73.0	397	30.9	27.0-34.8
\$35,000- 49,999	1487	688,328	1078	73.0	69.9-76.1	409	27.0	23.9-30.1
\$50,000- 74,999	1512	709,162	1176	79.2	76.3-82.1	336	20.8	17.9-23.7
\$75,000+	2620	1,282,717	2236	86.3	84.5-88.1	384	13.7	11.9-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4548	2,475,070	3361	75.0	73.2-76.8	1187	25.0	23.2-26.8
White/Non-Hisp	3845	1,981,444	2828	74.9	73.1-76.7	1017	25.1	23.3-26.9
Black or Afr. Am./Non-Hisp	268	202,608	204	78.8	72.1-85.5	64	21.2	14.5-27.9
Oth. Race/Non-Hisp.	127	78,196	97	77.3	65.3-89.3	30	22.7	10.7-34.7
MultiRacial/Non-Hisp.	66	26,967	56	88.9	78.7-99.1	10	11.1	0.9-21.3
Hispanic	159	133,859	114	69.0	60.0-78.0	45	31.0	22.0-40.0
18-24	253	353,418	216	85.4	80.5-90.3	37	14.6	9.7-19.5
25-34	382	420,792	317	82.1	77.6-86.6	65	17.9	13.4-22.4
35-44	498	409,573	398	77.3	72.6-82.0	100	22.7	18.0-27.4
45-54	699	409,294	520	69.9	65.6-74.2	179	30.1	25.8-34.4
55-64	1012	415,062	702	67.6	63.9-71.3	310	32.4	28.7-36.1
65+	1652	444,997	1165	69.3	66.4-72.2	487	30.7	27.8-33.6
Less Than H.S.	375	344,845	214	61.8	55.3-68.3	161	38.2	31.7-44.7
H.S. or G.E.D.	1458	846,387	940	68.4	65.3-71.5	518	31.6	28.5-34.7
Some Post-H.S.	1024	710,429	777	79.7	76.6-82.8	247	20.3	17.2-23.4
College Graduate	1677	566,094	1420	87.3	85.3-89.3	257	12.7	10.7-14.7
Less than \$15,000	315	199,231	175	56.9	49.6-64.2	140	43.1	35.8-50.4
\$15,000- 24,999	654	377,168	411	65.3	60.2-70.4	243	34.7	29.6-39.8
\$25,000- 34,999	441	231,507	291	71.5	65.6-77.4	150	28.5	22.6-34.4
\$35,000- 49,999	646	356,770	458	71.4	66.5-76.3	188	28.6	23.7-33.5
\$50,000- 74,999	711	365,477	553	79.3	75.4-83.2	158	20.7	16.8-24.6
\$75,000+	1311	694,798	1134	88.0	85.8-90.2	177	12.0	9.8-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6494	2,608,620	4474	71.5	69.9-73.1	2020	28.5	26.9-30.1
White/Non-Hisp	5562	2,128,446	3876	72.6	70.8-74.4	1686	27.4	25.6-29.2
Black or Afr. Am./Non-Hisp	464	230,806	300	66.8	60.5-73.1	164	33.2	26.9-39.5
Oth. Race/Non-Hisp.	97	44,650	68	69.6	53.9-85.3	29	30.4	14.7-46.1
MultiRacial/Non-Hisp.	93	28,591	59	63.2	48.3-78.1	34	36.8	21.9-51.7
Hispanic	203	151,832	125	65.3	56.9-73.7	78	34.7	26.3-43.1
18-24	205	336,336	166	81.7	75.6-87.8	39	18.3	12.2-24.4
25-34	435	416,779	330	75.0	70.1-79.9	105	25.0	20.1-29.9
35-44	598	407,433	481	78.4	74.3-82.5	117	21.6	17.5-25.7
45-54	920	413,710	697	72.1	68.4-75.8	223	27.9	24.2-31.6
55-64	1436	435,752	1015	68.7	65.8-71.6	421	31.3	28.4-34.2
65+	2802	564,023	1705	59.1	56.7-61.5	1097	40.9	38.5-43.3
Less Than H.S.	515	316,669	259	55.4	49.3-61.5	256	44.6	38.5-50.7
H.S. or G.E.D.	2288	892,392	1367	63.7	60.8-66.6	921	36.3	33.4-39.2
Some Post-H.S.	1726	856,720	1219	76.1	73.4-78.8	507	23.9	21.2-26.6
College Graduate	1951	537,529	1621	86.4	84.2-88.6	330	13.6	11.4-15.8
Less than \$15,000	618	263,963	323	57.9	52.0-63.8	295	42.1	36.2-48.0
\$15,000- 24,999	1178	450,443	663	59.2	54.9-63.5	515	40.8	36.5-45.1
\$25,000- 34,999	702	263,912	455	67.1	61.8-72.4	247	32.9	27.6-38.2
\$35,000- 49,999	841	331,559	620	74.6	70.5-78.7	221	25.4	21.3-29.5
\$50,000- 74,999	801	343,685	623	79.1	75.0-83.2	178	20.9	16.8-25.0
\$75,000+	1309	587,919	1102	84.3	81.4-87.2	207	15.7	12.8-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10991	5,065,697	1247	7.6	7.0- 8.2	9744	92.4	91.8-93.0
Male	4531	2,467,155	649	9.1	8.1-10.1	3882	90.9	89.9-91.9
Female	6460	2,598,542	598	6.1	5.5- 6.7	5862	93.9	93.3-94.5
White/Non-Hisp	9375	4,099,083	1081	7.9	7.3- 8.5	8294	92.1	91.5-92.7
Black or Afr. Am./Non-Hisp	726	428,990	64	6.9	4.5- 9.3	662	93.1	90.7-95.5
Oth. Race/Non-Hisp.	221	121,018	29	3.8	1.6- 6.0	192	96.2	94.0-98.4
MultiRacial/Non-Hisp.	157	55,430	26	7.4	3.3-11.5	131	92.6	88.5-96.7
Hispanic	358	284,789	19	3.1	1.3- 4.9	339	96.9	95.1-98.7
18-24	457	689,103	1	0.1	0.0- 0.3	456	99.9	99.7- 100
25-34	815	835,269	5	0.4	0.0- 0.8	810	99.6	99.2- 100
35-44	1092	813,997	25	2.0	1.2- 2.8	1067	98.0	97.2-98.8
45-54	1616	820,473	95	6.4	4.8- 8.0	1521	93.6	92.0-95.2
55-64	2446	849,869	234	11.2	9.4-13.0	2212	88.8	87.0-90.6
65+	4415	1,000,290	872	21.0	19.4-22.6	3543	79.0	77.4-80.6
Less Than H.S.	882	658,180	156	11.0	8.8-13.2	726	89.0	86.8-91.2
H.S. or G.E.D.	3719	1,729,942	473	8.5	7.5- 9.5	3246	91.5	90.5-92.5
Some Post-H.S.	2741	1,562,659	311	7.1	6.1- 8.1	2430	92.9	91.9-93.9
College Graduate	3623	1,103,281	305	4.9	4.1- 5.7	3318	95.1	94.3-95.9
Less than \$15,000	920	458,523	173	13.1	10.4-15.8	747	86.9	84.2-89.6
\$15,000- 24,999	1823	823,562	293	11.1	9.3-12.9	1530	88.9	87.1-90.7
\$25,000- 34,999	1135	493,556	161	8.7	6.9-10.5	974	91.3	89.5-93.1
\$35,000- 49,999	1484	686,405	160	7.6	6.0- 9.2	1324	92.4	90.8-94.0
\$50,000- 74,999	1510	709,182	122	4.9	3.7- 6.1	1388	95.1	93.9-96.3
\$75,000+	2615	1,280,721	163	4.0	3.2- 4.8	2452	96.0	95.2-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4531	2,467,155	649	9.1	8.1-10.1	3882	90.9	89.9-91.9
White/Non-Hisp	3832	1,975,432	569	9.6	8.6-10.6	3263	90.4	89.4-91.4
Black or Afr. Am./Non-Hisp	264	199,902	27	8.0	3.9-12.1	237	92.0	87.9-96.1
Oth. Race/Non-Hisp.	126	77,681	15	3.1	0.6- 5.6	111	96.9	94.4-99.4
MultiRacial/Non-Hisp.	66	26,967	9	4.2	0.7- 7.7	57	95.8	92.3-99.3
Hispanic	159	133,859	12	4.4	1.3- 7.5	147	95.6	92.5-98.7
18-24	253	353,418				253	100.0	100.0- 100
25-34	382	420,792	2	0.4	0.0- 1.0	380	99.6	99.0- 100
35-44	496	407,686	10	1.7	0.5- 2.9	486	98.3	97.1-99.5
45-54	697	407,724	48	6.9	4.5- 9.3	649	93.1	90.7-95.5
55-64	1009	413,770	125	14.1	11.4-16.8	884	85.9	83.2-88.6
65+	1641	441,573	453	28.1	25.2-31.0	1188	71.9	69.0-74.8
Less Than H.S.	373	343,356	73	11.7	8.4-15.0	300	88.3	85.0-91.6
H.S. or G.E.D.	1450	843,457	229	9.9	8.3-11.5	1221	90.1	88.5-91.7
Some Post-H.S.	1021	707,375	147	9.0	7.2-10.8	874	91.0	89.2-92.8
College Graduate	1673	565,651	199	6.5	5.3- 7.7	1474	93.5	92.3-94.7
Less than \$15,000	309	195,787	53	13.0	8.7-17.3	256	87.0	82.7-91.3
\$15,000- 24,999	656	377,476	136	14.0	10.9-17.1	520	86.0	82.9-89.1
\$25,000- 34,999	436	230,289	84	10.5	7.6-13.4	352	89.5	86.6-92.4
\$35,000- 49,999	644	355,601	98	9.7	7.2-12.2	546	90.3	87.8-92.8
\$50,000- 74,999	710	365,370	85	6.1	4.5- 7.7	625	93.9	92.3-95.5
\$75,000+	1307	693,134	112	5.3	3.9- 6.7	1195	94.7	93.3-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6460	2,598,542	598	6.1	5.5- 6.7	5862	93.9	93.3-94.5
White/Non-Hisp	5543	2,123,651	512	6.4	5.6- 7.2	5031	93.6	92.8-94.4
Black or Afr. Am./Non-Hisp	462	229,088	37	6.0	3.5- 8.5	425	94.0	91.5-96.5
Oth. Race/Non-Hisp.	95	43,337	14	5.0	1.1- 8.9	81	95.0	91.1-98.9
MultiRacial/Non-Hisp.	91	28,463	17	10.4	3.3-17.5	74	89.6	82.5-96.7
Hispanic	199	150,930	7	2.0	0.2- 3.8	192	98.0	96.2-99.8
18-24	204	335,685	1	0.2	0.0- 0.6	203	99.8	99.4- 100
25-34	433	414,477	3	0.3	0.0- 0.7	430	99.7	99.3- 100
35-44	596	406,312	15	2.2	0.8- 3.6	581	97.8	96.4-99.2
45-54	919	412,749	47	6.0	3.8- 8.2	872	94.0	91.8-96.2
55-64	1437	436,099	109	8.5	6.5-10.5	1328	91.5	89.5-93.5
65+	2774	558,717	419	15.4	13.6-17.2	2355	84.6	82.8-86.4
Less Than H.S.	509	314,823	83	10.2	7.3-13.1	426	89.8	86.9-92.7
H.S. or G.E.D.	2269	886,486	244	7.1	5.9- 8.3	2025	92.9	91.7-94.1
Some Post-H.S.	1720	855,285	164	5.4	4.2- 6.6	1556	94.6	93.4-95.8
College Graduate	1950	537,629	106	3.2	2.4- 4.0	1844	96.8	96.0-97.6
Less than \$15,000	611	262,736	120	13.3	10.0-16.6	491	86.7	83.4-90.0
\$15,000- 24,999	1167	446,086	157	8.7	6.7-10.7	1010	91.3	89.3-93.3
\$25,000- 34,999	699	263,266	77	7.1	4.9- 9.3	622	92.9	90.7-95.1
\$35,000- 49,999	840	330,803	62	5.4	3.6- 7.2	778	94.6	92.8-96.4
\$50,000- 74,999	800	343,812	37	3.6	2.0- 5.2	763	96.4	94.8-98.0
\$75,000+	1308	587,587	51	2.5	1.5- 3.5	1257	97.5	96.5-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11048	5,082,903	9537	85.6	84.6-86.6	1511	14.4	13.4-15.4
Male	4551	2,475,700	4057	88.4	87.0-89.8	494	11.6	10.2-13.0
Female	6497	2,607,202	5480	82.9	81.5-84.3	1017	17.1	15.7-18.5
White/Non-Hisp	9412	4,107,476	8172	86.1	85.1-87.1	1240	13.9	12.9-14.9
Black or Afr. Am./Non-Hisp	732	433,723	601	79.6	75.1-84.1	131	20.4	15.9-24.9
Oth. Race/Non-Hisp.	224	122,845	187	87.3	80.6-94.0	37	12.7	6.0-19.4
MultiRacial/Non-Hisp.	159	55,558	120	72.2	61.0-83.4	39	27.8	16.6-39.0
Hispanic	362	285,691	324	88.9	84.8-93.0	38	11.1	7.0-15.2
18-24	457	688,561	372	82.5	78.6-86.4	85	17.5	13.6-21.4
25-34	817	837,450	688	83.7	80.6-86.8	129	16.3	13.2-19.4
35-44	1096	817,278	946	86.9	84.4-89.4	150	13.1	10.6-15.6
45-54	1620	823,735	1381	85.2	83.0-87.4	239	14.8	12.6-17.0
55-64	2447	849,245	2062	84.3	82.5-86.1	385	15.7	13.9-17.5
65+	4460	1,009,855	3955	89.6	88.4-90.8	505	10.4	9.2-11.6
Less Than H.S.	890	660,976	719	80.7	77.0-84.4	171	19.3	15.6-23.0
H.S. or G.E.D.	3751	1,738,598	3258	85.9	84.3-87.5	493	14.1	12.5-15.7
Some Post-H.S.	2751	1,567,309	2368	86.3	84.5-88.1	383	13.7	11.9-15.5
College Graduate	3628	1,103,395	3168	86.9	85.3-88.5	460	13.1	11.5-14.7
Less than \$15,000	928	459,094	701	75.6	71.5-79.7	227	24.4	20.3-28.5
\$15,000- 24,999	1833	827,712	1539	81.9	79.0-84.8	294	18.1	15.2-21.0
\$25,000- 34,999	1146	495,793	1000	86.9	84.0-89.8	146	13.1	10.2-16.0
\$35,000- 49,999	1489	689,431	1301	86.6	83.9-89.3	188	13.4	10.7-16.1
\$50,000- 74,999	1511	709,106	1332	88.0	85.6-90.4	179	12.0	9.6-14.4
\$75,000+	2619	1,282,408	2328	88.6	86.8-90.4	291	11.4	9.6-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4551	2,475,700	4057	88.4	87.0-89.8	494	11.6	10.2-13.0
White/Non-Hisp	3847	1,980,756	3436	88.6	87.2-90.0	411	11.4	10.0-12.8
Black or Afr. Am./Non-Hisp	268	202,608	237	86.6	80.9-92.3	31	13.4	7.7-19.1
Oth. Race/Non-Hisp.	127	78,196	109	87.7	78.7-96.7	18	12.3	3.3-21.3
MultiRacial/Non-Hisp.	66	26,967	58	80.6	63.0-98.2	8	19.4	1.8-37.0
Hispanic	159	133,859	143	90.4	85.1-95.7	16	9.6	4.3-14.9
18-24	253	353,418	213	84.6	79.5-89.7	40	15.4	10.3-20.5
25-34	382	420,792	331	86.9	82.8-91.0	51	13.1	9.0-17.2
35-44	499	410,502	449	90.6	87.7-93.5	50	9.4	6.5-12.3
45-54	700	410,323	632	90.8	88.1-93.5	68	9.2	6.5-11.9
55-64	1010	413,066	877	85.8	83.1-88.5	133	14.2	11.5-16.9
65+	1654	445,407	1509	91.3	89.5-93.1	145	8.7	6.9-10.5
Less Than H.S.	374	344,218	318	85.9	81.2-90.6	56	14.1	9.4-18.8
H.S. or G.E.D.	1461	847,398	1307	88.7	86.3-91.1	154	11.3	8.9-13.7
Some Post-H.S.	1026	710,957	921	89.3	86.8-91.8	105	10.7	8.2-13.2
College Graduate	1676	565,813	1498	88.2	86.0-90.4	178	11.8	9.6-14.0
Less than \$15,000	311	196,433	254	80.6	74.5-86.7	57	19.4	13.3-25.5
\$15,000- 24,999	656	377,391	574	85.2	80.9-89.5	82	14.8	10.5-19.1
\$25,000- 34,999	441	231,507	402	92.2	89.1-95.3	39	7.8	4.7-10.9
\$35,000- 49,999	649	358,499	573	87.7	84.0-91.4	76	12.3	8.6-16.0
\$50,000- 74,999	711	365,477	643	89.4	86.5-92.3	68	10.6	7.7-13.5
\$75,000+	1310	694,665	1186	90.2	87.8-92.6	124	9.8	7.4-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6497	2,607,202	5480	82.9	81.5-84.3	1017	17.1	15.7-18.5
White/Non-Hisp	5565	2,126,719	4736	83.8	82.2-85.4	829	16.2	14.6-17.8
Black or Afr. Am./Non-Hisp	464	231,114	364	73.4	66.9-79.9	100	26.6	20.1-33.1
Oth. Race/Non-Hisp.	97	44,650	78	86.5	77.1-95.9	19	13.5	4.1-22.9
MultiRacial/Non-Hisp.	93	28,591	62	64.3	49.8-78.8	31	35.7	21.2-50.2
Hispanic	203	151,832	181	87.5	81.2-93.8	22	12.5	6.2-18.8
18-24	204	335,143	159	80.2	74.3-86.1	45	19.8	13.9-25.7
25-34	435	416,658	357	80.6	75.9-85.3	78	19.4	14.7-24.1
35-44	597	406,776	497	83.1	79.2-87.0	100	16.9	13.0-20.8
45-54	920	413,412	749	79.6	76.3-82.9	171	20.4	17.1-23.7
55-64	1437	436,180	1185	82.9	80.5-85.3	252	17.1	14.7-19.5
65+	2806	564,448	2446	88.3	86.7-89.9	360	11.7	10.1-13.3
Less Than H.S.	516	316,759	401	75.0	69.3-80.7	115	25.0	19.3-30.7
H.S. or G.E.D.	2290	891,200	1951	83.2	80.8-85.6	339	16.8	14.4-19.2
Some Post-H.S.	1725	856,353	1447	83.8	81.3-86.3	278	16.2	13.7-18.7
College Graduate	1952	537,582	1670	85.6	83.4-87.8	282	14.4	12.2-16.6
Less than \$15,000	617	262,661	447	71.9	66.2-77.6	170	28.1	22.4-33.8
\$15,000- 24,999	1177	450,321	965	79.2	75.3-83.1	212	20.8	16.9-24.7
\$25,000- 34,999	705	264,286	598	82.4	77.9-86.9	107	17.6	13.1-22.1
\$35,000- 49,999	840	330,933	728	85.4	81.7-89.1	112	14.6	10.9-18.3
\$50,000- 74,999	800	343,629	689	86.4	82.9-89.9	111	13.6	10.1-17.1
\$75,000+	1309	587,743	1142	86.8	84.3-89.3	167	13.2	10.7-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11023	5,066,658	9892	89.8	89.0-90.6	1131	10.2	9.4-11.0
Male	4540	2,466,469	4224	93.3	92.3-94.3	316	6.7	5.7- 7.7
Female	6483	2,600,189	5668	86.6	85.2-88.0	815	13.4	12.0-14.8
White/Non-Hisp	9396	4,098,721	8465	90.2	89.4-91.0	931	9.8	9.0-10.6
Black or Afr. Am./Non-Hisp	728	429,863	630	84.1	80.0-88.2	98	15.9	11.8-20.0
Oth. Race/Non-Hisp.	224	122,845	195	93.6	90.1-97.1	29	6.4	2.9- 9.9
MultiRacial/Non-Hisp.	158	55,470	128	81.3	72.7-89.9	30	18.7	10.1-27.3
Hispanic	359	282,580	337	93.7	90.4-97.0	22	6.3	3.0- 9.6
18-24	455	685,821	401	88.9	85.8-92.0	54	11.1	8.0-14.2
25-34	810	828,940	726	90.0	87.5-92.5	84	10.0	7.5-12.5
35-44	1095	816,588	993	91.0	88.8-93.2	102	9.0	6.8-11.2
45-54	1618	822,399	1443	89.3	87.5-91.1	175	10.7	8.9-12.5
55-64	2439	847,515	2139	88.0	86.4-89.6	300	12.0	10.4-13.6
65+	4455	1,008,616	4052	91.6	90.6-92.6	403	8.4	7.4- 9.4
Less Than H.S.	888	659,734	746	84.4	81.1-87.7	142	15.6	12.3-18.9
H.S. or G.E.D.	3744	1,732,061	3370	90.3	88.9-91.7	374	9.7	8.3-11.1
Some Post-H.S.	2742	1,561,249	2457	90.7	89.1-92.3	285	9.3	7.7-10.9
College Graduate	3621	1,100,990	3295	91.3	89.9-92.7	326	8.7	7.3-10.1
Less than \$15,000	925	456,500	737	79.6	75.5-83.7	188	20.4	16.3-24.5
\$15,000- 24,999	1829	826,563	1606	87.4	85.0-89.8	223	12.6	10.2-15.0
\$25,000- 34,999	1142	493,489	1022	90.1	87.6-92.6	120	9.9	7.4-12.4
\$35,000- 49,999	1486	685,736	1345	90.9	88.7-93.1	141	9.1	6.9-11.3
\$50,000- 74,999	1508	707,500	1383	92.5	90.7-94.3	125	7.5	5.7- 9.3
\$75,000+	2617	1,281,046	2421	92.9	91.5-94.3	196	7.1	5.7- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4540	2,466,469	4224	93.3	92.3-94.3	316	6.7	5.7- 7.7
White/Non-Hisp	3839	1,974,696	3574	93.3	92.3-94.3	265	6.7	5.7- 7.7
Black or Afr. Am./Non-Hisp	267	200,456	245	90.7	85.8-95.6	22	9.3	4.4-14.2
Oth. Race/Non-Hisp.	127	78,196	116	95.7	92.2-99.2	11	4.3	0.8- 7.8
MultiRacial/Non-Hisp.	66	26,967	61	93.7	87.4- 100	5	6.3	0.0-12.6
Hispanic	158	133,272	152	96.2	92.7-99.7	6	3.8	0.3- 7.3
18-24	251	350,678	232	92.8	89.3-96.3	19	7.2	3.7-10.7
25-34	379	416,193	354	94.0	91.3-96.7	25	6.0	3.3- 8.7
35-44	499	410,502	478	96.0	94.0-98.0	21	4.0	2.0- 6.0
45-54	699	410,037	656	94.3	92.1-96.5	43	5.7	3.5- 7.9
55-64	1006	411,901	913	90.1	87.7-92.5	93	9.9	7.5-12.3
65+	1653	444,966	1544	93.2	91.6-94.8	109	6.8	5.2- 8.4
Less Than H.S.	374	344,218	332	91.0	87.5-94.5	42	9.0	5.5-12.5
H.S. or G.E.D.	1457	843,312	1358	94.0	92.4-95.6	99	6.0	4.4- 7.6
Some Post-H.S.	1021	707,173	954	93.7	91.7-95.7	67	6.3	4.3- 8.3
College Graduate	1674	564,450	1567	93.2	91.4-95.0	107	6.8	5.0- 8.6
Less than \$15,000	311	196,433	266	85.0	79.5-90.5	45	15.0	9.5-20.5
\$15,000- 24,999	655	377,105	596	91.2	88.3-94.1	59	8.8	5.9-11.7
\$25,000- 34,999	439	230,688	416	96.1	93.9-98.3	23	3.9	1.7- 6.1
\$35,000- 49,999	647	355,494	597	93.1	90.6-95.6	50	6.9	4.4- 9.4
\$50,000- 74,999	708	363,871	671	95.4	93.6-97.2	37	4.6	2.8- 6.4
\$75,000+	1308	693,303	1239	94.7	92.9-96.5	69	5.3	3.5- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6483	2,600,189	5668	86.6	85.2-88.0	815	13.4	12.0-14.8
White/Non-Hisp	5557	2,124,025	4891	87.3	85.9-88.7	666	12.7	11.3-14.1
Black or Afr. Am./Non-Hisp	461	229,407	385	78.4	72.1-84.7	76	21.6	15.3-27.9
Oth. Race/Non-Hisp.	97	44,650	79	89.9	82.6-97.2	18	10.1	2.8-17.4
MultiRacial/Non-Hisp.	92	28,502	67	69.6	55.5-83.7	25	30.4	16.3-44.5
Hispanic	201	149,308	185	91.4	86.1-96.7	16	8.6	3.3-13.9
18-24	204	335,143	169	84.8	79.5-90.1	35	15.2	9.9-20.5
25-34	431	412,748	372	85.9	81.8-90.0	59	14.1	10.0-18.2
35-44	596	406,086	515	86.1	82.4-89.8	81	13.9	10.2-17.6
45-54	919	412,362	787	84.4	81.5-87.3	132	15.6	12.7-18.5
55-64	1433	435,614	1226	86.0	83.8-88.2	207	14.0	11.8-16.2
65+	2802	563,651	2508	90.3	88.9-91.7	294	9.7	8.3-11.1
Less Than H.S.	514	315,516	414	77.1	71.6-82.6	100	22.9	17.4-28.4
H.S. or G.E.D.	2287	888,748	2012	86.8	84.6-89.0	275	13.2	11.0-15.4
Some Post-H.S.	1721	854,076	1503	88.1	85.9-90.3	218	11.9	9.7-14.1
College Graduate	1947	536,540	1728	89.2	87.2-91.2	219	10.8	8.8-12.8
Less than \$15,000	614	260,067	471	75.5	69.8-81.2	143	24.5	18.8-30.2
\$15,000- 24,999	1174	449,458	1010	84.2	80.7-87.7	164	15.8	12.3-19.3
\$25,000- 34,999	703	262,801	606	84.9	80.8-89.0	97	15.1	11.0-19.2
\$35,000- 49,999	839	330,243	748	88.5	85.2-91.8	91	11.5	8.2-14.8
\$50,000- 74,999	800	343,629	712	89.6	86.7-92.5	88	10.4	7.5-13.3
\$75,000+	1309	587,743	1182	90.7	88.5-92.9	127	9.3	7.1-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11023	5,066,658	1131	10.2	9.4-11.0	355	4.0	3.4- 4.6	9537	85.9	84.9-86.9
Male	4540	2,466,469	316	6.7	5.7- 7.7	167	4.6	3.6- 5.6	4057	88.7	87.3-90.1
Female	6483	2,600,189	815	13.4	12.0-14.8	188	3.4	2.6- 4.2	5480	83.1	81.7-84.5
White/Non-Hisp	9396	4,098,721	931	9.8	9.0-10.6	293	3.9	3.3- 4.5	8172	86.3	85.3-87.3
Black or Afr. Am./Non-Hisp	728	429,863	98	15.9	11.8-20.0	29	3.8	1.8- 5.8	601	80.3	76.0-84.6
Oth. Race/Non-Hisp.	224	122,845	29	6.4	2.9- 9.9	8	6.3	0.4-12.2	187	87.3	80.6-94.0
MultiRacial/Non-Hisp.	158	55,470	30	18.7	10.1-27.3	8	9.0	0.0-18.4	120	72.3	60.9-83.7
Hispanic	359	282,580	22	6.3	3.0- 9.6	13	3.8	1.3- 6.3	324	89.8	85.7-93.9
18-24	455	685,821	54	11.1	8.0-14.2	29	6.1	3.6- 8.6	372	82.8	78.9-86.7
25-34	810	828,940	84	10.0	7.5-12.5	38	5.4	3.2- 7.6	688	84.6	81.5-87.7
35-44	1095	816,588	102	9.0	6.8-11.2	47	4.1	2.7- 5.5	946	87.0	84.5-89.5
45-54	1618	822,399	175	10.7	8.9-12.5	62	4.0	2.6- 5.4	1381	85.3	83.1-87.5
55-64	2439	847,515	300	12.0	10.4-13.6	77	3.5	2.5- 4.5	2062	84.5	82.7-86.3
65+	4455	1,008,616	403	8.4	7.4- 9.4	97	1.8	1.2- 2.4	3955	89.7	88.5-90.9
Less Than H.S.	888	659,734	142	15.6	12.3-18.9	27	3.5	1.5- 5.5	719	80.9	77.2-84.6
H.S. or G.E.D.	3744	1,732,061	374	9.7	8.3-11.1	112	4.1	2.9- 5.3	3258	86.2	84.6-87.8
Some Post-H.S.	2742	1,561,249	285	9.3	7.7-10.9	89	4.0	2.8- 5.2	2368	86.7	84.9-88.5
College Graduate	3621	1,100,990	326	8.7	7.3-10.1	127	4.1	3.1- 5.1	3168	87.1	85.5-88.7
Less than \$15,000	925	456,500	188	20.4	16.3-24.5	36	3.5	1.9- 5.1	701	76.0	71.9-80.1
\$15,000- 24,999	1829	826,563	223	12.6	10.2-15.0	67	5.3	3.3- 7.3	1539	82.0	79.1-84.9
\$25,000- 34,999	1142	493,489	120	9.9	7.4-12.4	22	2.8	1.2- 4.4	1000	87.3	84.6-90.0
\$35,000- 49,999	1486	685,736	141	9.1	6.9-11.3	44	3.8	2.0- 5.6	1301	87.1	84.6-89.6
\$50,000- 74,999	1508	707,500	125	7.5	5.7- 9.3	51	4.4	2.8- 6.0	1332	88.2	85.8-90.6
\$75,000+	2617	1,281,046	196	7.1	5.7- 8.5	93	4.2	3.0- 5.4	2328	88.7	86.9-90.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4540	2,466,469	316	6.7	5.7- 7.7	167	4.6	3.6- 5.6	4057	88.7	87.3-90.1
White/Non-Hisp	3839	1,974,696	265	6.7	5.7- 7.7	138	4.4	3.4- 5.4	3436	88.9	87.5-90.3
Black or Afr. Am./Non-Hisp	267	200,456	22	9.3	4.4-14.2	8	3.1	0.6- 5.6	237	87.6	82.3-92.9
Oth. Race/Non-Hisp.	127	78,196	11	4.3	0.8- 7.8	7	8.0	0.0-16.4	109	87.7	78.7-96.7
MultiRacial/Non-Hisp.	66	26,967	5	6.3	0.0-12.6	3	13.1	0.0-30.5	58	80.6	63.0-98.2
Hispanic	158	133,272	6	3.8	0.3- 7.3	9	5.4	1.5- 9.3	143	90.8	85.5-96.1
18-24	251	350,678	19	7.2	3.7-10.7	19	7.6	3.7-11.5	213	85.2	80.1-90.3
25-34	379	416,193	25	6.0	3.3- 8.7	23	6.2	3.1- 9.3	331	87.8	83.9-91.7
35-44	499	410,502	21	4.0	2.0- 6.0	29	5.4	3.0- 7.8	449	90.6	87.7-93.5
45-54	699	410,037	43	5.7	3.5- 7.9	24	3.3	1.5- 5.1	632	90.9	88.2-93.6
55-64	1006	411,901	93	9.9	7.5-12.3	36	4.0	2.4- 5.6	877	86.1	83.4-88.8
65+	1653	444,966	109	6.8	5.2- 8.4	35	1.8	1.0- 2.6	1509	91.4	89.6-93.2
Less Than H.S.	374	344,218	42	9.0	5.5-12.5	14	5.1	1.8- 8.4	318	85.9	81.2-90.6
H.S. or G.E.D.	1457	843,312	99	6.0	4.4- 7.6	51	4.9	3.1- 6.7	1307	89.1	86.7-91.5
Some Post-H.S.	1021	707,173	67	6.3	4.3- 8.3	33	3.9	2.3- 5.5	921	89.8	87.3-92.3
College Graduate	1674	564,450	107	6.8	5.0- 8.6	69	4.8	3.4- 6.2	1498	88.4	86.2-90.6
Less than \$15,000	311	196,433	45	15.0	9.5-20.5	12	4.3	1.2- 7.4	254	80.6	74.5-86.7
\$15,000- 24,999	655	377,105	59	8.8	5.9-11.7	22	5.9	2.6- 9.2	574	85.3	81.0-89.6
\$25,000- 34,999	439	230,688	23	3.9	1.7- 6.1	14	3.6	1.2- 6.0	402	92.5	89.4-95.6
\$35,000- 49,999	647	355,494	50	6.9	4.4- 9.4	24	4.6	2.1- 7.1	573	88.5	85.0-92.0
\$50,000- 74,999	708	363,871	37	4.6	2.8- 6.4	28	5.5	3.1- 7.9	643	89.8	86.9-92.7
\$75,000+	1308	693,303	69	5.3	3.5- 7.1	53	4.4	2.6- 6.2	1186	90.4	88.0-92.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6483	2,600,189	815	13.4	12.0-14.8	188	3.4	2.6- 4.2	5480	83.1	81.7-84.5
White/Non-Hisp	5557	2,124,025	666	12.7	11.3-14.1	155	3.4	2.6- 4.2	4736	83.9	82.3-85.5
Black or Afr. Am./Non-Hisp	461	229,407	76	21.6	15.3-27.9	21	4.5	1.6- 7.4	364	74.0	67.5-80.5
Oth. Race/Non-Hisp.	97	44,650	18	10.1	2.8-17.4	1	3.4	0.0-10.1	78	86.5	77.1-95.9
MultiRacial/Non-Hisp.	92	28,502	25	30.4	16.3-44.5	5	5.1	0.0-11.8	62	64.5	50.0-79.0
Hispanic	201	149,308	16	8.6	3.3-13.9	4	2.4	0.0- 5.5	181	89.0	82.9-95.1
18-24	204	335,143	35	15.2	9.9-20.5	10	4.6	1.5- 7.7	159	80.2	74.3-86.1
25-34	431	412,748	59	14.1	10.0-18.2	15	4.5	1.8- 7.2	357	81.3	76.6-86.0
35-44	596	406,086	81	13.9	10.2-17.6	18	2.8	1.2- 4.4	497	83.3	79.4-87.2
45-54	919	412,362	132	15.6	12.7-18.5	38	4.6	2.6- 6.6	749	79.8	76.5-83.1
55-64	1433	435,614	207	14.0	11.8-16.2	41	3.1	1.9- 4.3	1185	83.0	80.6-85.4
65+	2802	563,651	294	9.7	8.3-11.1	62	1.8	1.2- 2.4	2446	88.5	86.9-90.1
Less Than H.S.	514	315,516	100	22.9	17.4-28.4	13	1.8	0.2- 3.4	401	75.3	69.6-81.0
H.S. or G.E.D.	2287	888,748	275	13.2	11.0-15.4	61	3.4	2.2- 4.6	1951	83.4	81.0-85.8
Some Post-H.S.	1721	854,076	218	11.9	9.7-14.1	56	4.1	2.5- 5.7	1447	84.1	81.6-86.6
College Graduate	1947	536,540	219	10.8	8.8-12.8	58	3.4	2.2- 4.6	1670	85.8	83.6-88.0
Less than \$15,000	614	260,067	143	24.5	18.8-30.2	24	2.9	1.3- 4.5	447	72.6	66.9-78.3
\$15,000- 24,999	1174	449,458	164	15.8	12.3-19.3	45	4.8	2.6- 7.0	965	79.4	75.5-83.3
\$25,000- 34,999	703	262,801	97	15.1	11.0-19.2	8	2.0	0.0- 4.0	598	82.8	78.3-87.3
\$35,000- 49,999	839	330,243	91	11.5	8.2-14.8	20	2.9	0.7- 5.1	728	85.6	81.9-89.3
\$50,000- 74,999	800	343,629	88	10.4	7.5-13.3	23	3.1	1.1- 5.1	689	86.4	82.9-89.9
\$75,000+	1309	587,743	127	9.3	7.1-11.5	40	3.9	2.3- 5.5	1142	86.8	84.3-89.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11033	5,072,965	4326	27.8	26.6-29.0	6707	72.2	71.0-73.4
Male	4543	2,472,658	1424	22.8	21.2-24.4	3119	77.2	75.6-78.8
Female	6490	2,600,308	2902	32.5	30.9-34.1	3588	67.5	65.9-69.1
White/Non-Hisp	9406	4,103,441	3790	29.5	28.3-30.7	5616	70.5	69.3-71.7
Black or Afr. Am./Non-Hisp	730	430,831	262	24.9	20.8-29.0	468	75.1	71.0-79.2
Oth. Race/Non-Hisp.	221	120,511	66	15.7	8.4-23.0	155	84.3	77.0-91.6
MultiRacial/Non-Hisp.	159	55,558	83	32.1	22.7-41.5	76	67.9	58.5-77.3
Hispanic	362	285,691	70	12.4	8.7-16.1	292	87.6	83.9-91.3
18-24	457	686,837	15	3.2	1.4- 5.0	442	96.8	95.0-98.6
25-34	812	831,255	79	9.7	7.3-12.1	733	90.3	87.9-92.7
35-44	1095	816,504	181	16.4	13.7-19.1	914	83.6	80.9-86.3
45-54	1616	821,978	471	29.5	26.8-32.2	1145	70.5	67.8-73.2
55-64	2449	851,240	1097	44.8	42.3-47.3	1352	55.2	52.7-57.7
65+	4453	1,008,373	2432	52.7	50.7-54.7	2021	47.3	45.3-49.3
Less Than H.S.	890	659,742	451	34.1	30.0-38.2	439	65.9	61.8-70.0
H.S. or G.E.D.	3747	1,735,349	1631	31.0	29.0-33.0	2116	69.0	67.0-71.0
Some Post-H.S.	2746	1,564,268	1114	27.3	25.1-29.5	1632	72.7	70.5-74.9
College Graduate	3623	1,101,281	1121	19.6	18.0-21.2	2502	80.4	78.8-82.0
Less than \$15,000	932	463,243	476	38.1	33.8-42.4	456	61.9	57.6-66.2
\$15,000- 24,999	1830	824,423	909	36.8	33.7-39.9	921	63.2	60.1-66.3
\$25,000- 34,999	1143	492,156	507	31.6	27.9-35.3	636	68.4	64.7-72.1
\$35,000- 49,999	1488	689,129	610	28.3	25.4-31.2	878	71.7	68.8-74.6
\$50,000- 74,999	1510	708,396	512	23.4	20.9-25.9	998	76.6	74.1-79.1
\$75,000+	2618	1,279,997	684	18.2	16.4-20.0	1934	81.8	80.0-83.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4543	2,472,658	1424	22.8	21.2-24.4	3119	77.2	75.6-78.8
White/Non-Hisp	3843	1,979,442	1248	24.1	22.3-25.9	2595	75.9	74.1-77.7
Black or Afr. Am./Non-Hisp	267	201,963	66	20.7	14.2-27.2	201	79.3	72.8-85.8
Oth. Race/Non-Hisp.	125	77,316	29	14.1	4.1-24.1	96	85.9	75.9-95.9
MultiRacial/Non-Hisp.	66	26,967	29	25.8	13.1-38.5	37	74.2	61.5-86.9
Hispanic	159	133,859	27	10.8	5.9-15.7	132	89.2	84.3-94.1
18-24	253	353,418	5	1.9	0.0- 3.9	248	98.1	96.1- 100
25-34	379	417,915	25	6.8	3.7- 9.9	354	93.2	90.1-96.3
35-44	499	410,502	69	15.3	11.2-19.4	430	84.7	80.6-88.8
45-54	697	408,969	164	24.2	20.3-28.1	533	75.8	71.9-79.7
55-64	1011	414,992	400	40.6	36.7-44.5	611	59.4	55.5-63.3
65+	1651	444,669	739	42.9	39.8-46.0	912	57.1	54.0-60.2
Less Than H.S.	375	345,901	148	27.6	22.1-33.1	227	72.4	66.9-77.9
H.S. or G.E.D.	1459	845,284	499	24.3	21.8-26.8	960	75.7	73.2-78.2
Some Post-H.S.	1025	710,841	338	23.7	20.6-26.8	687	76.3	73.2-79.4
College Graduate	1670	563,317	436	16.5	14.5-18.5	1234	83.5	81.5-85.5
Less than \$15,000	314	198,976	120	31.4	24.9-37.9	194	68.6	62.1-75.1
\$15,000- 24,999	655	377,079	258	30.3	25.6-35.0	397	69.7	65.0-74.4
\$25,000- 34,999	440	230,862	148	23.5	18.4-28.6	292	76.5	71.4-81.6
\$35,000- 49,999	648	358,383	221	23.8	19.9-27.7	427	76.2	72.3-80.1
\$50,000- 74,999	708	364,448	220	21.2	17.7-24.7	488	78.8	75.3-82.3
\$75,000+	1308	691,869	306	16.7	14.3-19.1	1002	83.3	80.9-85.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6490	2,600,308	2902	32.5	30.9-34.1	3588	67.5	65.9-69.1
White/Non-Hisp	5563	2,123,999	2542	34.5	32.7-36.3	3021	65.5	63.7-67.3
Black or Afr. Am./Non-Hisp	463	228,868	196	28.6	23.3-33.9	267	71.4	66.1-76.7
Oth. Race/Non-Hisp.	96	43,195	37	18.7	8.5-28.9	59	81.3	71.1-91.5
MultiRacial/Non-Hisp.	93	28,591	54	38.1	25.0-51.2	39	61.9	48.8-75.0
Hispanic	203	151,832	43	13.7	8.0-19.4	160	86.3	80.6-92.0
18-24	204	333,419	10	4.5	1.6- 7.4	194	95.5	92.6-98.4
25-34	433	413,340	54	12.5	9.0-16.0	379	87.5	84.0-91.0
35-44	596	406,002	112	17.6	13.9-21.3	484	82.4	78.7-86.1
45-54	919	413,009	307	34.8	30.9-38.7	612	65.2	61.3-69.1
55-64	1438	436,249	697	48.8	45.7-51.9	741	51.2	48.1-54.3
65+	2802	563,704	1693	60.4	58.0-62.8	1109	39.6	37.2-42.0
Less Than H.S.	515	313,841	303	41.3	35.4-47.2	212	58.7	52.8-64.6
H.S. or G.E.D.	2288	890,065	1132	37.4	34.7-40.1	1156	62.6	59.9-65.3
Some Post-H.S.	1721	853,427	776	30.3	27.6-33.0	945	69.7	67.0-72.4
College Graduate	1953	537,964	685	22.9	20.5-25.3	1268	77.1	74.7-79.5
Less than \$15,000	618	264,267	356	43.1	37.2-49.0	262	56.9	51.0-62.8
\$15,000- 24,999	1175	447,344	651	42.4	38.3-46.5	524	57.6	53.5-61.7
\$25,000- 34,999	703	261,294	359	38.8	33.5-44.1	344	61.2	55.9-66.5
\$35,000- 49,999	840	330,746	389	33.2	29.1-37.3	451	66.8	62.7-70.9
\$50,000- 74,999	802	343,947	292	25.7	21.8-29.6	510	74.3	70.4-78.2
\$75,000+	1310	588,128	378	20.1	17.6-22.6	932	79.9	77.4-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	41
5	MALES ONLY	42
6	FEMALES ONLY	43
	ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7	MALES AND FEMALES	44
8	MALES ONLY	45
9	FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10909	5,044,041	4691	52.5	51.1-53.9	6218	47.5	46.1-48.9
Male	4501	2,455,681	1981	53.2	51.2-55.2	2520	46.8	44.8-48.8
Female	6408	2,588,359	2710	51.8	50.0-53.6	3698	48.2	46.4-50.0
White/Non-Hisp	9296	4,076,852	4023	52.5	50.9-54.1	5273	47.5	45.9-49.1
Black or Afr. Am./Non-Hisp	724	429,792	257	47.1	41.8-52.4	467	52.9	47.6-58.2
Oth. Race/Non-Hisp.	221	121,440	112	69.1	60.3-77.9	109	30.9	22.1-39.7
MultiRacial/Non-Hisp.	156	55,313	69	59.9	48.7-71.1	87	40.1	28.9-51.3
Hispanic	360	285,189	186	56.8	50.3-63.3	174	43.2	36.7-49.7
18-24	457	688,818	404	87.6	84.1-91.1	53	12.4	8.9-15.9
25-34	815	835,550	593	72.1	68.4-75.8	222	27.9	24.2-31.6
35-44	1091	811,968	712	61.1	57.4-64.8	379	38.9	35.2-42.6
45-54	1614	818,902	847	46.5	43.4-49.6	767	53.5	50.4-56.6
55-64	2433	845,507	938	35.3	32.9-37.7	1495	64.7	62.3-67.1
65+	4350	986,692	1134	24.6	23.0-26.2	3216	75.4	73.8-77.0
Less Than H.S.	870	654,187	186	32.3	27.6-37.0	684	67.7	63.0-72.4
H.S. or G.E.D.	3691	1,722,860	1200	46.0	43.6-48.4	2491	54.0	51.6-56.4
Some Post-H.S.	2719	1,556,998	1167	55.8	53.3-58.3	1552	44.2	41.7-46.7
College Graduate	3604	1,098,909	2129	70.1	68.1-72.1	1475	29.9	27.9-31.9
Less than \$15,000	917	456,830	227	37.0	32.1-41.9	690	63.0	58.1-67.9
\$15,000- 24,999	1801	819,360	529	41.4	37.9-44.9	1272	58.6	55.1-62.1
\$25,000- 34,999	1124	491,428	379	44.8	40.3-49.3	745	55.2	50.7-59.7
\$35,000- 49,999	1481	685,402	574	47.7	44.0-51.4	907	52.3	48.6-56.0
\$50,000- 74,999	1507	707,067	722	56.5	53.0-60.0	785	43.5	40.0-47.0
\$75,000+	2610	1,277,450	1661	68.5	66.0-71.0	949	31.5	29.0-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4501	2,455,681	1981	53.2	51.2-55.2	2520	46.8	44.8-48.8
White/Non-Hisp	3806	1,965,017	1666	52.9	50.7-55.1	2140	47.1	44.9-49.3
Black or Afr. Am./Non-Hisp	264	200,022	99	46.3	38.1-54.5	165	53.7	45.5-61.9
Oth. Race/Non-Hisp.	126	78,161	69	73.8	63.6-84.0	57	26.2	16.0-36.4
MultiRacial/Non-Hisp.	64	26,797	32	70.6	54.5-86.7	32	29.4	13.3-45.5
Hispanic	159	133,859	90	60.7	51.7-69.7	69	39.3	30.3-48.3
18-24	252	352,482	227	89.5	85.0-94.0	25	10.5	6.0-15.0
25-34	380	419,146	279	72.6	67.3-77.9	101	27.4	22.1-32.7
35-44	496	407,242	319	60.4	54.9-65.9	177	39.6	34.1-45.1
45-54	695	406,341	366	47.2	42.5-51.9	329	52.8	48.1-57.5
55-64	1004	411,511	384	33.5	30.0-37.0	620	66.5	63.0-70.0
65+	1621	436,767	385	23.4	20.7-26.1	1236	76.6	73.9-79.3
Less Than H.S.	366	340,785	91	35.8	28.7-42.9	275	64.2	57.1-71.3
H.S. or G.E.D.	1439	837,910	509	48.4	44.9-51.9	930	51.6	48.1-55.1
Some Post-H.S.	1020	707,565	444	56.5	52.6-60.4	576	43.5	39.6-47.4
College Graduate	1663	563,152	931	66.8	63.9-69.7	732	33.2	30.3-36.1
Less than \$15,000	306	194,281	100	41.3	33.7-48.9	206	58.7	51.1-66.3
\$15,000- 24,999	647	374,443	198	43.8	38.1-49.5	449	56.2	50.5-61.9
\$25,000- 34,999	432	229,220	147	44.7	37.6-51.8	285	55.3	48.2-62.4
\$35,000- 49,999	644	356,243	239	48.0	42.5-53.5	405	52.0	46.5-57.5
\$50,000- 74,999	708	364,036	310	54.4	49.3-59.5	398	45.6	40.5-50.7
\$75,000+	1303	690,972	793	66.3	62.8-69.8	510	33.7	30.2-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6408	2,588,359	2710	51.8	50.0-53.6	3698	48.2	46.4-50.0
White/Non-Hisp	5490	2,111,835	2357	52.1	50.1-54.1	3133	47.9	45.9-49.9
Black or Afr. Am./Non-Hisp	460	229,770	158	47.7	40.8-54.6	302	52.3	45.4-59.2
Oth. Race/Non-Hisp.	95	43,279	43	60.6	45.1-76.1	52	39.4	23.9-54.9
MultiRacial/Non-Hisp.	92	28,517	37	49.8	34.7-64.9	55	50.2	35.1-65.3
Hispanic	201	151,330	96	53.4	44.2-62.6	105	46.6	37.4-55.8
18-24	205	336,336	177	85.5	79.8-91.2	28	14.5	8.8-20.2
25-34	435	416,403	314	71.5	66.2-76.8	121	28.5	23.2-33.8
35-44	595	404,726	393	61.9	57.0-66.8	202	38.1	33.2-43.0
45-54	919	412,561	481	45.7	41.8-49.6	438	54.3	50.4-58.2
55-64	1429	433,996	554	36.9	33.8-40.0	875	63.1	60.0-66.2
65+	2729	549,925	749	25.5	23.5-27.5	1980	74.5	72.5-76.5
Less Than H.S.	504	313,402	95	28.5	22.4-34.6	409	71.5	65.4-77.6
H.S. or G.E.D.	2252	884,951	691	43.7	40.6-46.8	1561	56.3	53.2-59.4
Some Post-H.S.	1699	849,433	723	55.3	52.0-58.6	976	44.7	41.4-48.0
College Graduate	1941	535,757	1198	73.5	71.0-76.0	743	26.5	24.0-29.0
Less than \$15,000	611	262,549	127	33.8	27.3-40.3	484	66.2	59.7-72.7
\$15,000- 24,999	1154	444,917	331	39.4	34.7-44.1	823	60.6	55.9-65.3
\$25,000- 34,999	692	262,208	232	44.9	39.0-50.8	460	55.1	49.2-61.0
\$35,000- 49,999	837	329,159	335	47.4	42.3-52.5	502	52.6	47.5-57.7
\$50,000- 74,999	799	343,031	412	58.8	53.9-63.7	387	41.2	36.3-46.1
\$75,000+	1307	586,478	868	71.2	67.9-74.5	439	28.8	25.5-32.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4350	986,692	3624	81.4	79.8-83.0	726	18.6	17.0-20.2
Male	1621	436,767	1359	80.7	78.0-83.4	262	19.3	16.6-22.0
Female	2729	549,925	2265	81.9	80.1-83.7	464	18.1	16.3-19.9
White/Non-Hisp	3927	879,612	3302	82.2	80.6-83.8	625	17.8	16.2-19.4
Black or Afr. Am./Non-Hisp	205	64,575	150	70.3	60.9-79.7	55	29.7	20.3-39.1
Oth. Race/Non-Hisp.	54	6,188	43	79.1	64.4-93.8	11	20.9	6.2-35.6
MultiRacial/Non-Hisp.	58	10,767	45	83.5	73.5-93.5	13	16.5	6.5-26.5
65+	4350	986,692	3624	81.4	79.8-83.0	726	18.6	17.0-20.2
Less Than H.S.	344	117,031	191	59.4	52.9-65.9	153	40.6	34.1-47.1
H.S. or G.E.D.	1658	402,545	1292	78.6	76.1-81.1	366	21.4	18.9-23.9
Some Post-H.S.	1040	282,955	903	85.9	83.0-88.8	137	14.1	11.2-17.0
College Graduate	1301	182,603	1232	94.6	93.0-96.2	69	5.4	3.8- 7.0
Less than \$15,000	314	72,724	195	61.2	53.6-68.8	119	38.8	31.2-46.4
\$15,000- 24,999	887	202,935	677	75.1	71.2-79.0	210	24.9	21.0-28.8
\$25,000- 34,999	590	131,180	484	80.5	76.4-84.6	106	19.5	15.4-23.6
\$35,000- 49,999	677	160,144	607	86.1	82.2-90.0	70	13.9	10.0-17.8
\$50,000- 74,999	554	129,603	510	90.3	86.8-93.8	44	9.7	6.2-13.2
\$75,000+	565	120,323	531	92.4	89.7-95.1	34	7.6	4.9-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1621	436,767	1359	80.7	78.0-83.4	262	19.3	16.6-22.0
White/Non-Hisp	1462	386,967	1237	81.9	79.2-84.6	225	18.1	15.4-20.8
Black or Afr. Am./Non-Hisp	69	30,671	52	65.4	48.9-81.9	17	34.6	18.1-51.1
65+	1621	436,767	1359	80.7	78.0-83.4	262	19.3	16.6-22.0
Less Than H.S.	114	46,921	62	59.5	48.5-70.5	52	40.5	29.5-51.5
H.S. or G.E.D.	526	164,993	402	76.8	72.1-81.5	124	23.2	18.5-27.9
Some Post-H.S.	353	122,812	301	82.6	77.1-88.1	52	17.4	11.9-22.9
College Graduate	623	100,843	590	94.7	92.5-96.9	33	5.3	3.1- 7.5
Less than \$15,000	70	23,662	47	64.3	48.2-80.4	23	35.7	19.6-51.8
\$15,000- 24,999	266	75,261	189	68.4	60.6-76.2	77	31.6	23.8-39.4
\$25,000- 34,999	209	56,678	170	81.6	75.3-87.9	39	18.4	12.1-24.7
\$35,000- 49,999	283	79,216	245	80.5	73.6-87.4	38	19.5	12.6-26.4
\$50,000- 74,999	287	76,475	261	89.2	84.1-94.3	26	10.8	5.7-15.9
\$75,000+	305	67,693	289	93.4	89.9-96.9	16	6.6	3.1-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	549,925	2265	81.9	80.1-83.7	464	18.1	16.3-19.9
White/Non-Hisp	2465	492,645	2065	82.4	80.4-84.4	400	17.6	15.6-19.6
Black or Afr. Am./Non-Hisp	136	33,904	98	74.8	65.6-84.0	38	25.2	16.0-34.4
65+	2729	549,925	2265	81.9	80.1-83.7	464	18.1	16.3-19.9
Less Than H.S.	230	70,110	129	59.4	51.6-67.2	101	40.6	32.8-48.4
H.S. or G.E.D.	1132	237,553	890	79.8	77.1-82.5	242	20.2	17.5-22.9
Some Post-H.S.	687	160,143	602	88.4	85.5-91.3	85	11.6	8.7-14.5
College Graduate	678	81,760	642	94.5	92.3-96.7	36	5.5	3.3- 7.7
Less than \$15,000	244	49,062	148	59.8	51.6-68.0	96	40.2	32.0-48.4
\$15,000- 24,999	621	127,675	488	79.0	74.9-83.1	133	21.0	16.9-25.1
\$25,000- 34,999	381	74,502	314	79.6	74.3-84.9	67	20.4	15.1-25.7
\$35,000- 49,999	394	80,929	362	91.7	88.2-95.2	32	8.3	4.8-11.8
\$50,000- 74,999	267	53,129	249	91.9	87.4-96.4	18	8.1	3.6-12.6
\$75,000+	260	52,630	242	91.2	86.7-95.7	18	8.8	4.3-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10991	5,065,232	7178	61.9	60.5-63.3	3813	38.1	36.7-39.5
Male	4537	2,470,798	2823	57.5	55.3-59.7	1714	42.5	40.3-44.7
Female	6454	2,594,435	4355	66.1	64.3-67.9	2099	33.9	32.1-35.7
White/Non-Hisp	9371	4,094,650	6281	64.3	62.9-65.7	3090	35.7	34.3-37.1
Black or Afr. Am./Non-Hisp	728	432,515	395	48.9	43.6-54.2	333	51.1	45.8-56.4
Oth. Race/Non-Hisp.	222	122,125	130	61.9	51.9-71.9	92	38.1	28.1-48.1
MultiRacial/Non-Hisp.	159	55,558	83	57.0	45.6-68.4	76	43.0	31.6-54.4
Hispanic	359	284,230	201	50.2	43.5-56.9	158	49.8	43.1-56.5
18-24	455	686,374	302	66.2	61.1-71.3	153	33.8	28.7-38.9
25-34	817	836,848	476	56.5	52.4-60.6	341	43.5	39.4-47.6
35-44	1092	814,941	713	61.0	57.3-64.7	379	39.0	35.3-42.7
45-54	1615	821,563	1065	61.5	58.4-64.6	550	38.5	35.4-41.6
55-64	2444	848,022	1638	64.8	62.4-67.2	806	35.2	32.8-37.6
65+	4419	1,001,650	2872	61.4	59.4-63.4	1547	38.6	36.6-40.6
Less Than H.S.	880	657,344	304	37.1	32.6-41.6	576	62.9	58.4-67.4
H.S. or G.E.D.	3713	1,725,933	2123	57.8	55.4-60.2	1590	42.2	39.8-44.6
Some Post-H.S.	2746	1,566,169	1814	65.3	62.8-67.8	932	34.7	32.2-37.2
College Graduate	3625	1,103,460	2923	78.1	76.1-80.1	702	21.9	19.9-23.9
Less than \$15,000	922	459,047	355	41.0	36.3-45.7	567	59.0	54.3-63.7
\$15,000- 24,999	1821	824,122	876	46.5	43.0-50.0	945	53.5	50.0-57.0
\$25,000- 34,999	1142	494,787	641	49.6	45.1-54.1	501	50.4	45.9-54.9
\$35,000- 49,999	1487	688,874	1001	61.4	57.7-65.1	486	38.6	34.9-42.3
\$50,000- 74,999	1509	708,551	1116	67.4	63.9-70.9	393	32.6	29.1-36.1
\$75,000+	2617	1,281,080	2194	81.1	78.9-83.3	423	18.9	16.7-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4537	2,470,798	2823	57.5	55.5-59.5	1714	42.5	40.5-44.5
White/Non-Hisp	3837	1,977,222	2451	59.5	57.3-61.7	1386	40.5	38.3-42.7
Black or Afr. Am./Non-Hisp	267	202,210	136	46.7	38.7-54.7	131	53.3	45.3-61.3
Oth. Race/Non-Hisp.	125	77,475	77	65.4	52.7-78.1	48	34.6	21.9-47.3
MultiRacial/Non-Hisp.	66	26,967	31	51.7	33.3-70.1	35	48.3	29.9-66.7
Hispanic	158	133,610	76	42.2	32.8-51.6	82	57.8	48.4-67.2
18-24	252	353,168	157	62.6	55.7-69.5	95	37.4	30.5-44.3
25-34	382	420,792	203	48.5	42.6-54.4	179	51.5	45.6-57.4
35-44	497	409,058	286	54.2	48.7-59.7	211	45.8	40.3-51.3
45-54	700	410,310	432	54.9	50.2-59.6	268	45.1	40.4-49.8
55-64	1011	412,940	655	63.4	59.7-67.1	356	36.6	32.9-40.3
65+	1643	442,734	1050	60.8	57.7-63.9	593	39.2	36.1-42.3
Less Than H.S.	374	343,868	116	31.1	24.6-37.6	258	68.9	62.4-75.4
H.S. or G.E.D.	1449	843,039	771	54.6	51.1-58.1	678	45.4	41.9-48.9
Some Post-H.S.	1025	710,877	639	60.1	56.2-64.0	386	39.9	36.0-43.8
College Graduate	1675	565,698	1289	74.6	71.7-77.5	386	25.4	22.5-28.3
Less than \$15,000	312	198,294	118	37.7	30.4-45.0	194	62.3	55.0-69.6
\$15,000- 24,999	653	376,406	268	40.7	35.2-46.2	385	59.3	53.8-64.8
\$25,000- 34,999	439	231,010	212	43.9	37.0-50.8	227	56.1	49.2-63.0
\$35,000- 49,999	646	357,273	391	54.6	49.1-60.1	255	45.4	39.9-50.9
\$50,000- 74,999	709	364,922	476	59.6	54.3-64.9	233	40.4	35.1-45.7
\$75,000+	1310	694,676	1055	76.8	73.5-80.1	255	23.2	19.9-26.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6454	2,594,435	4355	66.1	64.3-67.9	2099	33.9	32.1-35.7
White/Non-Hisp	5534	2,117,428	3830	68.7	66.9-70.5	1704	31.3	29.5-33.1
Black or Afr. Am./Non-Hisp	461	230,305	259	50.8	43.9-57.7	202	49.2	42.3-56.1
Oth. Race/Non-Hisp.	97	44,650	53	55.8	40.1-71.5	44	44.2	28.5-59.9
MultiRacial/Non-Hisp.	93	28,591	52	62.1	48.4-75.8	41	37.9	24.2-51.6
Hispanic	201	150,620	125	57.3	48.1-66.5	76	42.7	33.5-51.9
18-24	203	333,205	145	70.0	62.7-77.3	58	30.0	22.7-37.3
25-34	435	416,056	273	64.6	59.3-69.9	162	35.4	30.1-40.7
35-44	595	405,883	427	67.8	62.9-72.7	168	32.2	27.3-37.1
45-54	915	411,252	633	68.0	64.1-71.9	282	32.0	28.1-35.9
55-64	1433	435,082	983	66.2	63.1-69.3	450	33.8	30.7-36.9
65+	2776	558,915	1822	61.9	59.5-64.3	954	38.1	35.7-40.5
Less Than H.S.	506	313,476	188	43.7	37.2-50.2	318	56.3	49.8-62.8
H.S. or G.E.D.	2264	882,894	1352	60.9	58.0-63.8	912	39.1	36.2-42.0
Some Post-H.S.	1721	855,292	1175	69.7	66.6-72.8	546	30.3	27.2-33.4
College Graduate	1950	537,762	1634	81.7	79.2-84.2	316	18.3	15.8-20.8
Less than \$15,000	610	260,753	237	43.5	37.2-49.8	373	56.5	50.2-62.8
\$15,000- 24,999	1168	447,716	608	51.5	47.0-56.0	560	48.5	44.0-53.0
\$25,000- 34,999	703	263,777	429	54.7	48.8-60.6	274	45.3	39.4-51.2
\$35,000- 49,999	841	331,601	610	68.8	64.3-73.3	231	31.2	26.7-35.7
\$50,000- 74,999	800	343,629	640	75.7	71.2-80.2	160	24.3	19.8-28.8
\$75,000+	1307	586,404	1139	86.2	83.5-88.9	168	13.8	11.1-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	89
41	MALES ONLY	90
42	FEMALES ONLY	91
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	92
44	MALES ONLY	93
45	FEMALES ONLY	94
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	95
47	MALES ONLY	96
48	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10890	4,980,484	9812	87.7	86.7-88.7	785	9.3	8.5-10.1	138	0.7	0.5- 0.9	116	2.1	1.7- 2.5	14	0.1	0.1- 0.1	25	0.2	0.2- 0.2
Male	4458	2,404,763	4011	87.2	85.6-88.8	287	8.9	7.5-10.3	72	0.7	0.5- 0.9	70	2.9	2.1- 3.7	6	0.1	0.1- 0.1	12	0.2	0.0- 0.4
Female	6432	2,575,721	5801	88.1	86.7-89.5	498	9.6	8.4-10.8	66	0.7	0.3- 1.1	46	1.4	0.8- 2.0	8	0.1	0.0- 0.3	13	0.1	0.1- 0.1
18-24	446	675,605	366	82.4	78.3-86.5	50	11.8	8.3-15.3	4	0.4	0.0- 0.8	22	4.9	2.5- 7.3	2	0.3	0.0- 0.7	2	0.2	0.0- 0.6
25-34	800	819,729	654	83.9	81.0-86.8	95	11.1	8.6-13.6	12	0.9	0.3- 1.5	31	3.6	2.0- 5.2	3	0.2	0.0- 0.4	5	0.2	0.0- 0.4
35-44	1066	787,127	943	86.4	83.7-89.1	81	9.7	7.2-12.2	12	0.8	0.0- 1.6	24	2.9	1.5- 4.3	2	0.1	0.1- 0.1	4	0.2	0.0- 0.4
45-54	1600	805,741	1422	88.9	86.7-91.1	134	8.9	6.9-10.9	24	0.6	0.2- 1.0	12	1.4	0.4- 2.4	4	0.1	0.0- 0.3	4	0.1	0.1- 0.1
55-64	2422	839,975	2185	90.5	88.9-92.1	190	8.1	6.7- 9.5	32	0.7	0.3- 1.1	13	0.6	0.2- 1.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0
65+	4419	1,000,804	4127	92.3	91.1-93.5	220	6.7	5.5- 7.9	52	0.6	0.4- 0.8	10	0.2	0.0- 0.4	2	0.0	0.0- 0.0	8	0.2	0.0- 0.4
Less Than H.S.	846	614,757	732	88.6	85.5-91.7	77	9.5	6.6-12.4	32	1.6	0.6- 2.6	1	0.0	0.0- 0.0	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0
H.S. or G.E.D.	3709	1,712,579	3356	88.3	86.7-89.9	273	8.9	7.5-10.3	48	0.7	0.3- 1.1	22	1.8	0.8- 2.8	5	0.1	0.0- 0.3	5	0.1	0.0- 0.3
Some Post-H.S.	2724	1,553,936	2440	86.4	84.4-88.4	220	11.0	9.0-13.0	26	0.4	0.2- 0.6	22	1.8	1.0- 2.6	3	0.0	0.0- 0.0	13	0.3	0.1- 0.5
College Graduate	3588	1,089,620	3264	87.9	86.1-89.7	215	7.3	5.9- 8.7	30	0.4	0.2- 0.6	70	4.2	3.0- 5.4	3	0.1	0.0- 0.3	6	0.1	0.0- 0.3
Less than \$15,000	917	450,981	733	76.9	72.6-81.2	145	19.9	15.8-24.0	25	1.1	0.5- 1.7	9	1.9	0.3- 3.5				5	0.2	0.0- 0.4
\$15,000- 24,999	1797	800,987	1573	83.0	80.1-85.9	177	13.7	11.0-16.4	29	1.2	0.4- 2.0	12	1.7	0.5- 2.9	2	0.1	0.0- 0.3	4	0.1	0.0- 0.3
\$25,000- 34,999	1120	476,499	1012	87.1	83.8-90.4	79	10.0	6.9-13.1	12	0.9	0.1- 1.7	11	1.6	0.4- 2.8	2	0.1	0.0- 0.3	4	0.3	0.0- 0.7
\$35,000- 49,999	1475	677,567	1346	89.7	87.2-92.2	92	7.4	5.4- 9.4	23	0.8	0.2- 1.4	11	1.8	0.4- 3.2	1	0.0	0.0- 0.0	2	0.3	0.0- 0.7
\$50,000- 74,999	1501	702,835	1377	90.5	88.1-92.9	94	7.1	5.1- 9.1	7	0.2	0.0- 0.4	18	2.0	0.8- 3.2	2	0.1	0.1- 0.1	3	0.1	0.0- 0.3
\$75,000+	2600	1,269,057	2412	91.5	89.9-93.1	122	5.5	4.1- 6.9	19	0.3	0.1- 0.5	39	2.5	1.5- 3.5	5	0.1	0.0- 0.3	3	0.1	0.1- 0.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4458	2,404,763	4011	87.2	85.6-88.8	287	8.9	7.5-10.3	72	0.7	0.5- 0.9	70	2.9	2.1- 3.7	6	0.1	0.1- 0.1	12	0.2	0.0- 0.4
18-24	245	343,274	203	82.0	76.1-87.9	22	9.2	4.7-13.7	1	0.1	0.0- 0.3	16	8.1	4.0-12.2	1	0.1	0.0- 0.3	2	0.5	0.0- 1.3
25-34	370	407,983	314	86.2	82.1-90.3	30	9.0	5.3-12.7	7	1.1	0.1- 2.1	15	3.2	1.2- 5.2	2	0.3	0.0- 0.7	2	0.2	0.0- 0.6
35-44	479	391,207	420	85.4	81.1-89.7	34	10.1	6.4-13.8	7	0.6	0.0- 1.2	16	3.8	1.6- 6.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
45-54	686	395,725	608	87.1	83.6-90.6	52	9.6	6.7-12.5	13	0.8	0.2- 1.4	8	2.2	0.2- 4.2	2	0.2	0.0- 0.4	3	0.1	0.0- 0.3
55-64	999	408,477	905	90.0	87.5-92.5	69	8.3	5.9-10.7	16	0.8	0.2- 1.4	8	0.8	0.2- 1.4				1	0.1	0.0- 0.3
65+	1635	439,635	1525	91.8	89.6-94.0	75	7.2	5.0- 9.4	27	0.5	0.3- 0.7	5	0.3	0.1- 0.5				3	0.3	0.0- 0.7
Less Than H.S.	347	310,919	300	89.3	84.8-93.8	25	8.8	4.5-13.1	20	1.7	0.5- 2.9				2	0.2	0.0- 0.6			
H.S. or G.E.D.	1438	830,190	1305	89.1	86.7-91.5	90	7.6	5.8- 9.4	25	0.6	0.2- 1.0	13	2.5	0.9- 4.1	2	0.1	0.1- 0.1	3	0.2	0.0- 0.4
Some Post-H.S.	1010	701,899	903	85.0	81.7-88.3	79	11.6	8.7-14.5	9	0.4	0.0- 0.8	11	2.5	0.9- 4.1	1	0.0	0.0- 0.0	7	0.4	0.0- 0.8
College Graduate	1651	556,099	1491	86.1	83.6-88.6	93	7.6	5.6- 9.6	18	0.5	0.1- 0.9	46	5.5	3.5- 7.5	1	0.2	0.0- 0.6	2	0.1	0.1- 0.1
Less than \$15,000	308	192,465	236	73.9	66.8-81.0	55	21.4	14.7-28.1	11	1.7	0.3- 3.1	5	2.7	0.2- 5.2				1	0.3	0.0- 0.9
\$15,000- 24,999	641	363,209	565	84.0	79.5-88.5	52	11.5	7.6-15.4	13	1.1	0.1- 2.1	8	3.1	0.6- 5.6	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3
\$25,000- 34,999	426	217,337	382	84.6	78.7-90.5	29	11.9	6.2-17.6	7	0.8	0.0- 1.6	6	2.1	0.1- 4.1	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2
\$35,000- 49,999	636	347,800	586	90.2	86.5-93.9	25	5.3	2.9- 7.7	15	1.0	0.0- 2.0	8	3.1	0.4- 5.8	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2
\$50,000- 74,999	703	361,129	647	90.7	87.4-94.0	39	7.0	4.3- 9.7	5	0.1	0.0- 0.3	10	2.1	0.1- 4.1				2	0.1	0.0- 0.3
\$75,000+	1295	682,967	1184	89.4	86.9-91.9	66	6.8	4.6- 9.0	14	0.4	0.2- 0.6	25	3.0	1.6- 4.4	3	0.2	0.0- 0.4	3	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6432	2,575,721	5801	88.1	86.7-89.5	498	9.6	8.4-10.8	66	0.7	0.3- 1.1	46	1.4	0.8- 2.0	8	0.1	0.0- 0.3	13	0.1	0.1- 0.1
18-24	201	332,331	163	82.9	77.2-88.6	28	14.4	8.9-19.9	3	0.7	0.0- 1.5	6	1.6	0.2- 3.0	1	0.5	0.0- 1.5			
25-34	430	411,746	340	81.7	77.6-85.8	65	13.1	9.6-16.6	5	0.7	0.0- 1.5	16	4.0	1.6- 6.4	1	0.2	0.0- 0.6	3	0.3	0.0- 0.7
35-44	587	395,920	523	87.4	83.7-91.1	47	9.3	6.0-12.6	5	0.9	0.0- 2.1	8	2.0	0.4- 3.6	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7
45-54	914	410,016	814	90.6	88.2-93.0	82	8.3	6.1-10.5	11	0.4	0.2- 0.6	4	0.6	0.0- 1.4	2	0.0	0.0- 0.0	1	0.1	0.0- 0.3
55-64	1423	431,498	1280	91.1	89.3-92.9	121	7.9	6.3- 9.5	16	0.5	0.1- 0.9	5	0.5	0.1- 0.9	1	0.1	0.0- 0.3			
65+	2784	561,169	2602	92.7	91.3-94.1	145	6.3	4.9- 7.7	25	0.6	0.2- 1.0	5	0.2	0.0- 0.4	2	0.0	0.0- 0.0	5	0.1	0.0- 0.3
Less Than H.S.	499	303,839	432	87.9	83.6-92.2	52	10.2	6.3-14.1	12	1.6	0.0- 3.4	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0
H.S. or G.E.D.	2271	882,389	2051	87.7	85.5-89.9	183	10.1	8.1-12.1	23	0.9	0.3- 1.5	9	1.1	0.1- 2.1	3	0.2	0.0- 0.6	2	0.0	0.0- 0.0
Some Post-H.S.	1714	852,036	1537	87.5	85.1-89.9	141	10.5	8.1-12.9	17	0.5	0.1- 0.9	11	1.2	0.4- 2.0	2	0.0	0.0- 0.0	6	0.2	0.0- 0.4
College Graduate	1937	533,521	1773	89.7	87.5-91.9	122	6.9	5.1- 8.7	12	0.3	0.1- 0.5	24	2.8	1.4- 4.2	2	0.0	0.0- 0.0	4	0.2	0.0- 0.4
Less than \$15,000	609	258,516	497	79.2	73.9-84.5	90	18.8	13.5-24.1	14	0.6	0.2- 1.0	4	1.3	0.0- 3.1				4	0.2	0.0- 0.4
\$15,000- 24,999	1156	437,778	1008	82.2	78.3-86.1	125	15.6	11.9-19.3	16	1.3	0.1- 2.5	4	0.6	0.0- 1.2	1	0.2	0.0- 0.6	2	0.1	0.0- 0.3
\$25,000- 34,999	694	259,162	630	89.2	85.5-92.9	50	8.3	5.0-11.6	5	1.0	0.0- 2.4	5	1.3	0.0- 2.7	1	0.0	0.0- 0.0	3	0.2	0.0- 0.4
\$35,000- 49,999	839	329,767	760	89.2	85.9-92.5	67	9.7	6.6-12.8	8	0.6	0.0- 1.2	3	0.3	0.0- 0.7				1	0.2	0.0- 0.6
\$50,000- 74,999	798	341,706	730	90.2	87.1-93.3	55	7.3	4.4-10.2	2	0.2	0.0- 0.6	8	1.8	0.4- 3.2	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6
\$75,000+	1305	586,091	1228	93.9	91.9-95.9	56	4.0	2.4- 5.6	5	0.1	0.0- 0.3	14	1.9	0.7- 3.1	2	0.1	0.1- 0.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10890	4,980,484	9713	86.9	85.9-87.9	757	9.0	8.2- 9.8	115	0.5	0.3- 0.7	116	2.1	1.7- 2.5	13	0.1	0.1- 0.1	176	1.3	1.1- 1.5
Male	4458	2,404,763	3965	86.3	84.7-87.9	280	8.8	7.4-10.2	60	0.5	0.3- 0.7	70	2.9	2.1- 3.7	6	0.1	0.1- 0.1	77	1.4	1.0- 1.8
Female	6432	2,575,721	5748	87.4	86.0-88.8	477	9.3	8.1-10.5	55	0.6	0.4- 0.8	46	1.4	0.8- 2.0	7	0.1	0.0- 0.3	99	1.2	0.8- 1.6
18-24	446	675,605	355	80.6	76.5-84.7	47	11.4	7.9-14.9	1	0.2	0.0- 0.6	22	4.9	2.5- 7.3	2	0.3	0.0- 0.7	19	2.7	1.3- 4.1
25-34	800	819,729	645	83.1	80.2-86.0	90	10.7	8.2-13.2	9	0.6	0.2- 1.0	31	3.6	2.0- 5.2	3	0.2	0.0- 0.4	22	1.8	0.8- 2.8
35-44	1066	787,127	936	86.1	83.2-89.0	77	9.5	7.0-12.0	11	0.7	0.0- 1.5	24	2.9	1.5- 4.3	1	0.0	0.0- 0.0	17	0.8	0.4- 1.2
45-54	1600	805,741	1404	88.1	85.9-90.3	130	8.8	7.0-10.6	20	0.5	0.3- 0.7	12	1.4	0.4- 2.4	4	0.1	0.0- 0.3	30	1.1	0.5- 1.7
55-64	2422	839,975	2168	90.2	88.6-91.8	188	8.0	6.6- 9.4	28	0.5	0.1- 0.9	13	0.6	0.2- 1.0	1	0.0	0.0- 0.0	24	0.6	0.2- 1.0
65+	4419	1,000,804	4090	91.7	90.5-92.9	211	6.5	5.3- 7.7	44	0.4	0.2- 0.6	10	0.2	0.0- 0.4	2	0.0	0.0- 0.0	62	1.1	0.7- 1.5
Less Than H.S.	846	614,757	722	87.2	84.1-90.3	73	9.2	6.3-12.1	29	1.5	0.5- 2.5	1	0.0	0.0- 0.0	3	0.2	0.0- 0.4	18	1.8	0.6- 3.0
H.S. or G.E.D.	3709	1,712,579	3320	87.3	85.5-89.1	268	8.7	7.3-10.1	40	0.6	0.2- 1.0	22	1.8	0.8- 2.8	5	0.1	0.0- 0.3	54	1.4	0.8- 2.0
Some Post-H.S.	2724	1,553,936	2406	85.9	83.9-87.9	211	10.7	8.9-12.5	20	0.2	0.0- 0.4	22	1.8	1.0- 2.6	2	0.0	0.0- 0.0	63	1.4	1.0- 1.8
College Graduate	3588	1,089,620	3245	87.6	85.8-89.4	205	7.1	5.7- 8.5	24	0.4	0.2- 0.6	70	4.2	3.0- 5.4	3	0.1	0.0- 0.3	41	0.7	0.5- 0.9
Less than \$15,000	917	450,981	722	76.0	71.7-80.3	141	19.8	15.7-23.9	22	1.0	0.4- 1.6	9	1.9	0.3- 3.5				23	1.4	0.6- 2.2
\$15,000- 24,999	1797	800,987	1550	82.3	79.4-85.2	171	13.4	10.7-16.1	23	1.0	0.2- 1.8	12	1.7	0.5- 2.9	2	0.1	0.0- 0.3	39	1.5	0.9- 2.1
\$25,000- 34,999	1120	476,499	998	86.6	83.3-89.9	75	9.5	6.4-12.6	11	0.8	0.0- 1.6	11	1.6	0.4- 2.8	2	0.1	0.0- 0.3	23	1.3	0.5- 2.1
\$35,000- 49,999	1475	677,567	1332	88.5	86.0-91.0	90	7.4	5.4- 9.4	20	0.4	0.2- 0.6	11	1.8	0.4- 3.2	1	0.0	0.0- 0.0	21	1.9	0.7- 3.1
\$50,000- 74,999	1501	702,835	1367	89.6	87.2-92.0	88	6.7	4.7- 8.7	5	0.1	0.1- 0.1	18	2.0	0.8- 3.2	2	0.1	0.1- 0.1	21	1.6	0.6- 2.6
\$75,000+	2600	1,269,057	2395	91.0	89.4-92.6	119	5.5	4.1- 6.9	14	0.2	0.0- 0.4	39	2.5	1.5- 3.5	4	0.1	0.0- 0.3	29	0.7	0.3- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4458	2,404,763	3965	86.3	84.7-87.9	280	8.8	7.4-10.2	60	0.5	0.3- 0.7	70	2.9	2.1- 3.7	6	0.1	0.1- 0.1	77	1.4	1.0- 1.8
18-24	245	343,274	197	80.1	74.2-86.0	22	9.2	4.7-13.7				16	8.1	4.0-12.2	1	0.1	0.0- 0.3	9	2.6	0.6- 4.6
25-34	370	407,983	307	84.6	80.3-88.9	28	8.7	5.0-12.4	5	0.5	0.0- 1.1	15	3.2	1.2- 5.2	2	0.3	0.0- 0.7	13	2.7	0.9- 4.5
35-44	479	391,207	416	85.0	80.7-89.3	33	10.0	6.3-13.7	7	0.6	0.0- 1.2	16	3.8	1.6- 6.0	1	0.1	0.0- 0.3	6	0.5	0.0- 1.1
45-54	686	395,725	601	86.2	82.7-89.7	51	9.5	6.6-12.4	10	0.7	0.1- 1.3	8	2.2	0.2- 4.2	2	0.2	0.0- 0.4	14	1.3	0.3- 2.3
55-64	999	408,477	901	89.9	87.4-92.4	69	8.3	5.9-10.7	15	0.8	0.2- 1.4	8	0.8	0.2- 1.4				6	0.2	0.0- 0.4
65+	1635	439,635	1507	91.1	88.9-93.3	72	7.1	4.9- 9.3	22	0.4	0.2- 0.6	5	0.3	0.1- 0.5				29	1.2	0.6- 1.8
Less Than H.S.	347	310,919	294	87.5	82.8-92.2	24	8.7	4.4-13.0	18	1.7	0.5- 2.9				2	0.2	0.0- 0.6	9	1.9	0.1- 3.7
H.S. or G.E.D.	1438	830,190	1288	87.8	85.3-90.3	90	7.6	5.8- 9.4	21	0.4	0.2- 0.6	13	2.5	0.9- 4.1	2	0.1	0.1- 0.1	24	1.6	0.6- 2.6
Some Post-H.S.	1010	701,899	888	84.4	81.1-87.7	77	11.4	8.5-14.3	6	0.1	0.0- 0.3	11	2.5	0.9- 4.1	1	0.0	0.0- 0.0	27	1.6	0.8- 2.4
College Graduate	1651	556,099	1483	85.9	83.4-88.4	89	7.4	5.4- 9.4	15	0.5	0.1- 0.9	46	5.5	3.5- 7.5	1	0.2	0.0- 0.6	17	0.5	0.1- 0.9
Less than \$15,000	308	192,465	232	72.9	65.8-80.0	55	21.4	14.7-28.1	10	1.6	0.2- 3.0	5	2.7	0.2- 5.2				6	1.4	0.2- 2.6
\$15,000- 24,999	641	363,209	555	82.9	78.4-87.4	52	11.5	7.6-15.4	10	0.8	0.0- 1.6	8	3.1	0.6- 5.6	1	0.1	0.0- 0.3	15	1.5	0.3- 2.7
\$25,000- 34,999	426	217,337	373	83.9	78.0-89.8	27	11.5	5.8-17.2	6	0.6	0.0- 1.2	6	2.1	0.1- 4.1	1	0.1	0.0- 0.3	13	1.7	0.5- 2.9
\$35,000- 49,999	636	347,800	581	88.9	85.0-92.8	25	5.3	2.9- 7.7	13	0.4	0.2- 0.6	8	3.1	0.4- 5.8	1	0.1	0.0- 0.3	8	2.2	0.2- 4.2
\$50,000- 74,999	703	361,129	641	89.8	86.5-93.1	36	6.6	3.9- 9.3	4	0.1	0.0- 0.3	10	2.1	0.1- 4.1				12	1.4	0.0- 2.8
\$75,000+	1295	682,967	1177	88.9	86.4-91.4	64	6.8	4.6- 9.0	11	0.4	0.2- 0.6	25	3.0	1.6- 4.4	3	0.2	0.0- 0.4	15	0.7	0.3- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6432	2,575,721	5748	87.4	86.0-88.8	477	9.3	8.1-10.5	55	0.6	0.4- 0.8	46	1.4	0.8- 2.0	7	0.1	0.0- 0.3	99	1.2	0.8- 1.6
18-24	201	332,331	158	81.0	75.1-86.9	25	13.7	8.2-19.2	1	0.4	0.0- 1.2	6	1.6	0.2- 3.0	1	0.5	0.0- 1.5	10	2.9	0.9- 4.9
25-34	430	411,746	338	81.5	77.4-85.6	62	12.8	9.3-16.3	4	0.7	0.0- 1.5	16	4.0	1.6- 6.4	1	0.2	0.0- 0.6	9	0.8	0.2- 1.4
35-44	587	395,920	520	87.2	83.5-90.9	44	9.0	5.7-12.3	4	0.9	0.0- 2.1	8	2.0	0.4- 3.6				11	1.0	0.2- 1.8
45-54	914	410,016	803	89.8	87.4-92.2	79	8.1	5.9-10.3	10	0.4	0.2- 0.6	4	0.6	0.0- 1.4	2	0.0	0.0- 0.0	16	1.0	0.4- 1.6
55-64	1423	431,498	1267	90.5	88.7-92.3	119	7.8	6.2- 9.4	13	0.3	0.1- 0.5	5	0.5	0.1- 0.9	1	0.1	0.0- 0.3	18	0.9	0.3- 1.5
65+	2784	561,169	2583	92.2	90.8-93.6	139	6.1	4.9- 7.3	22	0.4	0.0- 0.8	5	0.2	0.0- 0.4	2	0.0	0.0- 0.0	33	1.0	0.6- 1.4
Less Than H.S.	499	303,839	428	86.9	82.6-91.2	49	9.7	5.8-13.6	11	1.4	0.0- 3.0	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	9	1.7	0.1- 3.3
H.S. or G.E.D.	2271	882,389	2032	86.8	84.4-89.2	178	9.8	7.8-11.8	19	0.7	0.1- 1.3	9	1.1	0.1- 2.1	3	0.2	0.0- 0.6	30	1.3	0.7- 1.9
Some Post-H.S.	1714	852,036	1518	87.1	84.6-89.6	134	10.2	7.8-12.6	14	0.3	0.1- 0.5	11	1.2	0.4- 2.0	1	0.0	0.0- 0.0	36	1.2	0.6- 1.8
College Graduate	1937	533,521	1762	89.4	87.2-91.6	116	6.7	4.9- 8.5	9	0.2	0.0- 0.4	24	2.8	1.4- 4.2	2	0.0	0.0- 0.0	24	0.8	0.4- 1.2
Less than \$15,000	609	258,516	490	78.2	72.9-83.5	86	18.6	13.3-23.9	12	0.5	0.1- 0.9	4	1.3	0.0- 3.1				17	1.4	0.4- 2.4
\$15,000- 24,999	1156	437,778	995	81.8	77.9-85.7	119	14.9	11.2-18.6	13	1.1	0.0- 2.3	4	0.6	0.0- 1.2	1	0.2	0.0- 0.6	24	1.4	0.6- 2.2
\$25,000- 34,999	694	259,162	625	88.9	85.2-92.6	48	7.9	4.8-11.0	5	1.0	0.0- 2.4	5	1.3	0.0- 2.7	1	0.0	0.0- 0.0	10	1.0	0.2- 1.8
\$35,000- 49,999	839	329,767	751	88.1	84.8-91.4	65	9.6	6.5-12.7	7	0.5	0.0- 1.1	3	0.3	0.0- 0.7				13	1.6	0.4- 2.8
\$50,000- 74,999	798	341,706	726	89.4	86.1-92.7	52	6.8	4.1- 9.5	1	0.0	0.0- 0.0	8	1.8	0.4- 3.2	2	0.1	0.0- 0.3	9	1.8	0.4- 3.2
\$75,000+	1305	586,091	1218	93.4	91.4-95.4	55	4.0	2.4- 5.6	3	0.1	0.0- 0.3	14	1.9	0.7- 3.1	1	0.0	0.0- 0.0	14	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10907	5,012,750	9428	82.1	80.9-83.3	734	8.7	7.9- 9.5	107	0.4	0.2- 0.6	114	2.1	1.7- 2.5	162	1.1	0.9- 1.3	362	5.7	4.9- 6.5
Male	4474	2,425,880	3854	81.8	80.0-83.6	268	8.4	7.2- 9.6	56	0.4	0.2- 0.6	70	2.9	2.1- 3.7	67	1.1	0.7- 1.5	159	5.5	4.5- 6.5
Female	6433	2,586,870	5574	82.4	80.8-84.0	466	8.9	7.7-10.1	51	0.4	0.2- 0.6	44	1.3	0.7- 1.9	95	1.1	0.7- 1.5	203	5.9	4.9- 6.9
18-24	455	687,174	326	73.9	69.4-78.4	43	10.7	7.4-14.0	2	0.3	0.0- 0.7	21	4.7	2.5- 6.9	17	2.4	1.0- 3.8	46	7.9	5.4-10.4
25-34	804	822,510	597	76.6	73.3-79.9	82	9.7	7.3-12.1	7	0.4	0.0- 0.8	31	3.6	2.0- 5.2	16	1.2	0.4- 2.0	71	8.4	6.2-10.6
35-44	1082	801,484	877	77.4	74.1-80.7	74	9.1	6.6-11.6	9	0.2	0.0- 0.4	23	2.7	1.5- 3.9	14	0.5	0.1- 0.9	85	10.1	7.7-12.5
45-54	1607	811,786	1361	83.3	80.8-85.8	126	8.5	6.7-10.3	21	0.5	0.3- 0.7	12	1.4	0.4- 2.4	29	1.1	0.5- 1.7	58	5.3	3.5- 7.1
55-64	2422	840,990	2121	87.6	85.8-89.4	186	7.9	6.5- 9.3	23	0.4	0.2- 0.6	13	0.6	0.2- 1.0	23	0.5	0.3- 0.7	56	2.9	1.9- 3.9
65+	4402	997,454	4033	90.5	89.1-91.9	209	6.5	5.3- 7.7	44	0.4	0.2- 0.6	10	0.2	0.0- 0.4	61	1.1	0.7- 1.5	45	1.3	0.7- 1.9
Less Than H.S.	870	642,653	640	69.5	65.2-73.8	69	8.2	5.5-10.9	28	0.9	0.5- 1.3	1	0.0	0.0- 0.0	17	1.6	0.4- 2.8	115	19.7	15.8-23.6
H.S. or G.E.D.	3707	1,720,559	3226	83.1	81.1-85.1	264	8.5	7.1- 9.9	35	0.4	0.2- 0.6	21	1.8	0.8- 2.8	52	1.3	0.7- 1.9	109	4.9	3.7- 6.1
Some Post-H.S.	2719	1,549,414	2347	83.5	81.3-85.7	203	10.2	8.4-12.0	20	0.2	0.0- 0.4	22	1.8	1.0- 2.6	58	1.1	0.7- 1.5	69	3.2	2.2- 4.2
College Graduate	3588	1,089,293	3198	86.2	84.4-88.0	198	7.0	5.6- 8.4	23	0.3	0.1- 0.5	69	4.1	2.9- 5.3	35	0.5	0.3- 0.7	65	2.0	1.4- 2.6
Less than \$15,000	923	458,930	685	69.0	64.5-73.5	137	18.7	14.6-22.8	20	0.7	0.3- 1.1	9	1.9	0.5- 3.3	21	1.1	0.5- 1.7	51	8.6	5.9-11.3
\$15,000- 24,999	1811	817,665	1485	73.9	70.6-77.2	163	12.4	9.9-14.9	18	0.4	0.2- 0.6	12	1.7	0.5- 2.9	39	1.4	0.8- 2.0	94	10.2	7.8-12.6
\$25,000- 34,999	1131	488,103	962	78.6	74.7-82.5	72	9.0	6.1-11.9	9	0.3	0.1- 0.5	11	1.6	0.4- 2.8	22	1.1	0.5- 1.7	55	9.4	6.5-12.3
\$35,000- 49,999	1476	680,126	1300	84.5	81.6-87.4	89	7.3	5.3- 9.3	19	0.4	0.2- 0.6	11	1.7	0.3- 3.1	19	1.5	0.5- 2.5	38	4.6	2.8- 6.4
\$50,000- 74,999	1501	703,383	1340	86.9	84.4-89.4	88	6.7	4.7- 8.7	7	0.1	0.0- 0.3	18	2.0	0.8- 3.2	18	1.4	0.4- 2.4	30	2.9	1.7- 4.1
\$75,000+	2597	1,268,240	2353	88.9	86.9-90.9	115	5.4	4.0- 6.8	15	0.2	0.0- 0.4	38	2.4	1.4- 3.4	25	0.6	0.2- 1.0	51	2.5	1.5- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4474	2,425,880	3854	81.8	80.0-83.6	268	8.4	7.2- 9.6	56	0.4	0.2- 0.6	70	2.9	2.1- 3.7	67	1.1	0.7- 1.5	159	5.5	4.5- 6.5
18-24	251	351,488	185	73.8	67.5-80.1	19	8.8	4.5-13.1	1	0.1	0.0- 0.3	16	7.9	3.8-12.0	7	2.0	0.2- 3.8	23	7.5	4.0-11.0
25-34	374	410,182	283	78.3	73.6-83.0	25	7.6	4.3-10.9	4	0.3	0.0- 0.7	15	3.2	1.2- 5.2	10	2.0	0.6- 3.4	37	8.6	5.7-11.5
35-44	490	399,208	395	77.6	72.9-82.3	31	9.5	5.8-13.2	7	0.4	0.2- 0.6	16	3.7	1.5- 5.9	4	0.3	0.1- 0.5	37	8.6	5.5-11.7
45-54	688	399,411	582	81.9	77.8-86.0	49	8.9	6.0-11.8	10	0.6	0.2- 1.0	8	2.2	0.2- 4.2	13	1.2	0.4- 2.0	26	5.2	2.7- 7.7
55-64	997	408,168	880	87.3	84.6-90.0	68	8.2	5.8-10.6	11	0.4	0.0- 0.8	8	0.8	0.2- 1.4	5	0.2	0.0- 0.4	25	3.1	1.5- 4.7
65+	1630	438,961	1493	90.1	87.7-92.5	71	7.0	4.8- 9.2	22	0.4	0.2- 0.6	5	0.3	0.1- 0.5	28	1.2	0.6- 1.8	11	1.0	0.2- 1.8
Less Than H.S.	361	328,220	266	73.4	67.3-79.5	23	7.7	3.6-11.8	17	1.1	0.5- 1.7				8	1.6	0.0- 3.2	47	16.2	11.3-21.1
H.S. or G.E.D.	1443	836,759	1251	83.4	80.7-86.1	87	7.3	5.5- 9.1	19	0.3	0.1- 0.5	13	2.5	0.9- 4.1	23	1.5	0.5- 2.5	50	4.9	3.3- 6.5
Some Post-H.S.	1005	697,597	860	81.6	78.3-84.9	73	10.9	8.0-13.8	7	0.1	0.0- 0.3	11	2.5	0.9- 4.1	23	1.1	0.5- 1.7	31	3.8	2.2- 5.4
College Graduate	1652	556,605	1466	84.7	82.0-87.4	85	7.3	5.3- 9.3	13	0.3	0.1- 0.5	46	5.5	3.5- 7.5	13	0.3	0.1- 0.5	29	1.9	1.1- 2.7
Less than \$15,000	311	196,400	225	68.6	61.3-75.9	52	19.8	13.3-26.3	9	1.1	0.1- 2.1	5	2.6	0.1- 5.1	4	0.7	0.0- 1.5	16	7.3	3.4-11.2
\$15,000- 24,999	647	371,163	530	74.5	69.4-79.6	50	11.1	7.2-15.0	8	0.4	0.0- 0.8	8	3.0	0.5- 5.5	15	1.5	0.5- 2.5	36	9.5	6.0-13.0
\$25,000- 34,999	435	228,519	357	74.1	67.4-80.8	26	10.7	5.4-16.0	4	0.2	0.0- 0.4	6	2.0	0.2- 3.8	13	1.7	0.5- 2.9	29	11.4	6.7-16.1
\$35,000- 49,999	638	349,232	566	85.3	81.0-89.6	25	5.2	2.8- 7.6	14	0.4	0.0- 0.8	8	3.1	0.4- 5.8	6	1.4	0.0- 3.0	19	4.5	2.1- 6.9
\$50,000- 74,999	703	360,893	628	86.9	83.2-90.6	36	6.6	3.9- 9.3	4	0.1	0.0- 0.3	10	2.1	0.1- 4.1	11	1.2	0.0- 2.4	14	3.0	1.2- 4.8
\$75,000+	1294	683,657	1157	87.1	84.4-89.8	61	6.6	4.4- 8.8	12	0.4	0.2- 0.6	25	3.0	1.6- 4.4	11	0.6	0.2- 1.0	28	2.3	1.1- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6433	2,586,870	5574	82.4	80.8-84.0	466	8.9	7.7-10.1	51	0.4	0.2- 0.6	44	1.3	0.7- 1.9	95	1.1	0.7- 1.5	203	5.9	4.9- 6.9
18-24	204	335,685	141	74.1	67.6-80.6	24	12.8	7.5-18.1	1	0.5	0.0- 1.5	5	1.3	0.0- 2.7	10	2.9	0.9- 4.9	23	8.3	4.6-12.0
25-34	430	412,327	314	74.9	70.0-79.8	57	11.9	8.6-15.2	3	0.5	0.0- 1.1	16	4.0	1.6- 6.4	6	0.5	0.1- 0.9	34	8.2	4.9-11.5
35-44	592	402,276	482	77.2	72.5-81.9	43	8.6	5.3-11.9	2	0.1	0.0- 0.3	7	1.7	0.3- 3.1	10	0.8	0.0- 1.6	48	11.5	8.0-15.0
45-54	919	412,375	779	84.7	81.6-87.8	77	8.0	5.8-10.2	11	0.3	0.1- 0.5	4	0.6	0.0- 1.4	16	1.0	0.4- 1.6	32	5.3	2.9- 7.7
55-64	1425	432,823	1241	88.0	86.0-90.0	118	7.7	6.1- 9.3	12	0.3	0.1- 0.5	5	0.5	0.1- 0.9	18	0.9	0.3- 1.5	31	2.7	1.5- 3.9
65+	2772	558,493	2540	90.8	89.2-92.4	138	6.1	4.9- 7.3	22	0.4	0.0- 0.8	5	0.2	0.0- 0.4	33	1.0	0.6- 1.4	34	1.5	0.7- 2.3
Less Than H.S.	509	314,433	374	65.5	59.2-71.8	46	8.6	4.9-12.3	11	0.8	0.2- 1.4	1	0.0	0.0- 0.0	9	1.7	0.3- 3.1	68	23.4	17.5-29.3
H.S. or G.E.D.	2264	883,800	1975	82.7	80.2-85.2	177	9.7	7.7-11.7	16	0.4	0.0- 0.8	8	1.0	0.0- 2.0	29	1.2	0.6- 1.8	59	4.9	3.3- 6.5
Some Post-H.S.	1714	851,817	1487	85.0	82.5-87.5	130	9.7	7.3-12.1	13	0.3	0.1- 0.5	11	1.2	0.4- 2.0	35	1.1	0.5- 1.7	38	2.7	1.5- 3.9
College Graduate	1936	532,688	1732	87.7	85.3-90.1	113	6.7	4.9- 8.5	10	0.2	0.0- 0.4	23	2.6	1.2- 4.0	22	0.7	0.3- 1.1	36	2.1	1.1- 3.1
Less than \$15,000	612	262,530	460	69.3	63.4-75.2	85	18.0	12.9-23.1	11	0.5	0.1- 0.9	4	1.3	0.0- 2.9	17	1.4	0.4- 2.4	35	9.6	5.9-13.3
\$15,000- 24,999	1164	446,502	955	73.4	69.1-77.7	113	13.4	9.9-16.9	10	0.4	0.0- 0.8	4	0.6	0.0- 1.2	24	1.4	0.6- 2.2	58	10.8	7.5-14.1
\$25,000- 34,999	696	259,584	605	82.7	78.2-87.2	46	7.6	4.5-10.7	5	0.3	0.0- 0.7	5	1.3	0.0- 2.7	9	0.6	0.2- 1.0	26	7.6	4.1-11.1
\$35,000- 49,999	838	330,894	734	83.7	79.6-87.8	64	9.5	6.4-12.6	5	0.3	0.0- 0.7	3	0.3	0.0- 0.7	13	1.6	0.4- 2.8	19	4.7	2.2- 7.2
\$50,000- 74,999	798	342,489	712	87.0	83.5-90.5	52	6.8	4.1- 9.5	3	0.1	0.0- 0.3	8	1.8	0.4- 3.2	7	1.5	0.1- 2.9	16	2.7	1.1- 4.3
\$75,000+	1303	584,582	1196	90.9	88.4-93.4	54	4.0	2.4- 5.6	3	0.1	0.1- 0.1	13	1.7	0.5- 2.9	14	0.7	0.1- 1.3	23	2.7	0.9- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10907	5,012,750	9428	82.1	80.9-83.3	1479	17.9	16.7-19.1
Male	4474	2,425,880	3854	81.8	80.0-83.6	620	18.2	16.4-20.0
Female	6433	2,586,870	5574	82.4	80.8-84.0	859	17.6	16.0-19.2
18-24	455	687,174	326	73.9	69.4-78.4	129	26.1	21.6-30.6
25-34	804	822,510	597	76.6	73.3-79.9	207	23.4	20.1-26.7
35-44	1082	801,484	877	77.4	74.1-80.7	205	22.6	19.3-25.9
45-54	1607	811,786	1361	83.3	80.8-85.8	246	16.7	14.2-19.2
55-64	2422	840,990	2121	87.6	85.8-89.4	301	12.4	10.6-14.2
65+	4402	997,454	4033	90.5	89.1-91.9	369	9.5	8.1-10.9
Less Than H.S.	870	642,653	640	69.5	65.2-73.8	230	30.5	26.2-34.8
H.S. or G.E.D.	3707	1,720,559	3226	83.1	81.1-85.1	481	16.9	14.9-18.9
Some Post-H.S.	2719	1,549,414	2347	83.5	81.3-85.7	372	16.5	14.3-18.7
College Graduate	3588	1,089,293	3198	86.2	84.4-88.0	390	13.8	12.0-15.6
Less than \$15,000	923	458,930	685	69.0	64.5-73.5	238	31.0	26.5-35.5
\$15,000- 24,999	1811	817,665	1485	73.9	70.6-77.2	326	26.1	22.8-29.4
\$25,000- 34,999	1131	488,103	962	78.6	74.7-82.5	169	21.4	17.5-25.3
\$35,000- 49,999	1476	680,126	1300	84.5	81.6-87.4	176	15.5	12.6-18.4
\$50,000- 74,999	1501	703,383	1340	86.9	84.4-89.4	161	13.1	10.6-15.6
\$75,000+	2597	1,268,240	2353	88.9	86.9-90.9	244	11.1	9.1-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4474	2,425,880	3854	81.8	80.0-83.6	620	18.2	16.4-20.0
18-24	251	351,488	185	73.8	67.5-80.1	66	26.2	19.9-32.5
25-34	374	410,182	283	78.3	73.6-83.0	91	21.7	17.0-26.4
35-44	490	399,208	395	77.6	72.9-82.3	95	22.4	17.7-27.1
45-54	688	399,411	582	81.9	77.8-86.0	106	18.1	14.0-22.2
55-64	997	408,168	880	87.3	84.6-90.0	117	12.7	10.0-15.4
65+	1630	438,961	1493	90.1	87.7-92.5	137	9.9	7.5-12.3
Less Than H.S.	361	328,220	266	73.4	67.3-79.5	95	26.6	20.5-32.7
H.S. or G.E.D.	1443	836,759	1251	83.4	80.7-86.1	192	16.6	13.9-19.3
Some Post-H.S.	1005	697,597	860	81.6	78.3-84.9	145	18.4	15.1-21.7
College Graduate	1652	556,605	1466	84.7	82.0-87.4	186	15.3	12.6-18.0
Less than \$15,000	311	196,400	225	68.6	61.3-75.9	86	31.4	24.1-38.7
\$15,000- 24,999	647	371,163	530	74.5	69.4-79.6	117	25.5	20.4-30.6
\$25,000- 34,999	435	228,519	357	74.1	67.4-80.8	78	25.9	19.2-32.6
\$35,000- 49,999	638	349,232	566	85.3	81.0-89.6	72	14.7	10.4-19.0
\$50,000- 74,999	703	360,893	628	86.9	83.2-90.6	75	13.1	9.4-16.8
\$75,000+	1294	683,657	1157	87.1	84.4-89.8	137	12.9	10.2-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6433	2,586,870	5574	82.4	80.8-84.0	859	17.6	16.0-19.2
18-24	204	335,685	141	74.1	67.6-80.6	63	25.9	19.4-32.4
25-34	430	412,327	314	74.9	70.0-79.8	116	25.1	20.2-30.0
35-44	592	402,276	482	77.2	72.5-81.9	110	22.8	18.1-27.5
45-54	919	412,375	779	84.7	81.6-87.8	140	15.3	12.2-18.4
55-64	1425	432,823	1241	88.0	86.0-90.0	184	12.0	10.0-14.0
65+	2772	558,493	2540	90.8	89.2-92.4	232	9.2	7.6-10.8
Less Than H.S.	509	314,433	374	65.5	59.2-71.8	135	34.5	28.2-40.8
H.S. or G.E.D.	2264	883,800	1975	82.7	80.2-85.2	289	17.3	14.8-19.8
Some Post-H.S.	1714	851,817	1487	85.0	82.5-87.5	227	15.0	12.5-17.5
College Graduate	1936	532,688	1732	87.7	85.3-90.1	204	12.3	9.9-14.7
Less than \$15,000	612	262,530	460	69.3	63.4-75.2	152	30.7	24.8-36.6
\$15,000- 24,999	1164	446,502	955	73.4	69.1-77.7	209	26.6	22.3-30.9
\$25,000- 34,999	696	259,584	605	82.7	78.2-87.2	91	17.3	12.8-21.8
\$35,000- 49,999	838	330,894	734	83.7	79.6-87.8	104	16.3	12.2-20.4
\$50,000- 74,999	798	342,489	712	87.0	83.5-90.5	86	13.0	9.5-16.5
\$75,000+	1303	584,582	1196	90.9	88.4-93.4	107	9.1	6.6-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10907	5,012,750	9428	82.1	80.9-83.3	734	8.7	7.9- 9.5	224	2.5	1.9- 3.1	159	1.1	0.9- 1.3	362	5.7	4.9- 6.5
Male	4474	2,425,880	3854	81.8	80.0-83.6	268	8.4	7.2- 9.6	127	3.2	2.4- 4.0	66	1.1	0.7- 1.5	159	5.5	4.5- 6.5
Female	6433	2,586,870	5574	82.4	80.8-84.0	466	8.9	7.7-10.1	97	1.7	1.1- 2.3	93	1.1	0.7- 1.5	203	5.9	4.9- 6.9
18-24	455	687,174	326	73.9	69.4-78.4	43	10.7	7.4-14.0	23	4.9	2.5- 7.3	17	2.4	1.0- 3.8	46	7.9	5.4-10.4
25-34	804	822,510	597	76.6	73.3-79.9	82	9.7	7.3-12.1	39	4.1	2.5- 5.7	15	1.2	0.4- 2.0	71	8.4	6.2-10.6
35-44	1082	801,484	877	77.4	74.1-80.7	74	9.1	6.6-11.6	32	2.9	1.7- 4.1	14	0.5	0.1- 0.9	85	10.1	7.7-12.5
45-54	1607	811,786	1361	83.3	80.8-85.8	126	8.5	6.7-10.3	34	1.9	0.9- 2.9	28	1.1	0.5- 1.7	58	5.3	3.5- 7.1
55-64	2422	840,990	2121	87.6	85.8-89.4	186	7.9	6.5- 9.3	36	1.0	0.6- 1.4	23	0.5	0.3- 0.7	56	2.9	1.9- 3.9
65+	4402	997,454	4033	90.5	89.1-91.9	209	6.5	5.3- 7.7	55	0.6	0.4- 0.8	60	1.1	0.7- 1.5	45	1.3	0.7- 1.9
Less Than H.S.	870	642,653	640	69.5	65.2-73.8	69	8.2	5.5-10.9	29	0.9	0.5- 1.3	17	1.6	0.4- 2.8	115	19.7	15.8-23.6
H.S. or G.E.D.	3707	1,720,559	3226	83.1	81.1-85.1	264	8.5	7.1- 9.9	56	2.1	1.1- 3.1	52	1.3	0.7- 1.9	109	4.9	3.7- 6.1
Some Post-H.S.	2719	1,549,414	2347	83.5	81.3-85.7	203	10.2	8.4-12.0	42	2.0	1.2- 2.8	58	1.1	0.7- 1.5	69	3.2	2.2- 4.2
College Graduate	3588	1,089,293	3198	86.2	84.4-88.0	198	7.0	5.6- 8.4	95	4.4	3.2- 5.6	32	0.4	0.2- 0.6	65	2.0	1.4- 2.6
Less than \$15,000	923	458,930	685	69.0	64.5-73.5	137	18.7	14.6-22.8	29	2.6	1.0- 4.2	21	1.1	0.5- 1.7	51	8.6	5.9-11.3
\$15,000- 24,999	1811	817,665	1485	73.9	70.6-77.2	163	12.4	9.9-14.9	30	2.1	0.9- 3.3	39	1.4	0.8- 2.0	94	10.2	7.8-12.6
\$25,000- 34,999	1131	488,103	962	78.6	74.7-82.5	72	9.0	6.1-11.9	20	1.9	0.7- 3.1	22	1.1	0.5- 1.7	55	9.4	6.5-12.3
\$35,000- 49,999	1476	680,126	1300	84.5	81.6-87.4	89	7.3	5.3- 9.3	31	2.2	0.6- 3.8	18	1.4	0.4- 2.4	38	4.6	2.8- 6.4
\$50,000- 74,999	1501	703,383	1340	86.9	84.4-89.4	88	6.7	4.7- 8.7	25	2.1	0.9- 3.3	18	1.4	0.4- 2.4	30	2.9	1.7- 4.1
\$75,000+	2597	1,268,240	2353	88.9	86.9-90.9	115	5.4	4.0- 6.8	53	2.6	1.6- 3.6	25	0.6	0.2- 1.0	51	2.5	1.5- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4474	2,425,880	3854	81.8	80.0-83.6	268	8.4	7.2- 9.6	127	3.2	2.4- 4.0	66	1.1	0.7- 1.5	159	5.5	4.5- 6.5
18-24	251	351,488	185	73.8	67.5-80.1	19	8.8	4.5-13.1	17	7.9	3.8-12.0	7	2.0	0.2- 3.8	23	7.5	4.0-11.0
25-34	374	410,182	283	78.3	73.6-83.0	25	7.6	4.3-10.9	19	3.5	1.5- 5.5	10	2.0	0.6- 3.4	37	8.6	5.7-11.5
35-44	490	399,208	395	77.6	72.9-82.3	31	9.5	5.8-13.2	23	4.1	1.9- 6.3	4	0.3	0.1- 0.5	37	8.6	5.5-11.7
45-54	688	399,411	582	81.9	77.8-86.0	49	8.9	6.0-11.8	19	2.8	0.8- 4.8	12	1.1	0.3- 1.9	26	5.2	2.7- 7.7
55-64	997	408,168	880	87.3	84.6-90.0	68	8.2	5.8-10.6	19	1.2	0.4- 2.0	5	0.2	0.0- 0.4	25	3.1	1.5- 4.7
65+	1630	438,961	1493	90.1	87.7-92.5	71	7.0	4.8- 9.2	27	0.6	0.2- 1.0	28	1.2	0.6- 1.8	11	1.0	0.2- 1.8
Less Than H.S.	361	328,220	266	73.4	67.3-79.5	23	7.7	3.6-11.8	17	1.1	0.5- 1.7	8	1.6	0.0- 3.2	47	16.2	11.3-21.1
H.S. or G.E.D.	1443	836,759	1251	83.4	80.7-86.1	87	7.3	5.5- 9.1	32	2.8	1.2- 4.4	23	1.5	0.5- 2.5	50	4.9	3.3- 6.5
Some Post-H.S.	1005	697,597	860	81.6	78.3-84.9	73	10.9	8.0-13.8	18	2.6	1.0- 4.2	23	1.1	0.5- 1.7	31	3.8	2.2- 5.4
College Graduate	1652	556,605	1466	84.7	82.0-87.4	85	7.3	5.3- 9.3	60	5.9	3.9- 7.9	12	0.3	0.1- 0.5	29	1.9	1.1- 2.7
Less than \$15,000	311	196,400	225	68.6	61.3-75.9	52	19.8	13.3-26.3	14	3.7	1.0- 6.4	4	0.7	0.0- 1.5	16	7.3	3.4-11.2
\$15,000- 24,999	647	371,163	530	74.5	69.4-79.6	50	11.1	7.2-15.0	16	3.4	0.9- 5.9	15	1.5	0.5- 2.5	36	9.5	6.0-13.0
\$25,000- 34,999	435	228,519	357	74.1	67.4-80.8	26	10.7	5.4-16.0	10	2.2	0.2- 4.2	13	1.7	0.5- 2.9	29	11.4	6.7-16.1
\$35,000- 49,999	638	349,232	566	85.3	81.0-89.6	25	5.2	2.8- 7.6	22	3.6	0.9- 6.3	6	1.4	0.0- 3.0	19	4.5	2.1- 6.9
\$50,000- 74,999	703	360,893	628	86.9	83.2-90.6	36	6.6	3.9- 9.3	14	2.2	0.2- 4.2	11	1.2	0.0- 2.4	14	3.0	1.2- 4.8
\$75,000+	1294	683,657	1157	87.1	84.4-89.8	61	6.6	4.4- 8.8	37	3.4	2.0- 4.8	11	0.6	0.2- 1.0	28	2.3	1.1- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6433	2,586,870	5574	82.4	80.8-84.0	466	8.9	7.7-10.1	97	1.7	1.1- 2.3	93	1.1	0.7- 1.5	203	5.9	4.9- 6.9
18-24	204	335,685	141	74.1	67.6-80.6	24	12.8	7.5-18.1	6	1.8	0.2- 3.4	10	2.9	0.9- 4.9	23	8.3	4.6-12.0
25-34	430	412,327	314	74.9	70.0-79.8	57	11.9	8.6-15.2	20	4.7	2.3- 7.1	5	0.4	0.0- 0.8	34	8.2	4.9-11.5
35-44	592	402,276	482	77.2	72.5-81.9	43	8.6	5.3-11.9	9	1.8	0.4- 3.2	10	0.8	0.0- 1.6	48	11.5	8.0-15.0
45-54	919	412,375	779	84.7	81.6-87.8	77	8.0	5.8-10.2	15	1.0	0.2- 1.8	16	1.0	0.4- 1.6	32	5.3	2.9- 7.7
55-64	1425	432,823	1241	88.0	86.0-90.0	118	7.7	6.1- 9.3	17	0.8	0.2- 1.4	18	0.9	0.3- 1.5	31	2.7	1.5- 3.9
65+	2772	558,493	2540	90.8	89.2-92.4	138	6.1	4.9- 7.3	28	0.6	0.2- 1.0	32	1.0	0.6- 1.4	34	1.5	0.7- 2.3
Less Than H.S.	509	314,433	374	65.5	59.2-71.8	46	8.6	4.9-12.3	12	0.8	0.2- 1.4	9	1.7	0.3- 3.1	68	23.4	17.5-29.3
H.S. or G.E.D.	2264	883,800	1975	82.7	80.2-85.2	177	9.7	7.7-11.7	24	1.5	0.5- 2.5	29	1.2	0.6- 1.8	59	4.9	3.3- 6.5
Some Post-H.S.	1714	851,817	1487	85.0	82.5-87.5	130	9.7	7.3-12.1	24	1.5	0.7- 2.3	35	1.1	0.5- 1.7	38	2.7	1.5- 3.9
College Graduate	1936	532,688	1732	87.7	85.3-90.1	113	6.7	4.9- 8.5	35	3.0	1.6- 4.4	20	0.6	0.2- 1.0	36	2.1	1.1- 3.1
Less than \$15,000	612	262,530	460	69.3	63.4-75.2	85	18.0	12.9-23.1	15	1.8	0.0- 3.6	17	1.4	0.4- 2.4	35	9.6	5.9-13.3
\$15,000- 24,999	1164	446,502	955	73.4	69.1-77.7	113	13.4	9.9-16.9	14	1.0	0.2- 1.8	24	1.4	0.6- 2.2	58	10.8	7.5-14.1
\$25,000- 34,999	696	259,584	605	82.7	78.2-87.2	46	7.6	4.5-10.7	10	1.5	0.1- 2.9	9	0.6	0.2- 1.0	26	7.6	4.1-11.1
\$35,000- 49,999	838	330,894	734	83.7	79.6-87.8	64	9.5	6.4-12.6	9	0.8	0.2- 1.4	12	1.4	0.2- 2.6	19	4.7	2.2- 7.2
\$50,000- 74,999	798	342,489	712	87.0	83.5-90.5	52	6.8	4.1- 9.5	11	2.0	0.6- 3.4	7	1.5	0.1- 2.9	16	2.7	1.1- 4.3
\$75,000+	1303	584,582	1196	90.9	88.4-93.4	54	4.0	2.4- 5.6	16	1.8	0.6- 3.0	14	0.7	0.1- 1.3	23	2.7	0.9- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGE5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10915	5,033,581	839	21.8	20.4-23.2	970	16.9	15.7-18.1	1258	14.9	13.9-15.9	2097	17.8	16.8-18.8	2638	15.2	14.4-16.0	3113	13.4	12.8-14.0
Male	4505	2,457,001	438	22.7	20.5-24.9	425	16.8	15.0-18.6	565	15.8	14.2-17.4	925	18.9	17.5-20.3	1058	14.5	13.3-15.7	1094	11.3	10.3-12.3
Female	6410	2,576,580	401	20.9	18.9-22.9	545	17.0	15.4-18.6	693	14.0	12.8-15.2	1172	16.9	15.7-18.1	1580	15.8	14.8-16.8	2019	15.4	14.4-16.4
White/Non-Hisp	9315	4,074,305	597	19.8	18.2-21.4	743	15.8	14.6-17.0	1039	14.6	13.6-15.6	1787	18.4	17.4-19.4	2326	16.4	15.6-17.2	2823	14.9	14.1-15.7
Black or Afr. Am./Non-Hisp	720	427,457	85	28.1	22.6-33.6	73	14.7	10.8-18.6	92	15.9	11.8-20.0	167	19.3	15.6-23.0	173	13.6	10.9-16.3	130	8.5	6.5-10.5
Oth. Race/Non-Hisp.	219	120,893	45	43.6	33.0-54.2	35	24.3	15.5-33.1	31	13.0	7.1-18.9	32	10.2	3.9-16.5	39	6.3	3.4- 9.2	37	2.6	1.4- 3.8
MultiRacial/Non-Hisp.	157	54,847	24	37.9	25.2-50.6	15	14.4	5.0-23.8	19	11.4	4.9-17.9	27	13.1	6.8-19.4	33	12.7	6.8-18.6	39	10.4	5.7-15.1
Hispanic	361	283,896	79	30.4	23.9-36.9	86	30.1	24.0-36.2	65	18.4	13.1-23.7	60	12.3	8.4-16.2	39	5.6	3.2- 8.0	32	3.3	1.5- 5.1
Less Than H.S.	890	662,275	81	23.3	18.6-28.0	93	18.7	14.8-22.6	108	15.6	12.3-18.9	154	16.7	13.6-19.8	171	12.0	9.8-14.2	283	13.7	11.5-15.9
H.S. or G.E.D.	3712	1,719,846	289	23.0	20.5-25.5	236	12.6	10.8-14.4	311	12.1	10.5-13.7	700	18.3	16.7-19.9	912	17.0	15.6-18.4	1264	17.0	15.8-18.2
Some Post-H.S.	2726	1,555,596	241	23.6	20.9-26.3	248	16.7	14.5-18.9	312	15.3	13.3-17.3	549	18.2	16.4-20.0	653	14.7	13.3-16.1	723	11.6	10.4-12.8
College Graduate	3567	1,087,198	227	16.5	14.3-18.7	391	22.7	20.5-24.9	526	18.3	16.5-20.1	689	17.2	15.6-18.8	898	15.1	13.9-16.3	836	10.2	9.4-11.0
Less than \$15,000	926	460,969	81	24.0	19.1-28.9	79	15.6	11.7-19.5	96	12.3	9.4-15.2	225	22.5	18.8-26.2	221	15.3	12.6-18.0	224	10.3	8.3-12.3
\$15,000- 24,999	1820	822,134	162	25.6	21.9-29.3	139	15.1	12.4-17.8	163	12.8	10.4-15.2	246	13.0	10.8-15.2	430	14.9	13.1-16.7	680	18.5	16.5-20.5
\$25,000- 34,999	1139	492,330	93	24.7	20.0-29.4	87	16.3	12.6-20.0	74	9.3	6.6-12.0	164	14.4	11.9-16.9	277	17.1	14.4-19.8	444	18.2	15.8-20.6
\$35,000- 49,999	1479	684,242	121	22.3	18.4-26.2	111	13.9	11.0-16.8	148	15.8	12.9-18.7	237	15.4	13.0-17.8	380	16.4	14.2-18.6	482	16.2	14.2-18.2
\$50,000- 74,999	1503	705,976	121	20.9	17.2-24.6	141	17.7	14.6-20.8	186	15.6	13.1-18.1	305	18.0	15.6-20.4	422	17.4	15.2-19.6	328	10.4	8.8-12.0
\$75,000+	2594	1,271,094	141	14.8	12.3-17.3	342	22.9	20.4-25.4	520	22.3	20.1-24.5	689	22.4	20.4-24.4	582	12.5	11.3-13.7	320	5.1	4.3- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4505	2,457,001	438	22.7	20.7-24.7	425	16.8	15.0-18.6	565	15.8	14.2-17.4	925	18.9	17.5-20.3	1058	14.5	13.3-15.7	1094	11.3	10.5-12.1
White/Non-Hisp	3818	1,969,198	319	21.1	18.9-23.3	326	15.7	13.9-17.5	464	15.4	13.8-17.0	786	19.4	17.8-21.0	937	15.7	14.5-16.9	986	12.6	11.6-13.6
Black or Afr. Am./Non-Hisp	263	200,108	33	24.3	16.3-32.3	21	11.9	6.0-17.8	38	19.9	13.0-26.8	69	22.7	16.4-29.0	56	13.5	9.2-17.8	46	7.6	4.5-10.7
Oth. Race/Non-Hisp.	124	77,286	26	44.0	30.1-57.9	23	25.1	13.9-36.3	19	12.8	5.5-20.1	17	11.5	2.7-20.3	23	4.8	1.9- 7.7	16	1.7	0.5- 2.9
MultiRacial/Non-Hisp.	66	26,967	12	39.0	19.8-58.2	7	19.3	2.8-35.8	9	13.2	2.0-24.4	7	7.2	0.3-14.1	12	12.0	3.0-21.0	19	9.4	3.5-15.3
Hispanic	159	133,859	42	31.6	22.6-40.6	39	30.1	21.1-39.1	25	15.4	8.1-22.7	31	14.8	8.7-20.9	16	6.0	2.3- 9.7	6	2.1	0.0- 4.6
Less Than H.S.	377	346,360	41	23.9	17.0-30.8	45	19.4	13.5-25.3	62	18.4	13.3-23.5	76	18.3	13.6-23.0	65	10.1	7.2-13.0	88	9.9	7.2-12.6
H.S. or G.E.D.	1451	842,312	149	23.6	20.1-27.1	121	14.5	11.8-17.2	139	12.8	10.4-15.2	321	20.4	17.9-22.9	351	15.7	13.7-17.7	370	13.0	11.4-14.6
Some Post-H.S.	1019	706,018	121	25.5	21.4-29.6	85	14.4	11.1-17.7	139	17.5	14.4-20.6	211	18.2	15.5-20.9	236	14.2	12.0-16.4	227	10.1	8.3-11.9
College Graduate	1648	556,890	126	17.3	14.4-20.2	172	21.3	18.2-24.4	225	16.9	14.4-19.4	315	17.7	15.5-19.9	404	15.9	13.9-17.9	406	10.9	9.5-12.3
Less than \$15,000	314	198,544	38	24.4	17.1-31.7	25	11.4	6.1-16.7	42	15.7	10.4-21.0	89	27.0	20.5-33.5	78	15.4	10.9-19.9	42	6.1	3.6- 8.6
\$15,000- 24,999	651	374,773	76	27.0	21.5-32.5	58	17.2	12.5-21.9	64	13.7	9.8-17.6	104	14.4	10.9-17.9	154	13.3	10.6-16.0	195	14.3	11.6-17.0
\$25,000- 34,999	440	231,387	47	26.2	19.1-33.3	35	16.0	10.1-21.9	32	10.7	6.2-15.2	67	14.2	10.3-18.1	107	17.2	12.9-21.5	152	15.7	12.4-19.0
\$35,000- 49,999	644	356,561	74	26.3	20.6-32.0	52	14.6	10.3-18.9	62	14.1	10.2-18.0	107	16.1	12.6-19.6	142	13.2	10.5-15.9	207	15.6	12.9-18.3
\$50,000- 74,999	707	363,668	69	21.9	16.6-27.2	64	17.9	13.4-22.4	76	13.2	9.9-16.5	137	18.4	14.7-22.1	197	17.3	14.4-20.2	164	11.4	9.0-13.8
\$75,000+	1299	689,290	81	15.2	11.7-18.7	163	20.4	17.1-23.7	263	23.9	20.6-27.2	329	22.4	19.7-25.1	289	13.0	11.2-14.8	174	5.1	4.1- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6410	2,576,580	401	20.9	18.9-22.9	545	17.0	15.4-18.6	693	14.0	12.8-15.2	1172	16.9	15.7-18.1	1580	15.8	14.8-16.8	2019	15.4	14.6-16.2
White/Non-Hisp	5497	2,105,107	278	18.6	16.4-20.8	417	15.8	14.0-17.6	575	13.8	12.4-15.2	1001	17.6	16.2-19.0	1389	17.1	15.9-18.3	1837	17.1	16.1-18.1
Black or Afr. Am./Non-Hisp	457	227,349	52	31.3	23.9-38.7	52	17.1	11.8-22.4	54	12.3	7.6-17.0	98	16.4	12.3-20.5	117	13.7	10.6-16.8	84	9.3	6.6-12.0
Oth. Race/Non-Hisp.	95	43,607	19	42.8	27.1-58.5	12	22.9	8.4-37.4	12	13.2	3.0-23.4	15	7.9	0.6-15.2	16	8.9	2.6-15.2	21	4.2	1.5- 6.9
MultiRacial/Non-Hisp.	91	27,879	12	36.9	20.2-53.6	8	9.8	1.0-18.6	10	9.7	2.6-16.8	20	18.7	8.7-28.7	21	13.4	5.8-21.0	20	11.5	4.2-18.8
Hispanic	202	150,037	37	29.3	20.3-38.3	47	30.1	21.7-38.5	40	21.0	13.6-28.4	29	10.1	5.2-15.0	23	5.2	2.5- 7.9	26	4.4	2.0- 6.8
Less Than H.S.	513	315,915	40	22.7	16.0-29.4	48	17.9	12.6-23.2	46	12.5	8.4-16.6	78	15.0	11.1-18.9	106	14.1	10.8-17.4	195	17.8	14.5-21.1
H.S. or G.E.D.	2261	877,534	140	22.4	19.1-25.7	115	10.8	8.4-13.2	172	11.5	9.5-13.5	379	16.3	14.3-18.3	561	18.1	16.3-19.9	894	20.8	19.0-22.6
Some Post-H.S.	1707	849,579	120	22.0	18.3-25.7	163	18.6	15.7-21.5	173	13.5	11.1-15.9	338	18.1	15.7-20.5	417	15.1	13.3-16.9	496	12.7	11.3-14.1
College Graduate	1919	530,309	101	15.7	12.8-18.6	219	24.2	21.1-27.3	301	19.7	17.3-22.1	374	16.7	14.7-18.7	494	14.3	12.7-15.9	430	9.4	8.2-10.6
Less than \$15,000	612	262,425	43	23.6	17.1-30.1	54	18.8	13.3-24.3	54	9.8	6.7-12.9	136	19.1	15.0-23.2	143	15.2	11.9-18.5	182	13.5	10.8-16.2
\$15,000- 24,999	1169	447,361	86	24.4	19.5-29.3	81	13.4	10.1-16.7	99	12.0	9.1-14.9	142	11.8	9.4-14.2	276	16.3	13.8-18.8	485	22.1	19.4-24.8
\$25,000- 34,999	699	260,943	46	23.4	16.9-29.9	52	16.6	11.7-21.5	42	8.0	5.1-10.9	97	14.6	11.1-18.1	170	17.1	13.8-20.4	292	20.3	17.2-23.4
\$35,000- 49,999	835	327,681	47	17.9	12.6-23.2	59	13.1	9.2-17.0	86	17.7	13.6-21.8	130	14.6	11.7-17.5	238	19.8	16.5-23.1	275	16.9	14.2-19.6
\$50,000- 74,999	796	342,308	52	19.9	14.4-25.4	77	17.5	13.4-21.6	110	18.3	14.4-22.2	168	17.5	14.4-20.6	225	17.4	14.5-20.3	164	9.4	7.4-11.4
\$75,000+	1295	581,804	60	14.3	10.6-18.0	179	25.9	22.2-29.6	257	20.5	17.6-23.4	360	22.4	19.7-25.1	293	11.8	10.0-13.6	146	5.1	3.9- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10915	5,033,581	6447	79.9	79.1-80.7	4468	20.1	19.3-20.9
Male	4505	2,457,001	2848	81.9	80.7-83.1	1657	18.1	16.9-19.3
Female	6410	2,576,580	3599	78.1	76.9-79.3	2811	21.9	20.7-23.1
White/Non-Hisp	9315	4,074,305	5282	77.8	76.8-78.8	4033	22.2	21.2-23.2
Black or Afr. Am./Non-Hisp	720	427,457	511	84.8	81.9-87.7	209	15.2	12.3-18.1
Oth. Race/Non-Hisp.	219	120,893	164	94.9	92.5-97.3	55	5.1	2.7- 7.5
MultiRacial/Non-Hisp.	157	54,847	97	80.1	72.8-87.4	60	19.9	12.6-27.2
Hispanic	361	283,896	316	95.5	93.5-97.5	45	4.5	2.5- 6.5
Less Than H.S.	890	662,275	529	81.4	78.9-83.9	361	18.6	16.1-21.1
H.S. or G.E.D.	3712	1,719,846	2002	76.0	74.4-77.6	1710	24.0	22.4-25.6
Some Post-H.S.	2726	1,555,596	1660	81.4	79.8-83.0	1066	18.6	17.0-20.2
College Graduate	3567	1,087,198	2245	83.0	81.8-84.2	1322	17.0	15.8-18.2
Less than \$15,000	926	460,969	603	83.8	81.3-86.3	323	16.2	13.7-18.7
\$15,000- 24,999	1820	822,134	905	74.6	72.2-77.0	915	25.4	23.0-27.8
\$25,000- 34,999	1139	492,330	530	72.7	69.6-75.8	609	27.3	24.2-30.4
\$35,000- 49,999	1479	684,242	794	76.3	73.9-78.7	685	23.7	21.3-26.1
\$50,000- 74,999	1503	705,976	945	81.5	79.3-83.7	558	18.5	16.3-20.7
\$75,000+	2594	1,271,094	2025	90.5	89.5-91.5	569	9.5	8.5-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4505	2,457,001	2848	81.9	80.7-83.1	1657	18.1	16.9-19.3
White/Non-Hisp	3818	1,969,198	2325	79.9	78.5-81.3	1493	20.1	18.7-21.5
Black or Afr. Am./Non-Hisp	263	200,108	192	84.6	79.9-89.3	71	15.4	10.7-20.1
Oth. Race/Non-Hisp.	124	77,286	97	96.5	94.3-98.7	27	3.5	1.3- 5.7
MultiRacial/Non-Hisp.	66	26,967	38	80.1	69.3-90.9	28	19.9	9.1-30.7
Hispanic	159	133,859	148	96.8	94.1-99.5	11	3.2	0.5- 5.9
Less Than H.S.	377	346,360	256	85.5	82.2-88.8	121	14.5	11.2-17.8
H.S. or G.E.D.	1451	842,312	910	80.0	77.8-82.2	541	20.0	17.8-22.2
Some Post-H.S.	1019	706,018	663	82.5	80.1-84.9	356	17.5	15.1-19.9
College Graduate	1648	556,890	1014	81.7	79.9-83.5	634	18.3	16.5-20.1
Less than \$15,000	314	198,544	240	87.4	83.5-91.3	74	12.6	8.7-16.5
\$15,000- 24,999	651	374,773	377	79.4	76.1-82.7	274	20.6	17.3-23.9
\$25,000- 34,999	440	231,387	224	75.0	70.5-79.5	216	25.0	20.5-29.5
\$35,000- 49,999	644	356,561	357	77.5	74.0-81.0	287	22.5	19.0-26.0
\$50,000- 74,999	707	363,668	418	78.8	75.5-82.1	289	21.2	17.9-24.5
\$75,000+	1299	689,290	991	90.1	88.7-91.5	308	9.9	8.5-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6410	2,576,580	3599	78.1	77.1-79.1	2811	21.9	20.9-22.9
White/Non-Hisp	5497	2,105,107	2957	75.9	74.7-77.1	2540	24.1	22.9-25.3
Black or Afr. Am./Non-Hisp	457	227,349	319	85.0	81.7-88.3	138	15.0	11.7-18.3
Oth. Race/Non-Hisp.	95	43,607	67	92.0	86.9-97.1	28	8.0	2.9-13.1
MultiRacial/Non-Hisp.	91	27,879	59	80.0	70.4-89.6	32	20.0	10.4-29.6
Hispanic	202	150,037	168	94.4	91.7-97.1	34	5.6	2.9- 8.3
Less Than H.S.	513	315,915	273	77.0	73.1-80.9	240	23.0	19.1-26.9
H.S. or G.E.D.	2261	877,534	1092	72.2	70.0-74.4	1169	27.8	25.6-30.0
Some Post-H.S.	1707	849,579	997	80.5	78.5-82.5	710	19.5	17.5-21.5
College Graduate	1919	530,309	1231	84.4	82.8-86.0	688	15.6	14.0-17.2
Less than \$15,000	612	262,425	363	81.0	77.7-84.3	249	19.0	15.7-22.3
\$15,000- 24,999	1169	447,361	528	70.6	67.5-73.7	641	29.4	26.3-32.5
\$25,000- 34,999	699	260,943	306	70.7	66.6-74.8	393	29.3	25.2-33.4
\$35,000- 49,999	835	327,681	437	74.9	71.6-78.2	398	25.1	21.8-28.4
\$50,000- 74,999	796	342,308	527	84.3	81.8-86.8	269	15.7	13.2-18.2
\$75,000+	1295	581,804	1034	90.9	89.5-92.3	261	9.1	7.7-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	10733	4,904,558	7	0.0	0.0- 0.0	671	4.7	4.1- 5.3	4864	40.6	39.2-42.0	4305	44.9	43.5-46.3	885	9.8	9.0-10.6	1	0.0	0.0- 0.0	
Male	4438	2,391,548	1	0.0	0.0- 0.0	11	0.3	0.1- 0.5	430	10.5	9.1-11.9	3120	69.4	67.4-71.4	875	19.8	18.0-21.6	1	0.0	0.0- 0.0	
Female	6295	2,513,009	6	0.1	0.1- 0.1	660	9.0	8.0-10.0	4434	69.2	67.4-71.0	1185	21.5	19.9-23.1	10	0.2	0.0- 0.4				
White/Non-Hisp	9214	4,025,289	5	0.0	0.0- 0.0	544	4.2	3.6- 4.8	4177	40.0	38.6-41.4	3723	45.5	43.9-47.1	764	10.2	9.2-11.2	1	0.0	0.0- 0.0	
Black or Afr. Am./Non-Hisp	718	423,914	1	0.1	0.0- 0.3	50	4.6	2.6- 6.6	346	42.8	37.5-48.1	259	42.6	37.3-47.9	62	9.9	6.8-13.0				
Oth. Race/Non-Hisp.	208	108,474				16	4.4	1.5- 7.3	89	47.3	36.5-58.1	88	42.3	31.7-52.9	15	5.9	0.0-12.0				
MultiRacial/Non-Hisp.	157	55,007	1	0.7	0.0- 2.1	11	4.3	0.8- 7.8	58	32.4	21.6-43.2	71	46.8	34.8-58.8	16	15.8	5.8-25.8				
Hispanic	300	229,283				40	14.3	8.8-19.8	149	47.4	40.0-54.8	95	34.8	27.7-41.9	16	3.4	1.4- 5.4				
18-24	443	672,378				24	5.6	3.1- 8.1	146	35.3	30.0-40.6	227	50.2	44.9-55.5	46	8.9	6.0-11.8				
25-34	773	789,122				26	3.0	1.6- 4.4	325	40.1	36.0-44.2	333	43.8	39.7-47.9	89	13.0	10.1-15.9				
35-44	1058	778,057				38	3.1	1.7- 4.5	434	40.8	37.1-44.5	476	45.1	41.4-48.8	110	11.1	8.7-13.5				
45-54	1580	795,883	1	0.1	0.0- 0.3	61	3.6	2.4- 4.8	640	38.3	35.4-41.2	722	47.6	44.5-50.7	156	10.4	8.4-12.4				
55-64	2398	832,941	3	0.1	0.0- 0.3	111	4.1	3.1- 5.1	1107	41.8	39.3-44.3	965	44.7	42.2-47.2	211	9.4	7.8-11.0	1	0.0	0.0- 0.0	
65+	4362	989,861	3	0.1	0.1- 0.1	400	8.1	7.1- 9.1	2159	45.2	43.2-47.2	1538	40.1	38.1-42.1	262	6.5	5.5- 7.5				
Less Than H.S.	839	604,766	2	0.1	0.0- 0.3	88	7.4	5.2- 9.6	408	46.0	41.3-50.7	298	38.2	33.5-42.9	43	8.4	5.5-11.3				
H.S. or G.E.D.	3650	1,690,523	3	0.0	0.0- 0.0	290	5.4	4.4- 6.4	1731	40.7	38.3-43.1	1373	44.6	42.2-47.0	253	9.3	7.9-10.7				
Some Post-H.S.	2687	1,527,269	1	0.0	0.0- 0.0	161	4.5	3.3- 5.7	1287	42.2	39.7-44.7	1039	44.2	41.5-46.9	199	9.0	7.4-10.6				
College Graduate	3539	1,074,785	1	0.0	0.0- 0.0	130	2.6	2.0- 3.2	1433	35.1	32.9-37.3	1586	50.0	47.6-52.4	388	12.3	10.7-13.9	1	0.0	0.0- 0.0	
Less than \$15,000	901	442,033	2	0.1	0.0- 0.3	87	8.6	5.7-11.5	471	45.3	40.6-50.0	301	40.0	35.3-44.7	40	5.9	3.5- 8.3				
\$15,000- 24,999	1789	788,628	1	0.0	0.0- 0.0	169	6.9	5.3- 8.5	874	43.4	39.9-46.9	624	42.0	38.5-45.5	121	7.6	5.6- 9.6				
\$25,000- 34,999	1120	480,512				82	6.6	4.4- 8.8	553	42.9	38.4-47.4	421	43.8	39.3-48.3	64	6.7	4.5- 8.9				
\$35,000- 49,999	1475	679,219				70	3.1	2.1- 4.1	656	37.9	34.4-41.4	630	49.4	45.7-53.1	119	9.6	7.2-12.0				
\$50,000- 74,999	1502	703,002	1	0.0	0.0- 0.0	56	3.9	2.1- 5.7	611	36.9	33.4-40.4	662	46.0	42.3-49.7	172	13.2	10.5-15.9				
\$75,000+	2604	1,271,348				68	2.0	1.4- 2.6	975	35.3	32.8-37.8	1259	49.4	46.7-52.1	301	13.2	11.2-15.2	1	0.0	0.0- 0.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4438	2,391,548	1	0.0	0.0- 0.0	11	0.3	0.1- 0.5	430	10.5	9.1-11.9	3120	69.4	67.4-71.4	875	19.8	18.0-21.6	1	0.0	0.0- 0.0
White/Non-Hisp	3785	1,945,230	1	0.0	0.0- 0.0	7	0.1	0.0- 0.3	337	9.0	7.6-10.4	2682	70.1	67.9-72.3	757	20.8	18.8-22.8	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	267	201,885							30	12.8	6.9-18.7	176	66.5	58.9-74.1	61	20.7	14.4-27.0			
Oth. Race/Non-Hisp.	119	71,363							23	29.0	14.9-43.1	82	63.0	48.5-77.5	14	8.0	0.0-16.8			
MultiRacial/Non-Hisp.	65	26,553							3	2.1	0.0- 5.2	47	66.9	48.7-85.1	15	31.1	12.9-49.3			
Hispanic	130	104,530				3	3.6	0.0- 7.9	31	23.6	14.4-32.8	80	65.3	55.3-75.3	16	7.6	3.3-11.9			
18-24	244	343,986				2	0.6	0.0- 1.6	22	8.7	4.6-12.8	175	73.4	67.1-79.7	45	17.3	11.8-22.8			
25-34	358	396,409							41	12.2	8.1-16.3	232	62.6	56.7-68.5	85	25.2	19.9-30.5			
35-44	481	390,102				4	0.6	0.0- 1.2	50	12.4	8.3-16.5	319	65.2	59.9-70.5	108	21.8	17.3-26.3			
45-54	684	395,617				2	0.5	0.0- 1.3	45	8.3	5.4-11.2	481	70.3	66.0-74.6	156	20.9	17.2-24.6			
55-64	992	408,203	1	0.0	0.0- 0.0				88	10.1	7.6-12.6	692	70.7	67.2-74.2	210	19.0	16.1-21.9	1	0.1	0.0- 0.3
65+	1635	439,861				3	0.2	0.0- 0.4	180	10.8	8.8-12.8	1192	74.5	71.8-77.2	260	14.5	12.3-16.7			
Less Than H.S.	354	315,296				2	1.0	0.0- 2.4	72	22.2	16.5-27.9	239	61.1	54.2-68.0	41	15.8	10.3-21.3			
H.S. or G.E.D.	1435	831,347				7	0.4	0.0- 0.8	143	9.6	7.4-11.8	1035	71.3	68.0-74.6	250	18.6	15.9-21.3			
Some Post-H.S.	1000	689,608				2	0.1	0.0- 0.3	90	9.3	6.8-11.8	712	70.9	67.2-74.6	196	19.7	16.4-23.0			
College Graduate	1640	550,953	1	0.0	0.0- 0.0				124	6.4	4.8- 8.0	1128	69.8	66.7-72.9	386	23.7	20.8-26.6	1	0.0	0.0- 0.0
Less than \$15,000	304	190,820	1	0.0	0.0- 0.0	5	2.3	0.0- 4.7	53	17.0	11.3-22.7	205	66.9	59.6-74.2	40	13.8	8.5-19.1			
\$15,000- 24,999	635	356,085				1	0.3	0.0- 0.9	64	11.3	7.8-14.8	451	71.8	66.9-76.7	119	16.6	12.5-20.7			
\$25,000- 34,999	430	223,643				2	0.3	0.0- 0.7	50	11.9	7.2-16.6	314	73.5	67.4-79.6	64	14.3	9.8-18.8			
\$35,000- 49,999	642	352,686				2	0.2	0.0- 0.6	64	9.5	6.2-12.8	461	72.3	67.4-77.2	115	18.0	13.7-22.3			
\$50,000- 74,999	705	361,751				1	0.1	0.0- 0.3	53	9.4	5.9-12.9	480	64.9	59.6-70.2	171	25.6	20.7-30.5			
\$75,000+	1306	691,009							80	6.5	4.3- 8.7	925	69.2	65.7-72.7	300	24.2	20.9-27.5	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	6295	2,513,009	6	0.1	0.1- 0.1	660	9.0	8.0-10.0	4434	69.2	67.4-71.0	1185	21.5	19.9-23.1	10	0.2	0.0- 0.4	
White/Non-Hisp	5429	2,080,059	4	0.0	0.0- 0.0	537	8.1	6.9- 9.3	3840	69.1	67.1-71.1	1041	22.6	20.8-24.4	7	0.2	0.0- 0.4	
Black or Afr. Am./Non-Hisp	451	222,029	1	0.2	0.0- 0.6	50	8.7	5.0-12.4	316	70.0	63.5-76.5	83	21.0	15.1-26.9	1	0.1	0.0- 0.3	
Oth. Race/Non-Hisp.	89	37,111				16	13.0	4.6-21.4	66	82.5	72.9-92.1	6	2.5	0.1- 4.9	1	2.0	0.0- 5.9	
MultiRacial/Non-Hisp.	92	28,454	1	1.4	0.0- 4.1	11	8.3	1.8-14.8	55	60.7	46.2-75.2	24	28.1	14.6-41.6	1	1.6	0.0- 4.5	
Hispanic	170	124,753				37	23.3	14.5-32.1	118	67.4	57.8-77.0	15	9.3	3.8-14.8				
18-24	199	328,392				22	10.8	5.7-15.9	124	63.1	55.5-70.7	52	26.0	19.1-32.9	1	0.1	0.0- 0.3	
25-34	415	392,712				26	6.1	3.4- 8.8	284	68.2	62.9-73.5	101	24.9	20.0-29.8	4	0.7	0.0- 1.5	
35-44	577	387,955				34	5.6	3.2- 8.0	384	69.4	64.9-73.9	157	24.8	20.7-28.9	2	0.3	0.0- 0.7	
45-54	896	400,266	1	0.1	0.0- 0.3	59	6.7	4.7- 8.7	595	68.0	64.3-71.7	241	25.2	21.7-28.7				
55-64	1406	424,738	2	0.2	0.0- 0.4	111	8.0	6.2- 9.8	1019	72.1	69.2-75.0	273	19.6	17.1-22.1	1	0.1	0.0- 0.3	
65+	2727	550,000	3	0.1	0.0- 0.3	397	14.4	12.6-16.2	1979	72.7	70.5-74.9	346	12.7	11.1-14.3	2	0.1	0.0- 0.3	
Less Than H.S.	485	289,470	2	0.2	0.0- 0.6	86	14.3	10.2-18.4	336	71.9	66.2-77.6	59	13.2	8.7-17.7	2	0.4	0.0- 1.0	
H.S. or G.E.D.	2215	859,176	3	0.1	0.0- 0.3	283	10.2	8.4-12.0	1588	70.7	67.8-73.6	338	18.8	16.1-21.5	3	0.2	0.0- 0.4	
Some Post-H.S.	1687	837,661	1	0.0	0.0- 0.0	159	8.2	6.2-10.2	1197	69.4	66.1-72.7	327	22.2	19.3-25.1	3	0.2	0.0- 0.4	
College Graduate	1899	523,832				130	5.3	3.9- 6.7	1309	65.3	62.2-68.4	458	29.2	26.3-32.1	2	0.2	0.0- 0.4	
Less than \$15,000	597	251,213	1	0.2	0.0- 0.6	82	13.4	8.7-18.1	418	66.8	60.7-72.9	96	19.6	14.5-24.7				
\$15,000- 24,999	1154	432,543	1	0.0	0.0- 0.0	168	12.4	9.5-15.3	810	69.8	65.7-73.9	173	17.5	14.0-21.0	2	0.2	0.0- 0.6	
\$25,000- 34,999	690	256,869				80	12.1	8.2-16.0	503	69.9	64.4-75.4	107	17.9	13.2-22.6				
\$35,000- 49,999	833	326,533				68	6.2	4.0- 8.4	592	68.6	63.7-73.5	169	24.6	19.9-29.3	4	0.5	0.0- 1.1	
\$50,000- 74,999	797	341,251	1	0.0	0.0- 0.0	55	8.0	4.5-11.5	558	66.0	60.9-71.1	182	25.9	21.4-30.4	1	0.1	0.0- 0.3	
\$75,000+	1298	580,339				68	4.5	3.1- 5.9	895	69.6	66.1-73.1	334	25.9	22.6-29.2	1	0.1	0.0- 0.3	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10786	4,950,202	8	0.1	0.1- 0.1	678	4.8	4.2- 5.4	4891	40.6	39.2-42.0	4322	44.8	43.4-46.2	886	9.7	8.9-10.5	1	0.0	0.0- 0.0
Male	4471	2,424,675	2	0.0	0.0- 0.0	14	0.4	0.2- 0.6	442	10.8	9.4-12.2	3136	69.1	67.1-71.1	876	19.6	18.0-21.2	1	0.0	0.0- 0.0
Female	6315	2,525,527	6	0.1	0.1- 0.1	664	9.1	7.9-10.3	4449	69.2	67.4-71.0	1186	21.4	19.8-23.0	10	0.2	0.0- 0.4			
White/Non-Hisp	9217	4,027,446	5	0.0	0.0- 0.0	544	4.2	3.6- 4.8	4178	40.0	38.6-41.4	3725	45.5	43.9-47.1	764	10.2	9.2-11.2	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	719	424,638	1	0.1	0.0- 0.3	50	4.6	2.6- 6.6	346	42.7	37.4-48.0	260	42.7	37.4-48.0	62	9.9	6.8-13.0			
Oth. Race/Non-Hisp.	213	113,660				16	4.2	1.5- 6.9	93	49.2	38.6-59.8	89	40.9	30.7-51.1	15	5.7	0.0-11.4			
MultiRacial/Non-Hisp.	157	55,007	1	0.7	0.0- 2.1	11	4.3	0.8- 7.8	58	32.4	21.6-43.2	71	46.8	34.8-58.8	16	15.8	5.8-25.8			
Hispanic	342	265,373	1	0.4	0.0- 1.2	47	15.1	10.0-20.2	171	46.7	39.8-53.6	106	34.3	27.8-40.8	17	3.5	1.5- 5.5			
18-24	449	679,768				24	5.5	3.0- 8.0	149	35.5	30.4-40.6	229	49.9	44.6-55.2	47	9.0	6.1-11.9			
25-34	789	803,131				29	3.6	2.0- 5.2	334	40.1	36.0-44.2	337	43.5	39.4-47.6	89	12.8	9.9-15.7			
35-44	1072	791,704	1	0.1	0.0- 0.3	41	3.3	1.9- 4.7	438	40.5	36.8-44.2	482	45.1	41.4-48.8	110	10.9	8.5-13.3			
45-54	1585	802,418	1	0.1	0.0- 0.3	61	3.6	2.4- 4.8	642	38.5	35.4-41.6	725	47.6	44.5-50.7	156	10.3	8.3-12.3			
55-64	2405	836,195	3	0.1	0.0- 0.3	111	4.1	3.1- 5.1	1112	41.9	39.4-44.4	967	44.6	42.1-47.1	211	9.3	7.7-10.9	1	0.0	0.0- 0.0
65+	4367	990,670	3	0.1	0.1- 0.1	401	8.1	7.1- 9.1	2163	45.2	43.2-47.2	1538	40.1	38.1-42.1	262	6.5	5.5- 7.5			
Less Than H.S.	862	630,431	3	0.3	0.0- 0.7	93	7.9	5.5-10.3	419	45.8	41.1-50.5	304	37.9	33.2-42.6	43	8.1	5.2-11.0			
H.S. or G.E.D.	3663	1,698,980	3	0.0	0.0- 0.0	292	5.5	4.5- 6.5	1737	40.6	38.2-43.0	1377	44.6	42.2-47.0	254	9.3	7.9-10.7			
Some Post-H.S.	2693	1,532,519	1	0.0	0.0- 0.0	161	4.5	3.3- 5.7	1290	42.3	39.8-44.8	1042	44.2	41.5-46.9	199	9.0	7.4-10.6			
College Graduate	3548	1,079,321	1	0.0	0.0- 0.0	130	2.6	2.0- 3.2	1439	35.2	33.0-37.4	1589	50.0	47.6-52.4	388	12.2	10.6-13.8	1	0.0	0.0- 0.0
Less than \$15,000	917	452,569	2	0.1	0.0- 0.3	89	8.7	5.8-11.6	481	45.4	40.7-50.1	305	39.9	35.2-44.6	40	5.8	3.4- 8.2			
\$15,000- 24,999	1806	807,655	2	0.1	0.0- 0.3	172	7.3	5.5- 9.1	880	43.1	39.6-46.6	631	42.0	38.5-45.5	121	7.4	5.4- 9.4			
\$25,000- 34,999	1126	485,113				83	6.7	4.5- 8.9	555	42.9	38.4-47.4	424	43.9	39.4-48.4	64	6.6	4.4- 8.8			
\$35,000- 49,999	1478	682,258				70	3.1	2.1- 4.1	658	38.0	34.5-41.5	631	49.3	45.6-53.0	119	9.5	7.1-11.9			
\$50,000- 74,999	1503	703,664	1	0.0	0.0- 0.0	56	3.9	2.1- 5.7	612	36.9	33.4-40.4	662	45.9	42.2-49.6	172	13.2	10.5-15.9			
\$75,000+	2605	1,271,949				68	2.0	1.4- 2.6	975	35.3	32.8-37.8	1260	49.5	46.8-52.2	301	13.2	11.2-15.2	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4471	2,424,675	2	0.0	0.0- 0.0	14	0.4	0.2- 0.6	442	10.8	9.4-12.2	3136	69.1	67.1-71.1	876	19.6	18.0-21.2	1	0.0	0.0- 0.0
White/Non-Hisp	3788	1,947,387	1	0.0	0.0- 0.0	7	0.1	0.0- 0.3	338	9.0	7.6-10.4	2684	70.1	67.9-72.3	757	20.8	18.8-22.8	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	268	202,608							30	12.8	6.9-18.7	177	66.6	59.0-74.2	61	20.6	14.3-26.9			
Oth. Race/Non-Hisp.	122	74,428							25	31.1	17.4-44.8	83	61.2	46.9-75.5	14	7.7	0.0-16.1			
MultiRacial/Non-Hisp.	65	26,553							3	2.1	0.0- 5.2	47	66.9	48.7-85.1	15	31.1	12.9-49.3			
Hispanic	154	130,224	1	0.8	0.0- 2.4	6	5.2	0.9- 9.5	40	26.2	17.4-35.0	90	60.7	51.1-70.3	17	7.2	3.1-11.3			
18-24	249	350,238				2	0.6	0.0- 1.4	24	9.5	5.4-13.6	177	72.5	66.2-78.8	46	17.4	12.1-22.7			
25-34	366	402,712				1	0.3	0.0- 0.9	45	12.6	8.5-16.7	235	62.3	56.4-68.2	85	24.8	19.5-30.1			
35-44	492	402,025	1	0.3	0.0- 0.9	6	1.0	0.2- 1.8	52	12.6	8.7-16.5	325	64.9	59.6-70.2	108	21.2	16.7-25.7			
45-54	688	401,811				2	0.5	0.0- 1.3	46	9.0	5.7-12.3	484	69.9	65.4-74.4	156	20.6	17.1-24.1			
55-64	996	410,307	1	0.0	0.0- 0.0				90	10.3	7.8-12.8	694	70.6	67.1-74.1	210	18.9	16.0-21.8	1	0.1	0.0- 0.3
65+	1636	440,212				3	0.2	0.0- 0.4	181	10.9	8.9-12.9	1192	74.4	71.7-77.1	260	14.5	12.3-16.7			
Less Than H.S.	369	334,579	1	0.3	0.0- 0.9	4	1.5	0.0- 3.1	78	23.4	17.7-29.1	245	60.0	53.3-66.7	41	14.9	9.6-20.2			
H.S. or G.E.D.	1443	837,390				8	0.5	0.1- 0.9	145	9.7	7.5-11.9	1039	71.1	67.8-74.4	251	18.7	16.0-21.4			
Some Post-H.S.	1003	692,730				2	0.1	0.0- 0.3	91	9.5	7.0-12.0	714	70.8	67.1-74.5	196	19.6	16.3-22.9			
College Graduate	1646	554,415	1	0.0	0.0- 0.0				127	6.6	5.0- 8.2	1131	69.8	66.9-72.7	386	23.6	20.7-26.5	1	0.0	0.0- 0.0
Less than \$15,000	312	198,210	1	0.0	0.0- 0.0	6	2.8	0.3- 5.3	56	17.6	12.1-23.1	209	66.3	59.2-73.4	40	13.3	8.2-18.4			
\$15,000- 24,999	647	371,015	1	0.3	0.0- 0.9	2	0.6	0.0- 1.4	67	12.4	8.7-16.1	458	70.9	65.8-76.0	119	15.9	12.0-19.8			
\$25,000- 34,999	434	227,007				2	0.2	0.0- 0.6	51	12.2	7.5-16.9	317	73.4	67.3-79.5	64	14.1	9.6-18.6			
\$35,000- 49,999	645	355,725				2	0.2	0.0- 0.6	66	10.0	6.5-13.5	462	72.0	67.1-76.9	115	17.8	13.7-21.9			
\$50,000- 74,999	706	362,413				1	0.1	0.0- 0.3	54	9.6	6.1-13.1	480	64.8	59.5-70.1	171	25.6	20.7-30.5			
\$75,000+	1307	691,610							80	6.5	4.3- 8.7	926	69.3	65.8-72.8	300	24.2	20.9-27.5	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6315	2,525,527	6	0.1	0.1- 0.1	664	9.1	7.9-10.3	4449	69.2	67.4-71.0	1186	21.4	19.8-23.0	10	0.2	0.0- 0.4
White/Non-Hisp	5429	2,080,059	4	0.0	0.0- 0.0	537	8.1	6.9- 9.3	3840	69.1	67.1-71.1	1041	22.6	20.8-24.4	7	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	451	222,029	1	0.2	0.0- 0.6	50	8.7	5.0-12.4	316	70.0	63.5-76.5	83	21.0	15.1-26.9	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	91	39,232				16	12.3	4.5-20.1	68	83.5	74.5-92.5	6	2.4	0.2- 4.6	1	1.9	0.0- 5.6
MultiRacial/Non-Hisp.	92	28,454	1	1.4	0.0- 4.1	11	8.3	1.8-14.8	55	60.7	46.2-75.2	24	28.1	14.6-41.6	1	1.6	0.0- 4.5
Hispanic	188	135,150				41	24.7	16.1-33.3	131	66.4	57.2-75.6	16	8.9	3.8-14.0			
18-24	200	329,531				22	10.8	5.7-15.9	125	63.2	55.6-70.8	52	25.9	19.0-32.8	1	0.1	0.0- 0.3
25-34	423	400,419				28	6.9	4.0- 9.8	289	67.9	62.6-73.2	102	24.5	19.6-29.4	4	0.7	0.0- 1.5
35-44	580	389,679				35	5.7	3.3- 8.1	386	69.4	64.9-73.9	157	24.7	20.6-28.8	2	0.3	0.0- 0.7
45-54	897	400,606	1	0.1	0.0- 0.3	59	6.7	4.7- 8.7	596	68.0	64.3-71.7	241	25.2	21.7-28.7			
55-64	1409	425,888	2	0.2	0.0- 0.4	111	8.0	6.2- 9.8	1022	72.2	69.3-75.1	273	19.6	17.1-22.1	1	0.1	0.0- 0.3
65+	2731	550,457	3	0.1	0.0- 0.3	398	14.4	12.6-16.2	1982	72.7	70.5-74.9	346	12.7	11.1-14.3	2	0.1	0.0- 0.3
Less Than H.S.	493	295,851	2	0.2	0.0- 0.6	89	15.3	11.0-19.6	341	71.2	65.5-76.9	59	12.9	8.6-17.2	2	0.4	0.0- 1.0
H.S. or G.E.D.	2220	861,591	3	0.1	0.0- 0.3	284	10.2	8.4-12.0	1592	70.7	67.8-73.6	338	18.8	16.3-21.3	3	0.2	0.0- 0.4
Some Post-H.S.	1690	839,788	1	0.0	0.0- 0.0	159	8.2	6.2-10.2	1199	69.4	66.1-72.7	328	22.2	19.3-25.1	3	0.2	0.0- 0.4
College Graduate	1902	524,906				130	5.2	3.8- 6.6	1312	65.4	62.3-68.5	458	29.1	26.2-32.0	2	0.2	0.0- 0.4
Less than \$15,000	605	254,359	1	0.2	0.0- 0.6	83	13.3	8.8-17.8	425	67.1	61.2-73.0	96	19.4	14.3-24.5			
\$15,000- 24,999	1159	436,640	1	0.0	0.0- 0.0	170	13.1	10.2-16.0	813	69.3	65.2-73.4	173	17.3	13.8-20.8	2	0.2	0.0- 0.6
\$25,000- 34,999	692	258,107				81	12.3	8.4-16.2	504	69.9	64.4-75.4	107	17.9	13.2-22.6			
\$35,000- 49,999	833	326,533				68	6.2	4.0- 8.4	592	68.6	63.7-73.5	169	24.6	19.9-29.3	4	0.5	0.0- 1.1
\$50,000- 74,999	797	341,251	1	0.0	0.0- 0.0	55	8.0	4.5-11.5	558	66.0	60.9-71.1	182	25.9	21.4-30.4	1	0.1	0.0- 0.3
\$75,000+	1298	580,339				68	4.5	3.1- 5.9	895	69.6	66.1-73.1	334	25.9	22.6-29.2	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10422	4,819,419	116	0.9	0.7- 1.1	3051	28.0	26.6-29.4	4591	43.7	42.3-45.1	2014	20.5	19.3-21.7	495	5.1	4.5- 5.7	155	1.8	1.4- 2.2
Male	4440	2,409,408	7	0.2	0.0- 0.4	443	11.9	10.3-13.5	2192	49.3	47.1-51.5	1345	28.8	27.0-30.6	342	7.2	6.2- 8.2	111	2.6	2.0- 3.2
Female	5982	2,410,011	109	1.7	1.1- 2.3	2608	44.1	42.1-46.1	2399	38.1	36.3-39.9	669	12.2	11.0-13.4	153	3.0	2.2- 3.8	44	0.9	0.5- 1.3
White/Non-Hisp	8888	3,902,948	101	1.0	0.6- 1.4	2612	27.9	26.5-29.3	3927	43.7	42.1-45.3	1703	20.6	19.4-21.8	414	5.1	4.5- 5.7	131	1.7	1.3- 2.1
Black or Afr. Am./Non-Hisp	700	417,648	4	0.5	0.0- 1.1	157	19.1	15.0-23.2	315	45.5	40.2-50.8	160	24.4	20.1-28.7	51	7.8	4.9-10.7	13	2.9	0.9- 4.9
Oth. Race/Non-Hisp.	205	110,368	5	3.3	0.2- 6.4	79	46.2	35.4-57.0	79	39.4	28.8-50.0	32	9.2	3.7-14.7	7	0.7	0.0- 1.5	3	1.2	0.0- 2.8
MultiRacial/Non-Hisp.	149	52,791	2	0.6	0.0- 1.6	38	19.1	10.3-27.9	63	42.0	29.8-54.2	34	26.9	15.5-38.3	10	8.7	2.2-15.2	2	2.6	0.0- 7.3
Hispanic	351	271,942	3	0.7	0.0- 1.7	130	39.9	33.2-46.6	148	41.9	35.2-48.6	55	13.4	9.3-17.5	10	2.6	0.6- 4.6	5	1.6	0.0- 3.2
18-24	437	667,470	10	2.2	0.6- 3.8	181	42.8	37.5-48.1	171	39.0	33.7-44.3	59	12.8	9.3-16.3	13	2.9	1.1- 4.7	3	0.4	0.0- 1.0
25-34	774	795,402	8	0.8	0.2- 1.4	236	29.7	25.8-33.6	311	41.4	37.3-45.5	158	20.1	16.8-23.4	41	5.5	3.5- 7.5	20	2.5	1.3- 3.7
35-44	1036	766,123	5	0.4	0.0- 0.8	259	23.6	20.5-26.7	459	46.4	42.7-50.1	224	21.5	18.4-24.6	64	5.6	4.0- 7.2	25	2.5	1.3- 3.7
45-54	1526	780,735	13	0.9	0.3- 1.5	378	22.7	20.0-25.4	636	41.5	38.4-44.6	362	25.1	22.4-27.8	105	7.6	5.8- 9.4	32	2.2	1.2- 3.2
55-64	2331	815,215	16	0.4	0.2- 0.6	594	23.1	20.9-25.3	1005	43.2	40.7-45.7	523	25.1	22.7-27.5	141	5.9	4.7- 7.1	52	2.3	1.5- 3.1
65+	4229	960,094	57	1.0	0.6- 1.4	1373	28.4	26.6-30.2	1975	49.0	47.0-51.0	675	17.7	16.1-19.3	127	3.1	2.5- 3.7	22	0.7	0.3- 1.1
Less Than H.S.	855	634,220	12	0.6	0.2- 1.0	266	29.6	25.3-33.9	380	45.7	41.0-50.4	144	17.0	13.5-20.5	38	4.7	2.5- 6.9	15	2.3	1.1- 3.5
H.S. or G.E.D.	3521	1,641,244	57	1.3	0.7- 1.9	1040	28.2	26.0-30.4	1534	43.1	40.7-45.5	641	19.9	17.9-21.9	183	5.7	4.7- 6.7	66	1.9	1.3- 2.5
Some Post-H.S.	2601	1,490,466	23	1.0	0.4- 1.6	738	26.7	24.2-29.2	1144	44.0	41.3-46.7	530	21.8	19.6-24.0	131	4.8	3.8- 5.8	35	1.7	1.1- 2.3
College Graduate	3424	1,044,602	24	0.6	0.2- 1.0	999	28.7	26.5-30.9	1523	43.0	40.6-45.4	697	21.6	19.6-23.6	142	4.7	3.7- 5.7	39	1.3	0.7- 1.9
Less than \$15,000	898	444,674	17	1.4	0.4- 2.4	287	29.1	24.8-33.4	382	43.2	38.5-47.9	147	18.0	14.3-21.7	41	5.2	2.8- 7.6	24	3.0	1.2- 4.8
\$15,000- 24,999	1751	790,726	29	1.7	0.5- 2.9	527	29.0	25.7-32.3	747	43.1	39.6-46.6	318	18.2	15.5-20.9	94	5.4	3.8- 7.0	36	2.7	1.7- 3.7
\$25,000- 34,999	1107	477,896	9	0.7	0.0- 1.5	326	28.4	24.3-32.5	513	46.5	42.0-51.0	203	19.4	15.9-22.9	37	3.2	1.6- 4.8	19	1.7	0.7- 2.7
\$35,000- 49,999	1436	666,015	11	0.6	0.0- 1.2	374	23.4	20.3-26.5	668	47.1	43.4-50.8	295	22.8	19.7-25.9	70	4.6	3.2- 6.0	18	1.4	0.4- 2.4
\$50,000- 74,999	1468	694,048	7	0.4	0.0- 0.8	366	24.6	21.3-27.9	654	42.6	38.9-46.3	339	24.9	21.8-28.0	84	6.0	4.4- 7.6	18	1.6	0.6- 2.6
\$75,000+	2536	1,237,935	13	0.5	0.1- 0.9	696	27.5	25.0-30.0	1112	42.9	40.2-45.6	554	22.1	19.9-24.3	130	5.7	4.3- 7.1	31	1.3	0.7- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4440	2,409,408	7	0.2	0.0- 0.4	443	11.9	10.3-13.5	2192	49.3	47.1-51.5	1345	28.8	27.0-30.6	342	7.2	6.2- 8.2	111	2.6	2.0- 3.2
White/Non-Hisp	3766	1,940,204	5	0.1	0.0- 0.3	331	10.3	8.7-11.9	1870	49.3	46.9-51.7	1171	30.2	28.2-32.2	295	7.6	6.4- 8.8	94	2.5	1.9- 3.1
Black or Afr. Am./Non-Hisp	265	198,090	1	0.5	0.0- 1.5	31	11.0	6.1-15.9	124	49.9	41.9-57.9	77	25.7	19.2-32.2	25	9.2	4.9-13.5	7	3.8	0.7- 6.9
Oth. Race/Non-Hisp.	116	70,427				26	34.6	20.1-49.1	61	51.7	37.2-66.2	21	11.0	3.6-18.4	6	1.1	0.0- 2.3	2	1.6	0.0- 4.0
MultiRacial/Non-Hisp.	66	26,967				11	9.4	1.4-17.4	27	42.1	23.9-60.3	20	35.3	16.9-53.7	6	8.1	0.1-16.1	2	5.1	0.0-14.3
Hispanic	155	129,267	1	0.9	0.0- 2.7	33	25.6	16.6-34.6	75	49.4	39.6-59.2	33	16.6	9.9-23.3	8	4.1	0.6- 7.6	5	3.3	0.2- 6.4
18-24	244	345,337				69	28.0	21.5-34.5	124	53.4	46.1-60.7	43	15.9	10.6-21.2	5	1.8	0.0- 3.6	3	0.9	0.0- 1.9
25-34	371	411,913	1	0.3	0.0- 0.9	52	13.8	9.5-18.1	172	47.1	41.0-53.2	102	26.5	21.2-31.8	28	8.2	4.9-11.5	16	4.1	1.9- 6.3
35-44	485	392,494	1	0.2	0.0- 0.6	39	9.0	5.9-12.1	234	50.8	45.3-56.3	158	30.5	25.4-35.6	38	6.7	4.3- 9.1	15	2.9	1.3- 4.5
45-54	682	399,269	3	0.6	0.0- 1.2	50	9.1	5.8-12.4	295	41.8	37.1-46.5	232	33.3	29.0-37.6	76	11.6	8.7-14.5	26	3.7	2.1- 5.3
55-64	994	408,694				82	7.2	5.2- 9.2	440	44.8	40.9-48.7	341	35.7	32.0-39.4	97	9.1	6.9-11.3	34	3.2	1.8- 4.6
65+	1628	437,086	2	0.1	0.0- 0.3	147	7.5	5.9- 9.1	910	57.5	54.4-60.6	456	28.6	25.7-31.5	96	5.4	4.0- 6.8	17	0.9	0.3- 1.5
Less Than H.S.	367	334,420				58	18.0	12.3-23.7	185	50.5	43.6-57.4	85	21.0	15.5-26.5	29	7.5	3.8-11.2	10	3.0	1.0- 5.0
H.S. or G.E.D.	1433	831,214	6	0.5	0.1- 0.9	158	12.6	10.1-15.1	682	47.8	44.3-51.3	411	28.3	25.2-31.4	126	8.0	6.2- 9.8	50	2.9	1.9- 3.9
Some Post-H.S.	999	690,158				77	9.3	6.8-11.8	496	50.3	46.2-54.4	319	31.1	27.4-34.8	81	6.3	4.5- 8.1	26	2.9	1.5- 4.3
College Graduate	1631	548,056	1	0.2	0.0- 0.6	149	10.5	8.3-12.7	822	49.3	46.0-52.6	529	31.5	28.6-34.4	105	7.0	5.2- 8.8	25	1.6	0.8- 2.4
Less than \$15,000	308	193,397	3	1.2	0.0- 2.6	51	14.5	9.4-19.6	153	49.5	41.9-57.1	67	23.4	17.1-29.7	21	7.7	3.6-11.8	13	3.7	1.2- 6.2
\$15,000- 24,999	649	375,117	1	0.0	0.0- 0.0	96	16.0	11.9-20.1	293	48.7	43.2-54.2	180	24.1	19.6-28.6	54	6.8	4.3- 9.3	25	4.3	2.3- 6.3
\$25,000- 34,999	434	225,560	1	0.1	0.0- 0.3	51	16.1	10.4-21.8	229	53.2	46.3-60.1	116	24.7	19.2-30.2	24	3.5	1.7- 5.3	13	2.3	0.7- 3.9
\$35,000- 49,999	643	355,109	1	0.3	0.0- 0.9	62	10.5	7.0-14.0	328	52.4	46.9-57.9	196	29.5	24.6-34.4	46	5.7	3.5- 7.9	10	1.6	0.0- 3.2
\$50,000- 74,999	702	361,289				53	7.4	4.3-10.5	339	46.5	41.2-51.8	232	34.8	29.7-39.9	62	8.5	6.0-11.0	16	2.8	1.0- 4.6
\$75,000+	1298	684,172	1	0.1	0.0- 0.3	86	8.9	6.5-11.3	630	48.2	44.5-51.9	446	32.1	28.6-35.6	107	8.5	6.3-10.7	28	2.2	1.2- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	5982	2,410,011	109	1.7	1.1- 2.3	2608	44.1	42.1-46.1	2399	38.1	36.3-39.9	669	12.2	11.0-13.4	153	3.0	2.2- 3.8	44	0.9	0.5- 1.3			
White/Non-Hisp	5122	1,962,744	96	1.8	1.2- 2.4	2281	45.3	43.1-47.5	2057	38.3	36.3-40.3	532	11.1	9.7-12.5	119	2.7	2.1- 3.3	37	0.9	0.5- 1.3			
Black or Afr. Am./Non-Hisp	435	219,558	3	0.5	0.0- 1.1	126	26.4	20.3-32.5	191	41.5	34.6-48.4	83	23.2	17.3-29.1	26	6.5	2.6-10.4	6	2.0	0.0- 4.5			
Oth. Race/Non-Hisp.	89	39,941	5	9.3	0.9-17.7	53	66.5	52.2-80.8	18	17.6	6.0-29.2	11	6.1	0.0-13.5	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9			
MultiRacial/Non-Hisp.	83	25,824	2	1.2	0.0- 3.2	27	29.3	14.6-44.0	36	42.0	25.9-58.1	14	18.1	6.7-29.5	4	9.3	0.0-19.5						
Hispanic	196	142,675	2	0.6	0.0- 1.4	97	52.8	43.4-62.2	73	35.0	26.0-44.0	22	10.5	5.2-15.8	2	1.2	0.0- 2.8						
18-24	193	322,133	10	4.5	1.2- 7.8	112	58.7	50.9-66.5	47	23.5	16.8-30.2	16	9.4	4.5-14.3	8	4.0	0.9- 7.1						
25-34	403	383,489	7	1.3	0.1- 2.5	184	46.8	40.9-52.7	139	35.2	29.7-40.7	56	13.3	9.4-17.2	13	2.6	1.0- 4.2	4	0.7	0.0- 1.5			
35-44	551	373,629	4	0.6	0.0- 1.2	220	39.0	33.9-44.1	225	41.8	36.7-46.9	66	12.0	8.7-15.3	26	4.5	2.3- 6.7	10	2.1	0.3- 3.9			
45-54	844	381,466	10	1.2	0.2- 2.2	328	37.1	33.0-41.2	341	41.1	37.0-45.2	130	16.6	13.5-19.7	29	3.4	2.0- 4.8	6	0.6	0.0- 1.2			
55-64	1337	406,521	16	0.8	0.4- 1.2	512	39.1	35.8-42.4	565	41.6	38.3-44.9	182	14.5	12.1-16.9	44	2.7	1.7- 3.7	18	1.3	0.5- 2.1			
65+	2601	523,008	55	1.8	1.2- 2.4	1226	46.0	43.6-48.4	1065	41.9	39.5-44.3	219	8.6	7.2-10.0	31	1.1	0.5- 1.7	5	0.6	0.0- 1.2			
Less Than H.S.	488	299,800	12	1.4	0.4- 2.4	208	42.6	36.1-49.1	195	40.3	34.0-46.6	59	12.5	8.0-17.0	9	1.7	0.0- 3.7	5	1.5	0.1- 2.9			
H.S. or G.E.D.	2088	810,030	51	2.1	1.1- 3.1	882	44.2	40.9-47.5	852	38.3	35.2-41.4	230	11.3	9.3-13.3	57	3.3	2.1- 4.5	16	0.9	0.1- 1.7			
Some Post-H.S.	1602	800,308	23	1.8	0.6- 3.0	661	41.6	37.9-45.3	648	38.5	35.0-42.0	211	13.9	11.5-16.3	50	3.6	2.2- 5.0	9	0.6	0.2- 1.0			
College Graduate	1793	496,546	23	1.1	0.5- 1.7	850	48.9	45.6-52.2	701	36.1	33.0-39.2	168	10.8	8.6-13.0	37	2.2	1.2- 3.2	14	0.9	0.3- 1.5			
Less than \$15,000	590	251,278	14	1.6	0.4- 2.8	236	40.4	34.3-46.5	229	38.4	32.5-44.3	80	13.8	9.3-18.3	20	3.3	0.6- 6.0	11	2.5	0.1- 4.9			
\$15,000- 24,999	1102	415,608	28	3.1	0.9- 5.3	431	40.7	36.2-45.2	454	38.1	33.8-42.4	138	12.9	10.0-15.8	40	4.0	2.2- 5.8	11	1.2	0.4- 2.0			
\$25,000- 34,999	673	252,336	8	1.3	0.0- 2.7	275	39.4	33.5-45.3	284	40.5	34.8-46.2	87	14.7	10.0-19.4	13	2.9	0.4- 5.4	6	1.2	0.0- 2.6			
\$35,000- 49,999	793	310,906	10	1.0	0.0- 2.0	312	38.1	33.0-43.2	340	41.2	36.1-46.3	99	15.3	11.4-19.2	24	3.3	1.7- 4.9	8	1.2	0.0- 2.4			
\$50,000- 74,999	766	332,758	7	0.8	0.0- 1.6	313	43.3	38.0-48.6	315	38.4	33.5-43.3	107	14.1	10.8-17.4	22	3.3	1.7- 4.9	2	0.2	0.0- 0.6			
\$75,000+	1238	553,763	12	1.0	0.2- 1.8	610	50.5	46.4-54.6	482	36.5	32.6-40.4	108	9.6	7.2-12.0	23	2.3	1.1- 3.5	3	0.1	0.0- 0.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10319	4,724,040	125	1.3	0.9- 1.7	3097	31.7	30.3-33.1	3701	34.8	33.4-36.2	2056	18.9	17.9-19.9	1340	13.3	12.3-14.3
Male	4423	2,392,996	33	1.0	0.6- 1.4	1104	28.0	26.0-30.0	1836	39.1	37.1-41.1	955	20.5	18.9-22.1	495	11.4	10.2-12.6
Female	5896	2,331,044	92	1.5	1.1- 1.9	1993	35.5	33.5-37.5	1865	30.4	28.6-32.2	1101	17.3	15.9-18.7	845	15.3	13.9-16.7
White/Non-Hisp	8826	3,846,922	107	1.3	0.9- 1.7	2721	32.5	30.9-34.1	3164	34.5	33.1-35.9	1740	19.1	17.9-20.3	1094	12.7	11.7-13.7
Black or Afr. Am./Non-Hisp	689	408,306	6	1.0	0.0- 2.2	135	22.4	17.5-27.3	243	34.6	29.5-39.7	170	21.3	17.2-25.4	135	20.7	16.4-25.0
Oth. Race/Non-Hisp.	201	105,954	5	2.9	0.0- 6.0	85	53.5	42.7-64.3	64	31.9	21.7-42.1	22	8.4	3.5-13.3	25	3.3	1.3- 5.3
MultiRacial/Non-Hisp.	148	52,377	2	0.6	0.0- 1.6	36	22.7	11.9-33.5	49	28.4	18.2-38.6	40	29.9	18.1-41.7	21	18.4	8.6-28.2
Hispanic	330	250,745	5	1.5	0.0- 3.1	85	30.7	24.0-37.4	133	41.0	34.1-47.9	58	13.3	9.0-17.6	49	13.5	9.0-18.0
18-24	425	647,721	14	2.6	1.0- 4.2	226	54.7	49.2-60.2	108	25.1	20.4-29.8	45	9.9	6.8-13.0	32	7.7	4.8-10.6
25-34	732	746,867	11	1.4	0.4- 2.4	241	32.9	28.8-37.0	238	33.6	29.5-37.7	134	17.6	14.5-20.7	108	14.5	11.4-17.6
35-44	1019	749,663	6	0.8	0.0- 1.6	302	28.6	25.1-32.1	354	36.1	32.4-39.8	204	19.7	16.8-22.6	153	14.7	12.2-17.2
45-54	1522	776,873	22	1.5	0.7- 2.3	412	25.6	22.9-28.3	510	33.6	30.7-36.5	338	22.5	19.8-25.2	240	16.8	14.4-19.2
55-64	2324	812,905	20	0.5	0.3- 0.7	597	24.4	22.2-26.6	832	37.7	35.2-40.2	497	21.7	19.5-23.9	378	15.8	14.0-17.6
65+	4210	956,784	48	0.9	0.5- 1.3	1283	28.9	27.1-30.7	1634	39.7	37.7-41.7	823	20.3	18.7-21.9	422	10.1	8.9-11.3
Less Than H.S.	833	606,617	14	1.3	0.3- 2.3	227	29.8	25.1-34.5	296	35.4	30.9-39.9	173	18.7	15.2-22.2	123	14.8	11.5-18.1
H.S. or G.E.D.	3488	1,618,373	57	1.6	1.0- 2.2	1011	31.3	28.9-33.7	1184	33.5	31.1-35.9	717	19.0	17.2-20.8	519	14.7	13.1-16.3
Some Post-H.S.	2579	1,466,851	30	1.3	0.7- 1.9	715	29.7	27.2-32.2	922	35.1	32.6-37.6	544	20.4	18.2-22.6	368	13.5	11.7-15.3
College Graduate	3400	1,024,518	24	0.8	0.4- 1.2	1135	36.4	34.0-38.8	1292	35.8	33.6-38.0	621	17.0	15.2-18.8	328	10.1	8.7-11.5
Less than \$15,000	888	436,428	22	2.1	0.9- 3.3	253	30.4	25.9-34.9	277	31.1	26.8-35.4	166	16.8	13.5-20.1	170	19.7	15.6-23.8
\$15,000- 24,999	1731	770,920	30	1.7	0.7- 2.7	475	29.2	25.9-32.5	563	34.0	30.5-37.5	378	19.3	16.6-22.0	285	15.9	13.5-18.3
\$25,000- 34,999	1096	467,011	11	1.4	0.2- 2.6	311	29.9	25.6-34.2	394	33.6	29.3-37.9	229	22.0	18.5-25.5	151	13.2	10.1-16.3
\$35,000- 49,999	1425	655,780	16	1.6	0.6- 2.6	414	30.2	26.5-33.9	522	35.1	31.6-38.6	280	19.4	16.5-22.3	193	13.7	11.2-16.2
\$50,000- 74,999	1455	678,786	7	0.4	0.0- 0.8	396	28.4	25.1-31.7	543	37.5	33.8-41.2	322	20.9	18.0-23.8	187	12.8	10.4-15.2
\$75,000+	2519	1,219,440	15	0.8	0.2- 1.4	812	34.8	32.1-37.5	979	35.9	33.4-38.4	473	18.1	16.1-20.1	240	10.3	8.5-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4423	2,392,996	33	1.0	0.6- 1.4	1104	28.0	26.0-30.0	1836	39.1	37.1-41.1	955	20.5	18.9-22.1	495	11.4	10.2-12.6
White/Non-Hisp	3756	1,930,740	26	0.9	0.5- 1.3	924	27.5	25.3-29.7	1572	39.0	36.8-41.2	814	21.1	19.3-22.9	420	11.5	10.1-12.9
Black or Afr. Am./Non-Hisp	264	197,163	3	1.8	0.0- 4.2	62	25.6	18.0-33.2	104	40.0	32.0-48.0	64	18.8	13.3-24.3	31	13.9	8.4-19.4
Oth. Race/Non-Hisp.	116	70,427	1	0.1	0.0- 0.3	44	50.7	36.4-65.0	46	37.8	23.9-51.7	16	8.7	2.8-14.6	9	2.7	0.2- 5.2
MultiRacial/Non-Hisp.	65	26,553	19	25.1	8.4-41.8	23	32.0	16.1-47.9	16	32.3	13.5-51.1	7	10.6	0.0-21.4	7	10.6	0.0-21.4
Hispanic	151	126,082	3	2.1	0.0- 4.6	34	29.0	19.4-38.6	66	41.7	31.9-51.5	25	14.6	8.1-21.1	23	12.6	6.7-18.5
18-24	243	344,825	6	2.0	0.2- 3.8	127	55.4	48.1-62.7	68	27.0	20.5-33.5	29	10.7	6.4-15.0	13	4.9	2.0- 7.8
25-34	365	402,133	3	1.3	0.0- 2.7	110	29.5	24.0-35.0	128	35.2	29.3-41.1	75	20.2	15.5-24.9	49	13.8	9.7-17.9
35-44	483	390,884	3	1.1	0.0- 2.5	113	24.3	19.4-29.2	204	42.1	36.6-47.6	105	21.4	16.9-25.9	58	11.2	8.1-14.3
45-54	680	396,846	8	1.4	0.2- 2.6	139	19.8	15.9-23.7	262	38.0	33.3-42.7	169	24.9	20.8-29.0	102	15.9	12.6-19.2
55-64	990	407,064	7	0.4	0.0- 0.8	200	19.1	16.0-22.2	409	43.3	39.4-47.2	235	23.7	20.4-27.0	139	13.5	11.0-16.0
65+	1626	436,628	6	0.3	0.1- 0.5	406	24.4	21.7-27.1	751	46.4	43.3-49.5	332	20.5	18.0-23.0	131	8.4	6.6-10.2
Less Than H.S.	362	327,197	3	0.9	0.0- 2.3	98	31.1	24.2-38.0	140	35.9	29.4-42.4	73	18.6	13.7-23.5	48	13.4	8.7-18.1
H.S. or G.E.D.	1429	829,564	17	1.5	0.5- 2.5	361	28.5	25.2-31.8	538	36.6	33.3-39.9	315	20.0	17.3-22.7	198	13.4	11.2-15.6
Some Post-H.S.	993	684,571	7	0.8	0.0- 1.6	209	24.3	20.6-28.0	422	41.2	37.1-45.3	244	23.7	20.4-27.0	111	10.0	7.8-12.2
College Graduate	1629	546,104	6	0.6	0.0- 1.2	431	30.0	26.9-33.1	732	41.9	38.6-45.2	323	18.5	16.0-21.0	137	9.0	7.0-11.0
Less than \$15,000	306	192,556	4	0.7	0.0- 1.5	91	29.4	22.3-36.5	109	35.3	28.0-42.6	52	18.1	12.4-23.8	50	16.4	10.9-21.9
\$15,000- 24,999	643	369,369	9	1.7	0.1- 3.3	171	29.0	23.7-34.3	231	36.1	30.8-41.4	148	19.3	15.2-23.4	84	13.9	10.2-17.6
\$25,000- 34,999	433	224,536	5	1.6	0.0- 3.6	115	30.9	24.0-37.8	183	41.0	34.1-47.9	84	19.3	14.2-24.4	46	7.3	4.8- 9.8
\$35,000- 49,999	643	355,109	7	2.0	0.4- 3.6	173	28.8	23.7-33.9	259	38.4	33.1-43.7	136	20.4	16.1-24.7	68	10.3	7.0-13.6
\$50,000- 74,999	702	361,289	1	0.0	0.0- 0.0	163	24.8	19.9-29.7	294	41.1	36.0-46.2	168	23.2	18.9-27.5	76	10.9	8.0-13.8
\$75,000+	1295	681,064	5	0.7	0.0- 1.5	289	26.3	22.6-30.0	585	41.1	37.4-44.8	287	21.5	18.6-24.4	129	10.4	8.0-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5896	2,331,044	92	1.5	1.1- 1.9	1993	35.5	33.5-37.5	1865	30.4	28.6-32.2	1101	17.3	15.9-18.7	845	15.3	13.9-16.7
White/Non-Hisp	5070	1,916,183	81	1.6	1.0- 2.2	1797	37.5	35.3-39.7	1592	29.9	27.9-31.9	926	17.1	15.7-18.5	674	13.9	12.5-15.3
Black or Afr. Am./Non-Hisp	425	211,143	3	0.3	0.0- 0.7	73	19.3	13.4-25.2	139	29.5	23.2-35.8	106	23.7	17.4-30.0	104	27.1	20.6-33.6
Oth. Race/Non-Hisp.	85	35,527	4	8.5	0.0-17.3	41	59.1	43.8-74.4	18	20.1	8.1-32.1	6	7.9	0.0-16.7	16	4.5	1.6- 7.4
MultiRacial/Non-Hisp.	83	25,824	2	1.2	0.0- 3.2	17	20.2	6.5-33.9	26	24.6	11.9-37.3	24	27.5	14.0-41.0	14	26.4	10.7-42.1
Hispanic	179	124,662	2	1.0	0.0- 2.6	51	32.3	22.9-41.7	67	40.3	30.3-50.3	33	12.0	6.5-17.5	26	14.4	7.5-21.3
18-24	182	302,896	8	3.4	0.9- 5.9	99	54.0	45.8-62.2	40	22.9	15.8-30.0	16	8.8	4.1-13.5	19	10.9	5.6-16.2
25-34	367	344,734	8	1.6	0.4- 2.8	131	36.8	30.7-42.9	110	31.7	25.8-37.6	59	14.5	10.4-18.6	59	15.3	10.8-19.8
35-44	536	358,779	3	0.5	0.0- 1.1	189	33.4	28.5-38.3	150	29.6	24.7-34.5	99	18.0	13.9-22.1	95	18.5	14.4-22.6
45-54	842	380,027	14	1.6	0.6- 2.6	273	31.6	27.7-35.5	248	29.0	25.1-32.9	169	20.0	16.7-23.3	138	17.7	14.4-21.0
55-64	1334	405,840	13	0.7	0.3- 1.1	397	29.7	26.6-32.8	423	32.0	28.9-35.1	262	19.6	17.1-22.1	239	18.0	15.5-20.5
65+	2584	520,156	42	1.5	0.9- 2.1	877	32.7	30.3-35.1	883	34.1	31.7-36.5	491	20.2	18.2-22.2	291	11.6	10.0-13.2
Less Than H.S.	471	279,420	11	1.8	0.4- 3.2	129	28.3	22.2-34.4	156	34.9	28.6-41.2	100	18.7	13.8-23.6	75	16.3	11.4-21.2
H.S. or G.E.D.	2059	788,810	40	1.6	0.8- 2.4	650	34.2	31.1-37.3	646	30.3	27.4-33.2	402	17.9	15.7-20.1	321	16.0	13.6-18.4
Some Post-H.S.	1586	782,280	23	1.7	0.7- 2.7	506	34.4	30.9-37.9	500	29.8	26.5-33.1	300	17.5	15.0-20.0	257	16.6	13.9-19.3
College Graduate	1771	478,414	18	1.0	0.4- 1.6	704	43.8	40.5-47.1	560	28.9	26.0-31.8	298	15.2	12.8-17.6	191	11.2	9.0-13.4
Less than \$15,000	582	243,873	18	3.1	1.3- 4.9	162	31.1	25.0-37.2	168	27.7	22.4-33.0	114	15.7	11.8-19.6	120	22.3	16.6-28.0
\$15,000- 24,999	1088	401,551	21	1.7	0.7- 2.7	304	29.3	25.0-33.6	332	32.0	27.7-36.3	230	19.2	15.7-22.7	201	17.8	14.7-20.9
\$25,000- 34,999	663	242,476	6	1.2	0.0- 2.6	196	29.1	23.6-34.6	211	26.6	21.7-31.5	145	24.4	19.3-29.5	105	18.6	13.5-23.7
\$35,000- 49,999	782	300,671	9	1.2	0.0- 2.4	241	31.8	26.7-36.9	263	31.1	26.4-35.8	144	18.2	14.1-22.3	125	17.7	13.8-21.6
\$50,000- 74,999	753	317,497	6	0.9	0.1- 1.7	233	32.4	27.5-37.3	249	33.4	28.1-38.7	154	18.3	14.8-21.8	111	15.0	11.5-18.5
\$75,000+	1224	538,375	10	0.9	0.1- 1.7	523	45.7	41.6-49.8	394	29.4	25.9-32.9	186	13.7	11.2-16.2	111	10.3	7.8-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10319	4,724,040	178	1.8	1.4- 2.2	3030	31.0	29.6-32.4	3697	34.7	33.3-36.1	3414	32.5	31.1-33.9
Male	4423	2,392,996	46	1.4	0.8- 2.0	1083	27.3	25.3-29.3	1831	38.9	36.9-40.9	1463	32.3	30.3-34.3
Female	5896	2,331,044	132	2.2	1.6- 2.8	1947	34.8	32.8-36.8	1866	30.4	28.6-32.2	1951	32.6	30.8-34.4
White/Non-Hisp	8826	3,846,922	154	1.9	1.5- 2.3	2662	31.7	30.1-33.3	3160	34.4	33.0-35.8	2850	32.1	30.7-33.5
Black or Afr. Am./Non-Hisp	689	408,306	10	1.7	0.3- 3.1	129	21.5	16.8-26.2	244	34.7	29.6-39.8	306	42.1	36.8-47.4
Oth. Race/Non-Hisp.	201	105,954	6	3.1	0.0- 6.2	84	53.3	42.5-64.1	64	31.9	21.7-42.1	47	11.7	6.4-17.0
MultiRacial/Non-Hisp.	148	52,377	3	1.2	0.0- 2.8	35	22.1	11.3-32.9	49	28.4	18.2-38.6	61	48.3	36.0-60.6
Hispanic	330	250,745	5	1.5	0.0- 3.1	85	30.7	24.0-37.4	133	41.0	34.1-47.9	107	26.8	20.9-32.7
18-24	425	647,721	22	4.4	2.4- 6.4	218	53.0	47.5-58.5	108	25.1	20.4-29.8	77	17.6	13.5-21.7
25-34	732	746,867	14	1.8	0.8- 2.8	237	32.4	28.3-36.5	238	33.4	29.3-37.5	243	32.5	28.6-36.4
35-44	1019	749,663	10	1.0	0.2- 1.8	295	27.9	24.6-31.2	355	36.2	32.5-39.9	359	34.9	31.2-38.6
45-54	1522	776,873	30	2.2	1.2- 3.2	404	25.0	22.3-27.7	505	33.3	30.4-36.2	583	39.6	36.5-42.7
55-64	2324	812,905	28	0.7	0.3- 1.1	585	24.0	21.8-26.2	834	37.6	35.1-40.1	877	37.6	35.1-40.1
65+	4210	956,784	69	1.3	0.9- 1.7	1256	28.4	26.6-30.2	1632	39.7	37.7-41.7	1253	30.6	28.8-32.4
Less Than H.S.	833	606,617	18	2.1	0.7- 3.5	223	29.0	24.3-33.7	294	34.8	30.3-39.3	298	34.0	29.5-38.5
H.S. or G.E.D.	3488	1,618,373	79	2.3	1.5- 3.1	984	30.5	28.1-32.9	1184	33.4	31.0-35.8	1241	33.8	31.6-36.0
Some Post-H.S.	2579	1,466,851	41	1.6	0.8- 2.4	699	29.1	26.6-31.6	925	35.2	32.7-37.7	914	34.1	31.6-36.6
College Graduate	3400	1,024,518	40	1.3	0.7- 1.9	1115	35.6	33.2-38.0	1287	35.9	33.7-38.1	958	27.2	25.0-29.4
Less than \$15,000	888	436,428	29	3.2	1.6- 4.8	246	29.2	24.7-33.7	277	31.1	26.8-35.4	336	36.5	31.8-41.2
\$15,000- 24,999	1731	770,920	36	2.1	1.1- 3.1	467	28.7	25.4-32.0	562	33.9	30.4-37.4	666	35.3	32.0-38.6
\$25,000- 34,999	1096	467,011	18	1.9	0.5- 3.3	303	29.3	25.0-33.6	393	33.6	29.3-37.9	382	35.2	30.9-39.5
\$35,000- 49,999	1425	655,780	24	2.3	1.1- 3.5	403	29.2	25.7-32.7	523	35.1	31.6-38.6	475	33.3	29.8-36.8
\$50,000- 74,999	1455	678,786	13	0.6	0.2- 1.0	390	28.2	24.9-31.5	540	36.6	32.9-40.3	512	34.6	31.1-38.1
\$75,000+	2519	1,219,440	23	1.1	0.5- 1.7	799	34.1	31.4-36.8	978	36.1	33.6-38.6	719	28.7	26.2-31.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4423	2,392,996	46	1.4	0.8- 2.0	1083	27.3	25.3-29.3	1831	38.9	36.9-40.9	1463	32.3	30.3-34.3
White/Non-Hisp	3756	1,930,740	36	1.4	0.8- 2.0	907	26.7	24.5-28.9	1568	38.8	36.6-41.0	1245	33.1	30.9-35.3
Black or Afr. Am./Non-Hisp	264	197,163	4	1.9	0.0- 4.3	60	25.2	17.6-32.8	104	40.2	32.2-48.2	96	32.8	25.7-39.9
Oth. Race/Non-Hisp.	116	70,427	2	0.3	0.0- 0.9	43	50.4	36.1-64.7	46	37.8	23.9-51.7	25	11.4	4.9-17.9
MultiRacial/Non-Hisp.	65	26,553	1	1.1	0.0- 3.3	18	24.0	7.3-40.7	23	32.0	16.1-47.9	23	42.9	23.9-61.9
Hispanic	151	126,082	3	2.1	0.0- 4.6	34	29.0	19.4-38.6	66	41.7	31.9-51.5	48	27.2	19.0-35.4
18-24	243	344,825	11	4.1	1.4- 6.8	122	53.3	46.0-60.6	68	27.0	20.5-33.5	42	15.7	10.6-20.8
25-34	365	402,133	3	1.3	0.0- 2.7	109	29.2	23.7-34.7	128	34.9	29.2-40.6	125	34.7	29.0-40.4
35-44	483	390,884	4	1.1	0.0- 2.5	110	23.5	18.6-28.4	204	42.0	36.5-47.5	165	33.5	28.4-38.6
45-54	680	396,846	10	1.6	0.4- 2.8	137	19.7	15.8-23.6	258	37.5	32.8-42.2	275	41.3	36.6-46.0
55-64	990	407,064	8	0.5	0.1- 0.9	197	18.8	15.7-21.9	409	43.2	39.3-47.1	376	37.6	33.9-41.3
65+	1626	436,628	10	0.5	0.1- 0.9	399	23.9	21.2-26.6	750	46.5	43.4-49.6	467	29.1	26.2-32.0
Less Than H.S.	362	327,197	5	2.0	0.0- 4.4	96	30.1	23.2-37.0	139	34.9	28.4-41.4	122	33.0	26.7-39.3
H.S. or G.E.D.	1429	829,564	21	1.9	0.9- 2.9	355	28.0	24.7-31.3	537	36.3	33.0-39.6	516	33.7	30.6-36.8
Some Post-H.S.	993	684,571	9	1.0	0.2- 1.8	205	23.8	20.1-27.5	422	41.3	37.2-45.4	357	34.0	30.3-37.7
College Graduate	1629	546,104	11	1.0	0.2- 1.8	422	29.1	26.0-32.2	729	42.1	38.8-45.4	467	27.9	25.0-30.8
Less than \$15,000	306	192,556	6	1.0	0.0- 2.0	89	29.2	22.1-36.3	109	35.3	28.0-42.6	102	34.5	27.4-41.6
\$15,000- 24,999	643	369,369	12	2.5	0.7- 4.3	168	28.2	22.9-33.5	230	36.0	30.7-41.3	233	33.4	28.3-38.5
\$25,000- 34,999	433	224,536	6	1.8	0.0- 3.8	113	30.3	23.4-37.2	184	41.3	34.4-48.2	130	26.5	21.0-32.0
\$35,000- 49,999	643	355,109	8	2.2	0.6- 3.8	171	28.5	23.4-33.6	258	38.2	32.9-43.5	206	31.1	26.2-36.0
\$50,000- 74,999	702	361,289	2	0.1	0.0- 0.3	162	24.7	19.8-29.6	292	39.6	34.5-44.7	246	35.6	30.7-40.5
\$75,000+	1295	681,064	7	0.8	0.0- 1.6	282	25.5	22.0-29.0	584	41.4	37.7-45.1	422	32.3	28.8-35.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5896	2,331,044	132	2.2	1.6- 2.8	1947	34.8	32.8-36.8	1866	30.4	28.6-32.2	1951	32.6	30.8-34.4
White/Non-Hisp	5070	1,916,183	118	2.3	1.7- 2.9	1755	36.7	34.5-38.9	1592	30.0	28.0-32.0	1605	31.0	29.0-33.0
Black or Afr. Am./Non-Hisp	425	211,143	6	1.6	0.0- 3.2	69	18.0	12.1-23.9	140	29.6	23.3-35.9	210	50.8	43.5-58.1
Oth. Race/Non-Hisp.	85	35,527	4	8.5	0.0-17.3	41	59.1	43.8-74.4	18	20.1	8.1-32.1	22	12.3	3.1-21.5
MultiRacial/Non-Hisp.	83	25,824	2	1.2	0.0- 3.2	17	20.2	6.5-33.9	26	24.6	11.9-37.3	38	53.9	37.8-70.0
Hispanic	179	124,662	2	1.0	0.0- 2.6	51	32.3	22.9-41.7	67	40.3	30.3-50.3	59	26.5	18.3-34.7
18-24	182	302,896	11	4.7	1.6- 7.8	96	52.6	44.4-60.8	40	22.9	15.8-30.0	35	19.7	13.0-26.4
25-34	367	344,734	11	2.4	0.8- 4.0	128	36.1	30.2-42.0	110	31.7	25.8-37.6	118	29.9	24.4-35.4
35-44	536	358,779	6	0.9	0.1- 1.7	185	32.7	27.8-37.6	151	29.9	25.0-34.8	194	36.5	31.4-41.6
45-54	842	380,027	20	2.8	1.4- 4.2	267	30.5	26.6-34.4	247	28.9	25.0-32.8	308	37.8	33.7-41.9
55-64	1334	405,840	20	1.0	0.4- 1.6	388	29.2	26.1-32.3	425	32.0	28.9-35.1	501	37.7	34.6-40.8
65+	2584	520,156	59	2.0	1.4- 2.6	857	32.1	29.7-34.5	882	34.0	31.6-36.4	786	31.9	29.5-34.3
Less Than H.S.	471	279,420	13	2.3	0.7- 3.9	127	27.8	21.7-33.9	155	34.7	28.4-41.0	176	35.1	28.8-41.4
H.S. or G.E.D.	2059	788,810	58	2.7	1.7- 3.7	629	33.1	30.0-36.2	647	30.3	27.4-33.2	725	33.9	31.0-36.8
Some Post-H.S.	1586	782,280	32	2.2	1.0- 3.4	494	33.8	30.3-37.3	503	30.0	26.7-33.3	557	34.1	30.8-37.4
College Graduate	1771	478,414	29	1.6	0.8- 2.4	693	43.1	39.8-46.4	558	28.8	25.9-31.7	491	26.5	23.6-29.4
Less than \$15,000	582	243,873	23	5.0	2.3- 7.7	157	29.2	23.3-35.1	168	27.7	22.4-33.0	234	38.0	31.9-44.1
\$15,000- 24,999	1088	401,551	24	1.8	0.8- 2.8	299	29.2	24.9-33.5	332	32.0	27.7-36.3	433	37.1	32.8-41.4
\$25,000- 34,999	663	242,476	12	2.0	0.2- 3.8	190	28.4	22.9-33.9	209	26.5	21.6-31.4	252	43.2	37.1-49.3
\$35,000- 49,999	782	300,671	16	2.4	0.8- 4.0	232	30.2	25.1-35.3	265	31.5	26.8-36.2	269	35.9	30.8-41.0
\$50,000- 74,999	753	317,497	11	1.1	0.3- 1.9	228	32.2	27.3-37.1	248	33.3	28.0-38.6	266	33.3	28.6-38.0
\$75,000+	1224	538,375	16	1.5	0.5- 2.5	517	45.0	40.9-49.1	394	29.4	25.9-32.9	297	24.0	20.7-27.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10319	4,724,040	3208	32.8	31.4-34.2	7111	67.2	65.8-68.6
Male	4423	2,392,996	1129	28.8	26.8-30.8	3294	71.2	69.2-73.2
Female	5896	2,331,044	2079	37.0	35.0-39.0	3817	63.0	61.0-65.0
White/Non-Hisp	8826	3,846,922	2816	33.5	31.9-35.1	6010	66.5	64.9-68.1
Black or Afr. Am./Non-Hisp	689	408,306	139	23.2	18.3-28.1	550	76.8	71.9-81.7
Oth. Race/Non-Hisp.	201	105,954	90	56.4	45.6-67.2	111	43.6	32.8-54.4
MultiRacial/Non-Hisp.	148	52,377	38	23.3	12.5-34.1	110	76.7	65.9-87.5
Hispanic	330	250,745	90	32.2	25.3-39.1	240	67.8	60.9-74.7
18-24	425	647,721	240	57.4	51.9-62.9	185	42.6	37.1-48.1
25-34	732	746,867	251	34.2	30.1-38.3	481	65.8	61.7-69.9
35-44	1019	749,663	305	28.9	25.4-32.4	714	71.1	67.6-74.6
45-54	1522	776,873	434	27.1	24.2-30.0	1088	72.9	70.0-75.8
55-64	2324	812,905	613	24.8	22.6-27.0	1711	75.2	73.0-77.4
65+	4210	956,784	1325	29.7	27.9-31.5	2885	70.3	68.5-72.1
Less Than H.S.	833	606,617	241	31.2	26.5-35.9	592	68.8	64.1-73.5
H.S. or G.E.D.	3488	1,618,373	1063	32.8	30.4-35.2	2425	67.2	64.8-69.6
Some Post-H.S.	2579	1,466,851	740	30.7	28.0-33.4	1839	69.3	66.6-72.0
College Graduate	3400	1,024,518	1155	36.9	34.5-39.3	2245	63.1	60.7-65.5
Less than \$15,000	888	436,428	275	32.4	27.9-36.9	613	67.6	63.1-72.1
\$15,000- 24,999	1731	770,920	503	30.8	27.3-34.3	1228	69.2	65.7-72.7
\$25,000- 34,999	1096	467,011	321	31.2	26.7-35.7	775	68.8	64.3-73.3
\$35,000- 49,999	1425	655,780	427	31.5	27.8-35.2	998	68.5	64.8-72.2
\$50,000- 74,999	1455	678,786	403	28.8	25.3-32.3	1052	71.2	67.7-74.7
\$75,000+	2519	1,219,440	822	35.2	32.5-37.9	1697	64.8	62.1-67.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4423	2,392,996	1129	28.8	26.8-30.8	3294	71.2	69.2-73.2
White/Non-Hisp	3756	1,930,740	943	28.1	25.9-30.3	2813	71.9	69.7-74.1
Black or Afr. Am./Non-Hisp	264	197,163	64	27.0	19.4-34.6	200	73.0	65.4-80.6
Oth. Race/Non-Hisp.	116	70,427	45	50.8	36.5-65.1	71	49.2	34.9-63.5
MultiRacial/Non-Hisp.	65	26,553	19	25.1	8.4-41.8	46	74.9	58.2-91.6
Hispanic	151	126,082	37	31.1	21.5-40.7	114	68.9	59.3-78.5
18-24	243	344,825	133	57.4	50.1-64.7	110	42.6	35.3-49.9
25-34	365	402,133	112	30.5	24.8-36.2	253	69.5	63.8-75.2
35-44	483	390,884	114	24.6	19.7-29.5	369	75.4	70.5-80.3
45-54	680	396,846	147	21.2	17.3-25.1	533	78.8	74.9-82.7
55-64	990	407,064	205	19.3	16.2-22.4	785	80.7	77.6-83.8
65+	1626	436,628	409	24.4	21.7-27.1	1217	75.6	72.9-78.3
Less Than H.S.	362	327,197	101	32.0	25.1-38.9	261	68.0	61.1-74.9
H.S. or G.E.D.	1429	829,564	376	29.9	26.6-33.2	1053	70.1	66.8-73.4
Some Post-H.S.	993	684,571	214	24.7	21.0-28.4	779	75.3	71.6-79.0
College Graduate	1629	546,104	433	30.0	26.9-33.1	1196	70.0	66.9-73.1
Less than \$15,000	306	192,556	95	30.1	23.0-37.2	211	69.9	62.8-77.0
\$15,000- 24,999	643	369,369	180	30.6	25.3-35.9	463	69.4	64.1-74.7
\$25,000- 34,999	433	224,536	119	32.2	25.3-39.1	314	67.8	60.9-74.7
\$35,000- 49,999	643	355,109	179	30.7	25.4-36.0	464	69.3	64.0-74.6
\$50,000- 74,999	702	361,289	164	24.8	19.9-29.7	538	75.2	70.3-80.1
\$75,000+	1295	681,064	289	26.3	22.6-30.0	1006	73.7	70.0-77.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5896	2,331,044	2079	37.0	35.0-39.0	3817	63.0	61.0-65.0
White/Non-Hisp	5070	1,916,183	1873	39.0	36.8-41.2	3197	61.0	58.8-63.2
Black or Afr. Am./Non-Hisp	425	211,143	75	19.6	13.7-25.5	350	80.4	74.5-86.3
Oth. Race/Non-Hisp.	85	35,527	45	67.6	53.5-81.7	40	32.4	18.3-46.5
MultiRacial/Non-Hisp.	83	25,824	19	21.4	7.5-35.3	64	78.6	64.7-92.5
Hispanic	179	124,662	53	33.3	23.7-42.9	126	66.7	57.1-76.3
18-24	182	302,896	107	57.3	49.1-65.5	75	42.7	34.5-50.9
25-34	367	344,734	139	38.5	32.4-44.6	228	61.5	55.4-67.6
35-44	536	358,779	191	33.6	28.7-38.5	345	66.4	61.5-71.3
45-54	842	380,027	287	33.3	29.4-37.2	555	66.7	62.8-70.6
55-64	1334	405,840	408	30.3	27.2-33.4	926	69.7	66.6-72.8
65+	2584	520,156	916	34.1	31.7-36.5	1668	65.9	63.5-68.3
Less Than H.S.	471	279,420	140	30.1	24.0-36.2	331	69.9	63.8-76.0
H.S. or G.E.D.	2059	788,810	687	35.8	32.7-38.9	1372	64.2	61.1-67.3
Some Post-H.S.	1586	782,280	526	35.9	32.2-39.6	1060	64.1	60.4-67.8
College Graduate	1771	478,414	722	44.7	41.4-48.0	1049	55.3	52.0-58.6
Less than \$15,000	582	243,873	180	34.2	28.1-40.3	402	65.8	59.7-71.9
\$15,000- 24,999	1088	401,551	323	31.0	26.5-35.5	765	69.0	64.5-73.5
\$25,000- 34,999	663	242,476	202	30.3	24.6-36.0	461	69.7	64.0-75.4
\$35,000- 49,999	782	300,671	248	32.5	27.4-37.6	534	67.5	62.4-72.6
\$50,000- 74,999	753	317,497	239	33.3	28.4-38.2	514	66.7	61.8-71.6
\$75,000+	1224	538,375	533	46.5	42.4-50.6	691	53.5	49.4-57.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11018	5,061,936	8465	63.3	61.9-64.7	1007	14.4	13.2-15.6	917	12.9	11.9-13.9	394	5.9	5.1- 6.7	138	2.1	1.7- 2.5	97	1.5	1.1- 1.9
Male	4533	2,461,422	3484	66.0	63.8-68.2	416	13.6	12.0-15.2	384	12.2	10.8-13.6	155	5.1	4.1- 6.1	53	1.8	1.2- 2.4	41	1.4	0.8- 2.0
Female	6485	2,600,514	4981	60.7	58.7-62.7	591	15.1	13.5-16.7	533	13.5	12.1-14.9	239	6.7	5.5- 7.9	85	2.5	1.9- 3.1	56	1.5	0.9- 2.1
White/Non-Hisp	9391	4,097,238	7415	65.9	64.3-67.5	782	13.6	12.4-14.8	724	12.1	10.9-13.3	299	5.3	4.5- 6.1	100	1.8	1.4- 2.2	71	1.2	0.8- 1.6
Black or Afr. Am./Non-Hisp	734	433,903	503	55.9	50.6-61.2	100	18.5	14.2-22.8	78	15.3	11.4-19.2	30	4.9	2.4- 7.4	14	2.2	0.8- 3.6	9	3.3	0.6- 6.0
Oth. Race/Non-Hisp.	222	122,192	153	58.9	48.9-68.9	32	16.6	9.2-24.0	23	15.5	8.2-22.8	9	6.6	0.9-12.3	1	0.6	0.0- 1.8	4	1.8	0.0- 4.0
MultiRacial/Non-Hisp.	159	55,558	112	61.4	50.0-72.8	13	10.5	4.0-17.0	21	20.3	10.5-30.1	8	4.5	0.8- 8.2	3	2.8	0.0- 7.3	2	0.4	0.0- 1.0
Hispanic	359	280,425	164	37.9	31.6-44.2	63	18.7	13.4-24.0	60	17.8	12.9-22.7	46	16.0	10.9-21.1	18	7.4	3.5-11.3	8	2.2	0.4- 4.0
18-24	455	688,051	285	60.2	54.9-65.5	96	22.5	18.0-27.0	34	7.4	4.7-10.1	23	6.0	3.3- 8.7	12	2.2	0.8- 3.6	5	1.6	0.0- 3.2
25-34	814	832,817	335	39.9	36.0-43.8	149	20.2	16.9-23.5	182	22.6	19.1-26.1	93	10.9	8.4-13.4	32	3.9	2.3- 5.5	23	2.5	1.3- 3.7
35-44	1084	807,832	232	24.4	21.1-27.7	198	18.5	15.6-21.4	361	32.4	28.9-35.9	179	14.9	12.4-17.4	67	5.7	4.1- 7.3	47	4.1	2.7- 5.5
45-54	1612	818,081	954	60.2	57.3-63.1	331	20.7	18.2-23.2	220	12.5	10.5-14.5	69	4.2	3.0- 5.4	22	1.5	0.5- 2.5	16	0.9	0.3- 1.5
55-64	2450	851,506	2205	89.0	87.4-90.6	152	6.6	5.4- 7.8	71	3.5	2.5- 4.5	17	0.7	0.3- 1.1	2	0.1	0.1- 0.1	3	0.1	0.0- 0.3
65+	4458	1,009,209	4333	95.8	94.8-96.8	64	1.9	1.3- 2.5	45	1.7	1.1- 2.3	12	0.5	0.1- 0.9	1	0.0	0.0- 0.0	3	0.1	0.0- 0.3
Less Than H.S.	890	658,744	646	56.5	51.8-61.2	85	14.3	10.6-18.0	74	13.1	9.8-16.4	46	8.4	5.7-11.1	19	3.6	1.6- 5.6	20	4.1	1.9- 6.3
H.S. or G.E.D.	3753	1,740,610	3059	67.6	65.2-70.0	316	14.7	12.7-16.7	232	10.5	8.9-12.1	98	4.9	3.7- 6.1	29	1.5	0.9- 2.1	19	0.8	0.4- 1.2
Some Post-H.S.	2736	1,554,379	2097	63.1	60.4-65.8	267	14.8	12.6-17.0	223	13.6	11.6-15.6	91	5.6	4.2- 7.0	32	1.7	0.9- 2.5	26	1.3	0.7- 1.9
College Graduate	3614	1,097,518	2647	61.1	58.7-63.5	335	13.1	11.3-14.9	385	15.4	13.6-17.2	158	6.3	5.1- 7.5	57	2.8	2.0- 3.6	32	1.3	0.7- 1.9
Less than \$15,000	933	463,305	758	69.6	65.1-74.1	79	12.4	9.1-15.7	54	10.4	7.1-13.7	20	3.4	1.6- 5.2	9	1.6	0.4- 2.8	13	2.6	0.8- 4.4
\$15,000- 24,999	1835	826,364	1475	64.9	61.4-68.4	148	13.5	11.0-16.0	122	12.2	9.7-14.7	59	5.8	4.0- 7.6	17	2.0	0.8- 3.2	14	1.7	0.5- 2.9
\$25,000- 34,999	1144	494,712	930	65.3	60.8-69.8	78	10.9	7.8-14.0	75	11.8	8.7-14.9	43	8.6	5.5-11.7	13	2.6	0.8- 4.4	5	0.7	0.1- 1.3
\$35,000- 49,999	1490	689,820	1201	66.5	62.8-70.2	130	15.0	12.1-17.9	95	10.8	8.3-13.3	39	4.8	2.8- 6.8	11	1.7	0.5- 2.9	14	1.3	0.5- 2.1
\$50,000- 74,999	1511	707,019	1138	61.8	58.1-65.5	153	15.9	13.0-18.8	130	12.9	10.2-15.6	51	4.5	2.9- 6.1	24	2.8	1.6- 4.0	15	2.1	0.7- 3.5
\$75,000+	2612	1,278,234	1674	53.5	50.8-56.2	327	16.9	14.5-19.3	374	18.4	16.2-20.6	154	7.5	5.9- 9.1	55	2.5	1.7- 3.3	28	1.2	0.6- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4533	2,461,422	3484	66.0	64.0-68.0	416	13.6	12.0-15.2	384	12.2	10.8-13.6	155	5.1	4.1- 6.1	53	1.8	1.2- 2.4	41	1.4	0.8- 2.0
White/Non-Hisp	3838	1,974,566	3016	67.8	65.6-70.0	325	12.8	11.0-14.6	310	12.1	10.5-13.7	116	4.7	3.7- 5.7	41	1.6	1.0- 2.2	30	1.2	0.6- 1.8
Black or Afr. Am./Non-Hisp	268	202,608	192	61.1	53.1-69.1	34	17.8	11.1-24.5	26	12.5	7.6-17.4	10	4.8	0.5- 9.1	4	1.1	0.0- 2.3	2	2.7	0.0- 6.4
Oth. Race/Non-Hisp.	125	77,543	88	70.0	58.4-81.6	18	14.6	5.8-23.4	15	13.0	4.6-21.4	1	0.8	0.0- 2.4				3	1.5	0.0- 3.7
MultiRacial/Non-Hisp.	66	26,967	50	70.6	54.9-86.3	4	5.8	0.0-12.7	7	15.1	3.5-26.7	2	2.6	0.0- 6.3	2	5.5	0.0-14.7	1	0.4	0.0- 1.2
Hispanic	157	130,911	77	43.2	33.8-52.6	25	18.9	10.7-27.1	23	14.9	8.2-21.6	25	15.6	8.9-22.3	4	5.2	0.0-11.1	3	2.1	0.0- 4.8
18-24	251	352,412	166	64.7	57.6-71.8	50	21.3	15.2-27.4	13	4.9	2.0- 7.8	9	3.7	1.2- 6.2	9	3.5	1.0- 6.0	4	2.0	0.0- 4.4
25-34	379	416,642	196	48.5	42.6-54.4	71	20.7	15.8-25.6	71	19.9	15.0-24.8	28	7.3	4.4-10.2	7	1.7	0.1- 3.3	6	1.8	0.4- 3.2
35-44	489	402,264	139	30.6	25.3-35.9	79	14.9	11.2-18.6	151	31.6	26.5-36.7	74	14.9	11.0-18.8	24	4.0	2.2- 5.8	22	4.1	1.9- 6.3
45-54	696	408,219	416	62.1	57.6-66.6	125	18.5	15.0-22.0	106	13.0	10.1-15.9	32	4.2	2.4- 6.0	11	1.8	0.0- 3.6	6	0.6	0.0- 1.2
55-64	1012	415,258	903	88.6	86.2-91.0	69	7.2	5.2- 9.2	28	3.2	1.8- 4.6	9	0.8	0.2- 1.4	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4
65+	1655	445,564	1621	97.2	96.0-98.4	18	1.3	0.5- 2.1	13	1.4	0.6- 2.2	2	0.2	0.0- 0.4				1	0.0	0.0- 0.0
Less Than H.S.	376	344,454	273	58.8	51.7-65.9	39	16.4	10.5-22.3	29	10.6	6.3-14.9	17	6.1	3.0- 9.2	9	3.6	0.9- 6.3	9	4.5	1.2- 7.8
H.S. or G.E.D.	1463	848,401	1178	69.9	66.6-73.2	124	13.0	10.5-15.5	108	11.1	8.7-13.5	36	4.1	2.5- 5.7	10	1.2	0.2- 2.2	7	0.7	0.1- 1.3
Some Post-H.S.	1015	701,032	788	67.2	63.1-71.3	98	13.6	10.7-16.5	86	13.2	10.3-16.1	30	4.8	2.8- 6.8	7	0.7	0.1- 1.3	6	0.5	0.1- 0.9
College Graduate	1667	561,822	1236	63.3	60.0-66.6	155	12.8	10.4-15.2	159	13.4	11.0-15.8	72	6.3	4.7- 7.9	26	2.7	1.5- 3.9	19	1.6	0.8- 2.4
Less than \$15,000	314	199,051	273	81.5	75.2-87.8	21	9.2	4.7-13.7	14	6.3	2.6-10.0	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	3	2.6	0.0- 6.1
\$15,000- 24,999	656	375,832	545	70.9	65.6-76.2	50	11.2	7.7-14.7	43	13.1	8.8-17.4	11	2.8	0.8- 4.8	6	1.9	0.0- 3.9	1	0.1	0.0- 0.3
\$25,000- 34,999	441	231,507	366	69.4	62.5-76.3	26	10.0	5.1-14.9	22	8.7	4.4-13.0	19	8.2	4.1-12.3	5	2.8	0.0- 5.7	3	0.9	0.0- 2.1
\$35,000- 49,999	649	358,499	525	69.8	64.5-75.1	62	15.8	11.5-20.1	39	9.2	5.9-12.5	13	3.4	1.2- 5.6	4	0.7	0.0- 1.5	6	1.2	0.0- 2.4
\$50,000- 74,999	709	363,072	544	64.5	59.2-69.8	57	12.3	8.4-16.2	64	12.7	9.0-16.4	26	5.9	3.4- 8.4	10	2.1	0.5- 3.7	8	2.6	0.4- 4.8
\$75,000+	1304	691,042	841	53.7	49.8-57.6	167	17.6	14.3-20.9	181	18.0	14.9-21.1	75	7.0	4.8- 9.2	24	2.1	1.1- 3.1	16	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6485	2,600,514	4981	60.7	58.7-62.7	591	15.1	13.5-16.7	533	13.5	12.1-14.9	239	6.7	5.5- 7.9	85	2.5	1.9- 3.1	56	1.5	0.9- 2.1
White/Non-Hisp	5553	2,122,672	4399	64.2	62.2-66.2	457	14.4	12.8-16.0	414	12.2	10.8-13.6	183	6.0	4.8- 7.2	59	2.0	1.4- 2.6	41	1.2	0.8- 1.6
Black or Afr. Am./Non-Hisp	466	231,294	311	51.3	44.4-58.2	66	19.2	13.5-24.9	52	17.7	12.0-23.4	20	4.9	2.2- 7.6	10	3.1	0.7- 5.5	7	3.8	0.1- 7.5
Oth. Race/Non-Hisp.	97	44,650	65	39.6	25.7-53.5	14	20.1	7.0-33.2	8	19.8	6.5-33.1	8	16.7	2.6-30.8	1	1.5	0.0- 4.4	1	2.4	0.0- 7.1
MultiRacial/Non-Hisp.	93	28,591	62	52.8	37.7-67.9	9	15.0	4.4-25.6	14	25.1	10.0-40.2	6	6.4	0.0-12.9	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2
Hispanic	202	149,513	87	33.2	24.6-41.8	38	18.5	11.8-25.2	37	20.3	13.0-27.6	21	16.4	9.0-23.8	14	9.2	3.9-14.5	5	2.3	0.1- 4.5
18-24	204	335,639	119	55.5	47.7-63.3	46	23.8	17.1-30.5	21	10.1	5.4-14.8	14	8.5	3.8-13.2	3	0.9	0.0- 1.9	1	1.2	0.0- 3.6
25-34	435	416,175	139	31.3	26.0-36.6	78	19.6	15.1-24.1	111	25.3	20.4-30.2	65	14.5	10.6-18.4	25	6.1	3.6- 8.6	17	3.1	1.3- 4.9
35-44	595	405,568	93	18.3	14.2-22.4	119	22.1	17.8-26.4	210	33.1	28.4-37.8	105	14.8	11.5-18.1	43	7.4	4.9- 9.9	25	4.2	2.2- 6.2
45-54	916	409,862	538	58.4	54.3-62.5	206	22.9	19.4-26.4	114	12.0	9.3-14.7	37	4.1	2.3- 5.9	11	1.3	0.3- 2.3	10	1.3	0.5- 2.1
55-64	1438	436,249	1302	89.5	87.5-91.5	83	6.0	4.4- 7.6	43	3.8	2.4- 5.2	8	0.7	0.1- 1.3	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
65+	2803	563,645	2712	94.7	93.3-96.1	46	2.4	1.6- 3.2	32	1.9	1.1- 2.7	10	0.8	0.2- 1.4	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
Less Than H.S.	514	314,290	373	53.9	47.4-60.4	46	12.0	8.1-15.9	45	15.8	10.7-20.9	29	11.1	6.4-15.8	10	3.6	1.1- 6.1	11	3.7	0.8- 6.6
H.S. or G.E.D.	2290	892,209	1881	65.4	62.3-68.5	192	16.3	13.6-19.0	124	9.9	7.7-12.1	62	5.7	3.9- 7.5	19	1.7	0.9- 2.5	12	0.8	0.2- 1.4
Some Post-H.S.	1721	853,348	1309	59.6	56.1-63.1	169	15.8	13.1-18.5	137	13.9	11.2-16.6	61	6.2	4.2- 8.2	25	2.6	1.4- 3.8	20	1.9	0.9- 2.9
College Graduate	1947	535,696	1411	58.8	55.7-61.9	180	13.4	11.0-15.8	226	17.5	15.0-20.0	86	6.3	4.7- 7.9	31	3.0	1.8- 4.2	13	1.0	0.4- 1.6
Less than \$15,000	619	264,254	485	60.7	54.4-67.0	58	14.9	10.2-19.6	40	13.4	8.5-18.3	18	5.7	2.6- 8.8	8	2.6	0.4- 4.8	10	2.6	0.8- 4.4
\$15,000- 24,999	1179	450,532	930	59.9	55.2-64.6	98	15.3	11.6-19.0	79	11.4	8.3-14.5	48	8.2	5.5-10.9	11	2.1	0.5- 3.7	13	3.0	0.8- 5.2
\$25,000- 34,999	703	263,205	564	61.6	55.5-67.7	52	11.7	7.8-15.6	53	14.6	10.1-19.1	24	9.0	4.3-13.7	8	2.5	0.3- 4.7	2	0.5	0.0- 1.3
\$35,000- 49,999	841	331,321	676	62.9	57.6-68.2	68	14.1	10.0-18.2	56	12.5	8.6-16.4	26	6.2	3.1- 9.3	7	2.7	0.5- 4.9	8	1.5	0.3- 2.7
\$50,000- 74,999	802	343,947	594	59.0	53.7-64.3	96	19.6	15.1-24.1	66	13.1	9.2-17.0	25	3.1	1.5- 4.7	14	3.5	1.5- 5.5	7	1.6	0.2- 3.0
\$75,000+	1308	587,192	833	53.2	49.3-57.1	160	16.0	13.1-18.9	193	18.9	15.8-22.0	79	8.1	5.9-10.3	31	2.9	1.7- 4.1	12	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS

TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11038	5,077,735	893	13.1	11.9-14.3	3759	34.3	32.9-35.7	2753	30.9	29.5-32.3	3633	21.8	20.8-22.8
Male	4544	2,471,877	377	14.0	12.2-15.8	1463	34.3	32.3-36.3	1026	28.8	26.8-30.8	1678	22.9	21.5-24.3
Female	6494	2,605,857	516	12.2	10.8-13.6	2296	34.3	32.5-36.1	1727	32.9	31.1-34.7	1955	20.7	19.5-21.9
White/Non-Hisp	9411	4,107,775	640	10.9	9.7-12.1	3226	34.8	33.4-36.2	2347	31.5	30.1-32.9	3198	22.8	21.8-23.8
Black or Afr. Am./Non-Hisp	734	433,903	69	12.1	8.2-16.0	264	33.8	29.1-38.5	203	36.5	31.2-41.8	198	17.5	14.2-20.8
Oth. Race/Non-Hisp.	222	121,902	29	4.9	2.5- 7.3	56	30.0	19.2-40.8	42	25.3	16.3-34.3	95	39.7	30.1-49.3
MultiRacial/Non-Hisp.	159	55,558	17	18.9	7.9-29.9	52	41.7	29.7-53.7	58	30.7	21.1-40.3	32	8.7	4.8-12.6
Hispanic	358	282,781	115	44.8	37.9-51.7	109	30.0	24.1-35.9	69	17.6	12.9-22.3	65	7.6	5.1-10.1
18-24	457	689,032	46	14.8	10.5-19.1	190	42.5	37.2-47.8	132	31.7	26.8-36.6	89	11.1	8.6-13.6
25-34	817	836,618	72	12.8	9.7-15.9	204	25.2	21.7-28.7	229	33.9	29.8-38.0	312	28.1	24.8-31.4
35-44	1095	815,985	109	15.3	12.2-18.4	255	26.3	23.0-29.6	261	30.8	27.3-34.3	470	27.7	24.8-30.6
45-54	1620	823,205	114	12.2	9.7-14.7	476	31.9	29.0-34.8	430	32.4	29.5-35.3	600	23.6	21.4-25.8
55-64	2447	850,892	188	12.4	10.4-14.4	877	38.5	36.1-40.9	608	29.0	26.6-31.4	774	20.1	18.3-21.9
65+	4459	1,009,182	361	12.2	10.8-13.6	1710	40.8	38.8-42.8	1066	28.7	26.9-30.5	1322	18.3	17.1-19.5
Less Than H.S.	893	663,118	893	100.0	100.0- 100									
H.S. or G.E.D.	3759	1,742,251				3759	100.0	100.0- 100						
Some Post-H.S.	2753	1,567,793							2753	100.0	100.0- 100			
College Graduate	3633	1,104,572										3633	100.0	100.0- 100
Less than \$15,000	931	463,070	237	34.1	29.4-38.8	416	38.9	34.4-43.4	180	21.7	17.6-25.8	98	5.4	3.8- 7.0
\$15,000- 24,999	1833	826,053	277	22.5	19.4-25.6	866	42.8	39.5-46.1	448	27.5	24.4-30.6	242	7.3	5.9- 8.7
\$25,000- 34,999	1145	495,600	103	18.1	13.8-22.4	493	40.9	36.6-45.2	323	30.6	26.5-34.7	226	10.4	8.4-12.4
\$35,000- 49,999	1488	689,316	72	8.9	6.4-11.4	559	41.9	38.2-45.6	428	32.5	29.0-36.0	429	16.7	14.5-18.9
\$50,000- 74,999	1513	709,425	40	6.2	3.8- 8.6	402	29.3	26.0-32.6	441	37.6	34.1-41.1	630	26.9	24.2-29.6
\$75,000+	2618	1,280,152	28	2.9	1.3- 4.5	414	20.1	17.7-22.5	567	32.2	29.5-34.9	1609	44.8	42.3-47.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4544	2,471,877	377	14.0	12.2-15.8	1463	34.3	32.3-36.3	1026	28.8	26.8-30.8	1678	22.9	21.5-24.3
White/Non-Hisp	3843	1,979,809	266	12.2	10.4-14.0	1251	35.3	33.1-37.5	860	28.8	26.6-31.0	1466	23.8	22.2-25.4
Black or Afr. Am./Non-Hisp	268	202,608	23	12.5	6.2-18.8	87	30.0	22.9-37.1	73	37.4	29.2-45.6	85	20.1	14.6-25.6
Oth. Race/Non-Hisp.	127	78,196	17	4.4	1.7- 7.1	32	30.2	16.3-44.1	18	23.6	11.6-35.6	60	41.7	29.0-54.4
MultiRacial/Non-Hisp.	66	26,967	8	19.6	2.7-36.5	23	47.6	29.0-66.2	23	27.2	13.9-40.5	12	5.6	1.3- 9.9
Hispanic	157	131,601	47	40.4	30.6-50.2	50	31.5	22.5-40.5	31	20.3	12.9-27.7	29	7.9	4.4-11.4
18-24	252	352,696	25	15.3	9.2-21.4	99	41.7	34.6-48.8	72	29.8	23.3-36.3	56	13.2	9.3-17.1
25-34	381	419,576	36	15.1	10.0-20.2	106	27.5	22.4-32.6	88	29.8	24.1-35.5	151	27.5	22.8-32.2
35-44	498	409,460	56	16.1	11.6-20.6	125	28.4	23.5-33.3	113	29.8	24.5-35.1	204	25.7	21.6-29.8
45-54	699	409,736	57	13.5	9.6-17.4	213	33.4	28.9-37.9	166	29.6	25.3-33.9	263	23.5	20.2-26.8
55-64	1013	415,406	82	13.8	10.5-17.1	367	38.1	34.4-41.8	224	26.1	22.6-29.6	340	22.0	19.3-24.7
65+	1652	444,705	121	11.3	8.9-13.7	541	37.9	34.8-41.0	356	27.8	24.9-30.7	634	22.9	20.7-25.1
Less Than H.S.	377	346,360	377	100.0	100.0- 100									
H.S. or G.E.D.	1463	848,401				1463	100.0	100.0- 100						
Some Post-H.S.	1026	710,957							1026	100.0	100.0- 100			
College Graduate	1678	566,161										1678	100.0	100.0- 100
Less than \$15,000	313	198,784	83	37.8	30.2-45.4	136	36.0	29.1-42.9	48	19.4	13.1-25.7	46	6.8	4.1- 9.5
\$15,000- 24,999	655	376,428	123	26.1	21.0-31.2	292	41.3	36.0-46.6	143	24.9	20.0-29.8	97	7.7	5.3-10.1
\$25,000- 34,999	441	231,507	47	20.2	13.5-26.9	192	40.6	34.1-47.1	105	27.8	21.5-34.1	97	11.4	8.3-14.5
\$35,000- 49,999	647	357,577	38	9.6	6.1-13.1	267	47.1	41.6-52.6	165	28.5	23.6-33.4	177	14.9	11.8-18.0
\$50,000- 74,999	711	365,477	24	8.5	4.4-12.6	205	31.1	26.2-36.0	197	34.9	30.0-39.8	285	25.5	21.6-29.4
\$75,000+	1309	693,294	16	3.1	0.9- 5.3	212	21.3	18.2-24.4	254	30.6	26.9-34.3	827	45.0	41.3-48.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6494	2,605,857	516	12.2	10.8-13.6	2296	34.3	32.5-36.1	1727	32.9	31.1-34.7	1955	20.7	19.5-21.9
White/Non-Hisp	5568	2,127,966	374	9.7	8.3-11.1	1975	34.4	32.4-36.4	1487	34.0	32.0-36.0	1732	21.9	20.5-23.3
Black or Afr. Am./Non-Hisp	466	231,294	46	11.7	6.8-16.6	177	37.2	30.7-43.7	130	35.8	28.9-42.7	113	15.3	11.2-19.4
Oth. Race/Non-Hisp.	95	43,706	12	5.9	1.4-10.4	24	29.6	13.5-45.7	24	28.4	14.5-42.3	35	36.1	22.0-50.2
MultiRacial/Non-Hisp.	93	28,591	9	18.3	4.2-32.4	29	36.1	21.2-51.0	35	34.0	20.7-47.3	20	11.6	5.1-18.1
Hispanic	201	151,180	68	48.7	39.5-57.9	59	28.7	20.7-36.7	38	15.2	9.3-21.1	36	7.4	3.9-10.9
18-24	205	336,336	21	14.2	8.1-20.3	91	43.3	35.7-50.9	60	33.6	26.0-41.2	33	8.9	5.6-12.2
25-34	436	417,042	36	10.5	6.6-14.4	98	22.9	18.2-27.6	141	38.0	32.3-43.7	161	28.7	24.2-33.2
35-44	597	406,526	53	14.4	10.3-18.5	130	24.2	19.9-28.5	148	31.7	26.8-36.6	266	29.7	25.6-33.8
45-54	921	413,470	57	10.9	7.8-14.0	263	30.4	26.7-34.1	264	35.2	31.3-39.1	337	23.6	20.7-26.5
55-64	1434	435,486	106	11.0	8.6-13.4	510	38.8	35.7-41.9	384	31.7	28.6-34.8	434	18.4	16.4-20.4
65+	2807	564,477	240	12.9	10.9-14.9	1169	43.1	40.7-45.5	710	29.3	27.1-31.5	688	14.6	13.2-16.0
Less Than H.S.	516	316,759	516	100.0	100.0- 100									
H.S. or G.E.D.	2296	893,850				2296	100.0	100.0- 100						
Some Post-H.S.	1727	856,837							1727	100.0	100.0- 100			
College Graduate	1955	538,411										1955	100.0	100.0- 100
Less than \$15,000	618	264,286	154	31.3	25.6-37.0	280	41.0	35.1-46.9	132	23.4	17.9-28.9	52	4.3	2.5- 6.1
\$15,000- 24,999	1178	449,625	154	19.4	15.5-23.3	574	44.0	39.7-48.3	305	29.8	25.7-33.9	145	6.9	5.1- 8.7
\$25,000- 34,999	704	264,092	56	16.2	10.7-21.7	301	41.2	35.5-46.9	218	33.1	27.8-38.4	129	9.5	7.0-12.0
\$35,000- 49,999	841	331,739	34	8.1	4.8-11.4	292	36.4	31.5-41.3	263	36.7	31.8-41.6	252	18.8	15.5-22.1
\$50,000- 74,999	802	343,947	16	3.8	1.4- 6.2	197	27.3	22.6-32.0	244	40.5	35.2-45.8	345	28.4	24.3-32.5
\$75,000+	1309	586,858	12	2.8	0.6- 5.0	202	18.6	15.5-21.7	313	34.1	30.2-38.0	782	44.5	40.8-48.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9542	4,470,362	935	10.4	9.4-11.4	1836	18.5	17.3-19.7	1146	11.1	10.1-12.1	1491	15.4	14.4-16.4	4134	44.6	43.2-46.0
Male	4084	2,227,249	315	8.9	7.7-10.1	657	17.0	15.2-18.8	441	10.4	9.0-11.8	649	16.1	14.5-17.7	2022	47.6	45.4-49.8
Female	5458	2,243,112	620	11.8	10.4-13.2	1179	20.1	18.5-21.7	705	11.8	10.4-13.2	842	14.8	13.4-16.2	2112	41.6	39.6-43.6
White/Non-Hisp	8125	3,618,016	685	8.7	7.7- 9.7	1485	16.7	15.5-17.9	962	10.6	9.6-11.6	1300	15.9	14.7-17.1	3693	48.1	46.5-49.7
Black or Afr. Am./Non-Hisp	664	396,079	137	21.7	17.0-26.4	163	25.5	20.6-30.4	72	11.1	7.4-14.8	89	12.5	9.2-15.8	203	29.1	24.2-34.0
Oth. Race/Non-Hisp.	188	101,402	29	11.7	5.0-18.4	30	16.8	7.6-26.0	20	9.0	3.5-14.5	31	14.9	5.9-23.9	78	47.6	36.4-58.8
MultiRacial/Non-Hisp.	143	49,136	21	10.0	4.1-15.9	39	24.0	14.0-34.0	22	10.7	5.0-16.4	18	19.4	7.4-31.4	43	36.0	23.7-48.3
Hispanic	319	251,815	51	15.7	10.8-20.6	94	33.1	26.2-40.0	55	18.2	12.7-23.7	38	12.4	7.9-16.9	81	20.6	14.9-26.3
18-24	367	556,958	53	15.3	11.2-19.4	85	22.2	17.3-27.1	41	12.6	8.5-16.7	67	17.4	12.9-21.9	121	32.5	26.8-38.2
25-34	751	771,662	62	7.7	5.3-10.1	140	18.7	15.4-22.0	97	12.7	10.0-15.4	110	13.7	10.8-16.6	342	47.1	42.8-51.4
35-44	1037	769,936	84	8.7	6.5-10.9	146	15.7	12.8-18.6	76	7.9	5.7-10.1	129	13.7	11.0-16.4	602	54.0	50.3-57.7
45-54	1484	757,623	148	10.5	8.5-12.5	188	13.5	11.1-15.9	118	7.6	6.0- 9.2	178	14.1	11.7-16.5	852	54.3	51.0-57.6
55-64	2163	748,493	256	12.8	10.8-14.8	346	16.4	14.4-18.4	198	9.5	7.9-11.1	310	14.1	12.3-15.9	1053	47.2	44.5-49.9
65+	3659	832,072	323	9.0	7.6-10.4	915	25.1	23.3-26.9	609	16.1	14.5-17.7	685	19.5	17.7-21.3	1127	30.3	28.3-32.3
Less Than H.S.	757	575,912	237	27.4	23.1-31.7	277	32.2	27.7-36.7	103	15.6	11.7-19.5	72	10.6	7.7-13.5	68	14.2	10.1-18.3
H.S. or G.E.D.	3150	1,489,307	416	12.1	10.5-13.7	866	23.7	21.5-25.9	493	13.6	12.0-15.2	559	19.4	17.2-21.6	816	31.2	28.8-33.6
Some Post-H.S.	2387	1,382,432	180	7.3	5.7- 8.9	448	16.4	14.2-18.6	323	11.0	9.2-12.8	428	16.2	14.2-18.2	1008	49.1	46.4-51.8
College Graduate	3234	1,015,966	98	2.4	1.8- 3.0	242	5.9	4.7- 7.1	226	5.1	4.1- 6.1	429	11.4	10.0-12.8	2239	75.2	73.2-77.2
Less than \$15,000	935	463,675	935	100.0	100.0- 100												
\$15,000- 24,999	1836	828,269				1836	100.0	100.0- 100									
\$25,000- 34,999	1146	495,793							1146	100.0	100.0- 100						
\$35,000- 49,999	1491	690,274										1491	100.0	100.0- 100			
\$50,000- 74,999	1513	709,425													1513	100.0	100.0- 100
\$75,000+	2621	1,282,926													2621	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4084	2,227,249	315	8.9	7.7-10.1	657	17.0	15.2-18.8	441	10.4	9.0-11.8	649	16.1	14.5-17.7	2022	47.6	45.4-49.8
White/Non-Hisp	3463	1,787,719	225	7.5	6.1- 8.9	530	15.5	13.7-17.3	357	9.5	8.1-10.9	566	16.7	14.9-18.5	1785	50.9	48.5-53.3
Black or Afr. Am./Non-Hisp	250	191,307	52	20.3	13.6-27.0	50	21.5	14.4-28.6	26	12.7	6.4-19.0	25	9.6	5.1-14.1	97	35.9	28.1-43.7
Oth. Race/Non-Hisp.	113	68,593	14	10.6	3.0-18.2	16	18.4	5.9-30.9	10	7.4	1.1-13.7	22	18.2	5.5-30.9	51	45.4	31.3-59.5
MultiRacial/Non-Hisp.	60	23,894	4	5.4	0.0-11.7	15	22.9	7.8-38.0	13	15.9	4.9-26.9	6	20.4	0.6-40.2	22	35.4	17.0-53.8
Hispanic	142	118,355	16	12.0	5.7-18.3	36	29.8	20.2-39.4	29	22.0	13.4-30.6	19	13.3	6.6-20.0	42	22.8	14.8-30.8
18-24	211	297,726	25	12.1	7.2-17.0	47	21.2	14.9-27.5	21	11.9	6.6-17.2	42	19.8	13.5-26.1	76	35.0	27.4-42.6
25-34	357	393,596	22	5.6	2.9- 8.3	54	17.5	12.6-22.4	46	12.3	8.4-16.2	59	16.1	11.6-20.6	176	48.5	42.4-54.6
35-44	473	382,856	34	7.8	4.9-10.7	60	15.2	11.1-19.3	33	8.2	4.9-11.5	56	13.2	9.3-17.1	290	55.6	49.9-61.3
45-54	648	382,685	51	9.2	6.3-12.1	78	14.3	10.4-18.2	45	6.3	4.1- 8.5	76	14.5	10.8-18.2	398	55.8	50.9-60.7
55-64	918	371,738	108	13.7	10.6-16.8	138	14.2	11.5-16.9	79	9.1	6.7-11.5	124	12.9	10.4-15.4	469	50.1	46.0-54.2
65+	1448	385,623	74	6.5	4.5- 8.5	274	20.0	17.3-22.7	216	15.0	12.6-17.4	287	20.8	18.1-23.5	597	37.7	34.6-40.8
Less Than H.S.	331	306,655	83	24.5	18.6-30.4	123	32.1	25.6-38.6	47	15.3	9.8-20.8	38	11.1	7.0-15.2	40	17.0	10.5-23.5
H.S. or G.E.D.	1304	750,862	136	9.5	7.5-11.5	292	20.7	17.8-23.6	192	12.5	10.1-14.9	267	22.4	19.1-25.7	417	34.8	31.3-38.3
Some Post-H.S.	912	638,307	48	6.1	3.9- 8.3	143	14.7	11.6-17.8	105	10.1	7.6-12.6	165	16.0	13.1-18.9	451	53.2	48.9-57.5
College Graduate	1529	527,245	46	2.6	1.6- 3.6	97	5.5	3.9- 7.1	97	5.0	3.6- 6.4	177	10.1	8.1-12.1	1112	76.9	74.2-79.6
Less than \$15,000	315	199,231	315	100.0	100.0- 100												
\$15,000- 24,999	657	377,737				657	100.0	100.0- 100									
\$25,000- 34,999	441	231,507							441	100.0	100.0- 100						
\$35,000- 49,999	649	358,499										649	100.0	100.0- 100			
\$50,000- 74,999	711	365,477													711	100.0	100.0- 100
\$75,000+	1311	694,798													1311	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5458	2,243,112	620	11.8	10.4-13.2	1179	20.1	18.5-21.7	705	11.8	10.4-13.2	842	14.8	13.4-16.2	2112	41.6	39.6-43.6
White/Non-Hisp	4662	1,830,297	460	9.9	8.5-11.3	955	17.9	16.3-19.5	605	11.7	10.3-13.1	734	15.1	13.5-16.7	1908	45.3	43.1-47.5
Black or Afr. Am./Non-Hisp	414	204,772	85	23.0	16.5-29.5	113	29.3	22.4-36.2	46	9.6	5.7-13.5	64	15.3	10.2-20.4	106	22.8	16.9-28.7
Oth. Race/Non-Hisp.	75	32,809	15	14.2	1.7-26.7	14	13.4	4.0-22.8	10	12.2	1.8-22.6	9	8.1	1.2-15.0	27	52.2	35.5-68.9
MultiRacial/Non-Hisp.	83	25,243	17	14.3	4.7-23.9	24	25.0	11.9-38.1	9	5.7	1.2-10.2	12	18.4	4.7-32.1	21	36.6	20.1-53.1
Hispanic	177	133,460	35	19.0	11.9-26.1	58	36.0	26.4-45.6	26	14.9	8.2-21.6	19	11.5	5.2-17.8	39	18.6	10.8-26.4
18-24	156	259,233	28	18.9	12.0-25.8	38	23.4	16.0-30.8	20	13.4	7.3-19.5	25	14.6	8.5-20.7	45	29.7	21.5-37.9
25-34	394	378,066	40	9.9	6.4-13.4	86	19.9	15.4-24.4	51	13.2	9.3-17.1	51	11.3	7.6-15.0	166	45.8	39.9-51.7
35-44	564	387,080	50	9.5	6.4-12.6	86	16.2	12.3-20.1	43	7.6	4.9-10.3	73	14.3	10.8-17.8	312	52.4	47.3-57.5
45-54	836	374,938	97	11.9	9.2-14.6	110	12.6	9.7-15.5	73	8.9	6.4-11.4	102	13.8	10.7-16.9	454	52.7	48.4-57.0
55-64	1245	376,755	148	11.9	9.5-14.3	208	18.6	15.9-21.3	119	9.9	7.7-12.1	186	15.4	12.9-17.9	584	44.3	41.0-47.6
65+	2211	446,449	249	11.2	9.4-13.0	641	29.4	26.9-31.9	393	17.1	15.1-19.1	398	18.4	16.2-20.6	530	23.9	21.7-26.1
Less Than H.S.	426	269,257	154	30.7	24.6-36.8	154	32.4	26.1-38.7	56	15.9	10.4-21.4	34	10.0	5.9-14.1	28	11.0	5.9-16.1
H.S. or G.E.D.	1846	738,445	280	14.7	12.2-17.2	574	26.8	23.9-29.7	301	14.7	12.3-17.1	292	16.3	13.8-18.8	399	27.5	24.4-30.6
Some Post-H.S.	1475	744,125	132	8.3	6.1-10.5	305	18.0	15.3-20.7	218	11.7	9.5-13.9	263	16.4	13.9-18.9	557	45.6	41.9-49.3
College Graduate	1705	488,721	52	2.3	1.3- 3.3	145	6.4	4.8- 8.0	129	5.1	3.7- 6.5	252	12.7	10.5-14.9	1127	73.4	70.5-76.3
Less than \$15,000	620	264,444	620	100.0	100.0- 100												
\$15,000- 24,999	1179	450,532				1179	100.0	100.0- 100									
\$25,000- 34,999	705	264,286							705	100.0	100.0- 100						
\$35,000- 49,999	842	331,775										842	100.0	100.0- 100			
\$50,000- 74,999	802	343,947													802	100.0	100.0- 100
\$75,000+	1310	588,128													1310	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	99
2	MALES ONLY	100
3	FEMALES ONLY	101
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	102
5	MALES ONLY	103
6	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10690	4,896,725	1346	15.5	14.5-16.5	476	5.7	5.1- 6.3	3051	24.5	23.3-25.7	5817	54.4	53.0-55.8
Male	4409	2,388,434	628	17.5	15.9-19.1	196	6.1	4.9- 7.3	1486	28.7	26.9-30.5	2099	47.7	45.5-49.9
Female	6281	2,508,292	718	13.5	12.1-14.9	280	5.3	4.5- 6.1	1565	20.5	19.1-21.9	3718	60.7	58.9-62.5
White/Non-Hisp	9130	3,982,587	1146	16.0	14.8-17.2	358	5.1	4.3- 5.9	2738	26.4	25.2-27.6	4888	52.5	50.9-54.1
Black or Afr. Am./Non-Hisp	704	407,604	83	14.0	9.9-18.1	56	9.0	6.1-11.9	144	16.7	12.8-20.6	421	60.3	55.0-65.6
Oth. Race/Non-Hisp.	211	113,814	27	8.3	2.2-14.4	15	5.8	0.0-11.7	39	10.0	4.7-15.3	130	75.9	66.9-84.9
MultiRacial/Non-Hisp.	154	53,308	27	19.5	10.1-28.9	17	12.4	5.0-19.8	33	20.6	10.6-30.6	77	47.5	35.3-59.7
Hispanic	349	274,962	37	10.5	6.4-14.6	23	7.4	3.9-10.9	56	14.7	10.0-19.4	233	67.5	61.2-73.8
18-24	441	663,362	47	11.4	7.9-14.9	26	5.4	3.0- 7.8	28	6.2	3.7- 8.7	340	76.9	72.4-81.4
25-34	782	797,607	132	16.7	13.6-19.8	65	8.1	5.7-10.5	134	19.6	16.1-23.1	451	55.6	51.5-59.7
35-44	1057	783,468	185	19.8	16.7-22.9	59	5.7	3.9- 7.5	225	22.2	19.1-25.3	588	52.3	48.6-56.0
45-54	1565	792,840	283	20.8	18.1-23.5	77	5.4	4.0- 6.8	348	23.4	20.7-26.1	857	50.4	47.3-53.5
55-64	2386	831,445	384	18.0	15.8-20.2	125	6.0	4.6- 7.4	677	30.0	27.6-32.4	1200	46.0	43.5-48.5
65+	4327	978,344	308	7.7	6.7- 8.7	118	3.8	2.8- 4.8	1610	38.8	36.8-40.8	2291	49.6	47.6-51.6
Less Than H.S.	852	627,590	231	28.6	24.5-32.7	84	9.5	7.0-12.0	239	22.9	19.2-26.6	298	38.9	34.2-43.6
H.S. or G.E.D.	3622	1,678,669	594	19.7	17.7-21.7	183	6.6	5.4- 7.8	1088	25.2	23.2-27.2	1757	48.4	46.0-50.8
Some Post-H.S.	2661	1,508,140	337	12.7	10.9-14.5	130	5.4	4.2- 6.6	840	26.7	24.3-29.1	1354	55.2	52.5-57.9
College Graduate	3534	1,073,488	181	4.9	3.9- 5.9	77	2.4	1.6- 3.2	880	21.3	19.5-23.1	2396	71.4	69.4-73.4
Less than \$15,000	905	446,327	210	26.4	22.1-30.7	97	12.1	9.2-15.0	227	19.4	15.9-22.9	371	42.1	37.4-46.8
\$15,000- 24,999	1776	790,852	325	21.2	18.5-23.9	118	8.8	6.6-11.0	529	25.3	22.4-28.2	804	44.7	41.2-48.2
\$25,000- 34,999	1124	485,124	182	19.3	15.6-23.0	59	8.4	5.5-11.3	329	23.6	20.1-27.1	554	48.7	44.2-53.2
\$35,000- 49,999	1458	671,404	203	19.4	16.3-22.5	52	4.2	2.6- 5.8	435	24.9	21.8-28.0	768	51.5	47.8-55.2
\$50,000- 74,999	1485	695,740	152	13.5	10.8-16.2	38	3.1	1.9- 4.3	435	27.3	24.2-30.4	860	56.2	52.5-59.9
\$75,000+	2582	1,260,515	164	7.6	6.2- 9.0	56	2.7	1.7- 3.7	698	25.1	22.7-27.5	1664	64.6	62.1-67.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4409	2,388,434	628	17.5	15.9-19.1	196	6.1	4.9- 7.3	1486	28.7	26.9-30.5	2099	47.7	45.5-49.9
White/Non-Hisp	3734	1,919,680	520	17.7	15.9-19.5	140	5.1	3.9- 6.3	1324	30.7	28.7-32.7	1750	46.5	44.1-48.9
Black or Afr. Am./Non-Hisp	262	194,863	42	19.2	12.1-26.3	20	8.4	3.7-13.1	68	21.3	14.4-28.2	132	51.0	42.8-59.2
Oth. Race/Non-Hisp.	120	74,636	16	9.8	1.2-18.4	12	8.4	0.0-17.0	20	9.0	1.9-16.1	72	72.9	60.4-85.4
MultiRacial/Non-Hisp.	63	25,621	13	15.8	4.6-27.0	5	11.6	0.6-22.6	17	24.1	6.7-41.5	28	48.5	29.3-67.7
Hispanic	156	131,955	19	14.2	7.1-21.3	16	12.2	5.7-18.7	35	22.8	14.4-31.2	86	50.7	40.9-60.5
18-24	245	342,218	30	13.0	7.9-18.1	15	5.9	2.4- 9.4	14	5.7	2.6- 8.8	186	75.4	69.1-81.7
25-34	366	400,600	63	18.4	13.7-23.1	37	10.3	6.6-14.0	73	24.3	18.6-30.0	193	47.0	40.9-53.1
35-44	478	388,465	91	22.8	18.1-27.5	27	6.0	3.3- 8.7	122	27.3	22.2-32.4	238	44.0	38.5-49.5
45-54	681	398,199	132	22.8	18.7-26.9	27	4.8	2.6- 7.0	166	25.5	21.4-29.6	356	47.0	42.3-51.7
55-64	983	406,543	178	20.9	17.6-24.2	48	5.3	3.3- 7.3	325	34.3	30.6-38.0	432	39.5	35.8-43.2
65+	1610	432,963	132	8.2	6.4-10.0	40	4.3	2.5- 6.1	775	49.8	46.7-52.9	663	37.7	34.6-40.8
Less Than H.S.	364	331,658	115	32.0	25.7-38.3	35	11.0	6.7-15.3	126	30.6	24.3-36.9	88	26.4	20.1-32.7
H.S. or G.E.D.	1423	825,592	272	22.2	19.3-25.1	76	7.3	5.3- 9.3	533	29.5	26.6-32.4	542	41.0	37.5-44.5
Some Post-H.S.	985	676,458	139	14.2	11.5-16.9	51	5.3	3.5- 7.1	367	30.8	27.1-34.5	428	49.6	45.5-53.7
College Graduate	1626	548,606	100	5.9	4.3- 7.5	33	2.1	1.3- 2.9	459	23.9	21.2-26.6	1034	68.1	65.2-71.0
Less than \$15,000	308	195,992	83	31.0	23.9-38.1	25	8.7	4.4-13.0	87	24.3	17.8-30.8	113	35.9	28.6-43.2
\$15,000- 24,999	630	362,425	145	25.1	20.4-29.8	48	10.6	6.7-14.5	218	28.3	23.2-33.4	219	35.9	30.4-41.4
\$25,000- 34,999	432	224,953	75	21.2	14.9-27.5	26	11.4	6.1-16.7	156	28.1	22.4-33.8	175	39.3	32.6-46.0
\$35,000- 49,999	635	348,680	110	23.0	18.3-27.7	22	4.2	1.8- 6.6	239	29.2	24.5-33.9	264	43.6	38.1-49.1
\$50,000- 74,999	695	358,185	77	13.6	9.7-17.5	27	4.4	2.4- 6.4	247	33.2	28.3-38.1	344	48.7	43.4-54.0
\$75,000+	1289	680,315	95	8.7	6.5-10.9	27	3.0	1.6- 4.4	389	28.1	24.8-31.4	778	60.2	56.5-63.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6281	2,508,292	718	13.5	12.1-14.9	280	5.3	4.5- 6.1	1565	20.5	19.1-21.9	3718	60.7	58.9-62.5
White/Non-Hisp	5396	2,062,907	626	14.3	12.9-15.7	218	5.0	4.0- 6.0	1414	22.5	20.9-24.1	3138	58.2	56.2-60.2
Black or Afr. Am./Non-Hisp	442	212,741	41	9.2	5.3-13.1	36	9.6	5.7-13.5	76	12.5	8.4-16.6	289	68.7	62.4-75.0
Oth. Race/Non-Hisp.	91	39,178	11	5.5	0.0-11.4	3	0.9	0.0- 2.3	19	12.0	4.2-19.8	58	81.6	71.8-91.4
MultiRacial/Non-Hisp.	91	27,687	14	22.9	8.4-37.4	12	13.2	3.2-23.2	16	17.4	7.6-27.2	49	46.6	31.3-61.9
Hispanic	193	143,007	18	7.0	2.5-11.5	7	2.9	0.5- 5.3	21	7.1	3.0-11.2	147	83.0	76.7-89.3
18-24	196	321,144	17	9.7	4.8-14.6	11	5.0	1.9- 8.1	14	6.8	3.1-10.5	154	78.5	72.0-85.0
25-34	416	397,008	69	14.9	11.0-18.8	28	5.9	3.4- 8.4	61	14.9	10.6-19.2	258	64.3	58.8-69.8
35-44	579	395,003	94	16.8	13.1-20.5	32	5.5	3.3- 7.7	103	17.2	13.5-20.9	350	60.5	55.6-65.4
45-54	884	394,641	151	18.8	15.5-22.1	50	5.9	3.9- 7.9	182	21.3	18.0-24.6	501	54.0	49.9-58.1
55-64	1403	424,903	206	15.2	12.8-17.6	77	6.7	4.9- 8.5	352	25.8	22.9-28.7	768	52.3	49.0-55.6
65+	2717	545,381	176	7.3	5.9- 8.7	78	3.4	2.4- 4.4	835	30.2	28.0-32.4	1628	59.1	56.7-61.5
Less Than H.S.	488	295,932	116	24.8	19.5-30.1	49	8.0	5.1-10.9	113	14.3	11.0-17.6	210	53.0	46.7-59.3
H.S. or G.E.D.	2199	853,078	322	17.4	14.9-19.9	107	5.9	4.5- 7.3	555	21.1	18.7-23.5	1215	55.6	52.5-58.7
Some Post-H.S.	1676	831,682	198	11.5	9.5-13.5	79	5.4	3.8- 7.0	473	23.3	20.6-26.0	926	59.8	56.5-63.1
College Graduate	1908	524,882	81	3.9	2.7- 5.1	44	2.7	1.5- 3.9	421	18.5	16.1-20.9	1362	74.9	72.4-77.4
Less than \$15,000	597	250,335	127	22.8	17.7-27.9	72	14.7	10.6-18.8	140	15.6	11.9-19.3	258	46.9	40.6-53.2
\$15,000- 24,999	1146	428,427	180	18.0	14.7-21.3	70	7.2	5.0- 9.4	311	22.7	19.4-26.0	585	52.1	47.6-56.6
\$25,000- 34,999	692	260,171	107	17.8	13.5-22.1	33	5.7	3.0- 8.4	173	19.7	15.6-23.8	379	56.9	51.2-62.6
\$35,000- 49,999	823	322,724	93	15.4	11.7-19.1	30	4.2	2.2- 6.2	196	20.3	16.4-24.2	504	60.0	55.1-64.9
\$50,000- 74,999	790	337,555	75	13.3	9.2-17.4	11	1.7	0.5- 2.9	188	20.9	17.0-24.8	516	64.1	59.2-69.0
\$75,000+	1293	580,200	69	6.2	4.4- 8.0	29	2.5	1.3- 3.7	309	21.6	18.5-24.7	886	69.7	66.2-73.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10690	4,896,725	8868	78.9	77.7-80.1	1822	21.1	19.9-22.3
Male	4409	2,388,434	3585	76.4	74.6-78.2	824	23.6	21.8-25.4
Female	6281	2,508,292	5283	81.2	79.8-82.6	998	18.8	17.4-20.2
White/Non-Hisp	9130	3,982,587	7626	79.0	77.8-80.2	1504	21.0	19.8-22.2
Black or Afr. Am./Non-Hisp	704	407,604	565	77.0	72.3-81.7	139	23.0	18.3-27.7
Oth. Race/Non-Hisp.	211	113,814	169	85.9	77.9-93.9	42	14.1	6.1-22.1
MultiRacial/Non-Hisp.	154	53,308	110	68.1	57.1-79.1	44	31.9	20.9-42.9
Hispanic	349	274,962	289	82.2	77.1-87.3	60	17.8	12.7-22.9
18-24	441	663,362	368	83.2	79.1-87.3	73	16.8	12.7-20.9
25-34	782	797,607	585	75.2	71.7-78.7	197	24.8	21.3-28.3
35-44	1057	783,468	813	74.5	71.2-77.8	244	25.5	22.2-28.8
45-54	1565	792,840	1205	73.9	71.0-76.8	360	26.1	23.2-29.0
55-64	2386	831,445	1877	76.0	73.6-78.4	509	24.0	21.6-26.4
65+	4327	978,344	3901	88.4	87.0-89.8	426	11.6	10.2-13.0
Less Than H.S.	852	627,590	537	61.9	57.4-66.4	315	38.1	33.6-42.6
H.S. or G.E.D.	3622	1,678,669	2845	73.7	71.5-75.9	777	26.3	24.1-28.5
Some Post-H.S.	2661	1,508,140	2194	81.9	79.9-83.9	467	18.1	16.1-20.1
College Graduate	3534	1,073,488	3276	92.7	91.5-93.9	258	7.3	6.1- 8.5
Less than \$15,000	905	446,327	598	61.5	56.8-66.2	307	38.5	33.8-43.2
\$15,000- 24,999	1776	790,852	1333	70.0	66.7-73.3	443	30.0	26.7-33.3
\$25,000- 34,999	1124	485,124	883	72.3	68.0-76.6	241	27.7	23.4-32.0
\$35,000- 49,999	1458	671,404	1203	76.4	73.1-79.7	255	23.6	20.3-26.9
\$50,000- 74,999	1485	695,740	1295	83.4	80.5-86.3	190	16.6	13.7-19.5
\$75,000+	2582	1,260,515	2362	89.7	87.9-91.5	220	10.3	8.5-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4409	2,388,434	3585	76.4	74.6-78.2	824	23.6	21.8-25.4
White/Non-Hisp	3734	1,919,680	3074	77.1	75.1-79.1	660	22.9	20.9-24.9
Black or Afr. Am./Non-Hisp	262	194,863	200	72.3	64.7-79.9	62	27.7	20.1-35.3
Oth. Race/Non-Hisp.	120	74,636	92	81.9	70.5-93.3	28	18.1	6.7-29.5
MultiRacial/Non-Hisp.	63	25,621	45	72.6	57.5-87.7	18	27.4	12.3-42.5
Hispanic	156	131,955	121	73.6	64.8-82.4	35	26.4	17.6-35.2
18-24	245	342,218	200	81.2	75.3-87.1	45	18.8	12.9-24.7
25-34	366	400,600	266	71.3	65.8-76.8	100	28.7	23.2-34.2
35-44	478	388,465	360	71.2	66.1-76.3	118	28.8	23.7-33.9
45-54	681	398,199	522	72.4	68.1-76.7	159	27.6	23.3-31.9
55-64	983	406,543	757	73.8	70.1-77.5	226	26.2	22.5-29.9
65+	1610	432,963	1438	87.5	85.1-89.9	172	12.5	10.1-14.9
Less Than H.S.	364	331,658	214	57.0	50.1-63.9	150	43.0	36.1-49.9
H.S. or G.E.D.	1423	825,592	1075	70.5	67.2-73.8	348	29.5	26.2-32.8
Some Post-H.S.	985	676,458	795	80.5	77.4-83.6	190	19.5	16.4-22.6
College Graduate	1626	548,606	1493	92.0	90.2-93.8	133	8.0	6.2- 9.8
Less than \$15,000	308	195,992	200	60.2	52.8-67.6	108	39.8	32.4-47.2
\$15,000- 24,999	630	362,425	437	64.3	58.8-69.8	193	35.7	30.2-41.2
\$25,000- 34,999	432	224,953	331	67.4	60.3-74.5	101	32.6	25.5-39.7
\$35,000- 49,999	635	348,680	503	72.8	67.7-77.9	132	27.2	22.1-32.3
\$50,000- 74,999	695	358,185	591	82.0	77.9-86.1	104	18.0	13.9-22.1
\$75,000+	1289	680,315	1167	88.3	85.8-90.8	122	11.7	9.2-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6281	2,508,292	5283	81.2	79.8-82.6	998	18.8	17.4-20.2
White/Non-Hisp	5396	2,062,907	4552	80.7	79.1-82.3	844	19.3	17.7-20.9
Black or Afr. Am./Non-Hisp	442	212,741	365	81.2	75.9-86.5	77	18.8	13.5-24.1
Oth. Race/Non-Hisp.	91	39,178	77	93.6	87.7-99.5	14	6.4	0.5-12.3
MultiRacial/Non-Hisp.	91	27,687	65	63.9	48.4-79.4	26	36.1	20.6-51.6
Hispanic	193	143,007	168	90.1	85.2-95.0	25	9.9	5.0-14.8
18-24	196	321,144	168	85.3	79.6-91.0	28	14.7	9.0-20.4
25-34	416	397,008	319	79.1	74.6-83.6	97	20.9	16.4-25.4
35-44	579	395,003	453	77.7	73.6-81.8	126	22.3	18.2-26.4
45-54	884	394,641	683	75.3	71.8-78.8	201	24.7	21.2-28.2
55-64	1403	424,903	1120	78.1	75.4-80.8	283	21.9	19.2-24.6
65+	2717	545,381	2463	89.2	87.6-90.8	254	10.8	9.2-12.4
Less Than H.S.	488	295,932	323	67.3	61.6-73.0	165	32.7	27.0-38.4
H.S. or G.E.D.	2199	853,078	1770	76.7	74.0-79.4	429	23.3	20.6-26.0
Some Post-H.S.	1676	831,682	1399	83.1	80.6-85.6	277	16.9	14.4-19.4
College Graduate	1908	524,882	1783	93.4	91.8-95.0	125	6.6	5.0- 8.2
Less than \$15,000	597	250,335	398	62.5	56.6-68.4	199	37.5	31.6-43.4
\$15,000- 24,999	1146	428,427	896	74.8	71.1-78.5	250	25.2	21.5-28.9
\$25,000- 34,999	692	260,171	552	76.6	71.7-81.5	140	23.4	18.5-28.3
\$35,000- 49,999	823	322,724	700	80.4	76.3-84.5	123	19.6	15.5-23.7
\$50,000- 74,999	790	337,555	704	85.0	80.9-89.1	86	15.0	10.9-19.1
\$75,000+	1293	580,200	1195	91.3	89.1-93.5	98	8.7	6.5-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 10: E-Cigarettes CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)	
1 MALES AND FEMALES	106
2 MALES ONLY	107
3 FEMALES ONLY	108
ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)	
4 MALES AND FEMALES	109
5 MALES ONLY	110
6 FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

**TABLE 1: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10702	4,902,814	117	1.7	1.3- 2.1	235	3.1	2.5- 3.7	1426	19.7	18.5-20.9	8924	75.6	74.2-77.0
Male	4412	2,389,422	56	1.9	1.3- 2.5	93	3.0	2.2- 3.8	643	21.9	19.9-23.9	3620	73.1	71.1-75.1
Female	6290	2,513,393	61	1.4	0.8- 2.0	142	3.1	2.3- 3.9	783	17.6	16.0-19.2	5304	77.9	76.3-79.5
White/Non-Hisp	9144	3,987,792	105	1.9	1.5- 2.3	188	3.0	2.4- 3.6	1203	19.8	18.4-21.2	7648	75.4	74.0-76.8
Black or Afr. Am./Non-Hisp	704	410,312	17	3.1	1.1- 5.1	86	19.7	15.0-24.4	601	77.1	72.2-82.0			
Oth. Race/Non-Hisp.	209	111,934	4	2.5	0.0- 5.0	8	6.8	0.1-13.5	28	14.6	5.6-23.6	169	76.1	65.7-86.5
MultiRacial/Non-Hisp.	154	53,770	7	4.6	0.5- 8.7	9	6.9	1.4-12.4	31	32.2	19.9-44.5	107	56.4	44.1-68.7
Hispanic	348	274,481	10	2.1	0.5- 3.7	52	16.6	11.7-21.5	286	81.3	76.2-86.4			
18-24	440	665,491	10	2.6	0.8- 4.4	27	5.9	3.5- 8.3	141	32.9	27.8-38.0	262	58.6	53.3-63.9
25-34	780	796,896	20	2.6	1.4- 3.8	29	2.8	1.6- 4.0	228	30.5	26.6-34.4	503	64.1	60.2-68.0
35-44	1062	788,318	16	1.8	0.8- 2.8	45	4.9	3.1- 6.7	182	18.2	15.3-21.1	819	75.1	71.8-78.4
45-54	1561	790,984	24	1.7	0.9- 2.5	48	3.0	1.8- 4.2	267	19.8	17.3-22.3	1222	75.5	72.8-78.2
55-64	2384	828,976	22	1.2	0.6- 1.8	52	2.0	1.4- 2.6	363	17.0	15.0-19.0	1947	79.9	77.7-82.1
65+	4341	982,162	25	0.7	0.3- 1.1	34	1.0	0.6- 1.4	236	6.1	5.1- 7.1	4046	92.2	91.0-93.4
Less Than H.S.	853	631,585	16	2.2	0.8- 3.6	40	4.8	2.8- 6.8	183	27.5	23.0-32.0	614	65.4	60.7-70.1
H.S. or G.E.D.	3627	1,678,871	45	2.0	1.2- 2.8	88	3.1	2.3- 3.9	569	23.4	21.2-25.6	2925	71.5	69.1-73.9
Some Post-H.S.	2662	1,509,359	35	1.7	0.9- 2.5	74	3.6	2.6- 4.6	394	18.5	16.3-20.7	2159	76.2	73.8-78.6
College Graduate	3538	1,073,866	21	0.8	0.4- 1.2	33	1.1	0.5- 1.7	274	10.9	9.3-12.5	3210	87.2	85.4-89.0
Less than \$15,000	908	447,103	19	2.0	0.8- 3.2	38	5.5	3.1- 7.9	192	27.2	22.9-31.5	659	65.3	60.6-70.0
\$15,000- 24,999	1776	794,219	22	1.4	0.6- 2.2	59	3.9	2.3- 5.5	287	23.6	20.5-26.7	1408	71.2	67.9-74.5
\$25,000- 34,999	1124	484,541	14	3.2	1.2- 5.2	24	3.4	1.6- 5.2	181	23.2	19.1-27.3	905	70.2	65.7-74.7
\$35,000- 49,999	1462	675,227	15	1.8	0.6- 3.0	33	2.8	1.6- 4.0	216	24.0	20.5-27.5	1198	71.5	67.8-75.2
\$50,000- 74,999	1485	692,846	16	1.3	0.5- 2.1	27	3.0	1.6- 4.4	177	18.3	15.0-21.6	1265	77.4	73.9-80.9
\$75,000+	2577	1,258,787	21	1.1	0.5- 1.7	31	1.8	1.0- 2.6	253	14.1	11.9-16.3	2272	83.1	80.7-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 2: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4412	2,389,422	56	1.9	1.3- 2.5	93	3.0	2.2- 3.8	643	21.9	19.9-23.9	3620	73.1	71.1-75.1
White/Non-Hisp	3740	1,922,850	48	2.2	1.4- 3.0	69	2.7	1.9- 3.5	529	21.9	19.7-24.1	3094	73.2	71.0-75.4
Black or Afr. Am./Non-Hisp	262	194,863				7	2.8	0.3- 5.3	40	22.2	14.6-29.8	215	75.0	67.4-82.6
Oth. Race/Non-Hisp.	117	72,671	3	2.8	0.0- 6.1	4	9.3	0.0-19.1	11	11.0	0.0-22.8	99	77.0	62.9-91.1
MultiRacial/Non-Hisp.	62	25,489	5	8.4	0.0-17.0	7	13.7	2.3-25.1	11	27.2	7.6-46.8	39	50.7	31.5-69.9
Hispanic	156	131,560				5	2.9	0.0- 5.8	34	24.0	15.6-32.4	117	73.1	64.5-81.7
18-24	243	340,403	8	3.9	1.0- 6.8	21	8.7	4.8-12.6	77	33.9	26.6-41.2	137	53.5	46.2-60.8
25-34	367	402,017	11	2.7	0.9- 4.5	13	2.4	1.0- 3.8	122	36.6	30.7-42.5	221	58.3	52.2-64.4
35-44	480	390,462	8	1.8	0.2- 3.4	15	3.6	1.4- 5.8	93	22.5	17.8-27.2	364	72.1	67.0-77.2
45-54	677	396,768	9	1.5	0.3- 2.7	13	1.8	0.6- 3.0	120	21.2	17.1-25.3	535	75.5	71.2-79.8
55-64	981	405,415	11	1.5	0.3- 2.7	21	1.7	0.9- 2.5	148	16.7	13.6-19.8	801	80.1	76.8-83.4
65+	1618	435,196	9	0.7	0.1- 1.3	10	1.2	0.4- 2.0	79	4.8	3.4- 6.2	1520	93.3	91.7-94.9
Less Than H.S.	360	329,968	10	3.2	0.7- 5.7	22	5.1	2.4- 7.8	78	31.0	23.9-38.1	250	60.7	53.6-67.8
H.S. or G.E.D.	1425	826,718	19	2.3	0.9- 3.7	30	3.2	1.8- 4.6	257	25.9	22.6-29.2	1119	68.5	65.0-72.0
Some Post-H.S.	986	677,823	17	1.7	0.7- 2.7	27	3.4	1.8- 5.0	160	20.9	17.4-24.4	782	74.0	70.3-77.7
College Graduate	1630	548,611	10	0.8	0.2- 1.4	14	1.1	0.3- 1.9	144	11.5	9.1-13.9	1462	86.6	84.2-89.0
Less than \$15,000	308	195,932	9	2.8	0.4- 5.2	9	4.6	1.1- 8.1	63	27.0	19.7-34.3	227	65.6	58.2-73.0
\$15,000- 24,999	630	363,645	6	0.8	0.0- 1.6	21	3.8	1.4- 6.2	119	27.3	22.0-32.6	484	68.0	62.5-73.5
\$25,000- 34,999	432	224,032	6	4.2	0.5- 7.9	9	3.4	0.9- 5.9	79	26.9	20.0-33.8	338	65.5	58.4-72.6
\$35,000- 49,999	635	348,894	10	2.3	0.5- 4.1	13	2.8	1.0- 4.6	112	28.3	22.8-33.8	500	66.6	61.1-72.1
\$50,000- 74,999	698	358,079	7	0.9	0.1- 1.7	16	4.0	1.6- 6.4	91	19.9	15.0-24.8	584	75.3	70.2-80.4
\$75,000+	1287	679,258	14	1.4	0.6- 2.2	17	1.7	0.5- 2.9	136	15.6	12.3-18.9	1120	81.2	77.7-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 3: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6290	2,513,393	61	1.4	0.8- 2.0	142	3.1	2.3- 3.9	783	17.6	16.0-19.2	5304	77.9	76.3-79.5
White/Non-Hisp	5404	2,064,942	57	1.6	1.0- 2.2	119	3.2	2.4- 4.0	674	17.8	16.0-19.6	4554	77.4	75.6-79.2
Black or Afr. Am./Non-Hisp	442	215,450	10	2.3	0.6- 6.4	46	17.5	11.4-23.6	386	79.0	72.7-85.3			
Oth. Race/Non-Hisp.	92	39,263	1	1.9	0.0- 5.6	4	2.3	0.0- 5.8	17	21.2	7.7-34.7	70	74.6	60.7-88.5
MultiRacial/Non-Hisp.	92	28,281	2	1.1	0.0- 2.7	2	0.7	0.0- 1.9	20	36.7	21.2-52.2	68	61.5	46.0-77.0
Hispanic	192	142,921	5	1.4	0.0- 2.8	18	9.9	4.8-15.0	169	88.8	83.5-94.1			
18-24	197	325,089	2	1.3	0.0- 3.1	6	2.9	0.4- 5.4	64	31.8	24.5-39.1	125	63.9	56.5-71.3
25-34	413	394,880	9	2.5	0.7- 4.3	16	3.2	1.2- 5.2	106	24.2	19.3-29.1	282	70.0	64.9-75.1
35-44	582	397,856	8	1.8	0.4- 3.2	30	6.2	3.7- 8.7	89	14.0	10.7-17.3	455	78.0	73.9-82.1
45-54	884	394,216	15	2.0	0.8- 3.2	35	4.2	2.4- 6.0	147	18.4	15.3-21.5	687	75.5	72.0-79.0
55-64	1403	423,561	11	0.9	0.3- 1.5	31	2.2	1.2- 3.2	215	17.3	14.8-19.8	1146	79.6	76.9-82.3
65+	2723	546,966	16	0.7	0.3- 1.1	24	0.8	0.4- 1.2	157	7.2	5.8- 8.6	2526	91.3	89.9-92.7
Less Than H.S.	493	301,616	6	1.1	0.1- 2.1	18	4.6	1.7- 7.5	105	23.7	18.4-29.0	364	70.7	65.0-76.4
H.S. or G.E.D.	2202	852,152	26	1.7	0.7- 2.7	58	3.1	2.1- 4.1	312	20.9	18.0-23.8	1806	74.3	71.4-77.2
Some Post-H.S.	1676	831,536	18	1.8	0.8- 2.8	47	3.8	2.4- 5.2	234	16.5	14.0-19.0	1377	78.0	75.1-80.9
College Graduate	1908	525,254	11	0.7	0.1- 1.3	19	1.2	0.4- 2.0	130	10.2	8.0-12.4	1748	87.9	85.5-90.3
Less than \$15,000	600	251,172	10	1.3	0.3- 2.3	29	6.3	3.2- 9.4	129	27.3	21.8-32.8	432	65.1	59.2-71.0
\$15,000- 24,999	1146	430,575	16	1.9	0.7- 3.1	38	3.9	2.1- 5.7	168	20.4	16.5-24.3	924	73.9	69.8-78.0
\$25,000- 34,999	692	260,509	8	2.3	0.3- 4.3	15	3.5	1.1- 5.9	102	20.0	15.1-24.9	567	74.3	69.0-79.6
\$35,000- 49,999	827	326,333	5	1.3	0.0- 2.9	20	2.8	1.2- 4.4	104	19.3	15.0-23.6	698	76.6	72.1-81.1
\$50,000- 74,999	787	334,767	9	1.7	0.3- 3.1	11	1.9	0.3- 3.5	86	16.7	12.4-21.0	681	79.8	75.1-84.5
\$75,000+	1290	579,529	7	0.7	0.1- 1.3	14	1.8	0.6- 3.0	117	12.2	9.5-14.9	1152	85.3	82.4-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 10: E-Cigarettes

TABLE 4: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10702	4,902,814	10350	95.3	94.7-95.9	352	4.7	4.1- 5.3
Male	4412	2,389,422	4263	95.1	94.1-96.1	149	4.9	3.9- 5.9
Female	6290	2,513,393	6087	95.5	94.7-96.3	203	4.5	3.7- 5.3
White/Non-Hisp	9144	3,987,792	8851	95.1	94.3-95.9	293	4.9	4.1- 5.7
Black or Afr. Am./Non-Hisp	704	410,312	687	96.9	94.9-98.9	17	3.1	1.1- 5.1
Oth. Race/Non-Hisp.	209	111,934	197	90.7	83.6-97.8	12	9.3	2.2-16.4
MultiRacial/Non-Hisp.	154	53,770	138	88.6	81.9-95.3	16	11.4	4.7-18.1
Hispanic	348	274,481	338	97.9	96.3-99.5	10	2.1	0.5- 3.7
18-24	440	665,491	403	91.5	88.6-94.4	37	8.5	5.6-11.4
25-34	780	796,896	731	94.6	92.8-96.4	49	5.4	3.6- 7.2
35-44	1062	788,318	1001	93.3	91.3-95.3	61	6.7	4.7- 8.7
45-54	1561	790,984	1489	95.3	93.9-96.7	72	4.7	3.3- 6.1
55-64	2384	828,976	2310	96.9	95.9-97.9	74	3.1	2.1- 4.1
65+	4341	982,162	4282	98.3	97.7-98.9	59	1.7	1.1- 2.3
Less Than H.S.	853	631,585	797	93.0	90.6-95.4	56	7.0	4.6- 9.4
H.S. or G.E.D.	3627	1,678,871	3494	94.8	93.6-96.0	133	5.2	4.0- 6.4
Some Post-H.S.	2662	1,509,359	2553	94.7	93.5-95.9	109	5.3	4.1- 6.5
College Graduate	3538	1,073,866	3484	98.1	97.5-98.7	54	1.9	1.3- 2.5
Less than \$15,000	908	447,103	851	92.5	90.0-95.0	57	7.5	5.0-10.0
\$15,000- 24,999	1776	794,219	1695	94.7	93.1-96.3	81	5.3	3.7- 6.9
\$25,000- 34,999	1124	484,541	1086	93.4	90.9-95.9	38	6.6	4.1- 9.1
\$35,000- 49,999	1462	675,227	1414	95.4	93.8-97.0	48	4.6	3.0- 6.2
\$50,000- 74,999	1485	692,846	1442	95.8	94.2-97.4	43	4.2	2.6- 5.8
\$75,000+	2577	1,258,787	2525	97.2	96.2-98.2	52	2.8	1.8- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 5: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4412	2,389,422	4263	95.1	94.1-96.1	149	4.9	3.9- 5.9
White/Non-Hisp	3740	1,922,850	3623	95.1	93.9-96.3	117	4.9	3.7- 6.1
Black or Afr. Am./Non-Hisp	262	194,863	255	97.2	94.7-99.7	7	2.8	0.3- 5.3
Oth. Race/Non-Hisp.	117	72,671	110	88.0	77.8-98.2	7	12.0	1.8-22.2
MultiRacial/Non-Hisp.	62	25,489	50	77.9	64.0-91.8	12	22.1	8.2-36.0
Hispanic	156	131,560	151	97.1	94.2- 100	5	2.9	0.0- 5.8
18-24	243	340,403	214	87.4	82.5-92.3	29	12.6	7.7-17.5
25-34	367	402,017	343	94.9	92.7-97.1	24	5.1	2.9- 7.3
35-44	480	390,462	457	94.6	92.1-97.1	23	5.4	2.9- 7.9
45-54	677	396,768	655	96.7	94.9-98.5	22	3.3	1.5- 5.1
55-64	981	405,415	949	96.8	95.4-98.2	32	3.2	1.8- 4.6
65+	1618	435,196	1599	98.2	97.2-99.2	19	1.8	0.8- 2.8
Less Than H.S.	360	329,968	328	91.7	88.2-95.2	32	8.3	4.8-11.8
H.S. or G.E.D.	1425	826,718	1376	94.4	92.6-96.2	49	5.6	3.8- 7.4
Some Post-H.S.	986	677,823	942	94.9	92.9-96.9	44	5.1	3.1- 7.1
College Graduate	1630	548,611	1606	98.1	97.1-99.1	24	1.9	0.9- 2.9
Less than \$15,000	308	195,932	290	92.7	88.6-96.8	18	7.3	3.2-11.4
\$15,000- 24,999	630	363,645	603	95.3	92.8-97.8	27	4.7	2.2- 7.2
\$25,000- 34,999	432	224,032	417	92.4	88.1-96.7	15	7.6	3.3-11.9
\$35,000- 49,999	635	348,894	612	94.9	92.5-97.3	23	5.1	2.7- 7.5
\$50,000- 74,999	698	358,079	675	95.2	92.8-97.6	23	4.8	2.4- 7.2
\$75,000+	1287	679,258	1256	96.9	95.5-98.3	31	3.1	1.7- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 6: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6290	2,513,393	6087	95.5	94.7-96.3	203	4.5	3.7- 5.3
White/Non-Hisp	5404	2,064,942	5228	95.2	94.2-96.2	176	4.8	3.8- 5.8
Black or Afr. Am./Non-Hisp	442	215,450	432	96.5	93.6-99.4	10	3.5	0.6- 6.4
Oth. Race/Non-Hisp.	92	39,263	87	95.8	90.7- 100	5	4.2	0.0- 9.3
MultiRacial/Non-Hisp.	92	28,281	88	98.2	96.2- 100	4	1.8	0.0- 3.8
Hispanic	192	142,921	187	98.6	97.2- 100	5	1.4	0.0- 2.8
18-24	197	325,089	189	95.7	92.6-98.8	8	4.3	1.2- 7.4
25-34	413	394,880	388	94.3	91.6-97.0	25	5.7	3.0- 8.4
35-44	582	397,856	544	92.0	89.1-94.9	38	8.0	5.1-10.9
45-54	884	394,216	834	93.9	91.7-96.1	50	6.1	3.9- 8.3
55-64	1403	423,561	1361	96.9	95.7-98.1	42	3.1	1.9- 4.3
65+	2723	546,966	2683	98.5	97.9-99.1	40	1.5	0.9- 2.1
Less Than H.S.	493	301,616	469	94.3	91.2-97.4	24	5.7	2.6- 8.8
H.S. or G.E.D.	2202	852,152	2118	95.2	93.8-96.6	84	4.8	3.4- 6.2
Some Post-H.S.	1676	831,536	1611	94.5	92.7-96.3	65	5.5	3.7- 7.3
College Graduate	1908	525,254	1878	98.0	97.0-99.0	30	2.0	1.0- 3.0
Less than \$15,000	600	251,172	561	92.4	89.1-95.7	39	7.6	4.3-10.9
\$15,000- 24,999	1146	430,575	1092	94.2	92.0-96.4	54	5.8	3.6- 8.0
\$25,000- 34,999	692	260,509	669	94.2	91.1-97.3	23	5.8	2.7- 8.9
\$35,000- 49,999	827	326,333	802	95.9	93.7-98.1	25	4.1	1.9- 6.3
\$50,000- 74,999	787	334,767	767	96.4	94.2-98.6	20	3.6	1.4- 5.8
\$75,000+	1290	579,529	1269	97.5	96.1-98.9	21	2.5	1.1- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10608	4,863,177	5018	52.0	50.6-53.4	5590	48.0	46.6-49.4
Male	4368	2,367,165	2428	58.3	56.1-60.5	1940	41.7	39.5-43.9
Female	6240	2,496,013	2590	46.0	44.0-48.0	3650	54.0	52.0-56.0
White/Non-Hisp	9083	3,963,861	4367	52.9	51.3-54.5	4716	47.1	45.5-48.7
Black or Afr. Am./Non-Hisp	690	403,069	297	52.3	46.8-57.8	393	47.7	42.2-53.2
Oth. Race/Non-Hisp.	208	112,421	78	37.3	27.1-47.5	130	62.7	52.5-72.9
MultiRacial/Non-Hisp.	153	52,508	65	54.2	42.2-66.2	88	45.8	33.8-57.8
Hispanic	333	265,115	151	46.1	39.2-53.0	182	53.9	47.0-60.8
18-24	438	661,638	241	52.7	47.2-58.2	197	47.3	41.8-52.8
25-34	776	793,468	487	63.2	59.1-67.3	289	36.8	32.7-40.9
35-44	1050	781,260	630	60.1	56.4-63.8	420	39.9	36.2-43.6
45-54	1552	787,360	874	54.4	51.3-57.5	678	45.6	42.5-48.7
55-64	2360	821,061	1158	49.2	46.7-51.7	1202	50.8	48.3-53.3
65+	4305	971,512	1580	36.9	34.9-38.9	2725	63.1	61.1-65.1
Less Than H.S.	838	617,894	205	31.0	26.5-35.5	633	69.0	64.5-73.5
H.S. or G.E.D.	3588	1,665,984	1352	45.8	43.4-48.2	2236	54.2	51.8-56.6
Some Post-H.S.	2643	1,500,305	1321	58.2	55.7-60.7	1322	41.8	39.3-44.3
College Graduate	3519	1,070,796	2128	64.9	62.7-67.1	1391	35.1	32.9-37.3
Less than \$15,000	895	438,566	243	35.5	30.6-40.4	652	64.5	59.6-69.4
\$15,000- 24,999	1759	786,400	588	40.9	37.4-44.4	1171	59.1	55.6-62.6
\$25,000- 34,999	1120	484,114	413	43.6	39.1-48.1	707	56.4	51.9-60.9
\$35,000- 49,999	1455	674,248	709	53.8	50.1-57.5	746	46.2	42.5-49.9
\$50,000- 74,999	1477	688,894	818	60.1	56.6-63.6	659	39.9	36.4-43.4
\$75,000+	2559	1,251,185	1741	67.5	65.0-70.0	818	32.5	30.0-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4368	2,367,165	2428	58.3	56.1-60.5	1940	41.7	39.5-43.9
White/Non-Hisp	3712	1,908,272	2096	59.0	56.8-61.2	1616	41.0	38.8-43.2
Black or Afr. Am./Non-Hisp	255	190,740	127	59.2	51.4-67.0	128	40.8	33.0-48.6
Oth. Race/Non-Hisp.	119	73,511	56	44.9	31.0-58.8	63	55.1	41.2-69.0
MultiRacial/Non-Hisp.	62	25,489	30	63.1	45.9-80.3	32	36.9	19.7-54.1
Hispanic	147	125,579	86	57.6	47.8-67.4	61	42.4	32.6-52.2
18-24	242	337,811	138	53.7	46.3-61.1	104	46.3	38.9-53.7
25-34	365	400,446	256	68.5	62.8-74.2	109	31.5	25.8-37.2
35-44	475	390,005	303	65.9	60.6-71.2	172	34.1	28.8-39.4
45-54	671	393,560	416	59.4	54.7-64.1	255	40.6	35.9-45.3
55-64	970	400,397	546	56.3	52.4-60.2	424	43.7	39.8-47.6
65+	1602	428,150	751	47.0	43.9-50.1	851	53.0	49.9-56.1
Less Than H.S.	353	323,656	127	41.4	34.5-48.3	226	58.6	51.7-65.5
H.S. or G.E.D.	1410	819,688	680	54.2	50.7-57.7	730	45.8	42.3-49.3
Some Post-H.S.	975	671,245	566	63.4	59.5-67.3	409	36.6	32.7-40.5
College Graduate	1621	547,170	1048	67.8	64.7-70.9	573	32.2	29.1-35.3
Less than \$15,000	303	191,146	103	40.5	32.9-48.1	200	59.5	51.9-67.1
\$15,000- 24,999	625	359,579	279	49.5	43.8-55.2	346	50.5	44.8-56.2
\$25,000- 34,999	430	223,750	202	54.8	48.1-61.5	228	45.2	38.5-51.9
\$35,000- 49,999	632	349,840	341	58.9	53.4-64.4	291	41.1	35.6-46.6
\$50,000- 74,999	694	355,649	419	63.3	58.2-68.4	275	36.7	31.6-41.8
\$75,000+	1276	673,149	901	70.2	66.5-73.9	375	29.8	26.1-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6240	2,496,013	2590	46.0	44.0-48.0	3650	54.0	52.0-56.0
White/Non-Hisp	5371	2,055,590	2271	47.3	45.3-49.3	3100	52.7	50.7-54.7
Black or Afr. Am./Non-Hisp	435	212,330	170	46.1	38.8-53.4	265	53.9	46.6-61.2
Oth. Race/Non-Hisp.	89	38,910	22	22.8	11.0-34.6	67	77.2	65.4-89.0
MultiRacial/Non-Hisp.	91	27,019	35	45.9	30.6-61.2	56	54.1	38.8-69.4
Hispanic	186	139,536	65	35.7	26.3-45.1	121	64.3	54.9-73.7
18-24	196	323,827	103	51.7	43.7-59.7	93	48.3	40.3-56.3
25-34	411	393,022	231	57.8	52.1-63.5	180	42.2	36.5-47.9
35-44	575	391,255	327	54.3	49.2-59.4	248	45.7	40.6-50.8
45-54	881	393,800	458	49.4	45.3-53.5	423	50.6	46.5-54.7
55-64	1390	420,664	612	42.4	39.3-45.5	778	57.6	54.5-60.7
65+	2703	543,362	829	29.0	26.8-31.2	1874	71.0	68.8-73.2
Less Than H.S.	485	294,237	78	19.6	14.1-25.1	407	80.4	74.9-85.9
H.S. or G.E.D.	2178	846,296	672	37.6	34.5-40.7	1506	62.4	59.3-65.5
Some Post-H.S.	1668	829,061	755	54.0	50.5-57.5	913	46.0	42.5-49.5
College Graduate	1898	523,626	1080	61.8	58.7-64.9	818	38.2	35.1-41.3
Less than \$15,000	592	247,420	140	31.6	25.3-37.9	452	68.4	62.1-74.7
\$15,000- 24,999	1134	426,821	309	33.7	29.2-38.2	825	66.3	61.8-70.8
\$25,000- 34,999	690	260,364	211	34.0	28.3-39.7	479	66.0	60.3-71.7
\$35,000- 49,999	823	324,408	368	48.2	43.1-53.3	455	51.8	46.7-56.9
\$50,000- 74,999	783	333,245	399	56.6	51.5-61.7	384	43.4	38.3-48.5
\$75,000+	1283	578,036	840	64.3	60.6-68.0	443	35.7	32.0-39.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10608	4,863,177	3079	32.1	30.7-33.5	949	10.9	9.9-11.9	361	3.9	3.3- 4.5	629	5.1	4.5- 5.7	5590	48.0	46.6-49.4
Male	4368	2,367,165	1289	32.1	30.1-34.1	504	12.7	11.3-14.1	207	5.0	4.0- 6.0	428	8.5	7.3- 9.7	1940	41.7	39.5-43.9
Female	6240	2,496,013	1790	32.1	30.3-33.9	445	9.1	7.9-10.3	154	2.8	2.0- 3.6	201	1.9	1.5- 2.3	3650	54.0	52.0-56.0
White/Non-Hisp	9083	3,963,861	2631	31.9	30.5-33.3	838	11.5	10.5-12.5	328	4.2	3.6- 4.8	570	5.3	4.7- 5.9	4716	47.1	45.5-48.7
Black or Afr. Am./Non-Hisp	690	403,069	210	36.2	30.7-41.7	49	9.6	6.1-13.1	13	2.8	1.0- 4.6	25	3.7	1.7- 5.7	393	47.7	42.2-53.2
Oth. Race/Non-Hisp.	208	112,421	53	29.0	19.2-38.8	11	3.4	0.7- 6.1	5	2.0	0.0- 4.0	9	2.9	0.4- 5.4	130	62.7	52.5-72.9
MultiRacial/Non-Hisp.	153	52,508	40	35.3	22.8-47.8	15	10.5	4.2-16.8	6	6.4	0.0-13.3	4	2.1	0.0- 4.8	88	45.8	33.8-57.8
Hispanic	333	265,115	107	32.1	25.6-38.6	21	5.4	2.7- 8.1	7	3.0	0.3- 5.7	16	5.5	2.4- 8.6	182	53.9	47.0-60.8
18-24	438	661,638	154	33.5	28.4-38.6	60	13.2	9.5-16.9	14	3.6	1.6- 5.6	13	2.4	0.8- 4.0	197	47.3	41.8-52.8
25-34	776	793,468	292	37.6	33.5-41.7	138	17.3	14.2-20.4	36	5.4	3.4- 7.4	21	2.8	1.2- 4.4	289	36.8	32.7-40.9
35-44	1050	781,260	411	38.8	35.1-42.5	136	12.2	9.8-14.6	44	5.0	3.2- 6.8	39	4.0	2.4- 5.6	420	39.9	36.2-43.6
45-54	1552	787,360	561	34.1	31.2-37.0	164	9.8	8.0-11.6	54	3.3	2.3- 4.3	95	7.2	5.4- 9.0	678	45.6	42.5-48.7
55-64	2360	821,061	702	29.7	27.3-32.1	198	8.5	7.1- 9.9	96	3.7	2.7- 4.7	162	7.3	5.9- 8.7	1202	50.8	48.3-53.3
65+	4305	971,512	924	21.7	20.1-23.3	250	6.3	5.3- 7.3	113	2.7	2.1- 3.3	293	6.2	5.2- 7.2	2725	63.1	61.1-65.1
Less Than H.S.	838	617,894	124	18.1	14.4-21.8	41	6.5	4.0- 9.0	10	2.0	0.4- 3.6	30	4.3	2.3- 6.3	633	69.0	64.5-73.5
H.S. or G.E.D.	3588	1,665,984	876	29.5	27.3-31.7	228	8.0	6.6- 9.4	97	3.7	2.7- 4.7	151	4.6	3.6- 5.6	2236	54.2	51.8-56.6
Some Post-H.S.	2643	1,500,305	853	37.0	34.3-39.7	239	12.8	10.8-14.8	81	3.6	2.4- 4.8	148	4.8	3.8- 5.8	1322	41.8	39.3-44.3
College Graduate	3519	1,070,796	1218	37.2	35.0-39.4	440	15.2	13.4-17.0	171	5.7	4.5- 6.9	299	6.8	5.8- 7.8	1391	35.1	32.9-37.3
Less than \$15,000	895	438,566	162	22.1	17.8-26.4	44	8.5	5.4-11.6	10	1.5	0.1- 2.9	27	3.4	1.6- 5.2	652	64.5	59.6-69.4
\$15,000- 24,999	1759	786,400	369	26.6	23.3-29.9	130	8.2	6.2-10.2	29	2.6	1.2- 4.0	60	3.6	2.2- 5.0	1171	59.1	55.6-62.6
\$25,000- 34,999	1120	484,114	262	26.2	22.3-30.1	63	10.1	6.8-13.4	29	3.6	1.6- 5.6	59	3.7	2.5- 4.9	707	56.4	51.9-60.9
\$35,000- 49,999	1455	674,248	454	34.2	30.5-37.9	112	9.1	6.9-11.3	56	4.6	2.8- 6.4	87	5.8	4.0- 7.6	746	46.2	42.5-49.9
\$50,000- 74,999	1477	688,894	496	35.6	32.1-39.1	166	14.4	11.7-17.1	53	3.7	2.1- 5.3	103	6.4	4.4- 8.4	659	39.9	36.4-43.4
\$75,000+	2559	1,251,185	1003	40.1	37.4-42.8	360	14.5	12.5-16.5	157	6.3	4.9- 7.7	221	6.6	5.4- 7.8	818	32.5	30.0-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4368	2,367,165	1289	32.1	30.1-34.1	504	12.7	11.3-14.1	207	5.0	4.0- 6.0	428	8.5	7.3- 9.7	1940	41.7	39.5-43.9
White/Non-Hisp	3712	1,908,272	1082	31.1	28.9-33.3	444	13.6	12.0-15.2	186	5.5	4.3- 6.7	384	8.8	7.6-10.0	1616	41.0	38.8-43.2
Black or Afr. Am./Non-Hisp	255	190,740	79	38.6	30.4-46.8	23	10.0	4.5-15.5	10	4.2	1.1- 7.3	15	6.4	2.3-10.5	128	40.8	33.0-48.6
Oth. Race/Non-Hisp.	119	73,511	37	36.0	22.5-49.5	6	1.6	0.0- 3.4	5	3.1	0.2- 6.0	8	4.2	0.3- 8.1	63	55.1	41.2-69.0
MultiRacial/Non-Hisp.	62	25,489	18	44.7	24.9-64.5	7	13.7	2.7-24.7	2	2.8	0.0- 7.5	3	2.0	0.0- 5.1	32	36.9	19.7-54.1
Hispanic	147	125,579	53	35.1	25.7-44.5	16	8.9	3.6-14.2	3	2.8	0.0- 6.7	14	10.8	4.3-17.3	61	42.4	32.6-52.2
18-24	242	337,811	83	32.5	25.8-39.2	34	12.9	8.0-17.8	8	3.6	0.7- 6.5	13	4.8	1.7- 7.9	104	46.3	38.9-53.7
25-34	365	400,446	145	38.3	32.4-44.2	72	18.5	13.8-23.2	23	6.9	3.8-10.0	16	4.8	2.1- 7.5	109	31.5	25.8-37.2
35-44	475	390,005	159	36.1	30.6-41.6	78	15.1	11.2-19.0	29	6.9	4.0- 9.8	37	7.8	4.9-10.7	172	34.1	28.8-39.4
45-54	671	393,560	237	33.7	29.2-38.2	79	10.4	7.7-13.1	33	4.0	2.4- 5.6	67	11.4	8.3-14.5	255	40.6	35.9-45.3
55-64	970	400,397	275	28.4	24.9-31.9	104	11.0	8.5-13.5	56	5.3	3.7- 6.9	111	11.6	9.1-14.1	424	43.7	39.8-47.6
65+	1602	428,150	378	24.6	21.9-27.3	136	9.1	7.1-11.1	56	3.6	2.4- 4.8	181	9.7	7.9-11.5	851	53.0	49.9-56.1
Less Than H.S.	353	323,656	66	20.2	14.7-25.7	31	10.9	6.4-15.4	7	3.0	0.5- 5.5	23	7.3	3.6-11.0	226	58.6	51.7-65.5
H.S. or G.E.D.	1410	819,688	381	32.0	28.5-35.5	138	10.2	8.0-12.4	56	4.5	2.9- 6.1	105	7.5	5.5- 9.5	730	45.8	42.3-49.3
Some Post-H.S.	975	671,245	309	35.4	31.5-39.3	110	14.5	11.4-17.6	47	4.8	2.8- 6.8	100	8.8	6.6-11.0	409	36.6	32.7-40.5
College Graduate	1621	547,170	529	35.2	32.1-38.3	224	15.3	12.9-17.7	96	7.3	5.5- 9.1	199	10.0	8.0-12.0	573	32.2	29.1-35.3
Less than \$15,000	303	191,146	60	22.0	15.3-28.7	20	9.8	4.5-15.1	5	1.9	0.0- 4.3	18	6.8	2.9-10.7	200	59.5	51.9-67.1
\$15,000- 24,999	625	359,579	158	29.7	24.4-35.0	67	10.4	7.1-13.7	19	3.5	1.0- 6.0	35	5.9	3.2- 8.6	346	50.5	44.8-56.2
\$25,000- 34,999	430	223,750	108	28.1	21.8-34.4	36	14.7	8.8-20.6	20	6.1	2.2-10.0	38	5.9	3.5- 8.3	228	45.2	38.5-51.9
\$35,000- 49,999	632	349,840	183	31.3	26.2-36.4	60	10.7	7.4-14.0	31	6.8	3.9- 9.7	67	10.2	6.9-13.5	291	41.1	35.6-46.6
\$50,000- 74,999	694	355,649	222	35.9	30.8-41.0	97	14.1	10.6-17.6	29	3.0	1.8- 4.2	71	10.3	7.0-13.6	275	36.7	31.6-41.8
\$75,000+	1276	673,149	454	36.4	32.7-40.1	196	16.3	13.4-19.2	93	7.5	5.5- 9.5	158	10.0	8.0-12.0	375	29.8	26.1-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6240	2,496,013	1790	32.1	30.3-33.9	445	9.1	7.9-10.3	154	2.8	2.0- 3.6	201	1.9	1.5- 2.3	3650	54.0	52.0-56.0
White/Non-Hisp	5371	2,055,590	1549	32.6	30.6-34.6	394	9.6	8.2-11.0	142	3.0	2.2- 3.8	186	2.1	1.7- 2.5	3100	52.7	50.7-54.7
Black or Afr. Am./Non-Hisp	435	212,330	131	34.1	27.0-41.2	26	9.2	4.9-13.5	3	1.5	0.0- 3.5	10	1.3	0.3- 2.3	265	53.9	46.6-61.2
Oth. Race/Non-Hisp.	89	38,910	16	15.8	6.0-25.6	5	6.7	0.0-14.0				1	0.4	0.0- 1.2	67	77.2	65.4-89.0
MultiRacial/Non-Hisp.	91	27,019	22	26.4	13.7-39.1	8	7.5	1.0-14.0	4	9.7	0.0-21.9	1	2.3	0.0- 6.6	56	54.1	38.8-69.4
Hispanic	186	139,536	54	29.5	20.5-38.5	5	2.3	0.0- 4.7	4	3.2	0.0- 6.7	2	0.8	0.0- 2.2	121	64.3	54.9-73.7
18-24	196	323,827	71	34.5	27.1-41.9	26	13.6	8.1-19.1	6	3.6	0.9- 6.3				93	48.3	40.3-56.3
25-34	411	393,022	147	37.0	31.3-42.7	66	16.1	12.0-20.2	13	3.9	1.4- 6.4	5	0.8	0.0- 1.6	180	42.2	36.5-47.9
35-44	575	391,255	252	41.6	36.5-46.7	58	9.2	6.5-11.9	15	3.2	1.2- 5.2	2	0.2	0.0- 0.6	248	45.7	40.6-50.8
45-54	881	393,800	324	34.5	30.6-38.4	85	9.3	6.9-11.7	21	2.7	1.3- 4.1	28	2.9	1.7- 4.1	423	50.6	46.5-54.7
55-64	1390	420,664	427	30.8	27.9-33.7	94	6.1	4.5- 7.7	40	2.3	1.5- 3.1	51	3.2	2.2- 4.2	778	57.6	54.5-60.7
65+	2703	543,362	546	19.5	17.5-21.5	114	4.0	3.0- 5.0	57	2.1	1.3- 2.9	112	3.4	2.6- 4.2	1874	71.0	68.8-73.2
Less Than H.S.	485	294,237	58	15.9	10.8-21.0	10	1.7	0.5- 2.9	3	1.0	0.0- 2.6	7	1.0	0.0- 2.0	407	80.4	74.9-85.9
H.S. or G.E.D.	2178	846,296	495	27.2	24.3-30.1	90	5.8	4.0- 7.6	41	3.0	1.6- 4.4	46	1.7	1.1- 2.3	1506	62.4	59.3-65.5
Some Post-H.S.	1668	829,061	544	38.4	34.9-41.9	129	11.4	8.9-13.9	34	2.7	1.3- 4.1	48	1.5	1.1- 1.9	913	46.0	42.5-49.5
College Graduate	1898	523,626	689	39.2	36.1-42.3	216	15.2	12.7-17.7	75	3.9	2.7- 5.1	100	3.5	2.5- 4.5	818	38.2	35.1-41.3
Less than \$15,000	592	247,420	102	22.2	16.5-27.9	24	7.5	3.6-11.4	5	1.2	0.0- 3.0	9	0.7	0.1- 1.3	452	68.4	62.1-74.7
\$15,000- 24,999	1134	426,821	211	23.9	19.6-28.2	63	6.3	4.1- 8.5	10	1.8	0.2- 3.4	25	1.7	0.7- 2.7	825	66.3	61.8-70.8
\$25,000- 34,999	690	260,364	154	24.5	19.4-29.6	27	6.2	3.1- 9.3	9	1.5	0.0- 3.3	21	1.8	0.8- 2.8	479	66.0	60.3-71.7
\$35,000- 49,999	823	324,408	271	37.3	32.2-42.4	52	7.5	5.0-10.0	25	2.3	1.1- 3.5	20	1.2	0.4- 2.0	455	51.8	46.7-56.9
\$50,000- 74,999	783	333,245	274	35.3	30.4-40.2	69	14.6	10.1-19.1	24	4.5	1.8- 7.2	32	2.3	1.3- 3.3	384	43.4	38.3-48.5
\$75,000+	1283	578,036	549	44.4	40.5-48.3	164	12.4	9.9-14.9	64	4.8	3.0- 6.6	63	2.7	1.9- 3.5	443	35.7	32.0-39.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10507	4,812,396	9283	82.5	81.3-83.7	1224	17.5	16.3-18.7
Male	4312	2,335,873	3556	76.7	74.7-78.7	756	23.3	21.3-25.3
Female	6195	2,476,522	5727	87.9	86.5-89.3	468	12.1	10.7-13.5
White/Non-Hisp	9006	3,925,880	7961	82.1	80.7-83.5	1045	17.9	16.5-19.3
Black or Afr. Am./Non-Hisp	678	397,165	602	83.1	78.6-87.6	76	16.9	12.4-21.4
Oth. Race/Non-Hisp.	205	111,630	185	91.5	85.4-97.6	20	8.5	2.4-14.6
MultiRacial/Non-Hisp.	153	52,508	138	86.1	78.5-93.7	15	13.9	6.3-21.5
Hispanic	329	261,395	274	81.5	75.6-87.4	55	18.5	12.6-24.4
18-24	435	656,049	314	73.5	68.8-78.2	121	26.5	21.8-31.2
25-34	766	782,556	571	73.3	69.6-77.0	195	26.7	23.0-30.4
35-44	1042	776,395	816	76.9	73.6-80.2	226	23.1	19.8-26.4
45-54	1534	777,292	1284	82.5	80.0-85.0	250	17.5	15.0-20.0
55-64	2334	809,339	2076	87.6	85.8-89.4	258	12.4	10.6-14.2
65+	4270	964,024	4105	95.8	95.0-96.6	165	4.2	3.4- 5.0
Less Than H.S.	826	611,855	739	85.1	81.4-88.8	87	14.9	11.2-18.6
H.S. or G.E.D.	3544	1,643,051	3163	83.6	81.6-85.6	381	16.4	14.4-18.4
Some Post-H.S.	2621	1,485,029	2285	80.3	77.9-82.7	336	19.7	17.3-22.1
College Graduate	3498	1,065,058	3082	82.4	80.4-84.4	416	17.6	15.6-19.6
Less than \$15,000	880	431,410	797	85.8	81.9-89.7	83	14.2	10.3-18.1
\$15,000- 24,999	1744	777,477	1583	85.5	82.8-88.2	161	14.5	11.8-17.2
\$25,000- 34,999	1109	479,459	997	83.6	79.9-87.3	112	16.4	12.7-20.1
\$35,000- 49,999	1441	666,169	1268	81.5	78.4-84.6	173	18.5	15.4-21.6
\$50,000- 74,999	1465	681,546	1270	80.4	77.1-83.7	195	19.6	16.3-22.9
\$75,000+	2544	1,242,541	2131	78.4	76.0-80.8	413	21.6	19.2-24.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4312	2,335,873	3556	76.7	74.7-78.7	756	23.3	21.3-25.3
White/Non-Hisp	3669	1,885,214	3023	76.2	74.2-78.2	646	23.8	21.8-25.8
Black or Afr. Am./Non-Hisp	249	187,292	211	78.2	70.6-85.8	38	21.8	14.2-29.4
Oth. Race/Non-Hisp.	118	73,008	104	89.8	81.0-98.6	14	10.2	1.4-19.0
MultiRacial/Non-Hisp.	62	25,489	55	82.9	69.8-96.0	7	17.1	4.0-30.2
Hispanic	143	121,859	103	72.4	63.2-81.6	40	27.6	18.4-36.8
18-24	240	334,280	162	69.4	62.7-76.1	78	30.6	23.9-37.3
25-34	363	397,363	250	68.2	62.5-73.9	113	31.8	26.1-37.5
35-44	469	386,289	332	69.7	64.4-75.0	137	30.3	25.0-35.6
45-54	661	387,275	513	77.1	73.0-81.2	148	22.9	18.8-27.0
55-64	954	391,201	782	80.2	76.9-83.5	172	19.8	16.5-23.1
65+	1582	422,670	1478	93.1	91.5-94.7	104	6.9	5.3- 8.5
Less Than H.S.	345	318,898	282	77.5	71.4-83.6	63	22.5	16.4-28.6
H.S. or G.E.D.	1384	806,438	1129	76.9	73.8-80.0	255	23.1	20.0-26.2
Some Post-H.S.	964	660,269	781	75.0	71.3-78.7	183	25.0	21.3-28.7
College Graduate	1610	544,864	1358	78.4	75.5-81.3	252	21.6	18.7-24.5
Less than \$15,000	296	187,272	254	80.9	74.2-87.6	42	19.1	12.4-25.8
\$15,000- 24,999	617	354,515	522	80.6	75.9-85.3	95	19.4	14.7-24.1
\$25,000- 34,999	420	220,120	355	76.8	70.3-83.3	65	23.2	16.7-29.7
\$35,000- 49,999	626	346,349	516	76.2	71.3-81.1	110	23.8	18.9-28.7
\$50,000- 74,999	686	349,005	557	76.0	71.3-80.7	129	24.0	19.3-28.7
\$75,000+	1268	668,724	998	71.9	68.4-75.4	270	28.1	24.6-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6195	2,476,522	5727	87.9	86.5-89.3	468	12.1	10.7-13.5
White/Non-Hisp	5337	2,040,665	4938	87.6	86.0-89.2	399	12.4	10.8-14.0
Black or Afr. Am./Non-Hisp	429	209,873	391	87.4	82.3-92.5	38	12.6	7.5-17.7
Oth. Race/Non-Hisp.	87	38,622	81	94.7	89.2- 100	6	5.3	0.0-10.8
MultiRacial/Non-Hisp.	91	27,019	83	89.1	80.9-97.3	8	10.9	2.7-19.1
Hispanic	186	139,536	171	89.5	82.2-96.8	15	10.5	3.2-17.8
18-24	195	321,769	152	77.7	71.0-84.4	43	22.3	15.6-29.0
25-34	403	385,193	321	78.6	73.5-83.7	82	21.4	16.3-26.5
35-44	573	390,105	484	84.0	80.3-87.7	89	16.0	12.3-19.7
45-54	873	390,017	771	87.8	85.1-90.5	102	12.2	9.5-14.9
55-64	1380	418,137	1294	94.6	93.2-96.0	86	5.4	4.0- 6.8
65+	2688	541,354	2627	97.9	97.3-98.5	61	2.1	1.5- 2.7
Less Than H.S.	481	292,957	457	93.4	89.5-97.3	24	6.6	2.7-10.5
H.S. or G.E.D.	2160	836,613	2034	90.0	87.6-92.4	126	10.0	7.6-12.4
Some Post-H.S.	1657	824,761	1504	84.6	81.7-87.5	153	15.4	12.5-18.3
College Graduate	1888	520,194	1724	86.5	84.1-88.9	164	13.5	11.1-15.9
Less than \$15,000	584	244,138	543	89.6	85.1-94.1	41	10.4	5.9-14.9
\$15,000- 24,999	1127	422,962	1061	89.6	86.5-92.7	66	10.4	7.3-13.5
\$25,000- 34,999	689	259,339	642	89.3	85.4-93.2	47	10.7	6.8-14.6
\$35,000- 49,999	815	319,820	752	87.2	83.3-91.1	63	12.8	8.9-16.7
\$50,000- 74,999	779	332,541	713	85.0	80.3-89.7	66	15.0	10.3-19.7
\$75,000+	1276	573,817	1133	85.9	82.8-89.0	143	14.1	11.0-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10532	4,812,671	2013	18.9	17.7-20.1	620	6.8	6.0- 7.6	976	10.9	9.9-11.9	665	7.0	6.2- 7.8	668	7.9	7.1- 8.7	5590	48.5	47.1-49.9
Male	4330	2,335,303	735	16.5	14.9-18.1	272	6.7	5.7- 7.7	493	12.8	11.4-14.2	388	9.2	8.0-10.4	502	12.5	11.1-13.9	1940	42.3	40.1-44.5
Female	6202	2,477,368	1278	21.1	19.5-22.7	348	6.9	5.9- 7.9	483	9.2	8.0-10.4	277	4.9	4.1- 5.7	166	3.5	2.7- 4.3	3650	54.4	52.4-56.4
White/Non-Hisp	9026	3,926,964	1747	19.1	17.9-20.3	533	6.8	6.0- 7.6	845	11.0	10.0-12.0	590	7.3	6.5- 8.1	595	8.4	7.4- 9.4	4716	47.5	45.9-49.1
Black or Afr. Am./Non-Hisp	680	395,814	129	19.8	15.3-24.3	35	7.6	4.5-10.7	58	12.3	8.2-16.4	33	5.9	3.4- 8.4	32	5.9	3.2- 8.6	393	48.6	43.1-54.1
Oth. Race/Non-Hisp.	207	111,907	31	15.7	8.1-23.3	15	6.5	1.4-11.6	15	9.1	2.6-15.6	7	2.7	0.0- 5.4	9	2.9	0.4- 5.4	130	63.0	52.8-73.2
MultiRacial/Non-Hisp.	153	52,508	25	21.5	10.3-32.7	9	7.2	0.0-15.4	14	10.6	3.7-17.5	8	5.1	0.4- 9.8	9	9.7	2.1-17.3	88	45.8	33.8-57.8
Hispanic	329	261,375	58	16.3	11.2-21.4	22	6.1	3.2- 9.0	28	9.9	5.4-14.4	19	5.8	2.5- 9.1	20	7.1	3.2-11.0	182	54.7	47.8-61.6
18-24	432	650,945	69	16.6	12.5-20.7	34	6.9	4.5- 9.3	56	12.0	8.5-15.5	36	6.8	4.3- 9.3	40	9.6	6.3-12.9	197	48.1	42.6-53.6
25-34	768	783,140	154	19.9	16.6-23.2	58	7.7	5.3-10.1	126	16.8	13.7-19.9	71	8.3	6.1-10.5	70	10.1	7.4-12.8	289	37.3	33.2-41.4
35-44	1042	775,209	230	21.0	17.9-24.1	97	9.4	7.2-11.6	145	12.8	10.4-15.2	76	7.6	5.6- 9.6	74	9.0	6.6-11.4	420	40.3	36.6-44.0
45-54	1536	776,056	337	20.1	17.6-22.6	118	6.4	5.0- 7.8	181	11.7	9.7-13.7	102	7.5	5.7- 9.3	120	8.2	6.4-10.0	678	46.2	43.1-49.3
55-64	2346	815,705	480	19.8	17.8-21.8	138	6.6	5.2- 8.0	206	7.8	6.6- 9.0	155	6.8	5.4- 8.2	165	7.9	6.5- 9.3	1202	51.1	48.6-53.6
65+	4283	965,626	720	16.4	15.0-17.8	169	4.2	3.4- 5.0	254	6.3	5.3- 7.3	220	5.4	4.4- 6.4	195	4.2	3.4- 5.0	2725	63.5	61.5-65.5
Less Than H.S.	827	606,593	67	9.3	6.4-12.2	27	3.7	1.9- 5.5	38	6.5	4.0- 9.0	24	3.4	1.8- 5.0	38	6.8	4.1- 9.5	633	70.3	65.8-74.8
H.S. or G.E.D.	3564	1,649,650	582	18.0	16.0-20.0	142	4.6	3.6- 5.6	228	8.4	7.0- 9.8	165	6.1	4.9- 7.3	211	8.2	6.8- 9.6	2236	54.8	52.4-57.2
Some Post-H.S.	2620	1,482,276	546	21.6	19.2-24.0	181	8.7	7.1-10.3	241	11.7	9.7-13.7	168	7.7	6.3- 9.1	162	7.9	6.3- 9.5	1322	42.3	39.6-45.0
College Graduate	3502	1,066,676	813	21.8	19.8-23.8	270	9.3	7.9-10.7	466	16.3	14.5-18.1	308	9.3	7.9-10.7	254	8.0	6.6- 9.4	1391	35.3	33.1-37.5
Less than \$15,000	884	429,916	97	13.4	9.7-17.1	40	6.3	3.6- 9.0	31	4.1	2.1- 6.1	28	4.0	2.0- 6.0	36	6.5	3.6- 9.4	652	65.8	60.9-70.7
\$15,000- 24,999	1748	779,477	239	15.7	13.0-18.4	65	4.4	2.8- 6.0	108	7.8	5.8- 9.8	80	5.0	3.4- 6.6	85	7.5	5.3- 9.7	1171	59.6	56.1-63.1
\$25,000- 34,999	1113	478,618	171	15.2	11.9-18.5	40	5.1	2.9- 7.3	70	8.9	6.0-11.8	55	6.5	4.3- 8.7	70	7.2	4.8- 9.6	707	57.0	52.5-61.5
\$35,000- 49,999	1439	661,488	305	20.6	17.5-23.7	82	6.7	4.7- 8.7	134	11.3	8.9-13.7	72	6.1	4.1- 8.1	100	8.2	6.0-10.4	746	47.1	43.4-50.8
\$50,000- 74,999	1471	684,776	325	19.8	17.1-22.5	97	7.8	5.6-10.0	162	14.6	11.9-17.3	116	8.1	6.1-10.1	112	9.5	7.0-12.0	659	40.2	36.7-43.7
\$75,000+	2547	1,245,840	631	23.8	21.4-26.2	241	9.1	7.7-10.5	387	15.2	13.2-17.2	251	9.9	8.3-11.5	219	9.3	7.7-10.9	818	32.7	30.0-35.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4330	2,335,303	735	16.5	14.9-18.1	272	6.7	5.7- 7.7	493	12.8	11.4-14.2	388	9.2	8.0-10.4	502	12.5	11.1-13.9	1940	42.3	40.1-44.5
White/Non-Hisp	3686	1,885,978	630	16.2	14.4-18.0	226	6.4	5.2- 7.6	420	12.8	11.2-14.4	341	9.5	8.1-10.9	453	13.5	11.9-15.1	1616	41.5	39.1-43.9
Black or Afr. Am./Non-Hisp	251	187,401	41	19.3	12.2-26.4	18	8.1	3.8-12.4	27	13.9	7.4-20.4	18	8.4	3.9-12.9	19	8.7	3.6-13.8	128	41.6	33.6-49.6
Oth. Race/Non-Hisp.	118	72,996	20	18.3	7.5-29.1	10	8.3	1.0-15.6	11	9.8	1.0-18.6	6	3.8	0.0- 8.1	8	4.2	0.3- 8.1	63	55.5	41.6-69.4
MultiRacial/Non-Hisp.	62	25,489	10	21.6	3.0-40.2	4	12.3	0.0-28.2	8	16.8	3.7-29.9	5	8.2	0.0-17.2	3	4.2	0.0- 9.9	32	36.9	19.7-54.1
Hispanic	143	121,839	23	15.1	8.0-22.2	13	7.1	3.0-11.2	17	12.8	6.1-19.5	12	8.1	2.2-14.0	17	13.1	5.7-20.5	61	43.8	33.8-53.8
18-24	238	330,804	33	14.5	9.4-19.6	12	4.2	1.7- 6.7	37	14.1	9.2-19.0	22	7.3	3.8-10.8	30	12.6	7.7-17.5	104	47.3	39.9-54.7
25-34	361	394,456	60	16.6	12.1-21.1	32	8.6	5.3-11.9	74	19.2	14.5-23.9	37	9.4	6.1-12.7	49	14.2	9.9-18.5	109	32.0	26.1-37.9
35-44	470	385,847	72	16.4	12.1-20.7	38	7.9	5.0-10.8	77	15.9	12.0-19.8	52	10.8	7.3-14.3	59	14.6	10.5-18.7	172	34.5	29.2-39.8
45-54	664	386,316	121	17.0	13.3-20.7	55	7.2	4.8- 9.6	84	12.0	8.9-15.1	59	9.4	6.7-12.1	90	13.1	10.0-16.2	255	41.3	36.6-46.0
55-64	963	396,920	164	16.7	13.8-19.6	59	7.2	4.8- 9.6	94	8.4	6.4-10.4	91	9.9	7.5-12.3	131	13.7	11.0-16.4	424	44.1	40.2-48.0
65+	1591	424,165	277	17.5	15.0-20.0	74	5.1	3.5- 6.7	125	8.1	6.3- 9.9	124	8.1	6.3- 9.9	140	7.7	6.1- 9.3	851	53.5	50.4-56.6
Less Than H.S.	345	313,719	25	7.3	3.6-11.0	18	5.5	2.2- 8.8	28	9.8	5.5-14.1	17	4.8	2.3- 7.3	31	12.2	7.1-17.3	226	60.5	53.4-67.6
H.S. or G.E.D.	1398	810,678	210	17.3	14.4-20.2	65	4.4	3.0- 5.8	126	10.6	8.2-13.0	99	8.9	6.7-11.1	168	12.5	10.1-14.9	730	46.3	42.8-49.8
Some Post-H.S.	964	661,019	178	18.1	15.0-21.2	67	8.8	6.4-11.2	102	12.6	9.7-15.5	93	10.3	7.8-12.8	115	13.1	10.2-16.0	409	37.1	33.2-41.0
College Graduate	1615	545,204	319	18.5	16.0-21.0	122	8.4	6.6-10.2	235	18.1	15.4-20.8	179	10.8	8.8-12.8	187	12.0	9.8-14.2	573	32.3	29.2-35.4
Less than \$15,000	297	186,321	29	10.5	5.8-15.2	16	6.8	2.3-11.3	13	4.8	1.5- 8.1	13	4.4	1.3- 7.5	26	12.5	6.6-18.4	200	61.0	53.2-68.8
\$15,000- 24,999	619	354,466	87	15.1	10.8-19.4	26	4.6	2.2- 7.0	59	10.2	6.9-13.5	42	6.1	3.6- 8.6	59	12.6	8.5-16.7	346	51.2	45.5-56.9
\$25,000- 34,999	426	218,962	63	14.7	9.6-19.8	18	5.9	2.4- 9.4	32	11.5	6.2-16.8	31	8.2	4.7-11.7	54	13.5	8.6-18.4	228	46.2	39.3-53.1
\$35,000- 49,999	624	342,570	114	19.2	14.7-23.7	35	6.2	3.7- 8.7	62	11.0	7.7-14.3	46	8.7	5.6-11.8	76	12.9	9.2-16.6	291	41.9	36.4-47.4
\$50,000- 74,999	691	352,057	125	16.7	12.8-20.6	49	8.0	5.3-10.7	87	16.2	12.1-20.3	73	9.8	6.9-12.7	82	12.3	8.8-15.8	275	37.1	32.0-42.2
\$75,000+	1273	672,281	255	18.8	15.9-21.7	110	7.7	5.9- 9.5	204	16.8	13.9-19.7	158	13.3	10.6-16.0	171	13.5	11.0-16.0	375	29.9	26.2-33.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6202	2,477,368	1278	21.1	19.5-22.7	348	6.9	5.9- 7.9	483	9.2	8.0-10.4	277	4.9	4.1- 5.7	166	3.5	2.7- 4.3	3650	54.4	52.4-56.4
White/Non-Hisp	5340	2,040,986	1117	21.8	20.0-23.6	307	7.1	5.9- 8.3	425	9.3	8.1-10.5	249	5.2	4.2- 6.2	142	3.6	2.6- 4.6	3100	53.0	51.0-55.0
Black or Afr. Am./Non-Hisp	429	208,413	88	20.2	14.3-26.1	17	7.1	2.8-11.4	31	10.8	5.7-15.9	15	3.7	1.3- 6.1	13	3.3	0.9- 5.7	265	54.9	47.6-62.2
Oth. Race/Non-Hisp.	89	38,910	11	10.8	2.6-19.0	5	3.1	0.0- 7.0	4	7.7	0.0-15.5	1	0.7	0.0- 2.1	1	0.4	0.0- 1.2	67	77.2	65.4-89.0
MultiRacial/Non-Hisp.	91	27,019	15	21.5	9.2-33.8	5	2.5	0.0- 5.0	6	4.8	0.7- 8.9	3	2.2	0.0- 4.7	6	15.0	1.7-28.3	56	54.1	38.8-69.4
Hispanic	186	139,536	35	17.3	10.0-24.6	9	5.3	1.2- 9.4	11	7.4	1.1-13.7	7	3.8	0.5- 7.1	3	1.9	0.0- 4.4	121	64.3	54.9-73.7
18-24	194	320,141	36	18.7	12.2-25.2	22	9.6	5.5-13.7	19	9.9	5.2-14.6	14	6.4	2.9- 9.9	10	6.5	2.2-10.8	93	48.9	40.9-56.9
25-34	407	388,684	94	23.2	18.3-28.1	26	6.8	3.9- 9.7	52	14.3	10.0-18.6	34	7.1	4.4- 9.8	21	5.9	3.0- 8.8	180	42.7	37.0-48.4
35-44	572	389,362	158	25.7	21.2-30.2	59	10.8	7.5-14.1	68	9.7	7.0-12.4	24	4.4	2.2- 6.6	15	3.4	1.4- 5.4	248	46.0	40.9-51.1
45-54	872	389,739	216	23.1	19.6-26.6	63	5.6	4.0- 7.2	97	11.3	8.8-13.8	43	5.6	3.6- 7.6	30	3.3	1.9- 4.7	423	51.1	47.0-55.2
55-64	1383	418,785	316	22.8	20.1-25.5	79	6.1	4.5- 7.7	112	7.2	5.6- 8.8	64	3.8	2.6- 5.0	34	2.3	1.3- 3.3	778	57.8	54.7-60.9
65+	2692	541,461	443	15.6	14.0-17.2	95	3.6	2.6- 4.6	129	4.9	3.9- 5.9	96	3.3	2.5- 4.1	55	1.4	1.0- 1.8	1874	71.3	69.1-73.5
Less Than H.S.	482	292,873	42	11.5	7.0-16.0	9	1.7	0.3- 3.1	10	3.0	0.1- 5.9	7	1.9	0.0- 3.9	7	1.0	0.0- 2.0	407	80.8	75.3-86.3
H.S. or G.E.D.	2166	838,972	372	18.6	16.1-21.1	77	4.9	3.3- 6.5	102	6.2	4.6- 7.8	66	3.3	2.1- 4.5	43	4.0	2.2- 5.8	1506	63.0	59.9-66.1
Some Post-H.S.	1656	821,257	368	24.5	21.4-27.6	114	8.7	6.5-10.9	139	11.0	8.6-13.4	75	5.7	4.1- 7.3	47	3.7	2.1- 5.3	913	46.5	43.0-50.0
College Graduate	1887	521,472	494	25.3	22.6-28.0	148	10.2	8.0-12.4	231	14.4	12.0-16.8	129	7.8	6.0- 9.6	67	3.9	2.5- 5.3	818	38.3	35.2-41.4
Less than \$15,000	587	243,596	68	15.6	10.3-20.9	24	5.9	2.8- 9.0	18	3.5	1.3- 5.7	15	3.6	0.9- 6.3	10	2.0	0.0- 4.2	452	69.4	63.1-75.7
\$15,000- 24,999	1129	425,012	152	16.1	12.4-19.8	39	4.2	2.0- 6.4	49	5.7	3.3- 8.1	38	4.1	2.3- 5.9	26	3.3	1.5- 5.1	825	66.6	62.1-71.1
\$25,000- 34,999	687	259,655	108	15.6	11.3-19.9	22	4.4	1.9- 6.9	38	6.7	3.8- 9.6	24	5.1	2.2- 8.0	16	1.9	0.5- 3.3	479	66.2	60.5-71.9
\$35,000- 49,999	815	318,918	191	22.0	17.7-26.3	47	7.1	4.4- 9.8	72	11.6	8.1-15.1	26	3.3	1.3- 5.3	24	3.3	1.5- 5.1	455	52.7	47.6-57.8
\$50,000- 74,999	780	332,719	200	23.2	19.1-27.3	48	7.6	4.7-10.5	75	13.0	9.3-16.7	43	6.2	3.8- 8.6	30	6.6	2.9-10.3	384	43.4	38.3-48.5
\$75,000+	1274	573,559	376	29.6	25.9-33.3	131	10.8	8.4-13.2	183	13.2	10.7-15.7	93	6.0	4.4- 7.6	48	4.4	2.6- 6.2	443	36.0	32.3-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10532	4,812,671	9982	93.4	92.6-94.2	550	6.6	5.8- 7.4
Male	4330	2,335,303	4030	92.4	91.2-93.6	300	7.6	6.4- 8.8
Female	6202	2,477,368	5952	94.4	93.4-95.4	250	5.6	4.6- 6.6
White/Non-Hisp	9026	3,926,964	8543	93.1	92.3-93.9	483	6.9	6.1- 7.7
Black or Afr. Am./Non-Hisp	680	395,814	649	94.9	92.5-97.3	31	5.1	2.7- 7.5
Oth. Race/Non-Hisp.	207	111,907	201	98.3	96.7-99.9	6	1.7	0.1- 3.3
MultiRacial/Non-Hisp.	153	52,508	142	89.4	81.8-97.0	11	10.6	3.0-18.2
Hispanic	329	261,375	312	94.4	91.1-97.7	17	5.6	2.3- 8.9
18-24	432	650,945	394	90.4	87.1-93.7	38	9.6	6.3-12.9
25-34	768	783,140	706	91.9	89.5-94.3	62	8.1	5.7-10.5
35-44	1042	775,209	982	93.0	91.0-95.0	60	7.0	5.0- 9.0
45-54	1536	776,056	1426	92.8	91.2-94.4	110	7.2	5.6- 8.8
55-64	2346	815,705	2217	94.1	92.9-95.3	129	5.9	4.7- 7.1
65+	4283	965,626	4136	96.9	96.1-97.7	147	3.1	2.3- 3.9
Less Than H.S.	827	606,593	794	95.2	93.0-97.4	33	4.8	2.6- 7.0
H.S. or G.E.D.	3564	1,649,650	3388	93.0	91.6-94.4	176	7.0	5.6- 8.4
Some Post-H.S.	2620	1,482,276	2475	93.1	91.5-94.7	145	6.9	5.3- 8.5
College Graduate	3502	1,066,676	3309	93.8	92.6-95.0	193	6.2	5.0- 7.4
Less than \$15,000	884	429,916	846	94.9	92.7-97.1	38	5.1	2.9- 7.3
\$15,000- 24,999	1748	779,477	1675	94.0	92.0-96.0	73	6.0	4.0- 8.0
\$25,000- 34,999	1113	478,618	1054	93.5	91.1-95.9	59	6.5	4.1- 8.9
\$35,000- 49,999	1439	661,488	1359	93.0	90.8-95.2	80	7.0	4.8- 9.2
\$50,000- 74,999	1471	684,776	1377	91.8	89.4-94.2	94	8.2	5.8-10.6
\$75,000+	2547	1,245,840	2385	93.0	91.6-94.4	162	7.0	5.6- 8.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4330	2,335,303	4030	92.4	91.2-93.6	300	7.6	6.4- 8.8
White/Non-Hisp	3686	1,885,978	3418	91.7	90.3-93.1	268	8.3	6.9- 9.7
Black or Afr. Am./Non-Hisp	251	187,401	239	95.9	92.8-99.0	12	4.1	1.0- 7.2
Oth. Race/Non-Hisp.	118	72,996	113	97.6	95.1- 100	5	2.4	0.0- 4.9
MultiRacial/Non-Hisp.	62	25,489	59	95.8	90.1- 100	3	4.2	0.0- 9.9
Hispanic	143	121,839	132	92.9	87.4-98.4	11	7.1	1.6-12.6
18-24	238	330,804	218	91.0	86.7-95.3	20	9.0	4.7-13.3
25-34	361	394,456	333	92.8	89.9-95.7	28	7.2	4.3-10.1
35-44	470	385,847	433	91.4	88.3-94.5	37	8.6	5.5-11.7
45-54	664	386,316	603	91.6	89.1-94.1	61	8.4	5.9-10.9
55-64	963	396,920	887	91.5	89.1-93.9	76	8.5	6.1-10.9
65+	1591	424,165	1516	95.6	94.2-97.0	75	4.4	3.0- 5.8
Less Than H.S.	345	313,719	323	92.9	89.4-96.4	22	7.1	3.6-10.6
H.S. or G.E.D.	1398	810,678	1287	91.4	89.2-93.6	111	8.6	6.4-10.8
Some Post-H.S.	964	661,019	892	92.0	89.6-94.4	72	8.0	5.6-10.4
College Graduate	1615	545,204	1521	94.2	92.6-95.8	94	5.8	4.2- 7.4
Less than \$15,000	297	186,321	278	93.1	89.2-97.0	19	6.9	3.0-10.8
\$15,000- 24,999	619	354,466	585	92.8	89.3-96.3	34	7.2	3.7-10.7
\$25,000- 34,999	426	218,962	389	91.3	87.4-95.2	37	8.7	4.8-12.6
\$35,000- 49,999	624	342,570	575	90.8	87.3-94.3	49	9.2	5.7-12.7
\$50,000- 74,999	691	352,057	639	92.4	89.9-94.9	52	7.6	5.1-10.1
\$75,000+	1273	672,281	1185	92.6	90.6-94.6	88	7.4	5.4- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6202	2,477,368	5952	94.4	93.4-95.4	250	5.6	4.6- 6.6
White/Non-Hisp	5340	2,040,986	5125	94.4	93.2-95.6	215	5.6	4.4- 6.8
Black or Afr. Am./Non-Hisp	429	208,413	410	94.1	90.8-97.4	19	5.9	2.6- 9.2
Oth. Race/Non-Hisp.	89	38,910	88	99.6	98.8- 100	1	0.4	0.0- 1.2
MultiRacial/Non-Hisp.	91	27,019	83	83.3	70.0-96.6	8	16.7	3.4-30.0
Hispanic	186	139,536	180	95.7	91.8-99.6	6	4.3	0.4- 8.2
18-24	194	320,141	176	89.7	84.8-94.6	18	10.3	5.4-15.2
25-34	407	388,684	373	91.1	87.6-94.6	34	8.9	5.4-12.4
35-44	572	389,362	549	94.6	92.1-97.1	23	5.4	2.9- 7.9
45-54	872	389,739	823	94.1	92.1-96.1	49	5.9	3.9- 7.9
55-64	1383	418,785	1330	96.5	95.3-97.7	53	3.5	2.3- 4.7
65+	2692	541,461	2620	97.9	97.3-98.5	72	2.1	1.5- 2.7
Less Than H.S.	482	292,873	471	97.6	95.6-99.6	11	2.4	0.4- 4.4
H.S. or G.E.D.	2166	838,972	2101	94.4	92.4-96.4	65	5.6	3.6- 7.6
Some Post-H.S.	1656	821,257	1583	93.9	91.9-95.9	73	6.1	4.1- 8.1
College Graduate	1887	521,472	1788	93.4	91.6-95.2	99	6.6	4.8- 8.4
Less than \$15,000	587	243,596	568	96.3	93.6-99.0	19	3.7	1.0- 6.4
\$15,000- 24,999	1129	425,012	1090	95.0	92.8-97.2	39	5.0	2.8- 7.2
\$25,000- 34,999	687	259,655	665	95.4	92.7-98.1	22	4.6	1.9- 7.3
\$35,000- 49,999	815	318,918	784	95.2	92.8-97.6	31	4.8	2.4- 7.2
\$50,000- 74,999	780	332,719	738	91.1	87.2-95.0	42	8.9	5.0-12.8
\$75,000+	1274	573,559	1200	93.6	91.4-95.8	74	6.4	4.2- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 12: IMMUNIZATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	129
2	MALES ONLY	130
3	FEMALES ONLY	131
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	132
5	MALES ONLY	133
6	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4292	968,607	2415	55.2	53.2-57.2	1877	44.8	42.8-46.8
Male	1595	427,190	932	56.5	53.4-59.6	663	43.5	40.4-46.6
Female	2697	541,417	1483	54.2	51.8-56.6	1214	45.8	43.4-48.2
White/Non-Hisp	3877	864,212	2219	56.5	54.5-58.5	1658	43.5	41.5-45.5
Black or Afr. Am./Non-Hisp	198	62,437	77	36.1	27.1-45.1	121	63.9	54.9-72.9
Oth. Race/Non-Hisp.	53	6,049	27	55.1	33.7-76.5	26	44.9	23.5-66.3
MultiRacial/Non-Hisp.	60	10,937	30	51.6	34.2-69.0	30	48.4	31.0-65.8
65+	4292	968,607	2415	55.2	53.2-57.2	1877	44.8	42.8-46.8
Less Than H.S.	341	115,004	175	49.1	42.4-55.8	166	50.9	44.2-57.6
H.S. or G.E.D.	1625	393,545	867	53.9	50.8-57.0	758	46.1	43.0-49.2
Some Post-H.S.	1031	278,133	581	55.5	51.8-59.2	450	44.5	40.8-48.2
College Graduate	1286	179,875	788	62.0	58.7-65.3	498	38.0	34.7-41.3
Less than \$15,000	309	71,501	157	43.2	35.8-50.6	152	56.8	49.4-64.2
\$15,000- 24,999	883	201,616	463	52.7	48.4-57.0	420	47.3	43.0-51.6
\$25,000- 34,999	589	130,068	321	52.5	47.2-57.8	268	47.5	42.2-52.8
\$35,000- 49,999	669	156,681	407	59.2	54.3-64.1	262	40.8	35.9-45.7
\$50,000- 74,999	550	128,549	329	62.3	57.2-67.4	221	37.7	32.6-42.8
\$75,000+	562	119,690	353	61.6	56.5-66.7	209	38.4	33.3-43.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1595	427,190	932	56.5	53.4-59.6	663	43.5	40.4-46.6
White/Non-Hisp	1439	379,312	849	57.3	54.0-60.6	590	42.7	39.4-46.0
Black or Afr. Am./Non-Hisp	66	29,232	28	41.3	25.4-57.2	38	58.7	42.8-74.6
65+	1595	427,190	932	56.5	53.4-59.6	663	43.5	40.4-46.6
Less Than H.S.	116	48,007	59	49.6	38.4-60.8	57	50.4	39.2-61.6
H.S. or G.E.D.	518	161,210	288	55.2	49.9-60.5	230	44.8	39.5-50.1
Some Post-H.S.	342	117,791	198	56.7	50.2-63.2	144	43.3	36.8-49.8
College Graduate	614	98,984	385	62.0	57.3-66.7	229	38.0	33.3-42.7
Less than \$15,000	69	23,478	34	37.5	22.8-52.2	35	62.5	47.8-77.2
\$15,000- 24,999	262	74,241	137	52.2	44.2-60.2	125	47.8	39.8-55.8
\$25,000- 34,999	207	55,515	112	51.2	42.4-60.0	95	48.8	40.0-57.6
\$35,000- 49,999	282	78,395	164	56.3	48.9-63.7	118	43.7	36.3-51.1
\$50,000- 74,999	283	75,090	173	64.8	57.9-71.7	110	35.2	28.3-42.1
\$75,000+	306	67,867	207	65.0	58.3-71.7	99	35.0	28.3-41.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2697	541,417	1483	54.2	51.8-56.6	1214	45.8	43.4-48.2
White/Non-Hisp	2438	484,900	1370	56.0	53.5-58.5	1068	44.0	41.5-46.5
Black or Afr. Am./Non-Hisp	132	33,205	49	31.5	22.1-40.9	83	68.5	59.1-77.9
65+	2697	541,417	1483	54.2	51.8-56.6	1214	45.8	43.4-48.2
Less Than H.S.	225	66,997	116	48.7	40.5-56.9	109	51.3	43.1-59.5
H.S. or G.E.D.	1107	232,335	579	52.9	49.2-56.6	528	47.1	43.4-50.8
Some Post-H.S.	689	160,343	383	54.6	50.1-59.1	306	45.4	40.9-49.9
College Graduate	672	80,891	403	62.0	57.7-66.3	269	38.0	33.7-42.3
Less than \$15,000	240	48,023	123	46.0	37.6-54.4	117	54.0	45.6-62.4
\$15,000- 24,999	621	127,375	326	53.0	47.9-58.1	295	47.0	41.9-52.1
\$25,000- 34,999	382	74,553	209	53.4	46.9-59.9	173	46.6	40.1-53.1
\$35,000- 49,999	387	78,286	243	62.1	56.0-68.2	144	37.9	31.8-44.0
\$50,000- 74,999	267	53,459	156	58.7	51.4-66.0	111	41.3	34.0-48.6
\$75,000+	256	51,823	146	57.3	49.7-64.9	110	42.7	35.1-50.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4228	955,724	3153	73.3	71.5-75.1	1075	26.7	24.9-28.5
Male	1554	418,607	1137	71.7	68.8-74.6	417	28.3	25.4-31.2
Female	2674	537,117	2016	74.5	72.3-76.7	658	25.5	23.3-27.7
White/Non-Hisp	3822	853,392	2896	74.5	72.7-76.3	926	25.5	23.7-27.3
Black or Afr. Am./Non-Hisp	194	61,119	110	56.9	47.1-66.7	84	43.1	33.3-52.9
Oth. Race/Non-Hisp.	53	6,049	35	72.4	55.7-89.1	18	27.6	10.9-44.3
MultiRacial/Non-Hisp.	58	10,718	40	66.2	48.6-83.8	18	33.8	16.2-51.4
65+	4228	955,724	3153	73.3	71.5-75.1	1075	26.7	24.9-28.5
Less Than H.S.	339	114,517	244	70.5	64.2-76.8	95	29.5	23.2-35.8
H.S. or G.E.D.	1604	388,539	1162	71.6	68.7-74.5	442	28.4	25.5-31.3
Some Post-H.S.	1013	273,743	787	76.3	72.8-79.8	226	23.7	20.2-27.2
College Graduate	1264	177,075	956	74.7	71.8-77.6	308	25.3	22.4-28.2
Less than \$15,000	308	72,114	217	66.2	58.0-74.4	91	33.8	25.6-42.0
\$15,000- 24,999	871	199,470	637	70.9	66.8-75.0	234	29.1	25.0-33.2
\$25,000- 34,999	586	129,607	439	73.0	68.3-77.7	147	27.0	22.3-31.7
\$35,000- 49,999	658	155,077	502	75.9	71.6-80.2	156	24.1	19.8-28.4
\$50,000- 74,999	542	127,031	409	76.2	71.7-80.7	133	23.8	19.3-28.3
\$75,000+	550	116,583	424	76.3	72.0-80.6	126	23.7	19.4-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1554	418,607	1137	71.7	68.8-74.6	417	28.3	25.4-31.2
White/Non-Hisp	1405	372,341	1042	72.5	69.4-75.6	363	27.5	24.4-30.6
Black or Afr. Am./Non-Hisp	62	27,914	38	62.6	45.7-79.5	24	37.4	20.5-54.3
65+	1554	418,607	1137	71.7	68.8-74.6	417	28.3	25.4-31.2
Less Than H.S.	114	47,519	75	67.2	56.6-77.8	39	32.8	22.2-43.4
H.S. or G.E.D.	509	158,442	371	72.1	67.0-77.2	138	27.9	22.8-33.0
Some Post-H.S.	332	115,123	249	72.2	65.9-78.5	83	27.8	21.5-34.1
College Graduate	595	96,523	441	73.4	68.9-77.9	154	26.6	22.1-31.1
Less than \$15,000	70	24,341	43	57.5	40.6-74.4	27	42.5	25.6-59.4
\$15,000- 24,999	254	72,687	177	67.6	60.0-75.2	77	32.4	24.8-40.0
\$25,000- 34,999	206	55,324	150	68.9	60.5-77.3	56	31.1	22.7-39.5
\$35,000- 49,999	275	77,245	205	75.1	68.6-81.6	70	24.9	18.4-31.4
\$50,000- 74,999	275	73,572	202	76.0	69.7-82.3	73	24.0	17.7-30.3
\$75,000+	295	64,991	231	75.8	69.7-81.9	64	24.2	18.1-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2674	537,117	2016	74.5	72.3-76.7	658	25.5	23.3-27.7
White/Non-Hisp	2417	481,051	1854	75.9	73.7-78.1	563	24.1	21.9-26.3
Black or Afr. Am./Non-Hisp	132	33,205	72	52.1	41.1-63.1	60	47.9	36.9-58.9
65+	2674	537,117	2016	74.5	72.3-76.7	658	25.5	23.3-27.7
Less Than H.S.	225	66,997	169	72.9	65.3-80.5	56	27.1	19.5-34.7
H.S. or G.E.D.	1095	230,097	791	71.2	67.9-74.5	304	28.8	25.5-32.1
Some Post-H.S.	681	158,619	538	79.3	75.6-83.0	143	20.7	17.0-24.4
College Graduate	669	80,552	515	76.2	72.3-80.1	154	23.8	19.9-27.7
Less than \$15,000	238	47,772	174	70.6	62.2-79.0	64	29.4	21.0-37.8
\$15,000- 24,999	617	126,783	460	72.7	68.0-77.4	157	27.3	22.6-32.0
\$25,000- 34,999	380	74,283	289	76.1	70.8-81.4	91	23.9	18.6-29.2
\$35,000- 49,999	383	77,832	297	76.6	71.3-81.9	86	23.4	18.1-28.7
\$50,000- 74,999	267	53,459	207	76.5	70.0-83.0	60	23.5	17.0-30.0
\$75,000+	255	51,592	193	76.9	70.8-83.0	62	23.1	17.0-29.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10505	4,795,242	9950	93.3	92.5-94.1	555	6.7	5.9- 7.5
Male	4323	2,328,087	3966	90.1	88.7-91.5	357	9.9	8.5-11.3
Female	6182	2,467,155	5984	96.3	95.5-97.1	198	3.7	2.9- 4.5
White/Non-Hisp	8981	3,900,646	8531	93.8	93.0-94.6	450	6.2	5.4- 7.0
Black or Afr. Am./Non-Hisp	686	398,553	642	91.3	87.8-94.8	44	8.7	5.2-12.2
Oth. Race/Non-Hisp.	205	111,257	191	90.7	84.4-97.0	14	9.3	3.0-15.6
MultiRacial/Non-Hisp.	154	53,770	146	92.6	86.1-99.1	8	7.4	0.9-13.9
Hispanic	338	268,397	313	91.0	87.1-94.9	25	9.0	5.1-12.9
18-24	434	655,562	391	89.7	86.2-93.2	43	10.3	6.8-13.8
25-34	763	772,825	714	92.9	90.7-95.1	49	7.1	4.9- 9.3
35-44	1041	770,436	988	94.6	92.8-96.4	53	5.4	3.6- 7.2
45-54	1525	772,638	1449	93.8	92.2-95.4	76	6.2	4.6- 7.8
55-64	2338	811,075	2218	94.0	92.6-95.4	120	6.0	4.6- 7.4
65+	4273	964,663	4065	93.9	92.9-94.9	208	6.1	5.1- 7.1
Less Than H.S.	834	615,052	748	87.0	83.5-90.5	86	13.0	9.5-16.5
H.S. or G.E.D.	3524	1,621,514	3306	92.7	91.3-94.1	218	7.3	5.9- 8.7
Some Post-H.S.	2626	1,486,883	2497	94.5	93.3-95.7	129	5.5	4.3- 6.7
College Graduate	3497	1,062,162	3375	96.1	95.1-97.1	122	3.9	2.9- 4.9
Less than \$15,000	885	434,081	808	88.3	85.0-91.6	77	11.7	8.4-15.0
\$15,000- 24,999	1736	777,821	1620	91.8	89.8-93.8	116	8.2	6.2-10.2
\$25,000- 34,999	1104	472,407	1048	93.1	90.6-95.6	56	6.9	4.4- 9.4
\$35,000- 49,999	1432	655,861	1357	91.7	89.3-94.1	75	8.3	5.9-10.7
\$50,000- 74,999	1470	684,867	1405	95.8	94.2-97.4	65	4.2	2.6- 5.8
\$75,000+	2539	1,233,625	2444	95.3	93.9-96.7	95	4.7	3.3- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4323	2,328,087	3966	90.1	88.7-91.5	357	9.9	8.5-11.3
White/Non-Hisp	3667	1,871,551	3372	90.4	89.0-91.8	295	9.6	8.2-11.0
Black or Afr. Am./Non-Hisp	251	189,020	227	88.7	83.2-94.2	24	11.3	5.8-16.8
Oth. Race/Non-Hisp.	118	73,316	107	89.3	80.9-97.7	11	10.7	2.3-19.1
MultiRacial/Non-Hisp.	62	25,489	58	90.2	78.6- 100	4	9.8	0.0-21.4
Hispanic	152	127,901	137	89.7	83.8-95.6	15	10.3	4.4-16.2
18-24	238	331,417	212	87.3	81.8-92.8	26	12.7	7.2-18.2
25-34	358	385,737	321	89.0	85.1-92.9	37	11.0	7.1-14.9
35-44	468	381,793	427	91.8	88.9-94.7	41	8.2	5.3-11.1
45-54	662	388,454	608	90.5	87.8-93.2	54	9.5	6.8-12.2
55-64	961	395,699	884	90.5	88.1-92.9	77	9.5	7.1-11.9
65+	1590	426,516	1471	90.9	88.9-92.9	119	9.1	7.1-11.1
Less Than H.S.	352	319,289	300	82.9	77.2-88.6	52	17.1	11.4-22.8
H.S. or G.E.D.	1379	794,209	1230	88.7	86.3-91.1	149	11.3	8.9-13.7
Some Post-H.S.	970	665,633	892	91.8	89.6-94.0	78	8.2	6.0-10.4
College Graduate	1610	542,455	1532	94.3	92.7-95.9	78	5.7	4.1- 7.3
Less than \$15,000	298	190,856	260	82.6	76.3-88.9	38	17.4	11.1-23.7
\$15,000- 24,999	615	352,857	543	89.0	85.9-92.1	72	11.0	7.9-14.1
\$25,000- 34,999	423	217,773	385	86.9	81.8-92.0	38	13.1	8.0-18.2
\$35,000- 49,999	622	337,714	564	87.6	83.7-91.5	58	12.4	8.5-16.3
\$50,000- 74,999	689	353,277	648	93.9	91.4-96.4	41	6.1	3.6- 8.6
\$75,000+	1266	662,181	1192	92.5	90.1-94.9	74	7.5	5.1- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6182	2,467,155	5984	96.3	95.5-97.1	198	3.7	2.9- 4.5
White/Non-Hisp	5314	2,029,096	5159	96.9	96.1-97.7	155	3.1	2.3- 3.9
Black or Afr. Am./Non-Hisp	435	209,533	415	93.6	89.3-97.9	20	6.4	2.1-10.7
Oth. Race/Non-Hisp.	87	37,941	84	93.3	85.1- 100	3	6.7	0.0-14.9
MultiRacial/Non-Hisp.	92	28,281	88	94.7	88.8- 100	4	5.3	0.0-11.2
Hispanic	186	140,496	176	92.3	87.0-97.6	10	7.7	2.4-13.0
18-24	196	324,145	179	92.2	88.1-96.3	17	7.8	3.7-11.9
25-34	405	387,088	393	96.9	94.7-99.1	12	3.1	0.9- 5.3
35-44	573	388,643	561	97.4	95.6-99.2	12	2.6	0.8- 4.4
45-54	863	384,184	841	97.2	95.6-98.8	22	2.8	1.2- 4.4
55-64	1377	415,376	1334	97.4	96.4-98.4	43	2.6	1.6- 3.6
65+	2683	538,148	2594	96.2	95.2-97.2	89	3.8	2.8- 4.8
Less Than H.S.	482	295,762	448	91.5	88.0-95.0	34	8.5	5.0-12.0
H.S. or G.E.D.	2145	827,305	2076	96.5	95.3-97.7	69	3.5	2.3- 4.7
Some Post-H.S.	1656	821,250	1605	96.7	95.3-98.1	51	3.3	1.9- 4.7
College Graduate	1887	519,706	1843	98.0	97.0-99.0	44	2.0	1.0- 3.0
Less than \$15,000	587	243,225	548	92.7	89.4-96.0	39	7.3	4.0-10.6
\$15,000- 24,999	1121	424,964	1077	94.2	91.7-96.7	44	5.8	3.3- 8.3
\$25,000- 34,999	681	254,634	663	98.4	97.2-99.6	18	1.6	0.4- 2.8
\$35,000- 49,999	810	318,147	793	96.1	93.6-98.6	17	3.9	1.4- 6.4
\$50,000- 74,999	781	331,590	757	97.7	96.3-99.1	24	2.3	0.9- 3.7
\$75,000+	1273	571,444	1252	98.6	97.8-99.4	21	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 14: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10505	4,795,242	9160	84.0	82.8-85.2	1345	16.0	14.8-17.2
Male	4323	2,328,087	3559	79.2	77.4-81.0	764	20.8	19.0-22.6
Female	6182	2,467,155	5601	88.6	87.2-90.0	581	11.4	10.0-12.8
White/Non-Hisp	8981	3,900,646	7859	84.4	83.2-85.6	1122	15.6	14.4-16.8
Black or Afr. Am./Non-Hisp	686	398,553	589	80.6	75.9-85.3	97	19.4	14.7-24.1
Oth. Race/Non-Hisp.	205	111,257	177	84.3	76.7-91.9	28	15.7	8.1-23.3
MultiRacial/Non-Hisp.	154	53,770	129	79.6	70.2-89.0	25	20.4	11.0-29.8
Hispanic	338	268,397	290	84.3	79.4-89.2	48	15.7	10.8-20.6
18-24	434	655,562	333	75.2	70.3-80.1	101	24.8	19.9-29.7
25-34	763	772,825	631	82.2	78.9-85.5	132	17.8	14.5-21.1
35-44	1041	770,436	905	85.8	83.1-88.5	136	14.2	11.5-16.9
45-54	1525	772,638	1336	85.8	83.4-88.2	189	14.2	11.8-16.6
55-64	2338	811,075	2048	86.1	84.1-88.1	290	13.9	11.9-15.9
65+	4273	964,663	3790	86.8	85.4-88.2	483	13.2	11.8-14.6
Less Than H.S.	834	615,052	695	79.7	75.6-83.8	139	20.3	16.2-24.4
H.S. or G.E.D.	3524	1,621,514	3025	82.3	80.3-84.3	499	17.7	15.7-19.7
Some Post-H.S.	2626	1,486,883	2258	83.4	81.2-85.6	368	16.6	14.4-18.8
College Graduate	3497	1,062,162	3159	89.9	88.5-91.3	338	10.1	8.7-11.5
Less than \$15,000	885	434,081	760	81.0	76.9-85.1	125	19.0	14.9-23.1
\$15,000- 24,999	1736	777,821	1488	83.7	81.0-86.4	248	16.3	13.6-19.0
\$25,000- 34,999	1104	472,407	962	82.1	78.2-86.0	142	17.9	14.0-21.8
\$35,000- 49,999	1432	655,861	1234	82.6	79.7-85.5	198	17.4	14.5-20.3
\$50,000- 74,999	1470	684,867	1273	84.5	81.6-87.4	197	15.5	12.6-18.4
\$75,000+	2539	1,233,625	2264	86.4	84.2-88.6	275	13.6	11.4-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4323	2,328,087	3559	79.2	77.4-81.0	764	20.8	19.0-22.6
White/Non-Hisp	3667	1,871,551	3032	79.3	77.3-81.3	635	20.7	18.7-22.7
Black or Afr. Am./Non-Hisp	251	189,020	204	77.1	69.7-84.5	47	22.9	15.5-30.3
Oth. Race/Non-Hisp.	118	73,316	98	81.3	70.7-91.9	20	18.7	8.1-29.3
MultiRacial/Non-Hisp.	62	25,489	46	68.4	51.2-85.6	16	31.6	14.4-48.8
Hispanic	152	127,901	123	81.9	74.3-89.5	29	18.1	10.5-25.7
18-24	238	331,417	179	71.9	64.8-79.0	59	28.1	21.0-35.2
25-34	358	385,737	281	77.9	72.8-83.0	77	22.1	17.0-27.2
35-44	468	381,793	376	79.5	75.0-84.0	92	20.5	16.0-25.0
45-54	662	388,454	541	80.8	77.1-84.5	121	19.2	15.5-22.9
55-64	961	395,699	793	80.5	77.2-83.8	168	19.5	16.2-22.8
65+	1590	426,516	1348	82.5	80.0-85.0	242	17.5	15.0-20.0
Less Than H.S.	352	319,289	272	73.0	66.5-79.5	80	27.0	20.5-33.5
H.S. or G.E.D.	1379	794,209	1073	75.6	72.5-78.7	306	24.4	21.3-27.5
Some Post-H.S.	970	665,633	783	79.5	76.2-82.8	187	20.5	17.2-23.8
College Graduate	1610	542,455	1420	87.6	85.4-89.8	190	12.4	10.2-14.6
Less than \$15,000	298	190,856	238	74.4	67.3-81.5	60	25.6	18.5-32.7
\$15,000- 24,999	615	352,857	492	80.4	75.9-84.9	123	19.6	15.1-24.1
\$25,000- 34,999	423	217,773	338	71.3	64.2-78.4	85	28.7	21.6-35.8
\$35,000- 49,999	622	337,714	497	77.8	73.3-82.3	125	22.2	17.7-26.7
\$50,000- 74,999	689	353,277	580	82.8	78.7-86.9	109	17.2	13.1-21.3
\$75,000+	1266	662,181	1081	81.3	78.0-84.6	185	18.7	15.4-22.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6182	2,467,155	5601	88.6	87.2-90.0	581	11.4	10.0-12.8
White/Non-Hisp	5314	2,029,096	4827	89.1	87.7-90.5	487	10.9	9.5-12.3
Black or Afr. Am./Non-Hisp	435	209,533	385	83.8	77.7-89.9	50	16.2	10.1-22.3
Oth. Race/Non-Hisp.	87	37,941	79	90.1	81.1-99.1	8	9.9	0.9-18.9
MultiRacial/Non-Hisp.	92	28,281	83	89.7	81.9-97.5	9	10.3	2.5-18.1
Hispanic	186	140,496	167	86.5	80.0-93.0	19	13.5	7.0-20.0
18-24	196	324,145	154	78.5	71.8-85.2	42	21.5	14.8-28.2
25-34	405	387,088	350	86.4	82.5-90.3	55	13.6	9.7-17.5
35-44	573	388,643	529	92.0	89.3-94.7	44	8.0	5.3-10.7
45-54	863	384,184	795	90.8	88.3-93.3	68	9.2	6.7-11.7
55-64	1377	415,376	1255	91.4	89.6-93.2	122	8.6	6.8-10.4
65+	2683	538,148	2442	90.2	88.6-91.8	241	9.8	8.2-11.4
Less Than H.S.	482	295,762	423	86.9	82.6-91.2	59	13.1	8.8-17.4
H.S. or G.E.D.	2145	827,305	1952	88.8	86.4-91.2	193	11.2	8.8-13.6
Some Post-H.S.	1656	821,250	1475	86.6	84.1-89.1	181	13.4	10.9-15.9
College Graduate	1887	519,706	1739	92.3	90.5-94.1	148	7.7	5.9- 9.5
Less than \$15,000	587	243,225	522	86.1	81.4-90.8	65	13.9	9.2-18.6
\$15,000- 24,999	1121	424,964	996	86.5	83.2-89.8	125	13.5	10.2-16.8
\$25,000- 34,999	681	254,634	624	91.3	88.0-94.6	57	8.7	5.4-12.0
\$35,000- 49,999	810	318,147	737	87.7	83.8-91.6	73	12.3	8.4-16.2
\$50,000- 74,999	781	331,590	693	86.2	82.1-90.3	88	13.8	9.7-17.9
\$75,000+	1273	571,444	1183	92.4	90.0-94.8	90	7.6	5.2-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DRINKING AND DRIVING (_DRNKDRV)	
1	MALES AND FEMALES	143
2	MALES ONLY	144
3	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 15: DRINKING AND DRIVING
TABLE 1: DRINKING AND DRIVING (_DRNKDRV)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4954	2,479,904	196	5.3	4.3- 6.3	4758	94.7	93.7-95.7
Male	2395	1,350,531	141	6.8	5.2- 8.4	2254	93.2	91.6-94.8
Female	2559	1,129,373	55	3.5	2.1- 4.9	2504	96.5	95.1-97.9
White/Non-Hisp	4299	2,051,457	157	4.6	3.6- 5.6	4142	95.4	94.4-96.4
Black or Afr. Am./Non-Hisp	296	209,559	13	8.5	2.8-14.2	283	91.5	85.8-97.2
Oth. Race/Non-Hisp.	77	40,886	5	7.4	0.0-15.2	72	92.6	84.8- 100
MultiRacial/Non-Hisp.	66	29,745	1	2.1	0.0- 6.2	65	97.9	93.8- 100
Hispanic	159	125,499	16	11.0	4.7-17.3	143	89.0	82.7-95.3
18-24	239	347,537	17	8.5	4.0-13.0	222	91.5	87.0-96.0
25-34	475	484,862	23	4.7	2.5- 6.9	452	95.3	93.1-97.5
35-44	622	459,893	33	6.7	4.0- 9.4	589	93.3	90.6-96.0
45-54	851	413,519	37	5.3	3.3- 7.3	814	94.7	92.7-96.7
55-64	1148	398,420	48	4.5	2.9- 6.1	1100	95.5	93.9-97.1
65+	1568	355,327	36	2.0	1.2- 2.8	1532	98.0	97.2-98.8
Less Than H.S.	208	192,783	13	9.3	3.4-15.2	195	90.7	84.8-96.6
H.S. or G.E.D.	1313	734,283	59	5.6	3.6- 7.6	1254	94.4	92.4-96.4
Some Post-H.S.	1307	859,304	54	5.6	3.8- 7.4	1253	94.4	92.6-96.2
College Graduate	2111	685,893	69	3.5	2.3- 4.7	2042	96.5	95.3-97.7
Less than \$15,000	239	154,894	7	4.0	0.3- 7.7	232	96.0	92.3-99.7
\$15,000- 24,999	581	317,729	26	5.8	2.7- 8.9	555	94.2	91.1-97.3
\$25,000- 34,999	402	202,365	20	8.4	3.3-13.5	382	91.6	86.5-96.7
\$35,000- 49,999	693	350,159	27	5.0	2.6- 7.4	666	95.0	92.6-97.4
\$50,000- 74,999	811	409,198	36	5.8	3.3- 8.3	775	94.2	91.7-96.7
\$75,000+	1722	828,781	63	4.2	2.8- 5.6	1659	95.8	94.4-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 15: DRINKING AND DRIVING
TABLE 2: DRINKING AND DRIVING (_DRNKDRV)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2395	1,350,531	141	6.8	5.2- 8.4	2254	93.2	91.6-94.8
White/Non-Hisp	2062	1,099,245	116	6.3	4.7- 7.9	1946	93.7	92.1-95.3
Black or Afr. Am./Non-Hisp	126	111,702	8	9.2	1.0-17.4	118	90.8	82.6-99.0
Oth. Race/Non-Hisp.	55	32,830	5	9.2	0.0-19.0	50	90.8	81.0- 100
Hispanic	91	73,631	9	12.0	3.2-20.8	82	88.0	79.2-96.8
18-24	136	179,948	12	10.8	3.7-17.9	124	89.2	82.1-96.3
25-34	250	264,008	14	5.3	2.2- 8.4	236	94.7	91.6-97.8
35-44	297	249,337	20	7.4	3.7-11.1	277	92.6	88.9-96.3
45-54	407	227,159	28	7.6	4.3-10.9	379	92.4	89.1-95.7
55-64	540	222,381	40	7.4	4.7-10.1	500	92.6	89.9-95.3
65+	745	199,323	25	2.8	1.4- 4.2	720	97.2	95.8-98.6
Less Than H.S.	127	132,541	12	11.8	4.0-19.6	115	88.2	80.4-96.0
H.S. or G.E.D.	661	428,549	43	6.8	4.1- 9.5	618	93.2	90.5-95.9
Some Post-H.S.	560	418,616	36	7.3	4.6-10.0	524	92.7	90.0-95.4
College Graduate	1038	365,116	49	4.3	2.7- 5.9	989	95.7	94.1-97.3
Less than \$15,000	102	76,866	5	7.7	0.3-15.1	97	92.3	84.9-99.7
\$15,000- 24,999	275	173,655	16	7.7	2.4-13.0	259	92.3	87.0-97.6
\$25,000- 34,999	197	118,948	14	10.2	2.8-17.6	183	89.8	82.4-97.2
\$35,000- 49,999	335	199,044	19	6.7	3.0-10.4	316	93.3	89.6-97.0
\$50,000- 74,999	413	221,486	25	4.8	2.3- 7.3	388	95.2	92.7-97.7
\$75,000+	890	463,790	52	6.2	4.0- 8.4	838	93.8	91.6-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 15: DRINKING AND DRIVING
TABLE 3: DRINKING AND DRIVING (_DRNKDRV)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2559	1,129,373	55	3.5	2.1- 4.9	2504	96.5	95.1-97.9
White/Non-Hisp	2237	952,212	41	2.7	1.5- 3.9	2196	97.3	96.1-98.5
Black or Afr. Am./Non-Hisp	170	97,857	5	7.6	0.0-15.6	165	92.4	84.4- 100
Hispanic	68	51,868	7	9.6	1.4-17.8	61	90.4	82.2-98.6
18-24	103	167,589	5	6.1	0.6-11.6	98	93.9	88.4-99.4
25-34	225	220,854	9	4.0	1.1- 6.9	216	96.0	93.1-98.9
35-44	325	210,557	13	5.9	1.8-10.0	312	94.1	90.0-98.2
45-54	444	186,360	9	2.6	0.6- 4.6	435	97.4	95.4-99.4
55-64	608	176,039	8	0.9	0.3- 1.5	600	99.1	98.5-99.7
65+	823	156,004	11	0.9	0.3- 1.5	812	99.1	98.5-99.7
Less Than H.S.	81	60,242	1	3.9	0.0-11.3	80	96.1	88.7- 100
H.S. or G.E.D.	652	305,733	16	3.8	1.1- 6.5	636	96.2	93.5-98.9
Some Post-H.S.	747	440,688	18	3.9	1.5- 6.3	729	96.1	93.7-98.5
College Graduate	1073	320,777	20	2.6	1.0- 4.2	1053	97.4	95.8-99.0
Less than \$15,000	137	78,028	2	0.4	0.0- 1.0	135	99.6	99.0- 100
\$15,000- 24,999	306	144,074	10	3.5	0.6- 6.4	296	96.5	93.6-99.4
\$25,000- 34,999	205	83,416	6	6.0	0.0-12.1	199	94.0	87.9- 100
\$35,000- 49,999	358	151,115	8	2.8	0.4- 5.2	350	97.2	94.8-99.6
\$50,000- 74,999	398	187,711	11	6.9	2.0-11.8	387	93.1	88.2-98.0
\$75,000+	832	364,991	11	1.6	0.4- 2.8	821	98.4	97.2-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 16: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	147
2	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021) FEMALES ONLY	148
3	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33) FEMALES ONLY	149

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5153	1,504,529	3524	67.3	65.5-69.1	1629	32.7	30.9-34.5
White/Non-Hisp	4542	1,300,441	3096	66.7	64.9-68.5	1446	33.3	31.5-35.1
Black or Afr. Am./Non-Hisp	329	108,575	237	71.8	65.1-78.5	92	28.2	21.5-34.9
Oth. Race/Non-Hisp.	54	12,659	35	73.4	56.2-90.6	19	26.6	9.4-43.8
MultiRacial/Non-Hisp.	69	14,472	40	50.9	35.2-66.6	29	49.1	33.4-64.8
Hispanic	110	57,470	82	75.1	62.9-87.3	28	24.9	12.7-37.1
40-44	281	176,860	145	52.0	44.6-59.4	136	48.0	40.6-55.4
45-54	857	382,090	592	68.0	64.1-71.9	265	32.0	28.1-35.9
55-64	1370	413,982	984	71.3	68.4-74.2	386	28.7	25.8-31.6
65+	2645	531,598	1803	68.9	66.7-71.1	842	31.1	28.9-33.3
Less Than H.S.	395	173,472	236	60.4	53.9-66.9	159	39.6	33.1-46.1
H.S. or G.E.D.	1858	544,707	1237	67.3	64.6-70.0	621	32.7	30.0-35.4
Some Post-H.S.	1356	478,576	926	68.3	65.0-71.6	430	31.7	28.4-35.0
College Graduate	1536	306,159	1123	70.0	66.9-73.1	413	30.0	26.9-33.1
Less than \$15,000	490	144,041	291	57.5	51.6-63.4	199	42.5	36.6-48.4
\$15,000- 24,999	944	261,402	577	60.5	56.0-65.0	367	39.5	35.0-44.0
\$25,000- 34,999	576	150,434	385	67.7	62.4-73.0	191	32.3	27.0-37.6
\$35,000- 49,999	696	212,648	479	67.7	63.0-72.4	217	32.3	27.6-37.0
\$50,000- 74,999	649	205,485	478	70.8	65.9-75.7	171	29.2	24.3-34.1
\$75,000+	1021	336,943	781	72.2	68.5-75.9	240	27.8	24.1-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3250	932,060	2377	72.5	70.5-74.5	873	27.5	25.5-29.5
White/Non-Hisp	2844	809,376	2075	72.1	69.9-74.3	769	27.9	25.7-30.1
Black or Afr. Am./Non-Hisp	234	74,141	178	74.8	67.7-81.9	56	25.2	18.1-32.3
Hispanic	61	23,965	50	84.6	73.0-96.2	11	15.4	3.8-27.0
50-54	483	220,950	346	71.6	66.7-76.5	137	28.4	23.5-33.3
55-64	1370	413,982	984	71.3	68.4-74.2	386	28.7	25.8-31.6
65+	1397	297,128	1047	74.8	71.9-77.7	350	25.2	22.3-28.1
Less Than H.S.	220	101,043	148	66.3	58.5-74.1	72	33.7	25.9-41.5
H.S. or G.E.D.	1127	337,965	806	73.0	69.9-76.1	321	27.0	23.9-30.1
Some Post-H.S.	902	313,440	647	71.7	68.0-75.4	255	28.3	24.6-32.0
College Graduate	997	178,849	775	76.7	73.4-80.0	222	23.3	20.0-26.6
Less than \$15,000	325	99,710	206	60.6	53.3-67.9	119	39.4	32.1-46.7
\$15,000- 24,999	533	150,969	362	68.1	63.0-73.2	171	31.9	26.8-37.0
\$25,000- 34,999	351	95,724	245	68.6	61.9-75.3	106	31.4	24.7-38.1
\$35,000- 49,999	443	124,629	321	70.6	64.9-76.3	122	29.4	23.7-35.1
\$50,000- 74,999	455	129,761	350	76.3	71.4-81.2	105	23.7	18.8-28.6
\$75,000+	698	207,022	565	79.7	76.0-83.4	133	20.3	16.6-24.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2543	1,360,562	1906	74.9	72.5-77.3	637	25.1	22.7-27.5
White/Non-Hisp	2117	1,096,601	1593	75.4	72.9-77.9	524	24.6	22.1-27.1
Black or Afr. Am./Non-Hisp	212	118,118	161	74.5	66.7-82.3	51	25.5	17.7-33.3
Hispanic	114	96,451	82	74.6	65.0-84.2	32	25.4	15.8-35.0
18-24	96	146,811	55	63.8	53.0-74.6	41	36.2	25.4-47.0
25-34	353	330,802	288	81.6	76.7-86.5	65	18.4	13.5-23.3
35-44	503	335,067	400	79.5	75.2-83.8	103	20.5	16.2-24.8
45-54	626	268,546	483	74.3	69.6-79.0	143	25.7	21.0-30.4
55-64	874	259,302	623	68.5	64.6-72.4	251	31.5	27.6-35.4
65+	91	20,033	57	61.2	48.7-73.7	34	38.8	26.3-51.3
Less Than H.S.	175	145,397	112	65.8	57.2-74.4	63	34.2	25.6-42.8
H.S. or G.E.D.	685	365,705	456	67.4	62.7-72.1	229	32.6	27.9-37.3
Some Post-H.S.	693	488,155	544	77.6	73.5-81.7	149	22.4	18.3-26.5
College Graduate	987	360,473	792	82.5	79.6-85.4	195	17.5	14.6-20.4
Less than \$15,000	229	130,424	148	67.6	59.6-75.6	81	32.4	24.4-40.4
\$15,000- 24,999	353	196,001	228	67.1	60.6-73.6	125	32.9	26.4-39.4
\$25,000- 34,999	229	132,970	153	63.4	55.0-71.8	76	36.6	28.2-45.0
\$35,000- 49,999	313	171,608	223	68.9	61.6-76.2	90	31.1	23.8-38.4
\$50,000- 74,999	382	203,389	307	80.6	74.9-86.3	75	19.4	13.7-25.1
\$75,000+	785	394,921	670	86.8	83.9-89.7	115	13.2	10.3-16.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 17: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) MALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 17: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3308	1,353,562	1468	37.2	35.0-39.4	1840	62.8	60.6-65.0
White/Non-Hisp	2892	1,138,468	1313	37.9	35.7-40.1	1579	62.1	59.9-64.3
Black or Afr. Am./Non-Hisp	185	113,910	76	35.9	26.9-44.9	109	64.1	55.1-73.1
Oth. Race/Non-Hisp.	68	21,170	18	11.2	3.4-19.0	50	88.8	81.0-96.6
Hispanic	68	46,012	25	36.2	20.5-51.9	43	63.8	48.1-79.5
40-44	250	198,533	33	11.9	7.0-16.8	217	88.1	83.2-93.0
45-54	644	379,965	168	23.2	19.3-27.1	476	76.8	72.9-80.7
55-64	913	371,823	420	44.0	39.9-48.1	493	56.0	51.9-60.1
65+	1501	403,242	847	56.7	53.4-60.0	654	43.3	40.0-46.6
Less Than H.S.	250	169,863	60	19.8	13.7-25.9	190	80.2	74.1-86.3
H.S. or G.E.D.	1069	479,807	444	37.7	34.0-41.4	625	62.3	58.6-66.0
Some Post-H.S.	734	380,391	330	38.6	34.3-42.9	404	61.4	57.1-65.7
College Graduate	1252	321,903	634	44.3	40.8-47.8	618	55.7	52.2-59.2
Less than \$15,000	221	110,526	54	21.2	14.1-28.3	167	78.8	71.7-85.9
\$15,000- 24,999	461	187,126	172	32.3	26.4-38.2	289	67.7	61.8-73.6
\$25,000- 34,999	331	123,889	126	34.1	27.4-40.8	205	65.9	59.2-72.6
\$35,000- 49,999	474	193,061	214	36.5	31.0-42.0	260	63.5	58.0-69.0
\$50,000- 74,999	531	205,234	270	43.0	37.5-48.5	261	57.0	51.5-62.5
\$75,000+	1004	421,012	500	40.9	37.0-44.8	504	59.1	55.2-63.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 18: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFLD3)	
1 MALES AND FEMALES	153
2 MALES ONLY	154
3 FEMALES ONLY	155
RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)	
4 MALES AND FEMALES	156
5 MALES ONLY	157
6 FEMALES ONLY	158
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)	
7 MALES AND FEMALES	159
8 MALES ONLY	160
9 FEMALES ONLY	161
RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)	
10 MALES AND FEMALES	162
11 MALES ONLY	163
12 FEMALES ONLY	164
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)	
13 MALES AND FEMALES	165
14 MALES ONLY	166
15 FEMALES ONLY	167
RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
16 MALES AND FEMALES	168
17 MALES ONLY	169
18 FEMALES ONLY	170

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5629	1,834,790	475	7.8	7.0- 8.6	5154	92.2	91.4-93.0
Male	2287	885,374	203	7.8	6.4- 9.2	2084	92.2	90.8-93.6
Female	3342	949,416	272	7.7	6.5- 8.9	3070	92.3	91.1-93.5
White/Non-Hisp	4931	1,575,345	406	7.5	6.5- 8.5	4525	92.5	91.5-93.5
Black or Afr. Am./Non-Hisp	371	151,026	35	9.1	5.0-13.2	336	90.9	86.8-95.0
Oth. Race/Non-Hisp.	78	20,479	8	10.2	1.0-19.4	70	89.8	80.6-99.0
MultiRacial/Non-Hisp.	75	16,122	9	11.8	1.4-22.2	66	88.2	77.8-98.6
Hispanic	104	50,747	8	6.9	0.0-14.0	96	93.1	86.0- 100
50-54	862	442,551	42	4.5	2.9- 6.1	820	95.5	93.9-97.1
55-64	2300	798,291	155	6.3	5.1- 7.5	2145	93.7	92.5-94.9
65+	2467	593,948	278	12.2	10.4-14.0	2189	87.8	86.0-89.6
Less Than H.S.	384	204,806	29	7.6	4.1-11.1	355	92.4	88.9-95.9
H.S. or G.E.D.	1921	673,497	162	7.8	6.2- 9.4	1759	92.2	90.6-93.8
Some Post-H.S.	1422	558,193	128	7.7	6.1- 9.3	1294	92.3	90.7-93.9
College Graduate	1893	395,138	155	7.8	6.4- 9.2	1738	92.2	90.8-93.6
Less than \$15,000	495	177,787	43	6.7	3.8- 9.6	452	93.3	90.4-96.2
\$15,000- 24,999	840	267,852	93	11.0	8.3-13.7	747	89.0	86.3-91.7
\$25,000- 34,999	579	180,806	69	11.3	8.0-14.6	510	88.7	85.4-92.0
\$35,000- 49,999	779	252,985	69	8.3	5.8-10.8	710	91.7	89.2-94.2
\$50,000- 74,999	861	276,061	64	6.5	4.5- 8.5	797	93.5	91.5-95.5
\$75,000+	1401	466,728	84	5.6	4.2- 7.0	1317	94.4	93.0-95.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2287	885,374	203	7.8	6.4- 9.2	2084	92.2	90.8-93.6
White/Non-Hisp	2007	751,680	169	7.2	5.8- 8.6	1838	92.8	91.4-94.2
Black or Afr. Am./Non-Hisp	132	75,351	13	9.9	3.0-16.8	119	90.1	83.2-97.0
50-54	380	222,000	19	3.8	1.8- 5.8	361	96.2	94.2-98.2
55-64	944	389,015	64	5.7	3.9- 7.5	880	94.3	92.5-96.1
65+	963	274,359	120	13.9	11.0-16.8	843	86.1	83.2-89.0
Less Than H.S.	158	102,542	17	9.9	4.0-15.8	141	90.1	84.2-96.0
H.S. or G.E.D.	758	329,184	67	7.6	5.4- 9.8	691	92.4	90.2-94.6
Some Post-H.S.	495	239,019	42	6.6	4.2- 9.0	453	93.4	91.0-95.8
College Graduate	872	212,958	76	8.1	5.9-10.3	796	91.9	89.7-94.1
Less than \$15,000	161	77,017	17	7.9	2.0-13.8	144	92.1	86.2-98.0
\$15,000- 24,999	291	114,711	44	14.0	8.9-19.1	247	86.0	80.9-91.1
\$25,000- 34,999	214	81,152	24	11.2	5.9-16.5	190	88.8	83.5-94.1
\$35,000- 49,999	317	124,267	24	8.0	3.9-12.1	293	92.0	87.9-96.1
\$50,000- 74,999	396	145,197	34	6.6	4.1- 9.1	362	93.4	90.9-95.9
\$75,000+	693	256,790	38	4.5	2.9- 6.1	655	95.5	93.9-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBIDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3342	949,416	272	7.7	6.5- 8.9	3070	92.3	91.1-93.5
White/Non-Hisp	2924	823,665	237	7.8	6.6- 9.0	2687	92.2	91.0-93.4
Black or Afr. Am./Non-Hisp	239	75,675	22	8.4	4.1-12.7	217	91.6	87.3-95.9
MultiRacial/Non-Hisp.	51	10,543	3	8.9	0.0-23.0	48	91.1	77.0- 100
Hispanic	61	23,965	5	3.6	0.0- 7.3	56	96.4	92.7- 100
50-54	482	220,551	23	5.1	2.7- 7.5	459	94.9	92.5-97.3
55-64	1356	409,276	91	6.8	5.2- 8.4	1265	93.2	91.6-94.8
65+	1504	319,589	158	10.8	8.6-13.0	1346	89.2	87.0-91.4
Less Than H.S.	226	102,265	12	5.2	1.7- 8.7	214	94.8	91.3-98.3
H.S. or G.E.D.	1163	344,313	95	8.0	6.0-10.0	1068	92.0	90.0-94.0
Some Post-H.S.	927	319,174	86	8.6	6.4-10.8	841	91.4	89.2-93.6
College Graduate	1021	182,180	79	7.3	5.3- 9.3	942	92.7	90.7-94.7
Less than \$15,000	334	100,770	26	5.9	3.0- 8.8	308	94.1	91.2-97.0
\$15,000- 24,999	549	153,141	49	8.8	5.7-11.9	500	91.2	88.1-94.3
\$25,000- 34,999	365	99,654	45	11.4	7.3-15.5	320	88.6	84.5-92.7
\$35,000- 49,999	462	128,718	45	8.7	5.8-11.6	417	91.3	88.4-94.2
\$50,000- 74,999	465	130,863	30	6.3	3.6- 9.0	435	93.7	91.0-96.4
\$75,000+	708	209,938	46	6.9	4.4- 9.4	662	93.1	90.6-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5495	1,785,680	3576	61.0	59.2-62.8	1919	39.0	37.2-40.8
Male	2229	857,770	1405	57.8	55.1-60.5	824	42.2	39.5-44.9
Female	3266	927,910	2171	63.8	61.6-66.0	1095	36.2	34.0-38.4
White/Non-Hisp	4823	1,534,798	3171	62.0	60.2-63.8	1652	38.0	36.2-39.8
Black or Afr. Am./Non-Hisp	362	148,388	225	56.3	49.2-63.4	137	43.7	36.6-50.8
Oth. Race/Non-Hisp.	75	19,990	44	46.5	25.5-67.5	31	53.5	32.5-74.5
MultiRacial/Non-Hisp.	68	14,728	37	50.5	34.2-66.8	31	49.5	33.2-65.8
Hispanic	100	47,447	63	57.9	45.0-70.8	37	42.1	29.2-55.0
50-54	846	431,965	402	46.4	42.1-50.7	444	53.6	49.3-57.9
55-64	2251	778,972	1450	62.4	59.9-64.9	801	37.6	35.1-40.1
65+	2398	574,743	1724	70.0	67.5-72.5	674	30.0	27.5-32.5
Less Than H.S.	366	195,243	187	45.3	38.8-51.8	179	54.7	48.2-61.2
H.S. or G.E.D.	1868	656,133	1145	59.4	56.5-62.3	723	40.6	37.7-43.5
Some Post-H.S.	1383	543,323	884	61.1	57.8-64.4	499	38.9	35.6-42.2
College Graduate	1871	388,477	1356	71.4	68.9-73.9	515	28.6	26.1-31.1
Less than \$15,000	471	166,810	243	47.6	41.1-54.1	228	52.4	45.9-58.9
\$15,000- 24,999	818	259,773	478	54.3	49.6-59.0	340	45.7	41.0-50.4
\$25,000- 34,999	564	177,060	353	57.1	51.6-62.6	211	42.9	37.4-48.4
\$35,000- 49,999	761	246,921	508	61.6	57.1-66.1	253	38.4	33.9-42.9
\$50,000- 74,999	844	271,576	585	65.5	61.2-69.8	259	34.5	30.2-38.8
\$75,000+	1382	456,365	999	68.7	65.6-71.8	383	31.3	28.2-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2229	857,770	1405	57.8	55.1-60.5	824	42.2	39.5-44.9
White/Non-Hisp	1958	727,926	1263	60.0	57.1-62.9	695	40.0	37.1-42.9
Black or Afr. Am./Non-Hisp	129	73,854	65	44.0	33.0-55.0	64	56.0	45.0-67.0
50-54	371	216,175	171	43.8	37.5-50.1	200	56.2	49.9-62.5
55-64	921	377,340	562	59.0	54.9-63.1	359	41.0	36.9-45.1
65+	937	264,255	672	67.7	63.6-71.8	265	32.3	28.2-36.4
Less Than H.S.	149	95,686	65	35.9	26.5-45.3	84	64.1	54.7-73.5
H.S. or G.E.D.	738	320,535	422	55.5	51.0-60.0	316	44.5	40.0-49.0
Some Post-H.S.	482	232,380	299	58.5	53.0-64.0	183	41.5	36.0-47.0
College Graduate	856	207,497	616	70.7	66.8-74.6	240	29.3	25.4-33.2
Less than \$15,000	153	70,658	66	36.1	25.5-46.7	87	63.9	53.3-74.5
\$15,000- 24,999	282	109,599	150	46.9	39.1-54.7	132	53.1	45.3-60.9
\$25,000- 34,999	214	80,578	113	49.7	41.1-58.3	101	50.3	41.7-58.9
\$35,000- 49,999	311	122,164	194	59.9	52.8-67.0	117	40.1	33.0-47.2
\$50,000- 74,999	386	141,365	262	62.5	55.8-69.2	124	37.5	30.8-44.2
\$75,000+	680	251,639	500	69.3	64.8-73.8	180	30.7	26.2-35.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3266	927,910	2171	63.8	61.6-66.0	1095	36.2	34.0-38.4
White/Non-Hisp	2865	806,872	1908	63.9	61.5-66.3	957	36.1	33.7-38.5
Black or Afr. Am./Non-Hisp	233	74,534	160	68.6	61.0-76.2	73	31.4	23.8-39.0
Hispanic	57	22,068	35	55.1	36.5-73.7	22	44.9	26.3-63.5
50-54	475	215,790	231	48.9	43.4-54.4	244	51.1	45.6-56.6
55-64	1330	401,632	888	65.6	62.5-68.7	442	34.4	31.3-37.5
65+	1461	310,488	1052	71.9	69.0-74.8	409	28.1	25.2-31.0
Less Than H.S.	217	99,557	122	54.3	45.9-62.7	95	45.7	37.3-54.1
H.S. or G.E.D.	1130	335,598	723	63.2	59.7-66.7	407	36.8	33.3-40.3
Some Post-H.S.	901	310,943	585	62.9	59.0-66.8	316	37.1	33.2-41.0
College Graduate	1015	180,979	740	72.1	68.6-75.6	275	27.9	24.4-31.4
Less than \$15,000	318	96,152	177	56.0	48.6-63.4	141	44.0	36.6-51.4
\$15,000- 24,999	536	150,174	328	59.7	54.2-65.2	208	40.3	34.8-45.8
\$25,000- 34,999	350	96,482	240	63.3	56.4-70.2	110	36.7	29.8-43.6
\$35,000- 49,999	450	124,758	314	63.3	57.4-69.2	136	36.7	30.8-42.6
\$50,000- 74,999	458	130,211	323	68.8	63.5-74.1	135	31.2	25.9-36.5
\$75,000+	702	204,726	499	68.0	63.5-72.5	203	32.0	27.5-36.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5629	1,834,790	904	14.7	13.5-15.9	4725	85.3	84.1-86.5
Male	2287	885,374	384	14.7	12.9-16.5	1903	85.3	83.5-87.1
Female	3342	949,416	520	14.7	13.1-16.3	2822	85.3	83.7-86.9
White/Non-Hisp	4931	1,575,345	783	14.5	13.3-15.7	4148	85.5	84.3-86.7
Black or Afr. Am./Non-Hisp	371	151,026	63	15.8	10.7-20.9	308	84.2	79.1-89.3
Oth. Race/Non-Hisp.	78	20,479	11	11.0	1.6-20.4	67	89.0	79.6-98.4
MultiRacial/Non-Hisp.	75	16,122	18	22.4	9.9-34.9	57	77.6	65.1-90.1
Hispanic	104	50,747	16	17.5	6.3-28.7	88	82.5	71.3-93.7
50-54	862	442,551	86	10.2	7.7-12.7	776	89.8	87.3-92.3
55-64	2300	798,291	295	11.7	10.1-13.3	2005	88.3	86.7-89.9
65+	2467	593,948	523	22.0	19.8-24.2	1944	78.0	75.8-80.2
Less Than H.S.	384	204,806	48	11.7	7.4-16.0	336	88.3	84.0-92.6
H.S. or G.E.D.	1921	673,497	324	15.6	13.6-17.6	1597	84.4	82.4-86.4
Some Post-H.S.	1422	558,193	244	15.3	13.1-17.5	1178	84.7	82.5-86.9
College Graduate	1893	395,138	287	13.9	12.1-15.7	1606	86.1	84.3-87.9
Less than \$15,000	495	177,787	72	11.9	8.2-15.6	423	88.1	84.4-91.8
\$15,000- 24,999	840	267,852	166	18.6	15.3-21.9	674	81.4	78.1-84.7
\$25,000- 34,999	579	180,806	104	15.9	12.2-19.6	475	84.1	80.4-87.8
\$35,000- 49,999	779	252,985	137	16.8	13.3-20.3	642	83.2	79.7-86.7
\$50,000- 74,999	861	276,061	132	12.4	10.0-14.8	729	87.6	85.2-90.0
\$75,000+	1401	466,728	184	12.9	10.5-15.3	1217	87.1	84.7-89.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2287	885,374	384	14.7	12.9-16.5	1903	85.3	83.5-87.1
White/Non-Hisp	2007	751,680	331	14.2	12.4-16.0	1676	85.8	84.0-87.6
Black or Afr. Am./Non-Hisp	132	75,351	21	16.4	7.8-25.0	111	83.6	75.0-92.2
50-54	380	222,000	34	8.2	4.7-11.7	346	91.8	88.3-95.3
55-64	944	389,015	131	11.7	9.3-14.1	813	88.3	85.9-90.7
65+	963	274,359	219	24.1	20.6-27.6	744	75.9	72.4-79.4
Less Than H.S.	158	102,542	22	12.7	6.2-19.2	136	87.3	80.8-93.8
H.S. or G.E.D.	758	329,184	135	15.6	12.5-18.7	623	84.4	81.3-87.5
Some Post-H.S.	495	239,019	86	14.5	11.0-18.0	409	85.5	82.0-89.0
College Graduate	872	212,958	140	14.4	11.7-17.1	732	85.6	82.9-88.3
Less than \$15,000	161	77,017	30	13.2	6.7-19.7	131	86.8	80.3-93.3
\$15,000- 24,999	291	114,711	66	21.2	15.1-27.3	225	78.8	72.7-84.9
\$25,000- 34,999	214	81,152	32	13.6	8.1-19.1	182	86.4	80.9-91.9
\$35,000- 49,999	317	124,267	56	17.1	11.4-22.8	261	82.9	77.2-88.6
\$50,000- 74,999	396	145,197	59	11.8	8.5-15.1	337	88.2	84.9-91.5
\$75,000+	693	256,790	97	12.2	9.3-15.1	596	87.8	84.9-90.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3342	949,416	520	14.7	13.1-16.3	2822	85.3	83.7-86.9
White/Non-Hisp	2924	823,665	452	14.7	13.1-16.3	2472	85.3	83.7-86.9
Black or Afr. Am./Non-Hisp	239	75,675	42	15.1	9.8-20.4	197	84.9	79.6-90.2
MultiRacial/Non-Hisp.	51	10,543	11	19.7	4.6-34.8	40	80.3	65.2-95.4
Hispanic	61	23,965	8	17.8	0.0-35.6	53	82.2	64.4- 100
50-54	482	220,551	52	12.2	8.3-16.1	430	87.8	83.9-91.7
55-64	1356	409,276	164	11.8	9.6-14.0	1192	88.2	86.0-90.4
65+	1504	319,589	304	20.2	17.7-22.7	1200	79.8	77.3-82.3
Less Than H.S.	226	102,265	26	10.7	5.0-16.4	200	89.3	83.6-95.0
H.S. or G.E.D.	1163	344,313	189	15.6	13.1-18.1	974	84.4	81.9-86.9
Some Post-H.S.	927	319,174	158	15.9	13.0-18.8	769	84.1	81.2-87.0
College Graduate	1021	182,180	147	13.4	10.9-15.9	874	86.6	84.1-89.1
Less than \$15,000	334	100,770	42	10.9	6.6-15.2	292	89.1	84.8-93.4
\$15,000- 24,999	549	153,141	100	16.6	12.7-20.5	449	83.4	79.5-87.3
\$25,000- 34,999	365	99,654	72	17.8	12.7-22.9	293	82.2	77.1-87.3
\$35,000- 49,999	462	128,718	81	16.5	12.4-20.6	381	83.5	79.4-87.6
\$50,000- 74,999	465	130,863	73	13.0	9.5-16.5	392	87.0	83.5-90.5
\$75,000+	708	209,938	87	13.7	10.2-17.2	621	86.3	82.8-89.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2804	956,639	60	2.4	1.6- 3.2	2744	97.6	96.8-98.4
Male	1133	472,699	25	2.5	1.3- 3.7	1108	97.5	96.3-98.7
Female	1671	483,940	35	2.2	1.2- 3.2	1636	97.8	96.8-98.8
White/Non-Hisp	2441	816,714	52	2.4	1.4- 3.4	2389	97.6	96.6-98.6
Black or Afr. Am./Non-Hisp	185	77,823	4	1.3	0.0- 2.7	181	98.7	97.3- 100
Hispanic	58	26,809	1	3.9	0.0-11.3	57	96.1	88.7- 100
50-54	500	260,104	7	2.2	0.4- 4.0	493	97.8	96.0-99.6
55-64	1202	426,618	23	2.2	1.0- 3.4	1179	97.8	96.6-99.0
65+	1102	269,917	30	2.7	1.3- 4.1	1072	97.3	95.9-98.7
Less Than H.S.	220	128,033	7	3.3	0.2- 6.4	213	96.7	93.6-99.8
H.S. or G.E.D.	984	347,830	17	1.4	0.6- 2.2	967	98.6	97.8-99.4
Some Post-H.S.	741	302,999	18	2.9	1.1- 4.7	723	97.1	95.3-98.9
College Graduate	854	175,869	18	2.6	1.0- 4.2	836	97.4	95.8-99.0
Less than \$15,000	278	105,671	7	3.8	0.5- 7.1	271	96.2	92.9-99.5
\$15,000- 24,999	446	148,665	12	3.3	0.8- 5.8	434	96.7	94.2-99.2
\$25,000- 34,999	304	97,527	5	1.2	0.0- 2.4	299	98.8	97.6- 100
\$35,000- 49,999	403	137,672	8	2.3	0.0- 4.7	395	97.7	95.3- 100
\$50,000- 74,999	417	141,002	9	1.7	0.5- 2.9	408	98.3	97.1-99.5
\$75,000+	616	213,971	12	2.1	0.7- 3.5	604	97.9	96.5-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1133	472,699	25	2.5	1.3- 3.7	1108	97.5	96.3-98.7
White/Non-Hisp	979	395,723	23	2.9	1.3- 4.5	956	97.1	95.5-98.7
Black or Afr. Am./Non-Hisp	74	43,699	1	0.8	0.0- 2.4	73	99.2	97.6- 100
50-54	221	135,247	3	1.6	0.0- 3.6	218	98.4	96.4- 100
55-64	492	207,867	11	3.0	1.0- 5.0	481	97.0	95.0-99.0
65+	420	129,585	11	2.8	0.4- 5.2	409	97.2	94.8-99.6
Less Than H.S.	99	70,522	2	3.4	0.0- 8.1	97	96.6	91.9- 100
H.S. or G.E.D.	409	179,126	8	1.2	0.2- 2.2	401	98.8	97.8-99.8
Some Post-H.S.	257	130,266	7	3.2	0.3- 6.1	250	96.8	93.9-99.7
College Graduate	367	92,327	8	3.4	0.7- 6.1	359	96.6	93.9-99.3
Less than \$15,000	100	52,216	3	4.3	0.0- 9.4	97	95.7	90.6- 100
\$15,000- 24,999	161	69,599	5	4.8	0.0- 9.7	156	95.2	90.3- 100
\$25,000- 34,999	125	47,611	1	0.9	0.0- 2.7	124	99.1	97.3- 100
\$35,000- 49,999	162	64,131	2	1.0	0.0- 2.4	160	99.0	97.6- 100
\$50,000- 74,999	186	75,407	6	2.4	0.2- 4.6	180	97.6	95.4-99.8
\$75,000+	288	113,187	5	1.7	0.0- 3.5	283	98.3	96.5- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1671	483,940	35	2.2	1.2- 3.2	1636	97.8	96.8-98.8
White/Non-Hisp	1462	420,991	29	2.0	1.0- 3.0	1433	98.0	97.0-99.0
Black or Afr. Am./Non-Hisp	111	34,125	3	1.9	0.0- 4.4	108	98.1	95.6- 100
50-54	279	124,857	4	2.9	0.0- 6.0	275	97.1	94.0- 100
55-64	710	218,751	12	1.5	0.5- 2.5	698	98.5	97.5-99.5
65+	682	140,332	19	2.6	1.2- 4.0	663	97.4	96.0-98.8
Less Than H.S.	121	57,512	5	3.2	0.0- 6.9	116	96.8	93.1- 100
H.S. or G.E.D.	575	168,704	9	1.6	0.4- 2.8	566	98.4	97.2-99.6
Some Post-H.S.	484	172,733	11	2.6	0.4- 4.8	473	97.4	95.2-99.6
College Graduate	487	83,542	10	1.8	0.4- 3.2	477	98.2	96.8-99.6
Less than \$15,000	178	53,454	4	3.2	0.0- 7.3	174	96.8	92.7- 100
\$15,000- 24,999	285	79,065	7	2.0	0.0- 4.2	278	98.0	95.8- 100
\$25,000- 34,999	179	49,916	4	1.6	0.0- 3.4	175	98.4	96.6- 100
\$35,000- 49,999	241	73,541	6	3.3	0.0- 7.4	235	96.7	92.6- 100
\$50,000- 74,999	231	65,595	3	0.9	0.0- 1.9	228	99.1	98.1- 100
\$75,000+	328	100,784	7	2.5	0.5- 4.5	321	97.5	95.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5149	1,688,502	11	0.2	0.0- 0.4	5138	99.8	99.6- 100
Male	2072	812,165	5	0.2	0.0- 0.4	2067	99.8	99.6- 100
Female	3077	876,337	6	0.2	0.0- 0.4	3071	99.8	99.6- 100
White/Non-Hisp	4517	1,453,025	11	0.2	0.0- 0.4	4506	99.8	99.6- 100
Black or Afr. Am./Non-Hisp	336	137,598				336	100.0	100.0- 100
Oth. Race/Non-Hisp.	71	19,242				71	100.0	100.0- 100
MultiRacial/Non-Hisp.	67	14,685				67	100.0	100.0- 100
Hispanic	95	44,678				95	100.0	100.0- 100
50-54	827	422,135				827	100.0	100.0- 100
55-64	2148	748,495	2	0.1	0.0- 0.3	2146	99.9	99.7- 100
65+	2174	517,872	9	0.5	0.1- 0.9	2165	99.5	99.1-99.9
Less Than H.S.	357	191,454	2	0.2	0.0- 0.4	355	99.8	99.6- 100
H.S. or G.E.D.	1745	615,461	4	0.3	0.1- 0.5	1741	99.7	99.5-99.9
Some Post-H.S.	1303	515,274	3	0.2	0.0- 0.4	1300	99.8	99.6- 100
College Graduate	1735	363,157	2	0.1	0.1- 0.1	1733	99.9	99.9-99.9
Less than \$15,000	457	167,320				457	100.0	100.0- 100
\$15,000- 24,999	754	238,791	3	0.3	0.0- 0.7	751	99.7	99.3- 100
\$25,000- 34,999	518	164,457	1	0.2	0.0- 0.6	517	99.8	99.4- 100
\$35,000- 49,999	706	229,967	2	0.2	0.0- 0.6	704	99.8	99.4- 100
\$50,000- 74,999	796	260,501	2	0.3	0.0- 0.7	794	99.7	99.3- 100
\$75,000+	1297	432,733	1	0.0	0.0- 0.0	1296	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2072	812,165	5	0.2	0.0- 0.4	2067	99.8	99.6- 100
White/Non-Hisp	1820	691,643	5	0.3	0.1- 0.5	1815	99.7	99.5-99.9
Black or Afr. Am./Non-Hisp	119	67,707				119	100.0	100.0- 100
50-54	366	213,226				366	100.0	100.0- 100
55-64	872	363,941	1	0.1	0.0- 0.3	871	99.9	99.7- 100
65+	834	234,998	4	0.6	0.0- 1.2	830	99.4	98.8- 100
Less Than H.S.	146	96,345				146	100.0	100.0- 100
H.S. or G.E.D.	684	299,900	2	0.3	0.0- 0.7	682	99.7	99.3- 100
Some Post-H.S.	450	220,213	2	0.3	0.0- 0.7	448	99.7	99.3- 100
College Graduate	788	194,035	1	0.1	0.0- 0.3	787	99.9	99.7- 100
Less than \$15,000	148	73,595				148	100.0	100.0- 100
\$15,000- 24,999	257	101,516	1	0.5	0.0- 1.5	256	99.5	98.5- 100
\$25,000- 34,999	200	76,158				200	100.0	100.0- 100
\$35,000- 49,999	285	111,725	1	0.3	0.0- 0.9	284	99.7	99.1- 100
\$50,000- 74,999	362	136,942	2	0.6	0.0- 1.4	360	99.4	98.6- 100
\$75,000+	631	235,013	1	0.1	0.0- 0.3	630	99.9	99.7- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3077	876,337	6	0.2	0.0- 0.4	3071	99.8	99.6- 100
White/Non-Hisp	2697	761,381	6	0.2	0.0- 0.4	2691	99.8	99.6- 100
Black or Afr. Am./Non-Hisp	217	69,891				217	100.0	100.0- 100
Hispanic	56	20,392				56	100.0	100.0- 100
50-54	461	208,909				461	100.0	100.0- 100
55-64	1276	384,554	1	0.0	0.0- 0.0	1275	100.0	100.0- 100
65+	1340	282,874	5	0.4	0.0- 0.8	1335	99.6	99.2- 100
Less Than H.S.	211	95,110	2	0.4	0.0- 1.0	209	99.6	99.0- 100
H.S. or G.E.D.	1061	315,561	2	0.2	0.0- 0.4	1059	99.8	99.6- 100
Some Post-H.S.	853	295,061	1	0.1	0.0- 0.3	852	99.9	99.7- 100
College Graduate	947	169,121	1	0.0	0.0- 0.0	946	100.0	100.0- 100
Less than \$15,000	309	93,725				309	100.0	100.0- 100
\$15,000- 24,999	497	137,276	2	0.2	0.0- 0.4	495	99.8	99.6- 100
\$25,000- 34,999	318	88,299	1	0.4	0.0- 1.2	317	99.6	98.8- 100
\$35,000- 49,999	421	118,243	1	0.2	0.0- 0.6	420	99.8	99.4- 100
\$50,000- 74,999	434	123,559				434	100.0	100.0- 100
\$75,000+	666	197,721				666	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5518	1,792,534	3792	64.6	62.8-66.4	1726	35.4	33.6-37.2
Male	2237	862,037	1496	61.5	58.8-64.2	741	38.5	35.8-41.2
Female	3281	930,498	2296	67.4	65.2-69.6	985	32.6	30.4-34.8
White/Non-Hisp	4841	1,538,667	3346	65.3	63.5-67.1	1495	34.7	32.9-36.5
Black or Afr. Am./Non-Hisp	364	149,324	247	62.3	55.4-69.2	117	37.7	30.8-44.6
Oth. Race/Non-Hisp.	75	19,990	46	50.1	28.5-71.7	29	49.9	28.3-71.5
MultiRacial/Non-Hisp.	68	14,728	43	61.8	45.9-77.7	25	38.2	22.3-54.1
Hispanic	102	49,345	68	62.2	49.5-74.9	34	37.8	25.1-50.5
50-54	845	431,194	429	49.6	45.3-53.9	416	50.4	46.1-54.7
55-64	2256	780,522	1516	65.1	62.6-67.6	740	34.9	32.4-37.4
65+	2417	580,818	1847	75.1	72.7-77.5	570	24.9	22.5-27.3
Less Than H.S.	371	197,185	202	49.4	42.9-55.9	169	50.6	44.1-57.1
H.S. or G.E.D.	1873	658,191	1218	63.0	60.3-65.7	655	37.0	34.3-39.7
Some Post-H.S.	1394	545,960	952	65.0	61.9-68.1	442	35.0	31.9-38.1
College Graduate	1873	388,695	1415	74.2	71.7-76.7	458	25.8	23.3-28.3
Less than \$15,000	473	167,291	265	51.7	45.2-58.2	208	48.3	41.8-54.8
\$15,000- 24,999	822	261,936	526	59.5	54.8-64.2	296	40.5	35.8-45.2
\$25,000- 34,999	571	178,754	382	61.3	55.8-66.8	189	38.7	33.2-44.2
\$35,000- 49,999	765	248,148	540	66.3	61.8-70.8	225	33.7	29.2-38.2
\$50,000- 74,999	846	272,312	608	67.8	63.5-72.1	238	32.2	27.9-36.5
\$75,000+	1384	457,399	1034	71.2	68.1-74.3	350	28.8	25.7-31.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2237	862,037	1496	61.5	58.8-64.2	741	38.5	35.8-41.2
White/Non-Hisp	1963	729,527	1331	63.1	60.4-65.8	632	36.9	34.2-39.6
Black or Afr. Am./Non-Hisp	130	74,666	73	50.6	39.4-61.8	57	49.4	38.2-60.6
50-54	371	216,175	183	46.5	40.2-52.8	188	53.5	47.2-59.8
55-64	922	378,052	591	61.8	57.7-65.9	331	38.2	34.1-42.3
65+	944	267,809	722	73.4	69.5-77.3	222	26.6	22.7-30.5
Less Than H.S.	151	97,695	73	42.1	32.1-52.1	78	57.9	47.9-67.9
H.S. or G.E.D.	740	321,761	455	59.6	55.1-64.1	285	40.4	35.9-44.9
Some Post-H.S.	485	233,253	319	61.3	55.8-66.8	166	38.7	33.2-44.2
College Graduate	857	207,656	645	73.7	70.0-77.4	212	26.3	22.6-30.0
Less than \$15,000	153	70,939	76	42.6	31.4-53.8	77	57.4	46.2-68.6
\$15,000- 24,999	283	111,315	172	53.9	45.9-61.9	111	46.1	38.1-54.1
\$25,000- 34,999	215	81,108	125	54.8	46.2-63.4	90	45.2	36.6-53.8
\$35,000- 49,999	313	122,816	209	65.4	58.5-72.3	104	34.6	27.7-41.5
\$50,000- 74,999	388	142,141	273	64.7	58.2-71.2	115	35.3	28.8-41.8
\$75,000+	681	251,798	513	70.7	66.2-75.2	168	29.3	24.8-33.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3281	930,498	2296	67.4	65.2-69.6	985	32.6	30.4-34.8
White/Non-Hisp	2878	809,141	2015	67.3	65.1-69.5	863	32.7	30.5-34.9
Black or Afr. Am./Non-Hisp	234	74,658	174	74.1	66.8-81.4	60	25.9	18.6-33.2
Hispanic	58	22,264	37	57.0	38.6-75.4	21	43.0	24.6-61.4
50-54	474	215,019	246	52.6	47.1-58.1	228	47.4	41.9-52.9
55-64	1334	402,470	925	68.1	65.0-71.2	409	31.9	28.8-35.0
65+	1473	313,008	1125	76.6	73.9-79.3	348	23.4	20.7-26.1
Less Than H.S.	220	99,490	129	56.6	48.4-64.8	91	43.4	35.2-51.6
H.S. or G.E.D.	1133	336,429	763	66.4	63.1-69.7	370	33.6	30.3-36.9
Some Post-H.S.	909	312,707	633	67.8	63.9-71.7	276	32.2	28.3-36.1
College Graduate	1016	181,039	770	74.8	71.5-78.1	246	25.2	21.9-28.5
Less than \$15,000	320	96,352	189	58.4	51.0-65.8	131	41.6	34.2-49.0
\$15,000- 24,999	539	150,621	354	63.7	58.2-69.2	185	36.3	30.8-41.8
\$25,000- 34,999	356	97,646	257	66.8	59.9-73.7	99	33.2	26.3-40.1
\$35,000- 49,999	452	125,332	331	67.2	61.5-72.9	121	32.8	27.1-38.5
\$50,000- 74,999	458	130,170	335	71.2	65.9-76.5	123	28.8	23.5-34.1
\$75,000+	703	205,601	521	71.8	67.5-76.1	182	28.2	23.9-32.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 19: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	172
2	MALES ONLY	173
3	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 19: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10084	4,613,290	2410	31.3	29.9-32.7	7674	68.7	67.3-70.1
Male	4144	2,239,457	1005	30.2	28.0-32.4	3139	69.8	67.6-72.0
Female	5940	2,373,833	1405	32.3	30.3-34.3	4535	67.7	65.7-69.7
White/Non-Hisp	8636	3,752,512	1820	27.6	26.2-29.0	6816	72.4	71.0-73.8
Black or Afr. Am./Non-Hisp	644	378,952	314	59.9	54.6-65.2	330	40.1	34.8-45.4
Oth. Race/Non-Hisp.	198	109,230	57	29.7	19.7-39.7	141	70.3	60.3-80.3
MultiRacial/Non-Hisp.	146	52,869	55	40.9	28.7-53.1	91	59.1	46.9-71.3
Hispanic	331	261,967	130	40.8	33.9-47.7	201	59.2	52.3-66.1
18-24	425	642,028	114	28.2	23.1-33.3	311	71.8	66.7-76.9
25-34	730	730,727	357	48.5	44.2-52.8	373	51.5	47.2-55.8
35-44	1011	748,972	481	47.0	43.1-50.9	530	53.0	49.1-56.9
45-54	1478	749,874	571	38.8	35.7-41.9	907	61.2	58.1-64.3
55-64	2241	780,516	462	21.4	19.2-23.6	1779	78.6	76.4-80.8
65+	4079	916,587	398	9.5	8.3-10.7	3681	90.5	89.3-91.7
Less Than H.S.	794	590,444	216	36.9	32.0-41.8	578	63.1	58.2-68.0
H.S. or G.E.D.	3361	1,552,745	660	27.8	25.4-30.2	2701	72.2	69.8-74.6
Some Post-H.S.	2530	1,436,872	663	32.7	30.0-35.4	1867	67.3	64.6-70.0
College Graduate	3376	1,023,977	867	31.5	29.1-33.9	2509	68.5	66.1-70.9
Less than \$15,000	841	413,341	266	39.8	34.9-44.7	575	60.2	55.3-65.1
\$15,000- 24,999	1661	745,216	439	37.4	33.7-41.1	1222	62.6	58.9-66.3
\$25,000- 34,999	1063	449,360	213	26.5	22.2-30.8	850	73.5	69.2-77.8
\$35,000- 49,999	1382	631,073	300	30.2	26.5-33.9	1082	69.8	66.1-73.5
\$50,000- 74,999	1437	672,230	345	30.3	26.8-33.8	1092	69.7	66.2-73.2
\$75,000+	2459	1,194,733	653	30.7	28.0-33.4	1806	69.3	66.6-72.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4144	2,239,457	1005	30.2	28.0-32.4	3139	69.8	67.6-72.0
White/Non-Hisp	3518	1,800,047	761	27.0	24.8-29.2	2757	73.0	70.8-75.2
Black or Afr. Am./Non-Hisp	238	182,462	114	56.7	48.5-64.9	124	43.3	35.1-51.5
Oth. Race/Non-Hisp.	113	71,591	29	22.0	10.0-34.0	84	78.0	66.0-90.0
MultiRacial/Non-Hisp.	60	25,341	20	41.2	22.0-60.4	40	58.8	39.6-78.0
Hispanic	147	121,969	61	39.7	29.9-49.5	86	60.3	50.5-70.1
18-24	234	327,032	60	27.5	20.6-34.4	174	72.5	65.6-79.4
25-34	345	369,343	137	40.2	34.1-46.3	208	59.8	53.7-65.9
35-44	454	371,012	180	40.9	35.2-46.6	274	59.1	53.4-64.8
45-54	639	373,867	224	37.1	32.2-42.0	415	62.9	58.0-67.8
55-64	922	381,652	204	24.9	21.2-28.6	718	75.1	71.4-78.8
65+	1510	401,051	194	12.4	10.2-14.6	1316	87.6	85.4-89.8
Less Than H.S.	334	303,741	95	37.1	29.8-44.4	239	62.9	55.6-70.2
H.S. or G.E.D.	1319	766,407	293	28.8	25.3-32.3	1026	71.2	67.7-74.7
Some Post-H.S.	929	639,952	260	31.7	27.8-35.6	669	68.3	64.4-72.2
College Graduate	1551	523,238	355	26.3	23.4-29.2	1196	73.7	70.8-76.6
Less than \$15,000	282	178,981	91	39.2	31.2-47.2	191	60.8	52.8-68.8
\$15,000- 24,999	584	337,874	180	40.4	34.3-46.5	404	59.6	53.5-65.7
\$25,000- 34,999	406	206,871	79	23.5	17.2-29.8	327	76.5	70.2-82.8
\$35,000- 49,999	600	326,451	133	27.4	22.3-32.5	467	72.6	67.5-77.7
\$50,000- 74,999	673	345,966	152	27.6	22.7-32.5	521	72.4	67.5-77.3
\$75,000+	1223	641,791	301	29.1	25.4-32.8	922	70.9	67.2-74.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5940	2,373,833	1405	32.3	30.3-34.3	4535	67.7	65.7-69.7
White/Non-Hisp	5118	1,952,464	1059	28.2	26.2-30.2	4059	71.8	69.8-73.8
Black or Afr. Am./Non-Hisp	406	196,491	200	62.8	56.1-69.5	206	37.2	30.5-43.9
Oth. Race/Non-Hisp.	85	37,639	28	44.4	28.3-60.5	57	55.6	39.5-71.7
MultiRacial/Non-Hisp.	86	27,528	35	40.6	25.5-55.7	51	59.4	44.3-74.5
Hispanic	184	139,999	69	41.8	32.2-51.4	115	58.2	48.6-67.8
18-24	191	314,996	54	29.0	21.7-36.3	137	71.0	63.7-78.3
25-34	385	361,384	220	56.9	51.0-62.8	165	43.1	37.2-49.0
35-44	557	377,960	301	53.1	48.0-58.2	256	46.9	41.8-52.0
45-54	839	376,007	347	40.4	36.3-44.5	492	59.6	55.5-63.7
55-64	1319	398,864	258	18.1	15.6-20.6	1061	81.9	79.4-84.4
65+	2569	515,536	204	7.3	6.1- 8.5	2365	92.7	91.5-93.9
Less Than H.S.	460	286,704	121	36.7	30.0-43.4	339	63.3	56.6-70.0
H.S. or G.E.D.	2042	786,338	367	26.8	23.9-29.7	1675	73.2	70.3-76.1
Some Post-H.S.	1601	796,920	403	33.4	29.9-36.9	1198	66.6	63.1-70.1
College Graduate	1825	500,739	512	36.8	33.5-40.1	1313	63.2	59.9-66.5
Less than \$15,000	559	234,359	175	40.3	34.0-46.6	384	59.7	53.4-66.0
\$15,000- 24,999	1077	407,342	259	34.9	30.2-39.6	818	65.1	60.4-69.8
\$25,000- 34,999	657	242,490	134	29.1	23.4-34.8	523	70.9	65.2-76.6
\$35,000- 49,999	782	304,622	167	33.3	28.0-38.6	615	66.7	61.4-72.0
\$50,000- 74,999	764	326,264	193	33.1	27.8-38.4	571	66.9	61.6-72.2
\$75,000+	1236	552,942	352	32.6	28.9-36.3	884	67.4	63.7-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2016**

End of Calculated Variable Data Report