

INDIANA

2016 Land Line and Cell Phone Codebook Report

Behavioral Risk Factor Surveillance System

June 2, 2017

Data was weighted using _LLCPWT.

State FIPS Code					
Section:	0.1 Record Identification			Type:	Num
Column:	1-2		SAS Variable Name:	_STATE	
Prologue:					
Description:	State FIPS Code				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
18	Indiana	11,066	100.00	100.00	

Data was weighted using _LLCPWT.

Geographic Stratum Code						
Section:	0.2 Record Identification			Type:		Num
Column:	3-5			SAS Variable Name:		_GEOSTR
Prologue:						
Description:	Geographic Stratum Code					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Household Density Stratum Code						
Section:	0.3 Record Identification			Type:		Num
Column:	6			SAS Variable Name:		_DENSTR2
Prologue:						
Description:	Household Density Stratum Code					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Listed	6,357	57.45	30.15		
2	Unlisted	847	7.65	6.54		
9	Not Applicable	3,862	34.90	63.31		

Data was weighted using _LLCPWT.

Pre-Call Status Code						
Section:	0.4 Record Identification			Type:		Num
Column:	7			SAS Variable Name:		PRECALL
Prologue:						
Description:	Pre-Call Status Code					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	To be called	11,063	99.97	99.94		
7	cell phone - unknown status	3	0.03	0.06		

Data was weighted using _LLCPWT.

Secondary Screening Flags						
Section:	0.5 Record Identification			Type:		Num
Column:	8			SAS Variable Name:		SECSCRFL
Prologue:						
Description:	Secondary Screening Flags					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
0	Undetermined/Residential	20	0.28	1.18		
1	No Answer	5,167	71.53	71.63		
2	Busy	96	1.33	1.28		
3	Fax/Modem	13	0.18	0.17		
4	Language Barrier	4	0.06	0.06		
5	Privacy Manager	244	3.38	3.55		

Secondary Screening Flags						
Section:	0.5 Record Identification			Type:		Num
Column:	8			SAS Variable Name:		SECSCRFL
Prologue:						
Description:	Secondary Screening Flags					
Value	Value Label	Frequency		Percentage		Weighted Percentage
6	Residential Voice Mail	122		1.69		1.83
7	Residence/Phone Answered	1,558		21.57		20.29
BLANK	Missing or Not Used	3,842				

Data was weighted using _LLCPWT.

Replicate Number						
Section:	0.6 Record Identification			Type:		Num
Column:	9-14			SAS Variable Name:		REPNUM
Prologue:						
Description:	Replicate Number					
Value	Value Label	Frequency		Percentage		Weighted Percentage
HIDDEN	Data not displayed	11,066		100.00		100.00

Data was weighted using _LLCPWT.

Replicate Depth						
Section:	0.7 Record Identification			Type:		Num
Column:	15-16			SAS Variable Name:		REPDEPTH
Prologue:						
Description:	Replicate Depth					
Value	Value Label	Frequency		Percentage		Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066		100.00		100.00

Data was weighted using _LLCPWT.

File Month						
Section:	0.8 Record Identification			Type:		Num
Column:	17-18			SAS Variable Name:		FMONTH
Prologue:						
Description:	File Month					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	January	436		3.94		5.22
2	February	416		3.76		4.47
3	March	441		3.99		4.68
4	April	604		5.46		5.79
5	May	629		5.68		5.24
6	June	588		5.31		5.35
7	July	1,247		11.27		10.86
8	August	1,159		10.47		10.55

File Month						
Section:	0.8 Record Identification			Type:	Num	
Column:	17-18			SAS Variable Name:	FMONTH	
Prologue:						
Description:	File Month					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
9	September	1,112	10.05	9.41		
10	October	1,487	13.44	13.13		
11	November	1,523	13.76	13.01		
12	December	1,424	12.87	12.29		

Data was weighted using _LLCPWT.

Interview Date						
Section:	0.9 Record Identification			Type:	Char	
Column:	19-26			SAS Variable Name:	IDATE	
Prologue:						
Description:	Interview Date					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Interview Month							
Section:	0.10 Record Identification				Type:	Char	
Column:	19-20				SAS Variable Name:	IMONTH	
Prologue:							
Description:	Interview Month						
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	1	January	927		8.38		9.88
	2	February	421		3.80		4.56
	3	March	445		4.02		4.81
	4	April	589		5.32		5.60
	5	May	616		5.57		5.22
	6	June	608		5.49		5.45
	7	July	1,242		11.22		10.89
	8	August	1,167		10.55		10.60
	9	September	1,048		9.47		8.73
	10	October	1,227		11.09		10.15
	11	November	1,382		12.49		11.83
	12	December	1,394		12.60		12.27

Data was weighted using _LLCPWT.

Interview Day							
Section:	0.11 Record Identification				Type:	Char	

Column:		21-22			SAS Variable Name:		IDAY	
Prologue:								
Description:		Interview Day						
	Value	Value Label	Frequency		Percentage		Weighted Percentage	
	1	Interview Day	390		3.52		2.43	
	2		499		4.51		3.07	
	3		405		3.66		2.39	
	4		314		2.84		1.79	
	5		533		4.82		3.04	
	6		524		4.74		3.17	
	7		499		4.51		2.88	
	8		457		4.13		3.93	
	9		515		4.65		4.24	
	10		479		4.33		4.08	
	11		436		3.94		4.25	
	12		361		3.26		3.98	
	13		350		3.16		3.62	
	14		411		3.71		3.97	
	15		356		3.22		3.85	
	16		325		2.94		3.69	
	17		298		2.69		3.28	
	18		353		3.19		3.66	
	19		382		3.45		4.08	
	20		369		3.33		3.99	
	21		297		2.68		3.09	
	22		309		2.79		3.69	
	23		341		3.08		3.36	
	24		204		1.84		2.01	
	25		178		1.61		2.16	

Interview Day							
Section:	0.11 Record Identification			Type:	Char		
Column:	21-22			SAS Variable Name:	IDAY		
Prologue:							
Description:	Interview Day						
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	26		259		2.34		2.39
	27		228		2.06		2.87
	28		271		2.45		3.13
	29		262		2.37		3.07
	30		288		2.60		2.93
	31		173		1.56		1.90

Data was weighted using _LLCPWT.

Interview Year							
Section:	0.12 Record Identification			Type:	Char		
Column:	23-26			SAS Variable Name:	IYEAR		
Prologue:							
Description:	Interview Year						
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	2016	Interview Year	10,564		95.46		95.03
	2017		502		4.54		4.97

Data was weighted using _LLCPWT.

Interviewer Identification									
Section:		0.13 Record Identification				Type:		Char	
Column:		27-31				SAS Variable Name:		INTVID	
Prologue:									
Description:		Interviewer Identification							
Value	Value Label	Frequency			Percentage		Weighted Percentage		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066			100.00			100.00	

Data was weighted using _LLCPWT.

Final Disposition									
Section:		0.14 Record Identification				Type:		Num	
Column:		32-35				SAS Variable Name:		DISPCODE	
Prologue:									
Description:		Final Disposition							
Value	Value Label	Frequency			Percentage		Weighted Percentage		
1100	Completed Interview	9,620			86.93			83.14	
1200	Partial Complete Interview	1,446			13.07			16.86	

Data was weighted using _LLCPWT.

Annual Sequence Number				
Section:	0.15 Record Identification	Type:	Char	
Column:	36-45	SAS Variable Name:	SEQNO	
Prologue:				
Description:	Annual Sequence Number			
Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed	11,066	100.00	100.00

Data was weighted using _LLCPWT.

Primary Sampling Unit				
Section:	0.16 Record Identification	Type:	Num	
Column:	36-45	SAS Variable Name:	_PSU	
Prologue:				
Description:	Primary Sampling Unit (Equal to Annual Sequence Number)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00

Data was weighted using _LLCPWT.

Number of Attempts						
Section:	0.17 Record Identification			Type:	Num	
Column:	46-47			SAS Variable Name:	NATTMPTS	
Prologue:						
Description:	Number of Attempts					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Number of Sample Records Selected from Stratum						
Section:	0.18 Record Identification			Type:	Num	
Column:	48-53			SAS Variable Name:	NRECSEL	
Prologue:						
Description:	Number of Sample Records Selected from Stratum					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Number of Telephone Numbers in Stratum from Which Sample Was Selected						
Section:	0.19 Record Identification			Type:	Num	
Column:	54-62			SAS Variable Name:	NRECSTR	
Prologue:						
Description:	Number of Telephone Numbers in Stratum from Which Sample Was Selected					
Value	Value Label	Frequency		Percentage		Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066		100.00		100.00

Data was weighted using _LLCPWT.

Correct telephone number?						
LandLine:	0.20 Land Line Introduction			Type:	Num	
Column:	63			SAS Variable Name:	CTELENM1	
Prologue:	Variable only on the land line survey					
Description:	Is this (phone number) ?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1		7,204		100.00		100.00
BLANK		3,862				

Data was weighted using _LLCPWT.

Private Residence?						
LandLine:	0.21 Land Line Introduction			Type:		Num
Column:	64			SAS Variable Name:		PVTRESD1
Prologue:	Variable only on the land line survey					
Description:	Is this a private residence? [READ ONLY IF NECESSARY: "By private residence, we mean someplace like a house or apartment."]					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes-Go to STATERES	7,204	100.00	100.00		
BLANK	Missing Notes: QSTVER >= 20	3,862				

Data was weighted using _LLCPWT.

Do you live in college housing?						
LandLine:	0.22 Land Line Introduction			Type:		Num
Column:	65			SAS Variable Name:		COLGHOUS
Prologue:	Variable only on the land line survey					
Description:	Do you live in college housing?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
BLANK	Missing Notes: QSTVER >= 20; or PVTRESD1=1	11,066				

Data was weighted using _LLCPWT.

Resident of State						
LandLine:	0.23 Land Line Introduction	Type:	Num			
Column:	66	SAS Variable Name:	STATERES			
Prologue:	Variable only on the land line survey					
Description:	Do you reside in ____ (state) ____ ?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes--Go to CELLFON3	7,204	100.00	100.00		
BLANK	Not asked or Missing Notes: QSTVER >= 20	3,862				

Data was weighted using _LLCPWT.

Cellular Telephone						
LandLine:	0.24 Land Line Introduction	Type:	Num			
Column:	67	SAS Variable Name:	CELLFON4			
Prologue:	Variable only on the land line survey					
Description:	Is this a cell telephone? (Telephone service over the internet counts as landline service (includes Vonage, Magic Jack and other home-based phone services).)[Read only if necessary: "By cellular (or cell) telephone we mean a telephone that is mobile and usable outside of your neighborhood."]					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
2	Yes--Terminate Phone Call	7,204	100.00	100.00		
BLANK	Not asked or Missing	3,862				

Cellular Telephone				
LandLine:	0.24 Land Line Introduction	Type:	Num	
Column:	67	SAS Variable Name:	CELLFON4	
Prologue:	Variable only on the land line survey			
Description:	Is this a cell telephone? (Telephone service over the internet counts as landline service (includes Vonage, Magic Jack and other home-based phone services).)[Read only if necessary: "By cellular (or cell) telephone we mean a telephone that is mobile and usable outside of your neighborhood."]			
Value	Value Label	Frequency	Percentage	Weighted Percentage
	Notes: QSTVER >= 20			

Data was weighted using _LLCPWT.

Are you 18 years of age or older?				
LandLine:	0.25 Land Line Introduction	Type:	Num	
Column:	68	SAS Variable Name:	LADULT	
Prologue:	Variable only on the land line survey			
Description:	Are you 18 years of age or older?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: QSTVER >= 20; or COLGHOUS is missing;	11,066		

Data was weighted using _LLCPWT.

Number of Adults in Household						
LandLine:	0.26 Land Line Introduction			Type:		Num
Column:	69-70			SAS Variable Name:		NUMADULT
Prologue:	Variable only on the land line survey					
Description:	Number of Adults in Household					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Number of adults in the household	2,792	38.76	20.23		
2		3,631	50.40	57.02		
3		575	7.98	15.28		
4		165	2.29	5.76		
5		31	0.43	1.41		
6 - 99	6 or more	10	0.14	0.30		
BLANK	Missing Notes: QSTVER >= 20	3,862				

Data was weighted using _LLCPWT.

Number of Adult men in Household						
LandLine:	0.27 Land Line Introduction			Type:		Num
Column:	71-72			SAS Variable Name:		NUMMEN
Prologue:	Variable only on the land line survey					
Description:	Number of Adult Men in Household					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
0	Number of adult men in the household	2,152	29.87	16.62		
1		4,535	62.95	67.74		

Number of Adult men in Household						
LandLine:	0.27 Land Line Introduction			Type:		Num
Column:	71-72			SAS Variable Name:		NUMMEN
Prologue:	Variable only on the land line survey					
Description:	Number of Adult Men in Household					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
2		442	6.14	12.94		
3		67	0.93	2.43		
4		7	0.10	0.26		
6 - 99	6 or more	1	0.01	0.01		
BLANK	Missing Notes: QSTVER >= 20	3,862				

Data was weighted using _LLCPWT.

Number of Adult women in Household						
LandLine:	0.28 Land Line Introduction			Type:		Num
Column:	73-74			SAS Variable Name:		NUMWOMEN
Prologue:	Variable only on the land line survey					
Description:	Number of Adult Women in Household					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
0	Number of adult women in the household	901	12.51	8.62		
1		5,687	78.94	75.35		
2		539	7.48	13.56		
3		69	0.96	2.30		

Number of Adult women in Household						
LandLine:	0.28 Land Line Introduction			Type:		Num
Column:	73-74			SAS Variable Name:		NUMWOMEN
Prologue:	Variable only on the land line survey					
Description:	Number of Adult Women in Household					
Value	Value Label	Frequency		Percentage		Weighted Percentage
4		6		0.08		0.12
6 - 99	6 or more	2		0.03		0.05
BLANK	Missing Notes: QSTVER >= 20	3,862				

Data was weighted using _LLCPWT.

Correct Phone Number?						
CellPhone:	0.29 Cell Phone Introduction			Type:		Num
Column:	75			SAS Variable Name:		CTELNUM1
Prologue:	Variable only on the cell phone survey					
Description:	Is this (phone number) ?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes-Go to CELLFON5	3,862		100.00		100.00
BLANK	Not asked or Missing Notes: QSTVER < = 20	7,204				

Data was weighted using _LLCPWT.

Is this a cell phone?						
CellPhone:	0.30 Cell Phone Introduction	Type:		Num		
Column:	76	SAS Variable Name:		CELLFON5		
Prologue:	Variable only on the cell phone survey					
Description:	Is this a cell telephone?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes-Go to CADULT	3,862		100.00		100.00
BLANK	Not asked or Missing Notes: QSTVER < 20	7,204				

Data was weighted using _LLCPWT.

Are you 18 years of age or older?						
CellPhone:	0.31 Cell Phone Introduction	Type:		Num		
Column:	77	SAS Variable Name:		CADULT		
Prologue:	Variable only on the cell phone survey					
Description:	Are you 18 years of age or older?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes, Male Respondent-Go to PVTRES2	1,903		49.27		52.61
2	Yes, Female Respondent-Go to PVTRES2	1,959		50.73		47.39
BLANK	Not asked or Missing Notes: QSTVER < 20	7,204				

Data was weighted using _LLCPWT.

Do you live in a private residence?						
CellPhone:	0.32 Cell Phone Introduction			Type:	Num	
Column:	78			SAS Variable Name:	PVTRES3	
Prologue:	Variable only on the cell phone survey					
Description:	Do you live in a private residence? (By private residence, we mean someplace like a house or apartment.)					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes—Go to CSTATE1	3,843		99.51		98.95
2	No—Go to CCLGHOUS	19		0.49		1.05
BLANK	Not asked or Missing Notes: QSTVER < 20	7,204				

Data was weighted using _LLCPWT.

Do you live in college housing?						
CellPhone:	0.33 Cell Phone Introduction			Type:	Num	
Column:	79			SAS Variable Name:	CCLGHOUS	
Prologue:	Variable only on the cell phone survey					
Description:	Do you live in college housing?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes—Go to CSTATE	19		100.00		100.00

Do you live in college housing?				
CellPhone:	0.33 Cell Phone Introduction	Type:		Num
Column:	79	SAS Variable Name:		CCLGHOUS
Prologue:	Variable only on the cell phone survey			
Description:	Do you live in college housing?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: QSTVER < 20; or PVTRES2=1	11,047		

Data was weighted using _LLCPWT.

Do you currently live in ____ (state) ____ ?				
CellPhone:	0.34 Cell Phone Introduction	Type:		Num
Column:	80	SAS Variable Name:		CSTATE1
Prologue:	Variable only on the cell phone survey			
Description:	Do you currently live in ____ (state) ____ ?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes-Go to LANDLINE	3,537	91.58	91.29
2	No-Go to RSPSTAT1	325	8.42	8.71
BLANK	Not asked or Missing Notes: QSTVER < 20	7,204		

Data was weighted using _LLCPWT.

In what state do you currently live?						
CellPhone:	0.35 Cell Phone Introduction	Type:		Num		
Column:	81-82	SAS Variable Name:		RSPSTAT1		
Prologue:	Variable only on the cell phone survey					
Description:	In what state do you currently live?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
18	Indiana	325		100.00		100.00
BLANK	Not asked or Missing Notes: QSTVER < 20	10,741				

Data was weighted using _LLCPWT.

Do you also have a landline telephone?						
CellPhone:	0.36 Cell Phone Introduction	Type:		Num		
Column:	83	SAS Variable Name:		LANDLINE		
Prologue:	Variable only on the cell phone survey					
Description:	Do you also have a landline telephone in your home that is used to make and receive calls?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes	1,263		32.74		14.17
2	No	2,595		67.26		85.83
BLANK	Not asked or Missing Notes: QSTVER < 20	7,208				

Data was weighted using _LLCPWT.

Number of Adults in Household						
CellPhone:	0.37 Cell Phone Introduction			Type:		Num
Column:	84-85			SAS Variable Name:		HHADULT
Prologue:	Variable only on the cell phone survey					
Description:	How many members of your household, including yourself, are 18 years of age or older?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 76	Number of adults	3,809	99.69	99.50		
77	Don't know/Not sure	1	0.03	0.03		
99	Refused	11	0.29	0.47		
BLANK	Not asked or Missing Notes: QSTVER < 20	7,245				

Data was weighted using _LLCPWT.

General Health						
Section:	1.1 Health Status			Type:		Num
Column:	90			SAS Variable Name:		GENHLTH
Prologue:						
Description:	Would you say that in general your health is:					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Excellent	1,601	14.47	16.25		

General Health						
Section:	1.1 Health Status			Type:	Num	
Column:	90			SAS Variable Name:	GENHLTH	
Prologue:						
Description:	Would you say that in general your health is:					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
2	Very good	3,540	31.99	32.59		
3	Good	3,583	32.38	32.48		
4	Fair	1,635	14.77	13.32		
5	Poor	674	6.09	5.10		
7	Don't know/Not Sure	7	0.06	0.03		
9	Refused	26	0.23	0.23		

Data was weighted using _LLCPWT.

Number of Days Physical Health Not Good						
Section:	2.1 Healthy Days — Health Related Quality of Life			Type:	Num	
Column:	91-92			SAS Variable Name:	PHYSHLTH	
Prologue:						
Description:	Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 30	Number of days	4,184	37.81	37.38		
88	None	6,615	59.78	60.55		
77	Don't know/Not sure	104	0.94	0.79		

Number of Days Physical Health Not Good						
Section:	2.1 Healthy Days — Health Related Quality of Life			Type:	Num	
Column:	91-92			SAS Variable Name:	PHYSHLTH	
Prologue:						
Description:	Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
99	Refused	163		1.47		1.28

Data was weighted using _LLCPWT.

Number of Days Mental Health Not Good						
Section:	2.2 Healthy Days — Health Related Quality of Life			Type:	Num	
Column:	93-94			SAS Variable Name:	MENTHLTH	
Prologue:						
Description:	Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1 - 30	Number of days Notes: __ Number of days	3,468		31.34		36.56
88	None	7,395		66.83		61.83
77	Don't know/Not sure	70		0.63		0.60
99	Refused	133		1.20		1.00

Data was weighted using _LLCPWT.

Poor Physical or Mental Health						
Section:	2.3 Healthy Days — Health Related Quality of Life			Type:	Num	
Column:	95-96			SAS Variable Name:	POORHLTH	
Prologue:						
Description:	During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 30	Number of days Notes: __ Number of days	2,443	41.55	39.65		
88	None	3,319	56.46	58.98		
77	Don't know/Not sure	53	0.90	0.66		
99	Refused	64	1.09	0.70		
BLANK	Not asked or Missing Notes: Section 02.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	5,187				

Data was weighted using _LLCPWT.

Have any health care coverage						
Section:	3.1 Health Care Access			Type:	Num	
Column:	97			SAS Variable Name:	HLTHPLN1	
Prologue:						
Description:	Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare, or Indian Health Service?					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes	10,354	93.57	88.51
	2	No	682	6.16	11.03
	7	Don't know/Not Sure	10	0.09	0.21
	9	Refused	20	0.18	0.25

Data was weighted using _LLCPWT.

Multiple Health Care Professionals					
Section:	3.2 Health Care Access		Type:	Num	
Column:	98		SAS Variable Name:	PERSDOC2	
Prologue:					
Description:	Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes, only one	9,041	81.70	75.57
	2	More than one	721	6.52	5.80
	3	No	1,255	11.34	18.18
	7	Don't know/Not Sure	12	0.11	0.12
	9	Refused	37	0.33	0.33

Data was weighted using _LLCPWT.

Could Not See Doctor Because of Cost							
Section:	3.3 Health Care Access			Type:	Num		
Column:	99			SAS Variable Name:	MEDCOST		
Prologue:							
Description:	Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Yes	983	8.88	12.58			
2	No	10,064	90.95	87.21			
7	Don't know/Not sure	6	0.05	0.04			
9	Refused	13	0.12	0.17			

Data was weighted using _LLCPWT.

Length of time since last routine checkup							
Section:	3.4 Health Care Access			Type:	Num		
Column:	100			SAS Variable Name:	CHECKUP1		
Prologue:							
Description:	About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Within past year (anytime less than 12 months ago)	8,244	74.50	66.60			
2	Within past 2 years (1 year but less than 2 years ago)	1,121	10.13	12.46			
3	Within past 5 years (2 years but less than 5 years ago)	690	6.24	8.55			
4	5 or more years ago	865	7.82	10.74			

Length of time since last routine checkup						
Section:	3.4 Health Care Access			Type:	Num	
Column:	100			SAS Variable Name:	CHECKUP1	
Prologue:						
Description:	About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general physical exam, not an exam for a specific injury, illness, or condition.]					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't know/Not sure	52	0.47	0.41		
8	Never	56	0.51	0.81		
9	Refused	38	0.34	0.41		

Data was weighted using _LLCPWT.

Exercise in Past 30 Days						
Section:	4.1 Exercise			Type:	Num	
Column:	101			SAS Variable Name:	EXERANY2	
Prologue:						
Description:	During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	7,835	70.80	73.11		
2	No	3,207	28.98	26.76		
7	Don't know/Not Sure	7	0.06	0.03		
9	Refused	17	0.15	0.10		

Data was weighted using _LLCPWT.

How Much Time Do You Sleep						
Section:	5.1 Inadequate Sleep			Type:		Num
Column:	102-103			SAS Variable Name:		SLEPTIM1
Prologue:	I would like to ask you about your sleep pattern.					
Description:	On average, how many hours of sleep do you get in a 24-hour period?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 24	Number of hours [1-24]	10,969	99.12	99.34		
77	Don't know/Not Sure	64	0.58	0.45		
99	Refused	33	0.30	0.20		

Data was weighted using _LLCPWT.

Ever Diagnosed with Heart Attack						
Section:	6.1 Chronic Health Conditions			Type:		Num
Column:	104			SAS Variable Name:		CVDINFR4
Prologue:	Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":					
Description:	(Ever told) you had a heart attack, also called a myocardial infarction?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	842	7.61	5.36		
2	No	10,177	91.97	94.32		

Ever Diagnosed with Heart Attack						
Section:	6.1 Chronic Health Conditions			Type:		Num
Column:	104			SAS Variable Name:		CVDINFR4
Prologue:	Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":					
Description:	(Ever told) you had a heart attack, also called a myocardial infarction?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't know/Not sure	43	0.39	0.28		
9	Refused	4	0.04	0.03		

Data was weighted using _LLCPWT.

Ever Diagnosed with Angina or Coronary Heart Disease						
Section:	6.2 Chronic Health Conditions			Type:		Num
Column:	105			SAS Variable Name:		CVDCRHD4
Prologue:						
Description:	(Ever told) you had angina or coronary heart disease?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	841	7.60	4.84		
2	No	10,153	91.75	94.67		
7	Don't know/Not sure	71	0.64	0.49		
9	Refused	1	0.01	0.01		

Data was weighted using _LLCPWT.

Ever Diagnosed with a Stroke						
Section:	6.3 Chronic Health Conditions			Type:	Num	
Column:	106			SAS Variable Name:	CVDSTRK3	
Prologue:						
Description:	(Ever told) you had a stroke.					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	585	5.29	3.99		
2	No	10,462	94.54	95.89		
7	Don't know/Not sure	15	0.14	0.11		
9	Refused	4	0.04	0.01		

Data was weighted using _LLCPWT.

Ever Told Had Asthma						
Section:	6.4 Chronic Health Conditions			Type:	Num	
Column:	107			SAS Variable Name:	ASTHMA3	
Prologue:						
Description:	(Ever told) you had asthma?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,511	13.65	14.39		
2	No—Go to Section 06.06 CHCSCNCR	9,537	86.18	85.46		

Ever Told Had Asthma						
Section:	6.4 Chronic Health Conditions			Type:	Num	
Column:	107			SAS Variable Name:	ASTHMA3	
Prologue:						
Description:	(Ever told) you had asthma?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't know/Not Sure-Go to Section 06.06 CHCSCNCR	14	0.13	0.13		
9	Refused-Go to Section 06.06 CHCSCNCR	4	0.04	0.02		

Data was weighted using _LLCPWT.

Still Have Asthma						
Section:	6.5 Chronic Health Conditions			Type:	Num	
Column:	108			SAS Variable Name:	ASTHNOW	
Prologue:						
Description:	Do you still have asthma?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,131	74.85	70.21		
2	No	355	23.49	27.57		
7	Don't know/Not Sure	22	1.46	2.00		
9	Refused	3	0.20	0.22		
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	9,555				

Data was weighted using _LLCPWT.

Ever told) you had skin cancer?						
Section:	6.6 Chronic Health Conditions			Type:	Num	
Column:	109			SAS Variable Name:	CHCSCNCR	
Prologue:						
Description:	(Ever told) you had skin cancer?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,034	9.34	5.46		
2	No	10,017	90.52	94.42		
7	Don't know / Not sure	11	0.10	0.09		
9	Refused	4	0.04	0.03		

Data was weighted using _LLCPWT.

Ever told) you had any other types of cancer?						
Section:	6.7 Chronic Health Conditions			Type:	Num	
Column:	110			SAS Variable Name:	CHCOCNCR	
Prologue:						
Description:	(Ever told) you had any other types of cancer?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,151	10.40	6.26		
2	No	9,898	89.45	93.61		

Ever told) you had any other types of cancer?						
Section:	6.7 Chronic Health Conditions			Type:	Num	
Column:	110			SAS Variable Name:	CHCOCNCR	
Prologue:						
Description:	(Ever told) you had any other types of cancer?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
7	Don't know / Not sure	10		0.09		0.10
9	Refused	7		0.06		0.02

Data was weighted using _LLCPWT.

Ever told) you have chronic obstructive pulmonary disease, emphysema or chronic bronchitis?						
Section:	6.8 Chronic Health Conditions			Type:	Num	
Column:	111			SAS Variable Name:	CHCCOPD1	
Prologue:						
Description:	(Ever told) you have Chronic Obstructive Pulmonary Disease or COPD, emphysema or chronic bronchitis?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes	1,107		10.00		8.01
2	No	9,924		89.68		91.69
7	Don't know / Not sure	29		0.26		0.25
9	Refused	6		0.05		0.04

Data was weighted using _LLCPWT.

Told Have Arthritis						
Section:	6.9 Chronic Health Conditions			Type:		Num
Column:	112			SAS Variable Name:		HAVARTH3
Prologue:						
Description:	(Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteoporosis); tendonitis, bursitis, bunion, tennis elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	4,326	39.09	27.68		
2	No	6,707	60.61	71.97		
7	Don't know/Not Sure	25	0.23	0.30		
9	Refused	8	0.07	0.04		

Data was weighted using _LLCPWT.

Ever told you had a depressive disorder						
Section:	6.10 Chronic Health Conditions			Type:		Num
Column:	113			SAS Variable Name:		ADDEPEV2
Prologue:						
Description:	(Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,678	15.16	15.81		

Ever told you had a depressive disorder						
Section:	6.10 Chronic Health Conditions			Type:		Num
Column:	113			SAS Variable Name:		ADDEPEV2
Prologue:						
Description:	(Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor depression?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
2	No	9,354	84.53	83.84		
7	Don't know/Not sure	26	0.23	0.30		
9	Refused	8	0.07	0.05		

Data was weighted using _LLCPWT.

Ever told) you have kidney disease?						
Section:	6.11 Chronic Health Conditions			Type:		Num
Column:	114			SAS Variable Name:		CHCKIDNY
Prologue:						
Description:	(Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence is not being able to control urine flow.)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	471	4.26	2.85		
2	No	10,569	95.51	96.98		
7	Don't know / Not sure	19	0.17	0.14		
9	Refused	7	0.06	0.03		

Data was weighted using _LLCPWT.

Ever told) you have diabetes						
Section:	6.12 Chronic Health Conditions			Type:	Num	
Column:	115			SAS Variable Name:	DIABETE3	
Prologue:						
Description:	(Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or borderline diabetes, use response code 4.)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,785	16.13	11.51		
2	Yes, but female told only during pregnancy—Go to Section 07.01 LASTDEN3	68	0.61	0.66		
3	No—Go to Section 07.01 LASTDEN3	9,044	81.73	86.52		
4	No, pre-diabetes or borderline diabetes—Go to Section 07.01 LASTDEN3	154	1.39	1.16		
7	Don't know/Not Sure—Go to Section 07.01 LASTDEN3	12	0.11	0.12		
9	Refused—Go to Section 07.01 LASTDEN3	3	0.03	0.03		

Data was weighted using _LLCPWT.

Age When Told Diabetic						
Section:	6.13 Chronic Health Conditions			Type:	Num	
Column:	116-117			SAS Variable Name:	DIABAGE2	
Prologue:						

Description:		How old were you when you were told you have diabetes?				
Value	Value Label	Frequency		Percentage		Weighted Percentage
1 - 97	Age in years [97 = 97 and older] Notes: __ Code age in years, 97 = 97 or older	1,706		95.57		95.97
98	Don't know/Not sure	63		3.53		3.09
99	Refused	16		0.90		0.94
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	9,281				

Data was weighted using _LLCPWT.

Last Visited Dentist or Dental Clinic						
Section:	7.1 Oral Health			Type:	Num	
Column:	118			SAS Variable Name:	LASTDEN3	
Prologue:						
Description:	How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontists.					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	7,178		64.87		61.57
2	Within the past 2 years (1 year but less than 2 years ago)	1,124		10.16		11.56
3	Within the past 5 years (2 years but less than 5 years ago)	1,130		10.21		12.01
4	5 or more years ago	1,496		13.52		13.49
7	Don't know/Not sure	43		0.39		0.31
8	Never	63		0.57		0.87
9	Refused	32		0.29		0.19

Data was weighted using _LLCPWT.

Number of Permanent Teeth Removed						
Section:	7.2 Oral Health			Type:		Num
Column:	119			SAS Variable Name:		RMVTETH3
Prologue:						
Description:	How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics. (If wisdom teeth are removed because of tooth decay or gum disease, they should be included in the count for lost teeth)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	1 to 5	3,641	32.90	29.39		
2	6 or more, but not all	1,498	13.54	10.53		
3	All	1,079	9.75	7.17		
7	Don't know/Not sure	105	0.95	0.62		
8	None	4,691	42.39	52.00		
9	Refused	52	0.47	0.29		

Data was weighted using _LLCPWT.

Respondents Sex						
Section:	8.1 Demographics			Type:		Num
Column:	120			SAS Variable Name:		SEX
Prologue:						

Description:		Indicate sex of respondent.				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	1	Male	4,558	41.19	48.70	
	2	Female	6,508	58.81	51.30	

Data was weighted using _LLCPWT.

Reported Age in Years						
Section:	8.2 Demographics	Type:	Num			
Column:	121-122	SAS Variable Name:	AGE			
Prologue:						
Description:	What is your age?					
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	7	Don't know/Not sure	7	0.06	0.05	
	9	Refused	144	1.30	1.06	
	18 - 24	Age 18 - 24 Notes: __ Code age in years	458	4.14	13.55	
	25 - 34	Age 25 - 34	818	7.39	16.46	
	35 - 44	Age 35 - 44	1,097	9.91	16.07	
	45 - 54	Age 45 - 54	1,623	14.67	16.21	
	55 - 64	Age 55 - 64	2,451	22.15	16.73	
	65 - 99	Age 65 or older	4,468	40.38	19.87	

Data was weighted using _LLCPWT.

Hispanic, Latino/a, or Spanish origin?						
Section:	8.3 Demographics			Type:		Char
Column:	123-126			SAS Variable Name:		HISPANC3
Prologue:						
Description:	Are you Hispanic, Latino/a, or Spanish origin? [One or more categories may be selected.]					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't know/Not Sure	18	0.16	0.15		
9	Refused	65	0.59	0.73		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,983	99.25	99.12		

Data was weighted using _LLCPWT.

Multiple Race						
Section:	8.4 Demographics			Type:		Char
Column:	127-154			SAS Variable Name:		MRACE1
Prologue:						
Description:	Which one or more of the following would you say is your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply.]					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
77	Don't know/Not Sure	33	0.30	0.49		
99	Refused	143	1.29	1.67		
HIDDEN	Data not displayed	10,890	98.41	97.84		

Multiple Race						
Section:	8.4 Demographics			Type:		Char
Column:	127-154			SAS Variable Name:		MRACE1
Prologue:						
Description:	Which one or more of the following would you say is your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)[Select all that apply.]					
Value	Value Label	Frequency		Percentage		Weighted Percentage
	Notes: NUDue to the nature of the data or the size of the table for display, this data is not printed for this reportLL					

Data was weighted using _LLCPWT.

Respondent Race Choice						
Section:	8.5 Demographics			Type:		Num
Column:	155-156			SAS Variable Name:		ORACE3
Prologue:						
Description:	Which one of these groups would you say best represents your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategory underneath major heading.)					
Value	Value Label	Frequency		Percentage		Weighted Percentage
10	White	99		57.89		59.93
20	Black or African American	28		16.37		17.53
30	American Indian or Alaska Native	23		13.45		11.86
46	Vietnamese	1		0.58		2.99
50	Pacific Islander	1		0.58		0.34
60	Other	1		0.58		0.45
77	Don't know/Not Sure	5		2.92		2.31

Respondent Race Choice							
Section:	8.5 Demographics			Type:		Num	
Column:	155-156			SAS Variable Name:		ORACE3	
Prologue:							
Description:	Which one of these groups would you say best represents your race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategory underneath major heading.)						
Value	Value Label	Frequency		Percentage		Weighted Percentage	
99	Refused	13		7.60		4.60	
BLANK	Not asked or Missing Notes: Section 08.04, MRACE1, has only one valid race code (10-60)	10,895					

Data was weighted using _LLCPWT.

Marital Status							
Section:	8.6 Demographics			Type:		Num	
Column:	157			SAS Variable Name:		MARITAL	
Prologue:							
Description:	Are you: (marital status)						
Value	Value Label	Frequency		Percentage		Weighted Percentage	
1	Married	5,757		52.03		51.75	
2	Divorced	1,644		14.86		12.54	
3	Widowed	1,805		16.31		7.25	
4	Separated	148		1.34		1.63	
5	Never married	1,410		12.74		21.76	
6	A member of an unmarried couple	251		2.27		4.70	

Marital Status						
Section:	8.6 Demographics			Type:		Num
Column:	157			SAS Variable Name:		MARITAL
Prologue:						
Description:	Are you: (marital status)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
9	Refused	50	0.45	0.37		
BLANK	Not asked or Missing	1				

Data was weighted using _LLCPWT.

Education Level						
Section:	8.7 Demographics			Type:		Num
Column:	158			SAS Variable Name:		EDUCA
Prologue:						
Description:	What is the highest grade or year of school you completed?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Never attended school or only kindergarten	3	0.03	0.03		
2	Grades 1 through 8 (Elementary)	220	1.99	3.14		
3	Grades 9 through 11 (Some high school)	670	6.05	9.86		
4	Grade 12 or GED (High school graduate)	3,759	33.97	34.23		
5	College 1 year to 3 years (Some college or technical school)	2,753	24.88	30.80		
6	College 4 years or more (College graduate)	3,633	32.83	21.70		
9	Refused	28	0.25	0.25		

Data was weighted using _LLCPWT.

Own or Rent Home							
Section:	8.8 Demographics			Type:		Num	
Column:	159			SAS Variable Name:		RENTHOM1	
Prologue:							
Description:	Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the year.)						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Own	8,458	76.43	71.86			
2	Rent	2,157	19.49	22.83			
3	Other arrangement	395	3.57	4.89			
7	Don't know/Not Sure	8	0.07	0.05			
9	Refused	48	0.43	0.36			

Data was weighted using _LLCPWT.

County Code							
Section:	8.9 Demographics			Type:		Num	
Column:	160-162			SAS Variable Name:		CTYCODE1	
Prologue:							
Description:	What county do you live in?						

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	777	Don't know/Not sure	106	0.96	1.25
	999	Refused	108	0.98	1.09
	HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,852	98.07	97.65

Data was weighted using _LLCPWT.

Zipcode of residence					
Section:	8.10 Demographics		Type:	Char	
Column:	163-167		SAS Variable Name:	ZIPCODE1	
Prologue:					
Description:	What is the ZIP Code where you currently live?				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	77777	Don't know/Not Sure	138	1.25	1.67
	99999	Refused	366	3.31	4.02
	HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,562	95.45	94.31

Data was weighted using _LLCPWT.

Household Telephones					
----------------------	--	--	--	--	--

Section:	8.11 Demographics		Type:		Num			
Column:	168		SAS Variable Name:		NUMHHOL2			
Prologue:								
Description:	Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.							
	Value	Value Label	Frequency		Percentage		Weighted Percentage	
	1	Yes	342		4.75		3.89	
	2	No-Go to Section 08.13 CPDEMO1	6,842		94.98		95.89	
	7	Don't know/Not sure-Go to Section 08.13 CPDEMO1	9		0.12		0.09	
	9	Refused-Go to Section 08.13 CPDEMO1	11		0.15		0.12	
	BLANK	Not asked or Missing Notes: QSTVER >= 20	3,862					

Data was weighted using _LLCPWT.

Residential Phones								
Section:	8.12 Demographics		Type:		Num			
Column:	169		SAS Variable Name:		NUMPHON2			
Prologue:								
Description:	How many of these telephone numbers are residential numbers?							
	Value	Value Label	Frequency		Percentage		Weighted Percentage	
	1	Residential telephone number	197		57.60		74.21	
	2	Residential telephone numbers	114		33.33		20.46	
	3	Residential telephone numbers	14		4.09		1.57	
	4	Residential telephone numbers	5		1.46		0.35	
	5	Residential telephone numbers	4		1.17		0.41	

Residential Phones						
Section:	8.12 Demographics			Type:		Num
Column:	169			SAS Variable Name:		NUMPHON2
Prologue:						
Description:	How many of these telephone numbers are residential numbers?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
6	Residential telephone numbers Notes: 6 = 6 or more	2		0.58		0.19
7	Don't know/Not Sure	4		1.17		1.78
9	Refused	2		0.58		1.04
BLANK	Not asked or Missing Notes: Section 08.11, NUMHHOL2, is coded 2, 7, 9, or Missing; or QSTVER >= 20	10,724				

Data was weighted using _LLCPWT.

Do you have a cell phone for personal use?						
Section:	8.13 Demographics			Type:		Num
Column:	170			SAS Variable Name:		CPDEMO1
Prologue:						
Description:	Do you have a cell phone for personal use? Please include cell phones used for both business and personal use					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes	5,898		81.87		80.81
2	No	1,274		17.68		18.70
7	Don't know/Not sure	3		0.04		0.05
9	Refused	29		0.40		0.45

Do you have a cell phone for personal use?					
Section:	8.13 Demographics			Type:	Num
Column:	170			SAS Variable Name:	CPDEMO1
Prologue:					
Description:	Do you have a cell phone for personal use? Please include cell phones used for both business and personal use				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing Notes: QSTVER > = 20	3,862			

Data was weighted using _LLCPWT.

Are You A Veteran					
Section:	8.14 Demographics			Type:	Num
Column:	171			SAS Variable Name:	VETERAN3
Prologue:					
Description:	Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? (Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for the Persian Gulf War.)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Yes	1,386	12.52	10.50	
2	No	9,667	87.36	89.40	
7	Don't know/Not Sure	2	0.02	0.01	
9	Refused	11	0.10	0.08	

Data was weighted using _LLCPWT.

Employment Status						
Section:	8.15 Demographics			Type:	Num	
Column:	172			SAS Variable Name:	EMPLOY1	
Prologue:						
Description:	Are you currently...?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Employed for wages	4,180	37.77	48.83		
2	Self-employed	757	6.84	7.48		
3	Out of work for 1 year or more	167	1.51	1.86		
4	Out of work for less than 1 year	161	1.45	2.58		
5	A homemaker	753	6.80	6.75		
6	A student	213	1.92	5.30		
7	Retired	3,817	34.49	18.13		
8	Unable to work	930	8.40	8.14		
9	Refused	88	0.80	0.93		

Data was weighted using _LLCPWT.

Number of Children in Household			
Section:	8.16 Demographics		Type: Num
Column:	173-174		SAS Variable Name: CHILDREN
Prologue:			

Description:		How many children less than 18 years of age live in your household?					
Value	Value Label	Frequency		Percentage		Weighted Percentage	
1 - 87	Number of children Notes: __ = Number of children	2,553		23.07		36.50	
88	None	8,465		76.50		62.94	
99	Refused	48		0.43		0.56	

Data was weighted using _LLCPWT.

Income Level							
Section:	8.17 Demographics			Type:	Num		
Column:	175-176			SAS Variable Name:	INCOME2		
Prologue:							
Description:	Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")						
Value	Value Label	Frequency		Percentage		Weighted Percentage	
1	Less than \$10,000 Notes: If "no," code 02	421		3.83		4.47	
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	514		4.67		4.70	
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	837		7.61		7.21	
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	999		9.08		9.18	
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	1,146		10.42		9.81	
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	1,491		13.56		13.65	
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	1,513		13.76		14.03	

Income Level							
Section:	8.17 Demographics				Type:		Num
Column:	175-176				SAS Variable Name:		INCOME2
Prologue:							
Description:	Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
8	\$75,000 or more	2,621	23.83	25.38			
77	Don't know/Not sure	516	4.69	5.26			
99	Refused	941	8.56	6.31			
BLANK	Not asked or Missing	67					

Data was weighted using _LLCPWT.

Internet use in the past 30 days?							
Section:	8.18 Demographics				Type:		Num
Column:	177				SAS Variable Name:		INTERNET
Prologue:							
Description:	Have you used the internet in the past 30 days?						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Yes	8,370	76.34	83.20			
2	No	2,577	23.50	16.71			
7	Don't know/Not Sure	4	0.04	0.03			
9	Refused	13	0.12	0.06			
BLANK	Not asked or Missing	102					

Data was weighted using _LLCPWT.

Reported Weight in Pounds						
Section:	8.19 Demographics			Type:		Num
Column:	178-181			SAS Variable Name:		WEIGHT2
Prologue:						
Description:	About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	10,400	95.11	95.60		
7777	Don't know/Not sure	118	1.08	1.20		
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	22	0.20	0.35		
9999	Refused	395	3.61	2.84		
BLANK	Not asked or Missing	131				

Data was weighted using _LLCPWT.

Reported Height in Feet and Inches						
Section:	8.20 Demographics			Type:		Num
Column:	182-185			SAS Variable Name:		HEIGHT3
Prologue:						

Description:		About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]				
Value	Value Label	Frequency		Percentage		Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	10,733		98.31		97.81
7777	Don't know/Not sure	43		0.39		0.58
9000 - 9998	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	53		0.49		0.91
9999	Refused	88		0.81		0.70
BLANK	Not asked or Missing	149				

Data was weighted using _LLCPWT.

Pregnancy Status						
Section:	8.21 Demographics	Type:		Num		
Column:	186	SAS Variable Name:		PREGNANT		
Prologue:						
Description:	To your knowledge, are you now pregnant?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes	56		4.27		5.39
2	No	1,253		95.43		94.33
7	Don't know/Not Sure	1		0.08		0.16
9	Refused	3		0.23		0.11
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1; or Section 08.02, AGE, is greater than 44	9,753				

Data was weighted using _LLCPWT.

Are you deaf or do you have serious difficulty hearing?						
Section:	8.22 Demographics			Type:	Num	
Column:	187			SAS Variable Name:	DEAF	
Prologue:						
Description:	Are you deaf or do you have serious difficulty hearing?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	786	7.25	5.11		
2	No	10,001	92.29	94.53		
7	Don't know/Not Sure	11	0.10	0.04		
9	Refused	38	0.35	0.32		
BLANK	Not asked or Missing	230				

Data was weighted using _LLCPWT.

Blind or Difficulty seeing						
Section:	8.23 Demographics			Type:	Num	
Column:	188			SAS Variable Name:	BLIND	
Prologue:						
Description:	Are you blind or do you have serious difficulty seeing, even when wearing glasses?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	528	4.88	4.04		

Blind or Difficulty seeing						
Section:	8.23 Demographics			Type:		Num
Column:	188			SAS Variable Name:		BLIND
Prologue:						
Description:	Are you blind or do you have serious difficulty seeing, even when wearing glasses?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
2	No	10,249	94.80	95.66		
7	Don't know/Not Sure	13	0.12	0.13		
9	Refused	21	0.19	0.17		
BLANK	Not asked or Missing	255				

Data was weighted using _LLCPWT.

Difficulty Concentrating or Remembering						
Section:	8.24 Demographics			Type:		Num
Column:	189			SAS Variable Name:		DECIDE
Prologue:						
Description:	Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	986	9.13	10.06		
2	No	9,767	90.48	89.55		
7	Don't know/Not Sure	23	0.21	0.19		
9	Refused	19	0.18	0.20		
BLANK	Not asked or Missing	271				

Data was weighted using _LLCPWT.

Difficulty Walking or Climbing Stairs							
Section:	8.25 Demographics				Type:		Num
Column:	190				SAS Variable Name:		DIFFWALK
Prologue:							
Description:	Do you have serious difficulty walking or climbing stairs?						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Yes	1,943	18.02	13.12			
2	No	8,804	81.65	86.65			
7	Don't know/Not Sure	14	0.13	0.07			
9	Refused	21	0.19	0.15			
BLANK	Not asked or Missing	284					

Data was weighted using _LLCPWT.

Difficulty Dressing or Bathing							
Section:	8.26 Demographics				Type:		Num
Column:	191				SAS Variable Name:		DIFFDRES
Prologue:							
Description:	Do you have difficulty dressing or bathing?						

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes	422	3.92	3.18
	2	No	10,341	96.02	96.72
	7	Don't know/Not Sure	1	0.01	0.00
	9	Refused	6	0.06	0.09
	BLANK	Not asked or Missing	296		

Data was weighted using _LLCPWT.

Difficulty Doing Errands Alone					
Section:	8.27 Demographics		Type:	Num	
Column:	192		SAS Variable Name:	DIFFALON	
Prologue:					
Description:	Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes	864	8.03	6.65
	2	No	9,867	91.69	93.19
	7	Don't know/Not Sure	11	0.10	0.03
	9	Refused	19	0.18	0.13
	BLANK	Not asked or Missing	305		

Data was weighted using _LLCPWT.

Smoked at Least 100 Cigarettes						
Section:	9.1 Tobacco Use			Type:	Num	
Column:	193			SAS Variable Name:	SMOKE100	
Prologue:						
Description:	Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	4,893	45.52	45.52		
2	No—Go to Section 09.05 USENOW3	5,817	54.12	54.06		
7	Don't know/Not Sure—Go to Section 09.05 USENOW3	28	0.26	0.31		
9	Refused—Go to Section 09.05 USENOW3	11	0.10	0.11		
BLANK	Not asked or Missing	317				

Data was weighted using _LLCPWT.

Frequency of Days Now Smoking						
Section:	9.2 Tobacco Use			Type:	Num	
Column:	194			SAS Variable Name:	SMOKDAY2	
Prologue:						
Description:	Do you now smoke cigarettes every day, some days, or not at all?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Every day	1,346	27.53	33.77		
2	Some days	476	9.73	12.43		
3	Not at all—Go to Section 09.04 LASTSMK2	3,051	62.39	53.51		

Frequency of Days Now Smoking						
Section:	9.2 Tobacco Use			Type:	Num	
Column:	194			SAS Variable Name:	SMOKDAY2	
Prologue:						
Description:	Do you now smoke cigarettes every day, some days, or not at all?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't Know/Not Sure—Go to Section 09.05 USENOW3	2	0.04	0.04		
9	Refused—Go to Section 09.05 USENOW3	15	0.31	0.25		
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing	6,176				

Data was weighted using _LLCPWT.

Stopped Smoking in past 12 months						
Section:	9.3 Tobacco Use			Type:	Num	
Column:	195			SAS Variable Name:	STOPSMK2	
Prologue:						
Description:	During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes—Go to Section 09.05 USENOW3	970	53.27	55.94		
2	No—Go to Section 09.05 USENOW3	848	46.57	43.94		
7	Don't know/Not Sure—Go to Section 09.05 USENOW3	2	0.11	0.09		
9	Refused—Go to Section 09.05 USENOW3	1	0.05	0.03		
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing	9,245				

Stopped Smoking in past 12 months						
Section:	9.3 Tobacco Use			Type:	Num	
Column:	195			SAS Variable Name:	STOPSMK2	
Prologue:						
Description:	During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
	Missing; or Section 09.02, SMOKDAY2, is coded 3, 7, 9, or Missing					

Data was weighted using _LLCPWT.

Interval Since Last Smoked						
Section:	9.4 Tobacco Use			Type:	Num	
Column:	196-197			SAS Variable Name:	LASTSMK2	
Prologue:						
Description:	How long has it been since you last smoked a cigarette, even one or two puffs?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Within the past month (less than 1 month ago)	49	1.61	2.61		
2	Within the past 3 months (1 month but less than 3 months ago)	49	1.61	2.20		
3	Within the past 6 months (3 months but less than 6 months ago)	65	2.13	3.63		
4	Within the past year (6 months but less than 1 year ago)	112	3.67	6.04		
5	Within the past 5 years (1 year but less than 5 years ago)	373	12.24	18.12		
6	Within the past 10 years (5 years but less than 10 years ago)	318	10.43	13.09		

Interval Since Last Smoked						
Section:	9.4 Tobacco Use			Type:		Num
Column:	196-197			SAS Variable Name:		LASTSMK2
Prologue:						
Description:	How long has it been since you last smoked a cigarette, even one or two puffs?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	10 years or more	1,964	64.44	51.05		
8	Never smoked regularly	109	3.58	3.11		
77	Don't know/Not sure	5	0.16	0.07		
99	Refused	4	0.13	0.07		
BLANK	Not asked or Missing Notes: Section 09.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 09.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 09.03, STOPSMK2, is coded 1, 2, 7, 9;	8,018				

Data was weighted using _LLCPWT.

Use of Smokeless Tobacco Products						
Section:	9.5 Tobacco Use			Type:		Num
Column:	198			SAS Variable Name:		USENOW3
Prologue:						
Description:	Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)[Snus (rhymes with 'goose')]					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Every day	165	1.54	2.02		
2	Some days	146	1.36	2.03		

Use of Smokeless Tobacco Products						
Section:	9.5 Tobacco Use			Type:	Num	
Column:	198			SAS Variable Name:	USENOW3	
Prologue:						
Description:	Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff) is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)[Snus (rhymes with 'goose')]					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
3	Not at all	10,335	96.32	95.33		
7	Don't know/Not Sure	10	0.09	0.09		
9	Refused	74	0.69	0.52		
BLANK	Not asked or Missing	336				

Data was weighted using _LLCPWT.

Ever used an e-cigarette?						
Section:	10.1 E-Cigarettes			Type:	Num	
Column:	199			SAS Variable Name:	ECIGARET	
Prologue:						
Description:	Have you ever used an e-cigarette or other electronic "vaping" product, even just one time, in your entire life?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,782	16.62	24.41		
2	No—Go to Section 11.01 ALCDAY5	8,924	83.25	75.43		
7	Don't know/Not Sure	3	0.03	0.02		
9	Refused—Go to Section 11.01 ALCDAY5	11	0.10	0.14		

Ever used an e-cigarette?				
Section:	10.1 E-Cigarettes	Type:	Num	
Column:	199	SAS Variable Name:	ECIGARET	
Prologue:				
Description:	Have you ever used an e-cigarette or other electronic “vaping” product, even just one time, in your entire life?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	346		

Data was weighted using _LLCPWT.

Do you now use e-cigarettes, every day, some days, or not at all?				
Section:	10.2 E-Cigarettes	Type:	Num	
Column:	200	SAS Variable Name:	ECIGNOW	
Prologue:				
Description:	Do you now use e-cigarettes or other electronic “vaping” products every day, some days, or not at all?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	117	6.56	6.84
2	Some days	235	13.17	12.50
3	Not at all	1,428	80.04	80.52
7	Don't know / Not sure	3	0.17	0.13
9	Refused	1	0.06	0.01
BLANK	Not asked or Missing Notes: Section 10.01, ECIGARET, is coded 2, 9, or Missing	9,282		

Data was weighted using _LLCPWT.

Days in past 30 had alcoholic beverage						
Section:	11.1 Alcohol Consumption			Type:	Num	
Column:	201-203			SAS Variable Name:	ALCDAY5	
Prologue:						
Description:	During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
101 - 107	Days per week Notes: 1__ = Days per week	1,358	12.70	13.71		
201 - 230	Days in past 30 days Notes: 2__ = Days in past 30	3,660	34.23	37.88		
777	Don't know/Not sure—Go to Section 12.01 FLUSHOT6	20	0.19	0.19		
888	No drinks in past 30 days—Go to Section 12.01 FLUSHOT6	5,590	52.28	47.62		
999	Refused—Go to Section 12.01 FLUSHOT6	65	0.61	0.60		
BLANK	Not asked or Missing	373				

Data was weighted using _LLCPWT.

Avg alcoholic drinks per day in past 30						
Section:	11.2 Alcohol Consumption			Type:	Num	
Column:	204-205			SAS Variable Name:	AVEDRNK2	
Prologue:						

Description:		One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)					
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	1 - 76	Number of drinks Notes: _ _ Number of drinks	4,942		98.76		98.34
	77	Don't know/Not sure	37		0.74		1.05
	99	Refused	25		0.50		0.61
	BLANK	Not asked or Missing Notes: Section 11.01, ALCDAY5, is coded 888, 777, or 9999;	6,062				

Data was weighted using _LLCPWT.

Binge Drinking							
Section:	11.3 Alcohol Consumption			Type:	Num		
Column:	206-207			SAS Variable Name:	DRNK3GE5		
Prologue:							
Description:	Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?						
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	1 - 76	Number of Times	1,224		24.53		33.53
	88	None	3,693		74.01		65.01
	77	Don't know/Not Sure	38		0.76		0.76
	99	Refused	35		0.70		0.70
	BLANK	Not asked or Missing Notes: Section 11.01, ALCDAY5, is coded 888, 777, or 999;	6,076				

Data was weighted using _LLCPWT.

Most drinks on single occasion past 30 days						
Section:	11.4 Alcohol Consumption			Type:		Num
Column:	208-209			SAS Variable Name:		MAXDRNKS
Prologue:						
Description:	During the past 30 days, what is the largest number of drinks you had on any occasion?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 76	Number of drinks	4,857	97.59	97.35		
77	Don't know/Not sure	83	1.67	1.77		
99	Refused	37	0.74	0.87		
BLANK	Not asked or Missing Notes: Section 11.01, ALCDAY5, is coded 888, 777, or 999;	6,089				

Data was weighted using _LLCPWT.

Adult flu shot/spray past 12 mos						
Section:	12.1 Immunization			Type:		Num
Column:	210			SAS Variable Name:		FLUSHOT6
Prologue:	Now I will ask you questions about the flu vaccine. There are two ways to get the flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.					
Description:	During the past 12 months, have you had either a flu shot or a flu vaccine that was sprayed in your nose? (A new flu shot came out in 2011 that injects vaccine into the skin with a very small needle. It is called Fluzone Intradermal vaccine. This is also considered a flu shot.)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		

Adult flu shot/spray past 12 mos						
Section:	12.1 Immunization			Type:	Num	
Column:	210			SAS Variable Name:	FLUSHOT6	
Prologue:	Now I will ask you questions about the flu vaccine. There are two ways to get the flu vaccine, one is a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.					
Description:	During the past 12 months, have you had either a flu shot or a flu vaccine that was sprayed in your nose? (A new flu shot came out in 2011 that injects vaccine into the skin with a very small needle. It is called Fluzone Intradermal vaccine. This is also considered a flu shot.)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	4,787	45.25	37.56		
2	No—Go to Section 12.03 PNEUVAC3	5,767	54.52	62.07		
7	Don't know/Not Sure—Go to Section 12.03 PNEUVAC3	15	0.14	0.24		
9	Refused—Go to Section 12.03 PNEUVAC3	9	0.09	0.13		
BLANK	Not asked or Missing	488				

Data was weighted using _LLCPWT.

When did you (adult) receive your most recent seasonal flu shot/spray?						
Section:	12.2 Immunization			Type:	Num	
Column:	211-216			SAS Variable Name:	FLSHTMY2	
Prologue:						
Description:	During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
12015 - 122016	Month / Year	4,549	95.15	93.98		
777777	Don't know/Not Sure	204	4.27	5.62		

When did you (adult) receive your most recent seasonal flu shot/spray?						
Section:	12.2 Immunization			Type:	Num	
Column:	211-216			SAS Variable Name:	FLSHTMY2	
Prologue:						
Description:	During what month and year did you receive your most recent flu shot injected into your arm or flu vaccine that was sprayed in your nose?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
999999	Refused	28	0.59	0.40		
BLANK	Not asked or Missing Notes: Section 12.01, FLUSHOT6, is coded 2, 7, or 9	6,285				

Data was weighted using _LLCPWT.

Pneumonia shot ever						
Section:	12.3 Immunization			Type:	Num	
Column:	217			SAS Variable Name:	PNEUVAC3	
Prologue:						
Description:	A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	4,752	45.01	33.32		
2	No	5,319	50.38	59.06		
7	Don't know/Not Sure	471	4.46	7.38		
9	Refused	16	0.15	0.24		
BLANK	Not asked or Missing	508				

Data was weighted using _LLCPWT.

Received Tetanus Shot Since 2005?							
Section:	12.4 Immunization			Type:		Num	
Column:	218			SAS Variable Name:		TETANUS	
Prologue:							
Description:	Since 2005, have you had a tetanus shot? (If yes, ask: "Was this Tdap, the tetanus shot that also has pertussis or whooping cough vaccine?")						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Yes, received Tdap	1,811	17.17	19.82			
2	Yes, received tetanus shot, but not Tdap	1,026	9.73	9.86			
3	Yes, received tetanus shot but not sure what type	2,381	22.57	25.09			
4	No, did not receive any tetanus since 2005	4,749	45.02	39.69			
7	Don't know/Not Sure	557	5.28	5.39			
9	Refused	25	0.24	0.15			
BLANK	Not asked or Missing	517					

Data was weighted using _LLCPWT.

Had Fall Past Twelve Months							
Section:	13.1 Falls			Type:		Num	
Column:	219-220			SAS Variable Name:		FALL12MN	

Prologue:						
Description:		In the past 12 months, how many times have you fallen?				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	1 - 76	Number of times [76=76 or more] Notes: __ Number of times, 76=76 or more	2,593	31.31	30.29	
	88	None-Go to Section 14.01 SEATBELT	5,646	68.18	69.16	
	77	Don't know/Not Sure-Go to Section 14.01 SEATBELT	27	0.33	0.32	
	99	Refused-Go to Section 14.01 SEATBELT	15	0.18	0.23	
	BLANK	Missing Notes: Section 08.02, AGE, coded 18-44	2,785			

Data was weighted using _LLCPWT.

Injured in Fall						
Section:	13.2 Falls	Type:		Num		
Column:	221-222	SAS Variable Name:		FALLINJ2		
Prologue:						
Description:		How many of these falls caused an injury? By an injury, we mean the fall caused you to limit your regular activities for at least a day or to go see a doctor.				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	1 - 76	Number of falls [76=76 or more] Notes: __ Number of times, 76=76 or more	984	37.95	40.11	
	88	None	1,599	61.67	59.65	
	77	Don't know/Not Sure	7	0.27	0.19	
	99	Refused	3	0.12	0.06	
	BLANK	Missing Notes: Section 08.02, AGE, coded 18-44; or Section 13.01, FALL3MN2, is coded 77, 88, 99 or Missing	8,473			

Data was weighted using _LLCPWT.

How often use seatbelts in car?							
Section:	14.1 Seatbelt Use				Type:		Num
Column:	223				SAS Variable Name:		SEATBELT
Prologue:							
Description:	How often do you use seat belts when you drive or ride in a car? Would you say—						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Always	9,143	86.99	83.81			
2	Nearly always	790	7.52	9.27			
3	Sometimes	266	2.53	3.23			
4	Seldom	104	0.99	1.19			
5	Never	185	1.76	2.29			
7	Don't know/Not sure	2	0.02	0.01			
8	Never drive or ride in a car	17	0.16	0.18			
9	Refused	4	0.04	0.04			
BLANK	Not asked or Missing	555					

Data was weighted using _LLCPWT.

Did you drive after having too much to drink in the past 30 days?							
Section:	15.1 Drinking and Driving				Type:		Num

Column:	224-225	SAS Variable Name:	DRNKDRI2			
Prologue:						
Description:	During the past 30 days, how many times have you driven when you've had perhaps too much to drink?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 76	Number of times Notes: _ _ Number of times	196	3.94	5.28		
88	None	4,758	95.62	94.37		
77	Don't know/Not sure	5	0.10	0.08		
99	Refused	17	0.34	0.27		
BLANK	Not asked or Missing Notes: Section 11.01, ALCDAY5, is coded 888 or: Section 14.01, SEATBELT, is coded 8	6,090				

Data was weighted using _LLCPWT.

Have You Ever Had a Mammogram						
Section:	16.1 Breast and Cervical Cancer Screening	Type:	Num			
Column:	226	SAS Variable Name:	HADMAM			
Prologue:						
Description:	A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	5,121	83.12	63.77		
2	No-Go to Section 16.03 HADPAP2	1,035	16.80	36.09		
9	Refused-Go to Section 16.03 HADPAP2	5	0.08	0.14		
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1	4,905				

Data was weighted using _LLCPWT.

How Long since Last Mammogram						
Section:	16.2 Breast and Cervical Cancer Screening			Type:	Num	
Column:	227			SAS Variable Name:	HOWLONG	
Prologue:						
Description:	How long has it been since you had your last mammogram?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Within the past year (anytime less than 12 months ago)	2,762	53.95	52.07		
2	Within the past 2 years (1 year but less than 2 years ago)	906	17.70	19.04		
3	Within the past 3 years (2 years but less than 3 years ago)	468	9.14	9.38		
4	Within the past 5 years (3 years but less than 5 years ago)	363	7.09	7.22		
5	5 or more years ago	586	11.45	11.67		
7	Don't know/Not sure	25	0.49	0.51		
9	Refused	10	0.20	0.12		
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1; or Module 14.01, HADMAM, is coded 2, 7, 9, or Missing	5,946				

Data was weighted using _LLCPWT.

Ever Had a Pap Test						
Section:	16.3 Breast and Cervical Cancer Screening			Type:	Num	

Column:	228	SAS Variable Name:	HADPAP2
Prologue:			
Description:	A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?		
Value	Value Label	Frequency	Percentage Weighted Percentage
1	Yes	5,793	94.09 89.22
2	No—Go to Section 16.05 HPVTEST	348	5.65 10.62
7	Don't know/Not sure—Go to Section 16.05 HPVTEST	13	0.21 0.14
9	Refused—Go to Section 16.05 HPVTEST	3	0.05 0.02
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1	4,909	

Data was weighted using _LLCPWT.

How Long Since Last Pap Test			
Section:	16.4 Breast and Cervical Cancer Screening	Type:	Num
Column:	229	SAS Variable Name:	LASTPAP2
Prologue:			
Description:	How long has it been since you had your last Pap test?		
Value	Value Label	Frequency	Percentage Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	1,738	30.01 39.38
2	Within the past 2 years (1 year but less than 2 years ago)	902	15.57 17.95
3	Within the past 3 years (2 years but less than 3 years ago)	614	10.60 10.17
4	Within the past 5 years (3 years but less than 5 years ago)	612	10.57 8.52
5	5 or more years ago	1,836	31.70 23.18
7	Don't know/Not sure	68	1.17 0.55

How Long Since Last Pap Test						
Section:	16.4 Breast and Cervical Cancer Screening			Type:	Num	
Column:	229			SAS Variable Name:	LASTPAP2	
Prologue:						
Description:	How long has it been since you had your last Pap test?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
9	Refused	22	0.38	0.26		
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1; or Section 16.03, HADFPAP2, is coded 2, 7, 9, or Missing	5,274				

Data was weighted using _LLCPWT.

Have you ever had an HPV test?						
Section:	16.5 Breast and Cervical Cancer Screening			Type:	Num	
Column:	230			SAS Variable Name:	HPVTEST	
Prologue:	Now, I would like to ask you about the Human Papillomavirus (Pap•uh•loh•muh Virus) or HPV.					
Description:	An HPV test is sometimes given with the Pap test for cervical cancer screening. Have you ever had an HPV test?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,457	23.73	32.56		
2	No—Go to Section 16.07 HADHYST2	3,695	60.17	53.08		
7	Don't know/Not Sure—Go to Section 16.07 HADHYST2	960	15.63	14.05		
9	Refused—Go to Section 16.07 HADHYST2	29	0.47	0.31		
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1	4,925				

Data was weighted using _LLCPWT.

How long since your last HPV test?						
Section:	16.6 Breast and Cervical Cancer Screening			Type:	Num	
Column:	231			SAS Variable Name:	HPLSTTST	
Prologue:						
Description:	How long has it been since you had your last HPV test?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Within the past year (anytime less than 12 months ago)	476	32.69	39.13		
2	Within the past 2 years (1 year but less than 2 years ago)	240	16.48	17.96		
3	Within the past 3 years (2 years but less than 3 years ago)	172	11.81	10.57		
4	Within the past 5 years (3 years but less than 5 years ago)	164	11.26	9.64		
5	5 or more years ago	350	24.04	20.19		
7	Don't know/Not Sure	53	3.64	2.43		
9	Refused	1	0.07	0.08		
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1; or Module 16.05, HPVTEST, is coded 2, 7, 9 or Missing	9,610				

Data was weighted using _LLCPWT.

Had Hysterectomy						
Section:	16.7 Breast and Cervical Cancer Screening			Type:	Num	

Column:	232	SAS Variable Name:	HADHYST2		
Prologue:					
Description:	Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Yes	2,105	34.62	25.38	
2	No	3,960	65.12	74.21	
7	Don't know/Not sure	7	0.12	0.30	
9	Refused	9	0.15	0.10	
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1; or Section 08.21, PREGNANT, is coded 1	4,985			

Data was weighted using _LLCPWT.

Has a health professional EVER talked with you about the advantages of the PSA test?					
Section:	17.1 Prostate Cancer Screening	Type:	Num		
Column:	233	SAS Variable Name:	PCPSAAD2		
Prologue:	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.				
Description:	Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Yes	2,168	62.00	55.44	
2	No	1,245	35.60	42.77	
7	Don't know/Not Sure	65	1.86	1.54	
9	Refused	19	0.54	0.25	
BLANK	Not asked or Missing	7,569			

Has a health professional EVER talked with you about the advantages of the PSA test?					
Section:	17.1 Prostate Cancer Screening	Type:	Num		
Column:	233	SAS Variable Name:	PCPSAAD2		
Prologue:	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer.				
Description:	Has a doctor, nurse, or other health professional EVER talked with you about the advantages of the PSA test?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
	Notes: Section 08.02, AGE, is less than 40; or Section 08.01, SEX, is coded 2;				

Data was weighted using _LLCPWT.

Has a health professional EVER talked with you about the disadvantages of the PSA test?					
Section:	17.2 Prostate Cancer Screening	Type:	Num		
Column:	234	SAS Variable Name:	PCPSADI1		
Prologue:					
Description:	Has a doctor, nurse, or other health professional EVER talked with you about the disadvantages of the PSA test?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Yes	896	25.65	23.49	
2	No	2,529	72.40	74.75	
7	Don't know/Not Sure	57	1.63	1.47	
9	Refused	11	0.31	0.29	
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 40; or Section 08.01, SEX, is coded 2	7,573			

Data was weighted using _LLCPWT.

Has a doctor EVER recommended that you have a PSA test?						
Section:	17.3 Prostate Cancer Screening			Type:	Num	
Column:	235			SAS Variable Name:	PCPSARE1	
Prologue:						
Description:	Has a doctor, nurse, or other health professional EVER recommended that you have a PSA test?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,963	56.23	49.76		
2	No	1,459	41.79	48.68		
7	Don't know/Not Sure	56	1.60	1.28		
9	Refused	13	0.37	0.29		
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 40; or Section 08.01, SEX, is coded 2;	7,575				

Data was weighted using _LLCPWT.

Ever Had PSA Test						
Section:	17.4 Prostate Cancer Screening			Type:	Num	
Column:	236			SAS Variable Name:	PSATEST1	
Prologue:						
Description:	Have you EVER HAD a PSA test?					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes	2,062	59.08	50.35
	2	No—Go to Section 18.1 BLDSTOOL	1,326	37.99	46.98
	7	Don't know/Not Sure—Go to Section 18.1 BLDSTOOL	94	2.69	2.50
	9	Refused—Go to Section 18.1 BLDSTOOL	8	0.23	0.17
	BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 40; or Section 08.01, SEX, is coded 2;	7,576		

Data was weighted using _LLCPWT.

Time Since Last PSA Test					
Section:	17.5 Prostate Cancer Screening			Type:	Num
Column:	237			SAS Variable Name:	PSATIME
Prologue:					
Description:	How long has it been since you had your last PSA test?				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Within the past year (anytime less than 12 months ago)	1,178	57.21	56.84
	2	Within the past 2 years (1 year but less than 2 years ago)	313	15.20	15.24
	3	Within the past 3 years (2 years but less than 3 years ago)	167	8.11	8.77
	4	Within the past 5 years (3 years but less than 5 years ago)	152	7.38	7.14
	5	5 or more years ago	215	10.44	10.79
	7	Don't know/Not Sure	31	1.51	1.10
	9	Refused	3	0.15	0.11
	BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 40; or Section 08.01, SEX, is coded 2; or Section 17.04, PSATEST1, is coded, 2, 7, 9, or Missing	9,007		

Data was weighted using _LLCPWT.

What was the MAIN reason you had this PSA test?							
Section:	17.6 Prostate Cancer Screening			Type:		Num	
Column:	238			SAS Variable Name:		PCPSARS1	
Prologue:							
Description:	What was the MAIN reason you had this PSA test – was it ...?						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Part of a routine exam	1,461	71.06	70.09			
2	Because of a prostate problem	119	5.79	4.91			
3	Because of a family history of prostate cancer	99	4.82	5.51			
4	Because you were told you had prostate cancer	88	4.28	3.67			
5	Some other reason	260	12.65	13.84			
7	Don't know/Not Sure	13	0.63	0.79			
9	Refused	16	0.78	1.19			
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 40; or Section 08.01, SEX, is coded 2; or Section 17.04, PSATEST1, is coded, 2, 7, 9, or Missing	9,010					

Data was weighted using _LLCPWT.

Ever Had Blood Stool Test Using Home Kit							
--	--	--	--	--	--	--	--

Section:	18.1 Colorectal Cancer Screening	Type:	Num
Column:	239	SAS Variable Name:	BLDSTOOL
Prologue:			
Description:	A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?		
Value	Value Label	Frequency	Percentage Weighted Percentage
1	Yes	2,543	33.78 30.07
2	No—Go to Section 18.03 HADSIGM3	4,951	65.76 69.63
7	Don't know/Not Sure—Go to Section 18.03 HADSIGM3	27	0.36 0.24
9	Refused—Go to Section 18.03 HADSIGM3	8	0.11 0.06
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 50	3,537	

Data was weighted using _LLCPWT.

Time Since Last Blood Stool Test			
Section:	18.2 Colorectal Cancer Screening	Type:	Num
Column:	240	SAS Variable Name:	LSTBLDS3
Prologue:			
Description:	How long has it been since you had your last blood stool test using a home kit?		
Value	Value Label	Frequency	Percentage Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	609	23.99 25.89
2	Within the past 2 years (1 year but less than 2 years ago)	298	11.74 12.25
3	Within the past 3 years (2 years but less than 3 years ago)	281	11.07 11.51
4	Within the past 5 years (3 years but less than 5 years ago)	318	12.52 11.71
5	5 or more years ago	993	39.11 37.36

Time Since Last Blood Stool Test						
Section:	18.2 Colorectal Cancer Screening			Type:	Num	
Column:	240			SAS Variable Name:	LSTBLDS3	
Prologue:						
Description:	How long has it been since you had your last blood stool test using a home kit?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't know/Not sure	39	1.54	1.28		
9	Refused	1	0.04	0.01		
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 50; or Section 18.01, BLDSTOOL, is coded 2, 7, 9, or Missing	8,527				

Data was weighted using _LLCPWT.

Ever Had Sigmoidoscopy/Colonoscopy						
Section:	18.3 Colorectal Cancer Screening			Type:	Num	
Column:	241			SAS Variable Name:	HDSIGM3	
Prologue:						
Description:	Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	5,338	71.08	67.04		
2	No-Go to Section 19.01 HIVTST6	2,141	28.51	32.62		
7	Don't know/Not Sure-Go to Section 19.01 HIVTST6	21	0.28	0.26		
9	Refused-Go to Section 19.01 HIVTST6	10	0.13	0.07		
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 50	3,556				

Data was weighted using _LLCPWT.

Was your last test a sigmoidoscopy or colonoscopy?						
Section:	18.4 Colorectal Cancer Screening			Type:	Num	
Column:	242			SAS Variable Name:	HADSGCO1	
Prologue:						
Description:	For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a sigmoidoscopy or a colonoscopy?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Sigmoidoscopy	153	2.87	2.94		
2	Colonoscopy	5,067	95.03	94.95		
7	Don't know/Not Sure	85	1.59	1.46		
9	Refused	27	0.51	0.65		
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 50; or Section 18.03, HADSIGM3, is coded 2, 7, 9, or Missing	5,734				

Data was weighted using _LLCPWT.

Time Since Last Sigmoidoscopy/Colonoscopy						
Section:	18.5 Colorectal Cancer Screening			Type:	Num	
Column:	243			SAS Variable Name:	LASTSIG3	

Prologue:						
Description:		How long has it been since you had your last sigmoidoscopy or colonoscopy?				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	1	Within the past year (anytime less than 12 months ago)	1,044	19.58	21.59	
	2	Within the past 2 years (1 year but less than 2 years ago)	742	13.92	14.56	
	3	Within the past 3 years (2 years but less than 3 years ago)	766	14.37	15.07	
	4	Within the past 5 years (3 years but less than 5 years ago)	1,146	21.49	20.30	
	5	Within the past 10 years (5 years but less than 10 years ago)	1,132	21.23	19.91	
	6	10 or more years ago	456	8.55	7.81	
	7	Don't know/Not sure	42	0.79	0.67	
	9	Refused	4	0.08	0.09	
	BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 50; or Section 18.03, HADSIGM3, is coded 2, 7, 9, or Missing	5,734			

Data was weighted using _LLCPWT.

Ever tested HIV						
Section:	19.1 HIV/AIDS	Type:	Num			
Column:	244	SAS Variable Name:	HIVTST6			
Prologue:						
Description:		Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	1	Yes	2,410	23.40	30.69	
	2	No—Go to Section 19.03 HIVRISK4	7,674	74.50	67.45	

Ever tested HIV						
Section:	19.1 HIV/AIDS			Type:	Num	
Column:	244			SAS Variable Name:	HIVTST6	
Prologue:						
Description:	Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include testing fluid from your mouth.					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't know/Not Sure—Go to Section 19.03 HIVRISK4	193	1.87	1.72		
9	Refused—Go to Section 19.03 HIVRISK4	23	0.22	0.14		
BLANK	Not asked or Missing	766				

Data was weighted using _LLCPWT.

Month and Year of Last HIV Test						
Section:	19.2 HIV/AIDS			Type:	Num	
Column:	245-250			SAS Variable Name:	HIVTSTD3	
Prologue:						
Description:	Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777".)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
11985 - 122017	Code month and year Notes: __/___ __ __ month and year	2,057	85.46	89.07		
777777	Don't know/Not sure	333	13.83	10.52		
999999	Refused	17	0.71	0.41		
BLANK	Not asked or Missing Notes: Section 19.01, HIVTST6, is coded 2, 7, 9, or Missing	8,659				

Data was weighted using _LLCPWT.

Do Any High Risk Situations Apply						
Section:	19.3 HIV/AIDS			Type:	Num	
Column:	251			SAS Variable Name:	HIVRISK4	
Prologue:						
Description:	I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. You had four or more sex partners in the past year.					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	335	3.26	6.94		
2	No	9,917	96.60	92.92		
7	Don't know/Not sure	2	0.02	0.04		
9	Refused	12	0.12	0.10		
BLANK	Not asked or Missing	800				

Data was weighted using _LLCPWT.

Had a test for high blood sugar or diabetes in the past three years?						
Module:	1.1 Pre-Diabetes			Type:	Num	
Column:	300			SAS Variable Name:	PDIABTST	
Prologue:						

Description:	Have you had a test for high blood sugar or diabetes within the past three years?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 1	11,066		

Data was weighted using _LLCPWT.

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?				
Module:	1.2 Pre-Diabetes	Type:	Num	
Column:	301	SAS Variable Name:	PREDIAB1	
Prologue:				
Description:	Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 1; If Section 06.12, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes);	11,066		

Data was weighted using _LLCPWT.

Now Taking Insulin				
Module:	2.1 Diabetes	Type:	Num	
Column:	302	SAS Variable Name:	INSULIN	

Prologue:						
Description:		Are you now taking insulin?				
	Value	Value Label	Frequency	Percentage		Weighted Percentage
	BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	11,066			

Data was weighted using _LLCPWT.

How Often Check Blood for Glucose						
Module:	2.2 Diabetes			Type:	Num	
Column:	303-305			SAS Variable Name:	BLDSUGAR	
Prologue:						
Description:		About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.				
	Value	Value Label	Frequency	Percentage		Weighted Percentage
	BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	11,066			

Data was weighted using _LLCPWT.

How Often Check Feet for Sores or Irritations						
Module:	2.3 Diabetes			Type:	Num	

Column:	306-308	SAS Variable Name:	FEETCHK2
Prologue:			
Description:	About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do NOT include times when checked by a health professional.		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	11,066	

Data was weighted using _LLCPWT.

Times Seen Health Professional for Diabetes			
Module:	2.4 Diabetes	Type:	Num
Column:	309-310	SAS Variable Name:	DOCTDIAB
Prologue:			
Description:	About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	11,066	

Data was weighted using _LLCPWT.

Times Checked for Glycosylated Hemoglobin			
--	--	--	--

Module:	2.5 Diabetes	Type:	Num
Column:	311-312	SAS Variable Name:	CHKHEMO3
Prologue:			
Description:	A test for “A one C” measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for “A one C”?		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	11,066	

Data was weighted using _LLCPWT.

Times Feet Check for Sores/Irritations			
Module:	2.6 Diabetes	Type:	Num
Column:	313-314	SAS Variable Name:	FEETCHK
Prologue:			
Description:	About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.03, FEETCHK2, is coded 555	11,066	

Data was weighted using _LLCPWT.

Last Eye Exam Where Pupils Were Dilated					
Module:	2.7 Diabetes	Type:	Num		
Column:	315	SAS Variable Name:	EYEEEXAM		
Prologue:					
Description:	When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.				
Value	Value Label	Frequency	Percentage		Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	11,066			

Data was weighted using _LLCPWT.

Ever Told Diabetes Has Affected Eyes					
Module:	2.8 Diabetes	Type:	Num		
Column:	316	SAS Variable Name:	DIABEYE		
Prologue:					
Description:	Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?				
Value	Value Label	Frequency	Percentage		Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	11,066			

Data was weighted using _LLCPWT.

Ever Taken Class in Managing Diabetes					
Module:	2.9 Diabetes			Type:	Num
Column:	317			SAS Variable Name:	DIABEDU
Prologue:					
Description:	Have you ever taken a course or class in how to manage your diabetes yourself?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing Notes: Section 06.12, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing	11,066			

Data was weighted using _LLCPWT.

How many days hard to do usual activities in past 30 days					
Module:	3.1 Healthy Days (Symptoms)			Type:	Num
Column:	318-319			SAS Variable Name:	PAINACT2
Prologue:					
Description:	During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

How many days depressed in past 30 days				
Module:	3.2 Healthy Days (Symptoms)	Type:	Num	
Column:	320-321	SAS Variable Name:	QLMENTL2	
Prologue:				
Description:	During the past 30 days, for about how many days have you felt sad, blue, or depressed?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	11,066		

Data was weighted using _LLCPWT.

How many days felt anxious in past 30 days				
Module:	3.3 Healthy Days (Symptoms)	Type:	Num	
Column:	322-323	SAS Variable Name:	QLSTRES2	
Prologue:				
Description:	During the past 30 days, for about how many days have you felt worried, tense, or anxious?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	11,066		

Data was weighted using _LLCPWT.

How many days full of energy in past 30 days				
---	--	--	--	--

Module:	3.4 Healthy Days (Symptoms)		Type:	Num	
Column:	324-325		SAS Variable Name:	QLHLTH2	
Prologue:					
Description:	During the past 30 days, for about how many days have you felt very healthy and full of energy?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Do you have Medicare?					
Module:	4.1 Health Care Access		Type:	Num	
Column:	326		SAS Variable Name:	MEDICARE	
Prologue:					
Description:	Do you have Medicare? (Medicare is a coverage plan for people 65 or over and for certain disabled people.)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 2, 7, or 9;	11,066			

Data was weighted using _LLCPWT.

Primary Health Insurance Coverage					
Module:	4.2 Health Care Access		Type:	Num	

Column:	327-328	SAS Variable Name:	HLTHCVR1		
Prologue:					
Description:	What is the primary source of your health care coverage? Is it...				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Delayed Getting Medical Care					
Module:	4.3 Health Care Access	Type:	Num		
Column:	329	SAS Variable Name:	DELAYMED		
Prologue:	Other than cost, there are many other reasons people delay getting needed medical care.				
Description:	Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason.				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Delayed Getting Medical Care Other Response					
Module:	4.3.1 Health Care Access	Type:	Char		
Column:	330-354	SAS Variable Name:	DLYOTHER		

Prologue:							
Description:		Delayed Getting Medical Care Other Response					
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	BLANK	Not asked or Missing Notes: Module 04.03, DELAYMED, is not coded 6	11,066				

Data was weighted using _LLCPWT.

Without Health Care Coverage Past 12 Months							
Module:	4.4 Health Care Access				Type:	Num	
Column:	355				SAS Variable Name:	NOCOV121	
Prologue:							
Description:		In the PAST 12 MONTHS was there any time when you did NOT have ANY health insurance or coverage?					
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	BLANK	Not asked or Missing	11,066				

Data was weighted using _LLCPWT.

Time Since Last Had Health Care Coverage							
Module:	4.5 Health Care Access				Type:	Num	
Column:	356				SAS Variable Name:	LSTCOVRG	
Prologue:							

Description:		About how long has it been since you last had health care coverage?				
Value	Value Label	Frequency	Percentage		Weighted Percentage	
BLANK	Not asked or Missing Notes: Section 03.01, HLTHPLN1, is coded 1; or Module 04.04, NOCOV121, is not equal to missing	11,066				

Data was weighted using _LLCPWT.

Doctor Visits Past 12 Months					
Module:	4.6 Health Care Access	Type:		Num	
Column:	357-358	SAS Variable Name:		DRVISITS	
Prologue:					
Description:	How many times have you been to a doctor, nurse, or other health professional in the past 12 months?				
Value	Value Label	Frequency	Percentage		Weighted Percentage
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Could Not Get Medicine Due To Cost					
Module:	4.7 Health Care Access	Type:		Num	
Column:	359	SAS Variable Name:		MEDSCOST	
Prologue:					

Description:		Was there a time in the past 12 months when you did not take your medication as prescribed because of cost? Do not include over-the-counter (OTC) medication.			
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Satisfied With Care Received					
Module:	4.8 Health Care Access	Type:	Num		
Column:	360	SAS Variable Name:	CARERCVD		
Prologue:					
Description:	In general, how satisfied are you with the health care you received? Would you say—				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Currently Have Health Care Bills					
Module:	4.9 Health Care Access	Type:	Num		
Column:	361	SAS Variable Name:	MEDBILL1		
Prologue:					

Description:	Do you currently have any health care bills that are being paid off over time? (This could include medical bills being paid off with a credit card, through personal loans, or bill paying arrangements with hospitals or other providers. The bills can be from earlier years as well as this year.)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	11,066		

Data was weighted using _LLCPWT.

How difficult is it for you to get advice or information about health or medical topics if you need it?				
Module:	5.1 Health Literacy	Type:	Num	
Column:	362	SAS Variable Name:	MEDADVIC	
Prologue:				
Description:	How difficult is it for you to get advice or information about health or medical topics if you need it?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	11,066		

Data was weighted using _LLCPWT.

How difficult is it for you to understand information that doctors, nurses and other health professionals tell you?				
Module:	5.2 Health Literacy	Type:	Num	
Column:	363	SAS Variable Name:	UNDRSTND	
Prologue:				

Description:		How difficult is it for you to understand information that doctors, nurses and other health professionals tell you?				
Value	Value Label	Frequency		Percentage		Weighted Percentage
BLANK	Not asked or Missing	11,066				

Data was weighted using _LLCPWT.

How difficult is it for you to understand written health information?						
Module:	5.3 Health Literacy	Type:		Num		
Column:	364	SAS Variable Name:		WRITTEN		
Prologue:	You can find written information about health on the Internet, in newspapers and magazines, and in brochures in the doctor's office and clinic.					
Description:	In general, how difficult is it for you to understand written health information?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
BLANK	Not asked or Missing	11,066				

Data was weighted using _LLCPWT.

Provided regular care for family or friend						
Module:	6.1 Caregiver	Type:		Num		
Column:	365	SAS Variable Name:		CAREGIV1		
Prologue:	People may provide regular care or assistance to a friend or family member who has a health problem or disability.					

Description:	During the past 30 days, did you provide regular care or assistance to a friend or family member who has a health problem or disability?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	11,066		

Data was weighted using _LLCPWT.

Relationship Of Person To Whom You Are Giving Care?				
Module:	6.2 Caregiver	Type:	Num	
Column:	366-367	SAS Variable Name:	CRGVREL1	
Prologue:				
Description:	What is his/her relationship to you? For example is he/she your (mother/daughter or father/son)?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 06.01, CARGIV1, is coded 2, 8, 7 or 9	11,066		

Data was weighted using _LLCPWT.

How Long Provided Care For Person.				
Module:	6.3 Caregiver	Type:	Num	
Column:	368	SAS Variable Name:	CRGVLNG1	
Prologue:				
Description:	For how long have you provided care for that person? Would you say...			

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Not asked or Missing Notes: Module 06.01, CARGIV1, is coded 2, 8, 7 or 9	11,066		

Data was weighted using _LLCPWT.

How Many Hours Do You Provide Care For Person?					
Module:	6.4 Caregiver		Type:	Num	
Column:	369		SAS Variable Name:	CRGVHRS1	
Prologue:					
Description:	In an average week, how many hours do you provide care or assistance? Would you say...				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Not asked or Missing Notes: Module 06.01, CARGIV1, is coded 2, 8, 7 or 9	11,066		

Data was weighted using _LLCPWT.

What Is The Major Health Problem, Illness, Disability For Care For Person?					
Module:	6.5 Caregiver		Type:	Num	
Column:	370-371		SAS Variable Name:	CRGVPRB2	
Prologue:					
Description:	What is the main health problem, long-term illness, or disability that the person you care for has?				

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Not asked or Missing Notes: Module 06.01, CARGIV1, is coded 2, 8, 7 or 9	11,066		

Data was weighted using _LLCPWT.

Managed personal care					
Module:	6.6 Caregiver		Type:	Num	
Column:	372		SAS Variable Name:	CRGVPER	
Prologue:	In the past 30 days, did you provide care for this person by...				
Description:	...Managing personal care such as giving medications, feeding, dressing, or bathing?				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Not asked or Missing Notes: Module 06.01, CARGIV1, is coded 2, 8, 7 or 9	11,066		

Data was weighted using _LLCPWT.

Managed household tasks					
Module:	6.7 Caregiver		Type:	Num	
Column:	373		SAS Variable Name:	CRGVHOUS	
Prologue:	In the past 30 days, did you provide care for this person by...				
Description:	...Managing household tasks such as cleaning, managing money, or preparing meals?				

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Not asked or Missing Notes: Module 06.01, CARGIV1, is coded 2, 8, 7 or 9	11,066		

Data was weighted using _LLCPWT.

Which support do you MOST need that you are not getting?					
Module:	6.8 Caregiver		Type:	Num	
Column:	374		SAS Variable Name:	CRGVMST2	
Prologue:					
Description:	Of the following support services, which one do you MOST need, that you are not currently getting?				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Not asked or Missing Notes: Module 06.01, CARGIV1, is coded 2, 8, 7 or 9	11,066		

Data was weighted using _LLCPWT.

Do you expect to have a relative you will need to provide care for?					
Module:	6.9 Caregiver		Type:	Num	
Column:	375		SAS Variable Name:	CRGVEXPT	
Prologue:					
Description:	In the next 2 years, do you expect to provide care or assistance to a friend or family member who has a health problem or disability?				

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Not asked or Missing Notes: Module 06.01, CARGIV1, is coded 1 or 8	11,066		

Data was weighted using _LLCPWT.

Have you experienced confusion or memory loss that is happening more often or is getting worse?					
Module:	7.1 Cognitive Decline		Type:	Num	
Column:	376		SAS Variable Name:	CIMEMLOS	
Prologue:					
Description:	During the past 12 months, have you experienced confusion or memory loss that is happening more often or is getting worse?				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes	842	10.64	10.46
	2	No—Go to next module	7,033	88.85	88.99
	7	Don't know/Not sure	25	0.32	0.31
	9	Refused—Go to next module	16	0.20	0.24
	BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 45	3,150		

Data was weighted using _LLCPWT.

Given up day-to-day chores due to confusion or memory loss

Module:	7.2 Cognitive Decline		Type:		Num	
Column:	377		SAS Variable Name:		CDHOUSE	
Prologue:						
Description:	During the past 12 months, as a result of confusion or memory loss, how often have you given up day-to-day household activities or chores you used to do, such as cooking, cleaning, taking medications, driving, or paying bills?					
	Value	Value Label	Frequency		Percentage	
	1	Always	35		4.04	5.04
	2	Usually	45		5.20	4.76
	3	Sometimes	207		23.90	27.58
	4	Rarely	142		16.40	14.90
	5	Never	430		49.65	46.83
	7	Don't know/Not sure	1		0.12	0.05
	9	Refused	6		0.69	0.84
	BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 45; or Module 07.01, CIMEMLOS, is coded 2 or 9	10,200			

Data was weighted using _LLCPWT.

Need assistance with day-to-day activities due to confusion or memory loss						
Module:	7.3 Cognitive Decline		Type:		Num	
Column:	378		SAS Variable Name:		CDASSIST	
Prologue:						
Description:	As a result of confusion or memory loss, how often do you need assistance with these day-to-day activities?					
	Value	Value Label	Frequency		Percentage	
					Weighted Percentage	

Need assistance with day-to-day activities due to confusion or memory loss						
Module:	7.3 Cognitive Decline			Type:	Num	
Column:	378			SAS Variable Name:	CDASSIST	
Prologue:						
Description:	As a result of confusion or memory loss, how often do you need assistance with these day-to-day activities?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Always	30	3.46	4.49		
2	Usually	30	3.46	4.01		
3	Sometimes	185	21.36	24.89		
4	Rarely—Go to Module 07.05 CDDISCUS	160	18.48	17.35		
5	Never—Go to Module 07.05 CDDISCUS	452	52.19	48.37		
7	Don't know/Not sure—Go to Module 07.05 CDDISCUS	1	0.12	0.05		
9	Refused—Go to Module 07.05 CDDISCUS	8	0.92	0.86		
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 45; or Module 07.01, CIMEMLOS, is coded 2 or 9	10,200				

Data was weighted using _LLCPWT.

When you need help with day-to-day activities are you able to get it						
Module:	7.4 Cognitive Decline			Type:	Num	
Column:	379			SAS Variable Name:	CDHELP	
Prologue:						
Description:	When you need help with these day-to-day activities, how often are you able to get the help that you need?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		

When you need help with day-to-day activities are you able to get it						
Module:	7.4 Cognitive Decline			Type:	Num	
Column:	379			SAS Variable Name:	CDHELP	
Prologue:						
Description:	When you need help with these day-to-day activities, how often are you able to get the help that you need?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Always	108	44.08	42.69		
2	Usually	46	18.78	17.91		
3	Sometimes	58	23.67	27.76		
4	Rarely	19	7.76	7.56		
5	Never	13	5.31	3.85		
9	Refused	1	0.41	0.23		
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 45; or Module 07.01, CIMEMLOS, is coded 2 or 9; or Module 07.03, CDASSIST, is coded 4, 5, 7 or 9	10,821				

Data was weighted using _LLCPWT.

Does confusion or memory loss interfere with work or social activities						
Module:	7.5 Cognitive Decline			Type:	Num	
Column:	380			SAS Variable Name:	CDSOCIAL	
Prologue:						
Description:	During the past 12 months, how often has confusion or memory loss interfered with your ability to work, volunteer, or engage in social activities outside the home?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		

Does confusion or memory loss interfere with work or social activities						
Module:	7.5 Cognitive Decline			Type:	Num	
Column:	380			SAS Variable Name:	CDSOCIAL	
Prologue:						
Description:	During the past 12 months, how often has confusion or memory loss interfered with your ability to work, volunteer, or engage in social activities outside the home?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Always	66	7.63	10.24		
2	Usually	37	4.28	4.78		
3	Sometimes	157	18.15	19.62		
4	Rarely	143	16.53	14.60		
5	Never	450	52.02	49.40		
7	Don't know/Not sure	4	0.46	0.28		
9	Refused	8	0.92	1.08		
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 45; or Module 07.01, CIMEMLOS, is coded 2 or 9	10,201				

Data was weighted using _LLCPWT.

Have you discussed your confusion or memory loss with a health care professional?						
Module:	7.6 Cognitive Decline			Type:	Num	
Column:	381			SAS Variable Name:	CDDISCUS	
Prologue:						
Description:	Have you or anyone else discussed your confusion or memory loss with a health care professional?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		

Have you discussed your confusion or memory loss with a health care professional?						
Module:	7.6 Cognitive Decline			Type:	Num	
Column:	381			SAS Variable Name:	CDDISCUS	
Prologue:						
Description:	Have you or anyone else discussed your confusion or memory loss with a health care professional?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	378	43.75	43.61		
2	No	481	55.67	55.83		
7	Don't know/Not Sure	4	0.46	0.50		
9	Refused	1	0.12	0.06		
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 45; or Module 07.01, CIMEMLOS, is coded 2 or 9	10,202				

Data was weighted using _LLCPWT.

How often did you drink sugar-sweetened drinks?						
Module:	8.2 Sugar Sweetened Beverages			Type:	Num	
Column:	385-387			SAS Variable Name:	SSBFRUT2	
Prologue:						
Description:	During the past 30 days, how often did you drink sugar-sweetened fruit drinks (such as Kool-aid and lemonade), sweet tea, and sports or energy drinks (such as Gatorade and Red Bull)? Do not include 100 percent fruit juice, diet drinks, or artificially sweetened drinks.(You can answer times per day, week, or month: for example, twice a day, once a week, and so forth.)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
101 - 199	Times per day	1,451	14.70	19.38		
201 - 299	Times per week	1,615	16.36	19.93		

How often did you drink sugar-sweetened drinks?					
Module:	8.2 Sugar Sweetened Beverages			Type:	Num
Column:	385-387			SAS Variable Name:	SSBFRUT2
Prologue:					
Description:	During the past 30 days, how often did you drink sugar-sweetened fruit drinks (such as Kool-aid and lemonade), sweet tea, and sports or energy drinks (such as Gatorade and Red Bull)? Do not include 100 percent fruit juice, diet drinks, or artificially sweetened drinks.(You can answer times per day, week, or month: for example, twice a day, once a week, and so forth.)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
301 - 399	Times per month	1,519	15.39	17.45	
777	Don't know/Not sure	43	0.44	0.35	
888	Never	5,213	52.81	42.65	
999	Refused	30	0.30	0.25	
BLANK	Not asked or Missing	1,195			

Data was weighted using _LLCPWT.

When calorie information is available in the restaurant, how often does this information help you decide what to order?					
Module:	9.1 Menu Labeling			Type:	Num
Column:	388-389			SAS Variable Name:	CALRINFO
Prologue:	The next question is about eating out at fast food and chain restaurants.				
Description:	When calorie information is available in the restaurant, how often does this information help you decide what to order?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

During the past 30 days, on how many days did you use marijuana or hashish?					
Module:	10.1 Marijuana Use	Type:	Num		
Column:	390-391	SAS Variable Name:	MARIJANA		
Prologue:					
Description:	During the past 30 days, on how many days did you use marijuana or hashish?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

During the past 30 days, how did you use marijuana?					
Module:	10.2 Marijuana Use	Type:	Num		
Column:	392-397	SAS Variable Name:	USEMRJNA		
Prologue:					
Description:	During the past 30 days, how did you use marijuana? [Please tell me all that apply. Did you....]				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing Notes: Module 10.01, MARIJANA, is coded 88, 77, or 99;	11,066			

Data was weighted using _LLCPWT.

Days had trouble with sleep							
Module:	11.1 Sleep Disorder			Type:		Num	
Column:	398-399			SAS Variable Name:		ADSLEEP	
Prologue:							
Description:	Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much?						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1 - 14	01-14 days	3,626	50.89	51.51			
88	None	3,377	47.40	46.87			
77	Don't know/Not sure	59	0.83	0.87			
99	Refused	63	0.88	0.75			
BLANK	Not asked or Missing	3,941					

Data was weighted using _LLCPWT.

Over the last 2 weeks, how many days did you unintentionally fall asleep during the day?							
Module:	11.2 Sleep Disorder			Type:		Num	
Column:	400-401			SAS Variable Name:		SLEPDAY1	
Prologue:							
Description:	Over the last 2 weeks, how many days did you unintentionally fall asleep during the day?						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1 - 14	Number of days [1-14]	1,965	27.61	25.98			

Over the last 2 weeks, how many days did you unintentionally fall asleep during the day?						
Module:	11.2 Sleep Disorder	Type:		Num		
Column:	400-401	SAS Variable Name:		SLEPDAY1		
Prologue:						
Description:	Over the last 2 weeks, how many days did you unintentionally fall asleep during the day?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
88	None	5,079		71.35		73.14
77	Don't know/Not Sure	43		0.60		0.51
99	Refused	31		0.44		0.36
BLANK	Missing	3,948				

Data was weighted using _LLCPWT.

Have you ever been told that you snore loudly?						
Module:	11.3 Sleep Disorder	Type:		Num		
Column:	402	SAS Variable Name:		SLEPSNO1		
Prologue:						
Description:	Have you ever been told that you snore loudly? (If the respondent indicates that their spouse or someone told him/her that they snore, then the answer to the question is 'Yes' the respondent snores.)					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes	3,013		42.36		42.40
2	No	4,069		57.21		57.27
7	Don't know/Not Sure	18		0.25		0.16
9	Refused	13		0.18		0.17
BLANK	Not asked or Missing	3,953				

Data was weighted using _LLCPWT.

Has anyone ever observed that you stop breathing during your sleep?							
Module:	11.4 Sleep Disorder			Type:		Num	
Column:	403			SAS Variable Name:		SLEPBRTH	
Prologue:							
Description:	Has anyone ever observed that you stop breathing during your sleep?						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Yes	1,102	15.50	14.63			
2	No	5,974	84.01	84.93			
7	Don't know/Not Sure	28	0.39	0.34			
9	Refused	7	0.10	0.10			
BLANK	Not asked or Missing	3,955					

Data was weighted using _LLCPWT.

Age at Asthma Diagnosis							
Module:	12.1 Adult Asthma History			Type:		Num	
Column:	404-405			SAS Variable Name:		ASTHMAGE	
Prologue:	Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.						
Description:	How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?						

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing	11,066		

Data was weighted using _LLCPWT.

Asthma During Past 12 Months					
Module:	12.2 Adult Asthma History		Type:	Num	
Column:	406		SAS Variable Name:	ASATTACK	
Prologue:					
Description:	During the past 12 months, have you had an episode of asthma or an asthma attack?				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	11,066		

Data was weighted using _LLCPWT.

Emergency Asthma Care During Past 12 Months					
Module:	12.3 Adult Asthma History		Type:	Num	
Column:	407-408		SAS Variable Name:	ASERVIST	
Prologue:					

Description:	During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?				
Value	Value Label	Frequency	Percentage		Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 12.02, ASATTACK, is coded 2, 7, 9 or Missing	11,066			

Data was weighted using _LLCPWT.

Urgent Asthma Treatment During Past 12 Months					
Module:	12.4 Adult Asthma History	Type:		Num	
Column:	409-410	SAS Variable Name:		ASDRVIST	
Prologue:	If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,"]				
Description:	During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?				
Value	Value Label	Frequency	Percentage		Weighted Percentage
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 12.02, ASATTACK, is coded 2, 7, 9 or Missing	11,066			

Data was weighted using _LLCPWT.

Routine Asthma Care During Past 12 Months					
--	--	--	--	--	--

Module:	12.5 Adult Asthma History	Type:	Num
Column:	411-412	SAS Variable Name:	ASRCHKUP
Prologue:			
Description:	During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine checkup for your asthma?		
Value	Value Label	Frequency	Percentage
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	11,066	

Data was weighted using _LLCPWT.

Activities Limited Because of Asthma During Past 12 Months			
Module:	12.6 Adult Asthma History	Type:	Num
Column:	413-415	SAS Variable Name:	ASACTLIM
Prologue:			
Description:	During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?		
Value	Value Label	Frequency	Percentage
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	11,066	

Data was weighted using _LLCPWT.

Asthma Symptoms During Past 30 Days					
Module:	12.7 Adult Asthma History			Type:	Num
Column:	416			SAS Variable Name:	ASYMPTOM
Prologue:					
Description:	Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	11,066			

Data was weighted using _LLCPWT.

Sleep Difficulty Because of Asthma During Past 30 Days					
Module:	12.8 Adult Asthma History			Type:	Num
Column:	417			SAS Variable Name:	ASNOSLEP
Prologue:					
Description:	During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you say—				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 12.07, ASYMPTOM, is coded 8	11,066			

Data was weighted using _LLCPWT.

Days used prescribed preventative asthma med in past 30 days									
Module:		12.9 Adult Asthma History				Type:		Num	
Column:		418				SAS Variable Name:		ASTHMED3	
Prologue:									
Description:		During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma attack from occurring?							
Value	Value Label	Frequency	Percentage	Weighted Percentage					
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	11,066							

Data was weighted using _LLCPWT.

Times used asthma inhaler during an attack in past 30 days									
Module:		12.10 Adult Asthma History				Type:		Num	
Column:		419				SAS Variable Name:		ASINHALR	
Prologue:									
Description:		During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to stop it?							
Value	Value Label	Frequency	Percentage	Weighted Percentage					
BLANK	Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing	11,066							

Data was weighted using _LLCPWT.

Where did you get your last flu shot/vaccine?					
Module:	13.1 Influenza	Type:		Num	
Column:	420-421	SAS Variable Name:		IMFVPLAC	
Prologue:					
Description:	At what kind of place did you get your last flu shot/vaccine?				
Value	Value Label	Frequency		Percentage	
		Weighted Percentage			
BLANK	Not asked or Missing Notes: Section 12.01, FLUSHOT6, is coded 2, 7, or 9	11,066			

Data was weighted using _LLCPWT.

Have you ever had the HPV vaccination?					
Module:	14.1 Adult Human Papilloma Virus (HPV)	Type:		Num	
Column:	422	SAS Variable Name:		HPVADVC2	
Prologue:	A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].				
Description:	Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil (Gar•duh• seel), Cervarix (Serv a rix))				
Value	Value Label	Frequency		Percentage	
		Weighted Percentage			
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is greater than 49	11,066			

Data was weighted using _LLCPWT.

How many HPV shots did you receive?					
Module:	14.2 Adult Human Papilloma Virus (HPV)			Type:	Num
Column:	423-424			SAS Variable Name:	HPVADSHT
Prologue:					
Description:	How many HPV shots did you receive?				
Value	Value Label	Frequency	Percentage		Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is greater than 49; or Module 14.01, HPVADVC2, is coded 2, 3, 7, 9 or Missing	11,066			

Data was weighted using _LLCPWT.

Have you ever had the shingles or zoster vaccine?					
Module:	15.1 Shingles			Type:	Num
Column:	425			SAS Variable Name:	SHINGLE2
Prologue:	The next question is about the Shingles vaccine.				
Description:	Have you ever had the shingles or zoster vaccine?				
Value	Value Label	Frequency	Percentage		Weighted Percentage
BLANK	Not asked or Missing Notes: Section 08.02, AGE, is less than 50	11,066			

Data was weighted using _LLCPWT.

Number Of Sunburns In Past 12 Months							
Module:	16.1 Excess Sun Exposure			Type:		Num	
Column:	426			SAS Variable Name:		NUMBURN2	
Prologue:							
Description:	In the past 12 months, how many times did you have a red OR painful sunburn that lasted a day or more?						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
BLANK	Not asked or Missing	11,066					

Data was weighted using _LLCPWT.

How Many Types of Cancer?							
Module:	17.1 Cancer Survivorship			Type:		Num	
Column:	427			SAS Variable Name:		CNCRDIFF	
Prologue:							
Description:	How many different types of cancer have you had?						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Only one	1,423	78.97	80.22			
2	Two	291	16.15	15.72			
3	Three or more	69	3.83	3.18			

How Many Types of Cancer?						
Module:	17.1 Cancer Survivorship	Type:		Num		
Column:	427	SAS Variable Name:		CNCRDIFF		
Prologue:						
Description:	How many different types of cancer have you had?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't know/Not Sure-Go to next module	11	0.61	0.56		
9	Refused-Go to next module	8	0.44	0.32		
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing; and Section 17.06, PCPSARS1, is not coded 4	9,264				

Data was weighted using _LLCPWT.

Age Told Had Cancer						
Module:	17.2 Cancer Survivorship	Type:		Num		
Column:	428-429	SAS Variable Name:		CNCRAGE		
Prologue:						
Description:	At what age were you told that you had cancer? (If Response = 2 (Two) or 3 (Three or more), ask: "At what age was your first diagnosis of cancer?")					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 97	Age in years Notes: 97 = 97 and older	1,737	97.42	97.84		
98	Don't know/Not Sure	33	1.85	1.44		
99	Refused	13	0.73	0.72		
BLANK	Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing	9,283				

Age Told Had Cancer						
Module:	17.2 Cancer Survivorship			Type:	Num	
Column:	428-429			SAS Variable Name:	CNCRAGE	
Prologue:						
Description:	At what age were you told that you had cancer? (If Response = 2 (Two) or 3 (Three or more), ask: "At what age was your first diagnosis of cancer?")					
Value	Value Label	Frequency		Percentage		Weighted Percentage
	and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or missing					

Data was weighted using _LLCPWT.

Type of Cancer						
Module:	17.3 Cancer Survivorship			Type:	Num	
Column:	430-431			SAS Variable Name:	CNCRTYP1	
Prologue:						
Description:	What type of cancer was it? (If Response = 2 (Two) or 3 (Three or more), ask: "With your most recent diagnoses of cancer, what type of cancer was it?")					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Breast cancer	293		16.43		14.19
2	Cervical cancer (cancer of the cervix)	72		4.04		6.66
3	Endometrial cancer (cancer of the uterus)	32		1.79		1.27
4	Ovarian cancer (cancer of the ovary)	21		1.18		1.06
5	Head and neck cancer	6		0.34		0.41
6	Oral cancer	5		0.28		0.28
7	Pharyngeal (throat) cancer	7		0.39		0.50

Type of Cancer							
Module:	17.3 Cancer Survivorship			Type:		Num	
Column:	430-431			SAS Variable Name:		CNCRTYP1	
Prologue:							
Description:	What type of cancer was it? (If Response = 2 (Two) or 3 (Three or more), ask: "With your most recent diagnoses of cancer, what type of cancer was it?")						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
8	Thyroid	28	1.57	1.69			
9	Larynx	1	0.06	0.09			
10	Colon (intestine) cancer	58	3.25	3.51			
11	Esophageal (esophagus)	5	0.28	0.31			
12	Liver cancer	4	0.22	0.26			
13	Pancreatic (pancreas) cancer	5	0.28	0.14			
14	Rectal (rectum) cancer	19	1.07	0.91			
15	Stomach	1	0.06	0.06			
16	Hodgkin's Lymphoma (Hodgkin's disease)	15	0.84	1.11			
17	Leukemia (blood) cancer	19	1.07	0.82			
18	Non-Hodgkin's Lymphoma	23	1.29	1.51			
19	Prostate cancer	126	7.07	7.59			
20	Testicular cancer	1	0.06	0.04			
21	Melanoma	265	14.86	16.13			
22	Other skin cancer	411	23.05	21.27			
24	Lung	46	2.58	2.35			
25	Bladder cancer	40	2.24	1.93			
26	Renal (kidney) cancer	26	1.46	1.41			
27	Bone	3	0.17	0.08			
28	Brain	1	0.06	0.17			
29	Neuroblastoma	1	0.06	0.35			
30	Other	166	9.31	9.65			

Type of Cancer						
Module:	17.3 Cancer Survivorship	Type:		Num		
Column:	430-431	SAS Variable Name:		CNCRTYP1		
Prologue:						
Description:	What type of cancer was it? (If Response = 2 (Two) or 3 (Three or more), ask: "With your most recent diagnoses of cancer, what type of cancer was it?")					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
77	Don't know/Not Sure	66	3.70	3.40		
99	Refused	17	0.95	0.85		
BLANK	Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or missing	9,283				

Data was weighted using _LLCPWT.

Currently Receiving Treatment for Cancer						
Module:	17.4 Cancer Survivorship	Type:		Num		
Column:	432	SAS Variable Name:		CSRVRT1		
Prologue:						
Description:	Are you currently receiving treatment for cancer? By treatment, we mean surgery, radiation therapy, chemotherapy, or chemotherapy pills.					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes-Go to next module	145	8.13	8.18		
2	No, I've completed treatment	1,184	66.40	66.84		
3	No, I've refused treatment-Go to next module	36	2.02	2.49		
4	No, I haven't started treatment-Go to next module	262	14.69	14.06		

Currently Receiving Treatment for Cancer						
Module:	17.4 Cancer Survivorship	Type:		Num		
Column:	432	SAS Variable Name:		CSRVTRT1		
Prologue:						
Description:	Are you currently receiving treatment for cancer? By treatment, we mean surgery, radiation therapy, chemotherapy, or chemotherapy pills.					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't know/Not Sure-Go to next module	58	3.25	3.67		
9	Refused-Go to next module	98	5.50	4.76		
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or missing	9,283				

Data was weighted using _LLCPWT.

What Type of Doctor Provides Majority of Your Care						
Module:	17.5 Cancer Survivorship	Type:		Num		
Column:	433-434	SAS Variable Name:		CSRVDOC1		
Prologue:						
Description:	What type of doctor provides the majority of your health care?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Cancer Surgeon	22	1.86	1.86		
2	Family Practitioner	570	48.26	49.06		
3	General Surgeon	30	2.54	2.14		
4	Gynecologic Oncologist	27	2.29	4.10		

What Type of Doctor Provides Majority of Your Care						
Module:	17.5 Cancer Survivorship	Type:	Num			
Column:	433-434	SAS Variable Name:	CSRVDOC1			
Prologue:						
Description:	What type of doctor provides the majority of your health care?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
5	General Practitioner, Internist	286	24.22	21.85		
6	Plastic Surgeon, Reconstructive Surgeon	10	0.85	0.71		
7	Medical Oncologist	41	3.47	3.85		
8	Radiation Oncologist	9	0.76	0.76		
9	Urologist	17	1.44	1.96		
10	Other	137	11.60	10.91		
77	Don't know/Not Sure	18	1.52	1.80		
99	Refused	14	1.19	0.99		
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 17.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	9,885				

Data was weighted using _LLCPWT.

Did You Receive a Summary of Cancer Treatments Received						
Module:	17.6 Cancer Survivorship	Type:	Num			
Column:	435	SAS Variable Name:	CSRVSUM			
Prologue:						

Description:		Did any doctor, nurse, or other health professional EVER give you a written summary of all the cancer treatments that you received?				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	464	39.36	39.90		
2	No	667	56.57	56.42		
7	Don't know/Not Sure	44	3.73	3.48		
9	Refused	4	0.34	0.20		
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 17.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing;	9,887				

Data was weighted using _LLCPWT.

Ever Receive Instructions From A Doctor For Follow-Up Check-Ups					
Module:	17.7 Cancer Survivorship	Type:	Num		
Column:	436	SAS Variable Name:	CSRVTRN		
Prologue:					
Description:	Have you EVER received instructions from a doctor, nurse, or other health professional about where you should return or who you should see for routine cancer check-ups after completing treatment for cancer?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Yes	834	70.74	74.04	
2	No—Go to Module 17.09 CSRVINSR	318	26.97	24.66	
7	Don't know/Not Sure—Go to Module 17.09 CSRVINSR	15	1.27	0.66	
9	Refused—Go to Module 17.09 CSRVINSR	12	1.02	0.64	
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing	9,887			

Ever Receive Instructions From A Doctor For Follow-Up Check-Ups						
Module:	17.7 Cancer Survivorship			Type:	Num	
Column:	436			SAS Variable Name:	CSRVRTRN	
Prologue:						
Description:	Have you EVER received instructions from a doctor, nurse, or other health professional about where you should return or who you should see for routine cancer check-ups after completing treatment for cancer?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
	and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 17.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;					

Data was weighted using _LLCPWT.

Instructions Written or Printed						
Module:	17.8 Cancer Survivorship			Type:	Num	
Column:	437			SAS Variable Name:	CSRVINST	
Prologue:						
Description:	Were these instructions written down or printed on paper for you?					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Yes	624		74.82		76.15
2	No	175		20.98		20.92
7	Don't know/Not Sure	33		3.96		2.81
9	Refused	2		0.24		0.12
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module	10,232				

Instructions Written or Printed				
Module:	17.8 Cancer Survivorship	Type:	Num	
Column:	437	SAS Variable Name:	CSRVINST	
Prologue:				
Description:	Were these instructions written down or printed on paper for you?			
Value	Value Label	Frequency	Percentage	Weighted Percentage
	17.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 17.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing; or			

Data was weighted using _LLCPWT.

Did Health Insurance Pay For All Of Your Cancer Treatment				
Module:	17.9 Cancer Survivorship	Type:	Num	
Column:	438	SAS Variable Name:	CSRVINSR	
Prologue:				
Description:	With your most recent diagnosis of cancer, did you have health insurance that paid for all or part of your cancer treatment? ("Health insurance" also includes Medicare, Medicaid, or other types of state health programs.)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,121	95.08	95.14
2	No	47	3.99	3.95
7	Don't know/Not Sure	8	0.68	0.57
9	Refused	3	0.25	0.34
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 17.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing;	9,887		

Data was weighted using _LLCPWT.

Ever Denied Insurance Coverage Because Of Your Cancer?						
Module:	17.10 Cancer Survivorship			Type:	Num	
Column:	439			SAS Variable Name:	CSRVDEIN	
Prologue:						
Description:	Were you EVER denied health insurance or life insurance coverage because of your cancer?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	87	7.38	8.47		
2	No	1,090	92.45	91.45		
7	Don't know/Not Sure	2	0.17	0.08		
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARSL, is not coded 4; or Module 17.01, CNCRDIFL, is coded 7, 9 or Missing; or Module 17.04, CSRVTRTL, is coded 1, 3, 4, 7, 9 or Missing;	9,887				

Data was weighted using _LLCPWT.

Participate In Clinical Trial As Part Of Cancer Treatment?						
Module:	17.11 Cancer Survivorship			Type:	Num	
Column:	440			SAS Variable Name:	CSRVCLIN	
Prologue:						

Description:		Did you participate in a clinical trial as part of your cancer treatment?				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	63	5.35	6.11		
2	No	1,102	93.55	92.62		
7	Don't know/Not Sure	11	0.93	1.20		
9	Refused	2	0.17	0.08		
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 17.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	9,888				

Data was weighted using _LLCPWT.

Currently Have Physical Pain From Cancer Or Treatment?					
Module:	17.12 Cancer Survivorship	Type:	Num		
Column:	441	SAS Variable Name:	CSRVPAIN		
Prologue:					
Description:	Do you currently have physical pain caused by your cancer or cancer treatment?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Yes	88	7.47	8.30	
2	No--Go to next module	1,085	92.11	91.12	
7	Don't know/Not Sure--Go to next module	5	0.42	0.58	
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 17.04, CSRVRT1, is coded 1, 3, 4, 7, 9 or Missing;	9,888			

Data was weighted using _LLCPWT.

Is Pain Under Control?						
Module:	17.13 Cancer Survivorship	Type:	Num			
Column:	442	SAS Variable Name:	CSRVCTL1			
Prologue:						
Description:	Is your pain currently under control?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes, with medication (or treatment)	27	30.68	30.24		
2	Yes, without medication (or treatment)	39	44.32	47.84		
3	No, with medication (or treatment)	6	6.82	5.50		
4	No, without medication (or treatment)	16	18.18	16.42		
BLANK	Not asked or Missing Notes: Section 06.06, CHCSCNCR, is coded 2, 7, 9 or Missing and Section 06.07, CHCOCNCR, is coded 2, 7, 9 or Missing and Section 17.06, PCPSARS1, is not coded 4; or Module 17.01, CNCRDIFF, is coded 7, 9 or Missing; or Module 17.04, CSRVTRT1, is coded 1, 3, 4, 7, 9 or Missing;	10,978				

Data was weighted using _LLCPWT.

Ever Had Breast Physical Exam by Doctor						
Module:	18.1 Clinical Breast Exam for Women's Health	Type:	Num			
Column:	443	SAS Variable Name:	PROFEXAM			
Prologue:						

Description:		A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?			
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1	11,066			

Data was weighted using _LLCPWT.

How Long since Last Breast Physical Exam					
Module:	18.2 Clinical Breast Exam for Women's Health	Type:	Num		
Column:	444	SAS Variable Name:	LENGEXAM		
Prologue:					
Description:	How long has it been since your last breast exam?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 1; or Module 18.01, PROFEXAM, is coded 2, 7, 9, or Missing	11,066			

Data was weighted using _LLCPWT.

Why was PSA test done?					
Module:	19.1 Prostate Cancer Screening Decision Making	Type:	Num		
Column:	445	SAS Variable Name:	PCPSADE1		
Prologue:					

Description:		Which of the following best describes the decision to have the PSA test done?					
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 2; or Section 17.04, PSATEST1, is coded, 2, 7, 9, or Missing	11,066				

Data was weighted using _LLCPWT.

Who made the decision with you to have PSA test?							
Module:	19.2 Prostate Cancer Screening Decision Making			Type:	Char		
Column:	446-449			SAS Variable Name:	PCDMDECN		
Prologue:							
Description:	Who made the decision with you? (Mark all that apply)						
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	BLANK	Not asked or Missing Notes: Section 08.01, SEX, is coded 2; or Section 17.04, PSATEST1, is coded, 2, 7, 9, or Missing; or Module 19.01, PCPSADE1, is coded 1, 2, or 4	11,066				

Data was weighted using _LLCPWT.

Type of Work							
Module:	20.1 Industry and Occupation			Type:	Char		
Column:	450-549			SAS Variable Name:	TYPEWORK		

Prologue:							
Description:		What kind of work do/did you do? [(for example, registered nurse, janitor, cashier, auto mechanic)]					
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	BLANK	Not asked or Missing Notes: Section 08.15, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing	11,066				

Data was weighted using _LLCPWT.

Type of Business/Industry							
Module:	20.2 Industry and Occupation			Type:	Char		
Column:	550-649			SAS Variable Name:	TYPEINDS		
Prologue:							
Description:		What kind of business or industry do/did you work in? [(for example, hospital, elementary school, clothing manufacturing, restaurant)]					
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	BLANK	Not asked or Missing Notes: Section 08.15, EMPLOY1, is coded 3, 5, 6, 7, 8, 9 or Missing	11,066				

Data was weighted using _LLCPWT.

Sexual orientation or gender identity							
Module:	21.1 Sexual Orientation and Gender Identity			Type:	Num		

Column:	650	SAS Variable Name:	SXORIENT
Prologue:			
Description:	Do you consider yourself to be: (We ask this question in order to better understand the health and health care needs of people with different sexual orientations.)		
Value	Value Label	Frequency	Percentage
1	Straight	9,260	94.25
2	Lesbian or gay	119	1.21
3	Bisexual	129	1.31
4	Other	28	0.28
7	Don't know/Not Sure	76	0.77
9	Refused	213	2.17
BLANK	Not asked or Missing	1,241	

Data was weighted using _LLCPWT.

Do you consider yourself to be transgender?			
Module:	21.2 Sexual Orientation and Gender Identity	Type:	Num
Column:	651	SAS Variable Name:	TRNSGNDR
Prologue:			
Description:	Do you consider yourself to be transgender? (If yes, ask "Do you consider yourself to be male-to-female, female-to-male, or gender non-conforming?")		
Value	Value Label	Frequency	Percentage
1	Yes, Transgender, male-to-female	18	0.18
2	Yes, Transgender, female to male	7	0.07
3	Yes, Transgender, gender nonconforming	10	0.10
4	No	9,706	98.86

Do you consider yourself to be transgender?						
Module:	21.2 Sexual Orientation and Gender Identity			Type:		Num
Column:	651			SAS Variable Name:		TRNSGNDR
Prologue:						
Description:	Do you consider yourself to be transgender? (If yes, ask "Do you consider yourself to be male-to-female, female-to-male, or gender non-conforming?")					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
7	Don't know/Not Sure	29	0.30	0.22		
9	Refused	48	0.49	0.51		
BLANK	Not asked or Missing	1,248				

Data was weighted using _LLCPWT.

Birth date of child						
Module:	22.1 Random Child Selection			Type:		Char
Column:	652-657			SAS Variable Name:		RCSBIRTH
Prologue:						
Description:	What is the birth month and year of the "Xth" child?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
777777	Don't know/Not sure	76	3.46	4.50		
999999	Refused	207	9.43	9.02		
BLANK	Not asked or Missing Notes: Section 08.16, CHILDREN, is coded 0, 88, 99, or Missing;	8,871				
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,912	87.11	86.47		

Data was weighted using _LLCPWT.

Gender of child						
Module:	22.2 Random Child Selection			Type:		Num
Column:	658			SAS Variable Name:		RCSGENDR
Prologue:						
Description:	Is the child a boy or a girl?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Boy	1,100	50.16	49.75		
2	Girl	1,037	47.29	48.12		
9	Refused	56	2.55	2.12		
BLANK	Not asked or Missing Notes: Section 08.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months	8,873				

Data was weighted using _LLCPWT.

Ethnicity of child						
Module:	22.3 Random Child Selection			Type:		Char
Column:	659-662			SAS Variable Name:		RCHISLA1
Prologue:						
Description:	Is the child Hispanic, Latino/a, or Spanish origin?					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	7	Don't know/Not Sure	9	0.41	0.40
	9	Refused	53	2.42	2.05
	BLANK	Not asked or Missing Notes: Section 08.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	8,875		
	HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	2,129	97.17	97.55

Data was weighted using _LLCPWT.

Race of child (multiple possible)					
Module:	22.4 Random Child Selection			Type:	Char
Column:	663-692			SAS Variable Name:	RCSRACE1
Prologue:					
Description:	Which one or more of the following would you say is the race of the child? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)(Select all that apply)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	77	Don't know/Not Sure	10	0.46	0.39
	99	Refused	81	3.71	3.93
	BLANK	Not asked or Missing Notes: Section 08.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDDAGE > 215 months	8,880		
	HIDDEN	Data Not Displayed	2,095	95.84	95.68

Data was weighted using _LLCPWT.

Race of child						
Module:	22.5 Random Child Selection			Type:	Num	
Column:	693-694			SAS Variable Name:	RCSBRAC2	
Prologue:						
Description:	Which one of these groups would you say best represents the child's race? (If 40 (Asian) or 50 (Pacific Islander) is selected read and code subcategories underneath major heading.)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
10	White	38	44.19	38.94		
20	Black or African American	24	27.91	35.64		
30	American Indian or Alaska Native	2	2.33	1.05		
40	Asian	1	1.16	0.72		
42	Chinese	2	2.33	2.51		
77	Don't know/Not Sure	6	6.98	9.87		
99	Refused	13	15.12	11.27		
BLANK	Not asked or Missing Notes: Section 08.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months; or Module 22.04, RCSRACE1, has only one valid race code (10-60)	10,980				

Data was weighted using _LLCPWT.

Relationship to child			
Module:	22.6 Random Child Selection		Type: Num
Column:	695		SAS Variable Name: RCSRLTN2
Prologue:			
Description:	How are you related to the child?		

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Parent (include biologic, step, or adoptive parent) Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,701	77.96	76.93
	2	Grandparent	242	11.09	7.08
	3	Foster parent or guardian	46	2.11	1.64
	4	Sibling (include biologic, step, and adoptive sibling)	74	3.39	7.09
	5	Other relative	50	2.29	3.40
	6	Not related in any way	36	1.65	2.29
	7	Don't know/Not sure	3	0.14	0.28
	9	Refused	30	1.37	1.29
	BLANK	Not asked or Missing Notes: Section 08.16, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAge > 215 months	8,884		

Data was weighted using _LLCPWT.

Hlth pro ever said child has asthma					
Module:	23.1 Childhood Asthma Prevalence			Type:	Num
Column:	696			SAS Variable Name:	CASTHDX2
Prologue:					
Description:	Has a doctor, nurse or other health professional EVER said that the child has asthma?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Yes	288	13.21	12.44	
2	No--Go to next module	1,838	84.31	84.71	
7	Don't know/Not Sure--Go to next module	21	0.96	1.46	
9	Refused--Go to next module	33	1.51	1.39	

Hlth pro ever said child has asthma					
Module:	23.1 Childhood Asthma Prevalence	Type:		Num	
Column:	696	SAS Variable Name:		CASTHDX2	
Prologue:					
Description:	Has a doctor, nurse or other health professional EVER said that the child has asthma?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing Notes: Section 08.16, CHILDREN, is coded 0, 88, 99, or Missing	8,886			

Data was weighted using _LLCPWT.

Child still have asthma?					
Module:	23.2 Childhood Asthma Prevalence	Type:		Num	
Column:	697	SAS Variable Name:		CASTHNO2	
Prologue:					
Description:	Does the child still have asthma?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Yes	178	61.81	61.88	
2	No	109	37.85	37.96	
7	Don't know/Not Sure	1	0.35	0.16	
BLANK	Not asked or Missing Notes: Section 08.16, CHILDREN, is coded 0, 88, 99, or Missing; or Module 23.01, CASTHDX2, is coded 2, 7, 9, or Missing	10,778			

Data was weighted using _LLCPWT.

How often get emotional support needed					
Module:	24.1 Emotional Support and Life Satisfaction	Type:	Num		
Column:	698	SAS Variable Name:	EMTSUPRT		
Prologue:					
Description:	How often do you get the social and emotional support you need?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Satisfaction with life					
Module:	24.2 Emotional Support and Life Satisfaction	Type:	Num		
Column:	699	SAS Variable Name:	LSATISFY		
Prologue:					
Description:	In general, how satisfied are you with your life?				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Activity Limitation Due to Health Problems					
Module:	25.1 Disability	Type:		Num	
Column:	700	SAS Variable Name:		QLACTLM2	
Prologue:					
Description:	Are you limited in any way in any activities because of physical, mental, or emotional problems?				
Value	Value Label	Frequency	Percentage		Weighted Percentage
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Health Problems Requiring Special Equipment					
Module:	25.2 Disability	Type:		Num	
Column:	701	SAS Variable Name:		USEEQUIP	
Prologue:					
Description:	Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)				
Value	Value Label	Frequency	Percentage		Weighted Percentage
BLANK	Not asked or Missing	11,066			

Data was weighted using _LLCPWT.

Asthma Follow-Up call back request						
Followup:	1.1 Asthma Follow-up Call Back			Type:	Num	
Column:	702			SAS Variable Name:	CALLBACK	
Prologue:						
Description:	We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will keep your first name or initials and phone number on file, separate from the answers collected today.					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes	1,056	70.92	69.78		
2	No	433	29.08	30.22		
BLANK	Not asked or Missing	9,577				

Data was weighted using _LLCPWT.

Asthma Follow-Up call back responded selected						
Followup:	1.2 Asthma Follow-up Call Back			Type:	Num	
Column:	703			SAS Variable Name:	ADLTCHLD	
Prologue:						
Description:	Which household member was selected to be the focus of the callback.					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
0	No selection	8,132	84.44	82.98		
1	Adult	1,298	13.48	13.98		
2	Child	201	2.09	3.04		
BLANK	Not asked or Missing	1,435				

Data was weighted using _LLCPWT.

Adult Hispanic response							
State:	1.1 CDCCATI Hispanic Adult			Type:	Num		
Column:	704			SAS Variable Name:	ADHISPA		
Prologue:							
Description:	Adult Hispanic response						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Yes	376	3.47	5.90			
2	No	10,395	95.81	93.22			
7	Don't know/Not Sure	16	0.15	0.15			
9	Refused	63	0.58	0.73			
BLANK	Missing	216					

Data was weighted using _LLCPWT.

Child Hispanic response							
State:	1.2 CDCCATI Hispanic Child			Type:	Num		
Column:	705			SAS Variable Name:	CHHISPA		
Prologue:							
Description:	Child Hispanic response						

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes	210	9.57	11.57
	2	No	1,931	87.97	86.37
	7	Don't know/Not Sure	5	0.23	0.12
	9	Refused	49	2.23	1.95
	BLANK	Missing	8,871		

Data was weighted using _LLCPWT.

Questionnaire Version Identifier					
State:	1.1 Questionnaire Version			Type:	Num
Column:	706-707			SAS Variable Name:	QSTVER
Prologue:					
Description:	Questionnaire Version Identifier				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	10	Landline single questionnaire	7,204	65.10	36.69
	20	Cell Phone single questionnaire	3,862	34.90	63.31

Data was weighted using _LLCPWT.

Language identifier					
State:	1.1 Questionnaire Language			Type:	Num

Column:	708-709	SAS Variable Name:	QSTLANG			
Prologue:						
Description:	Language identifier					
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	1	English	10,925	98.73	97.43	
	2	Spanish	141	1.27	2.57	

Data was weighted using _LLCPWT.

	Cell Phone County Name				
State:	1.1 Cell Phone County	Type:	Char		
Column:	720-764	SAS Variable Name:	CPCOUNTY		
Prologue:					
Description:	Cell Phone County Name				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK		10,777		
	HIDDEN		289	100.00	100.00

Data was weighted using _LLCPWT.

	Did you do anything to keep from getting pregnant?				
SpecialStateAdded:	1.1 Preconception Health/Family Planning	Type:	Num		

Column:	865	SAS Variable Name:	PFPPRVN1			
Prologue:						
Description:	Did you or your partner do anything the last time you had sex to keep you from getting pregnant?					
Value	Value Label	Frequency	Percentage		Weighted Percentage	
1	Yes	1	25.00		39.70	
2	No-Go to Special State Added.3 NOBCUSE6	1	25.00		19.81	
3	No partner/not sexually active-Go to next module	1	25.00		21.23	
9	Refused-Go to Special State Added.3 NOBCUSE6	1	25.00		19.27	
BLANK	Not asked or Missing	11,062				

Data was weighted using _LLCPWT.

What did you do to keep you from getting pregnant?					
SpecialStateAdded:	1.2 Preconception Health/Family Planning	Type:	Num		
Column:	866-867	SAS Variable Name:	TYPNTR7		
Prologue:					
Description:	What did you or your partner do the last time you had sex to keep you from getting pregnant?				
Value	Value Label	Frequency	Percentage		Weighted Percentage
8	Birth control pills, any kind-Go to next module	1	100.00		100.00
BLANK	Not asked or Missing	11,065			

Data was weighted using _LLCPWT.

What was main reason for not doing anything to keep you from getting pregnant?						
SpecialStateAdded:	1.3 Preconception Health/Family Planning			Type:	Num	
Column:	868-869			SAS Variable Name:	NOBCUSE6	
Prologue:						
Description:	What was your main reason for not doing anything the last time you had sex to keep you from getting pregnant?					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
11	Don't think you or your partner can get pregnant (infertile or too old)-Go to next module	1	50.00	50.69		
99	Refused	1	50.00	49.31		
BLANK	Not asked or Missing	11,064				

Data was weighted using _LLCPWT.

Pregnancy Status						
SpecialStateAdded:	1.4 Preconception Health/Family Planning			Type:	Num	
Column:	870			SAS Variable Name:	PREG4549	
Prologue:						
Description:	To your knowledge, are you now pregnant? (Only for female respondents aged 45-49)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
2	No	3	100.00	100.00		
BLANK	Not asked or Missing	11,063				

Data was weighted using _LLCPWT.

State Added Questions						
State:	1.1 StateQuestions			Type:	Char	
Column:	901-1399			SAS Variable Name:	STATEQUE	
Prologue:						
Description:	State Added Questions					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

End of Data-Submission Record Marker						
State:	1.1 End of Data Submission			Type:	Num	
Column:	1400			SAS Variable Name:	EOR	
Prologue:						
Description:	End of Data-Submission Record Marker					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	End of Data-Submission Record Marker	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Metropolitan Statistical Area Code.									
Weighting:	1.1 Weighting Variables			Type:		Num			
Column:	1401-1405			SAS Variable Name:		_MSACODE			
Prologue:									
Description:	FIPS Metropolitan Statistical Area Code								
Value	Value Label			Frequency		Percentage		Weighted Percentage	
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report			11,066		100.00		100.00	

Data was weighted using _LLCPWT.

Metropolitan Status Code									
Weighting:	1.2 Weighting Variables			Type:		Num			
Column:	1406			SAS Variable Name:		MSCODE			
Prologue:									
Description:	Metropolitan Status Code								
Value	Value Label			Frequency		Percentage		Weighted Percentage	
1	In the center city of an MSA			2,782		38.62		36.27	
2	Outside the center city of an MSA but inside the county containing the center city			1,229		17.06		18.42	
3	Inside a suburban county of the MSA			1,504		20.88		21.15	

Metropolitan Status Code						
Weighting:	1.2 Weighting Variables			Type:		Num
Column:	1406			SAS Variable Name:		MSCODE
Prologue:						
Description:	Metropolitan Status Code					
Value	Value Label	Frequency		Percentage		Weighted Percentage
5	Not in an MSA	1,689		23.45		24.16
BLANK	GU, PR, VI	3,862				

Data was weighted using _LLCPWT.

Sample Design Stratification Variable						
Weighting:	1.3 Weighting Variables			Type:		Num
Column:	1407-1412			SAS Variable Name:		_STSTR
Prologue:						
Description:	Sample Design Stratification Variable (Prior to 2011: _STSTR is a five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)					
Value	Value Label	Frequency		Percentage		Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066		100.00		100.00

Data was weighted using _LLCPWT.

Stratum weight						
Weighting:	1.4 Weighting Variables			Type:	Num	
Column:	1413-1422			SAS Variable Name:	_STRWT	
Prologue:						
Description:	Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Raw weighting factor						
Weighting:	1.5 Weighting Variables			Type:	Num	
Column:	1423-1432			SAS Variable Name:	_RAW	
Prologue:						
Description:	Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH).)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Design weight						
Weighting:	1.6 Weighting Variables			Type:	Num	
Column:	1433-1442			SAS Variable Name:	_WT2	
Prologue:						
Description:	Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)					
Value	Value Label	Frequency		Percentage		Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066		100.00		100.00

Data was weighted using _LLCPWT.

Raw weighting factor used in raking						
Weighting:	1.7 Weighting Variables			Type:	Num	
Column:	1443-1452			SAS Variable Name:	_RAWRAKE	
Prologue:						
Description:	Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by the imputed number of phones (_IMPMPH, maximum of 3).)					
Value	Value Label	Frequency		Percentage		Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066		100.00		100.00

Data was weighted using _LLCPWT.

Design weight use in raking				
Weighting:	1.8 Weighting Variables	Type:		Num
Column:	1453-1462	SAS Variable Name:		_WT2RAKE
Prologue:				
Description:	Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00

Data was weighted using _LLCPWT.

Region				
Weighting:	1.9 Weighting Variables	Type:		Num
Column:	1463-1464	SAS Variable Name:		_REGION
Prologue:				
Description:	Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR			
Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00

Data was weighted using _LLCPWT.

Imputed gender						
Weighting:	1.10 Weighting Variables			Type:		Num
Column:	1465			SAS Variable Name:		_IMPSEX
Prologue:						
Description:	Imputed gender (This value is the reported gender or an imputed gender, if the respondent refused to give their gender. The value of the imputed gender will be an estimated from screening questions in the survey.)					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Male	4,558		41.19		48.70
2	Female	6,508		58.81		51.30

Data was weighted using _LLCPWT.

Age value used to determine age groups						
Weighting:	1.11 Weighting Variables			Type:		Num
Column:	1466-1467			SAS Variable Name:		_IMPAGE
Prologue:						
Description:	Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)					
Value	Value Label	Frequency		Percentage		Weighted Percentage

Age value used to determine age groups						
Weighting:	1.11 Weighting Variables			Type:		Num
Column:	1466-1467			SAS Variable Name:		_IMPAGE
Prologue:						
Description:	Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
18 - 24	Age 18 to 24	458	4.14	13.55		
25 - 34	Age 25 to 34	819	7.40	16.48		
35 - 44	Age 35 to 44	1,100	9.94	16.13		
45 - 54	Age 45 to 54	1,674	15.13	16.88		
55 - 64	Age 55 to 64	2,517	22.75	17.00		
65 - 99	Age 65 or older	4,498	40.65	19.96		

Data was weighted using _LLCPWT.

Imputed race/ethnicity value						
Weighting:	1.12 Weighting Variables			Type:		Num
Column:	1468-1469			SAS Variable Name:		_IMPRACT
Prologue:						
Description:	Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	White, Non-Hispanic	9,574	86.52	82.17		

Imputed race/ethnicity value						
Weighting:	1.12 Weighting Variables			Type:		Num
Column:	1468-1469			SAS Variable Name:		_IMPSPACE
Prologue:						
Description:	Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicity response for that region of the state)					
Value	Value Label	Frequency		Percentage		Weighted Percentage
2	Black, Non-Hispanic	739		6.68		8.63
3	Asian, Non-Hispanic	116		1.05		2.07
4	American Indian/Alaskan Native, Non-Hispanic	98		0.89		0.28
5	Hispanic	362		3.27		5.61
6	Other race, Non-Hispanic	177		1.60		1.23

Data was weighted using _LLCPWT.

Imputed number of phones						
Weighting:	1.13 Weighting Variables			Type:		Num
Column:	1470			SAS Variable Name:		_IMPMPH
Prologue:						
Description:	Imputed number of phones used in weighting					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Number of phones	7,065		98.07		99.11
2		114		1.58		0.80
3		14		0.19		0.06

Imputed number of phones						
Weighting:	1.13 Weighting Variables			Type:		Num
Column:	1470			SAS Variable Name:		_IMPNPH
Prologue:						
Description:	Imputed number of phones used in weighting					
Value	Value Label	Frequency		Percentage		Weighted Percentage
4		5		0.07		0.01
5		4		0.06		0.02
6		2		0.03		0.01
BLANK		3,862				

Data was weighted using _LLCPWT.

Imputed County						
Weighting:	1.14 Weighting Variables			Type:		Num
Column:	1471-1473			SAS Variable Name:		_IMPCTY
Prologue:						
Description:	Imputed County					
Value	Value Label	Frequency		Percentage		Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066		100.00		100.00

Data was weighted using _LLCPWT.

Imputed Education Level						
Weighting:	1.15 Weighting Variables			Type:	Num	
Column:	1474			SAS Variable Name:	_IMPEDUC	
Prologue:						
Description:	Imputed Education Level (This value is the reported education level or an imputed education level, if the respondent refused to give an education level. The value of the imputed education level will be computed from the sample if the respondent refused to give an education level.)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Never attended school or only kindergarten	3	0.03	0.03		
2	Grades 1 through 8 (Elementary)	223	2.02	3.16		
3	Grades 9 through 11 (Some high school)	671	6.06	9.88		
4	Grade 12 or GED (High school graduate)	3,773	34.10	34.33		
5	College 1 year to 3 years (Some college or technical school)	2,758	24.92	30.86		
6	College 4 years or more (College graduate)	3,638	32.88	21.74		

Data was weighted using _LLCPWT.

Imputed Marital Status						
Weighting:	1.16 Weighting Variables			Type:	Num	
Column:	1475			SAS Variable Name:	_IMPMRTL	
Prologue:						
Description:	Imputed Marital Status (This value is the reported marital status or an imputed marital status, if the respondent refused to give an marital status. The value of the imputed marital status will be computed from the sample if the respondent refused to give a marital status.)					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Married	5,788	52.30	51.94
	2	Divorced	1,652	14.93	12.60
	3	Widowed	1,812	16.37	7.29
	4	Separated	148	1.34	1.63
	5	Never married	1,415	12.79	21.84
	6	A member of an unmarried couple	251	2.27	4.70

Data was weighted using _LLCPWT.

Imputed Own or Rent Home					
Weighting:	1.17 Weighting Variables		Type:	Num	
Column:	1476		SAS Variable Name:	_IMPHOME	
Prologue:					
Description:	Imputed Own or Rent Home (This value is the reported tenure (rent or own home) or an imputed tenure, if the respondent refused to give an ownership status (tenure). The value of the imputed tenure will be computed from the sample if the respondent refused to give a tenure.)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Own	8,500	76.81	72.19
	2	Rent	2,167	19.58	22.89
	3	Other arrangement	399	3.61	4.92

Data was weighted using _LLCPWT.

Original state that collected the cell phone data							
Weighting:	1.18 Weighting Variables				Type:		Num
Column:	1477-1478				SAS Variable Name:		O_STATE
Prologue:							
Description:	Original state that collected the cell phone data						
	Value	Value Label	Frequency		Percentage		Weighted Percentage
	1	Alabama	2		0.02		0.06
	6	California	4		0.04		0.09
	8	Colorado	12		0.11		0.16
	9	Connecticut	3		0.03		0.02
	10	Delaware	2		0.02		0.03
	11	District of Columbia	1		0.01		0.02
	12	Florida	16		0.14		0.24
	16	Idaho	1		0.01		0.06
	17	Illinois	20		0.18		0.44
	18	Indiana	10,741		97.06		94.49
	19	Iowa	1		0.01		0.01
	20	Kansas	5		0.05		0.08
	21	Kentucky	140		1.27		1.86
	22	Louisiana	3		0.03		0.09
	23	Maine	4		0.04		0.11
	24	Maryland	3		0.03		0.03
	25	Massachusetts	2		0.02		0.05
	26	Michigan	30		0.27		0.64
	29	Missouri	8		0.07		0.15
	30	Montana	4		0.04		0.16
	31	Nebraska	2		0.02		0.04
	32	Nevada	1		0.01		0.01

Original state that collected the cell phone data						
Weighting:	1.18 Weighting Variables	Type:		Num		
Column:	1477-1478	SAS Variable Name:		O_STATE		
Prologue:						
Description:	Original state that collected the cell phone data					
Value	Value Label	Frequency		Percentage		Weighted Percentage
34	New Jersey	4		0.04		0.08
36	New York	11		0.10		0.19
37	North Carolina	1		0.01		0.01
38	North Dakota	1		0.01		0.02
39	Ohio	12		0.11		0.23
40	Oklahoma	1		0.01		0.02
41	Oregon	2		0.02		0.05
42	Pennsylvania	1		0.01		0.02
44	Rhode Island	1		0.01		0.01
45	South Carolina	5		0.05		0.10
46	South Dakota	2		0.02		0.02
47	Tennessee	4		0.04		0.13
48	Texas	2		0.02		0.03
49	Utah	2		0.02		0.04
51	Virginia	1		0.01		0.03
53	Washington	5		0.05		0.09
54	West Virginia	3		0.03		0.05
55	Wisconsin	2		0.02		0.03
78	Virgin Islands	1		0.01		0.01

Data was weighted using _LLCPWT.

Child Hispanic, Latino/a, or Spanish origin calculated variable							
ChildDemographics:		1.01 Child Demographic Variables			Type:		Num
Column:		1479			SAS Variable Name:		_CHISPNC
Prologue:							
Description:		Child Hispanic, Latino/a, or Spanish origin calculated variable					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Child of Hispanic, Latino/a, or Spanish origin	195	1.76	3.26			
2	Child not of Hispanic, Latino/a, or Spanish origin	1,934	17.48	26.31			
9	Don't know/Not Sure/Refused/Missing	8,937	80.76	70.43			

Data was weighted using _LLCPWT.

RCSRACE1 with 77, 88, 80, 99s removed							
ChildDemographics:		1.02 Child Demographic Variables			Type:		Char
Column:		1480-1507			SAS Variable Name:		CRACORG1
Prologue:							
Description:		RCSRACE1 with 77, 88, 80, 99s removed					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
BLANK	Missing	8,880					
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	2,186	100.00	100.00			

Data was weighted using _LLCPWT.

CRACORG1 with responses in ascending order						
ChildDemographics:	1.03 Child Demographic Variables	Type:		Num		
Column:	1508-1535	SAS Variable Name:		CRACASC1		
Prologue:						
Description:	CRACORG1 with responses in ascending order					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
77	Don't know/Not sure	10	0.46	0.39		
99	Refused	81	3.71	3.93		
BLANK	Missing	8,880				
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	2,095	95.84	95.68		

Data was weighted using _LLCPWT.

Child Non-Hispanic Race including Multiracial						
ChildDemographics:	1.04 Child Demographic Variables	Type:		Num		
Column:	1536-1537	SAS Variable Name:		_CRACE1		
Prologue:						
Description:	Child multiracial race categorization					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	White only	1,754	80.24	80.17
	2	Black or African American only	202	9.24	9.78
	3	American Indian or Alaskan Native only	16	0.73	0.49
	4	Asian Only	32	1.46	1.40
	5	Native Hawaiian or other Pacific Islander only	5	0.23	0.16
	7	Multiracial	86	3.93	3.68
	77	Don't know/Not sure	10	0.46	0.39
	99	Refused	81	3.71	3.93
	BLANK	Missing	8,880		

Data was weighted using _LLCPWT.

Preferred Child Race Categories					
ChildDemographics:	1.05 Child Demographic Variables			Type:	Num
Column:	1538-1539			SAS Variable Name:	_CPRACE
Prologue:					
Description:	Preferred Child Race Categories				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	White	1,754	80.24	80.17
	2	Black or African American	202	9.24	9.78
	3	American Indian or Alaskan Native	16	0.73	0.49
	4	Asian	32	1.46	1.40
	5	Native Hawaiian or other Pacific Islander	5	0.23	0.16
	7	No preferred race	86	3.93	3.68

Preferred Child Race Categories						
ChildDemographics:	1.05 Child Demographic Variables			Type:		Num
Column:	1538-1539			SAS Variable Name:		_CPRACE
Prologue:						
Description:	Preferred Child Race Categories					
Value	Value Label	Frequency		Percentage		Weighted Percentage
77	Don't know/Not sure	10		0.46		0.39
99	Refused	81		3.71		3.93
BLANK	Missing	8,880				

Data was weighted using _LLCPWT.

Imputed Child Age						
ChildDemographics:	1.06 Child Demographic Variables			Type:		Num
Column:	1540			SAS Variable Name:		_IMPCAGE
Prologue:						
Description:	Imputed Child Age					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	0-4 Years old	397		18.11		24.70
2	5-9 Years old	449		20.48		20.83
3	10-14 Years old	846		38.59		35.68
4	15-17 Years old	500		22.81		18.79
BLANK	Not asked or Missing	8,874				

Data was weighted using _LLCPWT.

Imputed Child Race/Ethnicity						
ChildDemographics:	1.07 Child Demographic Variables			Type:		Num
Column:	1541			SAS Variable Name:		_IMPCRAC
Prologue:						
Description:	Imputed Child Race/Ethnicity					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	White, non-Hispanic	1,675	76.41	74.56		
2	Black or African American, non-Hispanic	188	8.58	9.01		
3	Asian, non-Hispanic	34	1.55	1.53		
4	American Indian or Alaskan Native, non-Hispanic	11	0.50	0.20		
5	Multi-race, non-Hispanic or Other race, non-Hispanic	87	3.97	3.91		
6	Hispanic	197	8.99	10.79		
BLANK	Missing	8,874				

Data was weighted using _LLCPWT.

Imputed Child Gender						
ChildDemographics:	1.08 Child Demographic Variables			Type:		Num
Column:	1542			SAS Variable Name:		_IMPCSEX
Prologue:						
Description:	Imputed Child Gender					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Male	1,148	52.37	51.66
	2	Female	1,044	47.63	48.34
	BLANK	Missing	8,874		

Data was weighted using _LLCPWT.

Raw child weighting factor					
ChildWeighting:	1.01 Child Weighting Variables			Type:	Num
Column:	1543-1552			SAS Variable Name:	_RAWCH
Prologue:					
Description:	Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPDPH).)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00

Data was weighted using _LLCPWT.

Child design weight					
ChildWeighting:	1.02 Child Weighting Variables			Type:	Num

Column:	1553-1562	SAS Variable Name:	_WT2CH			
Prologue:						
Description:	Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Child Age (in months)					
ChildWeighting:	1.03 Child Weighting Variables	Type:	Num		
Column:	1563-1565	SAS Variable Name:	CHILDAGE		
Prologue:					
Description:	Child Age (in months)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
0 - 11	0 Years old	73	3.33	5.13	
12 - 23	1 Year old	74	3.38	5.05	
24 - 35	2 Years old	75	3.42	4.79	
36 - 47	3 Years old	74	3.38	4.47	
48 - 59	4 Years old	75	3.42	3.76	
60 - 71	5 Years old	78	3.56	4.15	
72 - 83	6 Years old	78	3.56	3.48	
84 - 95	7 Years old	88	4.01	4.13	

Child Age (in months)						
ChildWeighting:	1.03 Child Weighting Variables			Type:		Num
Column:	1563-1565			SAS Variable Name:		CHILDAGE
Prologue:						
Description:	Child Age (in months)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
96 - 107	8 Years old	88	4.01	3.95		
108 - 119	9 Years old	117	5.34	5.12		
120 - 131	10 Years old	116	5.29	5.11		
132 - 143	11 Years old	110	5.02	4.68		
144 - 155	12 Years old	123	5.61	4.41		
156 - 167	13 Years old	122	5.57	4.72		
168 - 179	14 Years old	127	5.79	5.01		
180 - 191	15 Years old	160	7.30	6.56		
192 - 203	16 Years old	156	7.12	5.79		
204 - 215	17 Years old	175	7.98	6.16		
777	Don't know / Not sure	76	3.47	4.51		
999	Refused	207	9.44	9.03		
BLANK	Not asked or Missing	8,874				

Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)			
ChildLandandCellRaking:	1.1 Child Weighting Variables		Type: Num

Column:	1566-1568	SAS Variable Name:	_CLCPM01			
Prologue:						
Description:	Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 8	First raking margin: (age-sex)	2,192	100.00	100.00		
BLANK	Missing	8,874				

Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)					
ChildLandandCellRaking:	1.2 Child Weighting Variables	Type:	Num		
Column:	1569-1571	SAS Variable Name:	_CLCPM02		
Prologue:					
Description:	Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1 - 6	Second raking margin: (race/ethnicity)	2,192	100.00	100.00	
BLANK	Missing	8,874			

Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)					
---	--	--	--	--	--

ChildLandandCellRaking:	1.3 Child Weighting Variables	Type:	Num
Column:	1572-1574	SAS Variable Name:	_CLCPM03
Prologue:			
Description:	Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage Weighted Percentage
1 - 12	Third raking margin: (sex-race/ethnicity)	2,192	100.00 100.00
BLANK	Missing	8,874	

Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)			
ChildLandandCellRaking:	1.4 Child Weighting Variables	Type:	Num
Column:	1575-1577	SAS Variable Name:	_CLCPM04
Prologue:			
Description:	Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage Weighted Percentage
1 - 18	Fourth raking margin: (age-race/ethnicity)	2,192	100.00 100.00
BLANK	Missing	8,874	

Data was weighted using _LLCPWT.

Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)						
ChildLandandCellRaking:	1.5 Child Weighting Variables			Type:	Num	
Column:	1578-1580			SAS Variable Name:	_CLCPM05	
Prologue:						
Description:	Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 2	Cell Phone Only	2,192	100.00	100.00		
BLANK	Missing	8,874				

Data was weighted using _LLCPWT.

Final child weight: Land-line and Cell-Phone data						
ChildLandandCellRaking:	1.5 Child Weighting Variables			Type:	Num	
Column:	1581-1590			SAS Variable Name:	_CLLCPWT	
Prologue:						
Description:	Final child weight: Land-line and Cell-Phone data (Raking derived weight)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)					
ChildLandandCellRaking:	1.1 Child Weighting Variables	Type:		Num	
Column:	1591-1593	SAS Variable Name:		_CLCM1V1	
Prologue:					
Description:	Version 1 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)					
ChildLandandCellRaking:	1.2 Child Weighting Variables	Type:		Num	
Column:	1594-1596	SAS Variable Name:		_CLCM2V1	
Prologue:					
Description:	Version 1 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)				
ChildLandandCellRaking:	1.3 Child Weighting Variables	Type:	Num	
Column:	1597-1599	SAS Variable Name:	_CLCM3V1	
Prologue:				
Description:	Version 1 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)				
ChildLandandCellRaking:	1.4 Child Weighting Variables	Type:	Num	
Column:	1600-1602	SAS Variable Name:	_CLCM4V1	
Prologue:				
Description:	Version 1 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)				
--	--	--	--	--

ChildLandandCellRaking:	1.5 Child Weighting Variables	Type:	Num
Column:	1603-1605	SAS Variable Name:	_CLCM5V1
Prologue:			
Description:	Version 1 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Missing	11,066	

Data was weighted using _LLCPWT.

Version 1 child weight: Land-line and Cell-Phone data			
ChildLandandCellRaking:	1.5 Child Weighting Variables	Type:	Num
Column:	1606-1615	SAS Variable Name:	_CLCWTV1
Prologue:			
Description:	Version 1 child weight: Land-line and Cell-Phone data		
Value	Value Label	Frequency	Percentage Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00 100.00

Data was weighted using _LLCPWT.

Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)
--

ChildLandandCellRaking:	1.1 Child Weighting Variables	Type:	Num
Column:	1616-1618	SAS Variable Name:	_CLCM1V2
Prologue:			
Description:	Version 2 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Missing	11,066	

Data was weighted using _LLCPWT.

Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)			
ChildLandandCellRaking:	1.2 Child Weighting Variables	Type:	Num
Column:	1619-1621	SAS Variable Name:	_CLCM2V2
Prologue:			
Description:	Version 2 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Missing	11,066	

Data was weighted using _LLCPWT.

Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)			
ChildLandandCellRaking:	1.3 Child Weighting Variables	Type:	Num

Column:	1622-1624	SAS Variable Name:	_CLCM3V2		
Prologue:					
Description:	Version 2 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)					
ChildLandandCellRaking:	1.4 Child Weighting Variables	Type:	Num		
Column:	1625-1627	SAS Variable Name:	_CLCM4V2		
Prologue:					
Description:	Version 2 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)					
ChildLandandCellRaking:	1.5 Child Weighting Variables	Type:	Num		
Column:	1628-1630	SAS Variable Name:	_CLCM5V2		

Prologue:						
Description:		Version 2 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 2 child weight: Land-line and Cell-Phone data						
ChildLandandCellRaking:	1.5 Child Weighting Variables	Type:	Num			
Column:	1631-1640	SAS Variable Name:	_CLCWTV2			
Prologue:						
Description:		Version 2 child weight: Land-line and Cell-Phone data				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00	

Data was weighted using _LLCPWT.

Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)						
ChildLandandCellRaking:	1.1 Child Weighting Variables	Type:	Num			
Column:	1641-1643	SAS Variable Name:	_CLCM1V3			

Prologue:					
Description:		Version 3 Child Combined Land-Line and Cell-Phone First Margin (Age-Gender)			
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)					
ChildLandandCellRaking:	1.2 Child Weighting Variables	Type:	Num		
Column:	1644-1646	SAS Variable Name:	_CLCM2V3		
Prologue:					
Description:		Version 3 Child Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)			
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)					
ChildLandandCellRaking:	1.3 Child Weighting Variables	Type:	Num		
Column:	1647-1649	SAS Variable Name:	_CLCM3V3		
Prologue:					

Description:		Version 3 Child Combined Land-Line and Cell-Phone Third Margin (Gender-Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
BLANK	Missing	11,066				

Data was weighted using _LLCPWT.

Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)					
ChildLandandCellRaking:	1.4 Child Weighting Variables	Type:	Num		
Column:	1650-1652	SAS Variable Name:	_CLCM4V3		
Prologue:					
Description:	Version 3 Child Combined Land-Line and Cell-Phone Fourth Margin (Age-Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)					
ChildLandandCellRaking:	1.5 Child Weighting Variables	Type:	Num		
Column:	1653-1655	SAS Variable Name:	_CLCM5V3		
Prologue:					
Description:	Version 3 Child Combined Land-Line and Cell-Phone Fifth Margin (Telephone Source)				

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 3 child weight: Land-line and Cell-Phone data					
ChildLandandCellRaking:	1.5 Child Weighting Variables		Type:	Num	
Column:	1656-1665		SAS Variable Name:	_CLCWTV3	
Prologue:					
Description:	Version 3 child weight: Land-line and Cell-Phone data				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00

Data was weighted using _LLCPWT.

Original State and Original Sequence Number					
LandandCellRaking:	1.1 Weighting Variables		Type:	Char	
Column:	1666-1677		SAS Variable Name:	ORGSEQNO	
Prologue:					

Description:		Original State and Original Sequence Number					
Value	Value Label	Frequency		Percentage		Weighted Percentage	
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066		100.00		100.00	

Data was weighted using _LLCPWT.

Dual Phone Use Categories							
LandandCellRaking:	1.2 Weighting Variables	Type:		Num			
Column:	1678	SAS Variable Name:		_DUALUSE			
Prologue:							
Description:	Dual Phone Use Categories						
Value	Value Label	Frequency		Percentage		Weighted Percentage	
1	Landline frame with a cell phone	5,898		53.30		29.65	
2	Cell phone frame with a landline	1,263		11.41		8.96	
9	No Dual Phone Use	3,905		35.29		61.39	

Data was weighted using _LLCPWT.

Dual Phone Use Correction Factor							
LandandCellRaking:	1.3 Weighting Variables	Type:		Num			

Column:	1679-1688	SAS Variable Name:	_DUALCOR		
Prologue:					
Description:	Dual phone use correction factor				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00	

Data was weighted using _LLCPWT.

Truncated design weight used in adult combined land line and cell phone raking					
LandandCellRaking:	1.4 Weighting Variables	Type:	Num		
Column:	1689-1698	SAS Variable Name:	_LLCPWT2		
Prologue:					
Description:	Truncated design weight used in adult combined land line and cell phone raking				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00	

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone First Margin (Age-Gender)					
LandandCellRaking:	1.5 Weighting Variables			Type:	Num
Column:	1699-1701			SAS Variable Name:	_LLCPM01
Prologue:					
Description:	Combined Land-Line and Cell-Phone First Margin (Age-Gender)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1 - 14	First raking margin: (age-sex)	11,066	100.00	100.00	

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)					
LandandCellRaking:	1.6 Weighting Variables			Type:	Num
Column:	1702-1704			SAS Variable Name:	_LLCPM02
Prologue:					
Description:	Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1 - 6	Second raking margin: (race/ethnicity)	11,066	100.00	100.00	

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Third Margin (Education)						
LandandCellRaking:	1.7 Weighting Variables			Type:		Num
Column:	1705-1707			SAS Variable Name:		_LLCPM03
Prologue:						
Description:	Combined Land-Line and Cell-Phone Third Margin (Education)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Less than HS	897	8.11	13.06		
2	HS Grad	3,773	34.10	34.33		
3	Some College	2,758	24.92	30.86		
4	College Grad	3,638	32.88	21.74		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)						
LandandCellRaking:	1.8 Weighting Variables			Type:		Num
Column:	1708-1710			SAS Variable Name:		_LLCPM04
Prologue:						
Description:	Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Married	5,788	52.30	51.94		
2	Never married, member unmarried couple	1,666	15.06	26.53		
3	Divorced, Widowed, Separated	3,612	32.64	21.53		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)						
LandandCellRaking:	1.9 Weighting Variables			Type:	Num	
Column:	1711-1713			SAS Variable Name:	_LLCPM05	
Prologue:						
Description:	Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 2	Fifth raking margin: (rent/own home)	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)						
LandandCellRaking:	1.10 Weighting Variables			Type:	Num	
Column:	1714-1716			SAS Variable Name:	_LLCPM06	
Prologue:						
Description:	Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 12	Sixth raking margin: (sex-race/ethnicity)	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)						
LandandCellRaking:	1.11 Weighting Variables			Type:	Num	
Column:	1717-1719			SAS Variable Name:	_LLCPM07	
Prologue:						
Description:	Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 18	Seventh raking margin: (age-race/ethnicity)	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)						
LandandCellRaking:	1.12 Weighting Variables			Type:	Num	
Column:	1720-1722			SAS Variable Name:	_LLCPM08	
Prologue:						
Description:	Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 3	Eighth raking margin: (phone source-land line or cell phone)	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Ninth Margin (Regions)						
LandandCellRaking:	1.13 Weighting Variables			Type:	Num	
Column:	1723-1725			SAS Variable Name:	_LLCPM09	
Prologue:						
Description:	Combined Land-Line and Cell-Phone Ninth Margin (Regions)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 100	Ninth raking margin: (region)	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)						
LandandCellRaking:	1.14 Weighting Variables			Type:	Num	
Column:	1726-1728			SAS Variable Name:	_LLCPM10	
Prologue:						
Description:	Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 700	Tenth raking margin: (region-age)	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)						
LandandCellRaking:	1.15 Weighting Variables			Type:	Num	
Column:	1729-1731			SAS Variable Name:	_LLCPM11	
Prologue:						
Description:	Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 200	Eleventh raking margin: (region-sex)	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)						
LandandCellRaking:	1.16 Weighting Variables			Type:	Num	
Column:	1732-1734			SAS Variable Name:	_LLCPM12	
Prologue:						
Description:	Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1 - 600	Twelfth raking margin: (region-race/ethnicity)	11,066	100.00	100.00		

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Thirteenth Margin (Counties)							
LandandCellRaking:		1.17 Weighting Variables			Type:		Num
Column:		1735-1737			SAS Variable Name:		_LLCPM13
Prologue:							
Description:		Combined Land-Line and Cell-Phone Thirteenth Margin (Counties)					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1 - 100	Thirteenth raking margin: (counties)	11,066	100.00	100.00			

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Fourteenth Margin (Counties-Race/Ethnicity)							
LandandCellRaking:		1.18 Weighting Variables			Type:		Num
Column:		1738-1740			SAS Variable Name:		_LLCPM14
Prologue:							
Description:		Combined Land-Line and Cell-Phone Fourteenth Margin (Counties-Race/Ethnicity)					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1 - 600	Fourteenth raking margin: (counties-race/ethnicity)	11,066	100.00	100.00			

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Fifteenth Margin (Counties-Age)							
LandandCellRaking:		1.19 Weighting Variables			Type:		Num
Column:		1741-1743			SAS Variable Name:		_LLCPM15
Prologue:							
Description:		Combined Land-Line and Cell-Phone Fifteenth Margin (Counties-Age)					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1 - 700	Fifteenth raking margin: (counties-age)	11,066	100.00	100.00			

Data was weighted using _LLCPWT.

Combined Land-Line and Cell-Phone Sixteenth Margin (Counties-Sex)							
LandandCellRaking:		1.20 Weighting Variables			Type:		Num
Column:		1744-1746			SAS Variable Name:		_LLCPM16
Prologue:							
Description:		Combined Land-Line and Cell-Phone Sixteenth Margin (Counties-Sex)					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1 - 200	Sixteenth raking margin: (counties-sex)	11,066	100.00	100.00			

Data was weighted using _LLCPWT.

Final weight: Land-line and cell-phone data					
LandandCellRaking:	1.21 Weighting Variables	Type:		Num	
Column:	1747-1756	SAS Variable Name:		_LLCPWT	
Prologue:					
Description:	Final weight assigned to each respondent: Land-line and cell-phone data (Raking derived weight)				
Value	Value Label	Frequency		Percentage	Weighted Percentage
HIDDEN	Data not displayed	11,066		100.00	100.00

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)					
LandandCellRaking:	1.1 Weighting Variables	Type:		Num	
Column:	1757-1759	SAS Variable Name:		_LCM01V1	
Prologue:					
Description:	Version 1 Combined Land-Line and Cell-Phone First Margin (Age-Gender)				
Value	Value Label	Frequency		Percentage	Weighted Percentage
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)				
LandandCellRaking:	1.2 Weighting Variables	Type:	Num	
Column:	1760-1762	SAS Variable Name:	_LCM02V1	
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)				
LandandCellRaking:	1.3 Weighting Variables	Type:	Num	
Column:	1763-1765	SAS Variable Name:	_LCM03V1	
Prologue:				
Description:	Version 1 Combined Land-Line and Cell-Phone Third Margin (Education)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)				
---	--	--	--	--

LandandCellRaking:	1.4 Weighting Variables	Type:	Num
Column:	1766-1768	SAS Variable Name:	_LCM04V1
Prologue:			
Description:	Version 1 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Missing	11,066	

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)			
LandandCellRaking:	1.5 Weighting Variables	Type:	Num
Column:	1769-1771	SAS Variable Name:	_LCM05V1
Prologue:			
Description:	Version 1 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Missing	11,066	

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)			
LandandCellRaking:	1.6 Weighting Variables	Type:	Num

Column:	1772-1774	SAS Variable Name:	_LCM06V1		
Prologue:					
Description:	Version 1 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)					
LandandCellRaking:	1.7 Weighting Variables	Type:	Num		
Column:	1775-1777	SAS Variable Name:	_LCM07V1		
Prologue:					
Description:	Version 1 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)					
LandandCellRaking:	1.8 Weighting Variables	Type:	Num		
Column:	1778-1780	SAS Variable Name:	_LCM08V1		

Prologue:						
Description:		Version 1 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)						
LandandCellRaking:	1.9 Weighting Variables	Type:		Num		
Column:	1781-1783	SAS Variable Name:		_LCM09V1		
Prologue:						
Description:		Version 1 Combined Land-Line and Cell-Phone Ninth Margin (Regions)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)						
LandandCellRaking:	1.10 Weighting Variables	Type:		Num		
Column:	1784-1786	SAS Variable Name:		_LCM10V1		
Prologue:						

Description:		Version 1 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
BLANK	Missing	11,066				

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)					
LandandCellRaking:	1.11 Weighting Variables	Type:	Num		
Column:	1787-1789	SAS Variable Name:	_LCM11V1		
Prologue:					
Description:	Version 1 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)					
LandandCellRaking:	1.12 Weighting Variables	Type:	Num		
Column:	1790-1792	SAS Variable Name:	_LCM12V1		
Prologue:					
Description:	Version 1 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)				

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00

Data was weighted using _LLCPWT.

Value	Value Label	Frequency	Percentage	Weighted Percentage
Version 1 weight: Land-line and cell-phone data				
LandandCellRaking:	1.13 Weighting Variables	Type:		Num
Column:	1793-1802	SAS Variable Name:		_LCPWTV1
Prologue:				
Description:	Version 1 weight assigned to each respondent: Land-line and cell-phone data			

Value	Value Label	Frequency	Percentage	Weighted Percentage
Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)				
LandandCellRaking:	1.1 Weighting Variables	Type:		Num
Column:	1803-1805	SAS Variable Name:		_LCM01V2
Prologue:				
Description:	Version 2 Combined Land-Line and Cell-Phone First Margin (Age-Gender)			

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)					
LandandCellRaking:	1.2 Weighting Variables		Type:	Num	
Column:	1806-1808		SAS Variable Name:	_LCM02V2	
Prologue:					
Description:	Version 2 Combined Land-Line and Cell-Phone Second Margin (Race/Ethnicity)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)					
LandandCellRaking:	1.3 Weighting Variables		Type:	Num	
Column:	1809-1811		SAS Variable Name:	_LCM03V2	
Prologue:					
Description:	Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage

Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)				
LandandCellRaking:	1.3 Weighting Variables	Type:	Num	
Column:	1809-1811	SAS Variable Name:	_LCM03V2	
Prologue:				
Description:	Version 2 Combined Land-Line and Cell-Phone Third Margin (Education)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)				
LandandCellRaking:	1.4 Weighting Variables	Type:	Num	
Column:	1812-1814	SAS Variable Name:	_LCM04V2	
Prologue:				
Description:	Version 2 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)				
--	--	--	--	--

LandandCellRaking:	1.5 Weighting Variables	Type:	Num
Column:	1815-1817	SAS Variable Name:	_LCM05V2
Prologue:			
Description:	Version 2 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Missing	11,066	

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)			
LandandCellRaking:	1.6 Weighting Variables	Type:	Num
Column:	1818-1820	SAS Variable Name:	_LCM06V2
Prologue:			
Description:	Version 2 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Missing	11,066	

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)			
LandandCellRaking:	1.7 Weighting Variables	Type:	Num

Column:	1821-1823	SAS Variable Name:	_LCM07V2		
Prologue:					
Description:	Version 2 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)					
LandandCellRaking:	1.8 Weighting Variables	Type:	Num		
Column:	1824-1826	SAS Variable Name:	_LCM08V2		
Prologue:					
Description:	Version 2 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)					
LandandCellRaking:	1.9 Weighting Variables	Type:	Num		
Column:	1827-1829	SAS Variable Name:	_LCM09V2		

Prologue:						
Description:		Version 2 Combined Land-Line and Cell-Phone Ninth Margin (Regions)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)						
LandandCellRaking:	1.10 Weighting Variables	Type:	Num			
Column:	1830-1832	SAS Variable Name:	_LCM10V2			
Prologue:						
Description:		Version 2 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)						
LandandCellRaking:	1.11 Weighting Variables	Type:	Num			
Column:	1833-1835	SAS Variable Name:	_LCM11V2			
Prologue:						

Description:		Version 2 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
BLANK	Missing	11,066				

Data was weighted using _LLCPWT.

Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)					
LandandCellRaking:	1.12 Weighting Variables	Type:	Num		
Column:	1836-1838	SAS Variable Name:	_LCM12V2		
Prologue:					
Description:	Version 2 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 2 weight: Land-line and cell-phone data					
LandandCellRaking:	1.13 Weighting Variables	Type:	Num		
Column:	1839-1848	SAS Variable Name:	_LCPWTV2		
Prologue:					
Description:	Version 2 weight assigned to each respondent: Land-line and cell-phone data				

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066	100.00	100.00

Data was weighted using _LLCPWT.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)					
LandandCellRaking:	1.3 Weighting Variables		Type:	Num	
Column:	1855-1857		SAS Variable Name:	_LCM03V3	
Prologue:					
Description:	Version 3 Combined Land-Line and Cell-Phone Third Margin (Education)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)					
LandandCellRaking:	1.4 Weighting Variables		Type:	Num	
Column:	1858-1860		SAS Variable Name:	_LCM04V3	
Prologue:					
Description:	Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage

Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)				
LandandCellRaking:	1.4 Weighting Variables	Type:	Num	
Column:	1858-1860	SAS Variable Name:	_LCM04V3	
Prologue:				
Description:	Version 3 Combined Land-Line and Cell-Phone Fourth Margin (Marital Status)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)				
LandandCellRaking:	1.5 Weighting Variables	Type:	Num	
Column:	1861-1863	SAS Variable Name:	_LCM05V3	
Prologue:				
Description:	Version 3 Combined Land-Line and Cell-Phone Fifth Margin (Home Ownership)			
Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,066		

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)				
--	--	--	--	--

LandandCellRaking:	1.6 Weighting Variables	Type:	Num
Column:	1864-1866	SAS Variable Name:	_LCM06V3
Prologue:			
Description:	Version 3 Combined Land-Line and Cell-Phone Sixth Margin (Gender-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Missing	11,066	

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)			
LandandCellRaking:	1.7 Weighting Variables	Type:	Num
Column:	1867-1869	SAS Variable Name:	_LCM07V3
Prologue:			
Description:	Version 3 Combined Land-Line and Cell-Phone Seventh Margin (Age-Race/Ethnicity)		
Value	Value Label	Frequency	Percentage Weighted Percentage
BLANK	Missing	11,066	

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)			
LandandCellRaking:	1.8 Weighting Variables	Type:	Num

Column:	1870-1872	SAS Variable Name:	_LCM08V3		
Prologue:					
Description:	Version 3 Combined Land-Line and Cell-Phone Eighth Margin (Telephone Source)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)					
LandandCellRaking:	1.9 Weighting Variables	Type:	Num		
Column:	1873-1875	SAS Variable Name:	_LCM09V3		
Prologue:					
Description:	Version 3 Combined Land-Line and Cell-Phone Ninth Margin (Regions)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)					
LandandCellRaking:	1.10 Weighting Variables	Type:	Num		
Column:	1876-1878	SAS Variable Name:	_LCM10V3		

Prologue:						
Description:		Version 3 Combined Land-Line and Cell-Phone Tenth Margin (Regions-Age)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)						
LandandCellRaking:	1.11 Weighting Variables	Type:	Num			
Column:	1879-1881	SAS Variable Name:	_LCM11V3			
Prologue:						
Description:		Version 3 Combined Land-Line and Cell-Phone Eleventh Margin (Regions-Gender)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage	
	BLANK	Missing	11,066			

Data was weighted using _LLCPWT.

Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)						
LandandCellRaking:	1.12 Weighting Variables	Type:	Num			
Column:	1882-1884	SAS Variable Name:	_LCM12V3			
Prologue:						

Description:		Version 3 Combined Land-Line and Cell-Phone Twelfth Margin (Regions-Race/Ethnicity)				
Value	Value Label	Frequency		Percentage		Weighted Percentage
BLANK	Missing	11,066				

Data was weighted using _LLCPWT.

Version 3 weight: Land-line and cell-phone data						
LandandCellRaking:	1.13 Weighting Variables	Type:		Num		
Column:	1885-1894	SAS Variable Name:		_LCPWTV3		
Prologue:						
Description:	Version 3 weight assigned to each respondent: Land-line and cell-phone data					
Value	Value Label	Frequency		Percentage		Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	11,066		100.00		100.00

Data was weighted using _LLCPWT.

Adults with good or better health						
CalculatedVariables:	1.1 Calculated Variables	Type:		Num		
Column:	1895	SAS Variable Name:		_RFHLTH		
Prologue:						

Description:		Adults with good or better health				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	8,724	78.84	81.32		
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	2,309	20.87	18.42		
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	33	0.30	0.26		

Data was weighted using _LLCPWT.

Computed Physical Health Status					
CalculatedVariables:	2.1 Calculated Variables	Type:	Num		
Column:	1896	SAS Variable Name:	_PHYS14D		
Prologue:					
Description:	3 level not good physical health status: 0 days, 1-13 days, 14-30 days				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Zero days when physical health not good	6,615	59.78	60.55	
2	1-13 days when physical health not good	2,574	23.26	25.00	
3	14+ days when physical health not good	1,610	14.55	12.38	
9	Don't know/Refused/Missing	267	2.41	2.07	

Data was weighted using _LLCPWT.

Computed Mental Health Status						
CalculatedVariables:	2.2 Calculated Variables			Type:		Num
Column:	1897			SAS Variable Name:		_MENT14D
Prologue:						
Description:	3 level not good mental health status: 0 days, 1-13 days, 14-30 days					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Zero days when mental health not good	7,395	66.83	61.83		
2	1-13 days when mental health not good	2,287	20.67	23.60		
3	14+ days when mental health not good	1,181	10.67	12.96		
9	Don't know/Refused/Missing	203	1.83	1.61		

Data was weighted using _LLCPWT.

Respondents aged 18-64 with health care coverage						
CalculatedVariables:	3.1 Calculated Variables			Type:		Num
Column:	1898			SAS Variable Name:		_HCVU651
Prologue:						
Description:	Respondents aged 18-64 who have any form of health care coverage					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 1	5,807	52.48	67.87		
2	Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLN1 = 2	615	5.56	10.70		
9	Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLN1 = 7 or 9 or Missing	4,644	41.97	21.42		

Data was weighted using _LLCPWT.

Leisure Time Physical Activity Calculated Variable						
CalculatedVariables:	4.1 Calculated Variables	Type:		Num		
Column:	1899	SAS Variable Name:		_TOTINDA		
Prologue:						
Description:	Adults who reported doing physical activity or exercise during the past 30 days other than their regular job					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	7,835		70.80		73.11
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	3,207		28.98		26.76
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	24		0.22		0.13

Data was weighted using _LLCPWT.

Ever had CHD or MI						
CalculatedVariables:	6.1 Calculated Variables	Type:		Num		
Column:	1900	SAS Variable Name:		_MICHD		
Prologue:						
Description:	Respondents that have ever reported having coronary heart disease (CHD) or myocardial infarction (MI)					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Reported having MI or CHD Notes: CVDINFR4=1 OR CVDCRHD4=1	1,247	11.35	7.56
	2	Did not report having MI or CHD Notes: CVDINFR4=2 AND CVDCRHD4=2	9,744	88.65	92.44
	BLANK	Not asked or Missing Notes: CVDINFR4=7, 9 OR MISSING OR CVDCRHD4=7, 9, OR MISSING	75		

Data was weighted using _LLCPWT.

Lifetime Asthma Calculated Variable					
CalculatedVariables:	6.2 Calculated Variables			Type:	Num
Column:	1901			SAS Variable Name:	_LTASTH1
Prologue:					
Description:	Adults who have ever been told they have asthma				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	No Notes: ASTHMA3 = 2	9,537	86.18	85.46
	2	Yes Notes: ASTHMA3 = 1	1,511	13.65	14.39
	9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing	18	0.16	0.15

Data was weighted using _LLCPWT.

Current Asthma Calculated Variable						
CalculatedVariables:		6.3 Calculated Variables	Type:		Num	
Column:		1902	SAS Variable Name:		_CASTHM1	
Prologue:						
Description:		Adults who have been told they currently have asthma				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2	9,892	89.39	89.43		
2	Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1	1,131	10.22	10.10		
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	43	0.39	0.47		

Data was weighted using _LLCPWT.

Computed Asthma Status						
CalculatedVariables:		6.4 Calculated Variables	Type:		Num	
Column:		1903	SAS Variable Name:		_ASTHMS1	
Prologue:						
Description:		Computed asthma status				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Current Notes: ASTHMA3 = 1 and ASTHNOW = 1	1,131	10.22	10.10		
2	Former Notes: ASTHMA3 = 1 and ASTHNOW = 2	355	3.21	3.97		
3	Never Notes: ASTHMA3 = 2	9,537	86.18	85.46		

Computed Asthma Status						
CalculatedVariables:	6.4 Calculated Variables			Type:		Num
Column:	1903			SAS Variable Name:		_ASTHMS1
Prologue:						
Description:	Computed asthma status					
Value	Value Label	Frequency		Percentage		Weighted Percentage
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing	43		0.39		0.47

Data was weighted using _LLCPWT.

Respondents diagnosed with arthritis						
CalculatedVariables:	6.5 Calculated Variables			Type:		Num
Column:	1904			SAS Variable Name:		_DRDXAR1
Prologue:						
Description:	Respondents who have had a doctor diagnose them as having some form of arthritis					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	Diagnosed with arthritis Notes: HAVARTH3 = 1	4,326		39.21		27.78
2	Not diagnosed with arthritis Notes: HAVARTH3 = 2	6,707		60.79		72.22
BLANK	Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing	33				

Data was weighted using _LLCPWT.

Adults aged 18+ that have had permanent teeth extracted						
CalculatedVariables:	7.1 Calculated Variables			Type:	Num	
Column:	1905			SAS Variable Name:	_EXTETH2	
Prologue:						
Description:	Adults aged 18+ who have had permanent teeth extracted					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Not at risk Notes: RMVTETH3=8	4,691	42.39	52.00		
2	At risk Notes: RMVTETH=1 or 2 or 3	6,218	56.19	47.09		
9	Don't know/Not Sure Or Refused/Missing Notes: RMVTETH3=7 or 9 or Missing	157	1.42	0.91		

Data was weighted using _LLCPWT.

Adults aged 65+ who have had all their natural teeth extracted						
CalculatedVariables:	7.2 Calculated Variables			Type:	Num	
Column:	1906			SAS Variable Name:	_ALTETH2	
Prologue:						
Description:	Adults aged 65+ who have had all their natural teeth extracted					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	No Notes: AGE>= 65 and RMVTETH3=1 or 2 or 8	3,624	78.46	75.18		
2	Yes Notes: AGE>= 65 and RMVTETH3=3	726	15.72	17.20		

Adults aged 65+ who have had all their natural teeth extracted						
CalculatedVariables:	7.2 Calculated Variables			Type:		Num
Column:	1906			SAS Variable Name:		_ALTETH2
Prologue:						
Description:	Adults aged 65+ who have had all their natural teeth extracted					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
9	Don't know/Not Sure Or Refused/Missing Notes: AGE>= 65 or =7 or 9 or Missing and RMVTETH3=7 or 9 or Missing	269	5.82	7.61		
BLANK	Missing or Age Less Than 65 Notes: 18 <= AGE <= 64	6,447				

Data was weighted using _LLCPWT.

Adults that have visited a dentist, dental hygienist or dental clinic within the past year						
CalculatedVariables:	7.3 Calculated Variables			Type:		Num
Column:	1907			SAS Variable Name:		_DENVST2
Prologue:						
Description:	Adults who have visited a dentist, dental hygienist or dental clinic within the past year					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes Notes: LASTDEN3=1	7,178	64.87	61.57		
2	No Notes: LASTDEN3=2 or 3 or 4	3,813	34.46	37.93		
9	Don't know/Not Sure Or Refused/Missing Notes: LASTDEN3=7 or 9 or Missing	75	0.68	0.49		

Data was weighted using _LLCPWT.

MRACE1 with 77,88,99s removed calculated variable						
CalculatedVariables:		8.1 Calculated Race Variables	Type:		Char	
Column:		1908-1935	SAS Variable Name:		MRACORG1	
Prologue:						
Description:		MRACE1 with 77,88,99s removed				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
77	Don't know/Not sure Notes: MRACE1 = 77	33	0.30	0.49		
99	Refused Notes: MRACE1 = 99	143	1.29	1.67		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,890	98.41	97.84		

Data was weighted using _LLCPWT.

MRACORG1 with responses in ascending order calculated variable						
CalculatedVariables:		8.2 Calculated Race Variables	Type:		Num	
Column:		1936-1963	SAS Variable Name:		MRACASC1	
Prologue:						
Description:		MRACORG1 with 77,88,99s removed, in ascending order				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
77	Don't know/Not sure	33	0.30	0.49		

MRACORG1 with responses in ascending order calculated variable						
CalculatedVariables:		8.2 Calculated Race Variables	Type:		Num	
Column:		1936-1963	SAS Variable Name:		MRACASC1	
Prologue:						
Description:		MRACORG1 with 77,88,99s removed, in ascending order				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
	Notes: MRACORG1 = 77					
99	Refused Notes: MRACORG1 = 99	143	1.29			1.67
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	10,890	98.41			97.84

Data was weighted using _LLCPWT.

Computed Preferred Race						
CalculatedVariables:		8.3 Calculated Race Variables	Type:		Num	
Column:		1964-1965	SAS Variable Name:		_PRACE1	
Prologue:						
Description:		Preferred race category				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	White Notes: MRACASC1 = 10	9,812	88.67			85.77
2	Black or African American Notes: MRACASC1 = 20	785	7.09			9.06
3	American Indian or Alaskan Native Notes: MRACASC1 = 30	138	1.25			0.67

Computed Preferred Race						
CalculatedVariables:		8.3 Calculated Race Variables	Type:		Num	
Column:		1964-1965	SAS Variable Name:		_PRACE1	
Prologue:						
Description:		Preferred race category				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
4	Asian Notes: MRACASC1 = 40,41,42,43,44,45,46,47	116	1.05	2.07		
5	Native Hawaiian or other Pacific Islander Notes: MRACASC1 = 50,51,52,53,54	14	0.13	0.11		
6	Other race Notes: MRACASC1 = 60	7	0.06	0.07		
7	No preferred race Notes: MRACASC1 >= 100 and ORACE3 = 7 or 9	18	0.16	0.09		
77	Don't know/Not sure Notes: MRACASC1 = 77	33	0.30	0.49		
99	Refused Notes: MRACASC1 = 99	143	1.29	1.67		

Data was weighted using _LLCPWT.

Calculated non-Hispanic Race including multiracial						
CalculatedVariables:		8.4 Calculated Race Variables	Type:		Num	
Column:		1966-1967	SAS Variable Name:		_MRACE1	
Prologue:						
Description:		Calculated multiracial race categorization				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	White only	9,713	87.77	85.03		

Calculated non-Hispanic Race including multiracial						
CalculatedVariables:	8.4 Calculated Race Variables			Type:	Num	
Column:	1966-1967			SAS Variable Name:	_MRACE1	
Prologue:						
Description:	Calculated multiracial race categorization					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
	Notes: MRACASC1 = 10					
2	Black or African American only Notes: MRACASC1 = 20	757	6.84	8.84		
3	American Indian or Alaskan Native only Notes: MRACASC1 = 30	115	1.04	0.52		
4	Asian Only Notes: MRACASC1 = 40,41,42,43,44,45,46,47	116	1.05	2.07		
5	Native Hawaiian or other Pacific Islander only Notes: MRACASC1 = 50,51,52,53,54	13	0.12	0.10		
6	Other race only Notes: MRACASC1 = 60	6	0.05	0.07		
7	Multiracial Notes: MRACASC1 >= 100	170	1.54	1.20		
77	Don't know/Not sure Notes: MRACASC1 = 77	33	0.30	0.49		
99	Refused Notes: MRACASC1 = 99	143	1.29	1.67		

Data was weighted using _LLCPWT.

Calculated non-Hispanic Race including multiracial						
CalculatedVariables:	8.5 Calculated Race Variables			Type:	Num	
Column:	1968-1969			SAS Variable Name:	_M_RACE	
Prologue:						

Description:		Calculated multiracial race categorization					
Value	Value Label	Frequency		Percentage		Weighted Percentage	
10	White	9,713		87.77		85.03	
20	Black or African American	757		6.84		8.84	
30	American Indian or Alaska Native	115		1.04		0.52	
40	Asian	21		0.19		0.37	
41	Asian Indian	41		0.37		0.74	
42	Chinese	15		0.14		0.29	
43	Filipino	3		0.03		0.03	
44	Japanese	7		0.06		0.07	
45	Korean	6		0.05		0.12	
46	Vietnamese	5		0.05		0.13	
47	Other Asian	18		0.16		0.33	
50	Native Hawaiian	5		0.05		0.04	
51	Pacific Islander	1		0.01		0.01	
52	Guamanian or Chamorro	2		0.02		0.02	
53	Samoan	2		0.02		0.02	
54	Other Pacific Islander	3		0.03		0.01	
60	Other	6		0.05		0.07	
70	Multiple responses	170		1.54		1.20	
77	Don't know/Not Sure	33		0.30		0.49	
99	Refused	143		1.29		1.67	

Data was weighted using _LLCPWT.

Hispanic, Latino/a, or Spanish origin calculated variable
--

CalculatedVariables:	8.6 Calculated Race Variables	Type:	Num
Column:	1970	SAS Variable Name:	_HISPANC
Prologue:			
Description:	Hispanic, Latino/a, or Spanish origin calculated variable		
Value	Value Label	Frequency	Percentage Weighted Percentage
1	Hispanic, Latino/a, or Spanish origin	362	3.27 5.61
2	Not of Hispanic, Latino/a, or Spanish origin	10,621	95.98 93.51
9	Don't Know, Refused or Missing	83	0.75 0.88

Data was weighted using _LLCPWT.

Computed Race-Ethnicity grouping			
CalculatedVariables:	8.7 Calculated Race Variables	Type:	Num
Column:	1971	SAS Variable Name:	_RACE
Prologue:			
Description:	Race/ethnicity categories		
Value	Value Label	Frequency	Percentage Weighted Percentage
1	White only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 1	9,428	85.20 80.83
2	Black only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 2	734	6.63 8.52
3	American Indian or Alaskan Native only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 3	96	0.87 0.28
4	Asian only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 4	114	1.03 2.04
5	Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 5	11	0.10 0.08

Computed Race-Ethnicity grouping						
CalculatedVariables:		8.7 Calculated Race Variables	Type:		Num	
Column:		1971	SAS Variable Name:		_RACE	
Prologue:						
Description:		Race/ethnicity categories				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
6	Other race only, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 6	3	0.03	0.02		
7	Multiracial, non-Hispanic Notes: _HISPANC = 2 and _MRACE1 = 7	159	1.44	1.09		
8	Hispanic Notes: _HISPANC = 1	362	3.27	5.61		
9	Don't know/Not sure/Refused Notes: _HISPANC = 7 or 9 or _MRACE1 = 77 or 99 and _HISPANC = 2	159	1.44	1.52		

Data was weighted using _LLCPWT.

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable						
CalculatedVariables:		8.8 Calculated Race Variables	Type:		Num	
Column:		1972	SAS Variable Name:		_RACEG21	
Prologue:						
Description:		White non-Hispanic race group				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Non-Hispanic White Notes: _RACE = 1	9,428	85.20	80.83		
2	Non-White or Hispanic Notes: _RACE = 2 or 3 or 4 or 5 or 6 or 7 or 8	1,479	13.37	17.64		

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable						
CalculatedVariables:	8.8 Calculated Race Variables			Type:	Num	
Column:	1972			SAS Variable Name:	_RACEG21	
Prologue:						
Description:	White non-Hispanic race group					
Value	Value Label	Frequency		Percentage		Weighted Percentage
9	Don't know/Not sure/Refused Notes: _RACE = 9	159		1.44		1.52

Data was weighted using _LLCPWT.

Computed Five level race/ethnicity category.						
CalculatedVariables:	8.9 Calculated Race Variables			Type:	Num	
Column:	1973			SAS Variable Name:	_RACEGR3	
Prologue:						
Description:	Five-level race/ethnicity category					
Value	Value Label	Frequency		Percentage		Weighted Percentage
1	White only, Non-Hispanic	9,428		85.20		80.83
2	Black only, Non-Hispanic	734		6.63		8.52
3	Other race only, Non-Hispanic	224		2.02		2.41
4	Multiracial, Non-Hispanic	159		1.44		1.09
5	Hispanic	362		3.27		5.61
9	Don't know/Not sure/Refused	159		1.44		1.52

Data was weighted using _LLCPWT.

Computed race groups used for internet prevalence tables						
CalculatedVariables:	8.10 Calculated Race Variables			Type:	Num	
Column:	1974			SAS Variable Name:	_RACE_G1	
Prologue:						
Description:	Race groups used for internet prevalence tables					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	White - Non-Hispanic	9,428	86.44	82.09		
2	Black - Non-Hispanic	734	6.73	8.66		
3	Hispanic	362	3.32	5.70		
4	Other race only, Non-Hispanic	224	2.05	2.45		
5	Multiracial, Non-Hispanic	159	1.46	1.11		
BLANK	Don't know/Not sure/Refused component question	159				

Data was weighted using _LLCPWT.

Reported age in five-year age categories calculated variable						
CalculatedVariables:	8.11 Calculated Variables			Type:	Num	
Column:	1975-1976			SAS Variable Name:	_AGEG5YR	
Prologue:						
Description:	Fourteen-level age category					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Age 18 to 24 Notes: 18 <= AGE <= 24	458	4.14	13.55
	2	Age 25 to 29 Notes: 25 <= AGE <= 29	381	3.44	8.01
	3	Age 30 to 34 Notes: 30 <= AGE <= 34	437	3.95	8.45
	4	Age 35 to 39 Notes: 35 <= AGE <= 39	533	4.82	8.23
	5	Age 40 to 44 Notes: 40 <= AGE <= 44	564	5.10	7.84
	6	Age 45 to 49 Notes: 45 <= AGE <= 49	694	6.27	6.89
	7	Age 50 to 54 Notes: 50 <= AGE <= 54	929	8.40	9.32
	8	Age 55 to 59 Notes: 55 <= AGE <= 59	1,168	10.55	8.32
	9	Age 60 to 64 Notes: 60 <= AGE <= 64	1,283	11.59	8.41
	10	Age 65 to 69 Notes: 65 <= AGE <= 69	1,355	12.24	6.62
	11	Age 70 to 74 Notes: 70 <= AGE <= 74	1,068	9.65	4.98
	12	Age 75 to 79 Notes: 75 <= AGE <= 79	872	7.88	3.64
	13	Age 80 or older Notes: 80 <= AGE <= 99	1,173	10.60	4.62
	14	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	151	1.36	1.12

Data was weighted using _LLCPWT.

Reported age in two age groups calculated variable		
CalculatedVariables:	8.12 Calculated Variables	Type: Num

Column:	1977	SAS Variable Name:	_AGE65YR		
Prologue:					
Description:	Two-level age category				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Age 18 to 64 Notes: 18 <= AGE <= 64	6,447	58.26	79.02	
2	Age 65 or older Notes: 65 <= AGE <= 99	4,468	40.38	19.87	
3	Don't know/Refused/Missing Notes: 7 <= AGE <= 9	151	1.36	1.12	

Data was weighted using _LLCPWT.

Imputed Age value collapsed above 80					
CalculatedVariables:	8.13 Calculated Variables	Type:	Num		
Column:	1978-1979	SAS Variable Name:	_AGE80		
Prologue:					
Description:	Imputed Age value collapsed above 80				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
18 - 24	Imputed Age 18 to 24	458	4.14	13.55	
25 - 29	Imputed Age 25 to 29	381	3.44	8.01	
30 - 34	Imputed Age 30 to 34	438	3.96	8.47	
35 - 39	Imputed Age 35 to 39	533	4.82	8.23	
40 - 44	Imputed Age 40 to 44	567	5.12	7.90	
45 - 49	Imputed Age 45 to 49	707	6.39	7.03	
50 - 54	Imputed Age 50 to 54	967	8.74	9.85	

Imputed Age value collapsed above 80						
CalculatedVariables:	8.13 Calculated Variables			Type:	Num	
Column:	1978-1979			SAS Variable Name:	_AGE80	
Prologue:						
Description:	Imputed Age value collapsed above 80					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
55 - 59	Imputed Age 55 to 59	1,177	10.64	8.39		
60 - 64	Imputed Age 60 to 64	1,340	12.11	8.61		
65 - 69	Imputed Age 65 to 69	1,385	12.52	6.71		
70 - 74	Imputed Age 70 to 74	1,068	9.65	4.98		
75 - 79	Imputed Age 75 to 79	872	7.88	3.64		
80 - 99	Imputed Age 80 or older	1,173	10.60	4.62		

Data was weighted using _LLCPWT.

Imputed age in six groups						
CalculatedVariables:	8.14 Calculated Variables			Type:	Num	
Column:	1980			SAS Variable Name:	_AGE_G	
Prologue:						
Description:	Six-level imputed age category					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Age 18 to 24 Notes: 18 <= _IMPAGE <= 24	458	4.14	13.55		
2	Age 25 to 34 Notes: 25 <= _IMPAGE <= 34	819	7.40	16.48		
3	Age 35 to 44	1,100	9.94	16.13		

Imputed age in six groups						
CalculatedVariables:		8.14 Calculated Variables		Type:		Num
Column:		1980		SAS Variable Name:		_AGE_G
Prologue:						
Description:		Six-level imputed age category				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
	Notes: 35 <= _IMPAGE <= 44					
4	Age 45 to 54 Notes: 45 <= _IMPAGE <= 54	1,674	15.13			16.88
5	Age 55 to 64 Notes: 55 <= _IMPAGE <= 64	2,517	22.75			17.00
6	Age 65 or older Notes: _IMPAGE => 65	4,498	40.65			19.96

Data was weighted using _LLCPWT.

Computed Height in Inches						
CalculatedVariables:		8.15 Calculated Variables		Type:		Num
Column:		1981-1983		SAS Variable Name:		HTIN4
Prologue:						
Description:		Reported height in inches				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
36 - 95	Height in inches Notes: 0300 <= HEIGHT3 <= 0711 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	10,733	100.00			100.00
BLANK	Don't know/Refused/Not asked or Missing Notes: HEIGHT3=777, 999, 7777, 9999 or HEIGHT3 < 36 inches or HEIGHT3 > 95 inches or HEIGHT3=missing	333				

Data was weighted using _LLCPWT.

Computed Height in Meters							
CalculatedVariables:		8.16 Calculated Variables			Type:		Num
Column:		1984-1986			SAS Variable Name:		HTM4
Prologue:							
Description:		Reported height in meters					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
91 - 244	Height in meters [2 implied decimal places] Notes: 0300 <= HEIGHT3 <= 0711 or 9091 <= HEIGHT3 <= 9244 (non-metric HEIGHT3 value multiplied by .0254)	10,786	100.00	100.00			
BLANK	Don't know/Refused/Not asked or Missing Notes: HEIGHT3 = 7777 or 9999 or outside accepted values or HEIGHT3=missing	280					

Data was weighted using _LLCPWT.

Computed Weight in Kilograms							
CalculatedVariables:		8.17 Calculated Variables			Type:		Num
Column:		1987-1991			SAS Variable Name:		WTKG3
Prologue:							
Description:		Reported weight in kilograms					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	2300 - 29500	Weight in kilograms [2 implied decimal places] Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295 (non-metric WEIGHT2 value divided by 2.2046)	10,422	100.00	100.00
	BLANK	Don't know/Refused/Not asked or Missing Notes: WEIGHT2 = 7777 or 9999 or not in accepted values or WEIGHT2 = Missing	644		

Data was weighted using _LLCPWT.

Computed body mass index					
CalculatedVariables:	8.18 Calculated Variables			Type:	Num
Column:	1992-1995			SAS Variable Name:	_BMI5
Prologue:					
Description:	Body Mass Index (BMI)				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1 - 9999	1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places)	10,319	100.00	100.00
	BLANK	Don't know/Refused/Missing Notes: WTKG3 = . or HTM4 = .	747		

Data was weighted using _LLCPWT.

Computed body mass index categories					
CalculatedVariables:	8.19 Calculated Variables			Type:	Num

Column:	1996	SAS Variable Name:	_BMI5CAT		
Prologue:					
Description:	Four-categories of Body Mass Index (BMI)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	Underweight Notes: _BMI5 < 1850 (_BMI5 has 2 implied decimal places)	178	1.72	1.82	
2	Normal Weight Notes: 1850 <= _BMI5 < 2500	3,030	29.36	31.00	
3	Overweight Notes: 2500 <= _BMI5 < 3000	3,697	35.83	34.72	
4	Obese Notes: 30000 <= _BMI5 < 9999	3,414	33.08	32.46	
BLANK	Don't know/Refused/Missing Notes: _BMI5 = 9999	747			

Data was weighted using _LLCPWT.

Overweight or obese calculated variable					
CalculatedVariables:	8.20 Calculated Variables	Type:	Num		
Column:	1997	SAS Variable Name:	_RFBMI5		
Prologue:					
Description:	Adults who have a body mass index greater than 25.00 (Overweight or Obese)				
Value	Value Label	Frequency	Percentage	Weighted Percentage	
1	No Notes: 1200 <= _BMI5 < 2500 (_BMI5 has 2 implied decimal places)	3,208	28.99	30.46	
2	Yes Notes: 2500 <= _BMI5 < 9999	7,111	64.26	62.34	
9	Don't know/Refused/Missing Notes: _BMI5 = 9999	747	6.75	7.20	

Data was weighted using _LLCPWT.

Computed number of children in household						
CalculatedVariables:	8.21 Calculated Variables			Type:	Num	
Column:	1998			SAS Variable Name:	_CHLDCNT	
Prologue:						
Description:	Number of children in household					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	No children in household Notes: CHILDREN = 88	8,465	76.50	62.94		
2	One child in household Notes: CHILDREN = 01	1,007	9.10	14.27		
3	Two children in household Notes: CHILDREN = 02	917	8.29	12.80		
4	Three children in household Notes: CHILDREN = 03	394	3.56	5.86		
5	Four children in household Notes: CHILDREN = 04	138	1.25	2.11		
6	Five or more children in household Notes: 05 <= CHILDREN < 88	97	0.88	1.46		
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	48	0.43	0.56		

Data was weighted using _LLCPWT.

Computed level of education completed categories						
CalculatedVariables:	8.22 Calculated Variables			Type:		Num
Column:	1999			SAS Variable Name:		_EDUCAG
Prologue:						
Description:	Level of education completed					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	893	8.07	13.03		
2	Graduated High School Notes: EDUCA = 4	3,759	33.97	34.23		
3	Attended College or Technical School Notes: EDUCA = 5	2,753	24.88	30.80		
4	Graduated from College or Technical School Notes: EDUCA = 6	3,633	32.83	21.70		
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing	28	0.25	0.25		

Data was weighted using _LLCPWT.

Computed income categories						
CalculatedVariables:	8.23 Calculated Variables			Type:		Num
Column:	2000			SAS Variable Name:		_INCOMG
Prologue:						
Description:	Income categories					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	935	8.45	9.11		
2	\$15,000 to less than \$25,000	1,836	16.59	16.27		

Computed income categories						
CalculatedVariables:		8.23 Calculated Variables		Type:		Num
Column:		2000		SAS Variable Name:		_INCOMG
Prologue:						
Description:		Income categories				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
	Notes: INCOME2 = 3 or 4					
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	1,146	10.36	9.74		
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	1,491	13.47	13.56		
5	\$50,000 or more Notes: INCOME2 = 7 or 8	4,134	37.36	39.14		
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing	1,524	13.77	12.18		

Data was weighted using _LLCPWT.

Computed Smoking Status						
CalculatedVariables:		9.1 Calculated Variables		Type:		Num
Column:		2001		SAS Variable Name:		_SMOKER3
Prologue:						
Description:		Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1	1,346	12.16	14.87		
2	Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2	476	4.30	5.47		

Computed Smoking Status						
CalculatedVariables:		9.1 Calculated Variables	Type:		Num	
Column:		2001	SAS Variable Name:		_SMOKER3	
Prologue:						
Description:		Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
3	Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3	3,051	27.57	23.56		
4	Never smoked Notes: SMOKE100 = 2	5,817	52.57	52.30		
9	Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing	376	3.40	3.80		

Data was weighted using _LLCPWT.

Current Smoking Calculated Variable						
CalculatedVariables:		9.2 Calculated Variables	Type:		Num	
Column:		2002	SAS Variable Name:		_RFSMOK3	
Prologue:						
Description:		Adults who are current smokers				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	No Notes: _SMOKER3 = 3 or 4	8,868	80.14	75.86		
2	Yes Notes: _SMOKER3 = 1 or 2	1,822	16.46	20.34		
9	Don't know/Refused/Missing Notes: _SMOKER3 = 9	376	3.40	3.80		

Data was weighted using _LLCPWT.

Computed E-cigarette User Status							
CalculatedVariables:	10.1 Calculated Variables				Type:		Num
Column:	2003				SAS Variable Name:		_ECIGSTS
Prologue:							
Description:	Four-level e-cigarette smoker status: Everyday e-cigarette user, Someday e-cigarette user, Former e-cigarette user, Non-e-cigarette user						
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Current E-cigarette user - uses every day	117	1.06	1.61			
2	Current E-cigarette user - uses some days	235	2.12	2.95			
3	Former E-cigarette user	1,426	12.89	18.97			
4	Never used E-cigarettes	8,924	80.64	72.79			
9	Don't know/Refused/Missing	364	3.29	3.68			

Data was weighted using _LLCPWT.

Current E-cigarette User Calculated Variable							
CalculatedVariables:	10.2 Calculated Variables				Type:		Num
Column:	2004				SAS Variable Name:		_CURECIG
Prologue:							
Description:	Adults who are current e-cigarette users						

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Not currently using E-cigarettes	10,350	93.53	91.76
	2	Current E-cigarette user	352	3.18	4.56
	9	Don't know/Refused/Missing	364	3.29	3.68

Data was weighted using _LLCPWT.

Drink any alcoholic beverages in past 30 days					
CalculatedVariables:	11.1 Calculated Variables		Type:	Num	
Column:	2005		SAS Variable Name:	DRNKANY5	
Prologue:					
Description:	Adults who reported having had at least one drink of alcohol in the past 30 days.				
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes Notes: 1 <= ALCDAY5 <= 231	5,018	45.35	49.68
	2	No Notes: ALCDAY5=888	5,590	50.52	45.86
	7	Don't know/Not Sure Notes: ALCDAY5=777	20	0.18	0.18
	9	Refused/Missing Notes: ALCDAY5=999, Missing	438	3.96	4.28

Data was weighted using _LLCPWT.

Computed drink-occasions-per-day						
CalculatedVariables:		11.2 Calculated Variables		Type:		Num
Column:		2006-2008		SAS Variable Name:		DROCDY3_
Prologue:						
Description:		Drink-occasions-per-day				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
0	No Drink-Occasions per day Notes: ALCDAY5 = 888	5,590	50.52	45.86		
1 - 899	Drink-Occasions per day Notes: ALCDAY5 <= 231	5,018	45.35	49.68		
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	458	4.14	4.46		

Data was weighted using _LLCPWT.

Binge Drinking Calculated Variable						
CalculatedVariables:		11.3 Calculated Variables		Type:		Num
Column:		2009		SAS Variable Name:		_RFBING5
Prologue:						
Description:		Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)				
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888	9,283	83.89	77.97		
2	Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1	1,224	11.06	16.57		
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing	559	5.05	5.46		

Data was weighted using _LLCPWT.

Computed number of drinks of alcohol beverages per week						
CalculatedVariables:	11.4 Calculated Variables			Type:	Num	
Column:	2010-2014			SAS Variable Name:	_DRNKWEK	
Prologue:						
Description:	Calculated total number of alcoholic beverages consumed per week					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
0	Did not drink Notes: ALCDAY5 = 888	5,590	50.52	45.86		
1 - 98999	Number of drinks per week Notes: AVEDRNK2*DROCDY3_*7	4,942	44.66	48.69		
99900	Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing	534	4.83	5.46		

Data was weighted using _LLCPWT.

Heavy Alcohol Consumption Calculated Variable						
CalculatedVariables:	11.5 Calculated Variables			Type:	Num	
Column:	2015			SAS Variable Name:	_RFDRHV5	
Prologue:						
Description:	Heavy drinkers (adult men having more than 14 drinks per week and adult women having more than 7 drinks per week)					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	No Notes: SEX = 1 and _DRNKWEK <= 14 or SEX = 2 and _DRNKWEK <= 7 or ALCDAY5 = 888	9,982	90.20	88.35
	2	Yes Notes: SEX = 1 and _DRNKWEK > 14 or SEX = 2 and _DRNKWEK > 7	550	4.97	6.19
	9	Don't know/Refused/Missing Notes: _DRNKWEK = 99900	534	4.83	5.46

Data was weighted using _LLCPWT.

Flu Shot Calculated Variable					
CalculatedVariables:		12.1 Calculated Variables	Type:		Num
Column:		2016	SAS Variable Name:		_FLSHOT6
Prologue:					
Description:		Adults aged 65+ who have had a flu shot within the past year			
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes Notes: AGE >=65 and FLUSHOT6 = 1	2,415	52.28	50.10
	2	No Notes: AGE >=65 and FLUSHOT6 = 2	1,877	40.64	40.59
	9	Don't know/Not Sure Or Refused/Missing	327	7.08	9.31
	BLANK	Age Less Than 65	6,447		

Data was weighted using _LLCPWT.

Pneumonia Vaccination Calculated Variable							
CalculatedVariables:		12.2 Calculated Variables			Type:		Num
Column:		2017			SAS Variable Name:		_PNEUMO2
Prologue:							
Description:		Adults aged 65+ who have ever had a pneumonia vaccination					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Yes Notes: AGE >= 65 and PNEUVAC3 = 1	3,153	68.26	65.59			
2	No Notes: AGE >= 65 and PNEUVAC3 = 2	1,075	23.27	23.90			
9	Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing	391	8.47	10.51			
BLANK	Age Less Than 65 Notes: AGE < 65	6,447					

Data was weighted using _LLCPWT.

Always or Nearly Always Wear Seat Belts							
CalculatedVariables:		14.1 Calculated Variables			Type:		Num
Column:		2018			SAS Variable Name:		_RFSEAT2
Prologue:							
Description:		Always or Nearly Always Wear Seat Belts Calculated Variable					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Always or Almost Always Wear Seat Belt	9,950	89.92	87.88			
2	Sometimes, Seldom, or Never Wear Seat Belt	555	5.02	6.32			
9	Don't know/Not Sure Or Refused/Missing	561	5.07	5.80			

Data was weighted using _LLCPWT.

Always Wear Seat Belts						
CalculatedVariables:	14.2 Calculated Variables			Type:		Num
Column:	2019			SAS Variable Name:		_RFSEAT3
Prologue:						
Description:	Always Wear Seat Belts Calculated Variable					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Always Wear Seat Belt	9,160	82.78	79.15		
2	Don't Always Wear Seat Belt	1,345	12.15	15.05		
9	Don't know/Not Sure Or Refused/Missing	561	5.07	5.80		

Data was weighted using _LLCPWT.

Drinking and Driving						
CalculatedVariables:	15.1 Calculated Variables			Type:		Num
Column:	2020			SAS Variable Name:		_DRNKDRV
Prologue:						
Description:	Drinking and Driving (Reported having driven at least once when perhaps had too much to drink)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		

Drinking and Driving						
CalculatedVariables:	15.1 Calculated Variables			Type:	Num	
Column:	2020			SAS Variable Name:	_DRNKDRV	
Prologue:						
Description:	Drinking and Driving (Reported having driven at least once when perhaps had too much to drink)					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Have driven after having too much to drink	196	1.77	2.58		
2	Have not driven after having too much to drink	4,758	43.00	46.14		
9	Don't know/Not Sure/Refused/Missing	6,112	55.23	51.28		

Data was weighted using _LLCPWT.

Women respondents aged 40+ who have had a mammogram in the past two years						
CalculatedVariables:	16.1 Calculated Variables			Type:	Num	
Column:	2021			SAS Variable Name:	_RFMAM2Y	
Prologue:						
Description:	Women respondents aged 40+ who have had a mammogram in the past two years					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Yes Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 1 or 2	3,524	63.36	61.95		
2	No Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 3 or 4 or 5	1,629	29.29	30.06		
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	409	7.35	8.00		

Women respondents aged 40+ who have had a mammogram in the past two years						
CalculatedVariables:	16.1 Calculated Variables			Type:	Num	
Column:	2021			SAS Variable Name:	_RFMAM2Y	
Prologue:						
Description:	Women respondents aged 40+ who have had a mammogram in the past two years					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
BLANK	Missing or Age less than 40 or Male Notes: SEX = 1 or SEX = 2 and AGE < 40 or SEX = 2 and AGE => 40 and HADMAM = missing	5,504				

Data was weighted using _LLCPWT.

Women respondents aged 50-74 that have had a mammogram in the past two years						
CalculatedVariables:	16.2 Calculated Variables			Type:	Num	
Column:	2022			SAS Variable Name:	_MAM5021	
Prologue:						
Description:	Women respondents aged 50-74 who have had a mammogram in the past two years					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Received a mammogram within the past 2 years. Notes: SEX = 2 and 50 <= AGE <= 74 and HADMAM = 1 and HOWLONG = 1 or 2	2,377	73.14	72.47		
2	Did not receive a mammogram within the past 2 years. Notes: SEX = 2 and 50 <= AGE <= 74 and HADMAM = 1 and HOWLONG = 3 or 4 or 5 or HADMAM = 2	873	26.86	27.53		
BLANK	Missing, Age less than 50 or greater than 74 or Male Notes: SEX = 1 or SEX = 2 and AGE < 50 or SEX = 2 and AGE > 74 or SEX = 2 and 50 <= AGE <= 74 and HADMAM = missing or HOWLONG = missing	7,816				

Data was weighted using _LLCPWT.

Women respondents aged 21-65 who have had a pap test in the past three years						
CalculatedVariables:	16.3 Calculated Variables			Type:	Num	
Column:	2023			SAS Variable Name:	_RFPAP33	
Prologue:						
Description:	Women respondents aged 21-65 who have had a pap test in the past three years					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Received a Pap test within the past 3 years. Notes: SEX = 2 and 21 <= AGE <= 65 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3	1,906	74.95	74.91		
2	Did not receive a Pap test within the past 3 years. Notes: SEX = 2 and 21 <= AGE <= 65 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2	637	25.05	25.09		
BLANK	Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and SEX = 2 AGE < 21 or SEX = 2 and AGE > 65 or SEX = 2 and 21 <= AGE <= 65 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1	8,523				

Data was weighted using _LLCPWT.

Male respondents aged 40+ who have had a PSA test in the past 2 years						
CalculatedVariables:	17.1 Calculated Variables			Type:	Num	
Column:	2024			SAS Variable Name:	_RFPSA21	
Prologue:						
Description:	Male respondents aged 40+ who have had a PSA test in the past 2 years					

	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Yes Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 1 or 2	1,468	41.99	35.45
	2	No Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 3 or 4 or 5 or SEX = 1 and AGE => 40 and PSATEST1 = 2	1,840	52.63	59.74
	9	Don't know/Not Sure/Refused Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = 7 or 9 or SEX = 1 and AGE => 40 and PSATEST1 = 7 or 9 or SEX = 1 and AGE = 7 or 9 or missing	188	5.38	4.81
	BLANK	Missing or Age less than 40 or Female Notes: SEX = 1 and AGE => 40 and PSATEST1 = 1 and PSATIME = missing or SEX = 1 and AGE => 40 and PSATEST1 = missing or SEX = 1 and AGE = < 40 or SEX = 2	7,570		

Data was weighted using _LLCPWT.

Respondents aged 50-75 who have had a blood stool test within the past year					
CalculatedVariables:		18.1 Calculated Variables	Type:		Num
Column:		2025	SAS Variable Name:		_RFBLDS3
Prologue:					
Description:		Respondents aged 50-75 who have had a blood stool test within the past year			
	Value	Value Label	Frequency	Percentage	Weighted Percentage
	1	Had a blood stool test in the past year Notes: 50 <= AGE <= 75 and BLDSTOOL = 1 and LSTBLDS3 = 1 or 2	475	8.44	7.76
	2	Hve not had a blood stool test in the past year Notes: 50 <= AGE <= 75 and BLDSTOOL = 1 and LSTBLDS3 = 3 or 4 or AGE => 50 and BLDSTOOL = 2	5,154	91.56	92.24
	BLANK	Missing, Age less than 50, Age greater than 75 Notes: 50 <= AGE <= 75 and BLDSTOOL = 1 and LSTBLDS3 = missing, don't know or refused or 50 <= AGE <= 75 and BLDSTOOL = missing, don't know or refused or AGE	5,437		

Respondents aged 50-75 who have had a blood stool test within the past year				
CalculatedVariables:	18.1 Calculated Variables	Type:	Num	
Column:	2025	SAS Variable Name:	_RFBLDS3	
Prologue:				
Description:	Respondents aged 50-75 who have had a blood stool test within the past year			
Value	Value Label	Frequency	Percentage	Weighted Percentage
	< 50 or AGE > 75			

Data was weighted using _LLCPWT.

Respondents aged 50-75 that who have had a colonoscopy in the past 10 years				
CalculatedVariables:	18.2 Calculated Variables	Type:	Num	
Column:	2026	SAS Variable Name:	_COL10YR	
Prologue:				
Description:	Respondents aged 50-75 that who have had a colonoscopy in the past 10 years			
Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Received a colonoscopy within the past 10 years Notes: 50<= AGE <=75 and HADSIGM3=1 and HADSGCOL=2 and LASTSIG3=1,2,3,4,5	3,576	65.08	60.96
2	Did not receive a colonoscopy within the past 10 years Notes: 50<= AGE <=75 and HADSIGM3=2, or HADSIGM3=2 and LASTSIG3=6	1,919	34.92	39.04
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and HADSIGM3=missing, don't know or refused or LASTSIG3=missing, don't know or refused or AGE < 50 or AGE > 75	5,571		

Data was weighted using _LLCPWT.

Respondents aged 50-75 who have had a blood stool test within the past 3 years							
CalculatedVariables:		18.3 Calculated Variables			Type:		Num
Column:		2027			SAS Variable Name:		_HFOB3YR
Prologue:							
Description:		Respondents aged 50-75 who have had a blood stool test within the past 3 years					
Value	Value Label	Frequency	Percentage	Weighted Percentage			
1	Received a home FOBT within the past 3 years Notes: 50<= AGE <=75 and BLDSTOOL=1 and LSTBLDS3=1,2,3	904	16.06	14.70			
2	Did not receive a home FOBT within the past 3 years Notes: 50<= AGE <=75 and BLDSTOOL=2 or BLDSTOOL=1 and LSTBLDS3=4	4,725	83.94	85.30			
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and BLDSTOOL=missing, don't know or refused or LSTBLDS3=missing, don't know or refused or AGE<50 or AGE>75	5,437					

Data was weighted using _LLCPWT.

Respondents aged 50-75 who have had a sigmoidoscopy within the past 5 years							
CalculatedVariables:		18.4 Calculated Variables			Type:		Num
Column:		2028			SAS Variable Name:		_FS5YR
Prologue:							
Description:		Respondents aged 50-75 who have had a sigmoidoscopy within the past 5 years					
Value	Value Label	Frequency	Percentage	Weighted Percentage			

Respondents aged 50-75 who have had a sigmoidoscopy within the past 5 years						
CalculatedVariables:	18.4 Calculated Variables			Type:	Num	
Column:	2028			SAS Variable Name:	_FS5YR	
Prologue:						
Description:	Respondents aged 50-75 who have had a sigmoidoscopy within the past 5 years					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Received a sigmoidoscopy within the past 5 years Notes: 50<= AGE <=75 and HADSIGM3=1 and HADSGCOL=1 and LASTSIG3=1,2,3,4	60	2.14	2.35		
2	Did not receive a sigmoidoscopy within the past 5 years Notes: 50<= AGE <=75 and HADSIGM3=2, or HADSIGM3=1 and LASTSIG3=5,6	2,744	97.86	97.65		
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and HADSIGM3=missing, don't know or refused or LASTSIG3=missing, don't know or refused or HADSGCOL=missing, don't know or refused or AGE<50 or AGE>75	8,262				

Data was weighted using _LLCPWT.

Respondents aged 50-75 who have had a blood stool test within the past 3 years and a sigmoidoscopy within the past 5 years						
CalculatedVariables:	18.5 Calculated Variables			Type:	Num	
Column:	2029			SAS Variable Name:	_FOBTFS	
Prologue:						
Description:	Respondents aged 50-75 who have had a blood stool test within the past 3 years and a sigmoidoscopy within the past 5 years					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Did have had a sigmoidoscopy within the past 5 years and a blood stool test within the past 3 years. Notes: 50<= AGE <=75 and _HFOB3YR=1 and _FS5YR=1	11	0.21	0.19		

Respondents aged 50-75 who have had a blood stool test within the past 3 years and a sigmoidoscopy within the past 5 years						
CalculatedVariables:	18.5 Calculated Variables			Type:	Num	
Column:	2029			SAS Variable Name:	_FOBTFS	
Prologue:						
Description:	Respondents aged 50-75 who have had a blood stool test within the past 3 years and a sigmoidoscopy within the past 5 years					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
2	Did not receive a sigmoidoscopy within the past 5 years or did not receive a blood stool test within the past 3 years Notes: 50<= AGE <=75 and _HFOB3YR=2 or _FS5YR=2	5,138	99.79	99.81		
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50<= AGE <=75 and _HFOB3YR=missing or _FS5YR=missing or both are missing	5,917				

Data was weighted using _LLCPWT.

Respondents aged 50-75 who have fully met the USPSTF recommendation						
CalculatedVariables:	18.6 Calculated Variables			Type:	Num	
Column:	2030			SAS Variable Name:	_CRCREC	
Prologue:						
Description:	Respondents aged 50-75 who have fully met the USPSTF recommendation					
Value	Value Label	Frequency	Percentage	Weighted Percentage		
1	Received one or more of the recommended CRC tests within the recommended time interval Notes: 50 <= AGE <= 75 and _RFBLDS3=1 or _FOBTFS=1 or _COL10YR=1 or _HFOB3YR=1 AND HADSIGM3=1 AND LASTSIG3 IN (1,2,3,4)	3,792	68.72	64.58		
2	Did not receive one or more of the recommended CRC tests within the recommended time interval Notes: 50 <= AGE <= 75 and _RFBLDS3=2 AND _FOBTFS=2 AND _COL10YR=2	1,726	31.28	35.42		

Respondents aged 50-75 who have fully met the USPSTF recommendation						
CalculatedVariables:	18.6 Calculated Variables			Type:		Num
Column:	2030			SAS Variable Name:		_CRCREC
Prologue:						
Description:	Respondents aged 50-75 who have fully met the USPSTF recommendation					
Value	Value Label	Frequency	Percentage		Weighted Percentage	
BLANK	Missing or Age less than 50 or Age greater than 75 Notes: 50 <= AGE <= 75 and _RFBLDS3=missing or don't know or refused or FOBTF5=missing don't know or refused or _COL10YR=missing don't know or refused or AGE < 50 or AGE > 75	5,548				

Data was weighted using _LLCPWT.

Ever been tested for HIV calculated variable						
CalculatedVariables:	19.1 Calculated Variables			Type:		Num
Column:	2031			SAS Variable Name:		_AIDTST3
Prologue:						
Description:	Adults who have ever been tested for HIV					
Value	Value Label	Frequency	Percentage		Weighted Percentage	
1	Yes Notes: HIVTST6 = 1	2,410		23.40		30.69
2	No Notes: HIVTST6 = 2	7,674		74.50		67.45
9	Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9	216		2.10		1.86
BLANK	Not asked or missing Notes: HIVTST6 = Missing	766				

