

INDIANA

2018 Calculated Variables Report

Behavioral Risk Factor Surveillance System

May 20, 2019



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7581	5,126,573	5912	80.7	79.5-81.9	1669	19.3	18.1-20.5
Male	3229	2,500,986	2563	82.0	80.4-83.6	666	18.0	16.4-19.6
Female	4352	2,625,588	3349	79.5	77.9-81.1	1003	20.5	18.9-22.1
White/Non-Hisp	6261	4,116,194	4941	81.4	80.2-82.6	1320	18.6	17.4-19.8
Black or Afr. Am./Non-Hisp	581	447,154	412	74.7	70.4-79.0	169	25.3	21.0-29.6
Oth. Race/Non-Hisp.	204	134,518	154	84.9	76.7-93.1	50	15.1	6.9-23.3
MultiRacial/Non-Hisp.	129	43,248	87	70.1	60.1-80.1	42	29.9	19.9-39.9
Hispanic	261	298,191	203	79.3	73.4-85.2	58	20.7	14.8-26.6
18-24	369	686,457	316	86.1	82.2-90.0	53	13.9	10.0-17.8
25-34	630	848,605	559	89.2	86.5-91.9	71	10.8	8.1-13.5
35-44	737	821,724	627	85.8	82.9-88.7	110	14.2	11.3-17.1
45-54	1195	835,792	957	80.4	77.9-82.9	238	19.6	17.1-22.1
55-64	1614	867,836	1173	71.6	69.1-74.1	441	28.4	25.9-30.9
65+	3036	1,066,159	2280	74.3	72.3-76.3	756	25.7	23.7-27.7
Less Than H.S.	597	631,322	328	64.5	59.8-69.2	269	35.5	30.8-40.2
H.S. or G.E.D.	2570	1,717,667	1871	76.8	74.8-78.8	699	23.2	21.2-25.2
Some Post-H.S.	1951	1,572,200	1524	83.1	81.1-85.1	427	16.9	14.9-18.9
College Graduate	2429	1,179,968	2161	92.0	90.8-93.2	268	8.0	6.8-9.2
Less than \$15,000	527	361,683	254	54.6	48.9-60.3	273	45.4	39.7-51.1
\$15,000- 24,999	1031	652,115	641	65.5	61.6-69.4	390	34.5	30.6-38.4
\$25,000- 34,999	722	467,621	539	76.3	72.2-80.4	183	23.7	19.6-27.8
\$35,000- 49,999	912	636,791	728	82.1	79.0-85.2	184	17.9	14.8-21.0
\$50,000- 74,999	1013	745,461	863	88.0	85.6-90.4	150	12.0	9.6-14.4
\$75,000+	1723	1,295,062	1599	93.2	91.6-94.8	124	6.8	5.2-8.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3229	2,500,986	2563	82.0	80.4-83.6	666	18.0	16.4-19.6
White/Non-Hisp	2626	1,990,877	2103	82.9	81.1-84.7	523	17.1	15.3-18.9
Black or Afr. Am./Non-Hisp	225	211,279	166	76.3	69.4-83.2	59	23.7	16.8-30.6
Oth. Race/Non-Hisp.	105	74,092	82	85.4	73.8-97.0	23	14.6	3.0-26.2
MultiRacial/Non-Hisp.	66	23,785	45	69.9	56.4-83.4	21	30.1	16.6-43.6
Hispanic	131	148,256	100	76.4	67.8-85.0	31	23.6	15.0-32.2
18-24	183	353,156	155	85.6	79.9-91.3	28	14.4	8.7-20.1
25-34	315	428,835	288	91.2	87.5-94.9	27	8.8	5.1-12.5
35-44	335	410,042	282	85.3	81.0-89.6	53	14.7	10.4-19.0
45-54	547	415,134	458	83.8	80.3-87.3	89	16.2	12.7-19.7
55-64	703	424,075	529	74.4	70.7-78.1	174	25.6	21.9-29.3
65+	1146	469,743	851	73.5	70.4-76.6	295	26.5	23.4-29.6
Less Than H.S.	259	326,302	153	68.1	61.4-74.8	106	31.9	25.2-38.6
H.S. or G.E.D.	1081	867,356	801	77.9	75.0-80.8	280	22.1	19.2-25.0
Some Post-H.S.	808	731,641	644	84.7	81.8-87.6	164	15.3	12.4-18.2
College Graduate	1062	561,063	948	92.7	91.1-94.3	114	7.3	5.7- 8.9
Less than \$15,000	205	175,801	98	57.9	49.5-66.3	107	42.1	33.7-50.5
\$15,000- 24,999	381	254,791	241	66.6	60.7-72.5	140	33.4	27.5-39.3
\$25,000- 34,999	302	219,958	211	72.6	66.1-79.1	91	27.4	20.9-33.9
\$35,000- 49,999	404	321,632	321	82.2	77.3-87.1	83	17.8	12.9-22.7
\$50,000- 74,999	492	403,670	425	89.5	86.4-92.6	67	10.5	7.4-13.6
\$75,000+	870	707,019	807	92.8	90.4-95.2	63	7.2	4.8- 9.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4352	2,625,588	3349	79.5	77.9-81.1	1003	20.5	18.9-22.1
White/Non-Hisp	3635	2,125,317	2838	80.1	78.5-81.7	797	19.9	18.3-21.5
Black or Afr. Am./Non-Hisp	356	235,875	246	73.4	67.9-78.9	110	26.6	21.1-32.1
Oth. Race/Non-Hisp.	99	60,426	72	84.4	72.6-96.2	27	15.6	3.8-27.4
MultiRacial/Non-Hisp.	63	19,463	42	70.4	55.3-85.5	21	29.6	14.5-44.7
Hispanic	130	149,935	103	82.2	74.6-89.8	27	17.8	10.2-25.4
18-24	186	333,301	161	86.7	81.2-92.2	25	13.3	7.8-18.8
25-34	315	419,770	271	87.2	83.3-91.1	44	12.8	8.9-16.7
35-44	402	411,682	345	86.3	82.4-90.2	57	13.7	9.8-17.6
45-54	648	420,658	499	77.0	73.3-80.7	149	23.0	19.3-26.7
55-64	911	443,760	644	68.9	65.2-72.6	267	31.1	27.4-34.8
65+	1890	596,416	1429	75.0	72.6-77.4	461	25.0	22.6-27.4
Less Than H.S.	338	305,019	175	60.5	54.0-67.0	163	39.5	33.0-46.0
H.S. or G.E.D.	1489	850,311	1070	75.7	73.0-78.4	419	24.3	21.6-27.0
Some Post-H.S.	1143	840,559	880	81.7	79.0-84.4	263	18.3	15.6-21.0
College Graduate	1367	618,905	1213	91.5	89.7-93.3	154	8.5	6.7-10.3
Less than \$15,000	322	185,883	156	51.5	44.2-58.8	166	48.5	41.2-55.8
\$15,000- 24,999	650	397,324	400	64.8	59.7-69.9	250	35.2	30.1-40.3
\$25,000- 34,999	420	247,664	328	79.5	74.4-84.6	92	20.5	15.4-25.6
\$35,000- 49,999	508	315,159	407	82.0	77.7-86.3	101	18.0	13.7-22.3
\$50,000- 74,999	521	341,791	438	86.3	82.8-89.8	83	13.7	10.2-17.2
\$75,000+	853	588,043	792	93.7	91.5-95.9	61	6.3	4.1- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7433	5,058,807	4623	63.7	62.3-65.1	1669	23.4	22.0-24.8	1141	13.0	12.0-14.0
Male	3182	2,471,242	2109	68.2	66.2-70.2	650	20.3	18.5-22.1	423	11.5	10.1-12.9
Female	4251	2,587,565	2514	59.3	57.3-61.3	1019	26.3	24.5-28.1	718	14.4	13.0-15.8
White/Non-Hisp	6154	4,075,209	3846	63.4	61.8-65.0	1379	23.6	22.2-25.0	929	13.1	12.1-14.1
Black or Afr. Am./Non-Hisp	568	439,188	329	61.3	56.4-66.2	143	25.7	21.2-30.2	96	13.0	9.9-16.1
Oth. Race/Non-Hisp.	193	126,264	118	70.0	59.6-80.4	41	19.2	10.8-27.6	34	10.8	3.5-18.1
MultiRacial/Non-Hisp.	130	43,900	63	42.2	31.6-52.8	36	33.2	22.6-43.8	31	24.7	14.7-34.7
Hispanic	253	289,935	171	70.0	63.1-76.9	54	20.3	14.0-26.6	28	9.7	5.4-14.0
18-24	363	675,677	240	67.5	62.2-72.8	102	27.3	22.2-32.4	21	5.2	2.7- 7.7
25-34	626	843,842	424	69.1	65.0-73.2	158	23.9	20.2-27.6	44	7.0	4.6- 9.4
35-44	731	815,009	470	64.8	60.9-68.7	183	24.6	21.1-28.1	78	10.6	8.1-13.1
45-54	1183	827,206	738	62.4	59.3-65.5	274	23.3	20.6-26.0	171	14.3	11.9-16.7
55-64	1593	861,260	933	58.2	55.5-60.9	352	22.3	19.9-24.7	308	19.5	17.1-21.9
65+	2937	1,035,813	1818	61.4	59.2-63.6	600	20.2	18.4-22.0	519	18.4	16.6-20.2
Less Than H.S.	574	614,889	285	57.3	52.0-62.6	115	19.4	15.3-23.5	174	23.3	19.2-27.4
H.S. or G.E.D.	2510	1,688,056	1510	62.7	60.3-65.1	528	21.7	19.5-23.9	472	15.6	13.8-17.4
Some Post-H.S.	1921	1,561,124	1163	62.3	59.6-65.0	453	25.7	23.2-28.2	305	12.0	10.2-13.8
College Graduate	2398	1,172,750	1643	70.0	67.6-72.4	566	24.8	22.6-27.0	189	5.3	4.3- 6.3
Less than \$15,000	509	354,209	191	43.1	37.2-49.0	125	23.1	18.4-27.8	193	33.8	28.5-39.1
\$15,000- 24,999	1011	642,356	496	51.9	47.8-56.0	259	27.7	23.8-31.6	256	20.4	17.5-23.3
\$25,000- 34,999	707	460,145	397	56.7	51.8-61.6	166	26.9	22.4-31.4	144	16.4	13.1-19.7
\$35,000- 49,999	894	630,854	545	61.7	57.4-66.0	238	27.5	23.6-31.4	111	10.7	8.3-13.1
\$50,000- 74,999	1010	745,750	672	68.1	64.4-71.8	229	23.0	19.7-26.3	109	8.8	6.6-11.0
\$75,000+	1714	1,292,459	1264	72.9	70.2-75.6	347	21.2	18.7-23.7	103	5.9	4.3- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3182	2,471,242	2109	68.2	66.2-70.2	650	20.3	18.5-22.1	423	11.5	10.1-12.9
White/Non-Hisp	2591	1,974,402	1717	67.8	65.4-70.2	534	20.9	18.9-22.9	340	11.4	10.0-12.8
Black or Afr. Am./Non-Hisp	224	210,052	141	67.4	60.3-74.5	50	21.5	15.2-27.8	33	11.1	6.8-15.4
Oth. Race/Non-Hisp.	98	67,384	67	72.9	58.6-87.2	16	12.8	3.4-22.2	15	14.3	1.6-27.0
MultiRacial/Non-Hisp.	68	24,719	39	51.1	36.8-65.4	15	26.6	13.9-39.3	14	22.4	9.5-35.3
Hispanic	128	143,821	92	74.4	65.4-83.4	25	16.4	8.8-24.0	11	9.1	3.2-15.0
18-24	180	346,242	134	76.5	69.6-83.4	38	18.9	12.6-25.2	8	4.6	1.1- 8.1
25-34	314	427,654	224	72.1	66.6-77.6	72	21.6	16.5-26.7	18	6.3	3.0- 9.6
35-44	331	404,878	234	71.5	66.0-77.0	67	19.6	14.9-24.3	30	8.9	5.4-12.4
45-54	543	412,281	368	68.1	63.6-72.6	110	20.5	16.8-24.2	65	11.5	8.6-14.4
55-64	694	420,223	420	59.4	55.1-63.7	153	22.3	18.8-25.8	121	18.3	15.0-21.6
65+	1120	459,963	729	63.9	60.6-67.2	210	18.8	16.1-21.5	181	17.3	14.6-20.0
Less Than H.S.	246	317,559	140	64.7	57.4-72.0	44	16.4	10.9-21.9	62	18.9	13.4-24.4
H.S. or G.E.D.	1068	855,413	678	66.9	63.6-70.2	216	19.2	16.3-22.1	174	13.9	11.5-16.3
Some Post-H.S.	799	728,376	519	67.1	63.0-71.2	170	22.3	18.6-26.0	110	10.6	8.1-13.1
College Graduate	1053	558,626	757	73.3	70.2-76.4	219	22.0	18.9-25.1	77	4.8	3.6- 6.0
Less than \$15,000	198	172,553	85	49.9	40.7-59.1	45	20.7	13.8-27.6	68	29.4	21.2-37.6
\$15,000- 24,999	378	254,272	201	57.6	51.3-63.9	89	22.5	17.2-27.8	88	19.9	15.2-24.6
\$25,000- 34,999	297	213,249	160	57.6	50.5-64.7	67	23.6	17.1-30.1	70	18.8	13.9-23.7
\$35,000- 49,999	398	319,376	255	66.5	60.6-72.4	93	23.6	18.3-28.9	50	9.9	6.8-13.0
\$50,000- 74,999	491	403,749	344	71.1	66.2-76.0	104	21.8	17.3-26.3	43	7.0	4.3- 9.7
\$75,000+	867	706,022	665	76.2	72.5-79.9	153	17.5	14.4-20.6	49	6.2	3.8- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4251	2,587,565	2514	59.3	57.3-61.3	1019	26.3	24.5-28.1	718	14.4	13.0-15.8
White/Non-Hisp	3563	2,100,807	2129	59.2	57.0-61.4	845	26.1	24.1-28.1	589	14.7	13.3-16.1
Black or Afr. Am./Non-Hisp	344	229,135	188	55.7	49.0-62.4	93	29.6	23.3-35.9	63	14.7	10.2-19.2
Oth. Race/Non-Hisp.	95	58,880	51	66.6	51.5-81.7	25	26.5	12.0-41.0	19	6.9	2.6-11.2
MultiRacial/Non-Hisp.	62	19,181	24	30.7	15.6-45.8	21	41.7	24.6-58.8	17	27.6	11.7-43.5
Hispanic	125	146,114	79	65.6	55.2-76.0	29	24.1	14.5-33.7	17	10.3	4.2-16.4
18-24	183	329,435	106	58.1	50.3-65.9	64	36.1	28.5-43.7	13	5.8	2.5- 9.1
25-34	312	416,187	200	66.1	60.2-72.0	86	26.3	21.0-31.6	26	7.6	4.3-10.9
35-44	400	410,131	236	58.2	52.5-63.9	116	29.5	24.2-34.8	48	12.3	8.4-16.2
45-54	640	414,925	370	56.8	52.3-61.3	164	26.1	22.2-30.0	106	17.1	13.8-20.4
55-64	899	441,037	513	57.0	53.3-60.7	199	22.4	19.3-25.5	187	20.6	17.5-23.7
65+	1817	575,850	1089	59.4	56.7-62.1	390	21.4	19.0-23.8	338	19.2	17.0-21.4
Less Than H.S.	328	297,331	145	49.5	42.4-56.6	71	22.5	16.4-28.6	112	28.0	21.9-34.1
H.S. or G.E.D.	1442	832,642	832	58.5	55.2-61.8	312	24.1	21.0-27.2	298	17.3	14.9-19.7
Some Post-H.S.	1122	832,748	644	58.0	54.3-61.7	283	28.7	25.2-32.2	195	13.2	10.8-15.6
College Graduate	1345	614,124	886	67.0	63.7-70.3	347	27.3	24.2-30.4	112	5.7	4.3- 7.1
Less than \$15,000	311	181,656	106	36.7	29.3-44.1	80	25.4	18.9-31.9	125	38.0	30.9-45.1
\$15,000- 24,999	633	388,084	295	48.2	42.7-53.7	170	31.1	25.8-36.4	168	20.7	16.8-24.6
\$25,000- 34,999	410	246,896	237	56.0	49.3-62.7	99	29.7	23.2-36.2	74	14.3	10.0-18.6
\$35,000- 49,999	496	311,477	290	56.9	51.0-62.8	145	31.6	25.9-37.3	61	11.5	8.0-15.0
\$50,000- 74,999	519	342,001	328	64.6	59.3-69.9	125	24.4	19.5-29.3	66	11.0	7.9-14.1
\$75,000+	847	586,437	599	68.9	64.8-73.0	194	25.5	21.6-29.4	54	5.6	3.4- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7466	5,065,839	4964	61.5	59.9-63.1	1573	24.2	22.8-25.6	929	14.3	13.1-15.5
Male	3177	2,469,027	2272	67.2	65.0-69.4	567	20.8	18.8-22.8	338	12.1	10.5-13.7
Female	4289	2,596,812	2692	56.1	54.1-58.1	1006	27.5	25.5-29.5	591	16.4	14.8-18.0
White/Non-Hisp	6178	4,078,438	4160	61.9	60.3-63.5	1282	23.9	22.5-25.3	736	14.2	13.0-15.4
Black or Afr. Am./Non-Hisp	572	439,600	355	57.8	52.5-63.1	137	26.8	22.1-31.5	80	15.5	11.6-19.4
Oth. Race/Non-Hisp.	199	130,212	118	68.5	58.3-78.7	43	19.8	11.0-28.6	38	11.6	4.9-18.3
MultiRacial/Non-Hisp.	130	43,731	60	32.1	22.7-41.5	36	31.8	21.2-42.4	34	36.0	24.8-47.2
Hispanic	254	290,021	170	61.9	54.3-69.5	53	25.3	18.2-32.4	31	12.8	7.7-17.9
18-24	367	682,659	144	41.6	35.9-47.3	146	39.0	33.3-44.7	77	19.4	15.1-23.7
25-34	626	843,151	326	54.8	50.5-59.1	186	27.8	23.9-31.7	114	17.4	14.1-20.7
35-44	732	816,164	405	58.3	54.2-62.4	220	27.1	23.6-30.6	107	14.6	11.7-17.5
45-54	1176	819,330	715	60.2	57.1-63.3	286	23.9	21.2-26.6	175	15.9	13.5-18.3
55-64	1594	858,134	1035	66.2	63.5-68.9	323	19.8	17.4-22.2	236	14.0	12.0-16.0
65+	2971	1,046,401	2339	79.4	77.6-81.2	412	13.2	11.8-14.6	220	7.4	6.2- 8.6
Less Than H.S.	573	612,792	329	57.6	52.3-62.9	110	19.9	15.4-24.4	134	22.5	18.2-26.8
H.S. or G.E.D.	2523	1,692,341	1728	65.4	62.9-67.9	457	20.4	18.2-22.6	338	14.2	12.4-16.0
Some Post-H.S.	1924	1,561,376	1210	56.0	53.1-58.9	449	28.5	25.8-31.2	265	15.6	13.4-17.8
College Graduate	2415	1,175,760	1675	65.1	62.7-67.5	551	26.3	23.9-28.7	189	8.5	7.1- 9.9
Less than \$15,000	511	352,396	239	44.3	38.4-50.2	131	27.4	21.9-32.9	141	28.3	23.2-33.4
\$15,000- 24,999	1014	641,798	594	52.3	48.2-56.4	221	26.1	22.2-30.0	199	21.6	18.1-25.1
\$25,000- 34,999	713	467,907	460	58.8	53.9-63.7	141	21.9	17.8-26.0	112	19.2	15.1-23.3
\$35,000- 49,999	907	634,563	585	58.3	54.0-62.6	211	26.1	22.2-30.0	111	15.6	12.3-18.9
\$50,000- 74,999	1003	740,024	681	65.0	61.1-68.9	229	25.0	21.5-28.5	93	10.0	7.5-12.5
\$75,000+	1715	1,287,931	1245	67.8	64.9-70.7	369	25.2	22.5-27.9	101	7.0	5.4- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3177	2,469,027	2272	67.2	65.0-69.4	567	20.8	18.8-22.8	338	12.1	10.5-13.7
White/Non-Hisp	2585	1,971,531	1882	67.8	65.4-70.2	449	20.8	18.6-23.0	254	11.4	9.8-13.0
Black or Afr. Am./Non-Hisp	221	205,769	148	64.8	56.8-72.8	41	19.3	13.0-25.6	32	15.9	9.4-22.4
Oth. Race/Non-Hisp.	103	73,793	63	71.9	58.4-85.4	22	17.8	7.2-28.4	18	10.3	0.3-20.3
MultiRacial/Non-Hisp.	68	24,719	29	29.1	17.1-41.1	20	32.8	19.5-46.1	19	38.1	23.6-52.6
Hispanic	127	141,798	89	65.6	55.0-76.2	25	20.4	11.4-29.4	13	14.0	6.0-22.0
18-24	181	349,358	77	45.0	36.8-53.2	74	37.9	29.9-45.9	30	17.1	10.8-23.4
25-34	312	424,941	184	60.6	54.5-66.7	74	23.7	18.4-29.0	54	15.7	11.2-20.2
35-44	333	406,721	217	67.2	61.5-72.9	80	21.7	16.8-26.6	36	11.1	7.2-15.0
45-54	542	411,845	368	68.7	64.4-73.0	103	17.9	14.4-21.4	71	13.4	10.1-16.7
55-64	688	415,695	493	72.5	68.6-76.4	119	17.6	14.3-20.9	76	9.9	7.4-12.4
65+	1121	460,466	933	83.8	81.3-86.3	117	9.6	7.6-11.6	71	6.6	4.8- 8.4
Less Than H.S.	246	315,560	155	62.3	54.5-70.1	41	17.8	11.3-24.3	50	20.0	13.7-26.3
H.S. or G.E.D.	1065	855,941	770	69.6	66.1-73.1	163	17.7	14.8-20.6	132	12.7	10.3-15.1
Some Post-H.S.	796	725,840	539	61.8	57.3-66.3	169	25.9	21.8-30.0	88	12.3	9.2-15.4
College Graduate	1053	558,258	794	73.0	69.7-76.3	191	20.4	17.3-23.5	68	6.7	4.9- 8.5
Less than \$15,000	199	172,487	95	47.4	38.2-56.6	49	26.7	18.3-35.1	55	25.9	18.1-33.7
\$15,000- 24,999	377	251,495	241	56.5	50.0-63.0	72	23.1	17.4-28.8	64	20.3	14.6-26.0
\$25,000- 34,999	298	219,077	199	64.7	57.6-71.8	52	18.0	12.5-23.5	47	17.3	11.6-23.0
\$35,000- 49,999	403	320,955	285	64.3	57.8-70.8	78	23.6	17.7-29.5	40	12.0	7.5-16.5
\$50,000- 74,999	489	401,893	368	71.7	66.4-77.0	85	20.8	15.9-25.7	36	7.5	4.6-10.4
\$75,000+	866	704,447	677	74.6	70.7-78.5	140	18.6	14.9-22.3	49	6.9	4.5- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4289	2,596,812	2692	56.1	54.1-58.1	1006	27.5	25.5-29.5	591	16.4	14.8-18.0
White/Non-Hisp	3593	2,106,907	2278	56.4	54.2-58.6	833	26.8	24.8-28.8	482	16.8	15.0-18.6
Black or Afr. Am./Non-Hisp	351	233,831	207	51.6	44.9-58.3	96	33.3	26.6-40.0	48	15.1	10.4-19.8
Oth. Race/Non-Hisp.	96	56,419	55	64.2	48.3-80.1	21	22.5	8.0-37.0	20	13.4	5.4-21.4
MultiRacial/Non-Hisp.	62	19,012	31	36.1	21.0-51.2	16	30.6	13.5-47.7	15	33.3	16.2-50.4
Hispanic	127	148,222	81	58.3	47.3-69.3	28	30.1	19.5-40.7	18	11.6	5.5-17.7
18-24	186	333,301	67	38.0	30.2-45.8	72	40.2	32.4-48.0	47	21.8	15.7-27.9
25-34	314	418,210	142	49.0	42.9-55.1	112	32.0	26.5-37.5	60	19.0	14.1-23.9
35-44	399	409,443	188	49.5	43.8-55.2	140	32.5	27.4-37.6	71	18.0	13.7-22.3
45-54	634	407,485	347	51.6	47.1-56.1	183	30.0	25.9-34.1	104	18.4	14.9-21.9
55-64	906	442,438	542	60.3	56.6-64.0	204	21.9	18.8-25.0	160	17.8	14.9-20.7
65+	1850	585,935	1406	76.0	73.6-78.4	295	16.0	14.0-18.0	149	8.1	6.5- 9.7
Less Than H.S.	327	297,232	174	52.6	45.5-59.7	69	22.2	15.9-28.5	84	25.2	19.3-31.1
H.S. or G.E.D.	1458	836,400	958	61.1	57.8-64.4	294	23.1	20.2-26.0	206	15.7	13.2-18.2
Some Post-H.S.	1128	835,536	671	50.9	47.0-54.8	280	30.6	26.9-34.3	177	18.4	15.3-21.5
College Graduate	1362	617,502	881	58.1	54.6-61.6	360	31.7	28.4-35.0	121	10.3	8.1-12.5
Less than \$15,000	312	179,909	144	41.2	33.9-48.5	82	28.2	21.3-35.1	86	30.6	23.7-37.5
\$15,000- 24,999	637	390,303	353	49.6	44.1-55.1	149	28.0	22.9-33.1	135	22.3	18.0-26.6
\$25,000- 34,999	415	248,830	261	53.6	46.9-60.3	89	25.4	19.5-31.3	65	20.9	14.8-27.0
\$35,000- 49,999	504	313,608	300	52.2	46.3-58.1	133	28.6	23.1-34.1	71	19.2	14.3-24.1
\$50,000- 74,999	514	338,131	313	57.0	51.3-62.7	144	30.0	24.7-35.3	57	12.9	8.8-17.0
\$75,000+	849	583,484	568	59.6	55.3-63.9	229	33.2	28.9-37.5	52	7.2	5.0- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4419	3,960,787	3920	86.3	84.9-87.7	499	13.7	12.3-15.1
Male	2013	1,966,485	1731	83.4	81.2-85.6	282	16.6	14.4-18.8
Female	2406	1,994,302	2189	89.1	87.3-90.9	217	10.9	9.1-12.7
White/Non-Hisp	3519	3,099,755	3193	88.7	87.3-90.1	326	11.3	9.9-12.7
Black or Afr. Am./Non-Hisp	391	370,088	335	84.7	80.6-88.8	56	15.3	11.2-19.4
Oth. Race/Non-Hisp.	128	118,167	106	82.7	73.9-91.5	22	17.3	8.5-26.1
MultiRacial/Non-Hisp.	94	37,759	75	75.6	64.4-86.8	19	24.4	13.2-35.6
Hispanic	230	281,171	163	65.5	57.9-73.1	67	34.5	26.9-42.1
18-24	357	665,225	290	81.8	77.3-86.3	67	18.2	13.7-22.7
25-34	625	843,997	519	83.2	79.9-86.5	106	16.8	13.5-20.1
35-44	728	812,926	631	85.1	82.0-88.2	97	14.9	11.8-18.0
45-54	1118	775,268	989	87.8	85.6-90.0	129	12.2	10.0-14.4
55-64	1591	863,371	1491	92.5	90.7-94.3	100	7.5	5.7- 9.3
Less Than H.S.	341	487,515	248	69.9	63.8-76.0	93	30.1	24.0-36.2
H.S. or G.E.D.	1352	1,259,259	1136	82.4	79.9-84.9	216	17.6	15.1-20.1
Some Post-H.S.	1176	1,247,342	1067	90.4	88.2-92.6	109	9.6	7.4-11.8
College Graduate	1539	954,525	1461	94.5	93.1-95.9	78	5.5	4.1- 6.9
Less than \$15,000	344	295,029	300	85.3	80.6-90.0	44	14.7	10.0-19.4
\$15,000- 24,999	520	465,077	410	73.4	68.3-78.5	110	26.6	21.5-31.7
\$25,000- 34,999	351	343,515	270	74.8	69.3-80.3	81	25.2	19.7-30.7
\$35,000- 49,999	482	474,120	421	85.7	81.8-89.6	61	14.3	10.4-18.2
\$50,000- 74,999	683	609,499	641	92.2	89.5-94.9	42	7.8	5.1-10.5
\$75,000+	1342	1,150,670	1283	94.1	92.1-96.1	59	5.9	3.9- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2013	1,966,485	1731	83.4	81.2-85.6	282	16.6	14.4-18.8
White/Non-Hisp	1583	1,529,119	1399	85.8	83.4-88.2	184	14.2	11.8-16.6
Black or Afr. Am./Non-Hisp	156	170,826	124	78.3	71.0-85.6	32	21.7	14.4-29.0
Oth. Race/Non-Hisp.	71	67,421	61	78.8	65.3-92.3	10	21.2	7.7-34.7
Hispanic	120	141,231	80	65.3	55.3-75.3	40	34.7	24.7-44.7
18-24	173	334,430	132	77.5	70.4-84.6	41	22.5	15.4-29.6
25-34	310	422,421	248	79.6	74.5-84.7	62	20.4	15.3-25.5
35-44	331	405,534	271	82.0	77.3-86.7	60	18.0	13.3-22.7
45-54	508	382,673	437	85.4	81.9-88.9	71	14.6	11.1-18.1
55-64	691	421,428	643	91.5	89.0-94.0	48	8.5	6.0-11.0
Less Than H.S.	158	255,371	106	66.3	57.5-75.1	52	33.7	24.9-42.5
H.S. or G.E.D.	669	677,649	533	78.6	74.9-82.3	136	21.4	17.7-25.1
Some Post-H.S.	515	580,919	462	88.8	85.5-92.1	53	11.2	7.9-14.5
College Graduate	664	444,655	624	93.3	90.9-95.7	40	6.7	4.3- 9.1
Less than \$15,000	154	151,212	129	82.2	74.8-89.6	25	17.8	10.4-25.2
\$15,000- 24,999	208	179,897	152	66.8	59.0-74.6	56	33.2	25.4-41.0
\$25,000- 34,999	159	159,931	110	63.3	54.1-72.5	49	36.7	27.5-45.9
\$35,000- 49,999	221	239,417	186	84.1	78.4-89.8	35	15.9	10.2-21.6
\$50,000- 74,999	323	325,027	297	89.4	84.7-94.1	26	10.6	5.9-15.3
\$75,000+	662	621,463	627	92.6	89.7-95.5	35	7.4	4.5-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2406	1,994,302	2189	89.1	87.3-90.9	217	10.9	9.1-12.7
White/Non-Hisp	1936	1,570,636	1794	91.4	89.8-93.0	142	8.6	7.0-10.2
Black or Afr. Am./Non-Hisp	235	199,263	211	90.1	85.8-94.4	24	9.9	5.6-14.2
Oth. Race/Non-Hisp.	57	50,747	45	87.8	78.6-97.0	12	12.2	3.0-21.4
Hispanic	110	139,941	83	65.7	53.9-77.5	27	34.3	22.5-46.1
18-24	184	330,796	158	86.1	80.6-91.6	26	13.9	8.4-19.4
25-34	315	421,576	271	86.9	82.8-91.0	44	13.1	9.0-17.2
35-44	397	407,392	360	88.1	83.8-92.4	37	11.9	7.6-16.2
45-54	610	392,595	552	90.1	87.4-92.8	58	9.9	7.2-12.6
55-64	900	441,943	848	93.4	91.2-95.6	52	6.6	4.4- 8.8
Less Than H.S.	183	232,144	142	73.8	65.8-81.8	41	26.2	18.2-34.2
H.S. or G.E.D.	683	581,609	603	86.7	83.4-90.0	80	13.3	10.0-16.6
Some Post-H.S.	661	666,423	605	91.8	89.3-94.3	56	8.2	5.7-10.7
College Graduate	875	509,870	837	95.6	94.0-97.2	38	4.4	2.8- 6.0
Less than \$15,000	190	143,817	171	88.6	82.7-94.5	19	11.4	5.5-17.3
\$15,000- 24,999	312	285,180	258	77.5	71.0-84.0	54	22.5	16.0-29.0
\$25,000- 34,999	192	183,583	160	84.8	78.9-90.7	32	15.2	9.3-21.1
\$35,000- 49,999	261	234,703	235	87.3	81.8-92.8	26	12.7	7.2-18.2
\$50,000- 74,999	360	284,472	344	95.5	93.1-97.9	16	4.5	2.1- 6.9
\$75,000+	680	529,207	656	95.8	93.4-98.2	24	4.2	1.8- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7594	5,133,974	5273	72.6	71.2-74.0	2321	27.4	26.0-28.8
Male	3233	2,503,604	2388	75.8	73.8-77.8	845	24.2	22.2-26.2
Female	4361	2,630,370	2885	69.7	67.9-71.5	1476	30.3	28.5-32.1
White/Non-Hisp	6271	4,122,729	4378	73.0	71.6-74.4	1893	27.0	25.6-28.4
Black or Afr. Am./Non-Hisp	583	448,200	377	70.2	65.7-74.7	206	29.8	25.3-34.3
Oth. Race/Non-Hisp.	204	134,518	158	82.7	74.7-90.7	46	17.3	9.3-25.3
MultiRacial/Non-Hisp.	132	44,219	92	72.2	62.6-81.8	40	27.8	18.2-37.4
Hispanic	261	298,191	169	66.3	59.2-73.4	92	33.7	26.6-40.8
18-24	369	686,457	305	82.7	78.4-87.0	64	17.3	13.0-21.6
25-34	632	852,337	505	79.2	75.7-82.7	127	20.8	17.3-24.3
35-44	736	820,640	565	76.8	73.3-80.3	171	23.2	19.7-26.7
45-54	1195	834,925	886	73.5	70.6-76.4	309	26.5	23.6-29.4
55-64	1618	871,262	1092	65.5	62.8-68.2	526	34.5	31.8-37.2
65+	3044	1,068,353	1920	62.9	60.7-65.1	1124	37.1	34.9-39.3
Less Than H.S.	601	632,107	304	56.7	51.6-61.8	297	43.3	38.2-48.4
H.S. or G.E.D.	2575	1,719,763	1553	66.1	63.7-68.5	1022	33.9	31.5-36.3
Some Post-H.S.	1954	1,577,824	1388	76.2	73.8-78.6	566	23.8	21.4-26.2
College Graduate	2433	1,180,675	2005	85.8	84.2-87.4	428	14.2	12.6-15.8
Less than \$15,000	528	361,438	278	57.6	52.1-63.1	250	42.4	36.9-47.9
\$15,000- 24,999	1035	653,487	591	61.7	57.8-65.6	444	38.3	34.4-42.2
\$25,000- 34,999	726	472,485	458	64.6	59.9-69.3	268	35.4	30.7-40.1
\$35,000- 49,999	911	636,486	640	74.1	70.6-77.6	271	25.9	22.4-29.4
\$50,000- 74,999	1015	747,898	756	76.5	73.2-79.8	259	23.5	20.2-26.8
\$75,000+	1723	1,295,062	1455	84.7	82.5-86.9	268	15.3	13.1-17.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3233	2,503,604	2388	75.8	73.8-77.8	845	24.2	22.2-26.2
White/Non-Hisp	2628	1,992,666	1959	76.2	74.2-78.2	669	23.8	21.8-25.8
Black or Afr. Am./Non-Hisp	227	212,325	162	76.0	69.5-82.5	65	24.0	17.5-30.5
Oth. Race/Non-Hisp.	105	74,092	82	83.7	73.7-93.7	23	16.3	6.3-26.3
MultiRacial/Non-Hisp.	68	24,719	46	71.3	58.6-84.0	22	28.7	16.0-41.4
Hispanic	131	148,256	83	63.7	53.7-73.7	48	36.3	26.3-46.3
18-24	183	353,156	154	84.9	79.0-90.8	29	15.1	9.2-21.0
25-34	316	429,640	260	82.3	77.6-87.0	56	17.7	13.0-22.4
35-44	335	410,042	252	75.4	70.1-80.7	83	24.6	19.3-29.9
45-54	545	413,860	423	76.5	72.4-80.6	122	23.5	19.4-27.6
55-64	704	424,974	499	68.7	64.8-72.6	205	31.3	27.4-35.2
65+	1150	471,932	800	69.2	65.9-72.5	350	30.8	27.5-34.1
Less Than H.S.	260	326,512	151	62.2	54.9-69.5	109	37.8	30.5-45.1
H.S. or G.E.D.	1086	870,031	731	71.7	68.4-75.0	355	28.3	25.0-31.6
Some Post-H.S.	809	733,186	587	77.0	73.7-80.3	222	23.0	19.7-26.3
College Graduate	1062	561,063	905	88.1	85.9-90.3	157	11.9	9.7-14.1
Less than \$15,000	206	176,010	122	67.9	60.1-75.7	84	32.1	24.3-39.9
\$15,000- 24,999	384	256,138	227	61.8	55.5-68.1	157	38.2	31.9-44.5
\$25,000- 34,999	303	221,000	192	64.3	57.4-71.2	111	35.7	28.8-42.6
\$35,000- 49,999	404	321,632	300	75.8	70.5-81.1	104	24.2	18.9-29.5
\$50,000- 74,999	493	404,475	384	79.0	74.5-83.5	109	21.0	16.5-25.5
\$75,000+	870	707,019	734	84.1	80.8-87.4	136	15.9	12.6-19.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4361	2,630,370	2885	69.7	67.9-71.5	1476	30.3	28.5-32.1
White/Non-Hisp	3643	2,130,063	2419	69.9	67.9-71.9	1224	30.1	28.1-32.1
Black or Afr. Am./Non-Hisp	356	235,875	215	65.0	58.7-71.3	141	35.0	28.7-41.3
Oth. Race/Non-Hisp.	99	60,426	76	81.4	68.5-94.3	23	18.6	5.7-31.5
MultiRacial/Non-Hisp.	64	19,499	46	73.3	58.6-88.0	18	26.7	12.0-41.4
Hispanic	130	149,935	86	68.8	59.2-78.4	44	31.2	21.6-40.8
18-24	186	333,301	151	80.5	74.2-86.8	35	19.5	13.2-25.8
25-34	316	422,697	245	76.1	70.8-81.4	71	23.9	18.6-29.2
35-44	401	410,598	313	78.1	73.6-82.6	88	21.9	17.4-26.4
45-54	650	421,065	463	70.6	66.5-74.7	187	29.4	25.3-33.5
55-64	914	446,288	593	62.5	58.8-66.2	321	37.5	33.8-41.2
65+	1894	596,421	1120	57.9	55.2-60.6	774	42.1	39.4-44.8
Less Than H.S.	341	305,595	153	50.9	43.8-58.0	188	49.1	42.0-56.2
H.S. or G.E.D.	1489	849,732	822	60.3	57.0-63.6	667	39.7	36.4-43.0
Some Post-H.S.	1145	844,638	801	75.6	72.5-78.7	344	24.4	21.3-27.5
College Graduate	1371	619,612	1100	83.7	81.3-86.1	271	16.3	13.9-18.7
Less than \$15,000	322	185,427	156	47.9	40.6-55.2	166	52.1	44.8-59.4
\$15,000- 24,999	651	397,349	364	61.6	56.5-66.7	287	38.4	33.3-43.5
\$25,000- 34,999	423	251,484	266	64.8	58.3-71.3	157	35.2	28.7-41.7
\$35,000- 49,999	507	314,854	340	72.3	67.4-77.2	167	27.7	22.8-32.6
\$50,000- 74,999	522	343,423	372	73.5	68.6-78.4	150	26.5	21.6-31.4
\$75,000+	853	588,043	721	85.4	82.5-88.3	132	14.6	11.7-17.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7528	5,100,311	821	8.3	7.5- 9.1	6707	91.7	90.9-92.5
Male	3204	2,485,810	431	10.0	8.8-11.2	2773	90.0	88.8-91.2
Female	4324	2,614,501	390	6.6	5.8- 7.4	3934	93.4	92.6-94.2
White/Non-Hisp	6223	4,101,757	697	8.5	7.7- 9.3	5526	91.5	90.7-92.3
Black or Afr. Am./Non-Hisp	578	444,871	56	8.0	5.3-10.7	522	92.0	89.3-94.7
Oth. Race/Non-Hisp.	199	131,734	18	4.3	1.0- 7.6	181	95.7	92.4-99.0
MultiRacial/Non-Hisp.	131	44,124	18	10.5	4.2-16.8	113	89.5	83.2-95.8
Hispanic	258	294,544	15	6.4	2.7-10.1	243	93.6	89.9-97.3
18-24	366	682,748	5	1.5	0.1- 2.9	361	98.5	97.1-99.9
25-34	629	849,989	13	2.1	0.9- 3.3	616	97.9	96.7-99.1
35-44	729	812,803	26	4.0	2.2- 5.8	703	96.0	94.2-97.8
45-54	1189	831,540	75	6.7	4.9- 8.5	1114	93.3	91.5-95.1
55-64	1605	865,368	155	11.2	9.2-13.2	1450	88.8	86.8-90.8
65+	3010	1,057,863	547	19.7	17.9-21.5	2463	80.3	78.5-82.1
Less Than H.S.	586	623,823	112	14.2	11.1-17.3	474	85.8	82.7-88.9
H.S. or G.E.D.	2548	1,704,723	310	8.6	7.4- 9.8	2238	91.4	90.2-92.6
Some Post-H.S.	1944	1,572,321	202	7.4	6.2- 8.6	1742	92.6	91.4-93.8
College Graduate	2419	1,176,393	194	5.7	4.7- 6.7	2225	94.3	93.3-95.3
Less than \$15,000	515	353,543	98	16.8	12.7-20.9	417	83.2	79.1-87.3
\$15,000- 24,999	1023	646,862	157	11.5	9.3-13.7	866	88.5	86.3-90.7
\$25,000- 34,999	720	470,907	93	9.9	7.4-12.4	627	90.1	87.6-92.6
\$35,000- 49,999	906	633,723	101	7.3	5.5- 9.1	805	92.7	90.9-94.5
\$50,000- 74,999	1012	746,680	93	7.4	5.4- 9.4	919	92.6	90.6-94.6
\$75,000+	1717	1,293,398	106	4.8	3.8- 5.8	1611	95.2	94.2-96.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3204	2,485,810	431	10.0	8.8-11.2	2773	90.0	88.8-91.2
White/Non-Hisp	2608	1,980,942	369	10.5	9.3-11.7	2239	89.5	88.3-90.7
Black or Afr. Am./Non-Hisp	224	210,617	20	8.2	3.9-12.5	204	91.8	87.5-96.1
Oth. Race/Non-Hisp.	104	73,601	14	5.0	1.1- 8.9	90	95.0	91.1-98.9
MultiRacial/Non-Hisp.	67	24,624	11	14.8	4.4-25.2	56	85.2	74.8-95.6
Hispanic	130	146,873	9	9.8	2.9-16.7	121	90.2	83.3-97.1
18-24	182	352,157	4	2.1	0.0- 4.5	178	97.9	95.5- 100
25-34	312	425,884	5	1.5	0.1- 2.9	307	98.5	97.1-99.9
35-44	330	404,856	15	5.0	2.3- 7.7	315	95.0	92.3-97.7
45-54	542	411,541	41	8.3	5.4-11.2	501	91.7	88.8-94.6
55-64	700	423,177	88	14.1	11.0-17.2	612	85.9	82.8-89.0
65+	1138	468,194	278	25.9	22.8-29.0	860	74.1	71.0-77.2
Less Than H.S.	255	323,109	53	16.0	10.9-21.1	202	84.0	78.9-89.1
H.S. or G.E.D.	1071	860,227	155	9.3	7.7-10.9	916	90.7	89.1-92.3
Some Post-H.S.	806	731,063	110	10.2	7.8-12.6	696	89.8	87.4-92.2
College Graduate	1056	559,151	111	7.3	5.7- 8.9	945	92.7	91.1-94.3
Less than \$15,000	200	171,519	43	17.3	11.0-23.6	157	82.7	76.4-89.0
\$15,000- 24,999	381	254,310	68	14.8	10.7-18.9	313	85.2	81.1-89.3
\$25,000- 34,999	300	220,231	55	13.7	9.4-18.0	245	86.3	82.0-90.6
\$35,000- 49,999	401	319,499	60	10.2	7.1-13.3	341	89.8	86.7-92.9
\$50,000- 74,999	491	403,655	57	8.5	5.8-11.2	434	91.5	88.8-94.2
\$75,000+	867	706,284	75	6.6	4.8- 8.4	792	93.4	91.6-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4324	2,614,501	390	6.6	5.8- 7.4	3934	93.4	92.6-94.2
White/Non-Hisp	3615	2,120,815	328	6.7	5.7- 7.7	3287	93.3	92.3-94.3
Black or Afr. Am./Non-Hisp	354	234,254	36	7.9	4.6-11.2	318	92.1	88.8-95.4
Oth. Race/Non-Hisp.	95	58,133	4	3.5	0.0- 9.4	91	96.5	90.6- 100
MultiRacial/Non-Hisp.	64	19,499	7	5.1	0.2-10.0	57	94.9	90.0-99.8
Hispanic	128	147,672	6	3.0	0.3- 5.7	122	97.0	94.3-99.7
18-24	184	330,590	1	0.7	0.0- 2.1	183	99.3	97.9- 100
25-34	317	424,105	8	2.7	0.7- 4.7	309	97.3	95.3-99.3
35-44	399	407,948	11	3.0	1.0- 5.0	388	97.0	95.0-99.0
45-54	647	419,999	34	5.2	3.2- 7.2	613	94.8	92.8-96.8
55-64	905	442,191	67	8.4	6.2-10.6	838	91.6	89.4-93.8
65+	1872	589,668	269	14.8	12.8-16.8	1603	85.2	83.2-87.2
Less Than H.S.	331	300,714	59	12.3	8.6-16.0	272	87.7	84.0-91.4
H.S. or G.E.D.	1477	844,496	155	7.8	6.2- 9.4	1322	92.2	90.6-93.8
Some Post-H.S.	1138	841,258	92	5.0	3.6- 6.4	1046	95.0	93.6-96.4
College Graduate	1363	617,241	83	4.2	2.8- 5.6	1280	95.8	94.4-97.2
Less than \$15,000	315	182,024	55	16.3	11.0-21.6	260	83.7	78.4-89.0
\$15,000- 24,999	642	392,551	89	9.4	6.9-11.9	553	90.6	88.1-93.1
\$25,000- 34,999	420	250,675	38	6.7	3.8- 9.6	382	93.3	90.4-96.2
\$35,000- 49,999	505	314,225	41	4.4	2.6- 6.2	464	95.6	93.8-97.4
\$50,000- 74,999	521	343,025	36	6.1	3.6- 8.6	485	93.9	91.4-96.4
\$75,000+	850	587,114	31	2.5	1.5- 3.5	819	97.5	96.5-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7584	5,128,811	6496	85.4	84.4-86.4	1088	14.6	13.6-15.6
Male	3229	2,500,966	2862	88.6	87.2-90.0	367	11.4	10.0-12.8
Female	4355	2,627,844	3634	82.3	80.7-83.9	721	17.7	16.1-19.3
White/Non-Hisp	6266	4,118,536	5409	85.6	84.4-86.8	857	14.4	13.2-15.6
Black or Afr. Am./Non-Hisp	582	447,801	481	81.6	77.9-85.3	101	18.4	14.7-22.1
Oth. Race/Non-Hisp.	203	134,452	165	89.0	83.7-94.3	38	11.0	5.7-16.3
MultiRacial/Non-Hisp.	130	43,422	96	75.0	65.4-84.6	34	25.0	15.4-34.6
Hispanic	260	298,003	225	88.2	83.7-92.7	35	11.8	7.3-16.3
18-24	366	682,897	299	83.2	79.1-87.3	67	16.8	12.7-20.9
25-34	630	850,783	528	83.8	80.7-86.9	102	16.2	13.1-19.3
35-44	736	820,817	625	86.5	84.0-89.0	111	13.5	11.0-16.0
45-54	1195	835,185	991	83.2	80.8-85.6	204	16.8	14.4-19.2
55-64	1613	869,376	1389	86.4	84.4-88.4	224	13.6	11.6-15.6
65+	3044	1,069,752	2664	88.0	86.6-89.4	380	12.0	10.6-13.4
Less Than H.S.	598	630,292	469	80.5	76.4-84.6	129	19.5	15.4-23.6
H.S. or G.E.D.	2571	1,717,768	2203	85.5	83.7-87.3	368	14.5	12.7-16.3
Some Post-H.S.	1955	1,577,697	1660	85.1	83.1-87.1	295	14.9	12.9-16.9
College Graduate	2427	1,178,252	2141	88.4	86.8-90.0	286	11.6	10.0-13.2
Less than \$15,000	524	360,435	383	73.7	68.8-78.6	141	26.3	21.4-31.2
\$15,000- 24,999	1034	653,919	860	81.5	78.4-84.6	174	18.5	15.4-21.6
\$25,000- 34,999	728	473,620	624	85.3	81.8-88.8	104	14.7	11.2-18.2
\$35,000- 49,999	911	635,884	779	85.0	81.9-88.1	132	15.0	11.9-18.1
\$50,000- 74,999	1015	747,734	895	88.0	85.5-90.5	120	12.0	9.5-14.5
\$75,000+	1720	1,292,874	1531	89.6	87.8-91.4	189	10.4	8.6-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3229	2,500,966	2862	88.6	87.2-90.0	367	11.4	10.0-12.8
White/Non-Hisp	2626	1,990,320	2337	88.7	87.1-90.3	289	11.3	9.7-12.9
Black or Afr. Am./Non-Hisp	227	212,325	196	85.7	80.4-91.0	31	14.3	9.0-19.6
Oth. Race/Non-Hisp.	104	74,026	90	90.5	83.6-97.4	14	9.5	2.6-16.4
MultiRacial/Non-Hisp.	67	24,145	53	80.3	68.7-91.9	14	19.7	8.1-31.3
Hispanic	130	148,068	119	91.3	85.2-97.4	11	8.7	2.6-14.8
18-24	182	352,581	153	85.4	79.7-91.1	29	14.6	8.9-20.3
25-34	313	426,678	272	86.1	81.6-90.6	41	13.9	9.4-18.4
35-44	335	410,042	295	90.4	87.3-93.5	40	9.6	6.5-12.7
45-54	546	414,519	469	86.5	83.4-89.6	77	13.5	10.4-16.6
55-64	703	424,627	629	90.4	88.0-92.8	74	9.6	7.2-12.0
65+	1150	472,518	1044	91.7	89.9-93.5	106	8.3	6.5-10.1
Less Than H.S.	259	326,446	220	86.2	80.7-91.7	39	13.8	8.3-19.3
H.S. or G.E.D.	1083	867,644	955	87.8	85.4-90.2	128	12.2	9.8-14.6
Some Post-H.S.	809	732,371	720	89.6	87.1-92.1	89	10.4	7.9-12.9
College Graduate	1060	560,497	954	89.9	87.7-92.1	106	10.1	7.9-12.3
Less than \$15,000	204	175,756	160	78.7	71.4-86.0	44	21.3	14.0-28.6
\$15,000- 24,999	383	255,563	335	85.7	81.2-90.2	48	14.3	9.8-18.8
\$25,000- 34,999	304	221,530	269	86.7	81.4-92.0	35	13.3	8.0-18.6
\$35,000- 49,999	404	321,632	350	88.5	84.6-92.4	54	11.5	7.6-15.4
\$50,000- 74,999	492	404,097	445	91.6	88.9-94.3	47	8.4	5.7-11.1
\$75,000+	869	706,046	795	92.0	89.8-94.2	74	8.0	5.8-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4355	2,627,844	3634	82.3	80.7-83.9	721	17.7	16.1-19.3
White/Non-Hisp	3640	2,128,215	3072	82.7	80.9-84.5	568	17.3	15.5-19.1
Black or Afr. Am./Non-Hisp	355	235,476	285	77.9	72.4-83.4	70	22.1	16.6-27.6
Oth. Race/Non-Hisp.	99	60,426	75	87.1	78.9-95.3	24	12.9	4.7-21.1
MultiRacial/Non-Hisp.	63	19,277	43	68.3	52.6-84.0	20	31.7	16.0-47.4
Hispanic	130	149,935	106	85.0	78.3-91.7	24	15.0	8.3-21.7
18-24	184	330,316	146	80.9	74.8-87.0	38	19.1	13.0-25.2
25-34	317	424,105	256	81.4	76.7-86.1	61	18.6	13.9-23.3
35-44	401	410,775	330	82.7	78.6-86.8	71	17.3	13.2-21.4
45-54	649	420,666	522	79.9	76.4-83.4	127	20.1	16.6-23.6
55-64	910	444,749	760	82.5	79.6-85.4	150	17.5	14.6-20.4
65+	1894	597,234	1620	85.0	83.0-87.0	274	15.0	13.0-17.0
Less Than H.S.	339	303,846	249	74.5	68.6-80.4	90	25.5	19.6-31.4
H.S. or G.E.D.	1488	850,124	1248	83.2	80.7-85.7	240	16.8	14.3-19.3
Some Post-H.S.	1146	845,326	940	81.2	78.3-84.1	206	18.8	15.9-21.7
College Graduate	1367	617,755	1187	87.0	84.8-89.2	180	13.0	10.8-15.2
Less than \$15,000	320	184,679	223	68.9	62.2-75.6	97	31.1	24.4-37.8
\$15,000- 24,999	651	398,356	525	78.9	74.6-83.2	126	21.1	16.8-25.4
\$25,000- 34,999	424	252,090	355	84.1	79.2-89.0	69	15.9	11.0-20.8
\$35,000- 49,999	507	314,252	429	81.4	76.5-86.3	78	18.6	13.7-23.5
\$50,000- 74,999	523	343,637	450	83.7	79.4-88.0	73	16.3	12.0-20.6
\$75,000+	851	586,828	736	86.8	83.9-89.7	115	13.2	10.3-16.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7543	5,104,297	6767	90.0	89.2-90.8	776	10.0	9.2-10.8
Male	3213	2,489,588	2987	93.4	92.2-94.6	226	6.6	5.4-7.8
Female	4330	2,614,709	3780	86.8	85.4-88.2	550	13.2	11.8-14.6
White/Non-Hisp	6235	4,099,354	5624	90.1	89.1-91.1	611	9.9	8.9-10.9
Black or Afr. Am./Non-Hisp	580	447,150	505	87.1	83.8-90.4	75	12.9	9.6-16.2
Oth. Race/Non-Hisp.	200	133,388	172	92.6	88.5-96.7	28	7.4	3.3-11.5
MultiRacial/Non-Hisp.	128	42,809	104	82.7	73.9-91.5	24	17.3	8.5-26.1
Hispanic	258	295,207	239	93.7	90.4-97.0	19	6.3	3.0-9.6
18-24	363	679,700	323	89.5	86.2-92.8	40	10.5	7.2-13.8
25-34	627	846,548	574	91.5	89.0-94.0	53	8.5	6.0-11.0
35-44	734	819,747	659	90.7	88.5-92.9	75	9.3	7.1-11.5
45-54	1190	830,252	1038	87.6	85.4-89.8	152	12.4	10.2-14.6
55-64	1605	864,621	1434	89.7	87.9-91.5	171	10.3	8.5-12.1
65+	3024	1,063,428	2739	90.8	89.6-92.0	285	9.2	8.0-10.4
Less Than H.S.	595	628,084	487	84.6	81.1-88.1	108	15.4	11.9-18.9
H.S. or G.E.D.	2549	1,705,961	2287	90.0	88.4-91.6	262	10.0	8.4-11.6
Some Post-H.S.	1949	1,572,961	1737	90.0	88.4-91.6	212	10.0	8.4-11.6
College Graduate	2417	1,172,490	2232	93.3	92.1-94.5	185	6.7	5.5-7.9
Less than \$15,000	520	358,983	406	77.8	73.1-82.5	114	22.2	17.5-26.9
\$15,000- 24,999	1027	651,074	890	85.5	82.6-88.4	137	14.5	11.6-17.4
\$25,000- 34,999	727	473,311	648	89.9	87.0-92.8	79	10.1	7.2-13.0
\$35,000- 49,999	902	630,759	814	91.1	88.7-93.5	88	8.9	6.5-11.3
\$50,000- 74,999	1013	745,746	938	93.0	91.0-95.0	75	7.0	5.0-9.0
\$75,000+	1712	1,285,995	1590	93.9	92.5-95.3	122	6.1	4.7-7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3213	2,489,588	2987	93.4	92.2-94.6	226	6.6	5.4- 7.8
White/Non-Hisp	2613	1,979,585	2428	93.3	92.1-94.5	185	6.7	5.5- 7.9
Black or Afr. Am./Non-Hisp	227	212,325	210	93.3	89.8-96.8	17	6.7	3.2-10.2
Oth. Race/Non-Hisp.	103	73,996	94	92.9	86.8-99.0	9	7.1	1.0-13.2
MultiRacial/Non-Hisp.	65	23,532	60	91.8	82.4- 100	5	8.2	0.0-17.6
Hispanic	130	148,068	126	96.3	92.0- 100	4	3.7	0.0- 8.0
18-24	180	350,921	166	92.6	88.5-96.7	14	7.4	3.3-11.5
25-34	311	423,703	294	94.1	91.0-97.2	17	5.9	2.8- 9.0
35-44	335	410,042	316	95.2	92.8-97.6	19	4.8	2.4- 7.2
45-54	542	410,792	496	92.0	89.5-94.5	46	8.0	5.5-10.5
55-64	701	423,836	643	92.2	90.0-94.4	58	7.8	5.6-10.0
65+	1144	470,294	1072	94.1	92.5-95.7	72	5.9	4.3- 7.5
Less Than H.S.	258	326,181	227	89.8	85.3-94.3	31	10.2	5.7-14.7
H.S. or G.E.D.	1076	861,594	1000	93.5	91.7-95.3	76	6.5	4.7- 8.3
Some Post-H.S.	805	729,289	750	94.1	92.3-95.9	55	5.9	4.1- 7.7
College Graduate	1056	558,516	997	94.7	93.1-96.3	59	5.3	3.7- 6.9
Less than \$15,000	203	175,161	171	83.7	76.8-90.6	32	16.3	9.4-23.2
\$15,000- 24,999	382	255,239	346	89.0	84.9-93.1	36	11.0	6.9-15.1
\$25,000- 34,999	304	221,530	280	93.3	90.0-96.6	24	6.7	3.4-10.0
\$35,000- 49,999	401	319,956	365	93.4	90.9-95.9	36	6.6	4.1- 9.1
\$50,000- 74,999	490	402,109	462	95.4	93.4-97.4	28	4.6	2.6- 6.6
\$75,000+	863	701,435	829	96.6	95.2-98.0	34	3.4	2.0- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4330	2,614,709	3780	86.8	85.4-88.2	550	13.2	11.8-14.6
White/Non-Hisp	3622	2,119,769	3196	87.2	85.6-88.8	426	12.8	11.2-14.4
Black or Afr. Am./Non-Hisp	353	234,825	295	81.6	76.5-86.7	58	18.4	13.3-23.5
Oth. Race/Non-Hisp.	97	59,392	78	92.1	86.4-97.8	19	7.9	2.2-13.6
MultiRacial/Non-Hisp.	63	19,277	44	71.5	56.4-86.6	19	28.5	13.4-43.6
Hispanic	128	147,138	113	91.0	85.7-96.3	15	9.0	3.7-14.3
18-24	183	328,779	157	86.1	80.6-91.6	26	13.9	8.4-19.4
25-34	316	422,846	280	89.0	85.3-92.7	36	11.0	7.3-14.7
35-44	399	409,705	343	86.2	82.5-89.9	56	13.8	10.1-17.5
45-54	648	419,460	542	83.3	80.0-86.6	106	16.7	13.4-20.0
55-64	904	440,785	791	87.3	84.8-89.8	113	12.7	10.2-15.2
65+	1880	593,134	1667	88.2	86.4-90.0	213	11.8	10.0-13.6
Less Than H.S.	337	301,903	260	79.0	73.5-84.5	77	21.0	15.5-26.5
H.S. or G.E.D.	1473	844,367	1287	86.5	84.1-88.9	186	13.5	11.1-15.9
Some Post-H.S.	1144	843,672	987	86.4	83.9-88.9	157	13.6	11.1-16.1
College Graduate	1361	613,974	1235	92.1	90.3-93.9	126	7.9	6.1- 9.7
Less than \$15,000	317	183,822	235	72.2	65.7-78.7	82	27.8	21.3-34.3
\$15,000- 24,999	645	395,835	544	83.2	79.3-87.1	101	16.8	12.9-20.7
\$25,000- 34,999	423	251,781	368	86.9	82.2-91.6	55	13.1	8.4-17.8
\$35,000- 49,999	501	310,803	449	88.7	84.8-92.6	52	11.3	7.4-15.2
\$50,000- 74,999	523	343,637	476	90.0	86.5-93.5	47	10.0	6.5-13.5
\$75,000+	849	584,560	761	90.7	88.2-93.2	88	9.3	6.8-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7543	5,104,297	776	10.0	9.2-10.8	271	4.2	3.6- 4.8	6496	85.8	84.8-86.8
Male	3213	2,489,588	226	6.6	5.4- 7.8	125	4.4	3.4- 5.4	2862	89.0	87.6-90.4
Female	4330	2,614,709	550	13.2	11.8-14.6	146	4.1	3.3- 4.9	3634	82.7	81.1-84.3
White/Non-Hisp	6235	4,099,354	611	9.9	8.9-10.9	215	4.1	3.3- 4.9	5409	86.0	84.8-87.2
Black or Afr. Am./Non-Hisp	580	447,150	75	12.9	9.6-16.2	24	5.5	3.1- 7.9	481	81.7	77.8-85.6
Oth. Race/Non-Hisp.	200	133,388	28	7.4	3.3-11.5	7	2.8	0.0- 5.7	165	89.7	84.6-94.8
MultiRacial/Non-Hisp.	128	42,809	24	17.3	8.5-26.1	8	6.6	1.5-11.7	96	76.1	66.5-85.7
Hispanic	258	295,207	19	6.3	3.0- 9.6	14	4.6	1.9- 7.3	225	89.0	84.7-93.3
18-24	363	679,700	40	10.5	7.2-13.8	24	5.9	3.4- 8.4	299	83.6	79.5-87.7
25-34	627	846,548	53	8.5	6.0-11.0	46	7.3	5.1- 9.5	528	84.2	81.1-87.3
35-44	734	819,747	75	9.3	7.1-11.5	34	4.0	2.4- 5.6	625	86.7	84.2-89.2
45-54	1190	830,252	152	12.4	10.2-14.6	47	3.9	2.7- 5.1	991	83.7	81.3-86.1
55-64	1605	864,621	171	10.3	8.5-12.1	45	2.9	1.9- 3.9	1389	86.8	84.8-88.8
65+	3024	1,063,428	285	9.2	8.0-10.4	75	2.3	1.7- 2.9	2664	88.5	87.1-89.9
Less Than H.S.	595	628,084	108	15.4	11.9-18.9	18	3.8	1.4- 6.2	469	80.8	76.7-84.9
H.S. or G.E.D.	2549	1,705,961	262	10.0	8.4-11.6	84	3.9	2.9- 4.9	2203	86.1	84.3-87.9
Some Post-H.S.	1949	1,572,961	212	10.0	8.4-11.6	77	4.6	3.4- 5.8	1660	85.3	83.3-87.3
College Graduate	2417	1,172,490	185	6.7	5.5- 7.9	91	4.5	3.5- 5.5	2141	88.9	87.3-90.5
Less than \$15,000	520	358,983	114	22.2	17.5-26.9	23	3.8	1.8- 5.8	383	74.0	69.1-78.9
\$15,000- 24,999	1027	651,074	137	14.5	11.6-17.4	30	3.6	2.0- 5.2	860	81.9	78.8-85.0
\$25,000- 34,999	727	473,311	79	10.1	7.2-13.0	24	4.5	2.1- 6.9	624	85.4	81.9-88.9
\$35,000- 49,999	902	630,759	88	8.9	6.5-11.3	35	5.4	3.0- 7.8	779	85.7	82.6-88.8
\$50,000- 74,999	1013	745,746	75	7.0	5.0- 9.0	43	4.7	3.1- 6.3	895	88.2	85.7-90.7
\$75,000+	1712	1,285,995	122	6.1	4.7- 7.5	59	3.8	2.6- 5.0	1531	90.1	88.3-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3213	2,489,588	226	6.6	5.4- 7.8	125	4.4	3.4- 5.4	2862	89.0	87.6-90.4
White/Non-Hisp	2613	1,979,585	185	6.7	5.5- 7.9	91	4.1	3.1- 5.1	2337	89.2	87.6-90.8
Black or Afr. Am./Non-Hisp	227	212,325	17	6.7	3.2-10.2	14	7.6	3.5-11.7	196	85.7	80.4-91.0
Oth. Race/Non-Hisp.	103	73,996	9	7.1	1.0-13.2	4	2.3	0.0- 5.6	90	90.6	83.7-97.5
MultiRacial/Non-Hisp.	65	23,532	5	8.2	0.0-17.6	7	9.4	1.8-17.0	53	82.4	70.8-94.0
Hispanic	130	148,068	4	3.7	0.0- 8.0	7	5.0	0.7- 9.3	119	91.3	85.2-97.4
18-24	180	350,921	14	7.4	3.3-11.5	13	6.9	2.8-11.0	153	85.8	80.1-91.5
25-34	311	423,703	17	5.9	2.8- 9.0	22	7.3	4.0-10.6	272	86.7	82.4-91.0
35-44	335	410,042	19	4.8	2.4- 7.2	21	4.8	2.6- 7.0	295	90.4	87.3-93.5
45-54	542	410,792	46	8.0	5.5-10.5	27	4.7	2.7- 6.7	469	87.3	84.2-90.4
55-64	701	423,836	58	7.8	5.6-10.0	14	1.7	0.7- 2.7	629	90.5	88.1-92.9
65+	1144	470,294	72	5.9	4.3- 7.5	28	1.9	1.1- 2.7	1044	92.1	90.3-93.9
Less Than H.S.	258	326,181	31	10.2	5.7-14.7	7	3.6	0.1- 7.1	220	86.2	80.7-91.7
H.S. or G.E.D.	1076	861,594	76	6.5	4.7- 8.3	45	5.1	3.3- 6.9	955	88.4	86.0-90.8
Some Post-H.S.	805	729,289	55	5.9	4.1- 7.7	30	4.1	2.3- 5.9	720	90.0	87.5-92.5
College Graduate	1056	558,516	59	5.3	3.7- 6.9	43	4.5	2.9- 6.1	954	90.3	88.1-92.5
Less than \$15,000	203	175,161	32	16.3	9.4-23.2	11	4.8	1.5- 8.1	160	79.0	71.7-86.3
\$15,000- 24,999	382	255,239	36	11.0	6.9-15.1	11	3.2	1.0- 5.4	335	85.8	81.3-90.3
\$25,000- 34,999	304	221,530	24	6.7	3.4-10.0	11	6.6	2.3-10.9	269	86.7	81.4-92.0
\$35,000- 49,999	401	319,956	36	6.6	4.1- 9.1	15	4.4	1.3- 7.5	350	89.0	85.1-92.9
\$50,000- 74,999	490	402,109	28	4.6	2.6- 6.6	17	3.3	1.5- 5.1	445	92.1	89.6-94.6
\$75,000+	863	701,435	34	3.4	2.0- 4.8	34	4.1	2.5- 5.7	795	92.6	90.4-94.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4330	2,614,709	550	13.2	11.8-14.6	146	4.1	3.3- 4.9	3634	82.7	81.1-84.3
White/Non-Hisp	3622	2,119,769	426	12.8	11.2-14.4	124	4.2	3.2- 5.2	3072	83.0	81.2-84.8
Black or Afr. Am./Non-Hisp	353	234,825	58	18.4	13.3-23.5	10	3.5	1.0- 6.0	285	78.1	72.6-83.6
Oth. Race/Non-Hisp.	97	59,392	19	7.9	2.2-13.6	3	3.5	0.0- 8.6	75	88.6	81.0-96.2
MultiRacial/Non-Hisp.	63	19,277	19	28.5	13.4-43.6	1	3.2	0.0- 9.3	43	68.3	52.6-84.0
Hispanic	128	147,138	15	9.0	3.7-14.3	7	4.3	0.8- 7.8	106	86.6	80.3-92.9
18-24	183	328,779	26	13.9	8.4-19.4	11	4.9	2.0- 7.8	146	81.2	75.1-87.3
25-34	316	422,846	36	11.0	7.3-14.7	24	7.3	4.2-10.4	256	81.7	77.0-86.4
35-44	399	409,705	56	13.8	10.1-17.5	13	3.3	1.1- 5.5	330	82.9	78.8-87.0
45-54	648	419,460	106	16.7	13.4-20.0	20	3.1	1.5- 4.7	522	80.2	76.7-83.7
55-64	904	440,785	113	12.7	10.2-15.2	31	4.0	2.4- 5.6	760	83.3	80.4-86.2
65+	1880	593,134	213	11.8	10.0-13.6	47	2.6	1.8- 3.4	1620	85.6	83.6-87.6
Less Than H.S.	337	301,903	77	21.0	15.5-26.5	11	4.1	1.0- 7.2	249	74.9	69.0-80.8
H.S. or G.E.D.	1473	844,367	186	13.5	11.1-15.9	39	2.7	1.5- 3.9	1248	83.7	81.2-86.2
Some Post-H.S.	1144	843,672	157	13.6	11.1-16.1	47	5.0	3.2- 6.8	940	81.3	78.4-84.2
College Graduate	1361	613,974	126	7.9	6.1- 9.7	48	4.5	2.9- 6.1	1187	87.6	85.4-89.8
Less than \$15,000	317	183,822	82	27.8	21.3-34.3	12	2.9	0.9- 4.9	223	69.3	62.6-76.0
\$15,000- 24,999	645	395,835	101	16.8	12.9-20.7	19	3.8	1.8- 5.8	525	79.4	75.1-83.7
\$25,000- 34,999	423	251,781	55	13.1	8.4-17.8	13	2.7	0.7- 4.7	355	84.2	79.3-89.1
\$35,000- 49,999	501	310,803	52	11.3	7.4-15.2	20	6.4	3.1- 9.7	429	82.3	77.4-87.2
\$50,000- 74,999	523	343,637	47	10.0	6.5-13.5	26	6.4	3.5- 9.3	450	83.7	79.4-88.0
\$75,000+	849	584,560	88	9.3	6.8-11.8	25	3.6	2.0- 5.2	736	87.1	84.2-90.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7569	5,123,881	2925	28.5	27.3-29.7	4644	71.5	70.3-72.7
Male	3222	2,501,231	1050	25.1	23.3-26.9	2172	74.9	73.1-76.7
Female	4347	2,622,650	1875	31.8	30.0-33.6	2472	68.2	66.4-70.0
White/Non-Hisp	6254	4,117,314	2474	30.1	28.7-31.5	3780	69.9	68.5-71.3
Black or Afr. Am./Non-Hisp	580	446,837	216	26.6	22.5-30.7	364	73.4	69.3-77.5
Oth. Race/Non-Hisp.	202	134,131	78	12.5	8.0-17.0	124	87.5	83.0-92.0
MultiRacial/Non-Hisp.	131	44,134	60	44.0	33.0-55.0	71	56.0	45.0-67.0
Hispanic	258	294,812	48	13.3	8.6-18.0	210	86.7	82.0-91.4
18-24	369	686,457	19	4.6	2.4- 6.8	350	95.4	93.2-97.6
25-34	632	851,633	64	8.9	6.5-11.3	568	91.1	88.7-93.5
35-44	736	821,469	117	15.2	12.3-18.1	619	84.8	81.9-87.7
45-54	1187	831,079	374	31.5	28.6-34.4	813	68.5	65.6-71.4
55-64	1611	866,976	725	45.2	42.3-48.1	886	54.8	51.9-57.7
65+	3034	1,066,268	1626	53.9	51.7-56.1	1408	46.1	43.9-48.3
Less Than H.S.	595	627,022	285	32.7	28.2-37.2	310	67.3	62.8-71.8
H.S. or G.E.D.	2566	1,718,838	1092	31.5	29.3-33.7	1474	68.5	66.3-70.7
Some Post-H.S.	1949	1,574,390	793	29.1	26.7-31.5	1156	70.9	68.5-73.3
College Graduate	2426	1,178,831	747	21.0	19.2-22.8	1679	79.0	77.2-80.8
Less than \$15,000	526	361,431	290	42.1	36.6-47.6	236	57.9	52.4-63.4
\$15,000- 24,999	1031	650,684	500	36.5	32.8-40.2	531	63.5	59.8-67.2
\$25,000- 34,999	724	472,007	315	31.7	27.6-35.8	409	68.3	64.2-72.4
\$35,000- 49,999	905	632,324	375	30.9	27.2-34.6	530	69.1	65.4-72.8
\$50,000- 74,999	1012	747,212	348	26.7	23.6-29.8	664	73.3	70.2-76.4
\$75,000+	1720	1,293,785	419	17.6	15.6-19.6	1301	82.4	80.4-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3222	2,501,231	1050	25.1	23.3-26.9	2172	74.9	73.1-76.7
White/Non-Hisp	2621	1,991,106	884	26.8	24.8-28.8	1737	73.2	71.2-75.2
Black or Afr. Am./Non-Hisp	225	211,448	72	23.3	17.4-29.2	153	76.7	70.8-82.6
Oth. Race/Non-Hisp.	103	73,704	30	10.1	4.4-15.8	73	89.9	84.2-95.6
MultiRacial/Non-Hisp.	67	24,635	28	42.7	28.4-57.0	39	57.3	43.0-71.6
Hispanic	131	148,256	20	10.9	4.8-17.0	111	89.1	83.0-95.2
18-24	183	353,156	7	3.9	1.0- 6.8	176	96.1	93.2-99.0
25-34	316	429,640	30	7.4	4.7-10.1	286	92.6	89.9-95.3
35-44	334	409,787	49	14.3	10.2-18.4	285	85.7	81.6-89.8
45-54	543	414,059	164	30.2	25.9-34.5	379	69.8	65.5-74.1
55-64	701	423,735	281	40.7	36.6-44.8	420	59.3	55.2-63.4
65+	1145	470,854	519	48.0	44.5-51.5	626	52.0	48.5-55.5
Less Than H.S.	258	325,596	101	26.4	20.5-32.3	157	73.6	67.7-79.5
H.S. or G.E.D.	1080	868,987	384	27.4	24.5-30.3	696	72.6	69.7-75.5
Some Post-H.S.	807	732,509	286	25.9	22.6-29.2	521	74.1	70.8-77.4
College Graduate	1059	560,130	275	19.7	17.2-22.2	784	80.3	77.8-82.8
Less than \$15,000	204	175,754	96	34.8	27.0-42.6	108	65.2	57.4-73.0
\$15,000- 24,999	382	255,358	159	35.4	29.5-41.3	223	64.6	58.7-70.5
\$25,000- 34,999	303	221,313	112	27.9	22.0-33.8	191	72.1	66.2-78.0
\$35,000- 49,999	400	320,387	145	26.8	21.9-31.7	255	73.2	68.3-78.1
\$50,000- 74,999	490	403,773	151	24.9	20.4-29.4	339	75.1	70.6-79.6
\$75,000+	869	706,815	207	18.1	15.2-21.0	662	81.9	79.0-84.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4347	2,622,650	1875	31.8	30.0-33.6	2472	68.2	66.4-70.0
White/Non-Hisp	3633	2,126,209	1590	33.3	31.3-35.3	2043	66.7	64.7-68.7
Black or Afr. Am./Non-Hisp	355	235,389	144	29.6	23.9-35.3	211	70.4	64.7-76.1
Oth. Race/Non-Hisp.	99	60,426	48	15.4	7.8-23.0	51	84.6	77.0-92.2
MultiRacial/Non-Hisp.	64	19,499	32	45.7	28.8-62.6	32	54.3	37.4-71.2
Hispanic	127	146,556	28	15.8	8.5-23.1	99	84.2	76.9-91.5
18-24	186	333,301	12	5.4	2.1- 8.7	174	94.6	91.3-97.9
25-34	316	421,993	34	10.6	6.7-14.5	282	89.4	85.5-93.3
35-44	402	411,682	68	16.1	12.2-20.0	334	83.9	80.0-87.8
45-54	644	417,020	210	32.7	28.6-36.8	434	67.3	63.2-71.4
55-64	910	443,241	444	49.4	45.7-53.1	466	50.6	46.9-54.3
65+	1889	595,414	1107	58.6	55.9-61.3	782	41.4	38.7-44.1
Less Than H.S.	337	301,426	184	39.4	32.9-45.9	153	60.6	54.1-67.1
H.S. or G.E.D.	1486	849,850	708	35.8	32.9-38.7	778	64.2	61.3-67.1
Some Post-H.S.	1142	841,881	507	31.9	28.8-35.0	635	68.1	65.0-71.2
College Graduate	1367	618,700	472	22.2	19.8-24.6	895	77.8	75.4-80.2
Less than \$15,000	322	185,677	194	49.0	41.7-56.3	128	51.0	43.7-58.3
\$15,000- 24,999	649	395,326	341	37.2	32.5-41.9	308	62.8	58.1-67.5
\$25,000- 34,999	421	250,694	203	35.0	29.1-40.9	218	65.0	59.1-70.9
\$35,000- 49,999	505	311,937	230	35.1	29.8-40.4	275	64.9	59.6-70.2
\$50,000- 74,999	522	343,439	197	28.9	24.2-33.6	325	71.1	66.4-75.8
\$75,000+	851	586,969	212	17.1	14.4-19.8	639	82.9	80.2-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 7: ORAL HEALTH CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4	MALES AND FEMALES	41
5	MALES ONLY	42
6	FEMALES ONLY	43
	ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7	MALES AND FEMALES	44
8	MALES ONLY	45
9	FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7393	5,035,035	3469	56.5	55.1-57.9	3924	43.5	42.1-44.9
Male	3164	2,467,311	1506	57.0	54.8-59.2	1658	43.0	40.8-45.2
Female	4229	2,567,724	1963	56.0	54.0-58.0	2266	44.0	42.0-46.0
White/Non-Hisp	6104	4,044,009	2870	55.8	54.2-57.4	3234	44.2	42.6-45.8
Black or Afr. Am./Non-Hisp	568	438,197	231	52.3	47.2-57.4	337	47.7	42.6-52.8
Oth. Race/Non-Hisp.	198	131,921	95	69.0	59.0-79.0	103	31.0	21.0-41.0
MultiRacial/Non-Hisp.	131	44,089	50	50.1	39.1-61.1	81	49.9	38.9-60.9
Hispanic	254	291,533	158	68.7	62.0-75.4	96	31.3	24.6-38.0
18-24	367	684,555	335	91.7	88.8-94.6	32	8.3	5.4-11.2
25-34	627	843,827	457	73.2	69.3-77.1	170	26.8	22.9-30.7
35-44	728	812,032	459	63.1	59.0-67.2	269	36.9	32.8-41.0
45-54	1170	816,818	655	53.7	50.4-57.0	515	46.3	43.0-49.6
55-64	1586	854,603	683	40.6	37.9-43.3	903	59.4	56.7-62.1
65+	2915	1,023,200	880	29.6	27.6-31.6	2035	70.4	68.4-72.4
Less Than H.S.	574	613,942	140	38.3	32.6-44.0	434	61.7	56.0-67.4
H.S. or G.E.D.	2489	1,682,872	888	48.9	46.4-51.4	1601	51.1	48.6-53.6
Some Post-H.S.	1908	1,549,625	876	59.4	56.7-62.1	1032	40.6	37.9-43.3
College Graduate	2394	1,167,148	1549	73.1	70.9-75.3	845	26.9	24.7-29.1
Less than \$15,000	511	352,609	141	39.3	33.2-45.4	370	60.7	54.6-66.8
\$15,000- 24,999	998	637,372	277	40.2	35.9-44.5	721	59.8	55.5-64.1
\$25,000- 34,999	708	462,591	254	47.3	42.2-52.4	454	52.7	47.6-57.8
\$35,000- 49,999	890	625,377	387	54.5	50.2-58.8	503	45.5	41.2-49.8
\$50,000- 74,999	1010	744,662	523	59.2	55.3-63.1	487	40.8	36.9-44.7
\$75,000+	1703	1,280,767	1139	71.8	69.3-74.3	564	28.2	25.7-30.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3164	2,467,311	1506	57.0	54.8-59.2	1658	43.0	40.8-45.2
White/Non-Hisp	2572	1,962,791	1223	56.8	54.4-59.2	1349	43.2	40.8-45.6
Black or Afr. Am./Non-Hisp	223	209,659	94	52.0	44.0-60.0	129	48.0	40.0-56.0
Oth. Race/Non-Hisp.	102	73,670	51	64.0	49.1-78.9	51	36.0	21.1-50.9
MultiRacial/Non-Hisp.	67	24,590	24	45.0	30.5-59.5	43	55.0	40.5-69.5
Hispanic	128	145,599	74	62.5	52.7-72.3	54	37.5	27.7-47.3
18-24	183	353,156	171	94.0	90.5-97.5	12	6.0	2.5- 9.5
25-34	316	429,640	234	73.9	68.4-79.4	82	26.1	20.6-31.6
35-44	333	407,442	210	62.6	56.7-68.5	123	37.4	31.5-43.3
45-54	531	404,043	296	53.4	48.5-58.3	235	46.6	41.7-51.5
55-64	691	417,273	281	38.4	34.3-42.5	410	61.6	57.5-65.7
65+	1110	455,757	314	27.8	24.7-30.9	796	72.2	69.1-75.3
Less Than H.S.	251	317,516	75	44.8	36.6-53.0	176	55.2	47.0-63.4
H.S. or G.E.D.	1056	855,543	398	49.9	46.2-53.6	658	50.1	46.4-53.8
Some Post-H.S.	796	725,416	359	58.9	54.8-63.0	437	41.1	37.0-45.2
College Graduate	1045	555,568	664	72.2	69.1-75.3	381	27.8	24.7-30.9
Less than \$15,000	197	169,950	68	46.2	36.8-55.6	129	53.8	44.4-63.2
\$15,000- 24,999	376	252,215	105	36.8	30.1-43.5	271	63.2	56.5-69.9
\$25,000- 34,999	298	217,678	101	46.0	38.6-53.4	197	54.0	46.6-61.4
\$35,000- 49,999	394	316,032	169	54.6	48.1-61.1	225	45.4	38.9-51.9
\$50,000- 74,999	489	401,770	233	56.1	50.6-61.6	256	43.9	38.4-49.4
\$75,000+	858	699,368	552	69.2	65.5-72.9	306	30.8	27.1-34.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4229	2,567,724	1963	56.0	54.0-58.0	2266	44.0	42.0-46.0
White/Non-Hisp	3532	2,081,218	1647	54.9	52.7-57.1	1885	45.1	42.9-47.3
Black or Afr. Am./Non-Hisp	345	228,538	137	52.5	45.8-59.2	208	47.5	40.8-54.2
Oth. Race/Non-Hisp.	96	58,250	44	75.4	63.8-87.0	52	24.6	13.0-36.2
MultiRacial/Non-Hisp.	64	19,499	26	56.5	40.2-72.8	38	43.5	27.2-59.8
Hispanic	126	145,934	84	74.9	66.3-83.5	42	25.1	16.5-33.7
18-24	184	331,399	164	89.3	84.4-94.2	20	10.7	5.8-15.6
25-34	311	414,187	223	72.5	67.0-78.0	88	27.5	22.0-33.0
35-44	395	404,590	249	63.5	58.0-69.0	146	36.5	31.0-42.0
45-54	639	412,775	359	53.9	49.4-58.4	280	46.1	41.6-50.6
55-64	895	437,330	402	42.7	39.0-46.4	493	57.3	53.6-61.0
65+	1805	567,443	566	31.1	28.6-33.6	1239	68.9	66.4-71.4
Less Than H.S.	323	296,426	65	31.4	24.1-38.7	258	68.6	61.3-75.9
H.S. or G.E.D.	1433	827,329	490	47.9	44.4-51.4	943	52.1	48.6-55.6
Some Post-H.S.	1112	824,209	517	59.8	56.3-63.3	595	40.2	36.7-43.7
College Graduate	1349	611,580	885	73.9	71.2-76.6	464	26.1	23.4-28.8
Less than \$15,000	314	182,659	73	32.9	25.5-40.3	241	67.1	59.7-74.5
\$15,000- 24,999	622	385,157	172	42.5	36.8-48.2	450	57.5	51.8-63.2
\$25,000- 34,999	410	244,914	153	48.4	41.5-55.3	257	51.6	44.7-58.5
\$35,000- 49,999	496	309,344	218	54.5	48.8-60.2	278	45.5	39.8-51.2
\$50,000- 74,999	521	342,892	290	62.8	57.5-68.1	231	37.2	31.9-42.5
\$75,000+	845	581,399	587	75.0	71.5-78.5	258	25.0	21.5-28.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2819	994,676	2324	81.1	79.3-82.9	495	18.9	17.1-20.7
Male	1083	446,403	904	81.3	78.4-84.2	179	18.7	15.8-21.6
Female	1736	548,272	1420	81.0	78.6-83.4	316	19.0	16.6-21.4
White/Non-Hisp	2481	891,710	2079	82.3	80.5-84.1	402	17.7	15.9-19.5
Black or Afr. Am./Non-Hisp	168	60,073	122	67.8	57.8-77.8	46	32.2	22.2-42.2
Oth. Race/Non-Hisp.	70	13,184	49	69.8	47.7-91.9	21	30.2	8.1-52.3
65+	2819	994,676	2324	81.1	79.3-82.9	495	18.9	17.1-20.7
Less Than H.S.	232	124,038	124	55.7	48.1-63.3	108	44.3	36.7-51.9
H.S. or G.E.D.	1097	396,222	847	77.9	75.0-80.8	250	22.1	19.2-25.0
Some Post-H.S.	688	277,190	586	86.1	83.0-89.2	102	13.9	10.8-17.0
College Graduate	796	194,569	763	96.6	95.2-98.0	33	3.4	2.0- 4.8
Less than \$15,000	171	58,003	107	59.2	49.6-68.8	64	40.8	31.2-50.4
\$15,000- 24,999	472	168,158	340	69.5	64.2-74.8	132	30.5	25.2-35.8
\$25,000- 34,999	356	121,752	277	74.9	69.2-80.6	79	25.1	19.4-30.8
\$35,000- 49,999	403	146,026	355	87.9	84.0-91.8	48	12.1	8.2-16.0
\$50,000- 74,999	311	121,310	278	88.7	84.4-93.0	33	11.3	7.0-15.6
\$75,000+	350	126,006	332	95.1	92.6-97.6	18	4.9	2.4- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1083	446,403	904	81.3	78.4-84.2	179	18.7	15.8-21.6
White/Non-Hisp	951	402,055	803	82.7	79.8-85.6	148	17.3	14.4-20.2
Black or Afr. Am./Non-Hisp	60	29,401	44	63.0	46.5-79.5	16	37.0	20.5-53.5
65+	1083	446,403	904	81.3	78.4-84.2	179	18.7	15.8-21.6
Less Than H.S.	90	59,159	49	56.4	44.4-68.4	41	43.6	31.6-55.6
H.S. or G.E.D.	370	158,590	290	77.8	72.7-82.9	80	22.2	17.1-27.3
Some Post-H.S.	259	124,151	218	84.9	80.0-89.8	41	15.1	10.2-20.0
College Graduate	361	103,350	345	96.5	94.3-98.7	16	3.5	1.3- 5.7
\$15,000- 24,999	163	67,530	116	66.6	57.2-76.0	47	33.4	24.0-42.8
\$25,000- 34,999	139	58,235	107	75.2	66.6-83.8	32	24.8	16.2-33.4
\$35,000- 49,999	170	71,807	144	84.3	78.2-90.4	26	15.7	9.6-21.8
\$50,000- 74,999	162	70,435	142	87.1	81.0-93.2	20	12.9	6.8-19.0
\$75,000+	192	75,573	179	93.8	89.9-97.7	13	6.2	2.3-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1736	548,272	1420	81.0	78.6-83.4	316	19.0	16.6-21.4
White/Non-Hisp	1530	489,655	1276	82.0	79.6-84.4	254	18.0	15.6-20.4
Black or Afr. Am./Non-Hisp	108	30,672	78	72.3	61.3-83.3	30	27.7	16.7-38.7
65+	1736	548,272	1420	81.0	78.6-83.4	316	19.0	16.6-21.4
Less Than H.S.	142	64,879	75	55.1	45.3-64.9	67	44.9	35.1-54.7
H.S. or G.E.D.	727	237,632	557	78.0	74.5-81.5	170	22.0	18.5-25.5
Some Post-H.S.	429	153,039	368	87.2	83.5-90.9	61	12.8	9.1-16.5
College Graduate	435	91,219	418	96.8	95.0-98.6	17	3.2	1.4- 5.0
Less than \$15,000	125	39,639	75	58.7	47.3-70.1	50	41.3	29.9-52.7
\$15,000- 24,999	309	100,629	224	71.5	65.4-77.6	85	28.5	22.4-34.6
\$25,000- 34,999	217	63,517	170	74.7	67.3-82.1	47	25.3	17.9-32.7
\$35,000- 49,999	233	74,219	211	91.4	87.1-95.7	22	8.6	4.3-12.9
\$50,000- 74,999	149	50,875	136	90.8	84.9-96.7	13	9.2	3.3-15.1
\$75,000+	158	50,433	153	97.1	94.2- 100	5	2.9	0.0- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7517	5,092,652	4960	64.4	63.0-65.8	2557	35.6	34.2-37.0
Male	3202	2,479,709	2001	60.6	58.4-62.8	1201	39.4	37.2-41.6
Female	4315	2,612,943	2959	67.9	65.9-69.9	1356	32.1	30.1-34.1
White/Non-Hisp	6219	4,099,378	4211	65.6	64.0-67.2	2008	34.4	32.8-36.0
Black or Afr. Am./Non-Hisp	577	444,550	330	55.6	50.5-60.7	247	44.4	39.3-49.5
Oth. Race/Non-Hisp.	197	129,650	116	61.6	50.4-72.8	81	38.4	27.2-49.6
MultiRacial/Non-Hisp.	131	43,588	55	49.0	38.0-60.0	76	51.0	40.0-62.0
Hispanic	257	292,305	152	60.8	53.5-68.1	105	39.2	31.9-46.5
18-24	361	675,248	238	67.9	62.6-73.2	123	32.1	26.8-37.4
25-34	630	849,812	371	57.5	53.2-61.8	259	42.5	38.2-46.8
35-44	730	813,497	481	65.4	61.5-69.3	249	34.6	30.7-38.5
45-54	1185	830,041	800	66.4	63.3-69.5	385	33.6	30.5-36.7
55-64	1605	866,238	1078	65.1	62.4-67.8	527	34.9	32.2-37.6
65+	3006	1,057,817	1992	64.7	62.5-66.9	1014	35.3	33.1-37.5
Less Than H.S.	589	623,921	226	45.8	40.5-51.1	363	54.2	48.9-59.5
H.S. or G.E.D.	2530	1,698,299	1420	57.0	54.5-59.5	1110	43.0	40.5-45.5
Some Post-H.S.	1947	1,573,114	1307	67.4	64.7-70.1	640	32.6	29.9-35.3
College Graduate	2421	1,175,031	1985	80.6	78.4-82.8	436	19.4	17.2-21.6
Less than \$15,000	517	356,462	202	44.4	38.5-50.3	315	55.6	49.7-61.5
\$15,000- 24,999	1024	647,588	490	49.2	45.1-53.3	534	50.8	46.7-54.9
\$25,000- 34,999	717	469,455	405	52.3	47.4-57.2	312	47.7	42.8-52.6
\$35,000- 49,999	907	632,608	598	60.9	56.6-65.2	309	39.1	34.8-43.4
\$50,000- 74,999	1011	744,633	731	68.2	64.3-72.1	280	31.8	27.9-35.7
\$75,000+	1720	1,293,894	1430	81.0	78.6-83.4	290	19.0	16.6-21.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3202	2,479,709	2001	60.6	58.4-62.8	1201	39.4	37.2-41.6
White/Non-Hisp	2611	1,980,184	1681	62.2	59.8-64.6	930	37.8	35.4-40.2
Black or Afr. Am./Non-Hisp	222	209,110	112	50.4	42.4-58.4	110	49.6	41.6-57.6
Oth. Race/Non-Hisp.	102	71,558	58	54.3	38.6-70.0	44	45.7	30.0-61.4
MultiRacial/Non-Hisp.	67	24,089	27	45.2	30.7-59.7	40	54.8	40.3-69.3
Hispanic	128	144,222	70	51.9	41.5-62.3	58	48.1	37.7-58.5
18-24	180	347,684	117	66.1	58.3-73.9	63	33.9	26.1-41.7
25-34	314	426,592	166	50.3	44.0-56.6	148	49.7	43.4-56.0
35-44	329	403,125	194	59.7	53.8-65.6	135	40.3	34.4-46.2
45-54	540	410,751	337	62.5	57.8-67.2	203	37.5	32.8-42.2
55-64	699	423,036	454	63.7	59.6-67.8	245	36.3	32.2-40.4
65+	1140	468,521	733	62.1	58.6-65.6	407	37.9	34.4-41.4
Less Than H.S.	255	323,859	89	40.4	32.4-48.4	166	59.6	51.6-67.6
H.S. or G.E.D.	1069	857,553	555	52.9	49.2-56.6	514	47.1	43.4-50.8
Some Post-H.S.	805	729,639	515	65.1	60.8-69.4	290	34.9	30.6-39.2
College Graduate	1057	556,876	831	78.2	75.1-81.3	226	21.8	18.7-24.9
Less than \$15,000	201	172,133	82	45.7	36.5-54.9	119	54.3	45.1-63.5
\$15,000- 24,999	379	252,142	150	37.3	31.0-43.6	229	62.7	56.4-69.0
\$25,000- 34,999	298	218,512	141	42.7	35.4-50.0	157	57.3	50.0-64.6
\$35,000- 49,999	401	318,594	234	54.0	47.5-60.5	167	46.0	39.5-52.5
\$50,000- 74,999	491	402,237	336	65.9	60.4-71.4	155	34.1	28.6-39.6
\$75,000+	869	706,331	686	76.4	72.9-79.9	183	23.6	20.1-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4315	2,612,943	2959	67.9	65.9-69.9	1356	32.1	30.1-34.1
White/Non-Hisp	3608	2,119,194	2530	68.8	66.8-70.8	1078	31.2	29.2-33.2
Black or Afr. Am./Non-Hisp	355	235,440	218	60.3	53.8-66.8	137	39.7	33.2-46.2
Oth. Race/Non-Hisp.	95	58,092	58	70.6	55.3-85.9	37	29.4	14.1-44.7
MultiRacial/Non-Hisp.	64	19,499	28	53.7	37.0-70.4	36	46.3	29.6-63.0
Hispanic	129	148,083	82	69.4	60.2-78.6	47	30.6	21.4-39.8
18-24	181	327,565	121	69.8	62.5-77.1	60	30.2	22.9-37.5
25-34	316	423,220	205	64.7	58.8-70.6	111	35.3	29.4-41.2
35-44	401	410,372	287	71.0	65.9-76.1	114	29.0	23.9-34.1
45-54	645	419,289	463	70.2	66.1-74.3	182	29.8	25.7-33.9
55-64	906	443,202	624	66.4	62.7-70.1	282	33.6	29.9-37.3
65+	1866	589,296	1259	66.7	64.2-69.2	607	33.3	30.8-35.8
Less Than H.S.	334	300,062	137	51.7	44.6-58.8	197	48.3	41.2-55.4
H.S. or G.E.D.	1461	840,747	865	61.1	57.8-64.4	596	38.9	35.6-42.2
Some Post-H.S.	1142	843,476	792	69.4	65.9-72.9	350	30.6	27.1-34.1
College Graduate	1364	618,155	1154	82.8	80.1-85.5	210	17.2	14.5-19.9
Less than \$15,000	316	184,329	120	43.1	35.7-50.5	196	56.9	49.5-64.3
\$15,000- 24,999	645	395,446	340	56.8	51.5-62.1	305	43.2	37.9-48.5
\$25,000- 34,999	419	250,943	264	60.6	53.9-67.3	155	39.4	32.7-46.1
\$35,000- 49,999	506	314,014	364	67.9	62.2-73.6	142	32.1	26.4-37.8
\$50,000- 74,999	520	342,396	395	70.8	65.5-76.1	125	29.2	23.9-34.5
\$75,000+	851	587,564	744	86.5	83.6-89.4	107	13.5	10.6-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	89
41	MALES ONLY	90
42	FEMALES ONLY	91
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	92
44	MALES ONLY	93
45	FEMALES ONLY	94
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	95
47	MALES ONLY	96
48	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7464	5,029,180	6516	85.6	84.4-86.8	612	9.3	8.5-10.1	95	0.8	0.6- 1.0	71	2.2	1.6- 2.8	11	0.1	0.1- 0.1	159	2.1	1.7- 2.5
Male	3167	2,445,912	2741	84.8	83.0-86.6	242	9.1	7.7-10.5	48	1.0	0.6- 1.4	42	2.5	1.5- 3.5	8	0.1	0.0- 0.3	86	2.3	1.5- 3.1
Female	4297	2,583,268	3775	86.3	84.7-87.9	370	9.4	8.2-10.6	47	0.6	0.4- 0.8	29	1.8	1.0- 2.6	3	0.0	0.0- 0.0	73	1.9	1.3- 2.5
18-24	360	664,706	279	80.2	75.7-84.7	36	9.2	6.1-12.3	7	0.7	0.0- 1.5	15	5.6	2.7- 8.5	3	0.3	0.0- 0.7	20	4.0	2.0- 6.0
25-34	622	835,022	492	81.2	77.9-84.5	79	11.4	8.9-13.9	12	1.2	0.4- 2.0	18	2.8	1.2- 4.4	1	0.0	0.0- 0.0	20	3.4	1.6- 5.2
35-44	718	799,528	581	81.2	77.9-84.5	85	11.5	9.0-14.0	8	0.7	0.1- 1.3	15	3.0	1.2- 4.8				29	3.6	2.0- 5.2
45-54	1165	812,225	1019	86.0	83.5-88.5	94	9.6	7.4-11.8	24	1.5	0.7- 2.3	10	2.0	0.6- 3.4	1	0.0	0.0- 0.0	17	1.0	0.4- 1.6
55-64	1590	859,803	1402	89.2	87.4-91.0	141	9.0	7.4-10.6	21	0.7	0.3- 1.1	4	0.3	0.0- 0.7	2	0.1	0.0- 0.3	20	0.7	0.3- 1.1
65+	3009	1,057,896	2743	92.4	91.2-93.6	177	5.9	4.7- 7.1	23	0.3	0.1- 0.5	9	0.6	0.2- 1.0	4	0.1	0.1- 0.1	53	0.8	0.6- 1.0
Less Than H.S.	579	600,397	461	80.1	75.8-84.4	56	7.6	5.1-10.1	24	3.0	1.4- 4.6	6	1.7	0.1- 3.3				32	7.5	4.6-10.4
H.S. or G.E.D.	2542	1,693,914	2224	86.1	84.3-87.9	221	10.2	8.6-11.8	30	0.7	0.3- 1.1	13	1.4	0.4- 2.4	3	0.1	0.1- 0.1	51	1.5	0.9- 2.1
Some Post-H.S.	1926	1,555,187	1652	84.8	82.6-87.0	190	11.0	9.2-12.8	21	0.4	0.2- 0.6	16	2.1	0.9- 3.3	3	0.0	0.0- 0.0	44	1.7	0.9- 2.5
College Graduate	2396	1,165,112	2161	88.7	86.9-90.5	143	6.4	5.2- 7.6	20	0.4	0.2- 0.6	35	3.5	2.1- 4.9	5	0.2	0.0- 0.4	32	0.8	0.2- 1.4
Less than \$15,000	521	355,391	391	69.7	64.0-75.4	100	23.0	18.1-27.9	7	0.9	0.0- 1.9	7	3.7	0.4- 7.0	2	0.2	0.0- 0.6	14	2.6	0.4- 4.8
\$15,000- 24,999	1018	636,443	829	79.2	75.7-82.7	130	13.9	11.2-16.6	21	1.1	0.3- 1.9	7	2.1	0.3- 3.9	1	0.0	0.0- 0.0	30	3.6	1.6- 5.6
\$25,000- 34,999	718	465,505	609	82.5	78.4-86.6	76	10.4	7.5-13.3	15	2.4	0.8- 4.0	5	2.2	0.0- 4.6	3	0.3	0.0- 0.7	10	2.3	0.5- 4.1
\$35,000- 49,999	901	629,394	819	89.3	86.4-92.2	51	6.9	4.4- 9.4	7	0.9	0.1- 1.7	3	0.8	0.0- 2.0	1	0.1	0.0- 0.3	20	2.0	0.6- 3.4
\$50,000- 74,999	1009	741,545	895	86.6	83.7-89.5	73	8.5	6.1-10.9	12	0.7	0.1- 1.3	9	1.9	0.5- 3.3	1	0.0	0.0- 0.0	19	2.1	0.7- 3.5
\$75,000+	1700	1,270,414	1578	92.7	90.9-94.5	64	4.1	2.9- 5.3	14	0.2	0.0- 0.4	23	2.4	1.2- 3.6	2	0.0	0.0- 0.0	19	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3167	2,445,912	2741	84.8	83.0-86.6	242	9.1	7.7-10.5	48	1.0	0.6- 1.4	42	2.5	1.5- 3.5	8	0.1	0.0- 0.3	86	2.3	1.5- 3.1
18-24	178	340,382	135	79.7	73.0-86.4	17	9.9	5.0-14.8	6	1.2	0.0- 2.6	7	4.7	0.8- 8.6	3	0.7	0.0- 1.5	10	3.8	1.1- 6.5
25-34	311	420,097	248	81.9	77.2-86.6	33	9.4	6.1-12.7	6	1.0	0.0- 2.0	16	4.9	2.0- 7.8				8	2.7	0.5- 4.9
35-44	323	394,841	254	78.3	73.0-83.6	34	11.0	7.1-14.9	7	1.4	0.0- 2.8	10	4.4	1.5- 7.3				18	4.9	2.4- 7.4
45-54	528	400,268	458	85.6	81.9-89.3	40	10.1	6.8-13.4	13	1.7	0.3- 3.1	5	1.3	0.1- 2.5	1	0.1	0.0- 0.3	11	1.3	0.5- 2.1
55-64	689	421,933	608	88.7	86.0-91.4	55	8.6	6.2-11.0	10	1.0	0.0- 2.0	3	0.5	0.0- 1.1				13	1.2	0.4- 2.0
65+	1138	468,392	1038	92.4	90.4-94.4	63	6.5	4.5- 8.5	6	0.1	0.0- 0.3	1	0.1	0.0- 0.3	4	0.1	0.0- 0.3	26	0.8	0.4- 1.2
Less Than H.S.	250	310,153	189	76.9	70.4-83.4	25	8.2	4.3-12.1	12	4.1	1.4- 6.8	4	2.5	0.0- 5.4				20	8.3	4.2-12.4
H.S. or G.E.D.	1066	851,441	922	85.8	83.1-88.5	94	10.1	7.7-12.5	18	0.9	0.3- 1.5	4	1.3	0.0- 2.7	2	0.1	0.0- 0.3	26	1.9	0.9- 2.9
Some Post-H.S.	798	723,047	679	83.9	80.4-87.4	75	11.7	8.8-14.6	10	0.4	0.0- 0.8	9	2.3	0.5- 4.1	2	0.1	0.0- 0.3	23	1.7	0.7- 2.7
College Graduate	1043	554,456	943	89.2	86.7-91.7	47	4.9	3.3- 6.5	8	0.4	0.0- 0.8	24	4.6	2.6- 6.6	4	0.4	0.0- 0.8	17	0.6	0.2- 1.0
Less than \$15,000	203	172,487	143	65.8	56.8-74.8	42	24.7	16.9-32.5	6	1.6	0.0- 3.6	4	5.7	0.0-12.0	2	0.5	0.0- 1.3	6	1.7	0.0- 3.5
\$15,000- 24,999	378	251,547	300	76.2	70.5-81.9	47	15.3	10.6-20.0	10	1.6	0.4- 2.8	3	2.0	0.0- 4.5				18	5.0	1.9- 8.1
\$25,000- 34,999	300	216,246	255	81.4	74.9-87.9	25	7.5	3.8-11.2	9	3.2	0.5- 5.9	2	2.8	0.0- 6.9	2	0.5	0.0- 1.3	7	4.6	0.7- 8.5
\$35,000- 49,999	397	316,960	367	90.9	86.4-95.4	12	4.9	1.4- 8.4	6	1.5	0.0- 3.1	3	1.6	0.0- 3.8				9	1.2	0.2- 2.2
\$50,000- 74,999	490	399,858	426	84.4	79.9-88.9	39	9.6	6.1-13.1	6	1.0	0.0- 2.2	7	2.9	0.5- 5.3	1	0.1	0.0- 0.3	11	2.0	0.2- 3.8
\$75,000+	857	692,966	792	93.1	90.9-95.3	28	3.7	2.1- 5.3	8	0.2	0.0- 0.4	14	2.2	0.8- 3.6	2	0.1	0.1- 0.1	13	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4297	2,583,268	3775	86.3	84.7-87.9	370	9.4	8.2-10.6	47	0.6	0.4-0.8	29	1.8	1.0-2.6	3	0.0	0.0-0.0	73	1.9	1.3-2.5
18-24	182	324,325	144	80.6	74.3-86.9	19	8.4	4.3-12.5	1	0.2	0.0-0.6	8	6.5	2.0-11.0				10	4.3	1.4-7.2
25-34	311	414,925	244	80.5	75.8-85.2	46	13.4	9.5-17.3	6	1.3	0.1-2.5	2	0.6	0.0-1.6	1	0.1	0.0-0.3	12	4.2	1.5-6.9
35-44	395	404,687	327	84.0	79.9-88.1	51	12.0	8.5-15.5	1	0.0	0.0-0.0	5	1.6	0.0-3.2				11	2.3	0.3-4.3
45-54	637	411,956	561	86.4	82.9-89.9	54	9.0	6.3-11.7	11	1.3	0.3-2.3	5	2.6	0.1-5.1				6	0.7	0.1-1.3
55-64	901	437,870	794	89.6	87.2-92.0	86	9.4	7.2-11.6	11	0.4	0.0-0.8	1	0.1	0.0-0.3	2	0.2	0.0-0.4	7	0.3	0.1-0.5
65+	1871	589,504	1705	92.4	90.8-94.0	114	5.5	4.3-6.7	17	0.4	0.2-0.6	8	0.9	0.1-1.7				27	0.8	0.4-1.2
Less Than H.S.	329	290,244	272	83.6	78.1-89.1	31	7.0	3.9-10.1	12	1.9	0.1-3.7	2	0.8	0.0-2.2				12	6.7	2.2-11.2
H.S. or G.E.D.	1476	842,474	1302	86.4	83.9-88.9	127	10.3	8.1-12.5	12	0.6	0.0-1.2	9	1.5	0.3-2.7	1	0.1	0.0-0.3	25	1.1	0.5-1.7
Some Post-H.S.	1128	832,141	973	85.5	82.8-88.2	115	10.4	8.0-12.8	11	0.4	0.2-0.6	7	1.9	0.3-3.5	1	0.0	0.0-0.0	21	1.7	0.7-2.7
College Graduate	1353	610,656	1218	88.3	85.8-90.8	96	7.7	5.9-9.5	12	0.3	0.1-0.5	11	2.5	0.9-4.1	1	0.1	0.0-0.3	15	1.0	0.0-2.0
Less than \$15,000	318	182,905	248	73.3	66.4-80.2	58	21.3	15.2-27.4	1	0.1	0.0-0.3	3	1.7	0.0-3.9				8	3.5	0.0-7.4
\$15,000- 24,999	640	384,897	529	81.1	76.6-85.6	83	13.1	9.8-16.4	11	0.9	0.1-1.7	4	2.2	0.0-4.6	1	0.1	0.0-0.3	12	2.7	0.3-5.1
\$25,000- 34,999	418	249,259	354	83.3	78.2-88.4	51	12.9	8.6-17.2	6	1.6	0.0-3.4	3	1.6	0.0-4.3	1	0.1	0.0-0.3	3	0.3	0.0-0.7
\$35,000- 49,999	504	312,435	452	87.7	83.6-91.8	39	9.1	5.8-12.4	1	0.2	0.0-0.6				1	0.2	0.0-0.6	11	2.9	0.4-5.4
\$50,000- 74,999	519	341,687	469	89.3	85.6-93.0	34	7.3	4.4-10.2	6	0.4	0.0-0.8	2	0.8	0.0-2.2				8	2.2	0.0-4.4
\$75,000+	843	577,448	786	92.3	89.6-95.0	36	4.4	2.4-6.4	6	0.3	0.1-0.5	9	2.6	0.6-4.6				6	0.4	0.0-0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7464	5,029,180	6431	85.0	83.8-86.2	596	9.1	8.3- 9.9	80	0.6	0.4- 0.8	68	2.1	1.5- 2.7	10	0.1	0.1- 0.1	279	3.0	2.4- 3.6
Male	3167	2,445,912	2697	84.1	82.3-85.9	234	9.0	7.6-10.4	38	0.8	0.4- 1.2	39	2.4	1.4- 3.4	7	0.1	0.0- 0.3	152	3.6	2.8- 4.4
Female	4297	2,583,268	3734	85.9	84.3-87.5	362	9.3	8.1-10.5	42	0.5	0.3- 0.7	29	1.8	1.0- 2.6	3	0.0	0.0- 0.0	127	2.5	1.7- 3.3
18-24	360	664,706	271	79.3	74.8-83.8	34	9.0	5.9-12.1	5	0.6	0.0- 1.4	13	5.1	2.2- 8.0	3	0.3	0.0- 0.7	34	5.7	3.3- 8.1
25-34	622	835,022	482	80.4	77.1-83.7	78	11.3	8.8-13.8	7	0.8	0.0- 1.6	17	2.7	1.1- 4.3	1	0.0	0.0- 0.0	37	4.7	2.7- 6.7
35-44	718	799,528	573	80.8	77.5-84.1	83	11.3	8.8-13.8	5	0.4	0.0- 0.8	15	3.0	1.2- 4.8				42	4.5	2.7- 6.3
45-54	1165	812,225	1005	85.5	83.0-88.0	90	9.3	7.1-11.5	21	1.3	0.5- 2.1	10	2.0	0.6- 3.4	1	0.0	0.0- 0.0	38	1.9	1.1- 2.7
55-64	1590	859,803	1384	88.7	86.9-90.5	136	8.9	7.3-10.5	20	0.7	0.3- 1.1	4	0.3	0.0- 0.7	2	0.1	0.0- 0.3	44	1.4	1.0- 1.8
65+	3009	1,057,896	2716	92.1	90.9-93.3	175	5.9	4.7- 7.1	22	0.2	0.0- 0.4	9	0.6	0.2- 1.0	3	0.0	0.0- 0.0	84	1.2	0.8- 1.6
Less Than H.S.	579	600,397	455	79.5	75.2-83.8	56	7.6	5.1-10.1	24	3.0	1.4- 4.6	5	1.6	0.0- 3.2				39	8.3	5.2-11.4
H.S. or G.E.D.	2542	1,693,914	2183	85.3	83.3-87.3	214	10.0	8.4-11.6	23	0.4	0.2- 0.6	13	1.4	0.4- 2.4	2	0.1	0.1- 0.1	107	2.8	2.0- 3.6
Some Post-H.S.	1926	1,555,187	1628	84.3	82.1-86.5	182	10.8	9.0-12.6	18	0.3	0.1- 0.5	14	1.9	0.7- 3.1	3	0.0	0.0- 0.0	81	2.7	1.9- 3.5
College Graduate	2396	1,165,112	2147	88.6	86.8-90.4	142	6.4	5.2- 7.6	15	0.2	0.0- 0.4	35	3.5	2.1- 4.9	5	0.2	0.0- 0.4	52	1.2	0.6- 1.8
Less than \$15,000	521	355,391	377	68.7	63.0-74.4	98	22.7	17.8-27.6	6	0.8	0.0- 1.8	6	3.4	0.1- 6.7	2	0.2	0.0- 0.6	32	4.1	1.7- 6.5
\$15,000- 24,999	1018	636,443	817	78.6	75.1-82.1	125	13.7	11.0-16.4	18	0.9	0.3- 1.5	7	2.1	0.3- 3.9	1	0.0	0.0- 0.0	50	4.6	2.6- 6.6
\$25,000- 34,999	718	465,505	594	81.5	77.4-85.6	72	10.0	7.3-12.7	13	2.2	0.6- 3.8	5	2.2	0.0- 4.6	2	0.3	0.0- 0.7	32	3.8	1.8- 5.8
\$35,000- 49,999	901	629,394	810	88.8	85.7-91.9	51	6.9	4.4- 9.4	5	0.7	0.0- 1.5	3	0.8	0.0- 2.0	1	0.1	0.0- 0.3	31	2.7	1.3- 4.1
\$50,000- 74,999	1009	741,545	885	85.8	82.9-88.7	72	8.4	6.0-10.8	9	0.4	0.0- 0.8	9	1.9	0.5- 3.3	1	0.0	0.0- 0.0	33	3.4	1.8- 5.0
\$75,000+	1700	1,270,414	1565	92.5	90.7-94.3	63	4.0	2.8- 5.2	13	0.2	0.0- 0.4	23	2.4	1.2- 3.6	2	0.0	0.0- 0.0	34	0.9	0.5- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3167	2,445,912	2697	84.1	82.3-85.9	234	9.0	7.6-10.4	38	0.8	0.4- 1.2	39	2.4	1.4- 3.4	7	0.1	0.0- 0.3	152	3.6	2.8- 4.4
18-24	178	340,382	130	78.7	72.0-85.4	17	9.9	5.0-14.8	5	1.1	0.0- 2.5	5	3.8	0.1- 7.5	3	0.7	0.0- 1.5	18	5.9	2.8- 9.0
25-34	311	420,097	241	80.8	76.1-85.5	32	9.1	6.0-12.2	3	0.7	0.0- 1.5	15	4.8	1.9- 7.7				20	4.6	2.1- 7.1
35-44	323	394,841	250	77.9	72.6-83.2	33	10.8	6.9-14.7	4	0.8	0.0- 1.6	10	4.4	1.5- 7.3				26	6.2	3.3- 9.1
45-54	528	400,268	449	84.9	81.2-88.6	37	9.6	6.3-12.9	11	1.5	0.1- 2.9	5	1.3	0.1- 2.5	1	0.1	0.0- 0.3	25	2.6	1.4- 3.8
55-64	689	421,933	603	88.4	85.7-91.1	53	8.5	6.1-10.9	9	0.9	0.0- 1.9	3	0.5	0.0- 1.1				21	1.7	0.9- 2.5
65+	1138	468,392	1024	91.9	89.9-93.9	62	6.4	4.4- 8.4	6	0.1	0.0- 0.3	1	0.1	0.0- 0.3	3	0.1	0.0- 0.3	42	1.3	0.7- 1.9
Less Than H.S.	250	310,153	185	76.2	69.7-82.7	25	8.2	4.3-12.1	12	4.1	1.4- 6.8	3	2.3	0.0- 5.2				25	9.2	5.1-13.3
H.S. or G.E.D.	1066	851,441	895	84.5	81.8-87.2	89	9.9	7.5-12.3	13	0.4	0.0- 0.8	4	1.3	0.0- 2.7	1	0.1	0.0- 0.3	64	3.9	2.5- 5.3
Some Post-H.S.	798	723,047	669	83.4	79.9-86.9	72	11.3	8.4-14.2	9	0.4	0.0- 0.8	7	1.8	0.2- 3.4	2	0.1	0.0- 0.3	39	2.9	1.5- 4.3
College Graduate	1043	554,456	940	89.1	86.6-91.6	47	4.9	3.3- 6.5	4	0.2	0.0- 0.4	24	4.6	2.6- 6.6	4	0.4	0.0- 0.8	24	0.9	0.5- 1.3
Less than \$15,000	203	172,487	137	64.4	55.4-73.4	41	24.5	16.7-32.3	5	1.5	0.0- 3.5	3	5.3	0.0-11.6	2	0.5	0.0- 1.3	15	3.8	1.3- 6.3
\$15,000- 24,999	378	251,547	290	75.0	69.3-80.7	46	15.2	10.5-19.9	8	1.3	0.1- 2.5	3	2.0	0.0- 4.5				31	6.5	3.2- 9.8
\$25,000- 34,999	300	216,246	248	80.5	74.0-87.0	22	6.8	3.3-10.3	8	3.0	0.3- 5.7	2	2.8	0.0- 6.9	1	0.4	0.0- 1.2	19	6.5	2.4-10.6
\$35,000- 49,999	397	316,960	364	90.6	86.1-95.1	12	4.9	1.4- 8.4	4	1.1	0.0- 2.7	3	1.6	0.0- 3.8				14	1.8	0.4- 3.2
\$50,000- 74,999	490	399,858	418	83.1	78.6-87.6	38	9.3	5.8-12.8	3	0.4	0.0- 1.0	7	2.9	0.5- 5.3	1	0.1	0.0- 0.3	23	4.2	1.8- 6.6
\$75,000+	857	692,966	788	92.9	90.7-95.1	28	3.7	2.1- 5.3	7	0.1	0.1- 0.1	14	2.2	0.8- 3.6	2	0.1	0.1- 0.1	18	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4297	2,583,268	3734	85.9	84.3-87.5	362	9.3	8.1-10.5	42	0.5	0.3-0.7	29	1.8	1.0-2.6	3	0.0	0.0-0.0	127	2.5	1.7-3.3
18-24	182	324,325	141	79.8	73.5-86.1	17	8.1	4.0-12.2				8	6.5	2.0-11.0				16	5.6	2.5-8.7
25-34	311	414,925	241	80.1	75.4-84.8	46	13.4	9.5-17.3	4	1.0	0.0-2.2	2	0.6	0.0-1.6	1	0.1	0.0-0.3	17	4.8	1.9-7.7
35-44	395	404,687	323	83.7	79.6-87.8	50	11.9	8.4-15.4	1	0.0	0.0-0.0	5	1.6	0.0-3.2				16	2.8	0.8-4.8
45-54	637	411,956	556	86.1	82.6-89.6	53	9.0	6.3-11.7	10	1.1	0.1-2.1	5	2.6	0.1-5.1				13	1.1	0.3-1.9
55-64	901	437,870	781	89.0	86.6-91.4	83	9.3	7.1-11.5	11	0.4	0.0-0.8	1	0.1	0.0-0.3	2	0.2	0.0-0.4	23	1.0	0.4-1.6
65+	1871	589,504	1692	92.2	90.6-93.8	113	5.5	4.3-6.7	16	0.3	0.1-0.5	8	0.9	0.1-1.7				42	1.1	0.7-1.5
Less Than H.S.	329	290,244	270	83.1	77.6-88.6	31	7.0	3.9-10.1	12	1.9	0.1-3.7	2	0.8	0.0-2.2				14	7.2	2.7-11.7
H.S. or G.E.D.	1476	842,474	1288	86.0	83.5-88.5	125	10.2	8.0-12.4	10	0.4	0.0-0.8	9	1.5	0.3-2.7	1	0.1	0.0-0.3	43	1.8	1.0-2.6
Some Post-H.S.	1128	832,141	959	85.0	82.3-87.7	110	10.3	8.1-12.5	9	0.3	0.1-0.5	7	1.9	0.3-3.5	1	0.0	0.0-0.0	42	2.5	1.5-3.5
College Graduate	1353	610,656	1207	88.1	85.6-90.6	95	7.7	5.9-9.5	11	0.3	0.1-0.5	11	2.5	0.9-4.1	1	0.1	0.0-0.3	28	1.4	0.4-2.4
Less than \$15,000	318	182,905	240	72.8	65.9-79.7	57	21.0	14.9-27.1	1	0.1	0.0-0.3	3	1.7	0.0-3.9				17	4.4	0.5-8.3
\$15,000- 24,999	640	384,897	527	81.0	76.5-85.5	79	12.8	9.5-16.1	10	0.7	0.0-1.5	4	2.2	0.0-4.6	1	0.1	0.0-0.3	19	3.3	0.9-5.7
\$25,000- 34,999	418	249,259	346	82.4	77.1-87.7	50	12.8	8.5-17.1	5	1.5	0.0-3.3	3	1.6	0.0-4.3	1	0.1	0.0-0.3	13	1.5	0.3-2.7
\$35,000- 49,999	504	312,435	446	86.9	82.8-91.0	39	9.1	5.8-12.4	1	0.2	0.0-0.6				1	0.2	0.0-0.6	17	3.6	1.1-6.1
\$50,000- 74,999	519	341,687	467	89.0	85.3-92.7	34	7.3	4.4-10.2	6	0.4	0.0-0.8	2	0.8	0.0-2.2				10	2.6	0.4-4.8
\$75,000+	843	577,448	777	92.0	89.3-94.7	35	4.4	2.4-6.4	6	0.3	0.1-0.5	9	2.6	0.6-4.6				16	0.7	0.3-1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7462	5,054,184	6282	81.7	80.5-82.9	583	8.9	8.1- 9.7	68	0.3	0.1- 0.5	65	2.0	1.4- 2.6	203	1.2	1.0- 1.4	261	5.9	5.1- 6.7
Male	3162	2,453,406	2631	81.3	79.5-83.1	227	8.7	7.3-10.1	30	0.3	0.1- 0.5	37	2.3	1.3- 3.3	106	1.4	1.0- 1.8	131	6.0	4.8- 7.2
Female	4300	2,600,777	3651	82.1	80.3-83.9	356	9.1	7.9-10.3	38	0.3	0.1- 0.5	28	1.7	0.9- 2.5	97	1.1	0.7- 1.5	130	5.8	4.6- 7.0
18-24	366	680,238	254	72.7	67.6-77.8	32	8.3	5.2-11.4	4	0.2	0.0- 0.4	12	4.7	2.0- 7.4	20	2.0	1.0- 3.0	44	12.1	8.4-15.8
25-34	622	837,569	451	75.5	71.8-79.2	75	10.9	8.4-13.4	4	0.2	0.0- 0.4	15	2.5	0.9- 4.1	23	1.7	0.9- 2.5	54	9.3	6.8-11.8
35-44	724	807,479	542	75.5	71.8-79.2	79	10.9	8.4-13.4	2	0.0	0.0- 0.0	15	2.9	1.1- 4.7	21	1.0	0.6- 1.4	65	9.6	6.9-12.3
45-54	1168	814,913	985	83.1	80.4-85.8	88	9.1	6.9-11.3	14	0.5	0.1- 0.9	10	2.0	0.6- 3.4	26	1.0	0.6- 1.4	45	4.3	2.9- 5.7
55-64	1587	860,235	1359	87.4	85.4-89.4	136	8.9	7.3-10.5	21	0.7	0.3- 1.1	4	0.3	0.0- 0.7	38	1.0	0.6- 1.4	29	1.7	0.9- 2.5
65+	2995	1,053,750	2691	91.4	90.0-92.8	173	5.9	4.7- 7.1	23	0.2	0.0- 0.4	9	0.6	0.2- 1.0	75	1.0	0.8- 1.2	24	1.0	0.6- 1.4
Less Than H.S.	588	617,705	426	70.4	65.5-75.3	56	7.4	4.9- 9.9	16	1.0	0.2- 1.8	4	1.4	0.0- 3.0	13	1.1	0.3- 1.9	73	18.7	14.4-23.0
H.S. or G.E.D.	2535	1,695,155	2132	82.6	80.6-84.6	208	9.7	8.1-11.3	21	0.3	0.1- 0.5	12	1.3	0.5- 2.1	82	1.5	1.1- 1.9	80	4.8	3.6- 6.0
Some Post-H.S.	1927	1,560,496	1594	81.5	79.1-83.9	179	10.6	8.8-12.4	17	0.2	0.0- 0.4	14	1.9	0.7- 3.1	65	1.5	1.1- 1.9	58	4.3	2.9- 5.7
College Graduate	2391	1,165,525	2114	86.9	84.9-88.9	138	6.2	5.0- 7.4	14	0.2	0.0- 0.4	34	3.4	2.0- 4.8	43	0.6	0.4- 0.8	48	2.8	1.8- 3.8
Less than \$15,000	522	358,933	361	64.4	58.7-70.1	97	22.3	17.4-27.2	7	0.8	0.0- 1.8	6	3.4	0.3- 6.5	24	1.8	0.8- 2.8	27	7.3	4.0-10.6
\$15,000- 24,999	1020	643,362	790	71.9	67.8-76.0	121	13.0	10.3-15.7	16	0.5	0.1- 0.9	7	2.1	0.3- 3.9	36	1.7	1.1- 2.3	50	10.7	7.4-14.0
\$25,000- 34,999	719	467,530	581	79.0	74.7-83.3	72	10.0	7.3-12.7	8	0.4	0.0- 0.8	5	2.2	0.0- 4.6	25	1.5	0.7- 2.3	28	7.0	4.3- 9.7
\$35,000- 49,999	900	627,907	790	85.3	82.0-88.6	51	7.0	4.5- 9.5	3	0.2	0.0- 0.4	3	0.8	0.0- 2.0	24	1.3	0.7- 1.9	29	5.5	3.1- 7.9
\$50,000- 74,999	1009	742,054	875	84.9	81.8-88.0	71	8.3	5.9-10.7	5	0.1	0.0- 0.3	8	1.7	0.3- 3.1	22	1.2	0.6- 1.8	28	3.8	2.0- 5.6
\$75,000+	1701	1,278,261	1534	89.6	87.4-91.8	60	3.7	2.5- 4.9	14	0.2	0.0- 0.4	23	2.4	1.2- 3.6	29	0.5	0.3- 0.7	41	3.6	2.2- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3162	2,453,406	2631	81.3	79.5-83.1	227	8.7	7.3-10.1	30	0.3	0.1- 0.5	37	2.3	1.3- 3.3	106	1.4	1.0- 1.8	131	6.0	4.8- 7.2
18-24	181	348,373	125	73.2	65.9-80.5	15	8.7	4.0-13.4	4	0.4	0.0- 0.8	5	3.7	0.2- 7.2	10	1.8	0.6- 3.0	22	12.2	6.9-17.5
25-34	309	419,110	226	76.7	71.6-81.8	30	8.8	5.7-11.9	1	0.0	0.0- 0.0	13	4.4	1.7- 7.1	13	1.8	0.8- 2.8	26	8.3	5.0-11.6
35-44	324	396,630	235	73.4	67.9-78.9	30	10.3	6.4-14.2	1	0.1	0.0- 0.3	10	4.3	1.4- 7.2	11	1.2	0.4- 2.0	37	10.8	7.1-14.5
45-54	530	401,679	439	82.5	78.6-86.4	37	9.6	6.3-12.9	7	0.4	0.0- 1.0	5	1.3	0.1- 2.5	17	1.4	0.6- 2.2	25	4.8	2.6- 7.0
55-64	686	420,994	592	87.6	84.9-90.3	53	8.5	6.1-10.9	9	1.0	0.0- 2.0	3	0.5	0.0- 1.1	15	0.9	0.3- 1.5	14	1.5	0.7- 2.3
65+	1132	466,620	1014	91.4	89.2-93.6	62	6.5	4.5- 8.5	8	0.2	0.0- 0.4	1	0.1	0.0- 0.3	40	1.3	0.7- 1.9	7	0.6	0.0- 1.2
Less Than H.S.	253	316,835	173	70.2	63.3-77.1	25	8.0	4.3-11.7	6	1.1	0.0- 2.3	2	1.9	0.0- 4.6	10	1.6	0.4- 2.8	37	17.1	11.4-22.8
H.S. or G.E.D.	1064	853,092	874	81.8	78.9-84.7	84	9.2	7.0-11.4	12	0.3	0.1- 0.5	4	1.3	0.0- 2.7	48	1.9	1.3- 2.5	42	5.5	3.5- 7.5
Some Post-H.S.	798	724,193	653	80.6	76.9-84.3	70	11.1	8.2-14.0	8	0.2	0.0- 0.4	7	1.8	0.2- 3.4	30	1.4	0.8- 2.0	30	4.8	2.6- 7.0
College Graduate	1038	552,389	925	88.1	85.4-90.8	47	4.9	3.3- 6.5	4	0.1	0.0- 0.3	23	4.5	2.5- 6.5	18	0.5	0.1- 0.9	21	1.9	0.9- 2.9
Less than \$15,000	203	174,544	131	60.7	51.7-69.7	41	24.2	16.6-31.8	6	1.6	0.0- 3.6	3	5.2	0.0-11.3	12	2.3	0.5- 4.1	10	6.0	1.7-10.3
\$15,000- 24,999	380	252,439	281	70.2	64.1-76.3	43	14.3	9.6-19.0	7	0.9	0.1- 1.7	3	2.0	0.0- 4.5	22	2.5	1.3- 3.7	24	10.1	5.8-14.4
\$25,000- 34,999	301	218,929	242	77.3	70.6-84.0	22	6.7	3.2-10.2	4	0.4	0.0- 1.0	2	2.8	0.0- 6.9	12	1.5	0.3- 2.7	19	11.3	6.2-16.4
\$35,000- 49,999	396	314,661	352	86.6	81.3-91.9	12	4.9	1.2- 8.6	2	0.1	0.0- 0.3	3	1.6	0.0- 3.8	12	1.3	0.3- 2.3	15	5.6	2.1- 9.1
\$50,000- 74,999	490	400,367	412	82.0	77.5-86.5	38	9.3	5.8-12.8	1	0.0	0.0- 0.0	7	2.9	0.5- 5.3	14	1.3	0.5- 2.1	18	4.5	2.1- 6.9
\$75,000+	857	694,151	775	90.8	88.3-93.3	27	3.3	1.9- 4.7	8	0.1	0.0- 0.3	14	2.2	0.8- 3.6	16	0.6	0.2- 1.0	17	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4300	2,600,777	3651	82.1	80.3-83.9	356	9.1	7.9-10.3	38	0.3	0.1- 0.5	28	1.7	0.9- 2.5	97	1.1	0.7- 1.5	130	5.8	4.6- 7.0
18-24	185	331,864	129	72.2	65.1-79.3	17	7.9	4.0-11.8				7	5.6	1.5- 9.7	10	2.1	0.7- 3.5	22	12.1	6.8-17.4
25-34	313	418,459	225	74.3	69.0-79.6	45	13.0	9.1-16.9	3	0.3	0.1- 0.5	2	0.6	0.0- 1.6	10	1.6	0.4- 2.8	28	10.2	6.3-14.1
35-44	400	410,849	307	77.6	72.7-82.5	49	11.4	8.1-14.7	1	0.0	0.0- 0.0	5	1.6	0.0- 3.2	10	0.8	0.2- 1.4	28	8.5	4.6-12.4
45-54	638	413,235	546	83.7	79.8-87.6	51	8.7	6.2-11.2	7	0.6	0.0- 1.2	5	2.6	0.1- 5.1	9	0.6	0.0- 1.2	20	3.8	1.8- 5.8
55-64	901	439,240	767	87.2	84.7-89.7	83	9.2	7.0-11.4	12	0.5	0.1- 0.9	1	0.1	0.0- 0.3	23	1.0	0.4- 1.6	15	2.0	0.8- 3.2
65+	1863	587,130	1677	91.4	89.8-93.0	111	5.4	4.2- 6.6	15	0.2	0.0- 0.4	8	0.9	0.1- 1.7	35	0.7	0.3- 1.1	17	1.3	0.5- 2.1
Less Than H.S.	335	300,870	253	70.7	63.8-77.6	31	6.8	3.7- 9.9	10	0.8	0.0- 1.6	2	0.8	0.0- 2.0	3	0.6	0.0- 1.4	36	20.3	13.6-27.0
H.S. or G.E.D.	1471	842,064	1258	83.4	80.7-86.1	124	10.1	7.9-12.3	9	0.2	0.0- 0.4	8	1.3	0.1- 2.5	34	1.0	0.6- 1.4	38	4.0	2.4- 5.6
Some Post-H.S.	1129	836,303	941	82.2	79.1-85.3	109	10.1	7.9-12.3	9	0.2	0.0- 0.4	7	1.9	0.3- 3.5	35	1.6	0.8- 2.4	28	3.9	2.1- 5.7
College Graduate	1353	613,136	1189	85.8	83.1-88.5	91	7.3	5.5- 9.1	10	0.2	0.0- 0.4	11	2.5	0.9- 4.1	25	0.7	0.3- 1.1	27	3.5	1.9- 5.1
Less than \$15,000	319	184,389	230	67.9	60.8-75.0	56	20.4	14.5-26.3	1	0.1	0.0- 0.3	3	1.7	0.0- 3.9	12	1.3	0.3- 2.3	17	8.5	3.4-13.6
\$15,000- 24,999	640	390,923	509	73.0	67.7-78.3	78	12.3	9.0-15.6	9	0.2	0.0- 0.4	4	2.2	0.0- 4.6	14	1.2	0.4- 2.0	26	11.1	6.4-15.8
\$25,000- 34,999	418	248,600	339	80.4	75.1-85.7	50	12.9	8.6-17.2	4	0.3	0.0- 0.7	3	1.6	0.0- 4.3	13	1.5	0.3- 2.7	9	3.3	0.9- 5.7
\$35,000- 49,999	504	313,246	438	84.1	79.6-88.6	39	9.0	5.7-12.3	1	0.2	0.0- 0.6				12	1.3	0.3- 2.3	14	5.4	2.3- 8.5
\$50,000- 74,999	519	341,687	463	88.2	84.5-91.9	33	7.1	4.2-10.0	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	8	1.2	0.2- 2.2	10	3.1	0.7- 5.5
\$75,000+	844	584,110	759	88.2	84.9-91.5	33	4.1	2.3- 5.9	6	0.3	0.1- 0.5	9	2.6	0.6- 4.6	13	0.4	0.2- 0.6	24	4.5	2.1- 6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7462	5,054,184	6282	81.7	80.5-82.9	1180	18.3	17.1-19.5
Male	3162	2,453,406	2631	81.3	79.5-83.1	531	18.7	16.9-20.5
Female	4300	2,600,777	3651	82.1	80.3-83.9	649	17.9	16.1-19.7
18-24	366	680,238	254	72.7	67.6-77.8	112	27.3	22.2-32.4
25-34	622	837,569	451	75.5	71.8-79.2	171	24.5	20.8-28.2
35-44	724	807,479	542	75.5	71.8-79.2	182	24.5	20.8-28.2
45-54	1168	814,913	985	83.1	80.4-85.8	183	16.9	14.2-19.6
55-64	1587	860,235	1359	87.4	85.4-89.4	228	12.6	10.6-14.6
65+	2995	1,053,750	2691	91.4	90.0-92.8	304	8.6	7.2-10.0
Less Than H.S.	588	617,705	426	70.4	65.5-75.3	162	29.6	24.7-34.5
H.S. or G.E.D.	2535	1,695,155	2132	82.6	80.6-84.6	403	17.4	15.4-19.4
Some Post-H.S.	1927	1,560,496	1594	81.5	79.1-83.9	333	18.5	16.1-20.9
College Graduate	2391	1,165,525	2114	86.9	84.9-88.9	277	13.1	11.1-15.1
Less than \$15,000	522	358,933	361	64.4	58.7-70.1	161	35.6	29.9-41.3
\$15,000- 24,999	1020	643,362	790	71.9	67.8-76.0	230	28.1	24.0-32.2
\$25,000- 34,999	719	467,530	581	79.0	74.7-83.3	138	21.0	16.7-25.3
\$35,000- 49,999	900	627,907	790	85.3	82.0-88.6	110	14.7	11.4-18.0
\$50,000- 74,999	1009	742,054	875	84.9	81.8-88.0	134	15.1	12.0-18.2
\$75,000+	1701	1,278,261	1534	89.6	87.4-91.8	167	10.4	8.2-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3162	2,453,406	2631	81.3	79.5-83.1	531	18.7	16.9-20.5
18-24	181	348,373	125	73.2	65.9-80.5	56	26.8	19.5-34.1
25-34	309	419,110	226	76.7	71.6-81.8	83	23.3	18.2-28.4
35-44	324	396,630	235	73.4	67.9-78.9	89	26.6	21.1-32.1
45-54	530	401,679	439	82.5	78.6-86.4	91	17.5	13.6-21.4
55-64	686	420,994	592	87.6	84.9-90.3	94	12.4	9.7-15.1
65+	1132	466,620	1014	91.4	89.2-93.6	118	8.6	6.4-10.8
Less Than H.S.	253	316,835	173	70.2	63.3-77.1	80	29.8	22.9-36.7
H.S. or G.E.D.	1064	853,092	874	81.8	78.9-84.7	190	18.2	15.3-21.1
Some Post-H.S.	798	724,193	653	80.6	76.9-84.3	145	19.4	15.7-23.1
College Graduate	1038	552,389	925	88.1	85.4-90.8	113	11.9	9.2-14.6
Less than \$15,000	203	174,544	131	60.7	51.7-69.7	72	39.3	30.3-48.3
\$15,000- 24,999	380	252,439	281	70.2	64.1-76.3	99	29.8	23.7-35.9
\$25,000- 34,999	301	218,929	242	77.3	70.6-84.0	59	22.7	16.0-29.4
\$35,000- 49,999	396	314,661	352	86.6	81.3-91.9	44	13.4	8.1-18.7
\$50,000- 74,999	490	400,367	412	82.0	77.5-86.5	78	18.0	13.5-22.5
\$75,000+	857	694,151	775	90.8	88.3-93.3	82	9.2	6.7-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4300	2,600,777	3651	82.1	80.3-83.9	649	17.9	16.1-19.7
18-24	185	331,864	129	72.2	65.1-79.3	56	27.8	20.7-34.9
25-34	313	418,459	225	74.3	69.0-79.6	88	25.7	20.4-31.0
35-44	400	410,849	307	77.6	72.7-82.5	93	22.4	17.5-27.3
45-54	638	413,235	546	83.7	79.8-87.6	92	16.3	12.4-20.2
55-64	901	439,240	767	87.2	84.7-89.7	134	12.8	10.3-15.3
65+	1863	587,130	1677	91.4	89.8-93.0	186	8.6	7.0-10.2
Less Than H.S.	335	300,870	253	70.7	63.8-77.6	82	29.3	22.4-36.2
H.S. or G.E.D.	1471	842,064	1258	83.4	80.7-86.1	213	16.6	13.9-19.3
Some Post-H.S.	1129	836,303	941	82.2	79.1-85.3	188	17.8	14.7-20.9
College Graduate	1353	613,136	1189	85.8	83.1-88.5	164	14.2	11.5-16.9
Less than \$15,000	319	184,389	230	67.9	60.8-75.0	89	32.1	25.0-39.2
\$15,000- 24,999	640	390,923	509	73.0	67.7-78.3	131	27.0	21.7-32.3
\$25,000- 34,999	418	248,600	339	80.4	75.1-85.7	79	19.6	14.3-24.9
\$35,000- 49,999	504	313,246	438	84.1	79.6-88.6	66	15.9	11.4-20.4
\$50,000- 74,999	519	341,687	463	88.2	84.5-91.9	56	11.8	8.1-15.5
\$75,000+	844	584,110	759	88.2	84.9-91.5	85	11.8	8.5-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7462	5,054,184	6282	81.7	80.5-82.9	583	8.9	8.1- 9.7	204	2.7	2.1- 3.3	132	0.9	0.7- 1.1	261	5.9	5.1- 6.7
Male	3162	2,453,406	2631	81.3	79.5-83.1	227	8.7	7.3-10.1	105	3.0	2.0- 4.0	68	1.0	0.8- 1.2	131	6.0	4.8- 7.2
Female	4300	2,600,777	3651	82.1	80.3-83.9	356	9.1	7.9-10.3	99	2.3	1.5- 3.1	64	0.7	0.5- 0.9	130	5.8	4.6- 7.0
18-24	366	680,238	254	72.7	67.6-77.8	32	8.3	5.2-11.4	20	5.2	2.5- 7.9	16	1.7	0.9- 2.5	44	12.1	8.4-15.8
25-34	622	837,569	451	75.5	71.8-79.2	75	10.9	8.4-13.4	24	3.1	1.5- 4.7	18	1.3	0.7- 1.9	54	9.3	6.8-11.8
35-44	724	807,479	542	75.5	71.8-79.2	79	10.9	8.4-13.4	23	3.3	1.5- 5.1	15	0.7	0.3- 1.1	65	9.6	6.9-12.3
45-54	1168	814,913	985	83.1	80.4-85.8	88	9.1	6.9-11.3	30	2.7	1.3- 4.1	20	0.7	0.3- 1.1	45	4.3	2.9- 5.7
55-64	1587	860,235	1359	87.4	85.4-89.4	136	8.9	7.3-10.5	35	1.3	0.7- 1.9	28	0.7	0.3- 1.1	29	1.7	0.9- 2.5
65+	2995	1,053,750	2691	91.4	90.0-92.8	173	5.9	4.7- 7.1	72	1.3	0.7- 1.9	35	0.4	0.2- 0.6	24	1.0	0.6- 1.4
Less Than H.S.	588	617,705	426	70.4	65.5-75.3	56	7.4	4.9- 9.9	24	2.7	0.9- 4.5	9	0.8	0.2- 1.4	73	18.7	14.4-23.0
H.S. or G.E.D.	2535	1,695,155	2132	82.6	80.6-84.6	208	9.7	8.1-11.3	57	1.8	0.8- 2.8	58	1.1	0.7- 1.5	80	4.8	3.6- 6.0
Some Post-H.S.	1927	1,560,496	1594	81.5	79.1-83.9	179	10.6	8.8-12.4	54	2.6	1.4- 3.8	42	1.0	0.6- 1.4	58	4.3	2.9- 5.7
College Graduate	2391	1,165,525	2114	86.9	84.9-88.9	138	6.2	5.0- 7.4	68	3.8	2.4- 5.2	23	0.4	0.2- 0.6	48	2.8	1.8- 3.8
Less than \$15,000	522	358,933	361	64.4	58.7-70.1	97	22.3	17.4-27.2	16	4.4	1.1- 7.7	21	1.6	0.6- 2.6	27	7.3	4.0-10.6
\$15,000- 24,999	1020	643,362	790	71.9	67.8-76.0	121	13.0	10.3-15.7	34	3.1	1.3- 4.9	25	1.2	0.6- 1.8	50	10.7	7.4-14.0
\$25,000- 34,999	719	467,530	581	79.0	74.7-83.3	72	10.0	7.3-12.7	17	2.7	0.3- 5.1	21	1.3	0.5- 2.1	28	7.0	4.3- 9.7
\$35,000- 49,999	900	627,907	790	85.3	82.0-88.6	51	7.0	4.5- 9.5	16	1.3	0.1- 2.5	14	0.9	0.3- 1.5	29	5.5	3.1- 7.9
\$50,000- 74,999	1009	742,054	875	84.9	81.8-88.0	71	8.3	5.9-10.7	22	2.0	0.6- 3.4	13	1.0	0.4- 1.6	28	3.8	2.0- 5.6
\$75,000+	1701	1,278,261	1534	89.6	87.4-91.8	60	3.7	2.5- 4.9	48	2.7	1.5- 3.9	18	0.3	0.1- 0.5	41	3.6	2.2- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3162	2,453,406	2631	81.3	79.5-83.1	227	8.7	7.3-10.1	105	3.0	2.0- 4.0	68	1.0	0.8- 1.2	131	6.0	4.8- 7.2
18-24	181	348,373	125	73.2	65.9-80.5	15	8.7	4.0-13.4	11	4.4	0.7- 8.1	8	1.6	0.4- 2.8	22	12.2	6.9-17.5
25-34	309	419,110	226	76.7	71.6-81.8	30	8.8	5.7-11.9	17	4.9	2.0- 7.8	10	1.4	0.4- 2.4	26	8.3	5.0-11.6
35-44	324	396,630	235	73.4	67.9-78.9	30	10.3	6.4-14.2	13	4.7	1.8- 7.6	9	0.9	0.3- 1.5	37	10.8	7.1-14.5
45-54	530	401,679	439	82.5	78.6-86.4	37	9.6	6.3-12.9	15	1.9	0.5- 3.3	14	1.2	0.4- 2.0	25	4.8	2.6- 7.0
55-64	686	420,994	592	87.6	84.9-90.3	53	8.5	6.1-10.9	17	1.8	0.6- 3.0	10	0.6	0.2- 1.0	14	1.5	0.7- 2.3
65+	1132	466,620	1014	91.4	89.2-93.6	62	6.5	4.5- 8.5	32	0.9	0.5- 1.3	17	0.6	0.2- 1.0	7	0.6	0.0- 1.2
Less Than H.S.	253	316,835	173	70.2	63.3-77.1	25	8.0	4.3-11.7	11	3.6	0.5- 6.7	7	1.0	0.2- 1.8	37	17.1	11.4-22.8
H.S. or G.E.D.	1064	853,092	874	81.8	78.9-84.7	84	9.2	7.0-11.4	26	1.8	0.4- 3.2	38	1.7	1.1- 2.3	42	5.5	3.5- 7.5
Some Post-H.S.	798	724,193	653	80.6	76.9-84.3	70	11.1	8.2-14.0	30	2.7	1.1- 4.3	15	0.7	0.3- 1.1	30	4.8	2.6- 7.0
College Graduate	1038	552,389	925	88.1	85.4-90.8	47	4.9	3.3- 6.5	37	4.8	2.6- 7.0	8	0.3	0.1- 0.5	21	1.9	0.9- 2.9
Less than \$15,000	203	174,544	131	60.7	51.7-69.7	41	24.2	16.6-31.8	11	6.9	0.4-13.4	10	2.2	0.4- 4.0	10	6.0	1.7-10.3
\$15,000- 24,999	380	252,439	281	70.2	64.1-76.3	43	14.3	9.6-19.0	17	3.6	0.9- 6.3	15	1.8	0.8- 2.8	24	10.1	5.8-14.4
\$25,000- 34,999	301	218,929	242	77.3	70.6-84.0	22	6.7	3.2-10.2	8	3.4	0.0- 7.5	10	1.3	0.1- 2.5	19	11.3	6.2-16.4
\$35,000- 49,999	396	314,661	352	86.6	81.3-91.9	12	4.9	1.2- 8.6	9	1.9	0.0- 4.1	8	1.1	0.1- 2.1	15	5.6	2.1- 9.1
\$50,000- 74,999	490	400,367	412	82.0	77.5-86.5	38	9.3	5.8-12.8	14	3.3	0.9- 5.7	8	1.0	0.2- 1.8	18	4.5	2.1- 6.9
\$75,000+	857	694,151	775	90.8	88.3-93.3	27	3.3	1.9- 4.7	30	2.6	1.2- 4.0	8	0.3	0.1- 0.5	17	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4300	2,600,777	3651	82.1	80.3-83.9	356	9.1	7.9-10.3	99	2.3	1.5- 3.1	64	0.7	0.5- 0.9	130	5.8	4.6- 7.0
18-24	185	331,864	129	72.2	65.1-79.3	17	7.9	4.0-11.8	9	6.0	1.7-10.3	8	1.8	0.4- 3.2	22	12.1	6.8-17.4
25-34	313	418,459	225	74.3	69.0-79.6	45	13.0	9.1-16.9	7	1.3	0.1- 2.5	8	1.1	0.1- 2.1	28	10.2	6.3-14.1
35-44	400	410,849	307	77.6	72.7-82.5	49	11.4	8.1-14.7	10	1.9	0.3- 3.5	6	0.5	0.1- 0.9	28	8.5	4.6-12.4
45-54	638	413,235	546	83.7	79.8-87.6	51	8.7	6.2-11.2	15	3.5	1.0- 6.0	6	0.3	0.1- 0.5	20	3.8	1.8- 5.8
55-64	901	439,240	767	87.2	84.7-89.7	83	9.2	7.0-11.4	18	0.8	0.4- 1.2	18	0.8	0.4- 1.2	15	2.0	0.8- 3.2
65+	1863	587,130	1677	91.4	89.8-93.0	111	5.4	4.2- 6.6	40	1.5	0.7- 2.3	18	0.3	0.1- 0.5	17	1.3	0.5- 2.1
Less Than H.S.	335	300,870	253	70.7	63.8-77.6	31	6.8	3.7- 9.9	13	1.7	0.1- 3.3	2	0.5	0.0- 1.3	36	20.3	13.6-27.0
H.S. or G.E.D.	1471	842,064	1258	83.4	80.7-86.1	124	10.1	7.9-12.3	31	1.8	0.6- 3.0	20	0.6	0.2- 1.0	38	4.0	2.4- 5.6
Some Post-H.S.	1129	836,303	941	82.2	79.1-85.3	109	10.1	7.9-12.3	24	2.6	0.8- 4.4	27	1.2	0.6- 1.8	28	3.9	2.1- 5.7
College Graduate	1353	613,136	1189	85.8	83.1-88.5	91	7.3	5.5- 9.1	31	3.0	1.2- 4.8	15	0.4	0.2- 0.6	27	3.5	1.9- 5.1
Less than \$15,000	319	184,389	230	67.9	60.8-75.0	56	20.4	14.5-26.3	5	2.1	0.0- 4.3	11	1.0	0.2- 1.8	17	8.5	3.4-13.6
\$15,000- 24,999	640	390,923	509	73.0	67.7-78.3	78	12.3	9.0-15.6	17	2.8	0.4- 5.2	10	0.9	0.3- 1.5	26	11.1	6.4-15.8
\$25,000- 34,999	418	248,600	339	80.4	75.1-85.7	50	12.9	8.6-17.2	9	2.1	0.0- 4.8	11	1.3	0.1- 2.5	9	3.3	0.9- 5.7
\$35,000- 49,999	504	313,246	438	84.1	79.6-88.6	39	9.0	5.7-12.3	7	0.7	0.0- 1.5	6	0.7	0.0- 1.5	14	5.4	2.3- 8.5
\$50,000- 74,999	519	341,687	463	88.2	84.5-91.9	33	7.1	4.2-10.0	8	0.5	0.1- 0.9	5	1.0	0.0- 2.0	10	3.1	0.7- 5.5
\$75,000+	844	584,110	759	88.2	84.9-91.5	33	4.1	2.3- 5.9	18	2.9	0.9- 4.9	10	0.3	0.1- 0.5	24	4.5	2.1- 6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7396	5,036,439	679	21.5	19.9-23.1	677	17.1	15.7-18.5	865	14.9	13.9-15.9	1382	17.0	16.0-18.0	1699	15.5	14.7-16.3	2094	13.9	13.1-14.7
Male	3155	2,456,602	346	22.9	20.5-25.3	317	17.2	15.2-19.2	390	15.1	13.5-16.7	604	16.9	15.3-18.5	738	15.7	14.3-17.1	760	12.2	11.2-13.2
Female	4241	2,579,838	333	20.3	18.3-22.3	360	16.9	15.1-18.7	475	14.7	13.3-16.1	778	17.2	15.8-18.6	961	15.4	14.2-16.6	1334	15.6	14.6-16.6
White/Non-Hisp	6135	4,058,359	461	19.0	17.4-20.6	507	16.2	14.8-17.6	685	14.5	13.3-15.7	1169	17.9	16.7-19.1	1473	16.8	15.8-17.8	1840	15.6	14.8-16.4
Black or Afr. Am./Non-Hisp	567	435,915	80	27.0	21.7-32.3	63	16.6	12.5-20.7	80	17.1	13.2-21.0	107	16.6	13.1-20.1	109	12.7	9.8-15.6	128	10.0	7.6-12.4
Oth. Race/Non-Hisp.	201	132,427	36	37.7	25.7-49.7	18	15.1	6.7-23.5	20	15.4	7.0-23.8	35	17.4	8.8-26.0	38	7.2	3.3-11.1	54	7.2	4.1-10.3
MultiRacial/Non-Hisp.	129	43,356	27	40.6	29.0-52.2	17	18.5	9.3-27.7	12	9.0	3.5-14.5	22	13.6	7.1-20.1	27	12.2	6.9-17.5	24	6.1	3.0-9.2
Hispanic	257	295,853	70	40.5	32.9-48.1	56	26.3	19.4-33.2	56	17.8	12.5-23.1	36	8.6	5.1-12.1	25	5.1	2.7- 7.5	14	1.8	0.8- 2.8
Less Than H.S.	593	627,148	55	22.2	16.9-27.5	68	20.9	16.2-25.6	55	11.7	8.4-15.0	105	16.9	13.4-20.4	108	11.9	9.2-14.6	202	16.4	13.7-19.1
H.S. or G.E.D.	2529	1,695,220	234	22.9	20.4-25.4	155	11.9	9.9-13.9	218	12.2	10.4-14.0	480	18.8	17.0-20.6	582	17.4	15.8-19.0	860	16.9	15.5-18.3
Some Post-H.S.	1894	1,541,579	219	24.9	22.0-27.8	181	17.3	14.8-19.8	240	15.9	13.7-18.1	305	14.4	12.6-16.2	464	15.3	13.7-16.9	485	12.1	10.7-13.5
College Graduate	2363	1,157,691	170	14.9	12.7-17.1	270	22.0	19.6-24.4	348	19.0	17.0-21.0	490	18.2	16.4-20.0	543	15.2	13.8-16.6	542	10.7	9.5-11.9
Less than \$15,000	525	360,785	54	24.6	18.7-30.5	38	12.8	8.3-17.3	60	13.7	9.8-17.6	119	20.8	16.5-25.1	125	17.1	13.6-20.6	129	11.0	8.5-13.5
\$15,000- 24,999	1023	646,805	95	22.9	18.8-27.0	80	15.7	12.2-19.2	86	11.2	8.5-13.9	156	14.3	11.8-16.8	240	16.6	14.1-19.1	366	19.3	16.8-21.8
\$25,000- 34,999	720	470,784	73	23.5	18.4-28.6	58	16.1	12.0-20.2	59	11.8	8.7-14.9	98	13.6	10.7-16.5	155	15.2	12.3-18.1	277	19.8	16.9-22.7
\$35,000- 49,999	905	632,239	86	23.1	18.6-27.6	86	17.1	13.6-20.6	80	12.2	9.3-15.1	130	14.6	11.9-17.3	231	17.3	14.8-19.8	292	15.8	13.4-18.2
\$50,000- 74,999	1000	738,315	92	18.1	14.4-21.8	112	21.9	18.0-25.8	134	15.9	13.0-18.8	199	17.1	14.6-19.6	272	17.3	14.9-19.7	191	9.7	7.9-11.5
\$75,000+	1702	1,282,453	123	16.8	13.9-19.7	209	20.4	17.7-23.1	332	21.7	19.2-24.2	469	22.3	20.1-24.5	369	13.6	12.0-15.2	200	5.3	4.3- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3155	2,456,602	346	22.9	20.5-25.3	317	17.2	15.2-19.2	390	15.1	13.5-16.7	604	16.9	15.3-18.5	738	15.7	14.3-17.1	760	12.2	11.2-13.2
White/Non-Hisp	2580	1,964,004	236	20.5	18.0-23.0	231	16.1	13.9-18.3	300	14.4	12.6-16.2	508	18.0	16.2-19.8	645	17.3	15.7-18.9	660	13.7	12.5-14.9
Black or Afr. Am./Non-Hisp	220	203,856	33	26.8	18.6-35.0	23	14.9	8.6-21.2	31	17.8	11.3-24.3	45	16.4	11.1-21.7	41	13.8	9.1-18.5	47	10.2	6.5-13.9
Oth. Race/Non-Hisp.	104	72,610	22	36.5	20.6-52.4	12	23.1	9.4-36.8	10	16.9	4.4-29.4	19	12.7	4.5-20.9	14	5.2	1.3- 9.1	27	5.5	2.4- 8.6
MultiRacial/Non-Hisp.	66	24,319	15	40.1	25.0-55.2	10	18.2	7.0-29.4	7	10.0	2.2-17.8	12	16.1	6.5-25.7	13	9.9	3.8-16.0	9	5.8	1.1-10.5
Hispanic	130	148,131	37	42.8	32.2-53.4	29	23.8	15.4-32.2	33	20.9	13.3-28.5	15	7.6	2.9-12.3	13	4.5	1.6- 7.4	3	0.4	0.0- 1.0
Less Than H.S.	255	323,188	30	26.7	18.5-34.9	36	22.2	15.1-29.3	26	10.3	6.2-14.4	48	16.5	11.6-21.4	42	10.6	6.9-14.3	73	13.8	9.9-17.7
H.S. or G.E.D.	1066	856,018	131	24.7	21.0-28.4	83	13.0	10.3-15.7	116	14.0	11.3-16.7	219	18.7	16.2-21.2	256	17.4	15.0-19.8	261	12.2	10.4-14.0
Some Post-H.S.	787	716,697	102	25.4	20.9-29.9	76	16.9	13.2-20.6	107	16.7	13.4-20.0	130	14.0	11.5-16.5	187	14.7	12.3-17.1	185	12.3	10.1-14.5
College Graduate	1037	551,654	83	15.0	11.9-18.1	121	21.2	17.7-24.7	138	17.1	14.2-20.0	205	18.0	15.5-20.5	251	17.3	14.9-19.7	239	11.3	9.5-13.1
Less than \$15,000	205	175,490	30	30.7	21.5-39.9	17	12.6	5.7-19.5	21	11.5	6.0-17.0	56	22.6	15.9-29.3	49	15.7	10.4-21.0	32	6.8	3.9- 9.7
\$15,000- 24,999	378	252,083	38	21.6	15.1-28.1	33	13.9	8.8-19.0	34	11.8	7.7-15.9	58	15.4	11.1-19.7	109	20.0	15.7-24.3	106	17.4	13.5-21.3
\$25,000- 34,999	301	219,811	35	23.4	16.1-30.7	26	15.8	9.7-21.9	27	12.6	7.7-17.5	37	11.5	7.2-15.8	65	16.0	11.5-20.5	111	20.7	16.0-25.4
\$35,000- 49,999	401	319,506	48	26.3	19.4-33.2	33	13.9	9.0-18.8	32	11.9	7.6-16.2	62	15.3	11.2-19.4	106	16.9	13.2-20.6	120	15.7	12.2-19.2
\$50,000- 74,999	488	400,879	48	17.5	12.4-22.6	64	24.2	18.7-29.7	58	14.2	10.3-18.1	91	16.1	12.6-19.6	131	18.1	14.6-21.6	96	9.9	7.5-12.3
\$75,000+	860	700,344	58	15.1	11.0-19.2	106	20.5	16.8-24.2	168	22.2	18.7-25.7	231	22.1	19.0-25.2	180	14.1	11.7-16.5	117	6.0	4.6- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4241	2,579,838	333	20.3	18.3-22.3	360	16.9	15.1-18.7	475	14.7	13.3-16.1	778	17.2	15.8-18.6	961	15.4	14.2-16.6	1334	15.6	14.6-16.6
White/Non-Hisp	3555	2,094,355	225	17.6	15.4-19.8	276	16.2	14.2-18.2	385	14.6	13.0-16.2	661	17.8	16.2-19.4	828	16.4	15.0-17.8	1180	17.3	16.1-18.5
Black or Afr. Am./Non-Hisp	347	232,059	47	27.1	20.2-34.0	40	18.1	12.6-23.6	49	16.5	11.6-21.4	62	16.8	12.1-21.5	68	11.6	8.3-14.9	81	9.8	7.1-12.5
Oth. Race/Non-Hisp.	97	59,817	14	39.3	21.5-57.1	6	5.5	0.0-11.2	10	13.5	2.7-24.3	16	23.1	7.6-38.6	24	9.6	2.3-16.9	27	9.1	3.2-15.0
MultiRacial/Non-Hisp.	63	19,038	12	41.2	23.4-59.0	7	18.8	3.3-34.3	5	7.8	0.5-15.1	10	10.4	2.6-18.2	14	15.2	6.0-24.4	15	6.6	2.3-10.9
Hispanic	127	147,722	33	38.2	27.2-49.2	27	28.7	18.1-39.3	23	14.7	7.1-22.3	21	9.7	4.4-15.0	12	5.6	2.1- 9.1	11	3.1	0.9- 5.3
Less Than H.S.	338	303,960	25	17.5	11.0-24.0	32	19.5	13.0-26.0	29	13.1	8.0-18.2	57	17.5	12.6-22.4	66	13.4	9.5-17.3	129	19.1	15.0-23.2
H.S. or G.E.D.	1463	839,201	103	21.0	17.3-24.7	72	10.7	8.2-13.2	102	10.2	8.0-12.4	261	18.9	16.5-21.3	326	17.3	15.1-19.5	599	21.8	19.6-24.0
Some Post-H.S.	1107	824,882	117	24.6	20.7-28.5	105	17.7	14.4-21.0	133	15.2	12.5-17.9	175	14.7	12.3-17.1	277	16.0	13.8-18.2	300	11.9	10.3-13.5
College Graduate	1326	606,037	87	14.8	11.7-17.9	149	22.7	19.4-26.0	210	20.8	18.1-23.5	285	18.4	16.0-20.8	292	13.2	11.4-15.0	303	10.2	8.8-11.6
Less than \$15,000	320	185,296	24	18.8	11.9-25.7	21	12.9	6.8-19.0	39	15.9	10.4-21.4	63	19.1	13.8-24.4	76	18.3	13.4-23.2	97	15.1	11.2-19.0
\$15,000- 24,999	645	394,723	57	23.8	18.3-29.3	47	16.9	12.0-21.8	52	10.8	7.3-14.3	98	13.6	10.5-16.7	131	14.4	11.5-17.3	260	20.5	17.4-23.6
\$25,000- 34,999	419	250,973	38	23.6	16.5-30.7	32	16.3	10.6-22.0	32	11.1	7.0-15.2	61	15.4	11.3-19.5	90	14.6	11.1-18.1	166	19.0	15.3-22.7
\$35,000- 49,999	504	312,732	38	19.9	14.0-25.8	53	20.3	15.0-25.6	48	12.5	8.8-16.2	68	13.8	10.1-17.5	125	17.6	14.1-21.1	172	15.9	13.0-18.8
\$50,000- 74,999	512	337,436	44	18.8	13.3-24.3	48	19.3	14.0-24.6	76	18.0	13.9-22.1	108	18.2	14.5-21.9	141	16.3	13.2-19.4	95	9.5	7.1-11.9
\$75,000+	842	582,109	65	18.7	14.2-23.2	103	20.4	16.7-24.1	164	21.1	17.8-24.4	238	22.4	19.3-25.5	189	13.0	10.8-15.2	83	4.4	3.2- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7396	5,036,439	4446	79.3	78.3-80.3	2950	20.7	19.7-21.7
Male	3155	2,456,602	2030	81.1	79.7-82.5	1125	18.9	17.5-20.3
Female	4241	2,579,838	2416	77.6	76.4-78.8	1825	22.4	21.2-23.6
White/Non-Hisp	6135	4,058,359	3537	77.0	76.0-78.0	2598	23.0	22.0-24.0
Black or Afr. Am./Non-Hisp	567	435,915	395	86.0	83.3-88.7	172	14.0	11.3-16.7
Oth. Race/Non-Hisp.	201	132,427	129	89.9	85.6-94.2	72	10.1	5.8-14.4
MultiRacial/Non-Hisp.	129	43,356	95	89.4	84.7-94.1	34	10.6	5.9-15.3
Hispanic	257	295,853	233	96.4	94.6-98.2	24	3.6	1.8- 5.4
Less Than H.S.	593	627,148	344	78.8	75.5-82.1	249	21.2	17.9-24.5
H.S. or G.E.D.	2529	1,695,220	1367	75.4	73.6-77.2	1162	24.6	22.8-26.4
Some Post-H.S.	1894	1,541,579	1180	81.3	79.5-83.1	714	18.7	16.9-20.5
College Graduate	2363	1,157,691	1544	82.7	81.3-84.1	819	17.3	15.9-18.7
Less than \$15,000	525	360,785	347	83.2	80.1-86.3	178	16.8	13.7-19.9
\$15,000- 24,999	1023	646,805	523	72.5	69.6-75.4	500	27.5	24.6-30.4
\$25,000- 34,999	720	470,784	351	73.0	69.5-76.5	369	27.0	23.5-30.5
\$35,000- 49,999	905	632,239	486	75.8	72.9-78.7	419	24.2	21.3-27.1
\$50,000- 74,999	1000	738,315	686	83.4	81.2-85.6	314	16.6	14.4-18.8
\$75,000+	1702	1,282,453	1344	89.8	88.4-91.2	358	10.2	8.8-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3155	2,456,602	2030	81.1	79.7-82.5	1125	18.9	17.5-20.3
White/Non-Hisp	2580	1,964,004	1592	78.7	77.1-80.3	988	21.3	19.7-22.9
Black or Afr. Am./Non-Hisp	220	203,856	159	85.5	81.0-90.0	61	14.5	10.0-19.0
Oth. Race/Non-Hisp.	104	72,610	72	94.1	91.0-97.2	32	5.9	2.8- 9.0
MultiRacial/Non-Hisp.	66	24,319	50	89.4	82.9-95.9	16	10.6	4.1-17.1
Hispanic	130	148,131	123	98.1	96.1- 100	7	1.9	0.0- 3.9
Less Than H.S.	255	323,188	161	81.0	76.3-85.7	94	19.0	14.3-23.7
H.S. or G.E.D.	1066	856,018	678	80.7	78.5-82.9	388	19.3	17.1-21.5
Some Post-H.S.	787	716,697	519	82.0	79.5-84.5	268	18.0	15.5-20.5
College Graduate	1037	551,654	665	80.7	78.3-83.1	372	19.3	16.9-21.7
Less than \$15,000	205	175,490	156	88.9	84.8-93.0	49	11.1	7.0-15.2
\$15,000- 24,999	378	252,083	210	72.7	67.8-77.6	168	27.3	22.4-32.2
\$25,000- 34,999	301	219,811	159	72.8	67.5-78.1	142	27.2	21.9-32.5
\$35,000- 49,999	401	319,506	224	76.2	71.9-80.5	177	23.8	19.5-28.1
\$50,000- 74,999	488	400,879	325	82.4	79.3-85.5	163	17.6	14.5-20.7
\$75,000+	860	700,344	662	88.7	86.7-90.7	198	11.3	9.3-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4241	2,579,838	2416	77.6	76.4-78.8	1825	22.4	21.2-23.6
White/Non-Hisp	3555	2,094,355	1945	75.3	73.9-76.7	1610	24.7	23.3-26.1
Black or Afr. Am./Non-Hisp	347	232,059	236	86.4	83.1-89.7	111	13.6	10.3-16.9
Oth. Race/Non-Hisp.	97	59,817	57	84.8	76.0-93.6	40	15.2	6.4-24.0
MultiRacial/Non-Hisp.	63	19,038	45	89.4	82.9-95.9	18	10.6	4.1-17.1
Hispanic	127	147,722	110	94.7	91.8-97.6	17	5.3	2.4- 8.2
Less Than H.S.	338	303,960	183	76.4	71.9-80.9	155	23.6	19.1-28.1
H.S. or G.E.D.	1463	839,201	689	69.9	67.4-72.4	774	30.1	27.6-32.6
Some Post-H.S.	1107	824,882	661	80.8	78.6-83.0	446	19.2	17.0-21.4
College Graduate	1326	606,037	879	84.5	82.7-86.3	447	15.5	13.7-17.3
Less than \$15,000	320	185,296	191	77.8	72.9-82.7	129	22.2	17.3-27.1
\$15,000- 24,999	645	394,723	313	72.3	68.6-76.0	332	27.7	24.0-31.4
\$25,000- 34,999	419	250,973	192	73.1	68.6-77.6	227	26.9	22.4-31.4
\$35,000- 49,999	504	312,732	262	75.3	71.4-79.2	242	24.7	20.8-28.6
\$50,000- 74,999	512	337,436	361	84.7	81.8-87.6	151	15.3	12.4-18.2
\$75,000+	842	582,109	682	91.2	89.6-92.8	160	8.8	7.2-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7273	4,924,237	11	0.1	0.1- 0.1	466	5.3	4.7- 5.9	3246	40.1	38.5-41.7	2900	43.2	41.6-44.8	650	11.2	10.2-12.2
Male	3105	2,412,141	5	0.1	0.0- 0.3	10	0.4	0.2- 0.6	307	9.6	8.2-11.0	2137	67.1	64.9-69.3	646	22.8	20.8-24.8
Female	4168	2,512,096	6	0.2	0.0- 0.4	456	10.1	8.9-11.3	2939	69.3	67.3-71.3	763	20.3	18.5-22.1	4	0.1	0.0- 0.3
White/Non-Hisp	6081	4,013,563	8	0.1	0.0- 0.3	392	5.0	4.4- 5.6	2719	39.5	37.9-41.1	2414	43.7	42.1-45.3	548	11.7	10.5-12.9
Black or Afr. Am./Non-Hisp	550	425,881	1	0.2	0.0- 0.6	26	3.8	1.8- 5.8	257	42.6	37.3-47.9	219	42.4	37.1-47.7	47	10.9	7.2-14.6
Oth. Race/Non-Hisp.	184	119,600				12	5.8	0.5-11.1	71	43.5	31.3-55.7	81	42.1	30.1-54.1	20	8.6	1.3-15.9
MultiRacial/Non-Hisp.	130	43,872	1	0.2	0.0- 0.6	9	7.1	0.2-14.0	45	28.1	18.5-37.7	60	52.2	41.2-63.2	15	12.4	5.7-19.1
Hispanic	217	250,033				26	13.8	7.7-19.9	100	45.0	36.8-53.2	78	35.4	27.6-43.2	13	5.8	2.3- 9.3
18-24	356	663,407				24	6.4	3.9- 8.9	133	35.4	29.9-40.9	144	41.0	35.3-46.7	55	17.2	12.5-21.9
25-34	601	814,708				22	3.7	1.9- 5.5	240	40.1	35.8-44.4	268	44.4	39.9-48.9	71	11.8	8.9-14.7
35-44	698	779,463				29	4.7	2.7- 6.7	265	35.7	31.8-39.6	327	47.8	43.5-52.1	77	11.9	9.2-14.6
45-54	1142	797,478	4	0.4	0.0- 0.8	40	3.6	2.4- 4.8	491	41.6	38.3-44.9	497	43.9	40.6-47.2	110	10.4	8.2-12.6
55-64	1549	836,703	5	0.3	0.1- 0.5	72	4.5	3.3- 5.7	682	40.2	37.5-42.9	651	45.0	42.1-47.9	139	10.1	8.3-11.9
65+	2927	1,032,476	2	0.1	0.0- 0.3	279	8.5	7.3- 9.7	1435	45.1	42.9-47.3	1013	38.3	36.1-40.5	198	8.0	6.8- 9.2
Less Than H.S.	560	580,343	1	0.1	0.0- 0.3	65	10.1	7.0-13.2	257	40.0	34.7-45.3	195	37.7	32.4-43.0	42	12.2	7.9-16.5
H.S. or G.E.D.	2473	1,659,228	4	0.2	0.0- 0.4	203	5.7	4.7- 6.7	1134	39.8	37.3-42.3	924	43.2	40.7-45.7	208	11.2	9.4-13.0
Some Post-H.S.	1874	1,524,881	3	0.1	0.0- 0.3	113	5.3	3.9- 6.7	838	41.3	38.4-44.2	753	42.5	39.6-45.4	167	10.7	8.7-12.7
College Graduate	2350	1,145,954	3	0.1	0.0- 0.3	83	2.4	1.8- 3.0	1013	39.2	36.7-41.7	1019	46.7	44.2-49.2	232	11.6	9.8-13.4
Less than \$15,000	506	345,131	2	0.2	0.0- 0.6	55	9.7	6.2-13.2	236	39.9	34.2-45.6	172	36.6	30.9-42.3	41	13.7	9.0-18.4
\$15,000- 24,999	1003	619,661	1	0.1	0.0- 0.3	100	8.9	6.4-11.4	488	45.3	41.2-49.4	352	38.7	34.6-42.8	62	7.0	4.8- 9.2
\$25,000- 34,999	709	454,115				57	7.4	4.9- 9.9	327	41.3	36.4-46.2	271	43.0	38.1-47.9	54	8.3	5.6-11.0
\$35,000- 49,999	889	624,157				45	3.9	2.3- 5.5	395	39.7	35.4-44.0	365	45.0	40.5-49.5	84	11.4	8.3-14.5
\$50,000- 74,999	1006	738,456	2	0.2	0.0- 0.4	35	3.1	1.7- 4.5	422	37.8	33.9-41.7	451	48.7	44.8-52.6	96	10.1	7.7-12.5
\$75,000+	1703	1,286,191	2	0.2	0.0- 0.4	43	2.3	1.3- 3.3	633	35.8	32.9-38.7	814	47.4	44.3-50.5	211	14.3	11.9-16.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3105	2,412,141	5	0.1	0.0- 0.3	10	0.4	0.2- 0.6	307	9.6	8.2-11.0	2137	67.1	64.9-69.3	646	22.8	20.8-24.8
White/Non-Hisp	2559	1,948,278	4	0.1	0.0- 0.3	4	0.2	0.0- 0.4	229	8.0	6.6- 9.4	1778	67.9	65.5-70.3	544	23.9	21.5-26.3
Black or Afr. Am./Non-Hisp	219	205,136				1	0.9	0.0- 2.7	24	11.4	5.7-17.1	147	65.1	57.1-73.1	47	22.7	15.6-29.8
Oth. Race/Non-Hisp.	93	64,809				2	3.1	0.0- 8.8	10	17.0	4.7-29.3	61	64.0	47.7-80.3	20	15.8	2.9-28.7
MultiRacial/Non-Hisp.	66	24,372				1	0.4	0.0- 1.2	5	7.4	0.0-15.2	45	69.8	56.9-82.7	15	22.4	10.8-34.0
Hispanic	110	124,379				2	1.7	0.0- 4.2	29	25.7	15.9-35.5	66	60.9	49.9-71.9	13	11.7	4.6-18.8
18-24	176	343,776				1	0.3	0.0- 0.9	18	10.2	4.9-15.5	102	56.3	47.9-64.7	55	33.3	25.1-41.5
25-34	298	410,202				1	0.3	0.0- 0.9	32	11.0	7.1-14.9	194	65.2	59.1-71.3	71	23.4	17.9-28.9
35-44	311	382,375				2	0.9	0.0- 2.1	17	6.0	2.7- 9.3	217	69.6	63.9-75.3	75	23.5	18.2-28.8
45-54	527	402,816	3	0.5	0.0- 1.1	2	0.6	0.0- 1.6	50	10.2	7.1-13.3	363	68.1	63.6-72.6	109	20.6	16.7-24.5
55-64	679	414,325	2	0.2	0.0- 0.6				65	9.3	6.8-11.8	474	70.0	66.1-73.9	138	20.4	16.9-23.9
65+	1114	458,647				4	0.1	0.0- 0.3	125	10.5	8.3-12.7	787	71.4	68.3-74.5	198	17.9	15.2-20.6
Less Than H.S.	243	305,931	1	0.2	0.0- 0.6	3	1.3	0.0- 2.9	34	12.5	7.0-18.0	163	62.9	54.7-71.1	42	23.1	15.5-30.7
H.S. or G.E.D.	1055	844,762				3	0.3	0.0- 0.7	120	10.6	8.4-12.8	724	67.2	63.7-70.7	208	21.9	18.8-25.0
Some Post-H.S.	780	712,621	2	0.2	0.0- 0.6	3	0.3	0.0- 0.9	74	9.5	6.8-12.2	535	67.2	62.9-71.5	166	22.7	18.8-26.6
College Graduate	1017	540,477	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	78	6.6	4.6- 8.6	707	68.9	65.4-72.4	229	24.4	21.1-27.7
Less than \$15,000	198	168,448	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	23	10.6	5.1-16.1	132	61.1	51.9-70.3	41	28.0	19.2-36.8
\$15,000- 24,999	367	243,925				2	0.4	0.0- 1.0	45	11.4	7.1-15.7	258	70.4	64.1-76.7	62	17.8	12.5-23.1
\$25,000- 34,999	296	212,296				2	1.6	0.0- 3.8	44	13.9	9.0-18.8	197	67.4	60.5-74.3	53	17.0	11.5-22.5
\$35,000- 49,999	394	314,537				1	0.1	0.0- 0.3	38	8.0	4.7-11.3	271	69.2	63.1-75.3	84	22.7	17.0-28.4
\$50,000- 74,999	489	399,940	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	48	9.9	6.4-13.4	345	71.4	66.3-76.5	94	18.5	14.2-22.8
\$75,000+	864	704,406	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	56	7.4	4.9- 9.9	595	66.2	62.1-70.3	211	26.1	22.2-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	4168	2,512,096	6	0.2	0.0- 0.4	456	10.1	8.9-11.3	2939	69.3	67.3-71.3	763	20.3	18.5-22.1	4	0.1	0.0- 0.3	
White/Non-Hisp	3522	2,065,285	4	0.1	0.0- 0.3	388	9.6	8.4-10.8	2490	69.1	66.9-71.3	636	20.9	18.9-22.9	4	0.1	0.0- 0.3	
Black or Afr. Am./Non-Hisp	331	220,745	1	0.4	0.0- 1.2	25	6.6	3.1-10.1	233	71.7	65.6-77.8	72	21.3	15.8-26.8				
Oth. Race/Non-Hisp.	91	54,791				10	8.8	0.0-18.2	61	75.0	60.7-89.3	20	16.2	4.4-28.0				
MultiRacial/Non-Hisp.	64	19,499	1	0.4	0.0- 1.2	8	15.4	0.9-29.9	40	54.0	36.8-71.2	15	30.2	14.1-46.3				
Hispanic	107	125,654				24	25.9	15.1-36.7	71	64.0	52.4-75.6	12	10.1	3.6-16.6				
18-24	180	319,631				23	12.9	7.8-18.0	115	62.5	54.7-70.3	42	24.6	17.5-31.7				
25-34	303	404,507				21	7.1	3.8-10.4	208	69.6	63.9-75.3	74	23.3	18.2-28.4				
35-44	387	397,089				27	8.3	4.8-11.8	248	64.2	58.7-69.7	110	26.8	21.9-31.7	2	0.6	0.0- 1.6	
45-54	615	394,662	1	0.4	0.0- 1.2	38	6.7	4.3- 9.1	441	73.6	69.7-77.5	134	19.3	16.0-22.6	1	0.1	0.0- 0.3	
55-64	870	422,378	3	0.3	0.0- 0.7	72	8.9	6.5-11.3	617	70.4	66.9-73.9	177	20.4	17.3-23.5	1	0.0	0.0- 0.0	
65+	1813	573,829	2	0.2	0.0- 0.6	275	15.2	13.2-17.2	1310	72.8	70.3-75.3	226	11.8	10.0-13.6				
Less Than H.S.	317	274,412				62	19.9	14.0-25.8	223	70.7	64.0-77.4	32	9.5	5.4-13.6				
H.S. or G.E.D.	1418	814,465	4	0.3	0.0- 0.7	200	11.2	9.2-13.2	1014	70.0	66.7-73.3	200	18.4	15.5-21.3				
Some Post-H.S.	1094	812,260	1	0.1	0.0- 0.3	110	9.8	7.4-12.2	764	69.1	65.4-72.8	218	20.8	17.7-23.9	1	0.2	0.0- 0.6	
College Graduate	1333	605,478	1	0.1	0.0- 0.3	82	4.5	3.3- 5.7	935	68.3	65.0-71.6	312	26.9	23.8-30.0	3	0.2	0.0- 0.4	
Less than \$15,000	308	176,683	1	0.0	0.0- 0.0	54	18.9	12.4-25.4	213	67.9	60.6-75.2	40	13.2	8.5-17.9				
\$15,000- 24,999	636	375,736	1	0.2	0.0- 0.6	98	14.4	10.5-18.3	443	67.3	62.0-72.6	94	18.1	13.8-22.4				
\$25,000- 34,999	413	241,819				55	12.4	8.1-16.7	283	65.3	58.8-71.8	74	21.5	15.8-27.2	1	0.7	0.0- 2.1	
\$35,000- 49,999	495	309,620				44	7.8	4.7-10.9	357	71.9	66.4-77.4	94	20.3	15.4-25.2				
\$50,000- 74,999	517	338,516	1	0.2	0.0- 0.6	34	6.8	4.1- 9.5	374	70.8	65.7-75.9	106	22.0	17.5-26.5	2	0.2	0.0- 0.6	
\$75,000+	839	581,785	1	0.2	0.0- 0.6	42	4.8	2.8- 6.8	577	70.2	66.3-74.1	219	24.7	21.0-28.4				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7294	4,946,434	12	0.1	0.1- 0.1	468	5.4	4.8- 6.0	3254	40.1	38.5-41.7	2909	43.2	41.6-44.8	651	11.2	10.2-12.2
Male	3119	2,429,086	6	0.1	0.0- 0.3	10	0.4	0.2- 0.6	311	9.8	8.4-11.2	2145	67.0	64.8-69.2	647	22.7	20.7-24.7
Female	4175	2,517,347	6	0.2	0.0- 0.4	458	10.2	9.0-11.4	2943	69.3	67.3-71.3	764	20.3	18.5-22.1	4	0.1	0.0- 0.3
White/Non-Hisp	6082	4,014,231	8	0.1	0.0- 0.3	392	5.0	4.4- 5.6	2719	39.5	37.9-41.1	2415	43.7	42.1-45.3	548	11.7	10.5-12.9
Black or Afr. Am./Non-Hisp	551	426,698	1	0.2	0.0- 0.6	26	3.8	1.8- 5.8	257	42.6	37.3-47.9	219	42.3	37.0-47.6	48	11.1	7.4-14.8
Oth. Race/Non-Hisp.	188	125,117				12	5.5	0.4-10.6	72	42.6	30.8-54.4	84	43.7	31.9-55.5	20	8.2	1.1-15.3
MultiRacial/Non-Hisp.	130	43,872	1	0.2	0.0- 0.6	9	7.1	0.2-14.0	45	28.1	18.5-37.7	60	52.2	41.2-63.2	15	12.4	5.7-19.1
Hispanic	232	265,228	1	0.2	0.0- 0.6	28	13.8	8.1-19.5	107	45.6	37.6-53.6	83	34.9	27.3-42.5	13	5.5	2.2- 8.8
18-24	357	666,553				24	6.3	3.8- 8.8	134	35.7	30.2-41.2	144	40.8	35.1-46.5	55	17.2	12.5-21.9
25-34	609	822,869	1	0.1	0.0- 0.3	23	3.8	2.0- 5.6	242	40.0	35.7-44.3	271	44.3	39.8-48.8	72	11.8	8.9-14.7
35-44	706	788,119				29	4.6	2.6- 6.6	268	35.7	31.8-39.6	332	48.0	43.9-52.1	77	11.7	9.0-14.4
45-54	1143	797,863	4	0.4	0.0- 0.8	40	3.6	2.4- 4.8	491	41.6	38.3-44.9	498	43.9	40.6-47.2	110	10.4	8.2-12.6
55-64	1551	838,444	5	0.3	0.1- 0.5	73	4.6	3.4- 5.8	683	40.2	37.5-42.9	651	44.9	42.0-47.8	139	10.1	8.3-11.9
65+	2928	1,032,586	2	0.1	0.0- 0.3	279	8.5	7.3- 9.7	1436	45.1	42.9-47.3	1013	38.3	36.1-40.5	198	8.0	6.8- 9.2
Less Than H.S.	568	590,825	1	0.1	0.0- 0.3	65	9.9	7.0-12.8	262	40.5	35.2-45.8	198	37.5	32.2-42.8	42	12.0	7.7-16.3
H.S. or G.E.D.	2477	1,664,775	4	0.2	0.0- 0.4	205	5.8	4.8- 6.8	1135	39.7	37.2-42.2	925	43.3	40.8-45.8	208	11.1	9.3-12.9
Some Post-H.S.	1875	1,525,360	3	0.1	0.0- 0.3	113	5.3	3.9- 6.7	839	41.3	38.4-44.2	753	42.5	39.6-45.4	167	10.7	8.7-12.7
College Graduate	2358	1,151,644	4	0.2	0.0- 0.4	83	2.4	1.8- 3.0	1014	39.1	36.6-41.6	1024	46.8	44.3-49.3	233	11.6	9.8-13.4
Less than \$15,000	509	347,302	2	0.2	0.0- 0.6	55	9.6	6.1-13.1	239	40.3	34.6-46.0	172	36.3	30.6-42.0	41	13.6	8.9-18.3
\$15,000- 24,999	1007	624,765	1	0.1	0.0- 0.3	101	9.0	6.5-11.5	489	45.2	41.1-49.3	354	38.8	34.7-42.9	62	7.0	4.8- 9.2
\$25,000- 34,999	714	458,381				58	7.5	5.0-10.0	329	41.4	36.5-46.3	273	42.8	37.9-47.7	54	8.3	5.6-11.0
\$35,000- 49,999	891	625,824				45	3.9	2.3- 5.5	395	39.6	35.3-43.9	367	45.1	40.6-49.6	84	11.4	8.3-14.5
\$50,000- 74,999	1007	741,225	2	0.2	0.0- 0.4	35	3.1	1.7- 4.5	422	37.7	33.8-41.6	452	48.9	45.0-52.8	96	10.1	7.7-12.5
\$75,000+	1704	1,286,575	2	0.2	0.0- 0.4	43	2.3	1.3- 3.3	633	35.8	32.9-38.7	815	47.5	44.4-50.6	211	14.3	11.9-16.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3119	2,429,086	6	0.1	0.0- 0.3	10	0.4	0.2- 0.6	311	9.8	8.4-11.2	2145	67.0	64.8-69.2	647	22.7	20.7-24.7
White/Non-Hisp	2560	1,948,946	4	0.1	0.0- 0.3	4	0.1	0.0- 0.3	229	8.0	6.6- 9.4	1779	67.9	65.5-70.3	544	23.9	21.5-26.3
Black or Afr. Am./Non-Hisp	220	205,954				1	0.9	0.0- 2.7	24	11.3	5.6-17.0	147	64.8	56.8-72.8	48	23.0	15.9-30.1
Oth. Race/Non-Hisp.	97	70,326				2	2.9	0.0- 8.2	11	17.3	5.5-29.1	64	65.2	49.7-80.7	20	14.6	2.6-26.6
MultiRacial/Non-Hisp.	66	24,372				1	0.4	0.0- 1.2	5	7.4	0.0-15.2	45	69.8	56.9-82.7	15	22.4	10.8-34.0
Hispanic	118	134,323	1	0.4	0.0- 1.2	2	1.6	0.0- 4.0	32	28.4	18.4-38.4	70	58.8	48.0-69.6	13	10.8	4.3-17.3
18-24	177	346,922				1	0.3	0.0- 0.9	19	11.0	5.5-16.5	102	55.8	47.4-64.2	55	33.0	25.0-41.0
25-34	304	416,440	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	33	11.3	7.4-15.2	197	65.0	58.9-71.1	72	23.3	17.8-28.8
35-44	317	389,552				2	0.9	0.0- 2.1	19	6.5	3.2- 9.8	221	69.5	63.8-75.2	75	23.1	18.0-28.2
45-54	528	403,200	3	0.5	0.0- 1.1	2	0.6	0.0- 1.6	50	10.2	7.1-13.3	364	68.1	63.6-72.6	109	20.5	16.6-24.4
55-64	679	414,325	2	0.2	0.0- 0.6				65	9.3	6.8-11.8	474	70.0	66.1-73.9	138	20.4	16.9-23.9
65+	1114	458,647				4	0.1	0.0- 0.3	125	10.5	8.3-12.7	787	71.4	68.3-74.5	198	17.9	15.2-20.6
Less Than H.S.	248	314,418	1	0.2	0.0- 0.6	3	1.3	0.0- 2.9	37	14.1	8.4-19.8	165	62.0	54.0-70.0	42	22.5	15.1-29.9
H.S. or G.E.D.	1056	847,532				3	0.3	0.0- 0.7	120	10.5	8.3-12.7	725	67.3	63.8-70.8	208	21.8	18.7-24.9
Some Post-H.S.	780	712,621	2	0.2	0.0- 0.6	3	0.3	0.0- 0.9	74	9.5	6.8-12.2	535	67.2	62.9-71.5	166	22.7	18.8-26.6
College Graduate	1025	546,167	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0	79	6.8	4.8- 8.8	712	68.7	65.2-72.2	230	24.3	21.0-27.6
Less than \$15,000	199	169,624	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	24	11.2	5.5-16.9	132	60.7	51.5-69.9	41	27.8	19.0-36.6
\$15,000- 24,999	370	247,829				2	0.4	0.0- 1.0	46	11.8	7.3-16.3	260	70.3	64.0-76.6	62	17.5	12.2-22.8
\$25,000- 34,999	299	214,984				2	1.6	0.0- 3.8	45	14.5	9.4-19.6	199	67.0	60.1-73.9	53	16.8	11.5-22.1
\$35,000- 49,999	395	315,204				1	0.1	0.0- 0.3	38	8.0	4.7-11.3	272	69.3	63.2-75.4	84	22.6	16.9-28.3
\$50,000- 74,999	490	402,709	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	48	9.8	6.5-13.1	346	71.6	66.5-76.7	94	18.4	14.1-22.7
\$75,000+	865	704,790	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	56	7.4	4.9- 9.9	596	66.2	62.1-70.3	211	26.1	22.2-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4175	2,517,347	6	0.2	0.0- 0.4	458	10.2	9.0-11.4	2943	69.3	67.3-71.3	764	20.3	18.5-22.1	4	0.1	0.0- 0.3
White/Non-Hisp	3522	2,065,285	4	0.1	0.0- 0.3	388	9.6	8.4-10.8	2490	69.1	66.9-71.3	636	20.9	18.9-22.9	4	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	331	220,745	1	0.4	0.0- 1.2	25	6.6	3.1-10.1	233	71.7	65.6-77.8	72	21.3	15.8-26.8			
Oth. Race/Non-Hisp.	91	54,791				10	8.8	0.0-18.2	61	75.0	60.7-89.3	20	16.2	4.4-28.0			
MultiRacial/Non-Hisp.	64	19,499	1	0.4	0.0- 1.2	8	15.4	0.9-29.9	40	54.0	36.8-71.2	15	30.2	14.1-46.3			
Hispanic	114	130,906				26	26.4	15.8-37.0	75	63.1	51.9-74.3	13	10.5	4.0-17.0			
18-24	180	319,631				23	12.9	7.8-18.0	115	62.5	54.7-70.3	42	24.6	17.5-31.7			
25-34	305	406,429				22	7.4	4.1-10.7	209	69.4	63.7-75.1	74	23.2	18.1-28.3			
35-44	389	398,567				27	8.3	4.8-11.8	249	64.1	58.6-69.6	111	27.0	22.1-31.9	2	0.6	0.0- 1.6
45-54	615	394,662	1	0.4	0.0- 1.2	38	6.7	4.3- 9.1	441	73.6	69.7-77.5	134	19.3	16.0-22.6	1	0.1	0.0- 0.3
55-64	872	424,118	3	0.3	0.0- 0.7	73	9.0	6.6-11.4	618	70.3	66.8-73.8	177	20.3	17.2-23.4	1	0.0	0.0- 0.0
65+	1814	573,939	2	0.2	0.0- 0.6	275	15.2	13.2-17.2	1311	72.8	70.3-75.3	226	11.8	10.0-13.6			
Less Than H.S.	320	276,407				62	19.7	14.0-25.4	225	70.5	63.8-77.2	33	9.7	5.4-14.0			
H.S. or G.E.D.	1421	817,243	4	0.3	0.0- 0.7	202	11.5	9.5-13.5	1015	69.9	66.6-73.2	200	18.3	15.4-21.2			
Some Post-H.S.	1095	812,739	1	0.1	0.0- 0.3	110	9.8	7.4-12.2	765	69.2	65.5-72.9	218	20.8	17.7-23.9	1	0.2	0.0- 0.6
College Graduate	1333	605,478	1	0.1	0.0- 0.3	82	4.5	3.3- 5.7	935	68.3	65.0-71.6	312	26.9	23.8-30.0	3	0.2	0.0- 0.4
Less than \$15,000	310	177,679	1	0.0	0.0- 0.0	54	18.8	12.3-25.3	215	68.1	60.8-75.4	40	13.1	8.4-17.8			
\$15,000- 24,999	637	376,936	1	0.2	0.0- 0.6	99	14.7	10.8-18.6	443	67.1	61.8-72.4	94	18.1	13.8-22.4			
\$25,000- 34,999	415	243,397				56	12.7	8.4-17.0	284	65.2	58.7-71.7	74	21.4	15.7-27.1	1	0.7	0.0- 2.1
\$35,000- 49,999	496	310,620				44	7.8	4.9-10.7	357	71.7	66.2-77.2	95	20.5	15.6-25.4			
\$50,000- 74,999	517	338,516	1	0.2	0.0- 0.6	34	6.8	4.1- 9.5	374	70.8	65.7-75.9	106	22.0	17.5-26.5	2	0.2	0.0- 0.6
\$75,000+	839	581,785	1	0.2	0.0- 0.6	42	4.8	2.8- 6.8	577	70.2	66.3-74.1	219	24.7	21.0-28.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6995	4,802,459	80	1.0	0.6- 1.4	2043	27.8	26.4-29.2	2988	42.9	41.3-44.5	1361	20.3	19.1-21.5	388	5.8	5.0- 6.6	135	2.3	1.9- 2.7
Male	3105	2,422,769	4	0.1	0.0- 0.3	325	11.8	10.2-13.4	1480	47.2	44.8-49.6	933	29.4	27.4-31.4	262	8.0	6.8- 9.2	101	3.6	2.8- 4.4
Female	3890	2,379,691	76	1.9	1.1- 2.7	1718	44.1	41.9-46.3	1508	38.6	36.4-40.8	428	11.0	9.8-12.2	126	3.5	2.7- 4.3	34	1.0	0.6- 1.4
White/Non-Hisp	5797	3,874,405	66	0.9	0.5- 1.3	1721	27.5	25.9-29.1	2474	43.4	41.6-45.2	1119	20.3	18.9-21.7	311	5.8	5.0- 6.6	106	2.1	1.5- 2.7
Black or Afr. Am./Non-Hisp	536	413,791	5	1.0	0.0- 2.0	121	22.2	17.7-26.7	229	41.6	36.3-46.9	129	25.8	20.9-30.7	39	6.5	4.1- 8.9	13	2.9	0.9- 4.9
Oth. Race/Non-Hisp.	187	128,516	5	3.4	0.0- 8.7	62	40.7	28.9-52.5	73	32.4	21.2-43.6	36	19.9	10.1-29.7	8	2.0	0.2- 3.8	3	1.5	0.0- 4.0
MultiRacial/Non-Hisp.	126	42,403				34	20.1	11.1-29.1	52	51.0	39.8-62.2	25	18.0	9.4-26.6	14	10.7	4.6-16.8	1	0.2	0.0- 0.6
Hispanic	240	271,700	3	1.3	0.0- 3.3	75	35.4	27.6-43.2	107	41.4	33.8-49.0	36	13.3	8.6-18.0	12	5.1	1.8- 8.4	7	3.5	0.4- 6.6
18-24	355	663,122	6	2.3	0.3- 4.3	142	39.7	34.0-45.4	135	38.6	32.9-44.3	50	13.9	9.8-18.0	16	3.6	1.6- 5.6	6	2.0	0.4- 3.6
25-34	606	819,503	3	0.4	0.0- 0.8	169	27.0	23.1-30.9	267	46.7	42.2-51.2	119	18.0	14.7-21.3	33	5.6	3.4- 7.8	15	2.4	1.0- 3.8
35-44	683	760,650	4	1.0	0.0- 2.0	170	23.9	20.4-27.4	272	40.8	36.5-45.1	170	24.3	20.8-27.8	45	6.3	4.3- 8.3	22	3.7	1.9- 5.5
45-54	1088	764,376	10	0.6	0.2- 1.0	265	23.9	21.0-26.8	463	41.9	38.6-45.2	246	23.7	20.8-26.6	77	7.4	5.6- 9.2	27	2.5	1.5- 3.5
55-64	1477	804,164	11	0.8	0.2- 1.4	365	22.2	19.8-24.6	644	44.4	41.5-47.3	315	22.7	20.2-25.2	107	7.6	6.0- 9.2	35	2.3	1.3- 3.3
65+	2786	990,644	46	1.0	0.6- 1.4	932	31.0	29.0-33.0	1207	43.9	41.7-46.1	461	18.8	17.0-20.6	110	4.3	3.3- 5.3	30	1.1	0.7- 1.5
Less Than H.S.	568	598,768	10	1.7	0.3- 3.1	203	34.2	29.1-39.3	229	41.7	36.4-47.0	80	13.2	9.7-16.7	32	6.2	3.5- 8.9	14	3.0	1.2- 4.8
H.S. or G.E.D.	2365	1,606,751	31	1.2	0.4- 2.0	700	25.9	23.5-28.3	1001	42.4	39.9-44.9	451	21.5	19.3-23.7	133	6.2	5.0- 7.4	49	2.7	1.7- 3.7
Some Post-H.S.	1802	1,481,383	17	0.7	0.1- 1.3	483	26.1	23.4-28.8	781	44.5	41.6-47.4	365	20.8	18.4-23.2	114	5.8	4.4- 7.2	42	2.1	1.3- 2.9
College Graduate	2247	1,104,694	22	0.6	0.2- 1.0	651	28.9	26.5-31.3	971	42.4	39.9-44.9	464	21.8	19.6-24.0	109	4.9	3.7- 6.1	30	1.4	0.8- 2.0
Less than \$15,000	491	337,432	7	1.3	0.0- 2.7	156	29.6	24.3-34.9	182	39.4	33.3-45.5	93	19.6	14.9-24.3	34	5.9	3.5- 8.3	19	4.1	1.7- 6.5
\$15,000- 24,999	981	618,302	19	2.1	0.7- 3.5	299	32.0	27.9-36.1	418	42.4	38.3-46.5	156	13.8	11.3-16.3	70	7.3	5.3- 9.3	19	2.5	1.1- 3.9
\$25,000- 34,999	690	450,419	8	1.7	0.0- 3.5	217	30.0	25.3-34.7	294	42.8	37.7-47.9	132	20.5	16.6-24.4	31	3.8	2.0- 5.6	8	1.2	0.2- 2.2
\$35,000- 49,999	867	612,975	6	0.5	0.1- 0.9	226	24.2	20.5-27.9	397	46.6	42.1-51.1	166	19.5	16.0-23.0	54	7.5	5.0-10.0	18	1.7	0.7- 2.7
\$50,000- 74,999	973	720,444	4	0.3	0.0- 0.7	244	23.4	19.9-26.9	412	44.2	40.1-48.3	225	22.3	19.0-25.6	63	6.3	4.5- 8.1	25	3.5	1.9- 5.1
\$75,000+	1658	1,262,448	12	0.6	0.0- 1.2	408	24.9	22.2-27.6	729	42.4	39.3-45.5	400	24.8	22.3-27.3	84	5.3	3.9- 6.7	25	2.0	1.0- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3105	2,422,769	4	0.1	0.0- 0.3	325	11.8	10.2-13.4	1480	47.2	44.8-49.6	933	29.4	27.4-31.4	262	8.0	6.8- 9.2	101	3.6	2.8- 4.4
White/Non-Hisp	2536	1,935,909	2	0.1	0.1- 0.1	243	10.3	8.5-12.1	1212	48.0	45.5-50.5	782	30.1	27.9-32.3	216	8.2	6.8- 9.6	81	3.4	2.4- 4.4
Black or Afr. Am./Non-Hisp	219	204,689	1	0.4	0.0- 1.2	26	12.1	7.0-17.2	98	44.1	36.1-52.1	69	32.0	24.2-39.8	19	8.0	4.1-11.9	6	3.4	0.3- 6.5
Oth. Race/Non-Hisp.	98	71,825				15	20.2	8.2-32.2	47	41.7	26.0-57.4	28	32.7	17.0-48.4	6	2.9	0.0- 6.0	2	2.5	0.0- 7.2
MultiRacial/Non-Hisp.	66	24,372				9	14.8	3.8-25.8	31	49.6	35.1-64.1	17	25.6	12.3-38.9	8	9.6	2.5-16.7	1	0.3	0.0- 0.9
Hispanic	123	137,655	1	0.3	0.0- 0.9	26	26.1	16.1-36.1	55	41.4	30.8-52.0	25	17.4	10.0-24.8	10	8.4	2.5-14.3	6	6.4	0.3-12.5
18-24	178	346,449				45	25.6	18.2-33.0	81	45.5	37.1-53.9	38	21.8	14.7-28.9	8	3.4	0.9- 5.9	6	3.7	0.6- 6.8
25-34	307	420,157	1	0.2	0.0- 0.6	45	13.3	9.4-17.2	152	52.8	46.5-59.1	78	23.0	17.9-28.1	21	7.8	3.9-11.7	10	3.0	0.8- 5.2
35-44	320	390,629				28	8.1	5.0-11.2	134	43.1	36.8-49.4	111	33.9	28.0-39.8	31	9.0	5.7-12.3	16	5.9	2.8- 9.0
45-54	524	398,765	3	0.4	0.0- 1.0	37	7.1	4.6- 9.6	236	43.9	39.0-48.8	177	35.1	30.4-39.8	52	10.0	7.3-12.7	19	3.5	1.7- 5.3
55-64	675	412,568				58	8.4	6.0-10.8	312	46.9	42.6-51.2	206	30.8	26.9-34.7	73	10.3	7.8-12.8	26	3.6	2.0- 5.2
65+	1101	454,201				112	10.1	7.9-12.3	565	49.8	46.3-53.3	323	31.0	27.7-34.3	77	7.1	5.3- 8.9	24	1.9	1.1- 2.7
Less Than H.S.	246	314,742	1	0.3	0.0- 0.9	46	20.6	13.9-27.3	116	47.0	39.0-55.0	53	19.0	12.9-25.1	18	8.0	3.5-12.5	12	5.2	1.9- 8.5
H.S. or G.E.D.	1049	844,624				116	11.6	9.2-14.0	499	46.2	42.5-49.9	298	29.1	25.8-32.4	99	8.9	6.9-10.9	37	4.2	2.6- 5.8
Some Post-H.S.	777	710,108	1	0.1	0.0- 0.3	76	9.7	6.8-12.6	356	47.9	43.4-52.4	244	31.7	27.6-35.8	71	7.6	5.4- 9.8	29	3.1	1.5- 4.7
College Graduate	1023	544,182	2	0.2	0.0- 0.6	83	8.8	6.6-11.0	504	48.2	44.5-51.9	337	33.2	29.7-36.7	74	7.4	5.4- 9.4	23	2.2	1.2- 3.2
Less than \$15,000	196	167,360	1	0.2	0.0- 0.6	33	15.8	9.7-21.9	83	46.5	37.3-55.7	50	26.0	18.2-33.8	17	5.8	2.3- 9.3	12	5.8	1.5-10.1
\$15,000- 24,999	369	249,143	1	0.4	0.0- 1.2	53	17.5	12.0-23.0	177	48.6	42.1-55.1	82	17.6	13.1-22.1	44	11.7	7.8-15.6	12	4.3	1.2- 7.4
\$25,000- 34,999	297	215,713				47	17.3	11.6-23.0	146	46.9	39.5-54.3	84	30.1	23.2-37.0	15	3.9	1.4- 6.4	5	1.8	0.0- 3.6
\$35,000- 49,999	396	317,595				37	9.6	5.3-13.9	192	49.7	43.2-56.2	115	28.2	22.5-33.9	40	10.1	6.4-13.8	12	2.2	0.8- 3.6
\$50,000- 74,999	490	402,401	1	0.1	0.0- 0.3	36	9.6	5.9-13.3	226	48.2	42.5-53.9	161	28.6	23.7-33.5	45	8.3	5.6-11.0	21	5.2	2.7- 7.7
\$75,000+	862	701,825				54	7.1	4.6- 9.6	398	44.5	40.2-48.8	313	36.6	32.5-40.7	74	8.5	6.1-10.9	23	3.3	1.7- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3890	2,379,691	76	1.9	1.1- 2.7	1718	44.1	41.9-46.3	1508	38.6	36.4-40.8	428	11.0	9.8-12.2	126	3.5	2.7- 4.3	34	1.0	0.6- 1.4
White/Non-Hisp	3261	1,938,496	64	1.7	0.9- 2.5	1478	44.7	42.3-47.1	1262	38.9	36.7-41.1	337	10.5	9.1-11.9	95	3.4	2.6- 4.2	25	0.9	0.5- 1.3
Black or Afr. Am./Non-Hisp	317	209,102	4	1.7	0.0- 3.5	95	31.9	25.0-38.8	131	39.1	32.2-46.0	60	19.7	14.0-25.4	20	5.1	2.4- 7.8	7	2.5	0.3- 4.7
Oth. Race/Non-Hisp.	89	56,691	5	7.8	0.0-19.6	47	66.7	50.0-83.4	26	20.6	6.7-34.5	8	3.8	0.7- 6.9	2	0.9	0.0- 2.1	1	0.2	0.0- 0.6
MultiRacial/Non-Hisp.	60	18,031				25	27.3	12.2-42.4	21	52.8	35.2-70.4	8	7.7	1.4-14.0	6	12.2	1.6-22.8			
Hispanic	117	134,045	2	2.4	0.0- 6.3	49	45.0	33.4-56.6	52	41.3	30.1-52.5	11	9.1	3.6-14.6	2	1.7	0.0- 4.2	1	0.4	0.0- 1.2
18-24	177	316,674	6	4.8	0.9- 8.7	97	55.2	47.2-63.2	54	30.9	23.3-38.5	12	5.3	2.2- 8.4	8	3.8	1.1- 6.5			
25-34	299	399,346	2	0.5	0.0- 1.3	124	41.5	35.2-47.8	115	40.3	34.0-46.6	41	12.7	8.6-16.8	12	3.2	1.0- 5.4	5	1.7	0.1- 3.3
35-44	363	370,021	4	2.1	0.0- 4.3	142	40.5	34.6-46.4	138	38.5	32.6-44.4	59	14.2	10.3-18.1	14	3.4	1.4- 5.4	6	1.3	0.1- 2.5
45-54	564	365,611	7	0.8	0.2- 1.4	228	42.2	37.3-47.1	227	39.7	35.0-44.4	69	11.2	8.3-14.1	25	4.6	2.6- 6.6	8	1.5	0.3- 2.7
55-64	802	391,596	11	1.7	0.5- 2.9	307	36.7	32.8-40.6	332	41.8	37.7-45.9	109	14.2	11.3-17.1	34	4.7	2.9- 6.5	9	0.9	0.1- 1.7
65+	1685	536,442	46	1.8	1.2- 2.4	820	48.7	45.8-51.6	642	38.8	36.1-41.5	138	8.4	6.8-10.0	33	1.9	1.1- 2.7	6	0.4	0.0- 0.8
Less Than H.S.	322	284,026	9	3.3	0.6- 6.0	157	49.3	42.2-56.4	113	35.9	28.8-43.0	27	6.8	3.9- 9.7	14	4.3	1.9- 6.7	2	0.5	0.0- 1.3
H.S. or G.E.D.	1316	762,128	31	2.6	1.0- 4.2	584	41.9	38.4-45.4	502	38.1	34.6-41.6	153	13.1	10.6-15.6	34	3.2	2.0- 4.4	12	1.1	0.3- 1.9
Some Post-H.S.	1025	771,275	16	1.3	0.1- 2.5	407	41.1	37.2-45.0	425	41.4	37.5-45.3	121	10.7	8.5-12.9	43	4.2	2.6- 5.8	13	1.2	0.4- 2.0
College Graduate	1224	560,512	20	0.9	0.3- 1.5	568	48.5	44.8-52.2	467	36.8	33.3-40.3	127	10.8	8.6-13.0	35	2.4	1.4- 3.4	7	0.7	0.1- 1.3
Less than \$15,000	295	170,072	6	2.4	0.0- 5.1	123	43.3	35.7-50.9	99	32.4	25.1-39.7	43	13.3	8.6-18.0	17	6.1	3.0- 9.2	7	2.5	0.3- 4.7
\$15,000- 24,999	612	369,159	18	3.3	0.9- 5.7	246	41.7	36.2-47.2	241	38.1	32.6-43.6	74	11.2	8.1-14.3	26	4.4	2.2- 6.6	7	1.2	0.2- 2.2
\$25,000- 34,999	393	234,706	8	3.2	0.0- 6.5	170	41.6	34.7-48.5	148	39.1	32.4-45.8	48	11.7	7.8-15.6	16	3.8	1.4- 6.2	3	0.7	0.0- 1.7
\$35,000- 49,999	471	295,380	6	1.0	0.0- 2.0	189	39.8	33.9-45.7	205	43.3	37.2-49.4	51	10.1	6.6-13.6	14	4.7	1.8- 7.6	6	1.1	0.1- 2.1
\$50,000- 74,999	483	318,043	3	0.5	0.0- 1.1	208	40.8	34.9-46.7	186	39.2	33.3-45.1	64	14.4	10.5-18.3	18	3.8	1.6- 6.0	4	1.3	0.0- 2.9
\$75,000+	796	560,623	12	1.3	0.0- 2.7	354	47.2	42.7-51.7	331	39.6	35.3-43.9	87	10.2	7.7-12.7	10	1.4	0.4- 2.4	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6885	4,696,503	93	1.4	1.0- 1.8	2131	32.3	30.7-33.9	2306	32.4	31.0-33.8	1338	19.4	18.2-20.6	1017	14.5	13.5-15.5
Male	3068	2,394,709	34	1.4	0.8- 2.0	813	28.9	26.7-31.1	1164	36.1	33.9-38.3	634	20.1	18.3-21.9	423	13.6	12.0-15.2
Female	3817	2,301,795	59	1.5	0.9- 2.1	1318	35.8	33.6-38.0	1142	28.6	26.6-30.6	704	18.7	16.9-20.5	594	15.5	14.1-16.9
White/Non-Hisp	5746	3,827,338	69	1.2	0.8- 1.6	1820	32.8	31.2-34.4	1935	32.5	30.9-34.1	1111	19.4	18.0-20.8	811	14.0	12.8-15.2
Black or Afr. Am./Non-Hisp	524	404,329	8	1.8	0.4- 3.2	114	23.7	19.0-28.4	184	35.7	30.4-41.0	100	18.2	13.9-22.5	118	20.7	16.6-24.8
Oth. Race/Non-Hisp.	181	121,999	7	3.1	0.0- 6.6	69	50.5	38.3-62.7	54	24.4	14.2-34.6	33	14.0	6.4-21.6	18	8.0	0.7-15.3
MultiRacial/Non-Hisp.	123	41,072	2	2.0	0.0- 5.7	48	35.7	25.1-46.3	25	24.4	14.0-34.8	19	20.4	10.0-30.8	29	17.5	10.1-24.9
Hispanic	214	238,445	3	2.4	0.0- 5.3	56	29.1	21.1-37.1	69	29.2	21.9-36.5	57	25.3	18.2-32.4	29	14.0	8.3-19.7
18-24	340	636,956	11	3.3	1.1- 5.5	162	49.4	43.3-55.5	84	24.8	19.7-29.9	49	13.5	9.4-17.6	34	9.1	6.0-12.2
25-34	581	785,676	9	1.0	0.2- 1.8	211	35.5	31.2-39.8	170	31.7	27.4-36.0	103	17.6	14.1-21.1	88	14.2	11.1-17.3
35-44	658	736,413	9	1.5	0.3- 2.7	209	31.2	27.3-35.1	187	29.5	25.6-33.4	134	21.4	17.9-24.9	119	16.4	13.3-19.5
45-54	1071	753,311	11	0.9	0.3- 1.5	290	26.3	23.2-29.4	349	32.6	29.5-35.7	251	23.5	20.6-26.4	170	16.7	14.2-19.2
55-64	1470	800,018	13	1.1	0.3- 1.9	394	24.8	22.3-27.3	527	36.5	33.6-39.4	265	19.5	17.0-22.0	271	18.1	15.7-20.5
65+	2765	984,129	40	1.1	0.7- 1.5	865	30.0	27.8-32.2	989	36.6	34.4-38.8	536	20.1	18.3-21.9	335	12.3	10.9-13.7
Less Than H.S.	542	564,662	17	4.5	2.0- 7.0	181	36.0	30.5-41.5	147	24.9	20.2-29.6	113	20.1	15.8-24.4	84	14.5	10.8-18.2
H.S. or G.E.D.	2337	1,581,370	36	1.4	0.8- 2.0	686	29.9	27.4-32.4	782	32.3	29.9-34.7	460	19.8	17.6-22.0	373	16.6	14.6-18.6
Some Post-H.S.	1778	1,454,980	19	0.6	0.2- 1.0	509	30.6	27.7-33.5	609	34.8	31.9-37.7	343	19.1	16.7-21.5	298	14.9	12.9-16.9
College Graduate	2218	1,087,051	20	0.9	0.3- 1.5	750	35.6	33.1-38.1	764	33.3	30.8-35.8	422	19.1	17.1-21.1	262	11.0	9.4-12.6
Less than \$15,000	478	326,906	13	2.1	0.5- 3.7	148	34.7	28.8-40.6	132	27.7	22.2-33.2	78	16.0	11.5-20.5	107	19.5	15.0-24.0
\$15,000- 24,999	960	591,850	20	3.2	1.2- 5.2	287	33.3	29.2-37.4	276	26.2	22.5-29.9	210	21.0	17.7-24.3	167	16.2	13.3-19.1
\$25,000- 34,999	686	442,187	9	1.4	0.0- 2.8	219	31.6	26.9-36.3	220	31.8	27.1-36.5	136	21.0	16.9-25.1	102	14.2	10.9-17.5
\$35,000- 49,999	855	599,289	10	1.4	0.4- 2.4	232	29.5	25.2-33.8	319	36.1	31.8-40.4	154	16.4	13.3-19.5	140	16.7	13.4-20.0
\$50,000- 74,999	967	715,974	5	0.5	0.1- 0.9	271	29.8	25.9-33.7	330	32.9	29.0-36.8	197	19.8	16.7-22.9	164	17.0	14.1-19.9
\$75,000+	1644	1,248,059	9	0.2	0.0- 0.4	501	31.5	28.6-34.4	608	35.5	32.6-38.4	339	21.2	18.7-23.7	187	11.5	9.5-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >				
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	3068	2,394,709	34	1.4	0.8- 2.0	813	28.9	26.7-31.1	1164	36.1	33.9-38.3	634	20.1	18.3-21.9	423	13.6	12.0-15.2			
White/Non-Hisp	2519	1,922,654	22	1.1	0.5- 1.7	666	28.8	26.4-31.2	956	36.2	33.8-38.6	534	20.7	18.7-22.7	341	13.1	11.5-14.7			
Black or Afr. Am./Non-Hisp	218	204,358	5	2.7	0.2- 5.2	51	25.4	18.3-32.5	94	40.9	32.9-48.9	34	16.3	10.0-22.6	34	14.8	9.3-20.3			
Oth. Race/Non-Hisp.	95	70,078	2	1.3	0.0- 3.3	32	41.3	25.2-57.4	34	31.9	16.6-47.2	18	14.0	4.8-23.2	9	11.5	0.0-23.7			
MultiRacial/Non-Hisp.	66	24,372	1	3.2	0.0- 9.3	26	41.5	27.2-55.8	16	23.3	11.7-34.9	10	18.7	6.2-31.2	13	13.4	5.2-21.6			
Hispanic	114	128,772	2	2.4	0.0- 5.9	28	27.6	17.2-38.0	38	30.0	20.2-39.8	27	21.9	12.9-30.9	19	18.1	9.1-27.1			
18-24	175	343,126	8	4.3	0.8- 7.8	78	46.6	38.2-55.0	50	28.0	20.6-35.4	23	11.9	6.4-17.4	16	9.2	4.5-13.9			
25-34	300	411,559	5	0.9	0.1- 1.7	115	39.3	33.0-45.6	96	32.7	26.6-38.8	48	15.0	10.7-19.3	36	12.1	7.8-16.4			
35-44	311	381,877	3	0.6	0.0- 1.4	83	25.5	20.0-31.0	104	34.2	28.3-40.1	72	24.8	19.3-30.3	49	14.9	10.6-19.2			
45-54	516	394,440	5	1.1	0.1- 2.1	104	19.3	15.4-23.2	194	37.4	32.7-42.1	131	25.0	20.7-29.3	82	17.2	13.5-20.9			
55-64	672	411,254	5	0.9	0.0- 1.9	148	20.4	17.1-23.7	264	40.3	36.0-44.6	136	21.6	17.9-25.3	119	16.7	13.6-19.8			
65+	1094	452,452	8	0.9	0.1- 1.7	285	24.8	21.7-27.9	456	41.9	38.4-45.4	224	21.3	18.4-24.2	121	11.1	8.9-13.3			
Less Than H.S.	238	306,422	8	5.0	1.1- 8.9	79	37.0	29.0-45.0	73	25.6	18.9-32.3	45	17.6	11.5-23.7	33	14.7	9.0-20.4			
H.S. or G.E.D.	1041	836,280	13	1.3	0.5- 2.1	271	27.7	24.2-31.2	393	35.5	32.0-39.0	207	19.8	16.9-22.7	157	15.7	13.0-18.4			
Some Post-H.S.	771	705,468	5	0.3	0.1- 0.5	189	26.2	22.1-30.3	287	39.0	34.5-43.5	169	21.6	18.1-25.1	121	12.8	10.3-15.3			
College Graduate	1009	538,677	7	0.8	0.2- 1.4	270	28.9	25.4-32.4	407	39.3	35.6-43.0	213	20.2	17.3-23.1	112	10.8	8.4-13.2			
Less than \$15,000	193	166,183	7	2.1	0.3- 3.9	66	38.2	29.0-47.4	56	31.3	22.7-39.9	25	12.7	7.4-18.0	39	15.7	9.4-22.0			
\$15,000- 24,999	363	245,597	5	3.3	0.0- 6.6	118	35.3	28.8-41.8	110	28.2	22.5-33.9	73	17.5	13.0-22.0	57	15.7	11.0-20.4			
\$25,000- 34,999	295	211,908	1	1.0	0.0- 3.0	94	30.0	23.3-36.7	114	37.6	30.5-44.7	55	20.2	14.1-26.3	31	11.2	5.9-16.5			
\$35,000- 49,999	392	313,526	5	1.4	0.0- 2.8	93	28.7	22.2-35.2	153	37.0	30.7-43.3	79	18.4	13.9-22.9	62	14.5	10.2-18.8			
\$50,000- 74,999	488	401,212	2	0.3	0.0- 0.7	116	27.4	22.1-32.7	172	35.4	29.9-40.9	114	20.6	16.3-24.9	84	16.3	12.4-20.2			
\$75,000+	859	700,646	2	0.2	0.0- 0.4	189	23.1	19.2-27.0	364	39.4	35.3-43.5	202	24.4	20.7-28.1	102	12.9	10.0-15.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3817	2,301,795	59	1.5	0.9- 2.1	1318	35.8	33.6-38.0	1142	28.6	26.6-30.6	704	18.7	16.9-20.5	594	15.5	14.1-16.9
White/Non-Hisp	3227	1,904,684	47	1.4	0.8- 2.0	1154	36.8	34.6-39.0	979	28.8	26.6-31.0	577	18.1	16.3-19.9	470	14.9	13.3-16.5
Black or Afr. Am./Non-Hisp	306	199,971	3	0.9	0.0- 2.3	63	22.0	15.9-28.1	90	30.4	23.5-37.3	66	20.1	14.4-25.8	84	26.6	20.3-32.9
Oth. Race/Non-Hisp.	86	51,921	5	5.5	0.0-13.1	37	63.0	46.1-79.9	20	14.3	4.1-24.5	15	13.9	1.0-26.8	9	3.3	0.6- 6.0
MultiRacial/Non-Hisp.	57	16,699	1	0.2	0.0- 0.6	22	27.3	13.4-41.2	9	25.9	6.9-44.9	9	23.0	5.6-40.4	16	23.6	9.9-37.3
Hispanic	100	109,674	1	2.5	0.0- 7.2	28	30.9	18.6-43.2	31	28.2	17.4-39.0	30	29.3	18.3-40.3	10	9.2	3.3-15.1
18-24	165	293,831	3	2.2	0.0- 4.7	84	52.6	44.2-61.0	34	20.9	14.0-27.8	26	15.3	9.2-21.4	18	9.0	4.7-13.3
25-34	281	374,117	4	1.2	0.0- 2.4	96	31.2	25.3-37.1	74	30.7	24.4-37.0	55	20.4	14.9-25.9	52	16.6	12.1-21.1
35-44	347	354,536	6	2.5	0.1- 4.9	126	37.3	31.4-43.2	83	24.5	19.4-29.6	62	17.7	13.2-22.2	70	17.9	13.6-22.2
45-54	555	358,870	6	0.7	0.1- 1.3	186	34.1	29.4-38.8	155	27.4	23.1-31.7	120	21.8	17.9-25.7	88	16.0	12.5-19.5
55-64	798	388,764	8	1.3	0.1- 2.5	246	29.4	25.7-33.1	263	32.5	28.8-36.2	129	17.3	14.2-20.4	152	19.6	16.3-22.9
65+	1671	531,677	32	1.2	0.6- 1.8	580	34.5	31.8-37.2	533	32.0	29.3-34.7	312	19.0	16.6-21.4	214	13.3	11.3-15.3
Less Than H.S.	304	258,240	9	4.0	0.9- 7.1	102	34.7	27.6-41.8	74	24.1	17.6-30.6	68	23.0	16.9-29.1	51	14.3	10.0-18.6
H.S. or G.E.D.	1296	745,090	23	1.5	0.5- 2.5	415	32.3	28.8-35.8	389	28.8	25.5-32.1	253	19.7	16.8-22.6	216	17.6	14.9-20.3
Some Post-H.S.	1007	749,511	14	0.9	0.1- 1.7	320	34.8	30.9-38.7	322	30.8	27.1-34.5	174	16.6	13.5-19.7	177	16.8	13.9-19.7
College Graduate	1209	548,374	13	1.0	0.2- 1.8	480	42.2	38.5-45.9	357	27.4	24.3-30.5	209	18.1	15.2-21.0	150	11.3	9.1-13.5
Less than \$15,000	285	160,722	6	2.0	0.0- 4.5	82	31.0	23.6-38.4	76	24.1	17.6-30.6	53	19.5	12.6-26.4	68	23.4	17.1-29.7
\$15,000- 24,999	597	346,253	15	3.1	0.7- 5.5	169	31.9	26.6-37.2	166	24.9	20.2-29.6	137	23.5	18.8-28.2	110	16.6	12.9-20.3
\$25,000- 34,999	391	230,278	8	1.8	0.0- 3.6	125	33.0	26.5-39.5	106	26.4	19.9-32.9	81	21.9	16.4-27.4	71	17.0	12.5-21.5
\$35,000- 49,999	463	285,763	5	1.3	0.0- 2.7	139	30.4	24.9-35.9	166	35.1	29.2-41.0	75	14.1	9.8-18.4	78	19.1	14.0-24.2
\$50,000- 74,999	479	314,761	3	0.7	0.0- 1.7	155	32.7	27.0-38.4	158	29.7	24.4-35.0	83	18.8	14.1-23.5	80	18.0	13.5-22.5
\$75,000+	785	547,413	7	0.4	0.0- 0.8	312	42.4	37.9-46.9	244	30.3	26.2-34.4	137	17.2	13.9-20.5	85	9.7	7.2-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Underweight			Normal Weight			Overweight			Obese		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6885	4,696,503	135	2.1	1.7- 2.5	2084	31.5	29.9-33.1	2304	32.3	30.9-33.7	2362	34.1	32.5-35.7
Male	3068	2,394,709	43	1.7	1.1- 2.3	801	28.5	26.3-30.7	1161	35.9	33.7-38.1	1063	34.0	31.8-36.2
Female	3817	2,301,795	92	2.5	1.7- 3.3	1283	34.7	32.5-36.9	1143	28.6	26.6-30.6	1299	34.2	32.2-36.2
White/Non-Hisp	5746	3,827,338	104	1.9	1.3- 2.5	1780	32.0	30.4-33.6	1935	32.5	30.9-34.1	1927	33.6	32.0-35.2
Black or Afr. Am./Non-Hisp	524	404,329	11	2.5	0.7- 4.3	111	23.0	18.3-27.7	182	35.1	29.8-40.4	220	39.4	34.1-44.7
Oth. Race/Non-Hisp.	181	121,999	9	3.6	0.1- 7.1	67	50.0	37.8-62.2	54	24.4	14.2-34.6	51	22.0	12.2-31.8
MultiRacial/Non-Hisp.	123	41,072	3	2.1	0.0- 5.8	47	35.6	25.0-46.2	25	24.4	14.0-34.8	48	38.0	26.8-49.2
Hispanic	214	238,445	4	2.5	0.0- 5.4	55	29.0	21.0-37.0	69	29.2	21.9-36.5	86	39.3	31.3-47.3
18-24	340	636,956	17	4.9	2.4- 7.4	156	47.8	41.7-53.9	84	24.8	19.7-29.9	83	22.6	17.7-27.5
25-34	581	785,676	13	1.4	0.6- 2.2	206	35.0	30.7-39.3	171	31.8	27.5-36.1	191	31.8	27.5-36.1
35-44	658	736,413	15	2.3	0.9- 3.7	202	30.1	26.2-34.0	187	29.6	25.7-33.5	254	38.0	33.9-42.1
45-54	1071	753,311	15	1.2	0.4- 2.0	286	26.1	23.0-29.2	347	32.2	29.1-35.3	423	40.6	37.3-43.9
55-64	1470	800,018	19	1.6	0.8- 2.4	388	24.3	21.8-26.8	527	36.5	33.6-39.4	536	37.6	34.7-40.5
65+	2765	984,129	56	1.6	1.0- 2.2	846	29.4	27.4-31.4	988	36.4	34.2-38.6	875	32.6	30.4-34.8
Less Than H.S.	542	564,662	26	5.8	3.1- 8.5	172	34.7	29.2-40.2	147	24.9	20.2-29.6	197	34.6	29.5-39.7
H.S. or G.E.D.	2337	1,581,370	46	1.9	1.1- 2.7	673	29.2	26.7-31.7	781	32.3	29.9-34.7	837	36.6	34.1-39.1
Some Post-H.S.	1778	1,454,980	29	1.1	0.5- 1.7	499	30.1	27.2-33.0	607	34.5	31.6-37.4	643	34.2	31.5-36.9
College Graduate	2218	1,087,051	33	1.6	1.0- 2.2	735	34.8	32.3-37.3	765	33.4	30.9-35.9	685	30.2	27.8-32.6
Less than \$15,000	478	326,906	15	2.6	0.8- 4.4	145	34.1	28.2-40.0	133	27.8	22.3-33.3	185	35.5	29.8-41.2
\$15,000- 24,999	960	591,850	29	3.8	1.8- 5.8	278	32.7	28.6-36.8	275	26.2	22.5-29.9	378	37.3	33.2-41.4
\$25,000- 34,999	686	442,187	14	2.2	0.6- 3.8	214	30.8	26.1-35.5	219	31.6	26.9-36.3	239	35.4	30.7-40.1
\$35,000- 49,999	855	599,289	14	1.6	0.6- 2.6	227	28.9	24.6-33.2	318	36.3	32.0-40.6	296	33.3	29.2-37.4
\$50,000- 74,999	967	715,974	13	1.6	0.6- 2.6	262	28.5	24.6-32.4	330	32.8	28.9-36.7	362	37.1	33.2-41.0
\$75,000+	1644	1,248,059	14	0.5	0.1- 0.9	495	31.2	28.3-34.1	607	35.2	32.3-38.1	528	33.0	30.1-35.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3068	2,394,709	43	1.7	1.1- 2.3	801	28.5	26.3-30.7	1161	35.9	33.7-38.1	1063	34.0	31.8-36.2
White/Non-Hisp	2519	1,922,654	28	1.4	0.6- 2.2	657	28.4	26.0-30.8	955	36.1	33.7-38.5	879	34.1	31.7-36.5
Black or Afr. Am./Non-Hisp	218	204,358	6	3.1	0.4- 5.8	50	24.9	17.8-32.0	92	39.8	31.8-47.8	70	32.2	24.6-39.8
Oth. Race/Non-Hisp.	95	70,078	3	1.9	0.0- 4.1	31	40.7	24.6-56.8	34	31.9	16.6-47.2	27	25.6	11.7-39.5
MultiRacial/Non-Hisp.	66	24,372	1	3.2	0.0- 9.3	26	41.5	27.2-55.8	16	23.3	11.7-34.9	23	32.0	18.3-45.7
Hispanic	114	128,772	3	2.6	0.0- 6.1	27	27.4	17.0-37.8	38	30.0	20.2-39.8	46	39.9	28.9-50.9
18-24	175	343,126	10	5.1	1.4- 8.8	76	45.7	37.3-54.1	50	28.0	20.6-35.4	39	21.1	14.2-28.0
25-34	300	411,559	6	1.1	0.3- 1.9	113	39.0	32.7-45.3	97	32.9	26.8-39.0	84	27.0	21.3-32.7
35-44	311	381,877	4	0.7	0.0- 1.5	81	24.8	19.5-30.1	104	34.3	28.2-40.4	122	40.2	34.1-46.3
45-54	516	394,440	5	1.1	0.1- 2.1	104	19.3	15.4-23.2	192	36.5	31.8-41.2	215	43.1	38.2-48.0
55-64	672	411,254	6	1.0	0.0- 2.0	147	20.3	17.0-23.6	264	40.3	36.0-44.6	255	38.4	34.1-42.7
65+	1094	452,452	12	1.4	0.4- 2.4	280	24.2	21.3-27.1	454	41.5	38.0-45.0	348	32.9	29.6-36.2
Less Than H.S.	238	306,422	11	5.8	1.7- 9.9	76	36.2	28.2-44.2	73	25.6	18.9-32.3	78	32.4	24.8-40.0
H.S. or G.E.D.	1041	836,280	15	1.4	0.6- 2.2	267	27.4	23.9-30.9	391	35.3	31.8-38.8	368	36.0	32.5-39.5
Some Post-H.S.	771	705,468	8	0.8	0.2- 1.4	186	25.7	21.6-29.8	285	38.6	34.1-43.1	292	34.9	30.8-39.0
College Graduate	1009	538,677	8	0.9	0.3- 1.5	268	28.6	25.1-32.1	408	39.4	35.7-43.1	325	31.0	27.5-34.5
Less than \$15,000	193	166,183	7	2.1	0.3- 3.9	65	38.0	28.8-47.2	57	31.4	22.8-40.0	64	28.4	20.6-36.2
\$15,000- 24,999	363	245,597	7	3.7	0.4- 7.0	116	35.0	28.5-41.5	109	28.0	22.3-33.7	131	33.4	27.3-39.5
\$25,000- 34,999	295	211,908	3	1.7	0.0- 4.1	92	29.3	22.6-36.0	113	37.3	30.2-44.4	87	31.6	24.5-38.7
\$35,000- 49,999	392	313,526	6	1.5	0.1- 2.9	91	27.9	21.4-34.4	153	37.4	30.9-43.9	142	33.3	27.4-39.2
\$50,000- 74,999	488	401,212	3	0.7	0.0- 1.5	114	26.9	21.6-32.2	172	35.2	29.7-40.7	199	37.3	32.0-42.6
\$75,000+	859	700,646	2	0.2	0.0- 0.4	189	23.1	19.2-27.0	362	39.0	34.9-43.1	306	37.8	33.7-41.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3817	2,301,795	92	2.5	1.7- 3.3	1283	34.7	32.5-36.9	1143	28.6	26.6-30.6	1299	34.2	32.2-36.2
White/Non-Hisp	3227	1,904,684	76	2.5	1.7- 3.3	1123	35.7	33.5-37.9	980	28.8	26.6-31.0	1048	33.0	30.8-35.2
Black or Afr. Am./Non-Hisp	306	199,971	5	1.8	0.0- 3.8	61	21.1	15.0-27.2	90	30.4	23.5-37.3	150	46.7	39.4-54.0
Oth. Race/Non-Hisp.	86	51,921	6	5.9	0.0-13.5	36	62.6	45.7-79.5	20	14.3	4.1-24.5	24	17.1	4.0-30.2
MultiRacial/Non-Hisp.	57	16,699	2	0.5	0.0- 1.3	21	26.9	13.0-40.8	9	25.9	6.9-44.9	25	46.6	28.0-65.2
Hispanic	100	109,674	1	2.5	0.0- 7.2	28	30.9	18.6-43.2	31	28.2	17.4-39.0	40	38.5	26.7-50.3
18-24	165	293,831	7	4.6	1.1- 8.1	80	50.2	41.8-58.6	34	20.9	14.0-27.8	44	24.2	17.1-31.3
25-34	281	374,117	7	1.8	0.4- 3.2	93	30.6	24.7-36.5	74	30.7	24.4-37.0	107	37.0	30.7-43.3
35-44	347	354,536	11	4.1	1.4- 6.8	121	35.7	30.0-41.4	83	24.5	19.4-29.6	132	35.7	30.0-41.4
45-54	555	358,870	10	1.2	0.4- 2.0	182	33.5	28.8-38.2	155	27.4	23.1-31.7	208	37.8	33.1-42.5
55-64	798	388,764	13	2.1	0.7- 3.5	241	28.6	25.1-32.1	263	32.5	28.8-36.2	281	36.8	32.9-40.7
65+	1671	531,677	44	1.8	1.2- 2.4	566	33.8	31.1-36.5	534	32.1	29.4-34.8	527	32.3	29.6-35.0
Less Than H.S.	304	258,240	15	5.8	2.1- 9.5	96	32.8	25.7-39.9	74	24.1	17.6-30.6	119	37.3	30.4-44.2
H.S. or G.E.D.	1296	745,090	31	2.5	1.1- 3.9	406	31.3	27.8-34.8	390	28.9	25.6-32.2	469	37.4	33.9-40.9
Some Post-H.S.	1007	749,511	21	1.5	0.7- 2.3	313	34.3	30.4-38.2	322	30.8	27.1-34.5	351	33.5	29.8-37.2
College Graduate	1209	548,374	25	2.2	1.0- 3.4	467	40.9	37.2-44.6	357	27.5	24.4-30.6	360	29.4	26.1-32.7
Less than \$15,000	285	160,722	8	3.0	0.1- 5.9	80	30.0	22.7-37.3	76	24.1	17.6-30.6	121	42.9	35.1-50.7
\$15,000- 24,999	597	346,253	22	3.9	1.5- 6.3	162	31.1	25.8-36.4	166	24.9	20.2-29.6	247	40.2	34.9-45.5
\$25,000- 34,999	391	230,278	11	2.6	0.2- 5.0	122	32.1	25.6-38.6	106	26.4	19.9-32.9	152	38.8	32.3-45.3
\$35,000- 49,999	463	285,763	8	1.8	0.4- 3.2	136	29.9	24.4-35.4	165	35.0	29.1-40.9	154	33.3	27.4-39.2
\$50,000- 74,999	479	314,761	10	2.8	0.6- 5.0	148	30.6	24.9-36.3	158	29.7	24.4-35.0	163	36.9	31.2-42.6
\$75,000+	785	547,413	12	0.9	0.3- 1.5	306	41.7	37.2-46.2	245	30.4	26.3-34.5	222	26.9	23.0-30.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6885	4,696,503	2219	33.6	32.0-35.2	4666	66.4	64.8-68.0
Male	3068	2,394,709	844	30.1	27.9-32.3	2224	69.9	67.7-72.1
Female	3817	2,301,795	1375	37.2	35.0-39.4	2442	62.8	60.6-65.0
White/Non-Hisp	5746	3,827,338	1884	34.0	32.2-35.8	3862	66.0	64.2-67.8
Black or Afr. Am./Non-Hisp	524	404,329	122	25.5	20.8-30.2	402	74.5	69.8-79.2
Oth. Race/Non-Hisp.	181	121,999	76	53.6	41.4-65.8	105	46.4	34.2-58.6
MultiRacial/Non-Hisp.	123	41,072	50	37.7	26.9-48.5	73	62.3	51.5-73.1
Hispanic	214	238,445	59	31.6	23.4-39.8	155	68.4	60.2-76.6
18-24	340	636,956	173	52.7	46.8-58.6	167	47.3	41.4-53.2
25-34	581	785,676	219	36.4	32.1-40.7	362	63.6	59.3-67.9
35-44	658	736,413	217	32.4	28.3-36.5	441	67.6	63.5-71.7
45-54	1071	753,311	301	27.2	24.1-30.3	770	72.8	69.7-75.9
55-64	1470	800,018	407	25.9	23.4-28.4	1063	74.1	71.6-76.6
65+	2765	984,129	902	31.0	28.8-33.2	1863	69.0	66.8-71.2
Less Than H.S.	542	564,662	198	40.5	35.0-46.0	344	59.5	54.0-65.0
H.S. or G.E.D.	2337	1,581,370	719	31.1	28.6-33.6	1618	68.9	66.4-71.4
Some Post-H.S.	1778	1,454,980	528	31.3	28.4-34.2	1250	68.7	65.8-71.6
College Graduate	2218	1,087,051	768	36.4	33.9-38.9	1450	63.6	61.1-66.1
Less than \$15,000	478	326,906	160	36.7	30.6-42.8	318	63.3	57.2-69.4
\$15,000- 24,999	960	591,850	307	36.5	32.2-40.8	653	63.5	59.2-67.8
\$25,000- 34,999	686	442,187	228	33.0	28.3-37.7	458	67.0	62.3-71.7
\$35,000- 49,999	855	599,289	241	30.5	26.2-34.8	614	69.5	65.2-73.8
\$50,000- 74,999	967	715,974	275	30.1	26.2-34.0	692	69.9	66.0-73.8
\$75,000+	1644	1,248,059	509	31.8	28.9-34.7	1135	68.2	65.3-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3068	2,394,709	844	30.1	27.9-32.3	2224	69.9	67.7-72.1
White/Non-Hisp	2519	1,922,654	685	29.8	27.4-32.2	1834	70.2	67.8-72.6
Black or Afr. Am./Non-Hisp	218	204,358	56	28.0	20.7-35.3	162	72.0	64.7-79.3
Oth. Race/Non-Hisp.	95	70,078	34	42.6	26.5-58.7	61	57.4	41.3-73.5
MultiRacial/Non-Hisp.	66	24,372	27	44.7	30.2-59.2	39	55.3	40.8-69.8
Hispanic	114	128,772	30	30.0	19.2-40.8	84	70.0	59.2-80.8
18-24	175	343,126	86	50.9	42.5-59.3	89	49.1	40.7-57.5
25-34	300	411,559	119	40.1	33.8-46.4	181	59.9	53.6-66.2
35-44	311	381,877	85	25.5	20.2-30.8	226	74.5	69.2-79.8
45-54	516	394,440	109	20.4	16.5-24.3	407	79.6	75.7-83.5
55-64	672	411,254	153	21.4	17.9-24.9	519	78.6	75.1-82.1
65+	1094	452,452	292	25.6	22.5-28.7	802	74.4	71.3-77.5
Less Than H.S.	238	306,422	87	42.0	33.8-50.2	151	58.0	49.8-66.2
H.S. or G.E.D.	1041	836,280	282	28.8	25.3-32.3	759	71.2	67.7-74.7
Some Post-H.S.	771	705,468	194	26.5	22.4-30.6	577	73.5	69.4-77.6
College Graduate	1009	538,677	276	29.5	26.0-33.0	733	70.5	67.0-74.0
Less than \$15,000	193	166,183	72	40.2	31.0-49.4	121	59.8	50.6-69.0
\$15,000- 24,999	363	245,597	123	38.6	31.9-45.3	240	61.4	54.7-68.1
\$25,000- 34,999	295	211,908	95	31.0	24.1-37.9	200	69.0	62.1-75.9
\$35,000- 49,999	392	313,526	97	29.4	22.9-35.9	295	70.6	64.1-77.1
\$50,000- 74,999	488	401,212	117	27.6	22.3-32.9	371	72.4	67.1-77.7
\$75,000+	859	700,646	191	23.2	19.3-27.1	668	76.8	72.9-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3817	2,301,795	1375	37.2	35.0-39.4	2442	62.8	60.6-65.0
White/Non-Hisp	3227	1,904,684	1199	38.2	35.8-40.6	2028	61.8	59.4-64.2
Black or Afr. Am./Non-Hisp	306	199,971	66	22.9	16.8-29.0	240	77.1	71.0-83.2
Oth. Race/Non-Hisp.	86	51,921	42	68.5	52.6-84.4	44	31.5	15.6-47.4
MultiRacial/Non-Hisp.	57	16,699	23	27.5	13.4-41.6	34	72.5	58.4-86.6
Hispanic	100	109,674	29	33.3	20.8-45.8	71	66.7	54.2-79.2
18-24	165	293,831	87	54.8	46.4-63.2	78	45.2	36.8-53.6
25-34	281	374,117	100	32.4	26.5-38.3	181	67.6	61.7-73.5
35-44	347	354,536	132	39.8	33.9-45.7	215	60.2	54.3-66.1
45-54	555	358,870	192	34.8	30.1-39.5	363	65.2	60.5-69.9
55-64	798	388,764	254	30.7	27.0-34.4	544	69.3	65.6-73.0
65+	1671	531,677	610	35.6	32.9-38.3	1061	64.4	61.7-67.1
Less Than H.S.	304	258,240	111	38.7	31.4-46.0	193	61.3	54.0-68.6
H.S. or G.E.D.	1296	745,090	437	33.8	30.3-37.3	859	66.2	62.7-69.7
Some Post-H.S.	1007	749,511	334	35.7	31.6-39.8	673	64.3	60.2-68.4
College Graduate	1209	548,374	492	43.2	39.5-46.9	717	56.8	53.1-60.5
Less than \$15,000	285	160,722	88	33.0	25.6-40.4	197	67.0	59.6-74.4
\$15,000- 24,999	597	346,253	184	35.0	29.5-40.5	413	65.0	59.5-70.5
\$25,000- 34,999	391	230,278	133	34.8	28.1-41.5	258	65.2	58.5-71.9
\$35,000- 49,999	463	285,763	144	31.7	26.0-37.4	319	68.3	62.6-74.0
\$50,000- 74,999	479	314,761	158	33.4	27.7-39.1	321	66.6	60.9-72.3
\$75,000+	785	547,413	318	42.7	38.2-47.2	467	57.3	52.8-61.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7566	5,115,435	5783	63.6	62.0-65.2	748	14.1	12.9-15.3	597	12.3	11.3-13.3	297	6.7	5.9- 7.5	91	2.1	1.5- 2.7	50	1.2	0.8- 1.6
Male	3214	2,487,472	2453	66.2	64.0-68.4	316	13.2	11.6-14.8	260	11.9	10.3-13.5	131	6.1	4.9- 7.3	31	1.4	0.8- 2.0	23	1.2	0.6- 1.8
Female	4352	2,627,963	3330	61.1	58.9-63.3	432	15.0	13.4-16.6	337	12.7	11.1-14.3	166	7.2	6.0- 8.4	60	2.7	1.9- 3.5	27	1.3	0.7- 1.9
White/Non-Hisp	6259	4,116,892	4904	65.7	64.1-67.3	595	14.2	13.0-15.4	439	11.1	9.9-12.3	224	6.2	5.2- 7.2	60	1.7	1.1- 2.3	37	1.1	0.7- 1.5
Black or Afr. Am./Non-Hisp	580	445,425	407	60.1	55.0-65.2	59	12.5	9.0-16.0	69	16.1	12.2-20.0	27	6.7	4.0- 9.4	13	3.0	1.2- 4.8	5	1.7	0.1- 3.3
Oth. Race/Non-Hisp.	204	134,518	157	63.9	52.9-74.9	19	11.9	4.5-19.3	15	14.3	6.3-22.3	9	7.0	0.7-13.3	3	2.4	0.0- 5.1	1	0.6	0.0- 1.8
MultiRacial/Non-Hisp.	132	44,219	84	51.5	40.5-62.5	24	23.6	14.2-33.0	15	15.5	7.1-23.9	7	8.2	1.1-15.3	2	1.1	0.0- 2.7			
Hispanic	258	296,233	124	38.7	31.4-46.0	40	16.7	11.2-22.2	51	22.4	15.9-28.9	25	13.1	7.6-18.6	12	6.0	2.3- 9.7	6	3.1	0.4- 5.8
18-24	369	686,457	245	65.1	59.6-70.6	75	19.6	15.1-24.1	29	8.1	5.0-11.2	8	3.3	0.9- 5.7	7	2.4	0.6- 4.2	5	1.5	0.1- 2.9
25-34	628	847,452	244	35.3	31.2-39.4	124	20.1	16.6-23.6	122	20.4	16.9-23.9	96	16.7	13.4-20.0	30	5.3	3.3- 7.3	12	2.2	0.8- 3.6
35-44	731	816,108	218	27.3	23.6-31.0	145	19.8	16.5-23.1	204	30.6	26.7-34.5	108	15.1	12.2-18.0	31	3.9	2.3- 5.5	25	3.3	1.9- 4.7
45-54	1183	826,317	725	61.8	58.7-64.9	238	21.0	18.3-23.7	149	11.8	9.8-13.8	57	4.1	2.9- 5.3	9	0.8	0.2- 1.4	5	0.5	0.1- 0.9
55-64	1613	869,741	1428	87.3	85.3-89.3	101	6.5	5.1- 7.9	59	4.2	3.0- 5.4	16	1.3	0.5- 2.1	7	0.4	0.0- 0.8	2	0.3	0.0- 0.7
65+	3042	1,069,359	2923	95.0	94.0-96.0	65	2.4	1.8- 3.0	34	1.6	1.0- 2.2	12	0.8	0.2- 1.4	7	0.2	0.0- 0.4	1	0.1	0.0- 0.3
Less Than H.S.	601	632,107	449	62.2	56.9-67.5	49	10.6	7.3-13.9	47	11.7	8.2-15.2	30	9.3	5.8-12.8	20	4.9	2.5- 7.3	6	1.4	0.2- 2.6
H.S. or G.E.D.	2566	1,715,123	2061	68.1	65.6-70.6	225	13.5	11.5-15.5	164	10.7	8.9-12.5	72	4.8	3.6- 6.0	28	1.7	0.9- 2.5	16	1.2	0.6- 1.8
Some Post-H.S.	1950	1,574,302	1458	60.7	57.8-63.6	222	16.4	14.0-18.8	160	12.7	10.5-14.9	75	6.8	5.0- 8.6	18	1.7	0.9- 2.5	17	1.6	0.8- 2.4
College Graduate	2426	1,175,039	1797	61.6	59.1-64.1	251	14.0	12.0-16.0	224	14.2	12.2-16.2	118	7.8	6.2- 9.4	25	1.6	0.8- 2.4	11	0.7	0.3- 1.1
Less than \$15,000	528	361,446	442	74.6	69.3-79.9	42	9.3	6.0-12.6	26	9.3	5.6-13.0	11	4.6	1.7- 7.5	5	1.8	0.0- 3.6	2	0.4	0.0- 1.2
\$15,000- 24,999	1034	653,791	821	66.9	62.8-71.0	86	11.5	8.8-14.2	74	11.2	8.3-14.1	33	6.3	3.8- 8.8	16	3.0	1.4- 4.6	4	1.1	0.0- 2.3
\$25,000- 34,999	726	471,658	576	64.2	59.1-69.3	73	14.5	11.0-18.0	40	9.9	6.6-13.2	28	8.4	5.1-11.7	5	1.9	0.1- 3.7	4	1.2	0.0- 2.4
\$35,000- 49,999	911	635,557	725	66.2	61.7-70.7	77	13.0	9.9-16.1	53	9.3	6.6-12.0	33	7.1	4.4- 9.8	13	2.5	0.9- 4.1	10	2.0	0.6- 3.4
\$50,000- 74,999	1014	746,273	759	61.4	57.3-65.5	94	13.6	10.5-16.7	86	12.8	9.9-15.7	49	8.0	5.5-10.5	16	2.6	1.0- 4.2	10	1.6	0.4- 2.8
\$75,000+	1721	1,292,494	1110	54.9	51.8-58.0	255	18.2	15.7-20.7	219	17.1	14.7-19.5	98	6.7	5.1- 8.3	25	1.7	0.9- 2.5	14	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3214	2,487,472	2453	66.2	64.0-68.4	316	13.2	11.6-14.8	260	11.9	10.3-13.5	131	6.1	4.9- 7.3	31	1.4	0.8- 2.0	23	1.2	0.6- 1.8
White/Non-Hisp	2620	1,985,481	2048	68.4	66.0-70.8	254	13.6	11.6-15.6	190	10.6	9.0-12.2	95	5.6	4.2- 7.0	16	0.8	0.4- 1.2	17	1.0	0.4- 1.6
Black or Afr. Am./Non-Hisp	225	210,239	168	65.9	58.1-73.7	16	9.3	4.2-14.4	23	14.0	8.3-19.7	13	7.1	3.2-11.0	4	2.4	0.0- 4.9	1	1.3	0.0- 3.8
Oth. Race/Non-Hisp.	105	74,092	81	64.9	50.2-79.6	11	12.8	3.0-22.6	6	10.1	1.1-19.1	5	9.1	0.0-19.1	1	2.1	0.0- 6.2	1	1.0	0.0- 3.0
MultiRacial/Non-Hisp.	68	24,719	44	57.2	42.9-71.5	13	21.1	9.5-32.7	5	12.4	1.6-23.2	4	7.3	0.0-15.1	2	2.0	0.0- 4.7			
Hispanic	129	146,966	59	37.4	27.4-47.4	17	14.7	7.4-22.0	32	28.6	19.0-38.2	11	9.0	3.7-14.3	7	6.5	1.0-12.0	3	3.7	0.0- 8.0
18-24	183	353,156	130	70.9	63.5-78.3	33	17.8	11.5-24.1	9	4.3	1.4- 7.2	4	2.8	0.0- 5.7	4	2.3	0.0- 4.7	3	1.9	0.0- 4.1
25-34	311	423,347	158	47.6	41.3-53.9	58	19.6	14.5-24.7	50	18.0	13.1-22.9	37	12.4	8.3-16.5	5	1.3	0.1- 2.5	3	1.1	0.0- 2.5
35-44	331	405,783	118	31.2	25.7-36.7	50	15.9	11.4-20.4	85	29.5	23.8-35.2	49	15.5	11.0-20.0	15	4.1	1.7- 6.5	14	3.7	1.5- 5.9
45-54	539	409,465	327	61.1	56.4-65.8	96	18.4	14.5-22.3	80	14.5	11.2-17.8	29	4.3	2.5- 6.1	4	0.9	0.0- 1.9	3	0.7	0.0- 1.5
55-64	699	423,453	613	87.0	84.1-89.9	52	7.3	5.1- 9.5	26	4.3	2.5- 6.1	7	1.3	0.1- 2.5	1	0.1	0.0- 0.3			
65+	1151	472,267	1107	95.4	93.8-97.0	27	2.3	1.3- 3.3	10	1.3	0.3- 2.3	5	0.8	0.0- 1.6	2	0.2	0.0- 0.4			
Less Than H.S.	260	326,512	197	68.3	61.0-75.6	19	9.0	4.5-13.5	18	9.2	4.7-13.7	15	7.7	3.4-12.0	8	4.2	1.1- 7.3	3	1.6	0.0- 3.6
H.S. or G.E.D.	1077	863,008	839	68.3	64.6-72.0	111	14.2	11.3-17.1	79	11.1	8.6-13.6	34	4.8	3.0- 6.6	7	0.7	0.1- 1.3	7	0.9	0.1- 1.7
Some Post-H.S.	806	729,826	606	63.5	59.0-68.0	84	14.8	11.3-18.3	74	13.2	10.1-16.3	30	6.1	3.7- 8.5	5	0.8	0.0- 1.6	7	1.6	0.4- 2.8
College Graduate	1058	557,071	799	65.0	61.3-68.7	102	12.2	9.7-14.7	88	13.0	10.3-15.7	52	7.4	5.2- 9.6	11	1.7	0.7- 2.7	6	0.8	0.0- 1.6
Less than \$15,000	205	175,412	180	83.7	77.0-90.4	14	7.5	2.8-12.2	5	3.9	0.4- 7.4	5	3.6	0.5- 6.7	1	1.2	0.0- 3.6			
\$15,000- 24,999	383	255,731	313	72.8	66.5-79.1	29	10.2	5.7-14.7	24	9.2	5.3-13.1	11	4.1	1.4- 6.8	4	2.3	0.0- 4.7	2	1.3	0.0- 3.3
\$25,000- 34,999	302	219,568	252	71.3	64.0-78.6	21	9.8	5.3-14.3	16	10.2	4.9-15.5	8	5.2	1.3- 9.1	3	2.0	0.0- 4.4	2	1.5	0.0- 3.7
\$35,000- 49,999	403	320,397	327	70.4	64.1-76.7	34	13.2	8.3-18.1	25	9.1	5.4-12.8	13	6.3	2.4-10.2	2	0.2	0.0- 0.4	2	0.8	0.0- 2.0
\$50,000- 74,999	491	402,636	366	62.1	56.4-67.8	43	12.9	8.6-17.2	50	14.5	10.4-18.6	24	7.8	4.5-11.1	3	1.2	0.0- 2.8	5	1.5	0.0- 3.1
\$75,000+	869	704,940	567	57.0	52.7-61.3	125	16.9	13.6-20.2	104	16.1	12.8-19.4	50	6.8	4.6- 9.0	14	1.5	0.7- 2.3	9	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4352	2,627,963	3330	61.1	58.9-63.3	432	15.0	13.4-16.6	337	12.7	11.1-14.3	166	7.2	6.0- 8.4	60	2.7	1.9- 3.5	27	1.3	0.7- 1.9
White/Non-Hisp	3639	2,131,411	2856	63.2	61.0-65.4	341	14.7	12.9-16.5	249	11.6	10.0-13.2	129	6.7	5.3- 8.1	44	2.5	1.7- 3.3	20	1.2	0.6- 1.8
Black or Afr. Am./Non-Hisp	355	235,186	239	55.0	48.3-61.7	43	15.4	10.7-20.1	46	18.0	12.5-23.5	14	6.2	2.7- 9.7	9	3.4	0.9- 5.9	4	2.0	0.0- 4.2
Oth. Race/Non-Hisp.	99	60,426	76	62.7	46.0-79.4	8	10.8	0.0-22.4	9	19.3	5.4-33.2	4	4.4	0.0-10.7	2	2.7	0.0- 6.4			
MultiRacial/Non-Hisp.	64	19,499	40	44.3	27.8-60.8	11	26.7	11.2-42.2	10	19.5	6.2-32.8	3	9.5	0.0-22.0						
Hispanic	129	149,267	65	40.0	29.6-50.4	23	18.6	10.2-27.0	19	16.4	8.2-24.6	14	17.0	7.6-26.4	5	5.5	0.6-10.4	3	2.6	0.0- 6.1
18-24	186	333,301	115	58.9	51.1-66.7	42	21.6	15.1-28.1	20	12.1	6.8-17.4	4	3.9	0.0- 7.8	3	2.5	0.0- 5.2	2	1.0	0.0- 2.4
25-34	317	424,105	86	23.0	18.1-27.9	66	20.7	15.8-25.6	72	22.7	17.6-27.8	59	21.0	15.7-26.3	25	9.3	5.6-13.0	9	3.4	1.0- 5.8
35-44	400	410,325	100	23.4	18.7-28.1	95	23.7	19.0-28.4	119	31.6	26.3-36.9	59	14.7	10.6-18.8	16	3.7	1.9- 5.5	11	2.9	0.9- 4.9
45-54	644	416,852	398	62.4	58.1-66.7	142	23.5	19.8-27.2	69	9.0	6.6-11.4	28	4.0	2.4- 5.6	5	0.7	0.0- 1.5	2	0.3	0.0- 0.7
55-64	914	446,288	815	87.6	85.1-90.1	49	5.8	3.8- 7.8	33	4.1	2.5- 5.7	9	1.2	0.4- 2.0	6	0.8	0.0- 1.6	2	0.5	0.0- 1.3
65+	1891	597,092	1816	94.7	93.3-96.1	38	2.5	1.7- 3.3	24	1.8	1.0- 2.6	7	0.7	0.0- 1.5	5	0.2	0.0- 0.4	1	0.1	0.0- 0.3
Less Than H.S.	341	305,595	252	55.5	48.4-62.6	30	12.3	7.6-17.0	29	14.4	8.7-20.1	15	10.9	5.4-16.4	12	5.7	2.4- 9.0	3	1.1	0.0- 2.7
H.S. or G.E.D.	1489	852,115	1222	68.0	64.5-71.5	114	12.7	10.2-15.2	85	10.4	7.9-12.9	38	4.7	2.9- 6.5	21	2.8	1.4- 4.2	9	1.5	0.5- 2.5
Some Post-H.S.	1144	844,476	852	58.3	54.4-62.2	138	17.8	14.7-20.9	86	12.3	9.6-15.0	45	7.5	5.0-10.0	13	2.4	1.0- 3.8	10	1.7	0.5- 2.9
College Graduate	1368	617,968	998	58.6	55.1-62.1	149	15.7	13.0-18.4	136	15.4	12.7-18.1	66	8.1	5.9-10.3	14	1.5	0.5- 2.5	5	0.7	0.1- 1.3
Less than \$15,000	323	186,034	262	66.0	58.4-73.6	28	10.9	6.4-15.4	21	14.3	8.2-20.4	6	5.4	0.7-10.1	4	2.4	0.0- 4.8	2	0.9	0.0- 2.3
\$15,000- 24,999	651	398,060	508	63.1	57.6-68.6	57	12.3	8.8-15.8	50	12.4	8.3-16.5	22	7.7	4.0-11.4	12	3.4	1.0- 5.8	2	1.0	0.0- 2.4
\$25,000- 34,999	424	252,090	324	57.9	51.0-64.8	52	18.5	13.0-24.0	24	9.6	5.3-13.9	20	11.2	5.9-16.5	2	1.7	0.0- 4.1	2	0.9	0.0- 2.3
\$35,000- 49,999	508	315,159	398	61.9	55.8-68.0	43	12.8	8.7-16.9	28	9.5	5.4-13.6	20	7.8	3.9-11.7	11	4.9	1.8- 8.0	8	3.1	0.7- 5.5
\$50,000- 74,999	523	343,637	393	60.6	54.7-66.5	51	14.4	10.1-18.7	36	10.8	6.7-14.9	25	8.2	4.3-12.1	13	4.1	1.4- 6.8	5	1.8	0.0- 3.6
\$75,000+	852	587,554	543	52.5	48.2-56.8	130	19.7	16.0-23.4	115	18.4	14.7-22.1	48	6.7	4.5- 8.9	11	1.9	0.7- 3.1	5	0.9	0.0- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7573	5,116,036	601	12.4	11.2-13.6	2582	33.7	32.3-35.1	1957	30.9	29.5-32.3	2433	23.1	21.9-24.3
Male	3219	2,491,480	260	13.1	11.3-14.9	1087	34.9	32.7-37.1	810	29.4	27.2-31.6	1062	22.5	20.9-24.1
Female	4354	2,624,556	341	11.6	10.0-13.2	1495	32.5	30.7-34.3	1147	32.2	30.2-34.2	1371	23.6	22.0-25.2
White/Non-Hisp	6266	4,119,039	426	10.6	9.4-11.8	2132	34.0	32.4-35.6	1594	30.9	29.3-32.5	2114	24.6	23.4-25.8
Black or Afr. Am./Non-Hisp	581	446,615	56	10.3	7.0-13.6	208	36.7	31.8-41.6	179	36.9	31.8-42.0	138	16.1	13.0-19.2
Oth. Race/Non-Hisp.	203	133,036	24	12.4	4.6-20.2	57	23.2	13.2-33.2	54	30.8	19.6-42.0	68	33.6	23.2-44.0
MultiRacial/Non-Hisp.	132	44,219	9	11.0	3.4-18.6	58	44.0	33.2-54.8	42	34.8	24.0-45.6	23	10.1	5.2-15.0
Hispanic	259	295,973	73	39.0	31.4-46.6	80	27.2	20.9-33.5	58	22.9	16.4-29.4	48	10.9	7.2-14.6
18-24	368	685,302	31	13.4	8.9-17.9	150	39.7	34.2-45.2	128	36.7	31.2-42.2	59	10.2	7.3-13.1
25-34	631	849,369	56	13.2	9.7-16.7	157	25.4	21.7-29.1	182	34.0	29.7-38.3	236	27.4	23.9-30.9
35-44	732	816,414	63	13.4	10.1-16.7	178	26.0	22.3-29.7	196	30.1	26.2-34.0	295	30.5	27.0-34.0
45-54	1185	826,818	82	10.6	8.2-13.0	358	32.8	29.7-35.9	288	29.2	26.1-32.3	457	27.4	24.9-29.9
55-64	1612	868,961	117	11.1	8.9-13.3	551	37.6	34.9-40.3	415	28.9	26.4-31.4	529	22.4	20.2-24.6
65+	3045	1,069,172	252	12.6	10.8-14.4	1188	39.9	37.7-42.1	748	28.1	26.1-30.1	857	19.5	17.9-21.1
Less Than H.S.	601	632,107	601	100.0	100.0- 100									
H.S. or G.E.D.	2582	1,724,361				2582	100.0	100.0- 100						
Some Post-H.S.	1957	1,578,893							1957	100.0	100.0- 100			
College Graduate	2433	1,180,675										2433	100.0	100.0- 100
Less than \$15,000	529	362,044	132	31.3	25.6-37.0	226	38.7	33.2-44.2	114	24.0	18.9-29.1	57	6.0	3.8- 8.2
\$15,000- 24,999	1036	654,363	150	23.1	19.2-27.0	482	40.0	36.1-43.9	275	28.2	24.5-31.9	129	8.6	6.6-10.6
\$25,000- 34,999	726	471,556	70	14.6	10.9-18.3	311	40.5	35.8-45.2	218	33.2	28.3-38.1	127	11.7	9.2-14.2
\$35,000- 49,999	912	636,791	38	8.4	5.3-11.5	329	36.6	32.5-40.7	277	37.0	32.7-41.3	268	18.0	15.3-20.7
\$50,000- 74,999	1015	746,760	36	7.4	4.7-10.1	309	33.5	29.8-37.2	285	34.2	30.3-38.1	385	24.9	22.0-27.8
\$75,000+	1721	1,291,594	26	4.2	2.2- 6.2	280	21.1	18.6-23.6	406	30.8	27.9-33.7	1009	43.9	41.0-46.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3219	2,491,480	260	13.1	11.3-14.9	1087	34.9	32.7-37.1	810	29.4	27.2-31.6	1062	22.5	20.9-24.1
White/Non-Hisp	2625	1,990,653	173	11.2	9.2-13.2	874	35.1	32.7-37.5	653	29.3	26.9-31.7	925	24.4	22.6-26.2
Black or Afr. Am./Non-Hisp	226	211,837	25	12.0	6.5-17.5	84	37.1	29.5-44.7	70	38.1	29.9-46.3	47	12.8	8.5-17.1
Oth. Race/Non-Hisp.	104	72,610	11	15.8	3.3-28.3	26	21.4	7.3-35.5	30	26.5	12.6-40.4	37	36.3	22.0-50.6
MultiRacial/Non-Hisp.	68	24,719	7	13.4	3.4-23.4	38	57.6	43.5-71.7	15	21.4	9.8-33.0	8	7.7	1.4-14.0
Hispanic	130	146,689	37	37.0	26.8-47.2	42	31.9	22.3-41.5	30	23.9	14.7-33.1	21	7.2	3.7-10.7
18-24	183	353,156	16	16.0	8.7-23.3	84	42.3	34.3-50.3	57	33.7	25.9-41.5	26	8.1	4.6-11.6
25-34	314	425,264	30	15.4	9.9-20.9	81	25.8	20.5-31.1	85	31.0	25.1-36.9	118	27.8	22.9-32.7
35-44	332	406,735	33	13.5	9.0-18.0	97	31.4	25.7-37.1	79	28.6	22.9-34.3	123	26.6	21.9-31.3
45-54	542	411,648	39	10.8	7.3-14.3	189	37.1	32.4-41.8	126	27.6	23.1-32.1	188	24.5	21.0-28.0
55-64	698	422,673	46	10.1	7.0-13.2	244	39.1	35.0-43.2	184	28.0	24.1-31.9	224	22.7	19.6-25.8
65+	1150	472,003	96	13.2	10.5-15.9	392	35.2	31.9-38.5	279	28.4	25.3-31.5	383	23.2	20.7-25.7
Less Than H.S.	260	326,512	260	100.0	100.0- 100									
H.S. or G.E.D.	1087	870,560				1087	100.0	100.0- 100						
Some Post-H.S.	810	733,344							810	100.0	100.0- 100			
College Graduate	1062	561,063										1062	100.0	100.0- 100
Less than \$15,000	206	176,010	47	28.1	19.5-36.7	85	37.8	29.4-46.2	48	26.9	18.5-35.3	26	7.2	3.7-10.7
\$15,000- 24,999	384	256,138	68	26.8	20.5-33.1	162	39.0	32.9-45.1	103	25.3	19.8-30.8	51	9.0	5.9-12.1
\$25,000- 34,999	302	219,466	34	15.7	10.0-21.4	141	45.6	38.3-52.9	77	28.1	21.2-35.0	50	10.7	7.2-14.2
\$35,000- 49,999	404	321,632	20	9.9	5.0-14.8	158	38.3	32.2-44.4	121	35.9	29.4-42.4	105	15.9	12.2-19.6
\$50,000- 74,999	493	404,475	20	9.1	4.8-13.4	166	36.5	31.2-41.8	148	34.0	28.5-39.5	159	20.5	16.6-24.4
\$75,000+	868	703,551	19	6.1	3.0- 9.2	168	23.6	19.9-27.3	194	29.7	25.6-33.8	487	40.6	36.7-44.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4354	2,624,556	341	11.6	10.0-13.2	1495	32.5	30.7-34.3	1147	32.2	30.2-34.2	1371	23.6	22.0-25.2
White/Non-Hisp	3641	2,128,386	253	10.0	8.4-11.6	1258	33.0	31.0-35.0	941	32.3	30.1-34.5	1189	24.7	23.1-26.3
Black or Afr. Am./Non-Hisp	355	234,778	31	8.7	4.8-12.6	124	36.4	29.9-42.9	109	35.8	29.3-42.3	91	19.1	14.6-23.6
Oth. Race/Non-Hisp.	99	60,426	13	8.3	0.9-15.7	31	25.4	11.1-39.7	24	36.0	18.4-53.6	31	30.3	15.2-45.4
MultiRacial/Non-Hisp.	64	19,499	2	8.0	0.0-20.0	20	26.8	12.9-40.7	27	51.9	35.0-68.8	15	13.3	5.3-21.3
Hispanic	129	149,284	36	41.0	29.8-52.2	38	22.6	14.6-30.6	28	22.0	12.8-31.2	27	14.4	7.9-20.9
18-24	185	332,146	15	10.6	5.3-15.9	66	37.0	29.4-44.6	71	40.0	32.2-47.8	33	12.4	7.9-16.9
25-34	317	424,105	26	11.0	6.9-15.1	76	25.0	19.7-30.3	97	37.0	30.9-43.1	118	27.1	22.2-32.0
35-44	400	409,679	30	13.4	8.5-18.3	81	20.6	16.1-25.1	117	31.6	26.3-36.9	172	34.3	29.4-39.2
45-54	643	415,169	43	10.4	7.1-13.7	169	28.5	24.4-32.6	162	30.8	26.5-35.1	269	30.3	26.6-34.0
55-64	914	446,288	71	12.0	9.1-14.9	307	36.2	32.5-39.9	231	29.7	26.2-33.2	305	22.1	19.4-24.8
65+	1895	597,169	156	12.1	9.9-14.3	796	43.6	40.9-46.3	469	27.8	25.3-30.3	474	16.5	14.7-18.3
Less Than H.S.	341	305,595	341	100.0	100.0- 100									
H.S. or G.E.D.	1495	853,801				1495	100.0	100.0- 100						
Some Post-H.S.	1147	845,549							1147	100.0	100.0- 100			
College Graduate	1371	619,612										1371	100.0	100.0- 100
Less than \$15,000	323	186,034	85	34.3	27.0-41.6	141	39.5	32.4-46.6	66	21.3	15.2-27.4	31	4.9	2.5- 7.3
\$15,000- 24,999	652	398,225	82	20.8	15.7-25.9	320	40.7	35.6-45.8	172	30.1	25.0-35.2	78	8.4	5.9-10.9
\$25,000- 34,999	424	252,090	36	13.6	8.5-18.7	170	36.1	30.0-42.2	141	37.6	30.9-44.3	77	12.7	9.0-16.4
\$35,000- 49,999	508	315,159	18	7.0	3.3-10.7	171	34.9	29.2-40.6	156	38.0	32.1-43.9	163	20.1	16.2-24.0
\$50,000- 74,999	522	342,285	16	5.5	2.4- 8.6	143	29.9	24.8-35.0	137	34.4	28.7-40.1	226	30.2	25.5-34.9
\$75,000+	853	588,043	7	2.0	0.2- 3.8	112	18.0	14.3-21.7	212	32.1	27.8-36.4	522	48.0	43.7-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5945	4,170,745	529	8.7	7.7- 9.7	1037	15.7	14.5-16.9	728	11.4	10.4-12.4	912	15.3	14.1-16.5	2739	49.0	47.2-50.8			
Male	2661	2,086,804	206	8.4	7.0- 9.8	384	12.3	10.7-13.9	304	10.6	9.0-12.2	404	15.4	13.6-17.2	1363	53.3	50.8-55.8			
Female	3284	2,083,941	323	8.9	7.7-10.1	653	19.1	17.3-20.9	424	12.1	10.5-13.7	508	15.1	13.5-16.7	1376	44.7	42.3-47.1			
White/Non-Hisp	4931	3,373,950	361	6.8	5.8- 7.8	790	13.7	12.5-14.9	581	10.9	9.7-12.1	790	15.9	14.5-17.3	2409	52.6	50.8-54.4			
Black or Afr. Am./Non-Hisp	472	363,198	97	22.0	17.3-26.7	121	23.1	18.6-27.6	72	12.9	9.4-16.4	51	12.0	7.9-16.1	131	30.0	24.7-35.3			
Oth. Race/Non-Hisp.	153	106,372	16	14.9	4.3-25.5	34	18.6	8.4-28.8	17	12.0	2.0-22.0	16	7.6	0.9-14.3	70	46.9	33.8-60.0			
MultiRacial/Non-Hisp.	112	37,206	21	15.6	6.8-24.4	25	21.5	12.3-30.7	21	16.5	7.5-25.5	14	15.1	6.1-24.1	31	31.4	20.0-42.8			
Hispanic	203	237,320	27	11.1	6.0-16.2	50	29.0	21.0-37.0	28	13.8	8.3-19.3	29	14.6	8.7-20.5	69	31.5	23.5-39.5			
18-24	270	515,270	35	12.3	8.2-16.4	59	19.6	14.5-24.7	32	11.1	7.0-15.2	43	17.4	12.3-22.5	101	39.6	32.9-46.3			
25-34	534	729,965	34	6.6	4.2- 9.0	75	13.6	10.5-16.7	79	14.6	11.3-17.9	91	16.6	13.1-20.1	255	48.5	43.8-53.2			
35-44	632	715,644	53	7.2	5.0- 9.4	87	13.7	10.6-16.8	44	7.2	4.8- 9.6	75	11.9	9.0-14.8	373	60.0	55.7-64.3			
45-54	1003	698,502	89	8.7	6.5-10.9	107	9.9	7.9-11.9	84	8.5	6.5-10.5	111	12.9	10.4-15.4	612	59.9	56.4-63.4			
55-64	1335	730,102	138	10.6	8.6-12.6	203	14.7	12.5-16.9	116	9.7	7.7-11.7	171	13.3	11.1-15.5	707	51.8	48.7-54.9			
65+	2171	781,262	180	7.8	6.4- 9.2	506	23.0	20.8-25.2	373	16.3	14.3-18.3	421	19.7	17.7-21.7	691	33.1	30.7-35.5			
Less Than H.S.	452	497,249	132	22.8	18.1-27.5	150	30.5	25.2-35.8	70	13.8	10.1-17.5	38	10.8	6.9-14.7	62	22.1	16.4-27.8			
H.S. or G.E.D.	1937	1,347,703	226	10.4	8.6-12.2	482	19.4	17.2-21.6	311	14.2	12.2-16.2	329	17.3	15.1-19.5	589	38.7	35.8-41.6			
Some Post-H.S.	1575	1,316,267	114	6.6	5.0- 8.2	275	14.0	12.0-16.0	218	11.9	9.9-13.9	277	17.9	15.4-20.4	691	49.6	46.5-52.7			
College Graduate	1975	1,001,889	57	2.2	1.4- 3.0	129	5.6	4.2- 7.0	127	5.5	4.3- 6.7	268	11.4	9.8-13.0	1394	75.2	72.8-77.6			
Less than \$15,000	529	362,044	529	100.0	100.0- 100															
\$15,000- 24,999	1037	655,115				1037	100.0	100.0- 100												
\$25,000- 34,999	728	473,620							728	100.0	100.0- 100									
\$35,000- 49,999	912	636,791										912	100.0	100.0- 100						
\$50,000- 74,999	1016	748,112													1016	100.0	100.0- 100			
\$75,000+	1723	1,295,062													1723	100.0	100.0- 100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2661	2,086,804	206	8.4	7.0- 9.8	384	12.3	10.7-13.9	304	10.6	9.0-12.2	404	15.4	13.6-17.2	1363	53.3	50.9-55.7			
White/Non-Hisp	2193	1,683,476	131	6.3	4.9- 7.7	281	10.5	8.9-12.1	242	10.1	8.5-11.7	352	16.2	14.2-18.2	1187	56.9	54.4-59.4			
Black or Afr. Am./Non-Hisp	183	168,829	41	25.1	17.3-32.9	43	21.4	14.5-28.3	22	8.7	4.2-13.2	12	9.1	2.4-15.8	65	35.8	27.2-44.4			
Oth. Race/Non-Hisp.	89	65,454	11	18.3	2.8-33.8	17	13.8	3.4-24.2	8	11.5	0.0-24.4	9	9.0	0.0-19.2	44	47.5	30.6-64.4			
MultiRacial/Non-Hisp.	59	20,824	10	18.6	5.1-32.1	15	21.7	10.1-33.3	10	13.4	2.8-24.0	8	16.4	4.1-28.7	16	29.9	15.8-44.0			
Hispanic	103	116,509	10	9.0	2.5-15.5	24	22.0	12.8-31.2	19	21.2	11.8-30.6	15	15.1	6.3-23.9	35	32.7	21.5-43.9			
18-24	126	249,099	21	16.9	9.6-24.2	24	14.8	8.3-21.3	15	9.4	4.1-14.7	24	20.5	12.5-28.5	42	38.4	28.4-48.4			
25-34	260	363,279	15	6.1	2.6- 9.6	26	9.2	5.5-12.9	37	14.2	9.5-18.9	37	14.7	9.6-19.8	145	55.9	49.0-62.8			
35-44	295	365,294	18	5.7	2.6- 8.8	36	9.7	6.4-13.0	23	7.9	4.4-11.4	38	13.2	8.7-17.7	180	63.5	57.2-69.8			
45-54	470	358,074	40	8.9	5.8-12.0	47	8.9	6.2-11.6	36	7.4	4.7-10.1	47	12.0	8.5-15.5	300	62.9	57.8-68.0			
55-64	604	374,563	63	10.6	7.7-13.5	81	13.2	10.1-16.3	50	8.3	5.8-10.8	81	13.5	10.4-16.6	329	54.5	50.0-59.0			
65+	906	376,494	49	5.2	3.4- 7.0	170	18.4	15.3-21.5	143	15.9	13.0-18.8	177	20.2	17.1-23.3	367	40.2	36.5-43.9			
Less Than H.S.	208	263,903	47	18.7	12.2-25.2	68	26.0	19.1-32.9	34	13.1	8.0-18.2	20	12.0	6.1-17.9	39	30.2	21.4-39.0			
H.S. or G.E.D.	880	703,283	85	9.5	7.1-11.9	162	14.2	11.7-16.7	141	14.2	11.5-16.9	158	17.5	14.4-20.6	334	44.6	40.5-48.7			
Some Post-H.S.	691	635,450	48	7.5	4.8-10.2	103	10.2	7.8-12.6	77	9.7	7.0-12.4	121	18.2	14.3-22.1	342	54.5	49.8-59.2			
College Graduate	878	478,636	26	2.6	1.2- 4.0	51	4.8	3.2- 6.4	50	4.9	3.3- 6.5	105	10.7	8.3-13.1	646	77.0	73.7-80.3			
Less than \$15,000	206	176,010	206	100.0	100.0- 100															
\$15,000- 24,999	384	256,138				384	100.0	100.0- 100												
\$25,000- 34,999	304	221,530							304	100.0	100.0- 100									
\$35,000- 49,999	404	321,632										404	100.0	100.0- 100						
\$50,000- 74,999	493	404,475													493	100.0	100.0- 100			
\$75,000+	870	707,019													870	100.0	100.0- 100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3284	2,083,941	323	8.9	7.7-10.1	653	19.1	17.3-20.9	424	12.1	10.5-13.7	508	15.1	13.5-16.7	1376	44.7	42.3-47.1			
White/Non-Hisp	2738	1,690,474	230	7.4	6.2- 8.6	509	16.9	15.1-18.7	339	11.8	10.2-13.4	438	15.6	13.8-17.4	1222	48.3	45.8-50.8			
Black or Afr. Am./Non-Hisp	289	194,370	56	19.4	13.7-25.1	78	24.6	18.3-30.9	50	16.5	11.2-21.8	39	14.6	9.3-19.9	66	24.9	18.2-31.6			
Oth. Race/Non-Hisp.	64	40,918	5	9.4	0.0-19.4	17	26.3	6.7-45.9	9	12.8	0.0-28.7	7	5.5	0.0-11.0	26	46.0	25.0-67.0			
MultiRacial/Non-Hisp.	53	16,383	11	11.7	2.1-21.3	10	21.2	6.5-35.9	11	20.4	4.9-35.9	6	13.4	0.5-26.3	15	33.3	14.7-51.9			
Hispanic	100	120,811	17	13.0	5.2-20.8	26	35.8	23.3-48.3	9	6.7	1.8-11.6	14	14.1	6.1-22.1	34	30.3	18.9-41.7			
18-24	144	266,171	14	8.0	3.7-12.3	35	24.1	16.5-31.7	17	12.7	6.4-19.0	19	14.5	8.0-21.0	59	40.7	31.7-49.7			
25-34	274	366,686	19	7.2	3.7-10.7	49	18.0	12.9-23.1	42	14.9	10.2-19.6	54	18.6	13.5-23.7	110	41.3	34.8-47.8			
35-44	337	350,350	35	8.6	5.3-11.9	51	17.9	12.6-23.2	21	6.6	3.7- 9.5	37	10.5	7.0-14.0	193	56.4	50.3-62.5			
45-54	533	340,428	49	8.6	5.9-11.3	60	11.0	8.1-13.9	48	9.7	6.8-12.6	64	13.9	10.4-17.4	312	56.8	51.9-61.7			
55-64	731	355,539	75	10.6	7.9-13.3	122	16.2	13.1-19.3	66	11.2	8.5-13.9	90	13.1	10.2-16.0	378	48.9	44.6-53.2			
65+	1265	404,768	131	10.2	8.0-12.4	336	27.3	24.4-30.2	230	16.7	14.3-19.1	244	19.2	16.7-21.7	324	26.5	23.6-29.4			
Less Than H.S.	244	233,346	85	27.3	20.4-34.2	82	35.5	27.5-43.5	36	14.7	9.0-20.4	18	9.4	4.3-14.5	23	13.0	6.9-19.1			
H.S. or G.E.D.	1057	644,420	141	11.4	9.0-13.8	320	25.1	21.8-28.4	170	14.1	11.4-16.8	171	17.1	14.0-20.2	255	32.2	28.3-36.1			
Some Post-H.S.	884	680,817	66	5.8	4.0- 7.6	172	17.6	14.5-20.7	141	13.9	11.0-16.8	156	17.6	14.5-20.7	349	45.0	40.7-49.3			
College Graduate	1097	523,253	31	1.7	0.9- 2.5	78	6.4	4.4- 8.4	77	6.1	4.3- 7.9	163	12.1	9.7-14.5	748	73.7	70.4-77.0			
Less than \$15,000	323	186,034	323	100.0	100.0- 100															
\$15,000- 24,999	653	398,977				653	100.0	100.0- 100												
\$25,000- 34,999	424	252,090							424	100.0	100.0- 100									
\$35,000- 49,999	508	315,159										508	100.0	100.0- 100						
\$50,000- 74,999	523	343,637													523	100.0	100.0- 100			
\$75,000+	853	588,043													853	100.0	100.0- 100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 9: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	99
2	MALES ONLY	100
3	FEMALES ONLY	101
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	102
5	MALES ONLY	103
6	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7269	4,912,014	975	16.0	14.8-17.2	311	5.1	4.3- 5.9	1997	23.9	22.7-25.1	3986	55.0	53.4-56.6
Male	3083	2,391,011	474	18.0	16.2-19.8	140	5.3	4.1- 6.5	993	27.8	25.8-29.8	1476	48.9	46.5-51.3
Female	4186	2,521,004	501	14.0	12.6-15.4	171	4.9	3.9- 5.9	1004	20.2	18.6-21.8	2510	60.9	58.9-62.9
White/Non-Hisp	6036	3,961,123	814	16.9	15.5-18.3	236	4.9	4.1- 5.7	1730	25.3	23.9-26.7	3256	52.9	51.1-54.7
Black or Afr. Am./Non-Hisp	540	414,129	60	11.6	7.9-15.3	43	9.2	5.9-12.5	112	19.3	15.2-23.4	325	60.0	54.7-65.3
Oth. Race/Non-Hisp.	186	128,153	25	11.4	4.0-18.8	8	2.9	0.4- 5.4	46	13.9	7.0-20.8	107	71.9	62.1-81.7
MultiRacial/Non-Hisp.	130	43,756	42	32.5	22.3-42.7	6	6.7	1.0-12.4	24	18.6	9.6-27.6	58	42.2	31.4-53.0
Hispanic	244	283,124	19	8.9	4.4-13.4	12	4.0	1.5- 6.5	45	16.1	10.8-21.4	168	71.0	64.1-77.9
18-24	353	659,358	37	12.1	8.0-16.2	21	6.2	3.3- 9.1	25	6.8	3.7- 9.9	270	74.8	69.5-80.1
25-34	610	816,513	112	18.0	14.5-21.5	42	7.0	4.6- 9.4	105	19.3	15.6-23.0	351	55.7	51.2-60.2
35-44	707	790,383	128	18.3	15.2-21.4	48	6.5	4.5- 8.5	145	22.8	19.1-26.5	386	52.4	48.3-56.5
45-54	1143	796,307	232	23.0	20.1-25.9	50	4.5	3.1- 5.9	242	21.9	19.2-24.6	619	50.6	47.3-53.9
55-64	1540	826,517	253	17.9	15.5-20.3	76	4.8	3.6- 6.0	415	28.4	25.7-31.1	796	48.9	46.0-51.8
65+	2916	1,022,935	213	7.9	6.7- 9.1	74	2.6	1.8- 3.4	1065	37.3	35.1-39.5	1564	52.2	50.0-54.4
Less Than H.S.	575	597,312	161	31.9	26.8-37.0	41	6.5	4.0- 9.0	177	25.6	21.1-30.1	196	36.1	30.8-41.4
H.S. or G.E.D.	2444	1,630,963	411	18.6	16.6-20.6	124	5.8	4.6- 7.0	718	25.3	23.1-27.5	1191	50.3	47.8-52.8
Some Post-H.S.	1879	1,524,774	275	15.0	12.8-17.2	89	5.6	4.2- 7.0	546	24.4	22.0-26.8	969	55.0	52.1-57.9
College Graduate	2340	1,135,475	127	5.4	4.2- 6.6	56	2.8	1.8- 3.8	548	20.3	18.3-22.3	1609	71.5	69.3-73.7
Less than \$15,000	512	350,570	136	28.3	23.0-33.6	57	11.8	7.9-15.7	118	19.2	14.9-23.5	201	40.7	34.8-46.6
\$15,000- 24,999	1001	622,361	184	21.5	18.0-25.0	65	7.0	5.0- 9.0	303	26.2	22.7-29.7	449	45.3	41.0-49.6
\$25,000- 34,999	699	453,354	126	22.4	18.1-26.7	24	5.1	2.2- 8.0	207	21.8	18.1-25.5	342	50.8	45.7-55.9
\$35,000- 49,999	881	609,636	124	15.8	12.5-19.1	35	5.8	3.4- 8.2	264	26.1	22.4-29.8	458	52.3	47.8-56.8
\$50,000- 74,999	993	728,951	137	16.9	13.8-20.0	35	4.2	2.6- 5.8	268	24.1	20.8-27.4	553	54.8	50.7-58.9
\$75,000+	1689	1,275,140	119	8.7	6.9-10.5	54	3.7	2.5- 4.9	441	25.1	22.6-27.6	1075	62.5	59.6-65.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3083	2,391,011	474	18.0	16.2-19.8	140	5.3	4.1- 6.5	993	27.8	25.8-29.8	1476	48.9	46.5-51.3
White/Non-Hisp	2518	1,912,571	377	18.3	16.3-20.3	101	4.8	3.6- 6.0	842	28.6	26.4-30.8	1198	48.2	45.7-50.7
Black or Afr. Am./Non-Hisp	211	196,445	38	18.3	11.2-25.4	20	10.9	5.4-16.4	57	25.9	18.6-33.2	96	44.9	36.7-53.1
Oth. Race/Non-Hisp.	95	69,054	14	16.8	3.9-29.7	2	0.5	0.0- 1.3	30	22.2	10.0-34.4	49	60.4	44.7-76.1
MultiRacial/Non-Hisp.	66	24,257	24	35.5	21.6-49.4	5	11.1	1.3-20.9	14	14.2	5.4-23.0	23	39.2	24.9-53.5
Hispanic	123	140,017	12	11.7	4.4-19.0	9	6.2	1.7-10.7	30	23.9	14.9-32.9	72	58.1	47.5-68.7
18-24	179	346,957	21	15.0	8.5-21.5	10	6.3	2.2-10.4	16	9.4	4.1-14.7	132	69.3	61.3-77.3
25-34	303	407,725	56	19.5	14.2-24.8	24	7.5	4.4-10.6	59	20.8	15.5-26.1	164	52.2	45.7-58.7
35-44	322	391,995	64	20.9	15.8-26.0	21	7.0	3.9-10.1	77	27.7	22.0-33.4	160	44.4	38.3-50.5
45-54	521	395,800	120	25.7	21.2-30.2	20	3.4	1.6- 5.2	124	25.3	21.0-29.6	257	45.6	40.7-50.5
55-64	665	402,487	117	19.1	15.6-22.6	34	4.9	2.9- 6.9	193	30.5	26.4-34.6	321	45.5	41.2-49.8
65+	1093	446,046	96	8.8	6.8-10.8	31	3.3	1.9- 4.7	524	48.2	44.7-51.7	442	39.7	36.2-43.2
Less Than H.S.	248	307,477	76	33.8	26.2-41.4	13	5.3	1.8- 8.8	89	30.5	23.2-37.8	70	30.4	23.0-37.8
H.S. or G.E.D.	1027	823,231	209	21.7	18.6-24.8	61	6.5	4.5- 8.5	367	29.2	25.9-32.5	390	42.6	38.9-46.3
Some Post-H.S.	780	710,037	122	15.7	12.4-19.0	41	6.2	4.0- 8.4	263	27.6	23.9-31.3	354	50.5	46.0-55.0
College Graduate	1011	536,916	66	6.8	4.8- 8.8	25	2.6	1.2- 4.0	270	24.5	21.4-27.6	650	66.1	62.6-69.6
Less than \$15,000	197	167,841	61	30.7	22.1-39.3	20	11.2	5.3-17.1	49	20.8	13.9-27.7	67	37.3	28.3-46.3
\$15,000- 24,999	366	241,612	73	23.0	17.3-28.7	26	7.5	4.2-10.8	146	34.1	28.2-40.0	121	35.4	28.9-41.9
\$25,000- 34,999	294	214,450	56	22.6	16.3-28.9	13	6.0	1.7-10.3	96	22.3	17.0-27.6	129	49.0	41.6-56.4
\$35,000- 49,999	384	300,714	58	18.0	12.5-23.5	25	7.3	3.8-10.8	131	28.4	22.7-34.1	170	46.2	39.5-52.9
\$50,000- 74,999	479	391,668	87	20.6	15.9-25.3	21	5.4	2.9- 7.9	138	26.0	21.1-30.9	233	48.1	42.4-53.8
\$75,000+	852	695,495	76	11.3	8.4-14.2	25	3.3	1.7- 4.9	273	31.9	28.0-35.8	478	53.5	49.2-57.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4186	2,521,004	501	14.0	12.6-15.4	171	4.9	3.9- 5.9	1004	20.2	18.6-21.8	2510	60.9	58.9-62.9
White/Non-Hisp	3518	2,048,553	437	15.6	14.0-17.2	135	4.9	3.7- 6.1	888	22.2	20.4-24.0	2058	57.3	55.1-59.5
Black or Afr. Am./Non-Hisp	329	217,684	22	5.5	2.8- 8.2	23	7.6	3.9-11.3	55	13.3	8.8-17.8	229	73.6	67.7-79.5
Oth. Race/Non-Hisp.	91	59,099	11	5.0	1.3- 8.7	6	5.7	0.2-11.2	16	4.1	1.0- 7.2	58	85.2	77.4-93.0
MultiRacial/Non-Hisp.	64	19,499	18	28.8	13.9-43.7	1	1.2	0.0- 3.6	10	24.1	7.6-40.6	35	45.9	29.0-62.8
Hispanic	121	143,107	7	6.2	0.9-11.5	3	1.8	0.0- 4.0	15	8.5	3.6-13.4	96	83.5	76.2-90.8
18-24	174	312,401	16	8.9	4.2-13.6	11	6.2	2.1-10.3	9	3.9	1.0- 6.8	138	81.0	74.5-87.5
25-34	307	408,788	56	16.6	12.1-21.1	18	6.5	3.2- 9.8	46	17.7	12.6-22.8	187	59.2	53.1-65.3
35-44	385	398,388	64	15.8	11.7-19.9	27	6.0	3.5- 8.5	68	17.9	13.6-22.2	226	60.2	54.7-65.7
45-54	622	400,507	112	20.3	16.6-24.0	30	5.6	3.4- 7.8	118	18.6	15.1-22.1	362	55.5	51.0-60.0
55-64	875	424,031	136	16.7	13.6-19.8	42	4.7	3.1- 6.3	222	26.4	22.9-29.9	475	52.1	48.2-56.0
65+	1823	576,889	117	7.3	5.7- 8.9	43	2.1	1.3- 2.9	541	28.8	26.3-31.3	1122	61.8	59.1-64.5
Less Than H.S.	327	289,835	85	29.8	23.5-36.1	28	7.8	4.3-11.3	88	20.3	15.2-25.4	126	42.1	34.8-49.4
H.S. or G.E.D.	1417	807,731	202	15.5	13.1-17.9	63	5.2	3.4- 7.0	351	21.2	18.5-23.9	801	58.1	54.8-61.4
Some Post-H.S.	1099	814,736	153	14.3	11.6-17.0	48	5.1	3.1- 7.1	283	21.6	18.5-24.7	615	58.9	55.2-62.6
College Graduate	1329	598,559	61	4.1	2.9- 5.3	31	2.9	1.7- 4.1	278	16.6	14.2-19.0	959	76.4	73.7-79.1
Less than \$15,000	315	182,729	75	26.1	19.6-32.6	37	12.3	7.4-17.2	69	17.8	12.7-22.9	134	43.8	36.4-51.2
\$15,000- 24,999	635	380,749	111	20.5	16.2-24.8	39	6.7	4.2- 9.2	157	21.2	17.1-25.3	328	51.6	46.1-57.1
\$25,000- 34,999	405	238,905	70	22.1	16.2-28.0	11	4.2	0.3- 8.1	111	21.3	16.0-26.6	213	52.3	45.4-59.2
\$35,000- 49,999	497	308,922	66	13.7	10.0-17.4	10	4.4	1.3- 7.5	133	23.8	19.1-28.5	288	58.2	52.3-64.1
\$50,000- 74,999	514	337,283	50	12.7	8.8-16.6	14	2.9	1.1- 4.7	130	21.9	17.4-26.4	320	62.6	57.1-68.1
\$75,000+	837	579,646	43	5.6	3.4- 7.8	29	4.2	2.4- 6.0	168	16.9	13.8-20.0	597	73.3	69.6-77.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7269	4,912,014	5983	78.9	77.5-80.3	1286	21.1	19.7-22.5
Male	3083	2,391,011	2469	76.6	74.6-78.6	614	23.4	21.4-25.4
Female	4186	2,521,004	3514	81.1	79.5-82.7	672	18.9	17.3-20.5
White/Non-Hisp	6036	3,961,123	4986	78.2	76.8-79.6	1050	21.8	20.4-23.2
Black or Afr. Am./Non-Hisp	540	414,129	437	79.2	74.5-83.9	103	20.8	16.1-25.5
Oth. Race/Non-Hisp.	186	128,153	153	85.7	77.9-93.5	33	14.3	6.5-22.1
MultiRacial/Non-Hisp.	130	43,756	82	60.8	50.0-71.6	48	39.2	28.4-50.0
Hispanic	244	283,124	213	87.1	82.0-92.2	31	12.9	7.8-18.0
18-24	353	659,358	295	81.6	76.9-86.3	58	18.4	13.7-23.1
25-34	610	816,513	456	75.0	71.1-78.9	154	25.0	21.1-28.9
35-44	707	790,383	531	75.2	71.7-78.7	176	24.8	21.3-28.3
45-54	1143	796,307	861	72.5	69.4-75.6	282	27.5	24.4-30.6
55-64	1540	826,517	1211	77.3	74.8-79.8	329	22.7	20.2-25.2
65+	2916	1,022,935	2629	89.4	88.0-90.8	287	10.6	9.2-12.0
Less Than H.S.	575	597,312	373	61.6	56.3-66.9	202	38.4	33.1-43.7
H.S. or G.E.D.	2444	1,630,963	1909	75.5	73.3-77.7	535	24.5	22.3-26.7
Some Post-H.S.	1879	1,524,774	1515	79.4	77.0-81.8	364	20.6	18.2-23.0
College Graduate	2340	1,135,475	2157	91.8	90.4-93.2	183	8.2	6.8-9.6
Less than \$15,000	512	350,570	319	60.0	54.3-65.7	193	40.0	34.3-45.7
\$15,000- 24,999	1001	622,361	752	71.5	67.8-75.2	249	28.5	24.8-32.2
\$25,000- 34,999	699	453,354	549	72.5	67.8-77.2	150	27.5	22.8-32.2
\$35,000- 49,999	881	609,636	722	78.4	74.7-82.1	159	21.6	17.9-25.3
\$50,000- 74,999	993	728,951	821	78.9	75.6-82.2	172	21.1	17.8-24.4
\$75,000+	1689	1,275,140	1516	87.5	85.3-89.7	173	12.5	10.3-14.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3083	2,391,011	2469	76.6	74.6-78.6	614	23.4	21.4-25.4
White/Non-Hisp	2518	1,912,571	2040	76.8	74.6-79.0	478	23.2	21.0-25.4
Black or Afr. Am./Non-Hisp	211	196,445	153	70.8	62.8-78.8	58	29.2	21.2-37.2
Oth. Race/Non-Hisp.	95	69,054	79	82.7	69.8-95.6	16	17.3	4.4-30.2
MultiRacial/Non-Hisp.	66	24,257	37	53.4	38.9-67.9	29	46.6	32.1-61.1
Hispanic	123	140,017	102	82.0	73.8-90.2	21	18.0	9.8-26.2
18-24	179	346,957	148	78.7	71.4-86.0	31	21.3	14.0-28.6
25-34	303	407,725	223	73.0	67.3-78.7	80	27.0	21.3-32.7
35-44	322	391,995	237	72.1	66.6-77.6	85	27.9	22.4-33.4
45-54	521	395,800	381	70.9	66.4-75.4	140	29.1	24.6-33.6
55-64	665	402,487	514	76.0	72.3-79.7	151	24.0	20.3-27.7
65+	1093	446,046	966	88.0	85.6-90.4	127	12.0	9.6-14.4
Less Than H.S.	248	307,477	159	60.9	53.1-68.7	89	39.1	31.3-46.9
H.S. or G.E.D.	1027	823,231	757	71.8	68.5-75.1	270	28.2	24.9-31.5
Some Post-H.S.	780	710,037	617	78.1	74.4-81.8	163	21.9	18.2-25.6
College Graduate	1011	536,916	920	90.5	88.1-92.9	91	9.5	7.1-11.9
Less than \$15,000	197	167,841	116	58.1	48.9-67.3	81	41.9	32.7-51.1
\$15,000- 24,999	366	241,612	267	69.5	63.4-75.6	99	30.5	24.4-36.6
\$25,000- 34,999	294	214,450	225	71.3	64.4-78.2	69	28.7	21.8-35.6
\$35,000- 49,999	384	300,714	301	74.6	68.5-80.7	83	25.4	19.3-31.5
\$50,000- 74,999	479	391,668	371	74.1	69.0-79.2	108	25.9	20.8-31.0
\$75,000+	852	695,495	751	85.4	82.3-88.5	101	14.6	11.5-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4186	2,521,004	3514	81.1	79.5-82.7	672	18.9	17.3-20.5
White/Non-Hisp	3518	2,048,553	2946	79.5	77.5-81.5	572	20.5	18.5-22.5
Black or Afr. Am./Non-Hisp	329	217,684	284	86.8	82.3-91.3	45	13.2	8.7-17.7
Oth. Race/Non-Hisp.	91	59,099	74	89.3	82.4-96.2	17	10.7	3.8-17.6
MultiRacial/Non-Hisp.	64	19,499	45	70.1	55.2-85.0	19	29.9	15.0-44.8
Hispanic	121	143,107	111	92.0	86.3-97.7	10	8.0	2.3-13.7
18-24	174	312,401	147	84.9	79.0-90.8	27	15.1	9.2-21.0
25-34	307	408,788	233	76.9	71.6-82.2	74	23.1	17.8-28.4
35-44	385	398,388	294	78.2	73.7-82.7	91	21.8	17.3-26.3
45-54	622	400,507	480	74.1	70.0-78.2	142	25.9	21.8-30.0
55-64	875	424,031	697	78.5	75.2-81.8	178	21.5	18.2-24.8
65+	1823	576,889	1663	90.6	88.8-92.4	160	9.4	7.6-11.2
Less Than H.S.	327	289,835	214	62.4	55.7-69.1	113	37.6	30.9-44.3
H.S. or G.E.D.	1417	807,731	1152	79.3	76.6-82.0	265	20.7	18.0-23.4
Some Post-H.S.	1099	814,736	898	80.5	77.4-83.6	201	19.5	16.4-22.6
College Graduate	1329	598,559	1237	93.0	91.2-94.8	92	7.0	5.2- 8.8
Less than \$15,000	315	182,729	203	61.6	54.3-68.9	112	38.4	31.1-45.7
\$15,000- 24,999	635	380,749	485	72.8	68.1-77.5	150	27.2	22.5-31.9
\$25,000- 34,999	405	238,905	324	73.6	67.1-80.1	81	26.4	19.9-32.9
\$35,000- 49,999	497	308,922	421	82.0	77.5-86.5	76	18.0	13.5-22.5
\$50,000- 74,999	514	337,283	450	84.5	80.2-88.8	64	15.5	11.2-19.8
\$75,000+	837	579,646	765	90.2	87.5-92.9	72	9.8	7.1-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	106
2 MALES ONLY	107
3 FEMALES ONLY	108
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	109
5 MALES ONLY	110
6 FEMALES ONLY	111
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	112
8 MALES ONLY	113
9 FEMALES ONLY	114
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	115
11 MALES ONLY	116
12 FEMALES ONLY	117
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV6)	
13 MALES AND FEMALES	118
14 MALES ONLY	119
15 FEMALES ONLY	120

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7204	4,867,844	3303	51.1	49.5-52.7	3901	48.9	47.3-50.5
Male	3055	2,367,300	1634	56.7	54.3-59.1	1421	43.3	40.9-45.7
Female	4149	2,500,544	1669	45.8	43.8-47.8	2480	54.2	52.2-56.2
White/Non-Hisp	5989	3,933,465	2775	51.5	49.9-53.1	3214	48.5	46.9-50.1
Black or Afr. Am./Non-Hisp	534	411,620	215	48.8	43.3-54.3	319	51.2	45.7-56.7
Oth. Race/Non-Hisp.	184	123,045	79	49.1	37.1-61.1	105	50.9	38.9-62.9
MultiRacial/Non-Hisp.	128	42,911	52	46.8	35.6-58.0	76	53.2	42.0-64.4
Hispanic	243	280,235	124	49.5	41.7-57.3	119	50.5	42.7-58.3
18-24	350	650,953	185	54.1	48.2-60.0	165	45.9	40.0-51.8
25-34	602	806,765	379	61.1	56.8-65.4	223	38.9	34.6-43.2
35-44	701	784,297	414	59.0	54.9-63.1	287	41.0	36.9-45.1
45-54	1128	786,449	647	58.2	54.9-61.5	481	41.8	38.5-45.1
55-64	1531	824,407	692	45.9	43.0-48.8	839	54.1	51.2-57.0
65+	2892	1,014,974	986	33.8	31.6-36.0	1906	66.2	64.0-68.4
Less Than H.S.	566	590,338	155	34.8	29.5-40.1	411	65.2	59.9-70.5
H.S. or G.E.D.	2426	1,616,442	887	42.7	40.2-45.2	1539	57.3	54.8-59.8
Some Post-H.S.	1865	1,518,475	875	55.0	52.1-57.9	990	45.0	42.1-47.9
College Graduate	2319	1,121,349	1379	66.6	64.2-69.0	940	33.4	31.0-35.8
Less than \$15,000	504	347,741	143	35.5	29.8-41.2	361	64.5	58.8-70.2
\$15,000- 24,999	997	620,519	310	35.2	31.1-39.3	687	64.8	60.7-68.9
\$25,000- 34,999	694	446,879	284	45.1	40.0-50.2	410	54.9	49.8-60.0
\$35,000- 49,999	878	602,225	418	52.4	48.1-56.7	460	47.6	43.3-51.9
\$50,000- 74,999	983	724,170	526	58.1	54.2-62.0	457	41.9	38.0-45.8
\$75,000+	1677	1,267,580	1101	67.7	64.8-70.6	576	32.3	29.4-35.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3055	2,367,300	1634	56.7	54.3-59.1	1421	43.3	40.9-45.7
White/Non-Hisp	2499	1,900,484	1349	56.7	54.2-59.2	1150	43.3	40.8-45.8
Black or Afr. Am./Non-Hisp	205	192,763	98	54.2	46.0-62.4	107	45.8	37.6-54.0
Oth. Race/Non-Hisp.	95	65,238	48	54.2	38.1-70.3	47	45.8	29.7-61.9
MultiRacial/Non-Hisp.	65	23,583	28	49.6	34.9-64.3	37	50.4	35.7-65.1
Hispanic	123	139,971	75	59.9	49.3-70.5	48	40.1	29.5-50.7
18-24	177	341,977	88	52.4	44.0-60.8	89	47.6	39.2-56.0
25-34	299	403,694	207	68.8	62.7-74.9	92	31.2	25.1-37.3
35-44	318	387,791	204	64.6	58.7-70.5	114	35.4	29.5-41.3
45-54	512	389,911	319	61.8	57.1-66.5	193	38.2	33.5-42.9
55-64	659	399,159	335	50.5	46.2-54.8	324	49.5	45.2-53.8
65+	1090	444,768	481	43.1	39.6-46.6	609	56.9	53.4-60.4
Less Than H.S.	246	304,575	89	43.3	35.3-51.3	157	56.7	48.7-64.7
H.S. or G.E.D.	1023	817,053	488	51.0	47.3-54.7	535	49.0	45.3-52.7
Some Post-H.S.	773	706,762	402	59.0	54.7-63.3	371	41.0	36.7-45.3
College Graduate	997	526,049	650	70.1	66.8-73.4	347	29.9	26.6-33.2
Less than \$15,000	192	165,985	74	43.5	34.3-52.7	118	56.5	47.3-65.7
\$15,000- 24,999	369	242,973	136	39.4	33.1-45.7	233	60.6	54.3-66.9
\$25,000- 34,999	294	211,469	140	48.7	41.4-56.0	154	51.3	44.0-58.6
\$35,000- 49,999	385	298,162	211	60.0	53.7-66.3	174	40.0	33.7-46.3
\$50,000- 74,999	478	392,288	283	61.4	55.9-66.9	195	38.6	33.1-44.1
\$75,000+	841	689,802	569	69.5	65.6-73.4	272	30.5	26.6-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4149	2,500,544	1669	45.8	43.8-47.8	2480	54.2	52.2-56.2
White/Non-Hisp	3490	2,032,982	1426	46.7	44.5-48.9	2064	53.3	51.1-55.5
Black or Afr. Am./Non-Hisp	329	218,857	117	44.0	37.1-50.9	212	56.0	49.1-62.9
Oth. Race/Non-Hisp.	89	57,807	31	43.3	25.3-61.3	58	56.7	38.7-74.7
MultiRacial/Non-Hisp.	63	19,328	24	43.3	26.1-60.5	39	56.7	39.5-73.9
Hispanic	120	140,264	49	39.1	28.1-50.1	71	60.9	49.9-71.9
18-24	173	308,976	97	56.0	47.8-64.2	76	44.0	35.8-52.2
25-34	303	403,070	172	53.4	47.1-59.7	131	46.6	40.3-52.9
35-44	383	396,505	210	53.6	47.9-59.3	173	46.4	40.7-52.1
45-54	616	396,538	328	54.7	50.2-59.2	288	45.3	40.8-49.8
55-64	872	425,248	357	41.5	37.8-45.2	515	58.5	54.8-62.2
65+	1802	570,207	505	26.4	24.0-28.8	1297	73.6	71.2-76.0
Less Than H.S.	320	285,763	66	25.7	19.0-32.4	254	74.3	67.6-81.0
H.S. or G.E.D.	1403	799,389	399	34.2	30.7-37.7	1004	65.8	62.3-69.3
Some Post-H.S.	1092	811,713	473	51.6	47.7-55.5	619	48.4	44.5-52.3
College Graduate	1322	595,300	729	63.5	60.2-66.8	593	36.5	33.2-39.8
Less than \$15,000	312	181,756	69	28.1	21.0-35.2	243	71.9	64.8-79.0
\$15,000- 24,999	628	377,546	174	32.6	27.3-37.9	454	67.4	62.1-72.7
\$25,000- 34,999	400	235,410	144	42.0	35.1-48.9	256	58.0	51.1-64.9
\$35,000- 49,999	493	304,062	207	45.0	39.1-50.9	286	55.0	49.1-60.9
\$50,000- 74,999	505	331,882	243	54.3	48.6-60.0	262	45.7	40.0-51.4
\$75,000+	836	577,778	532	65.6	61.3-69.9	304	34.4	30.1-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7204	4,867,844	2001	31.6	30.2-33.0	661	10.5	9.5-11.5	238	3.5	2.9- 4.1	403	5.4	4.8- 6.0	3901	48.9	47.3-50.5
Male	3055	2,367,300	858	30.8	28.6-33.0	357	12.9	11.3-14.5	133	4.4	3.4- 5.4	286	8.5	7.3- 9.7	1421	43.3	40.9-45.7
Female	4149	2,500,544	1143	32.3	30.3-34.3	304	8.3	7.1- 9.5	105	2.7	2.1- 3.3	117	2.5	1.9- 3.1	2480	54.2	52.2-56.2
White/Non-Hisp	5989	3,933,465	1666	31.4	29.8-33.0	546	10.5	9.5-11.5	204	3.7	3.1- 4.3	359	5.9	5.1- 6.7	3214	48.5	46.9-50.1
Black or Afr. Am./Non-Hisp	534	411,620	139	30.6	25.5-35.7	55	12.6	8.9-16.3	12	2.8	1.0- 4.6	9	2.8	0.3- 5.3	319	51.2	45.7-56.7
Oth. Race/Non-Hisp.	184	123,045	44	30.1	18.7-41.5	24	17.3	7.9-26.7	3	0.4	0.0- 0.8	8	1.3	0.0- 2.7	105	50.9	38.9-62.9
MultiRacial/Non-Hisp.	128	42,911	28	23.7	14.1-33.3	9	5.4	1.7- 9.1	6	7.5	0.4-14.6	9	10.2	2.6-17.8	76	53.2	42.0-64.4
Hispanic	243	280,235	92	37.7	30.3-45.1	16	4.6	2.1- 7.1	9	4.2	0.9- 7.5	7	3.1	0.4- 5.8	119	50.5	42.7-58.3
18-24	350	650,953	119	35.7	30.0-41.4	46	12.9	9.0-16.8	9	2.2	0.6- 3.8	11	3.3	0.9- 5.7	165	45.9	40.0-51.8
25-34	602	806,765	230	38.5	34.2-42.8	81	11.1	8.4-13.8	31	5.6	3.4- 7.8	37	5.9	3.9- 7.9	223	38.9	34.6-43.2
35-44	701	784,297	261	37.3	33.2-41.4	102	14.8	11.9-17.7	27	3.3	1.9- 4.7	24	3.6	2.0- 5.2	287	41.0	36.9-45.1
45-54	1128	786,449	392	35.5	32.2-38.8	137	12.0	9.8-14.2	50	4.0	2.6- 5.4	68	6.7	4.9- 8.5	481	41.8	38.5-45.1
55-64	1531	824,407	424	27.4	24.9-29.9	122	7.9	6.3- 9.5	49	3.7	2.5- 4.9	97	6.9	5.3- 8.5	839	54.1	51.2-57.0
65+	2892	1,014,974	575	19.3	17.5-21.1	173	6.3	5.1- 7.5	72	2.4	1.8- 3.0	166	5.7	4.7- 6.7	1906	66.2	64.0-68.4
Less Than H.S.	566	590,338	103	23.2	18.3-28.1	23	5.4	2.7- 8.1	6	1.1	0.0- 2.5	23	5.0	2.6- 7.4	411	65.2	59.9-70.5
H.S. or G.E.D.	2426	1,616,442	563	27.9	25.5-30.3	158	7.4	6.0- 8.8	49	2.5	1.7- 3.3	117	5.0	4.0- 6.0	1539	57.3	54.8-59.8
Some Post-H.S.	1865	1,518,475	559	35.3	32.4-38.2	161	11.0	9.0-13.0	59	3.5	2.3- 4.7	96	5.2	3.8- 6.6	990	45.0	42.1-47.9
College Graduate	2319	1,121,349	771	36.6	34.1-39.1	317	17.0	15.0-19.0	124	6.4	5.0- 7.8	167	6.7	5.5- 7.9	940	33.4	31.0-35.8
Less than \$15,000	504	347,741	94	23.6	18.5-28.7	28	7.9	4.2-11.6	6	0.9	0.1- 1.7	15	3.1	1.3- 4.9	361	64.5	58.8-70.2
\$15,000- 24,999	997	620,519	207	23.6	19.9-27.3	59	7.1	4.9- 9.3	15	1.9	0.7- 3.1	29	2.6	1.4- 3.8	687	64.8	60.7-68.9
\$25,000- 34,999	694	446,879	173	28.1	23.6-32.6	53	8.1	5.4-10.8	21	3.8	1.6- 6.0	37	5.1	2.9- 7.3	410	54.9	49.8-60.0
\$35,000- 49,999	878	602,225	262	33.0	28.7-37.3	70	9.5	6.8-12.2	33	3.8	2.2- 5.4	53	6.1	3.7- 8.5	460	47.6	43.3-51.9
\$50,000- 74,999	983	724,170	329	36.9	33.0-40.8	101	11.0	8.3-13.7	34	3.6	2.0- 5.2	62	6.6	4.6- 8.6	457	41.9	38.0-45.8
\$75,000+	1677	1,267,580	617	38.8	35.7-41.9	241	15.7	13.5-17.9	97	5.8	4.4- 7.2	146	7.5	5.9- 9.1	576	32.3	29.4-35.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3055	2,367,300	858	30.8	28.6-33.0	357	12.9	11.3-14.5	133	4.4	3.4- 5.4	286	8.5	7.3- 9.7	1421	43.3	40.9-45.7
White/Non-Hisp	2499	1,900,484	691	29.7	27.3-32.1	288	12.7	10.9-14.5	117	4.8	3.6- 6.0	253	9.4	8.0-10.8	1150	43.3	40.8-45.8
Black or Afr. Am./Non-Hisp	205	192,763	55	31.5	23.7-39.3	31	15.7	9.4-22.0	5	2.5	0.0- 5.2	7	4.5	0.0- 9.6	107	45.8	37.6-54.0
Oth. Race/Non-Hisp.	95	65,238	27	31.9	16.8-47.0	16	20.8	7.5-34.1	1	0.1	0.0- 0.3	4	1.4	0.0- 3.4	47	45.8	29.7-61.9
MultiRacial/Non-Hisp.	65	23,583	14	21.5	9.5-33.5	4	5.4	0.0-10.9	3	6.2	0.0-13.6	7	16.5	3.6-29.4	37	50.4	35.7-65.1
Hispanic	123	139,971	53	44.0	33.4-54.6	11	7.4	2.7-12.1	5	4.2	0.0- 8.7	6	4.3	0.2- 8.4	48	40.1	29.5-50.7
18-24	177	341,977	48	30.5	22.7-38.3	27	14.3	8.4-20.2	4	2.1	0.0- 4.3	9	5.5	1.4- 9.6	89	47.6	39.2-56.0
25-34	299	403,694	103	35.3	29.2-41.4	53	15.5	11.0-20.0	22	8.2	4.5-11.9	29	9.8	6.1-13.5	92	31.2	25.1-37.3
35-44	318	387,791	125	38.9	32.8-45.0	55	18.2	13.3-23.1	9	2.6	0.6- 4.6	15	4.9	2.2- 7.6	114	35.4	29.5-41.3
45-54	512	389,911	161	32.2	27.5-36.9	76	13.5	10.4-16.6	30	5.8	3.4- 8.2	52	10.4	7.5-13.3	193	38.2	33.5-42.9
55-64	659	399,159	181	27.1	23.2-31.0	57	8.0	5.6-10.4	28	4.7	2.9- 6.5	69	10.7	8.0-13.4	324	49.5	45.2-53.8
65+	1090	444,768	240	21.9	19.0-24.8	89	8.9	6.7-11.1	40	2.9	1.7- 4.1	112	9.4	7.4-11.4	609	56.9	53.4-60.4
Less Than H.S.	246	304,575	54	25.6	18.3-32.9	17	8.4	3.5-13.3	2	1.6	0.0- 4.1	16	7.7	3.4-12.0	157	56.7	48.7-64.7
H.S. or G.E.D.	1023	817,053	271	29.2	25.7-32.7	87	9.5	7.1-11.9	35	3.7	2.1- 5.3	95	8.5	6.5-10.5	535	49.0	45.3-52.7
Some Post-H.S.	773	706,762	227	33.8	29.5-38.1	81	12.2	9.1-15.3	31	4.7	2.7- 6.7	63	8.3	5.8-10.8	371	41.0	36.7-45.3
College Graduate	997	526,049	303	32.5	29.0-36.0	170	21.2	17.9-24.5	65	6.8	4.8- 8.8	112	9.6	7.4-11.8	347	29.9	26.6-33.2
Less than \$15,000	192	165,985	44	26.8	18.6-35.0	17	10.9	4.6-17.2	4	1.3	0.0- 2.9	9	4.4	1.3- 7.5	118	56.5	47.3-65.7
\$15,000- 24,999	369	242,973	72	21.2	15.7-26.7	35	11.2	7.1-15.3	6	1.9	0.1- 3.7	23	5.1	2.7- 7.5	233	60.6	54.3-66.9
\$25,000- 34,999	294	211,469	73	24.2	17.9-30.5	29	9.2	5.1-13.3	12	6.5	2.2-10.8	26	8.8	4.5-13.1	154	51.3	44.0-58.6
\$35,000- 49,999	385	298,162	116	32.8	26.3-39.3	34	12.1	7.4-16.8	24	5.8	2.9- 8.7	37	9.3	5.0-13.6	174	40.0	33.7-46.3
\$50,000- 74,999	478	392,288	160	36.1	30.6-41.6	52	11.5	7.6-15.4	22	4.4	2.2- 6.6	49	9.5	6.2-12.8	195	38.6	33.1-44.1
\$75,000+	841	689,802	270	34.9	30.6-39.2	142	17.7	14.6-20.8	51	5.8	3.6- 8.0	106	11.2	8.7-13.7	272	30.5	26.6-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4149	2,500,544	1143	32.3	30.3-34.3	304	8.3	7.1- 9.5	105	2.7	2.1- 3.3	117	2.5	1.9- 3.1	2480	54.2	52.2-56.2
White/Non-Hisp	3490	2,032,982	975	33.0	30.8-35.2	258	8.5	7.1- 9.9	87	2.5	1.9- 3.1	106	2.7	2.1- 3.3	2064	53.3	51.1-55.5
Black or Afr. Am./Non-Hisp	329	218,857	84	29.9	23.4-36.4	24	9.9	5.8-14.0	7	3.0	0.5- 5.5	2	1.2	0.0- 3.0	212	56.0	49.1-62.9
Oth. Race/Non-Hisp.	89	57,807	17	28.1	10.7-45.5	8	13.4	0.3-26.5	2	0.6	0.0- 1.6	4	1.2	0.0- 2.8	58	56.7	38.7-74.7
MultiRacial/Non-Hisp.	63	19,328	14	26.3	10.8-41.8	5	5.4	0.1-10.7	3	9.1	0.0-21.8	2	2.4	0.0- 6.3	39	56.7	39.5-73.9
Hispanic	120	140,264	39	31.4	21.2-41.6	5	1.7	0.1- 3.3	4	4.2	0.0- 9.3	1	1.8	0.0- 5.3	71	60.9	49.9-71.9
18-24	173	308,976	71	41.4	33.4-49.4	19	11.4	5.9-16.9	5	2.3	0.0- 4.7	2	0.9	0.0- 2.1	76	44.0	35.8-52.2
25-34	303	403,070	127	41.8	35.7-47.9	28	6.6	3.9- 9.3	9	2.9	0.9- 4.9	8	2.1	0.3- 3.9	131	46.6	40.3-52.9
35-44	383	396,505	136	35.8	30.3-41.3	47	11.5	8.0-15.0	18	4.0	2.0- 6.0	9	2.3	0.7- 3.9	173	46.4	40.7-52.1
45-54	616	396,538	231	38.7	34.2-43.2	61	10.6	7.7-13.5	20	2.3	1.1- 3.5	16	3.1	1.5- 4.7	288	45.3	40.8-49.8
55-64	872	425,248	243	27.7	24.2-31.2	65	7.9	5.7-10.1	21	2.7	1.5- 3.9	28	3.3	1.9- 4.7	515	58.5	54.8-62.2
65+	1802	570,207	335	17.4	15.2-19.6	84	4.3	3.3- 5.3	32	2.0	1.2- 2.8	54	2.8	2.0- 3.6	1297	73.6	71.2-76.0
Less Than H.S.	320	285,763	49	20.7	14.4-27.0	6	2.3	0.1- 4.5	4	0.6	0.0- 1.2	7	2.1	0.3- 3.9	254	74.3	67.6-81.0
H.S. or G.E.D.	1403	799,389	292	26.4	23.1-29.7	71	5.2	3.8- 6.6	14	1.2	0.4- 2.0	22	1.4	0.6- 2.2	1004	65.8	62.3-69.3
Some Post-H.S.	1092	811,713	332	36.6	32.7-40.5	80	10.0	7.5-12.5	28	2.5	1.3- 3.7	33	2.5	1.3- 3.7	619	48.4	44.5-52.3
College Graduate	1322	595,300	468	40.2	36.7-43.7	147	13.3	10.9-15.7	59	5.9	4.1- 7.7	55	4.1	2.7- 5.5	593	36.5	33.2-39.8
Less than \$15,000	312	181,756	50	20.7	14.2-27.2	11	5.1	1.2- 9.0	2	0.5	0.0- 1.3	6	1.8	0.0- 3.6	243	71.9	64.8-79.0
\$15,000- 24,999	628	377,546	135	25.2	20.1-30.3	24	4.5	2.0- 7.0	9	1.9	0.5- 3.3	6	1.0	0.0- 2.0	454	67.4	62.1-72.7
\$25,000- 34,999	400	235,410	100	31.6	24.9-38.3	24	7.1	3.2-11.0	9	1.4	0.2- 2.6	11	1.8	0.4- 3.2	256	58.0	51.1-64.9
\$35,000- 49,999	493	304,062	146	33.2	27.3-39.1	36	6.9	4.2- 9.6	9	1.9	0.3- 3.5	16	3.0	1.2- 4.8	286	55.0	49.1-60.9
\$50,000- 74,999	505	331,882	169	37.8	32.3-43.3	49	10.4	6.5-14.3	12	2.8	0.8- 4.8	13	3.3	1.3- 5.3	262	45.7	40.0-51.4
\$75,000+	836	577,778	347	43.4	39.1-47.7	99	13.2	10.3-16.1	46	5.8	3.8- 7.8	40	3.2	2.0- 4.4	304	34.4	30.1-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7137	4,817,482	6321	83.8	82.6-85.0	816	16.2	15.0-17.4
Male	3019	2,340,477	2509	78.8	76.8-80.8	510	21.2	19.2-23.2
Female	4118	2,477,005	3812	88.6	87.2-90.0	306	11.4	10.0-12.8
White/Non-Hisp	5937	3,896,894	5280	83.6	82.2-85.0	657	16.4	15.0-17.8
Black or Afr. Am./Non-Hisp	531	408,781	474	86.0	82.1-89.9	57	14.0	10.1-17.9
Oth. Race/Non-Hisp.	182	119,631	161	93.1	88.8-97.4	21	6.9	2.6-11.2
MultiRacial/Non-Hisp.	126	41,896	108	78.1	67.7-88.5	18	21.9	11.5-32.3
Hispanic	238	274,708	194	82.8	77.5-88.1	44	17.2	11.9-22.5
18-24	342	634,650	261	77.2	72.1-82.3	81	22.8	17.7-27.9
25-34	597	802,020	426	73.3	69.4-77.2	171	26.7	22.8-30.6
35-44	694	775,978	557	80.5	77.2-83.8	137	19.5	16.2-22.8
45-54	1119	778,775	937	82.4	79.7-85.1	182	17.6	14.9-20.3
55-64	1520	818,684	1373	89.2	87.2-91.2	147	10.8	8.8-12.8
65+	2865	1,007,374	2767	95.6	94.6-96.6	98	4.4	3.4- 5.4
Less Than H.S.	559	582,021	498	84.0	79.5-88.5	61	16.0	11.5-20.5
H.S. or G.E.D.	2405	1,598,960	2165	86.4	84.6-88.2	240	13.6	11.8-15.4
Some Post-H.S.	1846	1,505,160	1628	83.0	80.6-85.4	218	17.0	14.6-19.4
College Graduate	2300	1,111,666	2003	80.9	78.7-83.1	297	19.1	16.9-21.3
Less than \$15,000	502	347,268	451	85.5	81.0-90.0	51	14.5	10.0-19.0
\$15,000- 24,999	986	615,225	908	88.8	86.1-91.5	78	11.2	8.5-13.9
\$25,000- 34,999	684	440,190	613	84.1	80.0-88.2	71	15.9	11.8-20.0
\$35,000- 49,999	871	597,414	763	82.0	78.3-85.7	108	18.0	14.3-21.7
\$50,000- 74,999	977	717,355	850	83.1	79.8-86.4	127	16.9	13.6-20.2
\$75,000+	1664	1,256,877	1370	78.3	75.8-80.8	294	21.7	19.2-24.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3019	2,340,477	2509	78.8	76.8-80.8	510	21.2	19.2-23.2
White/Non-Hisp	2471	1,879,159	2060	78.2	76.0-80.4	411	21.8	19.6-24.0
Black or Afr. Am./Non-Hisp	204	192,382	174	84.1	78.0-90.2	30	15.9	9.8-22.0
Oth. Race/Non-Hisp.	94	65,172	80	92.5	86.8-98.2	14	7.5	1.8-13.2
MultiRacial/Non-Hisp.	64	22,869	54	76.2	62.1-90.3	10	23.8	9.7-37.9
Hispanic	120	136,477	89	76.3	67.7-84.9	31	23.7	15.1-32.3
18-24	174	334,085	131	75.6	68.2-83.0	43	24.4	17.0-31.8
25-34	296	401,408	187	65.6	59.5-71.7	109	34.4	28.3-40.5
35-44	313	380,936	238	76.3	71.0-81.6	75	23.7	18.4-29.0
45-54	508	387,223	390	76.4	72.1-80.7	118	23.6	19.3-27.9
55-64	653	396,518	559	84.4	81.1-87.7	94	15.6	12.3-18.9
65+	1075	440,306	1004	92.4	90.4-94.4	71	7.6	5.6- 9.6
Less Than H.S.	242	299,162	201	76.1	68.7-83.5	41	23.9	16.5-31.3
H.S. or G.E.D.	1009	805,241	841	80.8	77.9-83.7	168	19.2	16.3-22.1
Some Post-H.S.	770	705,502	636	78.0	74.1-81.9	134	22.0	18.1-25.9
College Graduate	983	519,278	816	77.8	74.5-81.1	167	22.2	18.9-25.5
Less than \$15,000	191	165,919	166	83.6	76.5-90.7	25	16.4	9.3-23.5
\$15,000- 24,999	365	240,806	314	82.6	77.7-87.5	51	17.4	12.5-22.3
\$25,000- 34,999	291	208,659	245	77.9	71.2-84.6	46	22.1	15.4-28.8
\$35,000- 49,999	380	293,727	321	79.4	73.7-85.1	59	20.6	14.9-26.3
\$50,000- 74,999	475	389,070	388	78.6	73.7-83.5	87	21.4	16.5-26.3
\$75,000+	831	681,831	643	73.9	70.0-77.8	188	26.1	22.2-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4118	2,477,005	3812	88.6	87.2-90.0	306	11.4	10.0-12.8
White/Non-Hisp	3466	2,017,735	3220	88.6	87.0-90.2	246	11.4	9.8-13.0
Black or Afr. Am./Non-Hisp	327	216,399	300	87.7	82.6-92.8	27	12.3	7.2-17.4
Oth. Race/Non-Hisp.	88	54,459	81	93.9	87.2- 100	7	6.1	0.0-12.8
MultiRacial/Non-Hisp.	62	19,027	54	80.4	65.5-95.3	8	19.6	4.7-34.5
Hispanic	118	138,231	105	89.2	82.9-95.5	13	10.8	4.5-17.1
18-24	168	300,565	130	79.1	72.6-85.6	38	20.9	14.4-27.4
25-34	301	400,612	239	81.1	76.4-85.8	62	18.9	14.2-23.6
35-44	381	395,041	319	84.5	80.6-88.4	62	15.5	11.6-19.4
45-54	611	391,552	547	88.3	85.2-91.4	64	11.7	8.6-14.8
55-64	867	422,166	814	93.8	92.0-95.6	53	6.2	4.4- 8.0
65+	1790	567,068	1763	98.1	97.3-98.9	27	1.9	1.1- 2.7
Less Than H.S.	317	282,859	297	92.4	88.7-96.1	20	7.6	3.9-11.3
H.S. or G.E.D.	1396	793,719	1324	92.1	89.9-94.3	72	7.9	5.7-10.1
Some Post-H.S.	1076	799,658	992	87.3	84.4-90.2	84	12.7	9.8-15.6
College Graduate	1317	592,388	1187	83.6	80.7-86.5	130	16.4	13.5-19.3
Less than \$15,000	311	181,349	285	87.3	81.8-92.8	26	12.7	7.2-18.2
\$15,000- 24,999	621	374,419	594	92.8	89.7-95.9	27	7.2	4.1-10.3
\$25,000- 34,999	393	231,531	368	89.6	84.9-94.3	25	10.4	5.7-15.1
\$35,000- 49,999	491	303,687	442	84.5	79.8-89.2	49	15.5	10.8-20.2
\$50,000- 74,999	502	328,285	462	88.5	84.6-92.4	40	11.5	7.6-15.4
\$75,000+	833	575,046	727	83.5	80.2-86.8	106	16.5	13.2-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7119	4,803,059	1207	17.0	15.8-18.2	459	7.5	6.7- 8.3	685	11.6	10.6-12.6	432	7.0	6.2- 7.8	435	7.3	6.5- 8.1	3901	49.6	48.0-51.2
Male	3006	2,325,426	441	13.8	12.2-15.4	217	7.9	6.7- 9.1	323	12.3	10.7-13.9	265	9.7	8.3-11.1	339	12.2	10.6-13.8	1421	44.1	41.7-46.5
Female	4113	2,477,633	766	20.0	18.2-21.8	242	7.1	5.9- 8.3	362	11.0	9.6-12.4	167	4.4	3.6- 5.2	96	2.7	2.1- 3.3	2480	54.7	52.5-56.9
White/Non-Hisp	5919	3,882,233	1010	17.0	15.8-18.2	397	7.7	6.7- 8.7	572	11.5	10.3-12.7	364	7.1	6.3- 7.9	362	7.6	6.6- 8.6	3214	49.1	47.3-50.9
Black or Afr. Am./Non-Hisp	530	409,839	93	18.8	14.5-23.1	25	6.0	3.5- 8.5	39	10.1	6.8-13.4	36	8.8	5.5-12.1	18	4.8	1.9- 7.7	319	51.4	45.9-56.9
Oth. Race/Non-Hisp.	182	119,149	22	14.4	5.0-23.8	11	7.0	1.3-12.7	22	18.0	8.2-27.8	11	5.8	0.5-11.1	11	2.2	0.4- 4.0	105	52.6	40.6-64.6
MultiRacial/Non-Hisp.	125	41,741	20	13.9	6.6-21.2	5	3.5	0.0- 7.2	8	9.4	1.8-17.0	5	7.5	0.2-14.8	11	11.0	3.4-18.6	76	54.7	43.3-66.1
Hispanic	239	275,751	43	17.1	11.2-23.0	15	6.4	2.5-10.3	34	14.0	8.7-19.3	9	2.4	0.6- 4.2	19	8.7	4.4-13.0	119	51.3	43.5-59.1
18-24	343	635,472	49	14.5	10.4-18.6	32	9.7	6.4-13.0	50	14.8	10.5-19.1	24	6.4	3.7- 9.1	23	7.5	4.0-11.0	165	47.0	41.1-52.9
25-34	592	791,888	115	19.1	15.6-22.6	48	7.7	5.3-10.1	90	15.4	12.1-18.7	55	8.3	5.9-10.7	61	9.8	7.1-12.5	223	39.7	35.2-44.2
35-44	695	776,621	132	18.2	14.9-21.5	61	8.7	6.3-11.1	93	14.6	11.5-17.7	72	10.1	7.6-12.6	50	7.2	5.0- 9.4	287	41.4	37.3-45.5
45-54	1116	777,599	218	19.0	16.3-21.7	97	9.3	7.3-11.3	156	13.3	11.1-15.5	70	7.2	5.4- 9.0	94	8.9	6.9-10.9	481	42.3	39.0-45.6
55-64	1515	818,367	255	16.7	14.5-18.9	113	6.9	5.5- 8.3	130	8.9	7.1-10.7	84	5.9	4.5- 7.3	94	7.0	5.4- 8.6	839	54.5	51.6-57.4
65+	2858	1,003,111	438	14.7	13.1-16.3	108	4.0	3.2- 4.8	166	5.3	4.3- 6.3	127	4.6	3.6- 5.6	113	4.4	3.4- 5.4	1906	67.0	64.8-69.2
Less Than H.S.	558	580,305	58	12.6	8.9-16.3	17	2.5	0.9- 4.1	27	7.3	4.2-10.4	17	4.1	1.7- 6.5	28	7.2	4.1-10.3	411	66.3	61.0-71.6
H.S. or G.E.D.	2397	1,588,122	327	14.3	12.5-16.1	132	6.8	5.4- 8.2	168	8.7	7.1-10.3	101	5.6	4.4- 6.8	130	6.3	5.1- 7.5	1539	58.3	55.8-60.8
Some Post-H.S.	1841	1,501,678	338	19.0	16.6-21.4	107	7.6	5.8- 9.4	184	13.4	11.0-15.8	111	6.6	5.2- 8.0	111	7.9	6.1- 9.7	990	45.5	42.6-48.4
College Graduate	2295	1,111,713	480	20.5	18.3-22.7	202	10.8	9.0-12.6	306	15.9	13.9-17.9	202	11.0	9.2-12.8	165	8.1	6.7- 9.5	940	33.7	31.3-36.1
Less than \$15,000	498	343,504	52	12.5	8.6-16.4	14	4.2	1.7- 6.7	34	7.4	4.3-10.5	15	5.2	2.3- 8.1	22	5.4	2.5- 8.3	361	65.3	59.4-71.2
\$15,000- 24,999	988	614,928	130	12.8	10.1-15.5	41	5.0	3.0- 7.0	54	8.5	5.8-11.2	45	5.0	3.2- 6.8	31	3.3	1.9- 4.7	687	65.4	61.3-69.5
\$25,000- 34,999	688	439,587	110	17.5	13.4-21.6	37	5.5	3.3- 7.7	54	7.7	5.2-10.2	32	6.1	3.4- 8.8	45	7.4	4.7-10.1	410	55.8	50.7-60.9
\$35,000- 49,999	867	596,729	160	17.6	14.1-21.1	58	7.9	5.4-10.4	80	11.9	8.6-15.2	48	5.6	3.8- 7.4	61	9.0	6.1-11.9	460	48.0	43.5-52.5
\$50,000- 74,999	973	714,718	193	19.9	16.8-23.0	89	9.5	7.1-11.9	99	11.7	9.0-14.4	68	8.4	6.0-10.8	67	8.1	5.7-10.5	457	42.4	38.3-46.5
\$75,000+	1661	1,253,318	350	19.7	17.3-22.1	157	9.9	8.1-11.7	253	16.9	14.5-19.3	169	10.7	8.7-12.7	156	10.2	8.2-12.2	576	32.6	29.7-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3006	2,325,426	441	13.8	12.2-15.4	217	7.9	6.7- 9.1	323	12.3	10.7-13.9	265	9.7	8.3-11.1	339	12.2	10.6-13.8	1421	44.1	41.7-46.5
White/Non-Hisp	2460	1,866,427	356	13.1	11.5-14.7	182	8.0	6.6- 9.4	267	12.1	10.3-13.9	226	10.0	8.4-11.6	279	12.6	10.8-14.4	1150	44.1	41.6-46.6
Black or Afr. Am./Non-Hisp	202	191,080	30	17.5	10.8-24.2	13	6.5	2.6-10.4	16	9.8	4.9-14.7	21	11.2	5.3-17.1	15	8.8	2.9-14.7	107	46.2	37.8-54.6
Oth. Race/Non-Hisp.	94	64,690	14	15.4	2.9-27.9	7	8.3	1.2-15.4	13	19.3	6.0-32.6	3	7.2	0.0-16.4	10	3.6	0.5- 6.7	47	46.1	29.8-62.4
MultiRacial/Non-Hisp.	63	22,481	10	15.1	4.5-25.7	4	5.8	0.0-12.5	2	3.7	0.0- 9.2	2	6.2	0.0-14.6	8	16.3	3.8-28.8	37	52.8	37.7-67.9
Hispanic	120	136,271	21	16.7	8.7-24.7	6	5.8	0.0-11.7	21	17.4	9.6-25.2	8	4.6	1.1- 8.1	16	14.4	7.0-21.8	48	41.1	30.3-51.9
18-24	175	334,892	15	9.1	4.2-14.0	13	8.3	3.6-13.0	26	14.9	8.8-21.0	15	7.3	3.4-11.2	17	11.7	5.6-17.8	89	48.6	40.2-57.0
25-34	291	391,393	45	15.7	11.0-20.4	20	7.2	3.9-10.5	44	15.1	10.4-19.8	37	12.3	8.2-16.4	53	17.5	12.6-22.4	92	32.2	26.1-38.3
35-44	314	382,841	51	14.3	10.2-18.4	28	9.2	5.7-12.7	46	16.7	11.8-21.6	42	13.5	9.2-17.8	33	10.3	6.6-14.0	114	35.9	29.8-42.0
45-54	502	382,502	69	13.6	10.1-17.1	46	9.4	6.5-12.3	75	13.7	10.4-17.0	42	9.3	6.4-12.2	77	15.0	11.5-18.5	193	39.0	34.1-43.9
55-64	653	396,362	95	14.0	11.1-16.9	58	8.3	5.9-10.7	55	8.3	5.8-10.8	49	8.2	5.7-10.7	72	11.3	8.6-14.0	324	49.8	45.3-54.3
65+	1071	437,435	166	15.0	12.5-17.5	52	5.2	3.6- 6.8	77	6.6	4.8- 8.4	80	7.5	5.5- 9.5	87	7.8	5.8- 9.8	609	57.8	54.3-61.3
Less Than H.S.	239	294,729	21	9.4	4.7-14.1	12	3.4	1.0- 5.8	17	10.7	5.2-16.2	10	5.7	1.6- 9.8	22	12.2	6.5-17.9	157	58.6	50.6-66.6
H.S. or G.E.D.	1006	800,049	136	12.6	10.1-15.1	72	7.8	5.8- 9.8	86	10.5	8.0-13.0	69	8.4	6.2-10.6	108	10.7	8.3-13.1	535	50.1	46.2-54.0
Some Post-H.S.	764	699,667	113	14.6	11.5-17.7	51	9.1	6.2-12.0	75	12.2	9.1-15.3	72	9.5	7.1-11.9	82	13.3	10.0-16.6	371	41.4	37.1-45.7
College Graduate	981	518,120	169	17.0	14.1-19.9	81	8.8	6.8-10.8	145	16.7	13.8-19.6	113	14.0	11.1-16.9	126	13.1	10.6-15.6	347	30.4	27.1-33.7
Less than \$15,000	189	162,105	22	13.1	6.6-19.6	7	4.3	0.8- 7.8	18	9.6	4.5-14.7	9	7.1	2.0-12.2	15	8.1	2.8-13.4	118	57.9	48.7-67.1
\$15,000- 24,999	366	240,605	35	9.6	5.9-13.3	20	5.9	2.6- 9.2	25	7.4	4.1-10.7	30	9.2	5.5-12.9	23	6.7	3.4-10.0	233	61.2	54.7-67.7
\$25,000- 34,999	289	204,274	37	10.6	6.3-14.9	19	6.6	2.9-10.3	23	7.7	3.8-11.6	20	8.5	4.2-12.8	36	13.4	8.3-18.5	154	53.1	45.8-60.4
\$35,000- 49,999	377	293,881	65	15.8	11.1-20.5	26	7.8	3.9-11.7	38	14.2	8.7-19.7	31	7.7	4.6-10.8	43	13.9	8.6-19.2	174	40.6	34.3-46.9
\$50,000- 74,999	470	385,663	85	18.4	13.9-22.9	41	8.6	5.5-11.7	45	9.1	6.0-12.2	47	12.0	8.1-15.9	57	12.6	8.5-16.7	195	39.2	33.5-44.9
\$75,000+	833	680,651	130	13.8	11.1-16.5	74	9.4	6.9-11.9	131	17.2	13.9-20.5	99	12.9	10.0-15.8	127	15.7	12.6-18.8	272	30.9	27.0-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4113	2,477,633	766	20.0	18.2-21.8	242	7.1	5.9- 8.3	362	11.0	9.6-12.4	167	4.4	3.6- 5.2	96	2.7	2.1- 3.3	2480	54.7	52.7-56.7
White/Non-Hisp	3459	2,015,806	654	20.6	18.8-22.4	215	7.4	6.2- 8.6	305	10.9	9.3-12.5	138	4.5	3.5- 5.5	83	2.9	2.1- 3.7	2064	53.8	51.6-56.0
Black or Afr. Am./Non-Hisp	328	218,758	63	20.0	14.5-25.5	12	5.6	2.3- 8.9	23	10.4	5.7-15.1	15	6.7	3.0-10.4	3	1.3	0.0- 2.9	212	56.0	49.1-62.9
Oth. Race/Non-Hisp.	88	54,459	8	13.3	0.0-27.6	4	5.5	0.0-14.5	9	16.5	1.8-31.2	8	4.0	0.3- 7.7	1	0.5	0.0- 1.5	58	60.2	42.2-78.2
MultiRacial/Non-Hisp.	62	19,259	10	12.5	3.1-21.9	1	0.7	0.0- 2.1	6	16.0	1.5-30.5	3	9.0	0.0-21.0	3	4.8	0.0-10.9	39	56.9	39.7-74.1
Hispanic	119	139,480	22	17.5	8.9-26.1	9	6.9	1.8-12.0	13	10.8	3.9-17.7	1	0.4	0.0- 1.2	3	3.2	0.0- 7.3	71	61.3	50.3-72.3
18-24	168	300,580	34	20.6	13.7-27.5	19	11.2	6.1-16.3	24	14.7	8.4-21.0	9	5.5	1.8- 9.2	6	2.8	0.4- 5.2	76	45.3	37.1-53.5
25-34	301	400,495	70	22.4	17.3-27.5	28	8.1	5.0-11.2	46	15.8	11.3-20.3	18	4.4	2.0- 6.8	8	2.3	0.5- 4.1	131	46.9	40.6-53.2
35-44	381	393,780	81	21.9	17.0-26.8	33	8.1	5.2-11.0	47	12.5	8.6-16.4	30	6.7	4.2- 9.2	17	4.1	1.9- 6.3	173	46.7	41.0-52.4
45-54	614	395,097	149	24.2	20.3-28.1	51	9.2	6.5-11.9	81	12.9	9.8-16.0	28	5.2	3.0- 7.4	17	3.0	1.4- 4.6	288	45.5	41.0-50.0
55-64	862	422,005	160	19.3	16.2-22.4	55	5.5	3.9- 7.1	75	9.5	7.1-11.9	35	3.8	2.4- 5.2	22	3.0	1.6- 4.4	515	59.0	55.1-62.9
65+	1787	565,676	272	14.5	12.5-16.5	56	3.0	2.0- 4.0	89	4.3	3.3- 5.3	47	2.4	1.6- 3.2	26	1.7	0.9- 2.5	1297	74.1	71.7-76.5
Less Than H.S.	319	285,576	37	15.8	9.9-21.7	5	1.5	0.0- 3.3	10	3.8	1.1- 6.5	7	2.4	0.2- 4.6	6	2.0	0.2- 3.8	254	74.3	67.6-81.0
H.S. or G.E.D.	1391	788,073	191	16.1	13.4-18.8	60	5.7	3.9- 7.5	82	7.0	5.2- 8.8	32	2.7	1.5- 3.9	22	1.8	1.0- 2.6	1004	66.7	63.4-70.0
Some Post-H.S.	1077	802,011	225	22.8	19.5-26.1	56	6.3	4.3- 8.3	109	14.5	11.4-17.6	39	4.1	2.5- 5.7	29	3.3	1.9- 4.7	619	49.0	45.1-52.9
College Graduate	1314	593,593	311	23.6	20.7-26.5	121	12.6	10.1-15.1	161	15.1	12.6-17.6	89	8.3	6.3-10.3	39	3.7	2.3- 5.1	593	36.6	33.3-39.9
Less than \$15,000	309	181,399	30	11.9	7.0-16.8	7	4.1	0.4- 7.8	16	5.4	1.9- 8.9	6	3.6	0.3- 6.9	7	3.0	0.5- 5.5	243	72.0	64.9-79.1
\$15,000- 24,999	622	374,323	95	14.8	10.9-18.7	21	4.4	2.0- 6.8	29	9.2	5.3-13.1	15	2.3	0.9- 3.7	8	1.1	0.1- 2.1	454	68.0	62.7-73.3
\$25,000- 34,999	399	235,313	73	23.6	17.3-29.9	18	4.6	2.1- 7.1	31	7.7	4.4-11.0	12	3.9	0.6- 7.2	9	2.2	0.4- 4.0	256	58.1	51.2-65.0
\$35,000- 49,999	490	302,847	95	19.4	14.5-24.3	32	7.9	4.4-11.4	42	9.7	6.0-13.4	17	3.6	1.6- 5.6	18	4.1	1.9- 6.3	286	55.2	49.3-61.1
\$50,000- 74,999	503	329,055	108	21.7	17.2-26.2	48	10.6	7.3-13.9	54	14.7	10.0-19.4	21	4.1	2.1- 6.1	10	2.8	0.8- 4.8	262	46.1	40.4-51.8
\$75,000+	828	572,668	220	26.6	22.7-30.5	83	10.4	7.9-12.9	122	16.6	13.3-19.9	70	8.0	5.8-10.2	29	3.7	2.1- 5.3	304	34.7	30.4-39.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7111	4,798,969	6746	93.8	93.0-94.6	365	6.2	5.4- 7.0
Male	3001	2,322,028	2783	91.8	90.4-93.2	218	8.2	6.8- 9.6
Female	4110	2,476,940	3963	95.6	94.8-96.4	147	4.4	3.6- 5.2
White/Non-Hisp	5918	3,881,924	5612	93.5	92.5-94.5	306	6.5	5.5- 7.5
Black or Afr. Am./Non-Hisp	530	409,839	514	95.6	92.7-98.5	16	4.4	1.5- 7.3
Oth. Race/Non-Hisp.	181	118,659	171	97.6	95.6-99.6	10	2.4	0.4- 4.4
MultiRacial/Non-Hisp.	124	40,615	112	90.2	83.9-96.5	12	9.8	3.5-16.1
Hispanic	238	274,184	225	94.0	90.3-97.7	13	6.0	2.3- 9.7
18-24	342	634,346	321	92.6	89.1-96.1	21	7.4	3.9-10.9
25-34	592	791,888	541	91.8	89.3-94.3	51	8.2	5.7-10.7
35-44	694	775,054	644	93.4	91.4-95.4	50	6.6	4.6- 8.6
45-54	1115	777,546	1036	92.6	90.8-94.4	79	7.4	5.6- 9.2
55-64	1513	817,568	1430	94.1	92.7-95.5	83	5.9	4.5- 7.3
65+	2855	1,002,565	2774	97.0	96.2-97.8	81	3.0	2.2- 3.8
Less Than H.S.	558	580,305	536	94.6	91.9-97.3	22	5.4	2.7- 8.1
H.S. or G.E.D.	2395	1,586,506	2287	94.9	93.7-96.1	108	5.1	3.9- 6.3
Some Post-H.S.	1839	1,501,187	1741	92.7	90.9-94.5	98	7.3	5.5- 9.1
College Graduate	2292	1,111,297	2155	93.1	91.7-94.5	137	6.9	5.5- 8.3
Less than \$15,000	497	342,378	479	96.3	94.3-98.3	18	3.7	1.7- 5.7
\$15,000- 24,999	988	614,928	958	96.7	95.3-98.1	30	3.3	1.9- 4.7
\$25,000- 34,999	686	437,711	651	94.0	91.3-96.7	35	6.0	3.3- 8.7
\$35,000- 49,999	866	596,546	810	91.3	88.4-94.2	56	8.7	5.8-11.6
\$50,000- 74,999	972	714,228	917	92.7	90.3-95.1	55	7.3	4.9- 9.7
\$75,000+	1659	1,252,922	1535	92.0	90.2-93.8	124	8.0	6.2- 9.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3001	2,322,028	2783	91.8	90.4-93.2	218	8.2	6.8-9.6
White/Non-Hisp	2459	1,866,118	2275	91.3	89.7-92.9	184	8.7	7.1-10.3
Black or Afr. Am./Non-Hisp	202	191,080	194	94.4	88.9-99.9	8	5.6	0.1-11.1
Oth. Race/Non-Hisp.	94	64,690	89	98.2	96.0- 100	5	1.8	0.0- 4.0
MultiRacial/Non-Hisp.	62	21,355	55	88.1	78.1-98.1	7	11.9	1.9-21.9
Hispanic	119	134,704	109	91.0	84.7-97.3	10	9.0	2.7-15.3
18-24	174	333,766	163	90.9	85.2-96.6	11	9.1	3.4-14.8
25-34	291	391,393	255	88.0	83.7-92.3	36	12.0	7.7-16.3
35-44	313	381,274	292	93.1	89.8-96.4	21	6.9	3.6-10.2
45-54	501	382,450	450	89.9	86.8-93.0	51	10.1	7.0-13.2
55-64	652	396,053	600	92.0	89.6-94.4	52	8.0	5.6-10.4
65+	1070	437,092	1023	96.0	94.6-97.4	47	4.0	2.6- 5.4
Less Than H.S.	239	294,729	224	91.6	86.5-96.7	15	8.4	3.3-13.5
H.S. or G.E.D.	1005	798,923	928	92.4	90.4-94.4	77	7.6	5.6- 9.6
Some Post-H.S.	763	699,358	704	90.0	86.9-93.1	59	10.0	6.9-13.1
College Graduate	979	517,724	912	93.1	91.1-95.1	67	6.9	4.9- 8.9
Less than \$15,000	188	160,979	179	96.8	94.3-99.3	9	3.2	0.7- 5.7
\$15,000- 24,999	366	240,605	349	94.6	91.7-97.5	17	5.4	2.5- 8.3
\$25,000- 34,999	287	202,398	265	92.1	87.8-96.4	22	7.9	3.6-12.2
\$35,000- 49,999	377	293,881	344	88.0	82.9-93.1	33	12.0	6.9-17.1
\$50,000- 74,999	470	385,663	430	89.9	86.0-93.8	40	10.1	6.2-14.0
\$75,000+	831	680,254	762	91.2	88.7-93.7	69	8.8	6.3-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4110	2,476,940	3963	95.6	94.8-96.4	147	4.4	3.6- 5.2
White/Non-Hisp	3459	2,015,806	3337	95.5	94.5-96.5	122	4.5	3.5- 5.5
Black or Afr. Am./Non-Hisp	328	218,758	320	96.7	94.2-99.2	8	3.3	0.8- 5.8
Oth. Race/Non-Hisp.	87	53,969	82	96.8	93.3- 100	5	3.2	0.0- 6.7
MultiRacial/Non-Hisp.	62	19,259	57	92.5	85.4-99.6	5	7.5	0.4-14.6
Hispanic	119	139,480	116	96.8	92.7- 100	3	3.2	0.0- 7.3
18-24	168	300,580	158	94.4	90.7-98.1	10	5.6	1.9- 9.3
25-34	301	400,495	286	95.5	93.0-98.0	15	4.5	2.0- 7.0
35-44	381	393,780	352	93.7	91.2-96.2	29	6.3	3.8- 8.8
45-54	614	395,097	586	95.2	93.2-97.2	28	4.8	2.8- 6.8
55-64	861	421,515	830	96.1	94.5-97.7	31	3.9	2.3- 5.5
65+	1785	565,473	1751	97.7	96.7-98.7	34	2.3	1.3- 3.3
Less Than H.S.	319	285,576	312	97.8	96.0-99.6	7	2.2	0.4- 4.0
H.S. or G.E.D.	1390	787,583	1359	97.4	96.4-98.4	31	2.6	1.6- 3.6
Some Post-H.S.	1076	801,829	1037	95.1	93.1-97.1	39	4.9	2.9- 6.9
College Graduate	1313	593,573	1243	93.0	91.2-94.8	70	7.0	5.2- 8.8
Less than \$15,000	309	181,399	300	95.9	92.8-99.0	9	4.1	1.0- 7.2
\$15,000- 24,999	622	374,323	609	98.0	96.8-99.2	13	2.0	0.8- 3.2
\$25,000- 34,999	399	235,313	386	95.7	92.4-99.0	13	4.3	1.0- 7.6
\$35,000- 49,999	489	302,665	466	94.6	92.1-97.1	23	5.4	2.9- 7.9
\$50,000- 74,999	502	328,565	487	96.0	93.6-98.4	15	4.0	1.6- 6.4
\$75,000+	828	572,668	773	92.9	90.7-95.1	55	7.1	4.9- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	122
2	MALES ONLY	123
3	FEMALES ONLY	124
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	125
5	MALES ONLY	126
6	FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2805	990,469	1353	46.9	44.7-49.1	1452	53.1	50.9-55.3
Male	1067	436,670	516	46.6	43.1-50.1	551	53.4	49.9-56.9
Female	1738	553,799	837	47.1	44.4-49.8	901	52.9	50.2-55.6
White/Non-Hisp	2481	888,711	1223	47.8	45.4-50.2	1258	52.2	49.8-54.6
Black or Afr. Am./Non-Hisp	161	58,454	64	36.2	26.6-45.8	97	63.8	54.2-73.4
Oth. Race/Non-Hisp.	64	12,782	28	32.3	14.9-49.7	36	67.7	50.3-85.1
65+	2805	990,469	1353	46.9	44.7-49.1	1452	53.1	50.9-55.3
Less Than H.S.	238	126,703	107	43.3	35.9-50.7	131	56.7	49.3-64.1
H.S. or G.E.D.	1095	395,466	504	45.5	42.0-49.0	591	54.5	51.0-58.0
Some Post-H.S.	675	273,137	315	46.9	42.4-51.4	360	53.1	48.6-57.6
College Graduate	791	192,507	424	51.9	47.8-56.0	367	48.1	44.0-52.2
Less than \$15,000	172	58,774	73	41.5	31.9-51.1	99	58.5	48.9-68.1
\$15,000- 24,999	483	170,728	230	46.0	40.5-51.5	253	54.0	48.5-59.5
\$25,000- 34,999	350	121,342	156	40.9	34.8-47.0	194	59.1	53.0-65.2
\$35,000- 49,999	406	147,136	203	48.7	42.8-54.6	203	51.3	45.4-57.2
\$50,000- 74,999	307	119,673	141	44.5	37.8-51.2	166	55.5	48.8-62.2
\$75,000+	350	127,925	191	50.9	44.6-57.2	159	49.1	42.8-55.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1067	436,670	516	46.6	43.1-50.1	551	53.4	49.9-56.9
White/Non-Hisp	934	391,887	462	47.9	44.2-51.6	472	52.1	48.4-55.8
Black or Afr. Am./Non-Hisp	59	28,896	24	29.3	16.0-42.6	35	70.7	57.4-84.0
65+	1067	436,670	516	46.6	43.1-50.1	551	53.4	49.9-56.9
Less Than H.S.	90	58,523	41	43.0	30.8-55.2	49	57.0	44.8-69.2
H.S. or G.E.D.	365	154,425	164	44.4	38.5-50.3	201	55.6	49.7-61.5
Some Post-H.S.	251	120,439	117	46.3	39.0-53.6	134	53.7	46.4-61.0
College Graduate	358	102,129	192	52.3	46.2-58.4	166	47.7	41.6-53.8
\$15,000- 24,999	163	65,410	74	42.8	33.2-52.4	89	57.2	47.6-66.8
\$25,000- 34,999	137	57,493	61	39.5	29.9-49.1	76	60.5	50.9-70.1
\$35,000- 49,999	170	71,120	87	51.1	42.3-59.9	83	48.9	40.1-57.7
\$50,000- 74,999	160	69,423	77	45.3	36.3-54.3	83	54.7	45.7-63.7
\$75,000+	193	77,281	102	49.9	41.7-58.1	91	50.1	41.9-58.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1738	553,799	837	47.1	44.4-49.8	901	52.9	50.2-55.6
White/Non-Hisp	1547	496,824	761	47.7	44.8-50.6	786	52.3	49.4-55.2
Black or Afr. Am./Non-Hisp	102	29,559	40	43.0	30.5-55.5	62	57.0	44.5-69.5
65+	1738	553,799	837	47.1	44.4-49.8	901	52.9	50.2-55.6
Less Than H.S.	148	68,180	66	43.6	34.4-52.8	82	56.4	47.2-65.6
H.S. or G.E.D.	730	241,041	340	46.2	41.9-50.5	390	53.8	49.5-58.1
Some Post-H.S.	424	152,698	198	47.4	41.7-53.1	226	52.6	46.9-58.3
College Graduate	433	90,377	232	51.5	46.0-57.0	201	48.5	43.0-54.0
Less than \$15,000	126	39,845	58	40.8	30.0-51.6	68	59.2	48.4-70.0
\$15,000- 24,999	320	105,318	156	48.0	41.3-54.7	164	52.0	45.3-58.7
\$25,000- 34,999	213	63,849	95	42.2	34.4-50.0	118	57.8	50.0-65.6
\$35,000- 49,999	236	76,016	116	46.5	38.9-54.1	120	53.5	45.9-61.1
\$50,000- 74,999	147	50,249	64	43.3	33.7-52.9	83	56.7	47.1-66.3
\$75,000+	157	50,644	89	52.5	43.1-61.9	68	47.5	38.1-56.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2744	971,941	2031	72.5	70.3-74.7	713	27.5	25.3-29.7
Male	1042	428,229	723	67.3	63.8-70.8	319	32.7	29.2-36.2
Female	1702	543,712	1308	76.6	74.2-79.0	394	23.4	21.0-25.8
White/Non-Hisp	2433	874,044	1824	73.5	71.3-75.7	609	26.5	24.3-28.7
Black or Afr. Am./Non-Hisp	154	55,926	95	57.6	47.0-68.2	59	42.4	31.8-53.0
Oth. Race/Non-Hisp.	62	12,533	49	69.3	45.6-93.0	13	30.7	7.0-54.4
65+	2744	971,941	2031	72.5	70.3-74.7	713	27.5	25.3-29.7
Less Than H.S.	233	123,644	165	66.4	58.8-74.0	68	33.6	26.0-41.2
H.S. or G.E.D.	1064	385,528	756	70.5	67.4-73.6	308	29.5	26.4-32.6
Some Post-H.S.	665	271,059	504	75.0	71.1-78.9	161	25.0	21.1-28.9
College Graduate	776	189,054	601	76.7	73.2-80.2	175	23.3	19.8-26.8
Less than \$15,000	163	55,749	105	64.9	55.3-74.5	58	35.1	25.5-44.7
\$15,000- 24,999	477	168,362	363	72.2	66.9-77.5	114	27.8	22.5-33.1
\$25,000- 34,999	347	120,201	256	71.7	65.8-77.6	91	28.3	22.4-34.2
\$35,000- 49,999	402	145,999	303	73.2	67.9-78.5	99	26.8	21.5-32.1
\$50,000- 74,999	301	116,842	216	71.4	65.3-77.5	85	28.6	22.5-34.7
\$75,000+	345	126,515	270	75.7	70.2-81.2	75	24.3	18.8-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1042	428,229	723	67.3	63.8-70.8	319	32.7	29.2-36.2
White/Non-Hisp	912	384,761	636	67.9	64.2-71.6	276	32.1	28.4-35.8
Black or Afr. Am./Non-Hisp	58	27,649	34	51.2	34.3-68.1	24	48.8	31.9-65.7
65+	1042	428,229	723	67.3	63.8-70.8	319	32.7	29.2-36.2
Less Than H.S.	87	56,588	56	58.6	46.1-71.1	31	41.4	28.9-53.9
H.S. or G.E.D.	357	150,418	225	64.0	58.1-69.9	132	36.0	30.1-41.9
Some Post-H.S.	248	120,383	175	69.6	62.9-76.3	73	30.4	23.7-37.1
College Graduate	347	99,687	264	74.0	68.5-79.5	83	26.0	20.5-31.5
\$15,000- 24,999	163	64,492	109	60.8	50.8-70.8	54	39.2	29.2-49.2
\$25,000- 34,999	134	56,418	90	63.4	53.2-73.6	44	36.6	26.4-46.8
\$35,000- 49,999	166	70,298	118	69.1	60.7-77.5	48	30.9	22.5-39.3
\$50,000- 74,999	154	66,592	94	61.6	52.8-70.4	60	38.4	29.6-47.2
\$75,000+	191	76,696	151	73.7	65.9-81.5	40	26.3	18.5-34.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1702	543,712	1308	76.6	74.2-79.0	394	23.4	21.0-25.8
White/Non-Hisp	1521	489,283	1188	77.9	75.4-80.4	333	22.1	19.6-24.6
Black or Afr. Am./Non-Hisp	96	28,277	61	63.8	51.6-76.0	35	36.2	24.0-48.4
65+	1702	543,712	1308	76.6	74.2-79.0	394	23.4	21.0-25.8
Less Than H.S.	146	67,056	109	73.0	64.0-82.0	37	27.0	18.0-36.0
H.S. or G.E.D.	707	235,110	531	74.7	71.0-78.4	176	25.3	21.6-29.0
Some Post-H.S.	417	150,676	329	79.3	74.8-83.8	88	20.7	16.2-25.2
College Graduate	429	89,366	337	79.9	75.6-84.2	92	20.1	15.8-24.4
Less than \$15,000	119	37,312	80	64.6	52.8-76.4	39	35.4	23.6-47.2
\$15,000- 24,999	314	103,870	254	79.3	73.6-85.0	60	20.7	15.0-26.4
\$25,000- 34,999	213	63,783	166	79.1	72.8-85.4	47	20.9	14.6-27.2
\$35,000- 49,999	236	75,701	185	77.0	70.5-83.5	51	23.0	16.5-29.5
\$50,000- 74,999	147	50,249	122	84.5	78.2-90.8	25	15.5	9.2-21.8
\$75,000+	154	49,819	119	78.8	71.5-86.1	35	21.2	13.9-28.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 13: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	129
2	MALES ONLY	130
3	FEMALES ONLY	131
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	132
5	MALES ONLY	133
6	FEMALES ONLY	134
	DRINKING AND DRIVING (_DRNKDRV)	
7	MALES AND FEMALES	135
8	MALES ONLY	136
9	FEMALES ONLY	137

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7186	4,845,886	6771	92.7	91.7-93.7	415	7.3	6.3- 8.3
Male	3047	2,360,747	2802	90.0	88.4-91.6	245	10.0	8.4-11.6
Female	4139	2,485,139	3969	95.2	94.2-96.2	170	4.8	3.8- 5.8
White/Non-Hisp	5974	3,910,069	5651	93.1	92.1-94.1	323	6.9	5.9- 7.9
Black or Afr. Am./Non-Hisp	529	404,697	490	90.2	86.9-93.5	39	9.8	6.5-13.1
Oth. Race/Non-Hisp.	183	127,266	171	87.5	78.9-96.1	12	12.5	3.9-21.1
MultiRacial/Non-Hisp.	128	43,154	116	88.7	81.1-96.3	12	11.3	3.7-18.9
Hispanic	244	281,422	224	91.7	87.4-96.0	20	8.3	4.0-12.6
18-24	348	652,539	307	87.5	83.4-91.6	41	12.5	8.4-16.6
25-34	596	796,207	540	90.3	87.6-93.0	56	9.7	7.0-12.4
35-44	697	778,049	661	93.9	91.7-96.1	36	6.1	3.9- 8.3
45-54	1124	781,193	1061	94.3	92.7-95.9	63	5.7	4.1- 7.3
55-64	1530	821,451	1455	94.2	92.6-95.8	75	5.8	4.2- 7.4
65+	2891	1,016,447	2747	94.4	93.2-95.6	144	5.6	4.4- 6.8
Less Than H.S.	564	587,841	508	88.5	84.8-92.2	56	11.5	7.8-15.2
H.S. or G.E.D.	2409	1,607,693	2231	91.0	89.4-92.6	178	9.0	7.4-10.6
Some Post-H.S.	1859	1,507,297	1745	93.0	91.4-94.6	114	7.0	5.4- 8.6
College Graduate	2325	1,120,964	2259	96.5	95.5-97.5	66	3.5	2.5- 4.5
Less than \$15,000	505	348,361	453	86.5	81.8-91.2	52	13.5	8.8-18.2
\$15,000- 24,999	993	616,420	912	90.4	87.9-92.9	81	9.6	7.1-12.1
\$25,000- 34,999	686	441,770	635	89.4	85.9-92.9	51	10.6	7.1-14.1
\$35,000- 49,999	874	602,080	832	93.4	91.0-95.8	42	6.6	4.2- 9.0
\$50,000- 74,999	981	719,481	921	93.2	91.2-95.2	60	6.8	4.8- 8.8
\$75,000+	1672	1,264,274	1616	95.5	93.9-97.1	56	4.5	2.9- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3047	2,360,747	2802	90.0	88.4-91.6	245	10.0	8.4-11.6
White/Non-Hisp	2488	1,888,862	2292	90.3	88.5-92.1	196	9.7	7.9-11.5
Black or Afr. Am./Non-Hisp	209	194,082	187	87.4	81.9-92.9	22	12.6	7.1-18.1
Oth. Race/Non-Hisp.	94	67,830	90	88.6	75.9- 100	4	11.4	0.0-24.1
MultiRacial/Non-Hisp.	65	23,826	57	82.4	69.7-95.1	8	17.6	4.9-30.3
Hispanic	123	139,971	114	89.8	82.4-97.2	9	10.2	2.8-17.6
18-24	178	346,375	150	83.7	77.2-90.2	28	16.3	9.8-22.8
25-34	298	400,583	267	88.3	84.0-92.6	31	11.7	7.4-16.0
35-44	316	386,029	294	90.9	87.2-94.6	22	9.1	5.4-12.8
45-54	508	385,412	462	91.9	89.4-94.4	46	8.1	5.6-10.6
55-64	659	398,102	608	91.1	88.4-93.8	51	8.9	6.2-11.6
65+	1088	444,247	1021	93.1	91.1-95.1	67	6.9	4.9- 8.9
Less Than H.S.	245	305,233	217	85.1	78.8-91.4	28	14.9	8.6-21.2
H.S. or G.E.D.	1013	809,607	907	87.5	85.0-90.0	106	12.5	10.0-15.0
Some Post-H.S.	775	708,166	709	90.8	88.1-93.5	66	9.2	6.5-11.9
College Graduate	998	525,222	953	95.5	93.9-97.1	45	4.5	2.9- 6.1
Less than \$15,000	195	167,434	173	84.6	76.8-92.4	22	15.4	7.6-23.2
\$15,000- 24,999	367	241,052	326	87.3	82.8-91.8	41	12.7	8.2-17.2
\$25,000- 34,999	292	212,002	262	85.0	79.1-90.9	30	15.0	9.1-20.9
\$35,000- 49,999	381	299,491	352	90.8	86.9-94.7	29	9.2	5.3-13.1
\$50,000- 74,999	474	388,299	431	90.7	87.6-93.8	43	9.3	6.2-12.4
\$75,000+	841	689,476	798	93.2	90.7-95.7	43	6.8	4.3- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4139	2,485,139	3969	95.2	94.2-96.2	170	4.8	3.8- 5.8
White/Non-Hisp	3486	2,021,207	3359	95.7	94.7-96.7	127	4.3	3.3- 5.3
Black or Afr. Am./Non-Hisp	320	210,615	303	92.8	89.1-96.5	17	7.2	3.5-10.9
Oth. Race/Non-Hisp.	89	59,436	81	86.3	74.7-97.9	8	13.7	2.1-25.3
MultiRacial/Non-Hisp.	63	19,328	59	96.5	92.4- 100	4	3.5	0.0- 7.6
Hispanic	121	141,451	110	93.7	89.4-98.0	11	6.3	2.0-10.6
18-24	170	306,164	157	91.9	87.4-96.4	13	8.1	3.6-12.6
25-34	298	395,624	273	92.3	89.2-95.4	25	7.7	4.6-10.8
35-44	381	392,021	367	96.8	95.0-98.6	14	3.2	1.4- 5.0
45-54	616	395,781	599	96.6	95.0-98.2	17	3.4	1.8- 5.0
55-64	871	423,349	847	97.1	95.7-98.5	24	2.9	1.5- 4.3
65+	1803	572,200	1726	95.4	94.2-96.6	77	4.6	3.4- 5.8
Less Than H.S.	319	282,608	291	92.3	88.6-96.0	28	7.7	4.0-11.4
H.S. or G.E.D.	1396	798,086	1324	94.6	93.0-96.2	72	5.4	3.8- 7.0
Some Post-H.S.	1084	799,131	1036	95.0	93.2-96.8	48	5.0	3.2- 6.8
College Graduate	1327	595,742	1306	97.4	96.0-98.8	21	2.6	1.2- 4.0
Less than \$15,000	310	180,928	280	88.4	83.3-93.5	30	11.6	6.5-16.7
\$15,000- 24,999	626	375,368	586	92.4	89.5-95.3	40	7.6	4.7-10.5
\$25,000- 34,999	394	229,768	373	93.4	89.3-97.5	21	6.6	2.5-10.7
\$35,000- 49,999	493	302,589	480	96.0	93.5-98.5	13	4.0	1.5- 6.5
\$50,000- 74,999	507	331,182	490	96.1	93.7-98.5	17	3.9	1.5- 6.3
\$75,000+	831	574,799	818	98.4	97.4-99.4	13	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 13: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7186	4,845,886	6240	84.3	83.1-85.5	946	15.7	14.5-16.9
Male	3047	2,360,747	2532	80.2	78.2-82.2	515	19.8	17.8-21.8
Female	4139	2,485,139	3708	88.3	86.9-89.7	431	11.7	10.3-13.1
White/Non-Hisp	5974	3,910,069	5224	85.0	83.6-86.4	750	15.0	13.6-16.4
Black or Afr. Am./Non-Hisp	529	404,697	439	78.2	73.5-82.9	90	21.8	17.1-26.5
Oth. Race/Non-Hisp.	183	127,266	153	83.1	74.3-91.9	30	16.9	8.1-25.7
MultiRacial/Non-Hisp.	128	43,154	103	77.9	68.1-87.7	25	22.1	12.3-31.9
Hispanic	244	281,422	212	84.9	79.2-90.6	32	15.1	9.4-20.8
18-24	348	652,539	261	75.6	70.5-80.7	87	24.4	19.3-29.5
25-34	596	796,207	486	80.9	77.4-84.4	110	19.1	15.6-22.6
35-44	697	778,049	601	84.6	81.5-87.7	96	15.4	12.3-18.5
45-54	1124	781,193	972	86.5	84.1-88.9	152	13.5	11.1-15.9
55-64	1530	821,451	1357	88.0	86.0-90.0	173	12.0	10.0-14.0
65+	2891	1,016,447	2563	87.9	86.3-89.5	328	12.1	10.5-13.7
Less Than H.S.	564	587,841	474	81.1	76.6-85.6	90	18.9	14.4-23.4
H.S. or G.E.D.	2409	1,607,693	2072	83.7	81.7-85.7	337	16.3	14.3-18.3
Some Post-H.S.	1859	1,507,297	1586	82.5	80.1-84.9	273	17.5	15.1-19.9
College Graduate	2325	1,120,964	2082	89.2	87.6-90.8	243	10.8	9.2-12.4
Less than \$15,000	505	348,361	426	81.5	76.4-86.6	79	18.5	13.4-23.6
\$15,000- 24,999	993	616,420	835	81.9	78.6-85.2	158	18.1	14.8-21.4
\$25,000- 34,999	686	441,770	590	82.5	78.2-86.8	96	17.5	13.2-21.8
\$35,000- 49,999	874	602,080	754	82.8	79.3-86.3	120	17.2	13.7-20.7
\$50,000- 74,999	981	719,481	845	85.2	82.3-88.1	136	14.8	11.9-17.7
\$75,000+	1672	1,264,274	1474	86.1	83.7-88.5	198	13.9	11.5-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3047	2,360,747	2532	80.2	78.2-82.2	515	19.8	17.8-21.8
White/Non-Hisp	2488	1,888,862	2079	81.1	78.9-83.3	409	18.9	16.7-21.1
Black or Afr. Am./Non-Hisp	209	194,082	165	72.9	64.9-80.9	44	27.1	19.1-35.1
Oth. Race/Non-Hisp.	94	67,830	79	82.5	69.4-95.6	15	17.5	4.4-30.6
MultiRacial/Non-Hisp.	65	23,826	49	72.6	58.9-86.3	16	27.4	13.7-41.1
Hispanic	123	139,971	106	79.2	69.4-89.0	17	20.8	11.0-30.6
18-24	178	346,375	130	72.1	64.5-79.7	48	27.9	20.3-35.5
25-34	298	400,583	240	78.8	73.3-84.3	58	21.2	15.7-26.7
35-44	316	386,029	261	80.2	75.1-85.3	55	19.8	14.7-24.9
45-54	508	385,412	413	81.5	77.8-85.2	95	18.5	14.8-22.2
55-64	659	398,102	553	82.7	79.4-86.0	106	17.3	14.0-20.6
65+	1088	444,247	935	84.3	81.6-87.0	153	15.7	13.0-18.4
Less Than H.S.	245	305,233	198	75.0	67.6-82.4	47	25.0	17.6-32.4
H.S. or G.E.D.	1013	809,607	818	78.8	75.7-81.9	195	21.2	18.1-24.3
Some Post-H.S.	775	708,166	624	78.2	74.3-82.1	151	21.8	17.9-25.7
College Graduate	998	525,222	876	87.7	85.2-90.2	122	12.3	9.8-14.8
Less than \$15,000	195	167,434	163	80.5	72.3-88.7	32	19.5	11.3-27.7
\$15,000- 24,999	367	241,052	295	77.7	72.0-83.4	72	22.3	16.6-28.0
\$25,000- 34,999	292	212,002	240	78.9	72.6-85.2	52	21.1	14.8-27.4
\$35,000- 49,999	381	299,491	316	80.6	75.1-86.1	65	19.4	13.9-24.9
\$50,000- 74,999	474	388,299	385	80.1	75.6-84.6	89	19.9	15.4-24.4
\$75,000+	841	689,476	707	81.2	77.7-84.7	134	18.8	15.3-22.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4139	2,485,139	3708	88.3	86.9-89.7	431	11.7	10.3-13.1
White/Non-Hisp	3486	2,021,207	3145	88.7	87.1-90.3	341	11.3	9.7-12.9
Black or Afr. Am./Non-Hisp	320	210,615	274	83.0	77.7-88.3	46	17.0	11.7-22.3
Oth. Race/Non-Hisp.	89	59,436	74	83.8	72.0-95.6	15	16.2	4.4-28.0
MultiRacial/Non-Hisp.	63	19,328	54	84.4	70.5-98.3	9	15.6	1.7-29.5
Hispanic	121	141,451	106	90.5	85.2-95.8	15	9.5	4.2-14.8
18-24	170	306,164	131	79.5	73.0-86.0	39	20.5	14.0-27.0
25-34	298	395,624	246	83.1	78.4-87.8	52	16.9	12.2-21.6
35-44	381	392,021	340	88.9	85.4-92.4	41	11.1	7.6-14.6
45-54	616	395,781	559	91.2	88.7-93.7	57	8.8	6.3-11.3
55-64	871	423,349	804	92.9	90.9-94.9	67	7.1	5.1-9.1
65+	1803	572,200	1628	90.6	89.0-92.2	175	9.4	7.8-11.0
Less Than H.S.	319	282,608	276	87.8	83.3-92.3	43	12.2	7.7-16.7
H.S. or G.E.D.	1396	798,086	1254	88.8	86.4-91.2	142	11.2	8.8-13.6
Some Post-H.S.	1084	799,131	962	86.4	83.5-89.3	122	13.6	10.7-16.5
College Graduate	1327	595,742	1206	90.5	88.3-92.7	121	9.5	7.3-11.7
Less than \$15,000	310	180,928	263	82.4	76.5-88.3	47	17.6	11.7-23.5
\$15,000- 24,999	626	375,368	540	84.6	80.5-88.7	86	15.4	11.3-19.5
\$25,000- 34,999	394	229,768	350	85.8	80.1-91.5	44	14.2	8.5-19.9
\$35,000- 49,999	493	302,589	438	84.9	80.2-89.6	55	15.1	10.4-19.8
\$50,000- 74,999	507	331,182	460	91.2	87.9-94.5	47	8.8	5.5-12.1
\$75,000+	831	574,799	767	91.9	89.5-94.3	64	8.1	5.7-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 7: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3319	2,489,653	84	2.8	2.0- 3.6	3235	97.2	96.4-98.0
Male	1629	1,342,495	66	4.3	2.9- 5.7	1563	95.7	94.3-97.1
Female	1690	1,147,158	18	1.1	0.5- 1.7	1672	98.9	98.3-99.5
White/Non-Hisp	2786	2,022,862	67	2.9	1.9- 3.9	2719	97.1	96.1-98.1
Black or Afr. Am./Non-Hisp	217	198,467	4	3.4	0.0- 6.9	213	96.6	93.1- 100
Oth. Race/Non-Hisp.	79	65,138	3	0.5	0.0- 1.3	76	99.5	98.7- 100
MultiRacial/Non-Hisp.	52	20,311	4	8.8	0.0-18.0	48	91.2	82.0- 100
Hispanic	123	137,303	5	2.1	0.1- 4.1	118	97.9	95.9-99.9
18-24	185	355,790	8	5.1	1.0- 9.2	177	94.9	90.8-99.0
25-34	376	489,763	7	1.5	0.1- 2.9	369	98.5	97.1-99.9
35-44	412	460,285	10	2.8	0.8- 4.8	402	97.2	95.2-99.2
45-54	650	457,734	23	3.2	1.6- 4.8	627	96.8	95.2-98.4
55-64	696	377,183	16	2.4	1.0- 3.8	680	97.6	96.2-99.0
65+	1000	348,898	20	2.4	1.0- 3.8	980	97.6	96.2-99.0
Less Than H.S.	157	205,418	5	6.8	0.1-13.5	152	93.2	86.5-99.9
H.S. or G.E.D.	894	699,280	19	1.6	0.8- 2.4	875	98.4	97.6-99.2
Some Post-H.S.	875	830,269	23	3.3	1.7- 4.9	852	96.7	95.1-98.3
College Graduate	1384	745,611	37	2.3	1.3- 3.3	1347	97.7	96.7-98.7
Less than \$15,000	148	125,054	1	2.9	0.0- 8.4	147	97.1	91.6- 100
\$15,000- 24,999	312	218,919	8	2.6	0.4- 4.8	304	97.4	95.2-99.6
\$25,000- 34,999	277	197,757	6	1.7	0.0- 3.5	271	98.3	96.5- 100
\$35,000- 49,999	416	317,219	10	1.7	0.5- 2.9	406	98.3	97.1-99.5
\$50,000- 74,999	525	419,179	14	3.3	0.9- 5.7	511	96.7	94.3-99.1
\$75,000+	1098	856,627	39	4.3	2.5- 6.1	1059	95.7	93.9-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 8: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	1,342,495	66	4.3	2.9- 5.7	1563	95.7	94.3-97.1
White/Non-Hisp	1341	1,071,361	50	4.3	2.5- 6.1	1291	95.7	93.9-97.5
Black or Afr. Am./Non-Hisp	103	107,287	3	5.2	0.0-11.5	100	94.8	88.5- 100
Hispanic	73	81,316	5	3.6	0.3- 6.9	68	96.4	93.1-99.7
18-24	90	185,056	4	6.7	0.0-14.0	86	93.3	86.0- 100
25-34	206	277,343	6	2.4	0.0- 4.8	200	97.6	95.2- 100
35-44	202	248,984	10	5.1	1.6- 8.6	192	94.9	91.4-98.4
45-54	318	239,363	18	5.1	2.6- 7.6	300	94.9	92.4-97.4
55-64	335	200,349	12	3.4	1.0- 5.8	323	96.6	94.2-99.0
65+	478	191,399	16	3.5	1.3- 5.7	462	96.5	94.3-98.7
Less Than H.S.	89	132,842	4	9.6	0.0-19.4	85	90.4	80.6- 100
H.S. or G.E.D.	486	421,074	16	2.4	1.0- 3.8	470	97.6	96.2-99.0
Some Post-H.S.	403	416,762	19	5.3	2.6- 8.0	384	94.7	92.0-97.4
College Graduate	646	365,765	27	3.5	1.9- 5.1	619	96.5	94.9-98.1
Less than \$15,000	78	73,879	1	4.9	0.0-14.1	77	95.1	85.9- 100
\$15,000- 24,999	135	94,611	6	3.2	0.1- 6.3	129	96.8	93.7-99.9
\$25,000- 34,999	137	102,279	2	0.8	0.0- 2.0	135	99.2	98.0- 100
\$35,000- 49,999	208	181,301	7	1.8	0.4- 3.2	201	98.2	96.8-99.6
\$50,000- 74,999	279	238,599	13	5.7	1.8- 9.6	266	94.3	90.4-98.2
\$75,000+	566	477,862	32	6.6	3.5- 9.7	534	93.4	90.3-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 9: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1690	1,147,158	18	1.1	0.5- 1.7	1672	98.9	98.3-99.5
White/Non-Hisp	1445	951,501	17	1.3	0.5- 2.1	1428	98.7	97.9-99.5
Black or Afr. Am./Non-Hisp	114	91,180	1	1.2	0.0- 3.6	113	98.8	96.4- 100
Hispanic	50	55,986				50	100.0	100.0- 100
18-24	95	170,734	4	3.4	0.0- 6.9	91	96.6	93.1- 100
25-34	170	212,420	1	0.5	0.0- 1.5	169	99.5	98.5- 100
35-44	210	211,300				210	100.0	100.0- 100
45-54	332	218,371	5	1.1	0.0- 2.5	327	98.9	97.5- 100
55-64	361	176,835	4	1.3	0.0- 2.9	357	98.7	97.1- 100
65+	522	157,499	4	1.0	0.0- 2.4	518	99.0	97.6- 100
Less Than H.S.	68	72,576	1	1.7	0.0- 5.0	67	98.3	95.0- 100
H.S. or G.E.D.	408	278,207	3	0.6	0.0- 1.4	405	99.4	98.6- 100
Some Post-H.S.	472	413,507	4	1.4	0.0- 2.8	468	98.6	97.2- 100
College Graduate	738	379,846	10	1.2	0.2- 2.2	728	98.8	97.8-99.8
Less than \$15,000	70	51,175				70	100.0	100.0- 100
\$15,000- 24,999	177	124,307	2	2.1	0.0- 5.0	175	97.9	95.0- 100
\$25,000- 34,999	140	95,477	4	2.7	0.0- 5.8	136	97.3	94.2- 100
\$35,000- 49,999	208	135,919	3	1.6	0.0- 3.6	205	98.4	96.4- 100
\$50,000- 74,999	246	180,580	1	0.2	0.0- 0.6	245	99.8	99.4- 100
\$75,000+	532	378,765	7	1.4	0.0- 2.8	525	98.6	97.2- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 14: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM21)	
1	FEMALES ONLY	139
	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5022)	
2	FEMALES ONLY	140
	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP34)	
3	FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM21)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3279	1,501,453	2336	70.7	68.7-72.7	943	29.3	27.3-31.3
White/Non-Hisp	2841	1,285,918	2026	70.5	68.3-72.7	815	29.5	27.3-31.7
Black or Afr. Am./Non-Hisp	233	115,296	162	72.0	64.7-79.3	71	28.0	20.7-35.3
Oth. Race/Non-Hisp.	64	28,675	45	68.1	48.3-87.9	19	31.9	12.1-51.7
Hispanic	63	46,909	43	72.1	59.0-85.2	20	27.9	14.8-41.0
40-44	197	196,467	109	56.8	48.8-64.8	88	43.2	35.2-51.2
45-54	571	361,883	416	72.1	67.8-76.4	155	27.9	23.6-32.2
55-64	850	414,914	653	76.2	72.9-79.5	197	23.8	20.5-27.1
65+	1661	528,189	1158	70.7	68.2-73.2	503	29.3	26.8-31.8
Less Than H.S.	255	176,543	150	62.4	55.1-69.7	105	37.6	30.3-44.9
H.S. or G.E.D.	1155	519,409	788	69.3	66.0-72.6	367	30.7	27.4-34.0
Some Post-H.S.	820	441,036	589	70.7	66.8-74.6	231	29.3	25.4-33.2
College Graduate	1045	361,866	808	77.2	73.9-80.5	237	22.8	19.5-26.1
Less than \$15,000	255	119,170	146	59.9	52.3-67.5	109	40.1	32.5-47.7
\$15,000- 24,999	510	220,424	343	63.4	57.9-68.9	167	36.6	31.1-42.1
\$25,000- 34,999	319	134,428	219	68.2	61.5-74.9	100	31.8	25.1-38.5
\$35,000- 49,999	399	182,424	279	66.3	60.2-72.4	120	33.7	27.6-39.8
\$50,000- 74,999	402	199,602	297	70.9	65.4-76.4	105	29.1	23.6-34.6
\$75,000+	645	339,394	525	79.0	74.9-83.1	120	21.0	16.9-25.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5022)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2023	910,677	1567	76.6	74.4-78.8	456	23.4	21.2-25.6
White/Non-Hisp	1749	783,236	1358	76.7	74.3-79.1	391	23.3	20.9-25.7
Black or Afr. Am./Non-Hisp	142	66,878	109	76.8	68.0-85.6	33	23.2	14.4-32.0
50-54	316	200,661	241	76.6	71.3-81.9	75	23.4	18.1-28.7
55-64	850	414,914	653	76.2	72.9-79.5	197	23.8	20.5-27.1
65+	857	295,102	673	77.3	73.8-80.8	184	22.7	19.2-26.2
Less Than H.S.	141	101,136	91	63.2	53.8-72.6	50	36.8	27.4-46.2
H.S. or G.E.D.	674	322,462	510	75.6	71.9-79.3	164	24.4	20.7-28.1
Some Post-H.S.	529	275,428	414	78.7	74.6-82.8	115	21.3	17.2-25.4
College Graduate	678	210,976	552	82.2	78.9-85.5	126	17.8	14.5-21.1
Less than \$15,000	154	72,398	101	64.8	55.4-74.2	53	35.2	25.8-44.6
\$15,000- 24,999	286	126,992	211	69.6	62.9-76.3	75	30.4	23.7-37.1
\$25,000- 34,999	183	81,585	136	73.3	65.5-81.1	47	26.7	18.9-34.5
\$35,000- 49,999	259	116,900	190	72.7	66.2-79.2	69	27.3	20.8-33.8
\$50,000- 74,999	279	123,137	219	77.3	71.2-83.4	60	22.7	16.6-28.8
\$75,000+	446	209,991	376	84.1	80.2-88.0	70	15.9	12.0-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP34)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1686	1,377,458	1344	80.6	78.2-83.0	342	19.4	17.0-21.8
White/Non-Hisp	1377	1,095,921	1104	81.2	78.7-83.7	273	18.8	16.3-21.3
Black or Afr. Am./Non-Hisp	152	129,163	124	81.2	73.8-88.6	28	18.8	11.4-26.2
Hispanic	77	100,606	60	80.7	70.7-90.7	17	19.3	9.3-29.3
18-24	92	153,993	66	67.4	56.4-78.4	26	32.6	21.6-43.6
25-34	274	363,506	234	86.7	82.6-90.8	40	13.3	9.2-17.4
35-44	314	318,032	258	81.3	76.2-86.4	56	18.7	13.6-23.8
45-54	408	259,637	344	84.3	80.4-88.2	64	15.7	11.8-19.6
55-64	535	260,648	398	75.8	71.7-79.9	137	24.2	20.1-28.3
65+	63	21,642	44	75.0	63.2-86.8	19	25.0	13.2-36.8
Less Than H.S.	100	141,068	72	79.0	70.6-87.4	28	21.0	12.6-29.4
H.S. or G.E.D.	437	365,522	332	76.8	72.1-81.5	105	23.2	18.5-27.9
Some Post-H.S.	461	463,615	352	77.1	72.4-81.8	109	22.9	18.2-27.6
College Graduate	687	405,901	587	88.5	86.0-91.0	100	11.5	9.0-14.0
Less than \$15,000	109	90,405	79	76.1	66.3-85.9	30	23.9	14.1-33.7
\$15,000- 24,999	198	177,244	137	69.7	61.5-77.9	61	30.3	22.1-38.5
\$25,000- 34,999	145	137,245	100	74.6	66.6-82.6	45	25.4	17.4-33.4
\$35,000- 49,999	206	185,251	161	77.5	70.6-84.4	45	22.5	15.6-29.4
\$50,000- 74,999	280	219,670	232	85.3	80.2-90.4	48	14.7	9.6-19.8
\$75,000+	500	382,527	440	87.8	84.1-91.5	60	12.2	8.5-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 15: PROSTATE CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA22) MALES ONLY	143

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA22)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2130	1,278,998	807	31.2	29.0-33.4	1323	68.8	66.6-71.0
White/Non-Hisp	1818	1,089,732	713	32.7	30.3-35.1	1105	67.3	64.9-69.7
Black or Afr. Am./Non-Hisp	137	100,049	46	28.3	19.5-37.1	91	71.7	62.9-80.5
Oth. Race/Non-Hisp.	56	25,199	18	18.4	3.9-32.9	38	81.6	67.1-96.1
Hispanic	53	40,389	11	11.6	4.2-19.0	42	88.4	81.0-95.8
40-44	152	186,922	9	4.6	1.3- 7.9	143	95.4	92.1-98.7
45-54	456	347,271	91	17.5	13.6-21.4	365	82.5	78.6-86.4
55-64	584	358,651	240	39.4	34.9-43.9	344	60.6	56.1-65.1
65+	938	386,153	467	48.9	45.0-52.8	471	51.1	47.2-55.0
Less Than H.S.	156	140,536	33	15.8	9.9-21.7	123	84.2	78.3-90.1
H.S. or G.E.D.	722	458,610	235	28.8	25.1-32.5	487	71.2	67.5-74.9
Some Post-H.S.	533	372,381	198	31.1	26.6-35.6	335	68.9	64.4-73.4
College Graduate	712	303,006	341	42.8	38.5-47.1	371	57.2	52.9-61.5
Less than \$15,000	125	82,178	29	17.7	10.4-25.0	96	82.3	75.0-89.6
\$15,000- 24,999	253	135,375	77	24.6	18.5-30.7	176	75.4	69.3-81.5
\$25,000- 34,999	211	118,208	73	27.7	20.8-34.6	138	72.3	65.4-79.2
\$35,000- 49,999	275	161,943	107	32.7	26.2-39.2	168	67.3	60.8-73.8
\$50,000- 74,999	341	216,124	143	34.6	28.9-40.3	198	65.4	59.7-71.1
\$75,000+	627	409,336	259	33.6	29.5-37.7	368	66.4	62.3-70.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 16: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLDS3)	
1 MALES AND FEMALES	145
2 MALES ONLY	146
3 FEMALES ONLY	147
RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)	
4 MALES AND FEMALES	148
5 MALES ONLY	149
6 FEMALES ONLY	150
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)	
7 MALES AND FEMALES	151
8 MALES ONLY	152
9 FEMALES ONLY	153
RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)	
10 MALES AND FEMALES	154
11 MALES ONLY	155
12 FEMALES ONLY	156
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)	
13 MALES AND FEMALES	157
14 MALES ONLY	158
15 FEMALES ONLY	159
RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
16 MALES AND FEMALES	160
17 MALES ONLY	161
18 FEMALES ONLY	162

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3618	1,802,594	351	8.8	7.8-9.8	3267	91.2	90.2-92.2
Male	1545	876,164	150	8.7	7.1-10.3	1395	91.3	89.7-92.9
Female	2073	926,431	201	8.8	7.4-10.2	1872	91.2	89.8-92.6
White/Non-Hisp	3131	1,563,863	303	8.8	7.6-10.0	2828	91.2	90.0-92.4
Black or Afr. Am./Non-Hisp	238	131,986	29	10.7	6.2-15.2	209	89.3	84.8-93.8
Oth. Race/Non-Hisp.	79	33,648	6	4.7	0.0-9.4	73	95.3	90.6-100
MultiRacial/Non-Hisp.	61	12,207	6	5.6	0.3-10.9	55	94.4	89.1-99.7
Hispanic	63	39,872	2	2.8	0.0-6.7	61	97.2	93.3-100
50-54	577	401,012	35	5.7	3.5-7.9	542	94.3	92.1-96.5
55-64	1477	798,786	130	8.5	6.9-10.1	1347	91.5	89.9-93.1
65+	1564	602,796	186	11.1	9.3-12.9	1378	88.9	87.1-90.7
Less Than H.S.	248	197,574	23	10.6	6.1-15.1	225	89.4	84.9-93.9
H.S. or G.E.D.	1244	667,799	122	8.5	6.7-10.3	1122	91.5	89.7-93.3
Some Post-H.S.	923	517,019	95	8.5	6.5-10.5	828	91.5	89.5-93.5
College Graduate	1197	417,006	110	8.6	6.8-10.4	1087	91.4	89.6-93.2
Less than \$15,000	261	140,940	22	8.1	4.0-12.2	239	91.9	87.8-96.0
\$15,000- 24,999	486	226,538	73	14.9	11.0-18.8	413	85.1	81.2-89.0
\$25,000- 34,999	327	160,882	28	6.6	3.9-9.3	299	93.4	90.7-96.1
\$35,000- 49,999	479	241,255	56	10.2	7.1-13.3	423	89.8	86.7-92.9
\$50,000- 74,999	542	277,246	43	7.5	5.0-10.0	499	92.5	90.0-95.0
\$75,000+	891	472,431	62	6.5	4.7-8.3	829	93.5	91.7-95.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBlds3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1545	876,164	150	8.7	7.1-10.3	1395	91.3	89.7-92.9
White/Non-Hisp	1336	767,273	131	9.0	7.2-10.8	1205	91.0	89.2-92.8
Black or Afr. Am./Non-Hisp	94	64,030	10	7.2	1.5-12.9	84	92.8	87.1-98.5
50-54	264	200,361	15	5.2	2.1- 8.3	249	94.8	91.7-97.9
55-64	634	389,715	60	9.1	6.6-11.6	574	90.9	88.4-93.4
65+	647	286,088	75	10.6	7.9-13.3	572	89.4	86.7-92.1
Less Than H.S.	102	94,933	12	13.9	6.3-21.5	90	86.1	78.5-93.7
H.S. or G.E.D.	537	330,457	56	9.3	6.8-11.8	481	90.7	88.2-93.2
Some Post-H.S.	380	239,434	28	5.7	3.3- 8.1	352	94.3	91.9-96.7
College Graduate	521	208,818	53	8.9	6.4-11.4	468	91.1	88.6-93.6
Less than \$15,000	102	65,590	11	11.3	3.5-19.1	91	88.7	80.9-96.5
\$15,000- 24,999	188	97,618	31	18.6	11.7-25.5	157	81.4	74.5-88.3
\$25,000- 34,999	139	77,288	15	7.8	3.3-12.3	124	92.2	87.7-96.7
\$35,000- 49,999	209	120,885	20	9.2	4.9-13.5	189	90.8	86.5-95.1
\$50,000- 74,999	262	154,917	18	6.7	3.2-10.2	244	93.3	89.8-96.8
\$75,000+	444	263,370	29	5.5	3.1- 7.9	415	94.5	92.1-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2073	926,431	201	8.8	7.4-10.2	1872	91.2	89.8-92.6
White/Non-Hisp	1795	796,591	172	8.7	7.1-10.3	1623	91.3	89.7-92.9
Black or Afr. Am./Non-Hisp	144	67,956	19	13.9	6.8-21.0	125	86.1	79.0-93.2
50-54	313	200,651	20	6.2	3.1- 9.3	293	93.8	90.7-96.9
55-64	843	409,072	70	8.0	6.0-10.0	773	92.0	90.0-94.0
65+	917	316,708	111	11.5	9.1-13.9	806	88.5	86.1-90.9
Less Than H.S.	146	102,641	11	7.5	2.8-12.2	135	92.5	87.8-97.2
H.S. or G.E.D.	707	337,343	66	7.8	5.6-10.0	641	92.2	90.0-94.4
Some Post-H.S.	543	277,584	67	11.0	7.9-14.1	476	89.0	85.9-92.1
College Graduate	676	208,187	57	8.3	5.9-10.7	619	91.7	89.3-94.1
Less than \$15,000	159	75,350	11	5.3	1.8- 8.8	148	94.7	91.2-98.2
\$15,000- 24,999	298	128,920	42	12.1	7.8-16.4	256	87.9	83.6-92.2
\$25,000- 34,999	188	83,594	13	5.5	2.2- 8.8	175	94.5	91.2-97.8
\$35,000- 49,999	270	120,370	36	11.2	6.9-15.5	234	88.8	84.5-93.1
\$50,000- 74,999	280	122,329	25	8.5	4.8-12.2	255	91.5	87.8-95.2
\$75,000+	447	209,061	33	7.9	5.0-10.8	414	92.1	89.2-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3538	1,766,201	2343	63.8	61.8-65.8	1195	36.2	34.2-38.2
Male	1505	853,722	964	61.9	59.0-64.8	541	38.1	35.2-41.0
Female	2033	912,479	1379	65.5	63.0-68.0	654	34.5	32.0-37.0
White/Non-Hisp	3067	1,537,143	2051	64.7	62.7-66.7	1016	35.3	33.3-37.3
Black or Afr. Am./Non-Hisp	233	127,921	159	66.8	59.4-74.2	74	33.2	25.8-40.6
Oth. Race/Non-Hisp.	77	31,323	38	37.9	19.3-56.5	39	62.1	43.5-80.7
MultiRacial/Non-Hisp.	55	11,280	29	46.6	30.9-62.3	26	53.4	37.7-69.1
Hispanic	59	37,210	31	38.8	24.5-53.1	28	61.2	46.9-75.5
50-54	565	389,816	272	46.5	41.6-51.4	293	53.5	48.6-58.4
55-64	1449	786,788	959	65.1	62.2-68.0	490	34.9	32.0-37.8
65+	1524	589,597	1112	73.4	70.7-76.1	412	26.6	23.9-29.3
Less Than H.S.	243	194,047	124	47.4	40.0-54.8	119	52.6	45.2-60.0
H.S. or G.E.D.	1211	652,941	757	60.8	57.7-63.9	454	39.2	36.1-42.3
Some Post-H.S.	904	508,517	610	67.8	64.1-71.5	294	32.2	28.5-35.9
College Graduate	1174	407,499	848	71.2	68.1-74.3	326	28.8	25.7-31.9
Less than \$15,000	254	135,460	151	55.9	48.3-63.5	103	44.1	36.5-51.7
\$15,000- 24,999	474	222,893	285	57.4	51.9-62.9	189	42.6	37.1-48.1
\$25,000- 34,999	321	156,454	203	61.3	54.6-68.0	118	38.7	32.0-45.4
\$35,000- 49,999	458	232,519	307	66.2	60.9-71.5	151	33.8	28.5-39.1
\$50,000- 74,999	535	273,792	363	63.8	58.9-68.7	172	36.2	31.3-41.1
\$75,000+	875	462,439	618	68.0	64.3-71.7	257	32.0	28.3-35.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1505	853,722	964	61.9	59.0-64.8	541	38.1	35.2-41.0
White/Non-Hisp	1308	752,650	844	61.9	58.8-65.0	464	38.1	35.0-41.2
Black or Afr. Am./Non-Hisp	91	61,124	62	68.7	57.7-79.7	29	31.3	20.3-42.3
50-54	259	193,813	111	42.0	35.1-48.9	148	58.0	51.1-64.9
55-64	618	379,987	391	62.6	58.3-66.9	227	37.4	33.1-41.7
65+	628	279,922	462	74.8	70.9-78.7	166	25.2	21.3-29.1
Less Than H.S.	97	90,537	52	49.0	37.6-60.4	45	51.0	39.6-62.4
H.S. or G.E.D.	522	319,620	303	57.2	52.3-62.1	219	42.8	37.9-47.7
Some Post-H.S.	374	237,554	250	67.3	61.8-72.8	124	32.7	27.2-38.2
College Graduate	507	203,490	356	68.8	64.1-73.5	151	31.2	26.5-35.9
Less than \$15,000	100	61,971	54	50.9	39.1-62.7	46	49.1	37.3-60.9
\$15,000- 24,999	180	94,293	103	55.8	47.0-64.6	77	44.2	35.4-53.0
\$25,000- 34,999	135	73,494	74	55.3	44.9-65.7	61	44.7	34.3-55.1
\$35,000- 49,999	202	117,854	136	63.6	55.6-71.6	66	36.4	28.4-44.4
\$50,000- 74,999	256	151,615	160	59.5	52.4-66.6	96	40.5	33.4-47.6
\$75,000+	437	259,364	304	66.5	61.2-71.8	133	33.5	28.2-38.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2033	912,479	1379	65.5	63.0-68.0	654	34.5	32.0-37.0
White/Non-Hisp	1759	784,492	1207	67.3	64.8-69.8	552	32.7	30.2-35.2
Black or Afr. Am./Non-Hisp	142	66,797	97	65.2	55.2-75.2	45	34.8	24.8-44.8
50-54	306	196,004	161	51.0	44.3-57.7	145	49.0	42.3-55.7
55-64	831	406,801	568	67.4	63.7-71.1	263	32.6	28.9-36.3
65+	896	309,675	650	72.1	68.6-75.6	246	27.9	24.4-31.4
Less Than H.S.	146	103,510	72	46.1	36.5-55.7	74	53.9	44.3-63.5
H.S. or G.E.D.	689	333,321	454	64.2	59.9-68.5	235	35.8	31.5-40.1
Some Post-H.S.	530	270,963	360	68.3	63.4-73.2	170	31.7	26.8-36.6
College Graduate	667	204,009	492	73.6	69.7-77.5	175	26.4	22.5-30.3
Less than \$15,000	154	73,489	97	60.0	50.2-69.8	57	40.0	30.2-49.8
\$15,000- 24,999	294	128,599	182	58.5	51.6-65.4	112	41.5	34.6-48.4
\$25,000- 34,999	186	82,960	129	66.6	58.2-75.0	57	33.4	25.0-41.8
\$35,000- 49,999	256	114,664	171	68.8	61.9-75.7	85	31.2	24.3-38.1
\$50,000- 74,999	279	122,178	203	69.2	62.7-75.7	76	30.8	24.3-37.3
\$75,000+	438	203,075	314	70.0	64.5-75.5	124	30.0	24.5-35.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3618	1,802,594	621	15.6	14.2-17.0	2997	84.4	83.0-85.8
Male	1545	876,164	256	14.8	12.8-16.8	1289	85.2	83.2-87.2
Female	2073	926,431	365	16.3	14.3-18.3	1708	83.7	81.7-85.7
White/Non-Hisp	3131	1,563,863	532	15.3	13.9-16.7	2599	84.7	83.3-86.1
Black or Afr. Am./Non-Hisp	238	131,986	47	18.3	12.4-24.2	191	81.7	75.8-87.6
Oth. Race/Non-Hisp.	79	33,648	16	20.3	1.9-38.7	63	79.7	61.3-98.1
MultiRacial/Non-Hisp.	61	12,207	10	14.4	3.8-25.0	51	85.6	75.0-96.2
Hispanic	63	39,872	5	7.0	0.5-13.5	58	93.0	86.5-99.5
50-54	577	401,012	56	9.6	6.5-12.7	521	90.4	87.3-93.5
55-64	1477	798,786	226	14.6	12.6-16.6	1251	85.4	83.4-87.4
65+	1564	602,796	339	20.8	18.4-23.2	1225	79.2	76.8-81.6
Less Than H.S.	248	197,574	40	14.6	9.7-19.5	208	85.4	80.5-90.3
H.S. or G.E.D.	1244	667,799	223	16.1	13.7-18.5	1021	83.9	81.5-86.3
Some Post-H.S.	923	517,019	158	15.6	12.9-18.3	765	84.4	81.7-87.1
College Graduate	1197	417,006	198	15.2	12.8-17.6	999	84.8	82.4-87.2
Less than \$15,000	261	140,940	41	15.0	9.7-20.3	220	85.0	79.7-90.3
\$15,000- 24,999	486	226,538	117	22.7	18.2-27.2	369	77.3	72.8-81.8
\$25,000- 34,999	327	160,882	48	12.0	7.9-16.1	279	88.0	83.9-92.1
\$35,000- 49,999	479	241,255	100	19.1	15.2-23.0	379	80.9	77.0-84.8
\$50,000- 74,999	542	277,246	74	12.4	9.3-15.5	468	87.6	84.5-90.7
\$75,000+	891	472,431	118	12.6	9.9-15.3	773	87.4	84.7-90.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1545	876,164	256	14.8	12.8-16.8	1289	85.2	83.2-87.2
White/Non-Hisp	1336	767,273	215	14.7	12.5-16.9	1121	85.3	83.1-87.5
Black or Afr. Am./Non-Hisp	94	64,030	17	15.0	7.0-23.0	77	85.0	77.0-93.0
50-54	264	200,361	23	7.6	4.1-11.1	241	92.4	88.9-95.9
55-64	634	389,715	99	14.4	11.3-17.5	535	85.6	82.5-88.7
65+	647	286,088	134	20.4	16.9-23.9	513	79.6	76.1-83.1
Less Than H.S.	102	94,933	18	16.4	8.4-24.4	84	83.6	75.6-91.6
H.S. or G.E.D.	537	330,457	92	15.7	12.4-19.0	445	84.3	81.0-87.6
Some Post-H.S.	380	239,434	54	12.3	8.6-16.0	326	87.7	84.0-91.4
College Graduate	521	208,818	90	15.4	12.1-18.7	431	84.6	81.3-87.9
Less than \$15,000	102	65,590	15	13.9	5.5-22.3	87	86.1	77.7-94.5
\$15,000- 24,999	188	97,618	47	24.7	17.3-32.1	141	75.3	67.9-82.7
\$25,000- 34,999	139	77,288	24	15.3	8.2-22.4	115	84.7	77.6-91.8
\$35,000- 49,999	209	120,885	36	15.8	10.5-21.1	173	84.2	78.9-89.5
\$50,000- 74,999	262	154,917	32	10.9	6.8-15.0	230	89.1	85.0-93.2
\$75,000+	444	263,370	57	11.2	7.9-14.5	387	88.8	85.5-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2073	926,431	365	16.3	14.3-18.3	1708	83.7	81.7-85.7
White/Non-Hisp	1795	796,591	317	15.9	13.9-17.9	1478	84.1	82.1-86.1
Black or Afr. Am./Non-Hisp	144	67,956	30	21.4	13.0-29.8	114	78.6	70.2-87.0
50-54	313	200,651	33	11.5	6.6-16.4	280	88.5	83.6-93.4
55-64	843	409,072	127	14.9	12.2-17.6	716	85.1	82.4-87.8
65+	917	316,708	205	21.2	18.1-24.3	712	78.8	75.7-81.9
Less Than H.S.	146	102,641	22	12.9	7.2-18.6	124	87.1	81.4-92.8
H.S. or G.E.D.	707	337,343	131	16.5	13.4-19.6	576	83.5	80.4-86.6
Some Post-H.S.	543	277,584	104	18.4	14.3-22.5	439	81.6	77.5-85.7
College Graduate	676	208,187	108	15.0	12.1-17.9	568	85.0	82.1-87.9
Less than \$15,000	159	75,350	26	15.9	9.4-22.4	133	84.1	77.6-90.6
\$15,000- 24,999	298	128,920	70	21.2	15.5-26.9	228	78.8	73.1-84.5
\$25,000- 34,999	188	83,594	24	9.1	5.2-13.0	164	90.9	87.0-94.8
\$35,000- 49,999	270	120,370	64	22.5	16.6-28.4	206	77.5	71.6-83.4
\$50,000- 74,999	280	122,329	42	14.2	9.5-18.9	238	85.8	81.1-90.5
\$75,000+	447	209,061	61	14.5	10.0-19.0	386	85.5	81.0-90.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1713	873,346	41	1.9	1.3- 2.5	1672	98.1	97.5-98.7
Male	730	424,378	13	1.4	0.6- 2.2	717	98.6	97.8-99.4
Female	983	448,968	28	2.4	1.4- 3.4	955	97.6	96.6-98.6
White/Non-Hisp	1478	751,213	34	2.0	1.2- 2.8	1444	98.0	97.2-98.8
Black or Afr. Am./Non-Hisp	106	59,316	3	1.7	0.0- 3.9	103	98.3	96.1- 100
50-54	322	223,923	5	0.8	0.0- 1.6	317	99.2	98.4- 100
55-64	742	407,943	16	1.8	0.8- 2.8	726	98.2	97.2-99.2
65+	649	241,480	20	3.2	1.6- 4.8	629	96.8	95.2-98.4
Less Than H.S.	135	114,441	2	1.0	0.0- 2.4	133	99.0	97.6- 100
H.S. or G.E.D.	606	337,176	13	1.6	0.6- 2.6	593	98.4	97.4-99.4
Some Post-H.S.	445	241,991	13	2.4	1.0- 3.8	432	97.6	96.2-99.0
College Graduate	524	178,252	13	2.4	0.8- 4.0	511	97.6	96.0-99.2
Less than \$15,000	126	69,519	1	0.1	0.0- 0.3	125	99.9	99.7- 100
\$15,000- 24,999	253	122,298	7	2.0	0.2- 3.8	246	98.0	96.2-99.8
\$25,000- 34,999	152	78,184	4	2.8	0.0- 5.9	148	97.2	94.1- 100
\$35,000- 49,999	230	118,242	10	3.6	1.1- 6.1	220	96.4	93.9-98.9
\$50,000- 74,999	258	137,694	7	1.9	0.3- 3.5	251	98.1	96.5-99.7
\$75,000+	393	209,020	6	1.6	0.2- 3.0	387	98.4	97.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	730	424,378	13	1.4	0.6- 2.2	717	98.6	97.8-99.4
White/Non-Hisp	633	375,369	10	1.3	0.3- 2.3	623	98.7	97.7-99.7
50-54	153	115,644				153	100.0	100.0- 100
55-64	329	204,176	7	1.9	0.3- 3.5	322	98.1	96.5-99.7
65+	248	104,557	6	1.9	0.1- 3.7	242	98.1	96.3-99.9
Less Than H.S.	51	51,263	1	1.3	0.0- 3.8	50	98.7	96.2- 100
H.S. or G.E.D.	288	178,288	5	1.3	0.0- 2.7	283	98.7	97.3- 100
Some Post-H.S.	170	105,591	3	1.0	0.0- 2.2	167	99.0	97.8- 100
College Graduate	218	87,748	4	2.1	0.0- 4.5	214	97.9	95.5- 100
Less than \$15,000	52	34,268				52	100.0	100.0- 100
\$15,000- 24,999	96	51,586	2	1.1	0.0- 2.7	94	98.9	97.3- 100
\$25,000- 34,999	76	42,049	2	3.1	0.0- 8.0	74	96.9	92.0- 100
\$35,000- 49,999	95	57,855	2	1.1	0.0- 2.9	93	98.9	97.1- 100
\$50,000- 74,999	130	80,869	3	1.9	0.0- 4.3	127	98.1	95.7- 100
\$75,000+	194	116,668	1	0.6	0.0- 1.8	193	99.4	98.2- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	983	448,968	28	2.4	1.4- 3.4	955	97.6	96.6-98.6
White/Non-Hisp	845	375,844	24	2.6	1.4- 3.8	821	97.4	96.2-98.6
Black or Afr. Am./Non-Hisp	67	33,423	3	3.0	0.0- 6.7	64	97.0	93.3- 100
50-54	169	108,279	5	1.6	0.0- 3.2	164	98.4	96.8- 100
55-64	413	203,766	9	1.7	0.3- 3.1	404	98.3	96.9-99.7
65+	401	136,923	14	4.1	1.7- 6.5	387	95.9	93.5-98.3
Less Than H.S.	84	63,178	1	0.8	0.0- 2.6	83	99.2	97.4- 100
H.S. or G.E.D.	318	158,888	8	1.9	0.5- 3.3	310	98.1	96.7-99.5
Some Post-H.S.	275	136,399	10	3.5	1.1- 5.9	265	96.5	94.1-98.9
College Graduate	306	90,503	9	2.8	0.6- 5.0	297	97.2	95.0-99.4
Less than \$15,000	74	35,251	1	0.1	0.0- 0.3	73	99.9	99.7- 100
\$15,000- 24,999	157	70,712	5	2.6	0.0- 5.3	152	97.4	94.7- 100
\$25,000- 34,999	76	36,134	2	2.4	0.0- 5.9	74	97.6	94.1- 100
\$35,000- 49,999	135	60,387	8	6.1	1.6-10.6	127	93.9	89.4-98.4
\$50,000- 74,999	128	56,825	4	1.8	0.0- 3.8	124	98.2	96.2- 100
\$75,000+	199	92,352	5	2.8	0.3- 5.3	194	97.2	94.7-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3329	1,672,009	10	0.2	0.0- 0.4	3319	99.8	99.6- 100
Male	1414	809,231	4	0.1	0.0- 0.3	1410	99.9	99.7- 100
Female	1915	862,778	6	0.3	0.1- 0.5	1909	99.7	99.5-99.9
White/Non-Hisp	2883	1,452,086	9	0.3	0.1- 0.5	2874	99.7	99.5-99.9
Black or Afr. Am./Non-Hisp	212	118,656				212	100.0	100.0- 100
Oth. Race/Non-Hisp.	75	32,084				75	100.0	100.0- 100
MultiRacial/Non-Hisp.	58	11,688	1	1.2	0.0- 3.6	57	98.8	96.4- 100
Hispanic	62	40,608				62	100.0	100.0- 100
50-54	559	386,707	2	0.1	0.0- 0.3	557	99.9	99.7- 100
55-64	1374	745,448	3	0.2	0.0- 0.4	1371	99.8	99.6- 100
65+	1396	539,854	5	0.4	0.0- 0.8	1391	99.6	99.2- 100
Less Than H.S.	231	186,868				231	100.0	100.0- 100
H.S. or G.E.D.	1134	617,246	4	0.3	0.0- 0.7	1130	99.7	99.3- 100
Some Post-H.S.	862	480,215	4	0.4	0.0- 0.8	858	99.6	99.2- 100
College Graduate	1097	385,021	2	0.1	0.0- 0.3	1095	99.9	99.7- 100
Less than \$15,000	239	130,278				239	100.0	100.0- 100
\$15,000- 24,999	435	206,718	3	0.4	0.0- 0.8	432	99.6	99.2- 100
\$25,000- 34,999	301	149,320				301	100.0	100.0- 100
\$35,000- 49,999	433	219,470	5	1.1	0.1- 2.1	428	98.9	97.9-99.9
\$50,000- 74,999	506	260,855	1	0.1	0.0- 0.3	505	99.9	99.7- 100
\$75,000+	835	443,290	1	0.2	0.0- 0.6	834	99.8	99.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1414	809,231	4	0.1	0.0- 0.3	1410	99.9	99.7- 100
White/Non-Hisp	1229	711,394	3	0.1	0.0- 0.3	1226	99.9	99.7- 100
Black or Afr. Am./Non-Hisp	83	57,395				83	100.0	100.0- 100
50-54	257	194,311				257	100.0	100.0- 100
55-64	591	363,808	2	0.2	0.0- 0.4	589	99.8	99.6- 100
65+	566	251,112	2	0.3	0.0- 0.7	564	99.7	99.3- 100
Less Than H.S.	92	88,086				92	100.0	100.0- 100
H.S. or G.E.D.	494	305,961	3	0.3	0.0- 0.7	491	99.7	99.3- 100
Some Post-H.S.	350	221,280	1	0.1	0.0- 0.3	349	99.9	99.7- 100
College Graduate	474	191,921				474	100.0	100.0- 100
Less than \$15,000	95	62,819				95	100.0	100.0- 100
\$15,000- 24,999	166	88,246	2	0.6	0.0- 1.4	164	99.4	98.6- 100
\$25,000- 34,999	128	70,729				128	100.0	100.0- 100
\$35,000- 49,999	188	108,947	2	0.6	0.0- 1.6	186	99.4	98.4- 100
\$50,000- 74,999	245	146,019				245	100.0	100.0- 100
\$75,000+	414	245,808				414	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1915	862,778	6	0.3	0.1- 0.5	1909	99.7	99.5-99.9
White/Non-Hisp	1654	740,692	6	0.4	0.0- 0.8	1648	99.6	99.2- 100
Black or Afr. Am./Non-Hisp	129	61,261				129	100.0	100.0- 100
50-54	302	192,397	2	0.3	0.0- 0.7	300	99.7	99.3- 100
55-64	783	381,640	1	0.2	0.0- 0.6	782	99.8	99.4- 100
65+	830	288,742	3	0.5	0.0- 1.1	827	99.5	98.9- 100
Less Than H.S.	139	98,782				139	100.0	100.0- 100
H.S. or G.E.D.	640	311,286	1	0.2	0.0- 0.6	639	99.8	99.4- 100
Some Post-H.S.	512	258,935	3	0.6	0.0- 1.4	509	99.4	98.6- 100
College Graduate	623	193,100	2	0.3	0.0- 0.7	621	99.7	99.3- 100
Less than \$15,000	144	67,460				144	100.0	100.0- 100
\$15,000- 24,999	269	118,472	1	0.2	0.0- 0.6	268	99.8	99.4- 100
\$25,000- 34,999	173	78,591				173	100.0	100.0- 100
\$35,000- 49,999	245	110,523	3	1.6	0.0- 3.4	242	98.4	96.6- 100
\$50,000- 74,999	261	114,836	1	0.1	0.0- 0.3	260	99.9	99.7- 100
\$75,000+	421	197,482	1	0.3	0.0- 0.9	420	99.7	99.1- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3539	1,764,914	2517	68.2	66.2-70.2	1022	31.8	29.8-33.8
Male	1508	854,626	1036	66.2	63.3-69.1	472	33.8	30.9-36.7
Female	2031	910,288	1481	70.2	67.7-72.7	550	29.8	27.3-32.3
White/Non-Hisp	3067	1,536,233	2203	69.2	67.2-71.2	864	30.8	28.8-32.8
Black or Afr. Am./Non-Hisp	234	128,826	168	70.0	62.7-77.3	66	30.0	22.7-37.3
Oth. Race/Non-Hisp.	76	31,251	41	40.2	21.2-59.2	35	59.8	40.8-78.8
MultiRacial/Non-Hisp.	57	11,664	35	51.0	35.5-66.5	22	49.0	33.5-64.5
Hispanic	58	35,616	32	42.2	27.3-57.1	26	57.8	42.9-72.7
50-54	565	389,206	295	49.9	45.0-54.8	270	50.1	45.2-55.0
55-64	1451	786,694	1022	69.4	66.7-72.1	429	30.6	27.9-33.3
65+	1523	589,014	1200	78.8	76.3-81.3	323	21.2	18.7-23.7
Less Than H.S.	241	192,186	137	54.1	46.7-61.5	104	45.9	38.5-53.3
H.S. or G.E.D.	1209	651,047	815	65.1	62.0-68.2	394	34.9	31.8-38.0
Some Post-H.S.	909	511,587	662	71.9	68.4-75.4	247	28.1	24.6-31.6
College Graduate	1174	406,898	898	75.2	72.3-78.1	276	24.8	21.9-27.7
Less than \$15,000	252	134,773	161	59.9	52.5-67.3	91	40.1	32.7-47.5
\$15,000- 24,999	476	222,460	324	66.0	60.7-71.3	152	34.0	28.7-39.3
\$25,000- 34,999	320	155,983	216	64.5	57.8-71.2	104	35.5	28.8-42.2
\$35,000- 49,999	462	234,246	337	70.4	65.1-75.7	125	29.6	24.3-34.9
\$50,000- 74,999	535	272,236	382	67.5	62.8-72.2	153	32.5	27.8-37.2
\$75,000+	876	464,354	647	71.0	67.3-74.7	229	29.0	25.3-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1508	854,626	1036	66.2	63.3-69.1	472	33.8	30.9-36.7
White/Non-Hisp	1309	753,169	909	66.5	63.6-69.4	400	33.5	30.6-36.4
Black or Afr. Am./Non-Hisp	91	61,124	64	69.2	58.2-80.2	27	30.8	19.8-41.8
50-54	258	193,617	121	45.5	38.4-52.6	137	54.5	47.4-61.6
55-64	621	381,583	425	67.1	62.8-71.4	196	32.9	28.6-37.2
65+	629	279,425	490	79.1	75.4-82.8	139	20.9	17.2-24.6
Less Than H.S.	97	90,537	58	56.7	45.3-68.1	39	43.3	31.9-54.7
H.S. or G.E.D.	524	320,299	330	61.5	56.8-66.2	194	38.5	33.8-43.2
Some Post-H.S.	376	238,615	264	69.9	64.6-75.2	112	30.1	24.8-35.4
College Graduate	506	202,653	380	73.2	68.7-77.7	126	26.8	22.3-31.3
Less than \$15,000	100	61,501	59	57.3	45.5-69.1	41	42.7	30.9-54.5
\$15,000- 24,999	182	95,520	118	65.6	57.2-74.0	64	34.4	26.0-42.8
\$25,000- 34,999	134	73,024	84	61.3	50.9-71.7	50	38.7	28.3-49.1
\$35,000- 49,999	203	117,857	143	66.4	58.4-74.4	60	33.6	25.6-41.6
\$50,000- 74,999	257	151,857	169	62.3	55.4-69.2	88	37.7	30.8-44.6
\$75,000+	437	260,257	318	68.9	63.8-74.0	119	31.1	26.0-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2031	910,288	1481	70.2	67.7-72.7	550	29.8	27.3-32.3
White/Non-Hisp	1758	783,063	1294	71.9	69.4-74.4	464	28.1	25.6-30.6
Black or Afr. Am./Non-Hisp	143	67,702	104	70.7	61.3-80.1	39	29.3	19.9-38.7
50-54	307	195,589	174	54.2	47.5-60.9	133	45.8	39.1-52.5
55-64	830	405,111	597	71.5	68.0-75.0	233	28.5	25.0-32.0
65+	894	309,589	710	78.6	75.3-81.9	184	21.4	18.1-24.7
Less Than H.S.	144	101,649	79	51.7	42.1-61.3	65	48.3	38.7-57.9
H.S. or G.E.D.	685	330,747	485	68.5	64.4-72.6	200	31.5	27.4-35.6
Some Post-H.S.	533	272,972	398	73.7	69.0-78.4	135	26.3	21.6-31.0
College Graduate	668	204,245	518	77.2	73.5-80.9	150	22.8	19.1-26.5
Less than \$15,000	152	73,272	102	62.0	52.2-71.8	50	38.0	28.2-47.8
\$15,000- 24,999	294	126,940	206	66.3	59.6-73.0	88	33.7	27.0-40.4
\$25,000- 34,999	186	82,960	132	67.3	58.9-75.7	54	32.7	24.3-41.1
\$35,000- 49,999	259	116,389	194	74.5	68.0-81.0	65	25.5	19.0-32.0
\$50,000- 74,999	278	120,379	213	74.0	67.7-80.3	65	26.0	19.7-32.3
\$75,000+	439	204,097	329	73.6	68.3-78.9	110	26.4	21.1-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018

SECTION 17: HIV/AIDS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	164
2	MALES ONLY	165
3	FEMALES ONLY	166

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 17: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6637	4,543,981	2022	36.0	34.4-37.6	4615	64.0	62.4-65.6
Male	2837	2,238,722	850	32.7	30.5-34.9	1987	67.3	65.1-69.5
Female	3800	2,305,259	1172	39.2	37.0-41.4	2628	60.8	58.6-63.0
White/Non-Hisp	5508	3,662,457	1468	32.0	30.4-33.6	4040	68.0	66.4-69.6
Black or Afr. Am./Non-Hisp	498	384,805	283	62.7	57.2-68.2	215	37.3	31.8-42.8
Oth. Race/Non-Hisp.	171	118,839	64	37.4	25.6-49.2	107	62.6	50.8-74.4
MultiRacial/Non-Hisp.	118	39,708	60	58.4	47.0-69.8	58	41.6	30.2-53.0
Hispanic	231	265,130	104	47.1	39.1-55.1	127	52.9	44.9-60.9
18-24	339	637,210	98	25.6	20.5-30.7	241	74.4	69.3-79.5
25-34	560	753,221	299	52.3	47.6-57.0	261	47.7	43.0-52.4
35-44	668	748,028	378	54.4	50.1-58.7	290	45.6	41.3-49.9
45-54	1029	717,760	430	43.1	39.6-46.6	599	56.9	53.4-60.4
55-64	1416	763,146	448	30.1	27.4-32.8	968	69.9	67.2-72.6
65+	2625	924,615	369	14.3	12.7-15.9	2256	85.7	84.1-87.3
Less Than H.S.	526	557,938	176	37.3	31.8-42.8	350	62.7	57.2-68.2
H.S. or G.E.D.	2214	1,506,401	566	31.9	29.4-34.4	1648	68.1	65.6-70.6
Some Post-H.S.	1723	1,413,551	576	37.2	34.3-40.1	1147	62.8	59.9-65.7
College Graduate	2147	1,044,049	693	39.2	36.5-41.9	1454	60.8	58.1-63.5
Less than \$15,000	469	324,115	201	48.5	42.4-54.6	268	51.5	45.4-57.6
\$15,000- 24,999	928	579,050	302	38.9	34.6-43.2	626	61.1	56.8-65.4
\$25,000- 34,999	634	417,546	182	36.9	31.6-42.2	452	63.1	57.8-68.4
\$35,000- 49,999	805	561,920	234	33.5	29.2-37.8	571	66.5	62.2-70.8
\$50,000- 74,999	912	680,125	282	37.0	32.9-41.1	630	63.0	58.9-67.1
\$75,000+	1570	1,193,845	507	35.0	31.9-38.1	1063	65.0	61.9-68.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2837	2,238,722	850	32.7	30.5-34.9	1987	67.3	65.1-69.5
White/Non-Hisp	2315	1,789,677	607	28.7	26.3-31.1	1708	71.3	68.9-73.7
Black or Afr. Am./Non-Hisp	195	183,046	110	57.5	48.9-66.1	85	42.5	33.9-51.1
Oth. Race/Non-Hisp.	89	64,973	34	41.2	24.7-57.7	55	58.8	42.3-75.3
MultiRacial/Non-Hisp.	60	21,611	29	47.6	32.5-62.7	31	52.4	37.3-67.5
Hispanic	117	132,716	49	43.8	32.8-54.8	68	56.2	45.2-67.2
18-24	176	344,004	37	18.5	12.0-25.0	139	81.5	75.0-88.0
25-34	282	383,985	136	47.3	40.6-54.0	146	52.7	46.0-59.4
35-44	302	369,836	138	45.7	39.4-52.0	164	54.3	48.0-60.6
45-54	476	364,031	185	40.3	35.2-45.4	291	59.7	54.6-64.8
55-64	606	369,355	193	29.5	25.4-33.6	413	70.5	66.4-74.6
65+	995	407,509	161	15.2	12.7-17.7	834	84.8	82.3-87.3
Less Than H.S.	235	296,638	74	32.1	24.7-39.5	161	67.9	60.5-75.3
H.S. or G.E.D.	943	769,687	268	31.2	27.5-34.9	675	68.8	65.1-72.5
Some Post-H.S.	719	665,192	226	32.3	28.0-36.6	493	67.7	63.4-72.0
College Graduate	925	494,769	275	35.2	31.3-39.1	650	64.8	60.9-68.7
Less than \$15,000	182	157,973	76	42.0	32.6-51.4	106	58.0	48.6-67.4
\$15,000- 24,999	340	229,517	104	33.1	26.8-39.4	236	66.9	60.6-73.2
\$25,000- 34,999	277	204,055	71	27.7	21.0-34.4	206	72.3	65.6-79.0
\$35,000- 49,999	353	283,231	94	27.9	21.8-34.0	259	72.1	66.0-78.2
\$50,000- 74,999	445	371,450	139	37.3	31.4-43.2	306	62.7	56.8-68.6
\$75,000+	790	650,246	237	32.4	28.3-36.5	553	67.6	63.5-71.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3800	2,305,259	1172	39.2	37.0-41.4	2628	60.8	58.6-63.0
White/Non-Hisp	3193	1,872,780	861	35.1	32.7-37.5	2332	64.9	62.5-67.3
Black or Afr. Am./Non-Hisp	303	201,759	173	67.5	60.8-74.2	130	32.5	25.8-39.2
Oth. Race/Non-Hisp.	82	53,866	30	32.7	16.2-49.2	52	67.3	50.8-83.8
MultiRacial/Non-Hisp.	58	18,097	31	71.3	56.8-85.8	27	28.7	14.2-43.2
Hispanic	114	132,414	55	50.4	38.6-62.2	59	49.6	37.8-61.4
18-24	163	293,206	61	33.9	26.1-41.7	102	66.1	58.3-73.9
25-34	278	369,235	163	57.5	51.0-64.0	115	42.5	36.0-49.0
35-44	366	378,192	240	63.0	57.1-68.9	126	37.0	31.1-42.9
45-54	553	353,729	245	45.9	41.0-50.8	308	54.1	49.2-59.0
55-64	810	393,791	255	30.7	27.0-34.4	555	69.3	65.6-73.0
65+	1630	517,106	208	13.6	11.4-15.8	1422	86.4	84.2-88.6
Less Than H.S.	291	261,300	102	43.2	35.6-50.8	189	56.8	49.2-64.4
H.S. or G.E.D.	1271	736,714	298	32.7	29.2-36.2	973	67.3	63.8-70.8
Some Post-H.S.	1004	748,360	350	41.5	37.4-45.6	654	58.5	54.4-62.6
College Graduate	1222	549,280	418	42.7	39.0-46.4	804	57.3	53.6-61.0
Less than \$15,000	287	166,143	125	54.6	47.0-62.2	162	45.4	37.8-53.0
\$15,000- 24,999	588	349,533	198	42.7	37.0-48.4	390	57.3	51.6-63.0
\$25,000- 34,999	357	213,491	111	45.7	38.3-53.1	246	54.3	46.9-61.7
\$35,000- 49,999	452	278,689	140	39.2	33.1-45.3	312	60.8	54.7-66.9
\$50,000- 74,999	467	308,675	143	36.6	30.7-42.5	324	63.4	57.5-69.3
\$75,000+	780	543,599	270	38.1	33.6-42.6	510	61.9	57.4-66.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2018**

End of Calculated Variable Data Report