

INDIANA

2018 Core Variables Report

Behavioral Risk Factor Surveillance System

May 24, 2019



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7581	5,126,573	1022	15.4	14.2-16.6	2392	32.5	31.1-33.9	2498	32.8	31.4-34.2	1162	13.9	12.9-14.9	507	5.4	4.8- 6.0
Male	3229	2,500,986	448	15.1	13.5-16.7	1025	33.2	31.0-35.4	1090	33.8	31.6-36.0	475	13.4	11.8-15.0	191	4.6	3.8- 5.4
Female	4352	2,625,588	574	15.8	14.2-17.4	1367	31.9	29.9-33.9	1408	31.9	29.9-33.9	687	14.3	12.9-15.7	316	6.1	5.3- 6.9
White/Non-Hisp	6261	4,116,194	849	15.2	14.0-16.4	2086	34.5	32.9-36.1	2006	31.7	30.1-33.3	908	13.1	12.1-14.1	412	5.5	4.9- 6.1
Black or Afr. Am./Non-Hisp	581	447,154	61	15.5	11.4-19.6	139	25.0	20.5-29.5	212	34.3	29.4-39.2	125	19.4	15.3-23.5	44	5.9	3.7- 8.1
Oth. Race/Non-Hisp.	204	134,518	30	22.6	12.4-32.8	44	23.2	14.0-32.4	80	39.1	27.9-50.3	32	11.9	3.9-19.9	18	3.2	1.0- 5.4
MultiRacial/Non-Hisp.	129	43,248	19	12.5	5.8-19.2	23	20.4	11.2-29.6	45	37.3	26.5-48.1	27	16.6	8.8-24.4	15	13.2	5.4-21.0
Hispanic	261	298,191	44	17.4	11.3-23.5	58	21.7	15.4-28.0	101	40.3	32.9-47.7	47	17.0	11.5-22.5	11	3.7	1.3- 6.1
18-24	369	686,457	76	21.3	16.6-26.0	128	35.3	29.8-40.8	112	29.5	24.4-34.6	47	12.8	9.1-16.5	6	1.1	0.0- 2.3
25-34	630	848,605	116	18.8	15.3-22.3	227	36.6	32.3-40.9	216	33.8	29.7-37.9	59	9.2	6.7-11.7	12	1.6	0.6- 2.6
35-44	737	821,724	123	16.6	13.5-19.7	257	33.7	29.8-37.6	247	35.5	31.6-39.4	80	10.7	8.2-13.2	30	3.5	2.1- 4.9
45-54	1195	835,792	202	16.5	14.0-19.0	390	31.3	28.4-34.2	365	32.5	29.4-35.6	151	12.2	10.0-14.4	87	7.5	5.7- 9.3
55-64	1614	867,836	212	12.5	10.7-14.3	475	29.7	27.2-32.2	486	29.5	27.0-32.0	300	19.6	17.2-22.0	141	8.8	7.0-10.6
65+	3036	1,066,159	293	9.6	8.4-10.8	915	29.8	27.8-31.8	1072	35.0	32.8-37.2	525	17.5	15.7-19.3	231	8.1	6.9- 9.3
Less Than H.S.	597	631,322	40	9.0	5.7-12.3	101	20.9	16.4-25.4	187	34.5	29.4-39.6	165	23.1	19.0-27.2	104	12.5	9.6-15.4
H.S. or G.E.D.	2570	1,717,667	259	12.5	10.7-14.3	653	27.2	24.8-29.6	959	37.2	34.8-39.6	485	17.0	15.2-18.8	214	6.2	5.2- 7.2
Some Post-H.S.	1951	1,572,200	237	16.1	13.7-18.5	636	35.3	32.6-38.0	651	31.7	29.2-34.2	303	12.7	10.9-14.5	124	4.3	3.3- 5.3
College Graduate	2429	1,179,968	479	22.3	20.1-24.5	991	42.7	40.2-45.2	691	27.0	24.8-29.2	204	6.1	5.1- 7.1	64	1.8	1.2- 2.4
Less than \$15,000	527	361,683	33	9.4	5.5-13.3	76	14.7	10.2-19.2	145	30.5	25.0-36.0	161	27.5	22.6-32.4	112	17.9	14.0-21.8
\$15,000- 24,999	1031	652,115	76	9.6	6.9-12.3	207	20.6	17.3-23.9	358	35.4	31.5-39.3	276	25.7	22.2-29.2	114	8.8	6.6-11.0
\$25,000- 34,999	722	467,621	71	12.3	8.8-15.8	188	27.1	22.8-31.4	280	36.8	32.1-41.5	123	17.2	13.3-21.1	60	6.5	4.5- 8.5
\$35,000- 49,999	912	636,791	113	14.1	11.0-17.2	280	33.5	29.2-37.8	335	34.5	30.4-38.6	143	14.4	11.5-17.3	41	3.6	2.2- 5.0
\$50,000- 74,999	1013	745,461	148	16.2	13.1-19.3	371	38.0	34.1-41.9	344	33.8	30.1-37.5	111	9.0	7.0-11.0	39	3.0	1.8- 4.2
\$75,000+	1723	1,295,062	363	20.6	18.2-23.0	761	43.7	40.8-46.6	475	29.0	26.3-31.7	102	5.7	4.1- 7.3	22	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3229	2,500,986	448	15.1	13.5-16.7	1025	33.2	31.0-35.4	1090	33.8	31.6-36.0	475	13.4	11.8-15.0	191	4.6	3.8- 5.4
White/Non-Hisp	2626	1,990,877	364	14.6	12.8-16.4	878	35.3	32.9-37.7	861	33.0	30.6-35.4	369	12.3	10.7-13.9	154	4.8	3.8- 5.8
Black or Afr. Am./Non-Hisp	225	211,279	28	18.7	11.8-25.6	57	23.5	16.8-30.2	81	34.0	26.6-41.4	44	18.6	12.1-25.1	15	5.2	2.3- 8.1
Oth. Race/Non-Hisp.	105	74,092	16	20.8	7.1-34.5	24	24.6	12.6-36.6	42	40.0	24.7-55.3	14	12.7	1.1-24.3	9	1.9	0.3- 3.5
MultiRacial/Non-Hisp.	66	23,785	11	17.2	6.2-28.2	8	14.0	3.6-24.4	26	38.8	24.9-52.7	13	17.7	6.9-28.5	8	12.4	2.0-22.8
Hispanic	131	148,256	18	14.9	7.1-22.7	29	21.2	12.8-29.6	53	40.3	30.1-50.5	28	21.5	13.1-29.9	3	2.1	0.0- 4.6
18-24	183	353,156	39	21.4	14.5-28.3	72	40.8	32.6-49.0	44	23.4	16.5-30.3	24	12.7	7.4-18.0	4	1.8	0.0- 4.0
25-34	315	428,835	55	16.5	12.0-21.0	122	39.7	33.6-45.8	111	35.0	29.1-40.9	23	7.6	4.1-11.1	4	1.2	0.0- 2.6
35-44	335	410,042	59	16.9	12.6-21.2	99	28.9	23.4-34.4	124	39.5	33.4-45.6	41	11.4	7.7-15.1	12	3.3	1.1- 5.5
45-54	547	415,134	86	15.3	11.8-18.8	178	31.5	27.2-35.8	194	37.0	32.3-41.7	53	10.0	7.1-12.9	36	6.2	3.8- 8.6
55-64	703	424,075	87	10.8	8.3-13.3	218	31.6	27.7-35.5	224	32.0	28.1-35.9	122	18.9	15.6-22.2	52	6.6	4.4- 8.8
65+	1146	469,743	122	11.1	8.9-13.3	336	28.2	25.1-31.3	393	34.2	30.9-37.5	212	19.0	16.3-21.7	83	7.5	5.7- 9.3
Less Than H.S.	259	326,302	17	8.4	3.7-13.1	53	25.8	18.5-33.1	83	34.0	26.4-41.6	72	22.8	16.9-28.7	34	9.1	5.2-13.0
H.S. or G.E.D.	1081	867,356	122	13.7	11.0-16.4	264	26.0	22.7-29.3	415	38.2	34.7-41.7	205	16.9	14.2-19.6	75	5.2	3.8- 6.6
Some Post-H.S.	808	731,641	98	14.8	11.5-18.1	267	37.3	33.0-41.6	279	32.5	28.6-36.4	115	11.6	8.9-14.3	49	3.7	2.5- 4.9
College Graduate	1062	561,063	205	21.2	18.1-24.3	434	42.9	39.2-46.6	309	28.6	25.3-31.9	81	5.1	3.7- 6.5	33	2.2	1.2- 3.2
Less than \$15,000	205	175,801	13	11.8	4.9-18.7	35	18.1	10.8-25.4	50	28.1	19.5-36.7	65	28.1	20.7-35.5	42	14.0	8.9-19.1
\$15,000- 24,999	381	254,791	39	11.4	7.1-15.7	71	20.0	14.7-25.3	131	35.2	29.1-41.3	97	24.0	18.7-29.3	43	9.4	5.7-13.1
\$25,000- 34,999	302	219,958	30	11.3	6.4-16.2	77	25.7	19.2-32.2	104	35.6	28.5-42.7	61	19.5	13.4-25.6	30	7.9	4.6-11.2
\$35,000- 49,999	404	321,632	52	13.4	8.9-17.9	113	33.4	27.1-39.7	156	35.4	29.5-41.3	65	14.2	9.7-18.7	18	3.6	1.6- 5.6
\$50,000- 74,999	492	403,670	69	16.2	11.7-20.7	177	36.5	31.2-41.8	179	36.8	31.3-42.3	52	8.3	5.6-11.0	15	2.2	0.6- 3.8
\$75,000+	870	707,019	160	17.0	14.1-19.9	381	44.1	39.8-48.4	266	31.8	27.9-35.7	51	6.0	3.8- 8.2	12	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4352	2,625,588	574	15.8	14.2-17.4	1367	31.9	29.9-33.9	1408	31.9	29.9-33.9	687	14.3	12.9-15.7	316	6.1	5.3- 6.9
White/Non-Hisp	3635	2,125,317	485	15.7	13.9-17.5	1208	33.8	31.8-35.8	1145	30.6	28.6-32.6	539	13.8	12.4-15.2	258	6.2	5.2- 7.2
Black or Afr. Am./Non-Hisp	356	235,875	33	12.5	7.8-17.2	82	26.3	20.2-32.4	131	34.6	28.3-40.9	81	20.1	15.0-25.2	29	6.5	3.6- 9.4
Oth. Race/Non-Hisp.	99	60,426	14	24.8	9.5-40.1	20	21.5	7.2-35.8	38	38.0	21.5-54.5	18	10.9	0.0-21.9	9	4.7	0.2- 9.2
MultiRacial/Non-Hisp.	63	19,463	8	6.7	0.6-12.8	15	28.2	12.7-43.7	19	35.4	18.5-52.3	14	15.4	4.2-26.6	7	14.2	2.2-26.2
Hispanic	130	149,935	26	19.8	10.8-28.8	29	22.1	12.7-31.5	48	40.3	29.7-50.9	19	12.5	5.6-19.4	8	5.3	1.4- 9.2
18-24	186	333,301	37	21.3	14.6-28.0	56	29.5	22.2-36.8	68	35.8	28.2-43.4	23	12.9	7.4-18.4	2	0.5	0.0- 1.1
25-34	315	419,770	61	21.2	16.1-26.3	105	33.5	27.6-39.4	105	32.5	26.8-38.2	36	10.8	7.1-14.5	8	2.0	0.4- 3.6
35-44	402	411,682	64	16.3	12.0-20.6	158	38.5	33.2-43.8	123	31.5	26.2-36.8	39	9.9	6.4-13.4	18	3.7	1.7- 5.7
45-54	648	420,658	116	17.8	14.3-21.3	212	31.2	27.1-35.3	171	28.0	23.9-32.1	98	14.3	11.4-17.2	51	8.7	6.2-11.2
55-64	911	443,760	125	14.0	11.5-16.5	257	27.8	24.5-31.1	262	27.1	23.8-30.4	178	20.3	17.2-23.4	89	10.8	8.3-13.3
65+	1890	596,416	171	8.4	7.0- 9.8	579	31.0	28.5-33.5	679	35.7	33.2-38.2	313	16.3	14.3-18.3	148	8.6	7.0-10.2
Less Than H.S.	338	305,019	23	9.7	4.8-14.6	48	15.8	10.5-21.1	104	35.0	28.1-41.9	93	23.3	17.6-29.0	70	16.1	11.8-20.4
H.S. or G.E.D.	1489	850,311	137	11.2	8.8-13.6	389	28.3	25.2-31.4	544	36.1	32.8-39.4	280	17.0	14.5-19.5	139	7.3	5.9- 8.7
Some Post-H.S.	1143	840,559	139	17.1	14.0-20.2	369	33.6	30.1-37.1	372	31.0	27.5-34.5	188	13.6	11.2-16.0	75	4.8	3.4- 6.2
College Graduate	1367	618,905	274	23.3	20.4-26.2	557	42.5	39.2-45.8	382	25.6	22.7-28.5	123	7.1	5.5- 8.7	31	1.5	0.7- 2.3
Less than \$15,000	322	185,883	20	7.1	2.8-11.4	41	11.5	6.4-16.6	95	32.9	26.0-39.8	96	26.9	20.6-33.2	70	21.6	15.9-27.3
\$15,000- 24,999	650	397,324	37	8.4	4.7-12.1	136	20.9	16.6-25.2	227	35.5	30.2-40.8	179	26.8	22.1-31.5	71	8.4	6.0-10.8
\$25,000- 34,999	420	247,664	41	13.2	7.9-18.5	111	28.4	22.5-34.3	176	37.9	31.6-44.2	62	15.2	10.5-19.9	30	5.3	2.9- 7.7
\$35,000- 49,999	508	315,159	61	14.8	10.5-19.1	167	33.6	27.9-39.3	179	33.5	28.0-39.0	78	14.5	10.6-18.4	23	3.6	1.8- 5.4
\$50,000- 74,999	521	341,791	79	16.1	11.6-20.6	194	39.9	34.2-45.6	165	30.3	25.2-35.4	59	9.8	6.9-12.7	24	4.0	2.0- 6.0
\$75,000+	853	588,043	203	24.9	21.2-28.6	380	43.2	38.9-47.5	209	25.6	21.7-29.5	51	5.3	3.1- 7.5	10	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7433	5,058,807	4623	63.7	62.3-65.1	712	10.4	9.4-11.4	728	9.9	8.9-10.9	707	8.6	7.8- 9.4	663	7.3	6.5- 8.1
Male	3182	2,471,242	2109	68.2	66.2-70.2	284	9.2	7.8-10.6	278	8.7	7.5- 9.9	261	7.3	6.1- 8.5	250	6.5	5.5- 7.5
Female	4251	2,587,565	2514	59.3	57.3-61.3	428	11.5	10.1-12.9	450	11.2	9.8-12.6	446	9.9	8.7-11.1	413	8.1	7.1- 9.1
White/Non-Hisp	6154	4,075,209	3846	63.4	61.8-65.0	594	10.8	9.8-11.8	605	10.0	9.0-11.0	574	8.4	7.6- 9.2	535	7.4	6.6- 8.2
Black or Afr. Am./Non-Hisp	568	439,188	329	61.3	56.4-66.2	53	9.6	6.7-12.5	57	9.4	6.5-12.3	77	13.5	10.2-16.8	52	6.1	3.9- 8.3
Oth. Race/Non-Hisp.	193	126,264	118	70.0	59.6-80.4	20	9.6	3.3-15.9	14	7.0	1.5-12.5	22	8.0	1.3-14.7	19	5.4	0.9- 9.9
MultiRacial/Non-Hisp.	130	43,900	63	42.2	31.6-52.8	19	16.3	8.3-24.3	14	16.1	7.3-24.9	12	11.1	3.1-19.1	22	14.3	6.7-21.9
Hispanic	253	289,935	171	70.0	63.1-76.9	21	7.5	3.4-11.6	29	10.9	6.4-15.4	12	4.1	1.2- 7.0	20	7.5	3.6-11.4
18-24	363	675,677	240	67.5	62.2-72.8	55	13.9	10.0-17.8	40	11.1	7.6-14.6	20	5.8	3.1- 8.5	8	1.6	0.2- 3.0
25-34	626	843,842	424	69.1	65.0-73.2	82	12.0	9.3-14.7	58	8.9	6.5-11.3	39	6.5	4.1- 8.9	23	3.4	1.8- 5.0
35-44	731	815,009	470	64.8	60.9-68.7	92	12.6	9.9-15.3	69	9.1	6.7-11.5	61	7.7	5.5- 9.9	39	5.8	3.6- 8.0
45-54	1183	827,206	738	62.4	59.3-65.5	125	10.4	8.4-12.4	110	9.5	7.5-11.5	114	9.3	7.5-11.1	96	8.4	6.6-10.2
55-64	1593	861,260	933	58.2	55.5-60.9	142	9.0	7.4-10.6	163	10.6	8.8-12.4	176	11.0	9.2-12.8	179	11.3	9.3-13.3
65+	2937	1,035,813	1818	61.4	59.2-63.6	216	6.4	5.4- 7.4	288	10.5	9.1-11.9	297	10.4	9.0-11.8	318	11.3	9.9-12.7
Less Than H.S.	574	614,889	285	57.3	52.0-62.6	38	7.6	4.7-10.5	58	9.5	6.6-12.4	96	11.7	8.8-14.6	97	13.9	10.6-17.2
H.S. or G.E.D.	2510	1,688,056	1510	62.7	60.3-65.1	213	9.3	7.7-10.9	227	9.3	7.7-10.9	288	9.7	8.3-11.1	272	8.9	7.7-10.1
Some Post-H.S.	1921	1,561,124	1163	62.3	59.6-65.0	185	11.0	9.0-13.0	202	11.1	9.3-12.9	191	9.4	7.8-11.0	180	6.2	5.0- 7.4
College Graduate	2398	1,172,750	1643	70.0	67.6-72.4	274	12.7	10.9-14.5	239	9.7	8.1-11.3	128	4.3	3.3- 5.3	114	3.3	2.5- 4.1
Less than \$15,000	509	354,209	191	43.1	37.2-49.0	38	7.0	4.3- 9.7	60	10.7	7.2-14.2	107	19.5	15.2-23.8	113	19.7	15.2-24.2
\$15,000- 24,999	1011	642,356	496	51.9	47.8-56.0	88	9.7	7.0-12.4	125	13.6	10.7-16.5	169	14.7	12.0-17.4	133	10.0	7.8-12.2
\$25,000- 34,999	707	460,145	397	56.7	51.8-61.6	73	13.5	9.6-17.4	71	10.9	8.0-13.8	79	8.1	5.9-10.3	87	10.7	8.0-13.4
\$35,000- 49,999	894	630,854	545	61.7	57.4-66.0	87	11.4	8.5-14.3	115	12.1	9.4-14.8	80	8.4	6.0-10.8	67	6.4	4.4- 8.4
\$50,000- 74,999	1010	745,750	672	68.1	64.4-71.8	107	9.9	7.7-12.1	98	10.2	7.8-12.6	63	5.8	4.0- 7.6	70	5.9	4.1- 7.7
\$75,000+	1714	1,292,459	1264	72.9	70.2-75.6	184	11.4	9.4-13.4	134	7.9	6.1- 9.7	81	5.3	3.7- 6.9	51	2.4	1.6- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3182	2,471,242	2109	68.2	66.2-70.2	284	9.2	7.8-10.6	278	8.7	7.5- 9.9	261	7.3	6.1- 8.5	250	6.5	5.5- 7.5
White/Non-Hisp	2591	1,974,402	1717	67.8	65.4-70.2	238	10.1	8.5-11.7	226	8.6	7.2-10.0	210	7.1	5.9- 8.3	200	6.5	5.3- 7.7
Black or Afr. Am./Non-Hisp	224	210,052	141	67.4	60.3-74.5	21	8.4	4.3-12.5	19	8.4	4.1-12.7	27	11.0	6.5-15.5	16	4.8	2.1- 7.5
Oth. Race/Non-Hisp.	98	67,384	67	72.9	58.6-87.2	7	2.6	0.0- 5.5	5	5.9	0.0-13.0	9	11.7	0.0-23.5	10	6.9	0.0-14.9
MultiRacial/Non-Hisp.	68	24,719	39	51.1	36.8-65.4	7	12.7	2.9-22.5	7	13.3	3.7-22.9	6	8.6	1.2-16.0	9	14.3	2.7-25.9
Hispanic	128	143,821	92	74.4	65.4-83.4	8	4.0	1.1- 6.9	15	11.2	4.1-18.3	4	2.8	0.0- 5.7	9	7.6	2.1-13.1
18-24	180	346,242	134	76.5	69.6-83.4	26	12.3	7.4-17.2	12	6.6	2.5-10.7	4	2.7	0.0- 5.6	4	1.9	0.0- 4.1
25-34	314	427,654	224	72.1	66.6-77.6	39	11.4	7.5-15.3	26	8.1	4.8-11.4	17	6.1	3.0- 9.2	8	2.2	0.4- 4.0
35-44	331	404,878	234	71.5	66.0-77.0	31	8.9	5.6-12.2	27	8.1	4.8-11.4	20	5.5	2.8- 8.2	19	6.1	3.0- 9.2
45-54	543	412,281	368	68.1	63.6-72.6	51	9.1	6.6-11.6	46	9.0	6.3-11.7	42	7.5	5.0-10.0	36	6.3	3.9- 8.7
55-64	694	420,223	420	59.4	55.1-63.7	54	7.9	5.5-10.3	76	11.2	8.5-13.9	69	10.5	8.0-13.0	75	11.1	8.4-13.8
65+	1120	459,963	729	63.9	60.6-67.2	83	6.6	4.8- 8.4	91	8.5	6.5-10.5	109	10.6	8.4-12.8	108	10.4	8.2-12.6
Less Than H.S.	246	317,559	140	64.7	57.4-72.0	11	4.3	1.2- 7.4	27	10.3	5.8-14.8	31	9.4	5.3-13.5	37	11.3	7.0-15.6
H.S. or G.E.D.	1068	855,413	678	66.9	63.6-70.2	94	9.4	7.2-11.6	84	7.3	5.3- 9.3	114	8.6	6.6-10.6	98	7.9	6.1- 9.7
Some Post-H.S.	799	728,376	519	67.1	63.0-71.2	73	10.0	7.3-12.7	73	9.7	7.2-12.2	70	7.6	5.4- 9.8	64	5.6	3.8- 7.4
College Graduate	1053	558,626	757	73.3	70.2-76.4	106	11.1	8.7-13.5	93	8.5	6.5-10.5	46	4.0	2.6- 5.4	51	3.1	2.1- 4.1
Less than \$15,000	198	172,553	85	49.9	40.7-59.1	11	4.2	1.5- 6.9	24	11.3	5.6-17.0	35	16.6	10.1-23.1	43	18.1	11.4-24.8
\$15,000- 24,999	378	254,272	201	57.6	51.3-63.9	31	8.1	4.4-11.8	40	10.4	6.7-14.1	61	13.9	10.0-17.8	45	9.9	6.4-13.4
\$25,000- 34,999	297	213,249	160	57.6	50.5-64.7	29	11.7	6.4-17.0	28	8.9	5.0-12.8	38	9.0	5.5-12.5	42	12.8	8.5-17.1
\$35,000- 49,999	398	319,376	255	66.5	60.6-72.4	38	11.6	7.5-15.7	45	10.2	6.5-13.9	27	5.4	3.0- 7.8	33	6.3	3.8- 8.8
\$50,000- 74,999	491	403,749	344	71.1	66.2-76.0	49	10.1	6.8-13.4	44	9.6	6.5-12.7	22	4.0	2.0- 6.0	32	5.2	2.8- 7.6
\$75,000+	867	706,022	665	76.2	72.5-79.9	80	9.0	6.6-11.4	58	7.0	4.6- 9.4	41	5.4	3.2- 7.6	23	2.4	1.2- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4251	2,587,565	2514	59.3	57.3-61.3	428	11.5	10.1-12.9	450	11.2	9.8-12.6	446	9.9	8.7-11.1	413	8.1	7.1- 9.1
White/Non-Hisp	3563	2,100,807	2129	59.2	57.0-61.4	356	11.5	9.9-13.1	379	11.4	10.0-12.8	364	9.7	8.3-11.1	335	8.2	7.0- 9.4
Black or Afr. Am./Non-Hisp	344	229,135	188	55.7	49.0-62.4	32	10.7	6.4-15.0	38	10.4	6.3-14.5	50	15.8	10.9-20.7	36	7.3	4.2-10.4
Oth. Race/Non-Hisp.	95	58,880	51	66.6	51.5-81.7	13	17.8	5.3-30.3	9	8.2	0.0-17.0	13	3.9	1.0- 6.8	9	3.6	0.7- 6.5
MultiRacial/Non-Hisp.	62	19,181	24	30.7	15.6-45.8	12	21.0	7.9-34.1	7	19.7	4.2-35.2	6	14.3	0.0-29.4	13	14.4	5.4-23.4
Hispanic	125	146,114	79	65.6	55.2-76.0	13	10.9	3.3-18.5	14	10.5	4.6-16.4	8	5.4	0.3-10.5	11	7.5	1.8-13.2
18-24	183	329,435	106	58.1	50.3-65.9	29	15.6	9.7-21.5	28	15.9	10.2-21.6	16	9.1	4.4-13.8	4	1.4	0.0- 2.8
25-34	312	416,187	200	66.1	60.2-72.0	43	12.7	8.8-16.6	32	9.8	6.3-13.3	22	7.0	3.7-10.3	15	4.5	1.8- 7.2
35-44	400	410,131	236	58.2	52.5-63.9	61	16.2	11.9-20.5	42	10.2	6.7-13.7	41	9.8	6.5-13.1	20	5.6	2.9- 8.3
45-54	640	414,925	370	56.8	52.3-61.3	74	11.7	8.8-14.6	64	10.0	7.5-12.5	72	11.1	8.4-13.8	60	10.5	7.8-13.2
55-64	899	441,037	513	57.0	53.3-60.7	88	10.0	7.6-12.4	87	10.0	7.6-12.4	107	11.5	9.1-13.9	104	11.5	9.0-14.0
65+	1817	575,850	1089	59.4	56.7-62.1	133	6.2	4.8- 7.6	197	12.1	10.1-14.1	188	10.3	8.5-12.1	210	12.1	10.1-14.1
Less Than H.S.	328	297,331	145	49.5	42.4-56.6	27	11.2	6.1-16.3	31	8.6	4.5-12.7	65	14.1	9.8-18.4	60	16.6	11.5-21.7
H.S. or G.E.D.	1442	832,642	832	58.5	55.2-61.8	119	9.3	7.1-11.5	143	11.4	9.0-13.8	174	10.9	8.7-13.1	174	9.9	8.1-11.7
Some Post-H.S.	1122	832,748	644	58.0	54.3-61.7	112	11.9	9.4-14.4	129	12.3	9.8-14.8	121	10.9	8.5-13.3	116	6.8	5.2- 8.4
College Graduate	1345	614,124	886	67.0	63.7-70.3	168	14.2	11.7-16.7	146	10.8	8.6-13.0	82	4.6	3.4- 5.8	63	3.5	2.5- 4.5
Less than \$15,000	311	181,656	106	36.7	29.3-44.1	27	9.6	5.1-14.1	36	10.2	5.9-14.5	72	22.3	16.4-28.2	70	21.3	15.6-27.0
\$15,000- 24,999	633	388,084	295	48.2	42.7-53.7	57	10.8	6.9-14.7	85	15.7	11.6-19.8	108	15.3	11.6-19.0	88	10.0	7.3-12.7
\$25,000- 34,999	410	246,896	237	56.0	49.3-62.7	44	15.1	9.6-20.6	43	12.7	8.2-17.2	41	7.3	4.6-10.0	45	8.9	5.2-12.6
\$35,000- 49,999	496	311,477	290	56.9	51.0-62.8	49	11.1	7.2-15.0	70	14.1	10.0-18.2	53	11.5	7.6-15.4	34	6.4	3.5- 9.3
\$50,000- 74,999	519	342,001	328	64.6	59.3-69.9	58	9.7	6.8-12.6	54	11.0	7.5-14.5	41	8.0	4.9-11.1	38	6.7	4.2- 9.2
\$75,000+	847	586,437	599	68.9	64.8-73.0	104	14.4	11.3-17.5	76	8.9	6.4-11.4	40	5.3	2.9- 7.7	28	2.5	1.3- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7466	5,065,839	4964	61.5	59.9-63.1	557	8.4	7.6- 9.2	751	11.7	10.7-12.7	725	11.5	10.5-12.5	469	6.9	6.1- 7.7
Male	3177	2,469,027	2272	67.2	65.0-69.4	190	6.8	5.6- 8.0	275	10.3	8.7-11.9	275	10.1	8.7-11.5	165	5.7	4.5- 6.9
Female	4289	2,596,812	2692	56.1	54.1-58.1	367	10.1	8.9-11.3	476	12.9	11.5-14.3	450	12.8	11.4-14.2	304	8.1	6.9- 9.3
White/Non-Hisp	6178	4,078,438	4160	61.9	60.3-63.5	446	8.2	7.2- 9.2	617	11.6	10.4-12.8	592	11.3	10.1-12.5	363	6.9	5.9- 7.9
Black or Afr. Am./Non-Hisp	572	439,600	355	57.8	52.5-63.1	55	11.1	7.8-14.4	58	10.8	7.7-13.9	63	13.0	9.1-16.9	41	7.4	4.9- 9.9
Oth. Race/Non-Hisp.	199	130,212	118	68.5	58.3-78.7	19	7.5	2.2-12.8	17	7.7	2.4-13.0	19	7.0	1.1-12.9	26	9.3	3.0-15.6
MultiRacial/Non-Hisp.	130	43,731	60	32.1	22.7-41.5	11	6.9	1.4-12.4	19	20.0	10.6-29.4	20	23.6	13.4-33.8	20	17.4	9.0-25.8
Hispanic	254	290,021	170	61.9	54.3-69.5	18	7.2	3.3-11.1	27	13.5	7.8-19.2	27	13.8	8.1-19.5	12	3.6	1.1- 6.1
18-24	367	682,659	144	41.6	35.9-47.3	49	12.3	8.6-16.0	72	19.0	14.5-23.5	72	19.4	14.9-23.9	30	7.7	4.8-10.6
25-34	626	843,151	326	54.8	50.5-59.1	64	9.9	7.4-12.4	95	13.7	10.8-16.6	100	15.0	12.1-17.9	41	6.6	4.4- 8.8
35-44	732	816,164	405	58.3	54.2-62.4	69	8.6	6.4-10.8	113	13.6	10.9-16.3	85	10.6	8.1-13.1	60	8.9	6.5-11.3
45-54	1176	819,330	715	60.2	57.1-63.3	106	9.4	7.4-11.4	137	11.4	9.2-13.6	122	10.6	8.6-12.6	96	8.3	6.5-10.1
55-64	1594	858,134	1035	66.2	63.5-68.9	128	7.3	5.9- 8.7	137	9.3	7.5-11.1	166	9.9	8.3-11.5	128	7.2	5.6- 8.8
65+	2971	1,046,401	2339	79.4	77.6-81.2	141	4.8	3.8- 5.8	197	5.8	4.8- 6.8	180	6.0	5.0- 7.0	114	3.9	3.1- 4.7
Less Than H.S.	573	612,792	329	57.6	52.3-62.9	25	4.8	2.3- 7.3	58	10.4	6.9-13.9	93	15.9	12.2-19.6	68	11.4	8.3-14.5
H.S. or G.E.D.	2523	1,692,341	1728	65.4	62.9-67.9	159	6.9	5.5- 8.3	216	10.3	8.7-11.9	242	10.0	8.4-11.6	178	7.5	6.1- 8.9
Some Post-H.S.	1924	1,561,376	1210	56.0	53.1-58.9	151	9.7	7.9-11.5	221	13.5	11.3-15.7	206	13.6	11.4-15.8	136	7.3	5.7- 8.9
College Graduate	2415	1,175,760	1675	65.1	62.7-67.5	218	10.9	9.3-12.5	254	11.9	10.1-13.7	183	8.7	7.3-10.1	85	3.3	2.3- 4.3
Less than \$15,000	511	352,396	239	44.3	38.4-50.2	26	5.7	2.6- 8.8	72	13.6	9.7-17.5	94	20.6	15.7-25.5	80	15.9	11.8-20.0
\$15,000- 24,999	1014	641,798	594	52.3	48.2-56.4	74	8.7	6.2-11.2	109	13.2	10.3-16.1	134	14.7	11.6-17.8	103	11.1	8.4-13.8
\$25,000- 34,999	713	467,907	460	58.8	53.9-63.7	42	7.1	4.6- 9.6	76	11.2	8.3-14.1	82	13.4	9.9-16.9	53	9.5	6.2-12.8
\$35,000- 49,999	907	634,563	585	58.3	54.0-62.6	78	9.3	6.6-12.0	95	13.4	10.3-16.5	101	12.6	9.5-15.7	48	6.4	4.2- 8.6
\$50,000- 74,999	1003	740,024	681	65.0	61.1-68.9	80	7.8	5.8- 9.8	112	13.5	10.6-16.4	80	8.3	6.1-10.5	50	5.4	3.4- 7.4
\$75,000+	1715	1,287,931	1245	67.8	64.9-70.7	156	10.5	8.5-12.5	161	10.5	8.5-12.5	114	8.7	6.7-10.7	39	2.5	1.5- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.															
	TOTAL	WEIGHTED	N	None		1-2 days		3-7 days		8-29 days		30 days						
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3177	2,469,027	2272	67.2	65.0-69.4	190	6.8	5.6- 8.0	275	10.3	8.7-11.9	275	10.1	8.7-11.5	165	5.7	4.5- 6.9	
White/Non-Hisp	2585	1,971,531	1882	67.8	65.4-70.2	146	6.5	5.3- 7.7	222	10.5	8.7-12.3	212	9.6	8.0-11.2	123	5.6	4.4- 6.8	
Black or Afr. Am./Non-Hisp	221	205,769	148	64.8	56.8-72.8	13	6.0	2.5- 9.5	18	8.3	4.0-12.6	28	14.7	8.0-21.4	14	6.1	2.4- 9.8	
Oth. Race/Non-Hisp.	103	73,793	63	71.9	58.4-85.4	11	9.3	0.9-17.7	8	5.9	0.0-11.8	9	5.1	0.2-10.0	12	7.9	0.0-17.5	
MultiRacial/Non-Hisp.	68	24,719	29	29.1	17.1-41.1	5	6.0	0.1-11.9	10	19.0	7.4-30.6	13	27.8	14.3-41.3	11	18.2	6.6-29.8	
Hispanic	127	141,798	89	65.6	55.0-76.2	12	9.4	2.7-16.1	10	9.0	2.5-15.5	13	13.0	5.4-20.6	3	3.1	0.0- 7.0	
18-24	181	349,358	77	45.0	36.8-53.2	23	9.8	5.1-14.5	39	20.7	13.8-27.6	30	18.0	11.5-24.5	12	6.5	2.4-10.6	
25-34	312	424,941	184	60.6	54.5-66.7	26	8.5	5.0-12.0	38	12.3	8.2-16.4	47	12.3	8.6-16.0	17	6.3	3.0- 9.6	
35-44	333	406,721	217	67.2	61.5-72.9	22	5.9	3.2- 8.6	39	11.0	7.3-14.7	32	8.5	5.2-11.8	23	7.4	4.1-10.7	
45-54	542	411,845	368	68.7	64.4-73.0	38	7.1	4.7- 9.5	48	8.1	5.6-10.6	55	10.0	7.3-12.7	33	6.1	3.7- 8.5	
55-64	688	415,695	493	72.5	68.6-76.4	44	6.8	4.6- 9.0	54	7.9	5.5-10.3	62	8.3	5.9-10.7	35	4.5	2.7- 6.3	
65+	1121	460,466	933	83.8	81.3-86.3	37	3.2	2.0- 4.4	57	4.2	2.8- 5.6	49	4.9	3.3- 6.5	45	3.7	2.3- 5.1	
Less Than H.S.	246	315,560	155	62.3	54.5-70.1	7	3.0	0.3- 5.7	24	11.8	6.1-17.5	36	12.8	7.7-17.9	24	10.2	5.5-14.9	
H.S. or G.E.D.	1065	855,941	770	69.6	66.1-73.1	59	5.9	4.1- 7.7	77	8.8	6.6-11.0	88	8.8	6.6-11.0	71	7.0	5.0- 9.0	
Some Post-H.S.	796	725,840	539	61.8	57.3-66.3	57	8.7	6.2-11.2	75	11.9	8.8-15.0	86	12.9	9.8-16.0	39	4.7	2.7- 6.7	
College Graduate	1053	558,258	794	73.0	69.7-76.3	65	7.6	5.4- 9.8	98	9.8	7.6-12.0	65	7.0	5.0- 9.0	31	2.6	1.4- 3.8	
Less than \$15,000	199	172,487	95	47.4	38.2-56.6	9	4.7	0.2- 9.2	26	13.6	7.3-19.9	42	21.3	13.9-28.7	27	13.0	6.7-19.3	
\$15,000- 24,999	377	251,495	241	56.5	50.0-63.0	24	8.0	4.1-11.9	34	10.9	6.8-15.0	48	14.9	10.2-19.6	30	9.7	5.2-14.2	
\$25,000- 34,999	298	219,077	199	64.7	57.6-71.8	19	7.2	3.3-11.1	25	8.3	4.6-12.0	31	11.1	6.6-15.6	24	8.6	4.1-13.1	
\$35,000- 49,999	403	320,955	285	64.3	57.8-70.8	27	8.2	4.5-11.9	36	12.0	7.5-16.5	40	11.9	7.4-16.4	15	3.7	1.7- 5.7	
\$50,000- 74,999	489	401,893	368	71.7	66.4-77.0	29	6.1	3.6- 8.6	42	11.7	7.4-16.0	29	5.8	3.4- 8.2	21	4.7	2.2- 7.2	
\$75,000+	866	704,447	677	74.6	70.7-78.5	53	6.7	4.5- 8.9	69	9.0	6.3-11.7	46	7.0	4.6- 9.4	21	2.8	1.4- 4.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days		3-7 days		8-29 days		30 days					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4289	2,596,812	2692	56.1	54.1-58.1	367	10.1	8.9-11.3	476	12.9	11.5-14.3	450	12.8	11.4-14.2	304	8.1	6.9- 9.3
White/Non-Hisp	3593	2,106,907	2278	56.4	54.2-58.6	300	9.8	8.4-11.2	395	12.7	11.1-14.3	380	12.9	11.3-14.5	240	8.2	6.8- 9.6
Black or Afr. Am./Non-Hisp	351	233,831	207	51.6	44.9-58.3	42	15.6	10.1-21.1	40	13.0	8.3-17.7	35	11.5	7.2-15.8	27	8.4	4.7-12.1
Oth. Race/Non-Hisp.	96	56,419	55	64.2	48.3-80.1	8	5.2	0.0-10.5	9	10.2	0.6-19.8	10	9.4	0.0-21.2	14	11.0	3.4-18.6
MultiRacial/Non-Hisp.	62	19,012	31	36.1	21.0-51.2	6	8.1	0.0-18.1	9	21.3	5.6-37.0	7	18.2	2.9-33.5	9	16.4	4.1-28.7
Hispanic	127	148,222	81	58.3	47.3-69.3	6	5.1	1.0- 9.2	17	17.9	9.1-26.7	14	14.7	6.3-23.1	9	4.0	1.1- 6.9
18-24	186	333,301	67	38.0	30.2-45.8	26	15.0	9.3-20.7	33	17.2	11.3-23.1	42	20.9	14.6-27.2	18	9.0	4.7-13.3
25-34	314	418,210	142	49.0	42.9-55.1	38	11.2	7.5-14.9	57	15.2	11.1-19.3	53	17.7	13.0-22.4	24	7.0	4.1- 9.9
35-44	399	409,443	188	49.5	43.8-55.2	47	11.3	7.8-14.8	74	16.2	12.1-20.3	53	12.7	9.0-16.4	37	10.3	6.8-13.8
45-54	634	407,485	347	51.6	47.1-56.1	68	11.8	8.9-14.7	89	14.8	11.5-18.1	67	11.2	8.5-13.9	63	10.6	7.9-13.3
55-64	906	442,438	542	60.3	56.6-64.0	84	7.8	5.8- 9.8	83	10.6	8.1-13.1	104	11.5	9.1-13.9	93	9.8	7.4-12.2
65+	1850	585,935	1406	76.0	73.6-78.4	104	6.1	4.7- 7.5	140	7.1	5.7- 8.5	131	6.9	5.5- 8.3	69	4.0	2.8- 5.2
Less Than H.S.	327	297,232	174	52.6	45.5-59.7	18	6.7	2.6-10.8	34	8.9	5.0-12.8	57	19.1	13.6-24.6	44	12.7	8.4-17.0
H.S. or G.E.D.	1458	836,400	958	61.1	57.8-64.4	100	7.9	5.9- 9.9	139	11.8	9.4-14.2	154	11.2	9.0-13.4	107	8.0	6.0-10.0
Some Post-H.S.	1128	835,536	671	50.9	47.0-54.8	94	10.4	8.0-12.8	146	14.9	12.2-17.6	120	14.1	11.2-17.0	97	9.6	7.2-12.0
College Graduate	1362	617,502	881	58.1	54.6-61.6	153	14.0	11.5-16.5	156	13.8	11.3-16.3	118	10.2	8.0-12.4	54	3.9	2.5- 5.3
Less than \$15,000	312	179,909	144	41.2	33.9-48.5	17	6.8	2.5-11.1	46	13.5	8.8-18.2	52	19.9	13.6-26.2	53	18.7	13.0-24.4
\$15,000- 24,999	637	390,303	353	49.6	44.1-55.1	50	9.2	5.9-12.5	75	14.6	10.7-18.5	86	14.7	10.8-18.6	73	12.0	8.7-15.3
\$25,000- 34,999	415	248,830	261	53.6	46.9-60.3	23	6.9	3.8-10.0	51	13.6	9.1-18.1	51	15.5	10.2-20.8	29	10.3	5.4-15.2
\$35,000- 49,999	504	313,608	300	52.2	46.3-58.1	51	10.5	6.8-14.2	59	14.8	10.5-19.1	61	13.3	9.2-17.4	33	9.2	5.5-12.9
\$50,000- 74,999	514	338,131	313	57.0	51.3-62.7	51	9.8	6.5-13.1	70	15.8	11.5-20.1	51	11.2	7.5-14.9	29	6.2	3.3- 9.1
\$75,000+	849	583,484	568	59.6	55.3-63.9	103	15.1	11.8-18.4	92	12.4	9.5-15.3	68	10.8	7.9-13.7	18	2.1	0.9- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3963	2,810,719	2278	58.2	56.2-60.2	338	9.0	7.8-10.2	466	13.0	11.6-14.4	508	12.0	10.6-13.4	373	7.7	6.7- 8.7
Male	1506	1,221,143	885	59.6	56.5-62.7	136	10.2	8.0-12.4	178	13.1	10.7-15.5	170	9.8	8.0-11.6	137	7.3	5.7- 8.9
Female	2457	1,589,577	1393	57.1	54.6-59.6	202	8.2	6.8- 9.6	288	13.0	11.2-14.8	338	13.7	11.9-15.5	236	8.1	6.7- 9.5
White/Non-Hisp	3226	2,234,073	1856	57.7	55.5-59.9	281	9.2	7.8-10.6	378	13.0	11.4-14.6	410	12.2	10.8-13.6	301	7.9	6.7- 9.1
Black or Afr. Am./Non-Hisp	341	275,284	192	60.0	53.5-66.5	19	5.7	2.8- 8.6	46	12.3	8.2-16.4	62	16.6	11.9-21.3	22	5.4	2.9- 7.9
Oth. Race/Non-Hisp.	113	67,710	68	60.0	43.7-76.3	8	9.1	0.0-20.9	9	11.0	0.0-22.0	13	14.8	2.3-27.3	15	5.2	1.3- 9.1
MultiRacial/Non-Hisp.	90	34,563	40	41.7	29.4-54.0	11	9.0	2.3-15.7	12	21.2	9.4-33.0	8	6.4	1.7-11.1	19	21.7	10.7-32.7
Hispanic	129	155,454	79	63.1	52.9-73.3	15	12.1	5.2-19.0	16	14.9	7.3-22.5	10	3.5	1.0- 6.0	9	6.4	1.5-11.3
18-24	251	457,263	157	61.6	54.7-68.5	23	9.3	5.2-13.4	35	14.8	9.7-19.9	23	10.1	5.8-14.4	13	4.2	1.7- 6.7
25-34	373	484,299	211	59.0	53.5-64.5	47	12.5	8.8-16.2	63	15.5	11.6-19.4	38	10.2	6.7-13.7	14	2.8	1.2- 4.4
35-44	424	458,938	255	62.0	56.7-67.3	46	9.9	6.8-13.0	53	12.6	9.1-16.1	42	8.8	5.9-11.7	28	6.7	4.0- 9.4
45-54	640	448,384	358	56.7	52.4-61.0	58	8.7	6.2-11.2	73	12.0	9.1-14.9	89	13.4	10.5-16.3	62	9.2	6.7-11.7
55-64	871	466,895	442	49.5	45.6-53.4	86	8.6	6.6-10.6	102	13.2	10.5-15.9	138	16.5	13.6-19.4	103	12.2	9.5-14.9
65+	1404	494,941	855	60.4	57.3-63.5	78	5.2	3.8- 6.6	140	10.2	8.2-12.2	178	13.1	10.9-15.3	153	11.2	9.2-13.2
Less Than H.S.	374	380,521	186	50.3	43.6-57.0	14	4.1	1.4- 6.8	46	16.5	11.0-22.0	67	15.4	11.1-19.7	61	13.7	9.6-17.8
H.S. or G.E.D.	1329	898,618	780	59.9	56.6-63.2	82	7.4	5.2- 9.6	137	10.5	8.3-12.7	182	12.6	10.4-14.8	148	9.6	7.8-11.4
Some Post-H.S.	1091	939,162	606	58.0	54.3-61.7	86	9.3	6.9-11.7	138	13.7	11.0-16.4	156	12.9	10.4-15.4	105	6.2	4.8- 7.6
College Graduate	1156	583,295	698	61.2	57.7-64.7	155	14.4	11.9-16.9	143	13.6	11.1-16.1	103	7.7	5.7- 9.7	57	3.1	2.1- 4.1
Less than \$15,000	389	266,946	148	38.1	31.4-44.8	19	5.1	2.2- 8.0	51	14.8	9.7-19.9	99	27.0	21.3-32.7	72	15.1	11.0-19.2
\$15,000- 24,999	660	442,578	352	55.1	50.0-60.2	37	5.5	3.3- 7.7	73	12.7	9.2-16.2	112	15.5	12.0-19.0	86	11.2	8.3-14.1
\$25,000- 34,999	418	281,826	234	52.3	45.8-58.8	32	12.9	7.6-18.2	46	12.9	8.4-17.4	64	14.0	9.7-18.3	42	8.0	5.1-10.9
\$35,000- 49,999	501	369,458	291	59.3	53.8-64.8	51	9.7	6.4-13.0	66	14.4	10.3-18.5	63	10.9	7.8-14.0	30	5.8	3.4- 8.2
\$50,000- 74,999	504	378,345	311	63.2	57.9-68.5	53	9.4	6.3-12.5	69	14.7	10.8-18.6	43	8.1	4.8-11.4	28	4.6	2.6- 6.6
\$75,000+	736	598,982	490	67.7	63.2-72.2	95	12.5	9.4-15.6	84	12.5	9.2-15.8	42	5.1	3.3- 6.9	25	2.2	1.0- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1506	1,221,143	885	59.6	56.3-62.9	136	10.2	8.0-12.4	178	13.1	10.7-15.5	170	9.8	8.0-11.6	137	7.3	5.7- 8.9
White/Non-Hisp	1205	965,253	708	59.5	56.0-63.0	113	10.2	7.8-12.6	137	12.8	10.3-15.3	134	9.8	7.8-11.8	113	7.7	5.9- 9.5
Black or Afr. Am./Non-Hisp	117	112,433	69	60.2	49.6-70.8	5	4.6	0.3- 8.9	17	15.5	7.9-23.1	21	16.4	8.8-24.0	5	3.4	0.3- 6.5
Oth. Race/Non-Hisp.	53	35,914	31	58.8	35.3-82.3	3	13.5	0.0-34.3	6	8.7	0.0-18.9	6	13.2	0.0-31.8	7	5.7	0.0-12.2
Hispanic	57	66,992	35	63.8	48.5-79.1	8	15.5	3.5-27.5	7	12.2	2.8-21.6	4	2.4	0.0- 4.9	3	6.0	0.0-14.0
18-24	116	220,197	74	60.0	49.4-70.6	14	13.5	6.1-20.9	17	16.0	8.0-24.0	5	5.8	0.3-11.3	6	4.8	0.5- 9.1
25-34	165	217,959	98	61.8	53.6-70.0	21	13.6	7.3-19.9	25	13.6	8.1-19.1	18	10.0	5.3-14.7	3	1.0	0.0- 2.2
35-44	159	190,585	99	66.2	58.0-74.4	18	10.4	5.1-15.7	20	11.7	6.2-17.2	12	6.7	2.4-11.0	10	5.0	1.5- 8.5
45-54	248	185,623	141	58.1	51.2-65.0	20	6.9	3.6-10.2	32	14.2	9.1-19.3	32	11.8	7.5-16.1	23	9.1	5.2-13.0
55-64	344	209,684	180	51.0	44.9-57.1	36	10.1	6.6-13.6	37	12.1	8.0-16.2	48	13.0	9.1-16.9	43	13.8	9.3-18.3
65+	474	197,095	293	61.1	55.8-66.4	27	5.5	3.0- 8.0	47	10.8	7.3-14.3	55	12.1	8.6-15.6	52	10.5	7.2-13.8
Less Than H.S.	147	176,704	81	54.6	44.2-65.0	6	4.5	0.0- 9.2	21	18.4	9.4-27.4	13	8.6	2.7-14.5	26	13.9	7.6-20.2
H.S. or G.E.D.	517	420,164	302	59.5	54.2-64.8	38	9.5	5.6-13.4	58	11.8	8.3-15.3	66	10.7	7.8-13.6	53	8.5	5.8-11.2
Some Post-H.S.	403	387,524	231	59.5	53.4-65.6	37	11.3	7.2-15.4	52	13.1	9.2-17.0	53	11.2	7.5-14.9	30	4.9	2.7- 7.1
College Graduate	436	235,223	269	63.8	58.5-69.1	55	13.6	9.7-17.5	46	11.3	7.8-14.8	38	7.1	4.4- 9.8	28	4.1	2.3- 5.9
Less than \$15,000	144	122,998	50	38.0	27.2-48.8	5	5.1	0.2-10.0	23	18.2	9.4-27.0	39	25.8	16.8-34.8	27	13.0	7.1-18.9
\$15,000- 24,999	227	159,901	121	54.8	46.6-63.0	14	6.6	2.5-10.7	27	13.6	7.7-19.5	32	10.8	6.5-15.1	33	14.2	8.3-20.1
\$25,000- 34,999	175	126,500	102	55.0	45.2-64.8	13	13.8	5.2-22.4	16	10.5	4.6-16.4	24	11.4	5.9-16.9	20	9.2	4.3-14.1
\$35,000- 49,999	197	164,283	113	60.2	51.4-69.0	21	10.5	4.6-16.4	27	14.9	8.4-21.4	24	9.0	4.9-13.1	12	5.4	2.1- 8.7
\$50,000- 74,999	207	181,284	137	67.2	59.2-75.2	25	11.1	6.0-16.2	25	13.4	7.7-19.1	13	5.6	1.3- 9.9	7	2.7	0.3- 5.1
\$75,000+	317	275,510	210	65.2	58.1-72.3	45	15.2	9.5-20.9	35	12.2	6.9-17.5	16	4.9	2.2- 7.6	11	2.5	0.3- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2457	1,589,577	1393	57.1	54.6-59.6	202	8.2	6.8-9.6	288	13.0	11.2-14.8	338	13.7	11.9-15.5	236	8.1	6.7- 9.5
White/Non-Hisp	2021	1,268,820	1148	56.4	53.5-59.3	168	8.4	6.8-10.0	241	13.1	11.1-15.1	276	14.1	12.1-16.1	188	8.0	6.6- 9.4
Black or Afr. Am./Non-Hisp	224	162,851	123	59.8	52.0-67.6	14	6.5	2.6-10.4	29	10.1	5.6-14.6	41	16.8	10.9-22.7	17	6.8	3.1-10.5
Oth. Race/Non-Hisp.	60	31,796	37	61.4	39.1-83.7	5	4.0	0.0- 9.7	3	13.5	0.0-33.3	7	16.6	0.0-33.5	8	4.5	0.8- 8.2
Hispanic	72	88,462	44	62.6	48.9-76.3	7	9.6	2.0-17.2	9	16.8	5.4-28.2	6	4.3	0.4- 8.2	6	6.7	0.8-12.6
18-24	135	237,066	83	63.1	54.3-71.9	9	5.4	1.7- 9.1	18	13.8	7.3-20.3	18	14.1	7.8-20.4	7	3.7	1.0- 6.4
25-34	208	266,340	113	56.6	49.2-64.0	26	11.6	6.9-16.3	38	17.1	11.6-22.6	20	10.4	5.5-15.3	11	4.3	1.8- 6.8
35-44	265	268,352	156	59.1	52.2-66.0	28	9.6	5.7-13.5	33	13.2	8.3-18.1	30	10.3	6.2-14.4	18	7.8	3.7-11.9
45-54	392	262,761	217	55.7	50.0-61.4	38	10.0	6.3-13.7	41	10.4	6.9-13.9	57	14.5	10.6-18.4	39	9.3	6.2-12.4
55-64	527	257,211	262	48.4	43.3-53.5	50	7.4	5.0- 9.8	65	14.1	10.4-17.8	90	19.2	15.1-23.3	60	10.9	7.8-14.0
65+	930	297,846	562	59.9	56.0-63.8	51	5.0	3.2- 6.8	93	9.7	7.3-12.1	123	13.8	11.1-16.5	101	11.6	9.1-14.1
Less Than H.S.	227	203,818	105	46.6	38.0-55.2	8	3.8	0.7- 6.9	25	14.9	8.6-21.2	54	21.3	15.0-27.6	35	13.5	8.2-18.8
H.S. or G.E.D.	812	478,455	478	60.2	55.9-64.5	44	5.5	3.5- 7.5	79	9.4	6.9-11.9	116	14.2	11.1-17.3	95	10.7	8.2-13.2
Some Post-H.S.	688	551,638	375	56.9	52.2-61.6	49	7.8	5.1-10.5	86	14.1	10.6-17.6	103	14.1	10.8-17.4	75	7.1	5.1- 9.1
College Graduate	720	348,072	429	59.4	54.7-64.1	100	15.0	11.7-18.3	97	15.1	11.6-18.6	65	8.1	5.4-10.8	29	2.4	1.2- 3.6
Less than \$15,000	245	143,948	98	38.1	29.9-46.3	14	5.0	1.5- 8.5	28	11.9	6.4-17.4	60	28.0	20.6-35.4	45	17.0	11.3-22.7
\$15,000- 24,999	433	282,676	231	55.3	48.8-61.8	23	4.9	2.2- 7.6	46	12.2	7.9-16.5	80	18.1	13.0-23.2	53	9.5	6.4-12.6
\$25,000- 34,999	243	155,326	132	50.1	41.5-58.7	19	12.1	5.6-18.6	30	14.8	8.3-21.3	40	16.1	9.6-22.6	22	7.0	3.3-10.7
\$35,000- 49,999	304	205,176	178	58.6	51.3-65.9	30	9.0	5.1-12.9	39	13.9	8.6-19.2	39	12.4	7.9-16.9	18	6.1	2.8- 9.4
\$50,000- 74,999	297	197,061	174	59.5	52.2-66.8	28	7.8	4.3-11.3	44	15.9	10.4-21.4	30	10.4	5.5-15.3	21	6.3	3.2- 9.4
\$75,000+	419	323,473	280	69.9	64.4-75.4	50	10.2	6.9-13.5	49	12.8	8.5-17.1	26	5.2	2.7- 7.7	14	1.9	0.7- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7554	5,097,324	6981	88.7	87.7-89.7	573	11.3	10.3-12.3
Male	3209	2,471,948	2897	86.1	84.3-87.9	312	13.9	12.1-15.7
Female	4345	2,625,375	4084	91.2	89.8-92.6	261	8.8	7.4-10.2
White/Non-Hisp	6246	4,099,035	5868	90.9	89.7-92.1	378	9.1	7.9-10.3
Black or Afr. Am./Non-Hisp	575	440,948	507	86.1	82.6-89.6	68	13.9	10.4-17.4
Oth. Race/Non-Hisp.	201	133,550	176	84.5	76.7-92.3	25	15.5	7.7-23.3
MultiRacial/Non-Hisp.	131	43,209	111	78.4	68.4-88.4	20	21.6	11.6-31.6
Hispanic	257	293,777	189	66.5	59.1-73.9	68	33.5	26.1-40.9
18-24	357	665,225	290	81.8	77.3-86.3	67	18.2	13.7-22.7
25-34	628	847,383	522	83.3	80.0-86.6	106	16.7	13.4-20.0
35-44	732	816,258	635	85.1	82.0-88.2	97	14.9	11.8-18.0
45-54	1191	832,409	1055	88.0	85.8-90.2	136	12.0	9.8-14.2
55-64	1613	868,483	1511	92.4	90.6-94.2	102	7.6	5.8-9.4
65+	3033	1,067,565	2968	97.7	96.9-98.5	65	2.3	1.5-3.1
Less Than H.S.	596	624,678	495	75.4	70.5-80.3	101	24.6	19.7-29.5
H.S. or G.E.D.	2557	1,703,743	2302	86.2	84.2-88.2	255	13.8	11.8-15.8
Some Post-H.S.	1946	1,567,965	1826	92.1	90.3-93.9	120	7.9	6.1-9.7
College Graduate	2425	1,177,662	2333	95.2	94.0-96.4	92	4.8	3.6-6.0
Less than \$15,000	524	356,745	472	86.9	82.8-91.0	52	13.1	9.0-17.2
\$15,000- 24,999	1034	651,535	909	80.1	76.4-83.8	125	19.9	16.2-23.6
\$25,000- 34,999	727	473,580	635	80.7	76.6-84.8	92	19.3	15.2-23.4
\$35,000- 49,999	905	631,036	840	89.0	86.1-91.9	65	11.0	8.1-13.9
\$50,000- 74,999	1013	741,515	966	93.4	91.0-95.8	47	6.6	4.2-9.0
\$75,000+	1719	1,292,043	1653	94.5	92.7-96.3	66	5.5	3.7-7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3209	2,471,948	2897	86.1	84.3-87.9	312	13.9	12.1-15.7
White/Non-Hisp	2615	1,972,599	2411	88.4	86.6-90.2	204	11.6	9.8-13.4
Black or Afr. Am./Non-Hisp	222	206,402	187	80.8	74.5-87.1	35	19.2	12.9-25.5
Oth. Race/Non-Hisp.	103	73,161	91	80.3	67.8-92.8	12	19.7	7.2-32.2
MultiRacial/Non-Hisp.	67	23,710	55	76.7	63.6-89.8	12	23.3	10.2-36.4
Hispanic	127	143,842	86	64.9	54.9-74.9	41	35.1	25.1-45.1
18-24	173	334,430	132	77.5	70.4-84.6	41	22.5	15.4-29.6
25-34	312	424,477	250	79.7	74.6-84.8	62	20.3	15.2-25.4
35-44	332	406,295	272	82.0	77.3-86.7	60	18.0	13.3-22.7
45-54	542	411,734	467	85.7	82.4-89.0	75	14.3	11.0-17.6
55-64	703	423,747	653	91.3	88.8-93.8	50	8.7	6.2-11.2
65+	1147	471,267	1123	97.3	95.9-98.7	24	2.7	1.3-4.1
Less Than H.S.	256	319,354	198	71.2	63.9-78.5	58	28.8	21.5-36.1
H.S. or G.E.D.	1074	856,427	926	82.5	79.6-85.4	148	17.5	14.6-20.4
Some Post-H.S.	803	723,081	746	90.8	88.1-93.5	57	9.2	6.5-11.9
College Graduate	1060	560,440	1013	94.2	92.2-96.2	47	5.8	3.8- 7.8
Less than \$15,000	204	171,230	175	82.8	75.9-89.7	29	17.2	10.3-24.1
\$15,000- 24,999	382	252,677	322	75.1	69.2-81.0	60	24.9	19.0-30.8
\$25,000- 34,999	303	221,490	248	72.2	65.1-79.3	55	27.8	20.7-34.9
\$35,000- 49,999	399	316,844	363	87.8	83.5-92.1	36	12.2	7.9-16.5
\$50,000- 74,999	491	399,223	463	91.2	87.3-95.1	28	8.8	4.9-12.7
\$75,000+	868	705,610	828	93.1	90.6-95.6	40	6.9	4.4- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4345	2,625,375	4084	91.2	89.8-92.6	261	8.8	7.4-10.2
White/Non-Hisp	3631	2,126,436	3457	93.2	92.0-94.4	174	6.8	5.6- 8.0
Black or Afr. Am./Non-Hisp	353	234,546	320	90.7	87.0-94.4	33	9.3	5.6-13.0
Oth. Race/Non-Hisp.	98	60,388	85	89.6	82.0-97.2	13	10.4	2.8-18.0
MultiRacial/Non-Hisp.	64	19,499	56	80.3	65.2-95.4	8	19.7	4.6-34.8
Hispanic	130	149,935	103	68.0	57.0-79.0	27	32.0	21.0-43.0
18-24	184	330,796	158	86.1	80.6-91.6	26	13.9	8.4-19.4
25-34	316	422,906	272	86.9	82.8-91.0	44	13.1	9.0-17.2
35-44	400	409,964	363	88.2	83.9-92.5	37	11.8	7.5-16.1
45-54	649	420,675	588	90.3	87.8-92.8	61	9.7	7.2-12.2
55-64	910	444,736	858	93.5	91.3-95.7	52	6.5	4.3- 8.7
65+	1886	596,299	1845	98.0	97.2-98.8	41	2.0	1.2- 2.8
Less Than H.S.	340	305,324	297	79.9	73.6-86.2	43	20.1	13.8-26.4
H.S. or G.E.D.	1483	847,315	1376	89.9	87.5-92.3	107	10.1	7.7-12.5
Some Post-H.S.	1143	844,884	1080	93.2	91.2-95.2	63	6.8	4.8- 8.8
College Graduate	1365	617,222	1320	96.1	94.7-97.5	45	3.9	2.5- 5.3
Less than \$15,000	320	185,515	297	90.7	86.2-95.2	23	9.3	4.8-13.8
\$15,000- 24,999	652	398,859	587	83.2	78.3-88.1	65	16.8	11.9-21.7
\$25,000- 34,999	424	252,090	387	88.2	83.9-92.5	37	11.8	7.5-16.1
\$35,000- 49,999	506	314,192	477	90.1	86.0-94.2	29	9.9	5.8-14.0
\$50,000- 74,999	522	342,292	503	95.9	93.7-98.1	19	4.1	1.9- 6.3
\$75,000+	851	586,433	825	96.1	93.9-98.3	26	3.9	1.7- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7580	5,118,590	5992	73.9	72.5-75.3	538	5.8	5.2- 6.4	1050	20.2	18.8-21.6
Male	3222	2,488,832	2370	67.5	65.3-69.7	228	6.0	5.0- 7.0	624	26.5	24.3-28.7
Female	4358	2,629,758	3622	80.1	78.3-81.9	310	5.7	4.9- 6.5	426	14.3	12.7-15.9
White/Non-Hisp	6260	4,110,833	5063	76.1	74.5-77.7	458	6.1	5.3- 6.9	739	17.8	16.4-19.2
Black or Afr. Am./Non-Hisp	580	443,782	429	69.8	64.9-74.7	39	4.8	2.6- 7.0	112	25.4	20.5-30.3
Oth. Race/Non-Hisp.	203	134,506	137	61.9	50.7-73.1	19	8.3	1.4-15.2	47	29.7	19.1-40.3
MultiRacial/Non-Hisp.	132	44,219	91	63.5	52.7-74.3	10	7.9	1.8-14.0	31	28.6	18.4-38.8
Hispanic	261	298,191	163	58.4	51.0-65.8	6	2.4	0.2- 4.6	92	39.2	31.9-46.5
18-24	366	681,719	209	57.0	51.3-62.7	19	5.4	2.7- 8.1	138	37.6	32.1-43.1
25-34	629	845,942	384	61.1	56.8-65.4	23	3.9	2.1- 5.7	222	35.0	30.9-39.1
35-44	733	818,510	554	74.7	71.0-78.4	24	2.6	1.4- 3.8	155	22.7	19.2-26.2
45-54	1194	834,662	918	77.1	74.4-79.8	72	5.7	4.1- 7.3	204	17.2	14.8-19.6
55-64	1616	869,055	1335	82.3	80.1-84.5	126	7.2	5.8- 8.6	155	10.5	8.7-12.3
65+	3042	1,068,702	2592	85.1	83.5-86.7	274	9.0	7.8-10.2	176	5.9	4.7- 7.1
Less Than H.S.	596	625,335	429	63.9	58.6-69.2	37	4.7	2.2- 7.2	130	31.4	26.3-36.5
H.S. or G.E.D.	2574	1,716,347	1982	71.2	68.8-73.6	201	6.3	5.1- 7.5	391	22.5	20.1-24.9
Some Post-H.S.	1952	1,576,864	1550	75.6	73.1-78.1	147	6.5	5.1- 7.9	255	17.9	15.5-20.3
College Graduate	2426	1,175,775	2005	80.9	78.9-82.9	151	4.8	3.8- 5.8	270	14.3	12.3-16.3
Less than \$15,000	526	360,814	407	73.7	68.4-79.0	32	5.8	2.7- 8.9	87	20.4	15.5-25.3
\$15,000- 24,999	1034	653,821	802	71.5	67.6-75.4	87	6.0	4.4- 7.6	145	22.5	18.6-26.4
\$25,000- 34,999	727	473,218	535	65.8	60.9-70.7	61	6.0	4.0- 8.0	131	28.2	23.3-33.1
\$35,000- 49,999	910	634,460	707	71.6	67.3-75.9	75	6.9	4.7- 9.1	128	21.5	17.4-25.6
\$50,000- 74,999	1013	746,543	830	77.9	74.4-81.4	51	3.9	2.3- 5.5	132	18.1	14.8-21.4
\$75,000+	1720	1,288,248	1424	79.7	77.2-82.2	99	5.6	4.0- 7.2	197	14.6	12.4-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3222	2,488,832	2370	67.5	65.3-69.7	228	6.0	5.0- 7.0	624	26.5	24.3-28.7
White/Non-Hisp	2618	1,981,161	1991	70.0	67.6-72.4	188	6.1	4.9- 7.3	439	23.9	21.5-26.3
Black or Afr. Am./Non-Hisp	224	207,907	145	58.4	50.4-66.4	18	6.1	2.6- 9.6	61	35.5	27.5-43.5
Oth. Race/Non-Hisp.	105	74,092	69	63.3	48.6-78.0	11	9.2	0.0-19.0	25	27.5	14.4-40.6
MultiRacial/Non-Hisp.	68	24,719	38	48.5	34.2-62.8	6	10.9	0.9-20.9	24	40.6	26.3-54.9
Hispanic	131	148,256	68	48.6	38.2-59.0	5	4.2	0.1- 8.3	58	47.2	36.8-57.6
18-24	180	348,418	90	50.3	41.9-58.7	11	6.4	1.9-10.9	79	43.3	35.1-51.5
25-34	313	422,240	163	51.0	44.7-57.3	9	3.3	0.8- 5.8	141	45.8	39.5-52.1
35-44	333	408,872	216	65.2	59.5-70.9	14	3.5	1.3- 5.7	103	31.3	25.6-37.0
45-54	544	413,597	381	71.1	66.8-75.4	34	5.9	3.7- 8.1	129	23.0	19.1-26.9
55-64	703	423,749	562	79.6	76.1-83.1	62	7.8	5.6-10.0	79	12.6	9.7-15.5
65+	1149	471,956	958	82.8	80.1-85.5	98	8.8	6.8-10.8	93	8.5	6.5-10.5
Less Than H.S.	258	321,477	165	55.1	47.3-62.9	15	5.8	1.3-10.3	78	39.1	31.3-46.9
H.S. or G.E.D.	1082	863,653	751	64.7	61.2-68.2	87	6.3	4.7- 7.9	244	29.0	25.5-32.5
Some Post-H.S.	807	731,616	587	68.0	63.7-72.3	64	6.8	4.6- 9.0	156	25.2	21.1-29.3
College Graduate	1058	558,610	854	77.9	74.8-81.0	60	4.3	2.9- 5.7	144	17.8	14.7-20.9
Less than \$15,000	203	174,779	145	67.4	58.6-76.2	13	7.2	1.5-12.9	45	25.4	17.4-33.4
\$15,000- 24,999	383	255,793	271	63.7	57.4-70.0	34	7.0	4.1- 9.9	78	29.4	23.1-35.7
\$25,000- 34,999	304	221,530	201	57.8	50.5-65.1	28	5.5	3.0- 8.0	75	36.7	29.4-44.0
\$35,000- 49,999	403	320,058	285	63.1	56.6-69.6	31	6.8	3.9- 9.7	87	30.0	23.5-36.5
\$50,000- 74,999	492	404,002	393	74.8	69.5-80.1	19	3.4	1.0- 5.8	80	21.8	16.9-26.7
\$75,000+	867	700,205	684	75.3	71.6-79.0	48	5.4	3.2- 7.6	135	19.3	15.8-22.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4358	2,629,758	3622	80.1	78.3-81.9	310	5.7	4.9- 6.5	426	14.3	12.7-15.9
White/Non-Hisp	3642	2,129,672	3072	81.7	79.9-83.5	270	6.1	5.1- 7.1	300	12.1	10.5-13.7
Black or Afr. Am./Non-Hisp	356	235,875	284	79.8	74.3-85.3	21	3.7	1.3- 6.1	51	16.5	11.4-21.6
Oth. Race/Non-Hisp.	98	60,414	68	60.3	43.1-77.5	8	7.3	0.0-16.7	22	32.5	15.8-49.2
MultiRacial/Non-Hisp.	64	19,499	53	82.6	69.1-96.1	4	4.0	0.0- 8.7	7	13.4	0.5-26.3
Hispanic	130	149,935	95	68.0	57.6-78.4	1	0.7	0.0- 2.1	34	31.3	20.9-41.7
18-24	186	333,301	119	64.0	56.4-71.6	8	4.4	1.3- 7.5	59	31.6	24.3-38.9
25-34	316	423,703	221	71.2	65.7-76.7	14	4.5	2.0- 7.0	81	24.3	19.0-29.6
35-44	400	409,638	338	84.1	79.6-88.6	10	1.8	0.6- 3.0	52	14.0	9.7-18.3
45-54	650	421,065	537	82.9	79.6-86.2	38	5.6	3.4- 7.8	75	11.5	8.8-14.2
55-64	913	445,306	773	84.8	82.1-87.5	64	6.7	4.9- 8.5	76	8.5	6.3-10.7
65+	1893	596,746	1634	86.9	85.1-88.7	176	9.1	7.5-10.7	83	3.9	2.7- 5.1
Less Than H.S.	338	303,859	264	73.1	66.4-79.8	22	3.6	1.6- 5.6	52	23.3	16.6-30.0
H.S. or G.E.D.	1492	852,694	1231	77.7	74.6-80.8	114	6.3	4.7- 7.9	147	16.0	13.1-18.9
Some Post-H.S.	1145	845,248	963	82.1	79.0-85.2	83	6.2	4.4- 8.0	99	11.7	9.2-14.2
College Graduate	1368	617,165	1151	83.7	81.2-86.2	91	5.2	3.8- 6.6	126	11.1	8.7-13.5
Less than \$15,000	323	186,034	262	79.7	73.8-85.6	19	4.6	1.9- 7.3	42	15.7	10.2-21.2
\$15,000- 24,999	651	398,027	531	76.5	71.4-81.6	53	5.4	3.6- 7.2	67	18.1	13.2-23.0
\$25,000- 34,999	423	251,688	334	72.9	66.4-79.4	33	6.3	3.2- 9.4	56	20.7	14.6-26.8
\$35,000- 49,999	507	314,402	422	80.2	74.9-85.5	44	7.1	4.2-10.0	41	12.7	8.0-17.4
\$50,000- 74,999	521	342,541	437	81.7	77.2-86.2	32	4.5	2.5- 6.5	52	13.8	9.5-18.1
\$75,000+	853	588,043	740	85.1	82.0-88.2	51	5.9	3.9- 7.9	62	9.1	6.6-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7587	5,125,131	729	12.2	11.2-13.2	6858	87.8	86.8-88.8
Male	3228	2,493,653	300	11.3	9.9-12.7	2928	88.7	87.3-90.1
Female	4359	2,631,478	429	13.0	11.6-14.4	3930	87.0	85.6-88.4
White/Non-Hisp	6269	4,116,866	517	11.1	9.9-12.3	5752	88.9	87.7-90.1
Black or Afr. Am./Non-Hisp	578	444,934	86	15.2	11.7-18.7	492	84.8	81.3-88.3
Oth. Race/Non-Hisp.	204	134,518	33	16.6	8.2-25.0	171	83.4	75.0-91.8
MultiRacial/Non-Hisp.	132	44,219	29	27.7	17.5-37.9	103	72.3	62.1-82.5
Hispanic	260	297,595	51	19.2	13.7-24.7	209	80.8	75.3-86.3
18-24	367	679,121	71	16.2	12.3-20.1	296	83.8	79.9-87.7
25-34	633	853,745	121	17.5	14.2-20.8	512	82.5	79.2-85.8
35-44	735	819,187	109	14.4	11.5-17.3	626	85.6	82.7-88.5
45-54	1193	833,591	143	12.8	10.6-15.0	1050	87.2	85.0-89.4
55-64	1616	869,509	168	11.4	9.4-13.4	1448	88.6	86.6-90.6
65+	3043	1,069,977	117	3.8	3.0-4.6	2926	96.2	95.4-97.0
Less Than H.S.	597	622,966	100	17.6	13.7-21.5	497	82.4	78.5-86.3
H.S. or G.E.D.	2575	1,721,332	265	13.9	12.1-15.7	2310	86.1	84.3-87.9
Some Post-H.S.	1952	1,576,061	203	11.8	10.0-13.6	1749	88.2	86.4-90.0
College Graduate	2430	1,180,015	157	7.3	5.9-8.7	2273	92.7	91.3-94.1
Less than \$15,000	525	357,179	111	25.3	20.2-30.4	414	74.7	69.6-79.8
\$15,000- 24,999	1033	653,026	151	19.6	16.3-22.9	882	80.4	77.1-83.7
\$25,000- 34,999	725	471,364	107	21.1	16.8-25.4	618	78.9	74.6-83.2
\$35,000- 49,999	912	636,791	90	12.6	9.7-15.5	822	87.4	84.5-90.3
\$50,000- 74,999	1016	748,112	80	9.1	6.7-11.5	936	90.9	88.5-93.3
\$75,000+	1722	1,291,313	71	4.7	3.3-6.1	1651	95.3	93.9-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3228	2,493,653	300	11.3	9.9-12.7	2928	88.7	87.3-90.1
White/Non-Hisp	2626	1,985,243	215	10.6	9.0-12.2	2411	89.4	87.8-91.0
Black or Afr. Am./Non-Hisp	223	209,241	23	10.2	5.5-14.9	200	89.8	85.1-94.5
Oth. Race/Non-Hisp.	105	74,092	15	17.6	5.3-29.9	90	82.4	70.1-94.7
MultiRacial/Non-Hisp.	68	24,719	17	30.5	16.8-44.2	51	69.5	55.8-83.2
Hispanic	130	147,661	26	19.6	12.0-27.2	104	80.4	72.8-88.0
18-24	181	345,820	31	13.1	8.0-18.2	150	86.9	81.8-92.0
25-34	316	429,640	50	15.7	11.2-20.2	266	84.3	79.8-88.8
35-44	333	407,505	55	15.6	11.3-19.9	278	84.4	80.1-88.7
45-54	544	413,549	58	11.4	8.5-14.3	486	88.6	85.7-91.5
55-64	703	424,757	60	9.4	6.9-11.9	643	90.6	88.1-93.1
65+	1151	472,382	46	4.1	2.7- 5.5	1105	95.9	94.5-97.3
Less Than H.S.	258	319,176	43	15.4	10.1-20.7	215	84.6	79.3-89.9
H.S. or G.E.D.	1083	868,052	122	14.3	11.6-17.0	961	85.7	83.0-88.4
Some Post-H.S.	809	731,901	73	10.2	7.5-12.9	736	89.8	87.1-92.5
College Graduate	1060	560,559	62	6.2	4.4- 8.0	998	93.8	92.0-95.6
Less than \$15,000	204	171,330	47	27.9	19.7-36.1	157	72.1	63.9-80.3
\$15,000- 24,999	384	256,138	57	18.9	13.8-24.0	327	81.1	76.0-86.2
\$25,000- 34,999	301	219,274	43	18.2	12.3-24.1	258	81.8	75.9-87.7
\$35,000- 49,999	404	321,632	35	10.9	7.0-14.8	369	89.1	85.2-93.0
\$50,000- 74,999	493	404,475	37	9.1	5.6-12.6	456	90.9	87.4-94.4
\$75,000+	869	703,270	38	5.3	3.3- 7.3	831	94.7	92.7-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4359	2,631,478	429	13.0	11.6-14.4	3930	87.0	85.6-88.4
White/Non-Hisp	3643	2,131,622	302	11.5	9.9-13.1	3341	88.5	86.9-90.1
Black or Afr. Am./Non-Hisp	355	235,693	63	19.6	14.3-24.9	292	80.4	75.1-85.7
Oth. Race/Non-Hisp.	99	60,426	18	15.3	4.3-26.3	81	84.7	73.7-95.7
MultiRacial/Non-Hisp.	64	19,499	12	24.3	9.2-39.4	52	75.7	60.6-90.8
Hispanic	130	149,935	25	18.9	11.3-26.5	105	81.1	73.5-88.7
18-24	186	333,301	40	19.4	13.5-25.3	146	80.6	74.7-86.5
25-34	317	424,105	71	19.4	14.9-23.9	246	80.6	76.1-85.1
35-44	402	411,682	54	13.2	9.5-16.9	348	86.8	83.1-90.5
45-54	649	420,042	85	14.1	11.0-17.2	564	85.9	82.8-89.0
55-64	913	444,752	108	13.3	10.6-16.0	805	86.7	84.0-89.4
65+	1892	597,596	71	3.6	2.6- 4.6	1821	96.4	95.4-97.4
Less Than H.S.	339	303,790	57	19.9	14.2-25.6	282	80.1	74.4-85.8
H.S. or G.E.D.	1492	853,280	143	13.5	11.0-16.0	1349	86.5	84.0-89.0
Some Post-H.S.	1143	844,160	130	13.1	10.6-15.6	1013	86.9	84.4-89.4
College Graduate	1370	619,456	95	8.3	6.3-10.3	1275	91.7	89.7-93.7
Less than \$15,000	321	185,849	64	22.9	16.8-29.0	257	77.1	71.0-83.2
\$15,000- 24,999	649	396,889	94	20.1	15.6-24.6	555	79.9	75.4-84.4
\$25,000- 34,999	424	252,090	64	23.7	17.4-30.0	360	76.3	70.0-82.6
\$35,000- 49,999	508	315,159	55	14.2	10.1-18.3	453	85.8	81.7-89.9
\$50,000- 74,999	523	343,637	43	9.1	5.8-12.4	480	90.9	87.6-94.2
\$75,000+	853	588,043	33	4.1	2.5- 5.7	820	95.9	94.3-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7521	5,077,875	6225	77.0	75.6-78.4	600	9.6	8.6-10.6	331	6.8	6.0- 7.6	344	6.3	5.5- 7.1	21	0.4	0.2- 0.6
Male	3202	2,477,091	2500	71.3	69.1-73.5	288	11.1	9.5-12.7	178	8.2	6.8- 9.6	221	8.8	7.4-10.2	15	0.6	0.2- 1.0
Female	4319	2,600,785	3725	82.4	80.8-84.0	312	8.2	7.0- 9.4	153	5.4	4.4- 6.4	123	3.8	3.0- 4.6	6	0.2	0.0- 0.4
White/Non-Hisp	6219	4,077,271	5183	77.1	75.5-78.7	506	10.2	9.0-11.4	243	5.8	5.0- 6.6	273	6.5	5.5- 7.5	14	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	577	444,495	495	81.7	77.4-86.0	31	5.7	3.3- 8.1	25	8.0	4.5-11.5	26	4.7	2.7- 6.7			
Oth. Race/Non-Hisp.	200	132,557	158	75.8	66.2-85.4	17	9.6	3.5-15.7	17	11.3	4.0-18.6	7	2.4	0.0- 5.9	1	0.9	0.0- 2.7
MultiRacial/Non-Hisp.	130	43,720	97	68.5	58.1-78.9	15	14.0	6.0-22.0	6	5.7	1.0-10.4	11	10.4	3.3-17.5	1	1.4	0.0- 4.1
Hispanic	258	295,005	182	68.3	61.4-75.2	24	8.1	4.4-11.8	32	15.7	10.0-21.4	17	6.6	3.1-10.1	3	1.3	0.0- 2.9
18-24	358	667,981	235	66.1	60.6-71.6	55	15.3	11.0-19.6	46	13.0	9.1-16.9	22	5.6	3.1- 8.1			
25-34	624	844,408	412	66.3	62.2-70.4	72	10.8	8.1-13.5	72	11.4	8.7-14.1	62	10.4	7.7-13.1	6	1.1	0.1- 2.1
35-44	729	814,413	511	69.8	66.1-73.5	94	11.9	9.4-14.4	62	8.3	6.1-10.5	58	9.4	6.9-11.9	4	0.5	0.0- 1.1
45-54	1185	826,979	904	76.3	73.6-79.0	132	10.8	8.8-12.8	69	5.9	4.3- 7.5	74	6.5	4.9- 8.1	6	0.5	0.1- 0.9
55-64	1602	862,496	1352	83.8	81.6-86.0	123	7.5	5.9- 9.1	48	3.7	2.5- 4.9	77	5.0	3.6- 6.4	2	0.1	0.1- 0.1
65+	3023	1,061,598	2811	92.7	91.5-93.9	124	4.2	3.2- 5.2	34	1.2	0.6- 1.8	51	1.7	1.1- 2.3	3	0.1	0.0- 0.3
Less Than H.S.	591	620,482	472	71.9	66.8-77.0	42	9.5	6.0-13.0	33	8.3	5.2-11.4	39	9.7	6.4-13.0	5	0.8	0.0- 1.6
H.S. or G.E.D.	2553	1,698,173	2115	77.1	74.7-79.5	202	9.1	7.5-10.7	111	6.8	5.4- 8.2	116	6.4	5.0- 7.8	9	0.6	0.2- 1.0
Some Post-H.S.	1931	1,563,934	1597	77.4	74.9-79.9	151	9.4	7.6-11.2	87	7.1	5.3- 8.9	92	5.8	4.4- 7.2	4	0.3	0.1- 0.5
College Graduate	2416	1,172,707	2016	78.6	76.4-80.8	203	10.9	9.1-12.7	99	5.5	4.1- 6.9	96	4.9	3.7- 6.1	2	0.1	0.0- 0.3
Less than \$15,000	524	358,796	437	78.6	73.5-83.7	43	9.3	6.0-12.6	23	8.5	4.6-12.4	19	3.2	1.0- 5.4	2	0.4	0.0- 1.0
\$15,000- 24,999	1025	645,103	865	78.2	74.7-81.7	69	8.0	5.6-10.4	45	7.3	4.9- 9.7	41	5.7	3.7- 7.7	5	0.8	0.0- 1.6
\$25,000- 34,999	723	468,265	576	69.5	64.6-74.4	52	10.1	7.0-13.2	47	10.1	7.0-13.2	45	10.0	6.7-13.3	3	0.3	0.0- 0.7
\$35,000- 49,999	901	629,722	746	75.3	71.0-79.6	71	10.1	7.4-12.8	32	5.7	3.2- 8.2	51	8.7	5.8-11.6	1	0.2	0.0- 0.6
\$50,000- 74,999	1008	741,261	842	78.4	74.9-81.9	77	8.9	6.5-11.3	49	7.4	5.0- 9.8	37	4.9	2.9- 6.9	3	0.3	0.0- 0.7
\$75,000+	1715	1,288,590	1369	76.2	73.5-78.9	173	11.0	9.0-13.0	82	5.9	4.3- 7.5	89	6.7	5.1- 8.3	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3202	2,477,091	2500	71.3	69.1-73.5	288	11.1	9.5-12.7	178	8.2	6.8- 9.6	221	8.8	7.4-10.2	15	0.6	0.2- 1.0
White/Non-Hisp	2607	1,972,215	2063	72.0	69.6-74.4	243	12.1	10.3-13.9	120	6.5	5.1- 7.9	171	9.0	7.4-10.6	10	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	223	208,980	177	72.2	64.6-79.8	12	5.6	2.1- 9.1	18	14.6	7.7-21.5	16	7.5	3.6-11.4			
Oth. Race/Non-Hisp.	104	74,050	79	67.6	53.3-81.9	9	11.1	2.9-19.3	10	15.5	3.9-27.1	5	4.2	0.0-10.3	1	1.6	0.0- 4.7
MultiRacial/Non-Hisp.	67	24,517	46	62.2	48.1-76.3	8	11.1	2.9-19.3	4	7.7	0.3-15.1	8	16.3	4.7-27.9	1	2.6	0.0- 7.5
Hispanic	129	145,823	80	60.0	50.0-70.0	13	8.8	3.7-13.9	22	20.1	11.9-28.3	13	10.7	4.2-17.2	1	0.5	0.0- 1.5
18-24	178	344,341	105	60.5	52.3-68.7	29	17.7	11.0-24.4	31	16.5	10.4-22.6	13	5.3	2.2- 8.4			
25-34	311	424,041	174	54.6	48.3-60.9	42	13.0	8.9-17.1	40	13.4	9.1-17.7	50	17.2	12.3-22.1	5	1.8	0.0- 3.6
35-44	330	405,574	208	63.9	58.0-69.8	48	13.0	9.1-16.9	33	8.8	5.5-12.1	38	13.4	9.1-17.7	3	0.8	0.0- 1.8
45-54	543	412,223	388	71.8	67.5-76.1	67	12.0	8.9-15.1	35	6.9	4.4- 9.4	48	8.5	6.0-11.0	5	0.8	0.0- 1.6
55-64	699	422,030	573	81.6	78.3-84.9	56	8.0	5.6-10.4	25	4.2	2.2- 6.2	44	6.2	4.2- 8.2	1	0.1	0.0- 0.3
65+	1141	468,882	1052	90.9	88.7-93.1	46	4.9	3.3- 6.5	14	1.6	0.6- 2.6	28	2.4	1.2- 3.6	1	0.1	0.0- 0.3
Less Than H.S.	256	323,466	187	63.1	55.3-70.9	23	12.5	6.6-18.4	15	8.8	4.1-13.5	28	15.0	9.1-20.9	3	0.7	0.0- 1.5
H.S. or G.E.D.	1073	854,546	815	70.6	67.1-74.1	109	11.0	8.6-13.4	67	8.9	6.5-11.3	75	8.5	6.3-10.7	7	1.0	0.0- 2.0
Some Post-H.S.	801	728,247	629	72.2	68.1-76.3	65	10.3	7.4-13.2	43	8.7	5.8-11.6	61	8.5	6.1-10.9	3	0.4	0.0- 0.8
College Graduate	1055	557,404	855	75.4	72.1-78.7	90	11.7	9.2-14.2	53	6.4	4.4- 8.4	56	6.3	4.3- 8.3	1	0.2	0.0- 0.6
Less than \$15,000	204	174,659	159	71.1	62.5-79.7	19	12.0	6.1-17.9	13	11.4	4.7-18.1	12	5.1	1.0- 9.2	1	0.4	0.0- 1.2
\$15,000- 24,999	378	249,679	302	72.5	66.4-78.6	28	7.1	4.0-10.2	23	11.1	6.2-16.0	22	8.3	4.4-12.2	3	1.0	0.0- 2.2
\$25,000- 34,999	302	219,844	221	60.8	53.4-68.2	23	12.5	7.0-18.0	27	13.3	8.0-18.6	29	12.9	7.4-18.4	2	0.5	0.0- 1.3
\$35,000- 49,999	399	317,085	308	68.5	62.0-75.0	41	12.6	8.3-16.9	16	7.7	3.0-12.4	34	11.1	6.6-15.6			
\$50,000- 74,999	490	401,943	400	75.5	70.4-80.6	40	10.2	6.5-13.9	23	6.6	3.7- 9.5	25	7.3	4.2-10.4	2	0.5	0.0- 1.3
\$75,000+	867	705,212	667	72.7	68.8-76.6	84	11.1	8.2-14.0	53	7.2	4.8- 9.6	61	8.6	6.2-11.0	2	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4319	2,600,785	3725	82.4	80.8-84.0	312	8.2	7.0- 9.4	153	5.4	4.4- 6.4	123	3.8	3.0- 4.6	6	0.2	0.0- 0.4
White/Non-Hisp	3612	2,105,057	3120	81.9	80.1-83.7	263	8.5	7.3- 9.7	123	5.2	4.2- 6.2	102	4.3	3.3- 5.3	4	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	354	235,515	318	90.0	86.1-93.9	19	5.8	2.7- 8.9	7	2.1	0.1- 4.1	10	2.1	0.5- 3.7			
Oth. Race/Non-Hisp.	96	58,507	79	86.0	75.2-96.8	8	7.8	0.0-16.4	7	5.9	0.0-13.0	2	0.3	0.0- 0.7			
MultiRacial/Non-Hisp.	63	19,203	51	76.4	61.3-91.5	7	17.6	2.9-32.3	2	3.2	0.0- 7.7	3	2.8	0.0- 6.1			
Hispanic	129	149,183	102	76.5	67.1-85.9	11	7.5	2.2-12.8	10	11.4	3.6-19.2	4	2.5	0.0- 5.0	2	2.1	0.0- 5.0
18-24	180	323,640	130	72.1	64.8-79.4	26	12.8	7.7-17.9	15	9.3	4.4-14.2	9	5.9	1.8-10.0			
25-34	313	420,367	238	78.0	73.1-82.9	30	8.7	5.4-12.0	32	9.3	6.0-12.6	12	3.6	1.4- 5.8	1	0.5	0.0- 1.5
35-44	399	408,838	303	75.6	70.9-80.3	46	10.8	7.5-14.1	29	7.8	4.7-10.9	20	5.5	3.0- 8.0	1	0.3	0.0- 0.9
45-54	642	414,757	516	80.8	77.5-84.1	65	9.5	7.1-11.9	34	5.0	3.2- 6.8	26	4.6	2.6- 6.6	1	0.2	0.0- 0.6
55-64	903	440,466	779	85.9	83.2-88.6	67	7.0	5.2- 8.8	23	3.1	1.7- 4.5	33	3.9	2.3- 5.5	1	0.1	0.0- 0.3
65+	1882	592,716	1759	94.2	93.0-95.4	78	3.6	2.6- 4.6	20	0.9	0.3- 1.5	23	1.2	0.6- 1.8	2	0.1	0.0- 0.3
Less Than H.S.	335	297,016	285	81.5	76.0-87.0	19	6.1	2.6- 9.6	18	7.7	3.8-11.6	11	3.9	1.4- 6.4	2	0.9	0.0- 2.3
H.S. or G.E.D.	1480	843,628	1300	83.6	80.9-86.3	93	7.2	5.2- 9.2	44	4.7	3.1- 6.3	41	4.3	2.7- 5.9	2	0.1	0.0- 0.3
Some Post-H.S.	1130	835,687	968	82.0	78.9-85.1	86	8.6	6.4-10.8	44	5.7	3.7- 7.7	31	3.5	1.9- 5.1	1	0.1	0.0- 0.3
College Graduate	1361	615,303	1161	81.4	78.5-84.3	113	10.2	8.0-12.4	46	4.7	2.9- 6.5	40	3.6	2.2- 5.0	1	0.1	0.0- 0.3
Less than \$15,000	320	184,136	278	85.8	80.5-91.1	24	6.8	3.5-10.1	10	5.8	1.7- 9.9	7	1.4	0.2- 2.6	1	0.4	0.0- 1.2
\$15,000- 24,999	647	395,424	563	81.8	77.5-86.1	41	8.6	5.5-11.7	22	4.9	2.5- 7.3	19	4.1	1.9- 6.3	2	0.6	0.0- 1.6
\$25,000- 34,999	421	248,422	355	77.3	71.2-83.4	29	8.0	4.5-11.5	20	7.2	3.5-10.9	16	7.4	3.1-11.7	1	0.1	0.0- 0.3
\$35,000- 49,999	502	312,636	438	82.1	77.0-87.2	30	7.7	4.2-11.2	16	3.7	1.3- 6.1	17	6.2	2.7- 9.7	1	0.4	0.0- 1.2
\$50,000- 74,999	518	339,318	442	81.9	77.4-86.4	37	7.5	4.8-10.2	26	8.5	4.8-12.2	12	2.1	0.7- 3.5	1	0.1	0.0- 0.3
\$75,000+	848	583,379	702	80.4	76.9-83.9	89	10.9	8.2-13.6	29	4.2	2.2- 6.2	28	4.5	2.5- 6.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7594	5,133,974	5273	72.6	71.2-74.0	2321	27.4	26.0-28.8
Male	3233	2,503,604	2388	75.8	73.8-77.8	845	24.2	22.2-26.2
Female	4361	2,630,370	2885	69.7	67.9-71.5	1476	30.3	28.5-32.1
White/Non-Hisp	6271	4,122,729	4378	73.0	71.6-74.4	1893	27.0	25.6-28.4
Black or Afr. Am./Non-Hisp	583	448,200	377	70.2	65.7-74.7	206	29.8	25.3-34.3
Oth. Race/Non-Hisp.	204	134,518	158	82.7	74.7-90.7	46	17.3	9.3-25.3
MultiRacial/Non-Hisp.	132	44,219	92	72.2	62.6-81.8	40	27.8	18.2-37.4
Hispanic	261	298,191	169	66.3	59.2-73.4	92	33.7	26.6-40.8
18-24	369	686,457	305	82.7	78.4-87.0	64	17.3	13.0-21.6
25-34	632	852,337	505	79.2	75.7-82.7	127	20.8	17.3-24.3
35-44	736	820,640	565	76.8	73.3-80.3	171	23.2	19.7-26.7
45-54	1195	834,925	886	73.5	70.6-76.4	309	26.5	23.6-29.4
55-64	1618	871,262	1092	65.5	62.8-68.2	526	34.5	31.8-37.2
65+	3044	1,068,353	1920	62.9	60.7-65.1	1124	37.1	34.9-39.3
Less Than H.S.	601	632,107	304	56.7	51.6-61.8	297	43.3	38.2-48.4
H.S. or G.E.D.	2575	1,719,763	1553	66.1	63.7-68.5	1022	33.9	31.5-36.3
Some Post-H.S.	1954	1,577,824	1388	76.2	73.8-78.6	566	23.8	21.4-26.2
College Graduate	2433	1,180,675	2005	85.8	84.2-87.4	428	14.2	12.6-15.8
Less than \$15,000	528	361,438	278	57.6	52.1-63.1	250	42.4	36.9-47.9
\$15,000- 24,999	1035	653,487	591	61.7	57.8-65.6	444	38.3	34.4-42.2
\$25,000- 34,999	726	472,485	458	64.6	59.9-69.3	268	35.4	30.7-40.1
\$35,000- 49,999	911	636,486	640	74.1	70.6-77.6	271	25.9	22.4-29.4
\$50,000- 74,999	1015	747,898	756	76.5	73.2-79.8	259	23.5	20.2-26.8
\$75,000+	1723	1,295,062	1455	84.7	82.5-86.9	268	15.3	13.1-17.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3233	2,503,604	2388	75.8	73.8-77.8	845	24.2	22.2-26.2
White/Non-Hisp	2628	1,992,666	1959	76.2	74.2-78.2	669	23.8	21.8-25.8
Black or Afr. Am./Non-Hisp	227	212,325	162	76.0	69.5-82.5	65	24.0	17.5-30.5
Oth. Race/Non-Hisp.	105	74,092	82	83.7	73.7-93.7	23	16.3	6.3-26.3
MultiRacial/Non-Hisp.	68	24,719	46	71.3	58.6-84.0	22	28.7	16.0-41.4
Hispanic	131	148,256	83	63.7	53.7-73.7	48	36.3	26.3-46.3
18-24	183	353,156	154	84.9	79.0-90.8	29	15.1	9.2-21.0
25-34	316	429,640	260	82.3	77.6-87.0	56	17.7	13.0-22.4
35-44	335	410,042	252	75.4	70.1-80.7	83	24.6	19.3-29.9
45-54	545	413,860	423	76.5	72.4-80.6	122	23.5	19.4-27.6
55-64	704	424,974	499	68.7	64.8-72.6	205	31.3	27.4-35.2
65+	1150	471,932	800	69.2	65.9-72.5	350	30.8	27.5-34.1
Less Than H.S.	260	326,512	151	62.2	54.9-69.5	109	37.8	30.5-45.1
H.S. or G.E.D.	1086	870,031	731	71.7	68.4-75.0	355	28.3	25.0-31.6
Some Post-H.S.	809	733,186	587	77.0	73.7-80.3	222	23.0	19.7-26.3
College Graduate	1062	561,063	905	88.1	85.9-90.3	157	11.9	9.7-14.1
Less than \$15,000	206	176,010	122	67.9	60.1-75.7	84	32.1	24.3-39.9
\$15,000- 24,999	384	256,138	227	61.8	55.5-68.1	157	38.2	31.9-44.5
\$25,000- 34,999	303	221,000	192	64.3	57.4-71.2	111	35.7	28.8-42.6
\$35,000- 49,999	404	321,632	300	75.8	70.5-81.1	104	24.2	18.9-29.5
\$50,000- 74,999	493	404,475	384	79.0	74.5-83.5	109	21.0	16.5-25.5
\$75,000+	870	707,019	734	84.1	80.8-87.4	136	15.9	12.6-19.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4361	2,630,370	2885	69.7	67.9-71.5	1476	30.3	28.5-32.1
White/Non-Hisp	3643	2,130,063	2419	69.9	67.9-71.9	1224	30.1	28.1-32.1
Black or Afr. Am./Non-Hisp	356	235,875	215	65.0	58.7-71.3	141	35.0	28.7-41.3
Oth. Race/Non-Hisp.	99	60,426	76	81.4	68.5-94.3	23	18.6	5.7-31.5
MultiRacial/Non-Hisp.	64	19,499	46	73.3	58.6-88.0	18	26.7	12.0-41.4
Hispanic	130	149,935	86	68.8	59.2-78.4	44	31.2	21.6-40.8
18-24	186	333,301	151	80.5	74.2-86.8	35	19.5	13.2-25.8
25-34	316	422,697	245	76.1	70.8-81.4	71	23.9	18.6-29.2
35-44	401	410,598	313	78.1	73.6-82.6	88	21.9	17.4-26.4
45-54	650	421,065	463	70.6	66.5-74.7	187	29.4	25.3-33.5
55-64	914	446,288	593	62.5	58.8-66.2	321	37.5	33.8-41.2
65+	1894	596,421	1120	57.9	55.2-60.6	774	42.1	39.4-44.8
Less Than H.S.	341	305,595	153	50.9	43.8-58.0	188	49.1	42.0-56.2
H.S. or G.E.D.	1489	849,732	822	60.3	57.0-63.6	667	39.7	36.4-43.0
Some Post-H.S.	1145	844,638	801	75.6	72.5-78.7	344	24.4	21.3-27.5
College Graduate	1371	619,612	1100	83.7	81.3-86.1	271	16.3	13.9-18.7
Less than \$15,000	322	185,427	156	47.9	40.6-55.2	166	52.1	44.8-59.4
\$15,000- 24,999	651	397,349	364	61.6	56.5-66.7	287	38.4	33.3-43.5
\$25,000- 34,999	423	251,484	266	64.8	58.3-71.3	157	35.2	28.7-41.7
\$35,000- 49,999	507	314,854	340	72.3	67.4-77.2	167	27.7	22.8-32.6
\$50,000- 74,999	522	343,423	372	73.5	68.6-78.4	150	26.5	21.6-31.4
\$75,000+	853	588,043	721	85.4	82.5-88.3	132	14.6	11.7-17.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 5: INADEQUATE SLEEP CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7505	5,084,659	2515	36.9	35.3-38.5	4694	60.0	58.4-61.6	296	3.1	2.7- 3.5
Male	3208	2,485,155	1077	37.7	35.5-39.9	2011	59.6	57.4-61.8	120	2.7	2.1- 3.3
Female	4297	2,599,503	1438	36.2	34.2-38.2	2683	60.3	58.3-62.3	176	3.5	2.7- 4.3
White/Non-Hisp	6204	4,093,534	1981	35.4	33.8-37.0	3998	61.7	60.1-63.3	225	2.9	2.3- 3.5
Black or Afr. Am./Non-Hisp	576	445,009	245	47.4	42.1-52.7	296	48.3	43.2-53.4	35	4.3	2.3- 6.3
Oth. Race/Non-Hisp.	200	130,146	83	40.4	28.8-52.0	108	58.9	47.3-70.5	9	0.7	0.1- 1.3
MultiRacial/Non-Hisp.	132	44,219	55	44.8	33.8-55.8	64	46.4	35.4-57.4	13	8.8	2.5-15.1
Hispanic	257	290,813	100	37.8	30.5-45.1	147	57.9	50.5-65.3	10	4.3	1.2- 7.4
18-24	366	680,189	124	35.8	30.1-41.5	223	60.1	54.4-65.8	19	4.1	2.1- 6.1
25-34	631	850,542	270	42.7	38.4-47.0	350	55.5	51.2-59.8	11	1.8	0.6- 3.0
35-44	729	809,162	293	41.5	37.4-45.6	421	57.0	52.9-61.1	15	1.4	0.6- 2.2
45-54	1185	829,376	502	44.0	40.7-47.3	667	54.8	51.5-58.1	16	1.2	0.6- 1.8
55-64	1602	862,009	583	35.1	32.4-37.8	966	61.8	59.1-64.5	53	3.1	2.1- 4.1
65+	2992	1,053,380	743	25.6	23.6-27.6	2067	68.2	66.2-70.2	182	6.2	5.0- 7.4
Less Than H.S.	582	611,171	223	42.3	37.0-47.6	312	52.4	47.1-57.7	47	5.3	3.3- 7.3
H.S. or G.E.D.	2538	1,705,660	911	40.1	37.6-42.6	1507	56.4	53.9-58.9	120	3.5	2.7- 4.3
Some Post-H.S.	1938	1,566,740	693	36.8	34.1-39.5	1165	60.0	57.1-62.9	80	3.1	2.1- 4.1
College Graduate	2415	1,176,406	677	29.6	27.2-32.0	1690	69.1	66.7-71.5	48	1.3	0.9- 1.7
Less than \$15,000	516	356,570	234	47.0	41.1-52.9	248	47.0	41.1-52.9	34	5.9	3.4- 8.4
\$15,000- 24,999	1023	644,661	383	38.4	34.5-42.3	567	55.1	51.0-59.2	73	6.5	4.3- 8.7
\$25,000- 34,999	719	468,120	252	41.7	36.8-46.6	429	54.4	49.5-59.3	38	3.9	2.3- 5.5
\$35,000- 49,999	906	633,985	297	35.6	31.3-39.9	576	61.5	57.2-65.8	33	2.9	1.5- 4.3
\$50,000- 74,999	1012	745,560	328	36.4	32.5-40.3	670	62.7	58.8-66.6	14	0.9	0.3- 1.5
\$75,000+	1718	1,291,569	515	33.4	30.5-36.3	1172	65.1	62.2-68.0	31	1.4	0.8- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 5: INADEQUATE SLEEP**

TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3208	2,485,155	1077	37.7	35.5-39.9	2011	59.6	57.4-61.8	120	2.7	2.1- 3.3
White/Non-Hisp	2613	1,986,494	828	35.8	33.4-38.2	1698	61.8	59.4-64.2	87	2.4	1.8- 3.0
Black or Afr. Am./Non-Hisp	225	210,757	101	48.9	40.9-56.9	109	45.8	37.8-53.8	15	5.3	2.0- 8.6
Oth. Race/Non-Hisp.	102	70,206	37	36.1	20.4-51.8	59	63.1	47.4-78.8	6	0.8	0.0- 1.8
MultiRacial/Non-Hisp.	68	24,719	28	42.7	28.6-56.8	33	46.4	32.1-60.7	7	10.9	0.7-21.1
Hispanic	129	145,626	53	43.4	33.0-53.8	74	54.6	44.2-65.0	2	1.9	0.0- 5.2
18-24	182	349,372	68	38.9	30.7-47.1	108	58.5	50.3-66.7	6	2.6	0.4- 4.8
25-34	316	429,640	133	43.1	36.8-49.4	178	55.4	49.1-61.7	5	1.5	0.0- 3.1
35-44	330	403,738	140	43.9	37.8-50.0	185	55.1	49.0-61.2	5	0.9	0.0- 1.9
45-54	544	412,534	242	46.1	41.4-50.8	297	53.1	48.4-57.8	5	0.8	0.0- 1.6
55-64	701	423,001	242	32.8	28.9-36.7	436	63.9	59.8-68.0	23	3.3	1.7- 4.9
65+	1135	466,871	252	23.4	20.3-26.5	807	70.0	66.7-73.3	76	6.6	4.8- 8.4
Less Than H.S.	252	316,399	93	41.4	33.6-49.2	133	52.1	44.1-60.1	26	6.4	3.1- 9.7
H.S. or G.E.D.	1075	865,018	388	41.3	37.6-45.0	640	55.8	52.1-59.5	47	2.9	1.9- 3.9
Some Post-H.S.	806	730,622	283	38.1	33.8-42.4	495	59.9	55.6-64.2	28	2.0	1.0- 3.0
College Graduate	1058	559,228	309	29.9	26.6-33.2	731	69.0	65.5-72.5	18	1.1	0.5- 1.7
Less than \$15,000	202	173,919	93	48.5	39.5-57.5	90	44.9	35.9-53.9	19	6.6	2.7-10.5
\$15,000- 24,999	382	254,190	128	36.3	30.0-42.6	226	56.8	50.3-63.3	28	6.8	3.1-10.5
\$25,000- 34,999	302	218,165	108	39.2	31.9-46.5	182	57.7	50.4-65.0	12	3.1	0.9- 5.3
\$35,000- 49,999	400	320,191	131	36.6	30.1-43.1	256	60.6	54.1-67.1	13	2.8	1.0- 4.6
\$50,000- 74,999	490	402,853	161	39.9	34.2-45.6	321	59.3	53.6-65.0	8	0.9	0.1- 1.7
\$75,000+	868	705,044	273	33.9	29.8-38.0	582	65.1	61.0-69.2	13	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 5: INADEQUATE SLEEP**

TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4297	2,599,503	1438	36.2	34.2-38.2	2683	60.3	58.3-62.3	176	3.5	2.7- 4.3
White/Non-Hisp	3591	2,107,040	1153	35.1	32.9-37.3	2300	61.6	59.4-63.8	138	3.3	2.5- 4.1
Black or Afr. Am./Non-Hisp	351	234,252	144	45.9	39.2-52.6	187	50.6	43.9-57.3	20	3.5	1.5- 5.5
Oth. Race/Non-Hisp.	98	59,940	46	45.4	28.3-62.5	49	54.0	36.9-71.1	3	0.6	0.0- 1.4
MultiRacial/Non-Hisp.	64	19,499	27	47.4	30.3-64.5	31	46.5	29.6-63.4	6	6.1	0.6-11.6
Hispanic	128	145,187	47	32.1	22.1-42.1	73	61.2	50.6-71.8	8	6.7	1.4-12.0
18-24	184	330,817	56	32.5	24.9-40.1	115	61.7	53.9-69.5	13	5.8	2.5- 9.1
25-34	315	420,902	137	42.2	36.1-48.3	172	55.7	49.6-61.8	6	2.0	0.2- 3.8
35-44	399	405,424	153	39.1	33.6-44.6	236	59.0	53.5-64.5	10	1.9	0.5- 3.3
45-54	641	416,842	260	41.8	37.3-46.3	370	56.5	52.0-61.0	11	1.7	0.7- 2.7
55-64	901	439,008	341	37.2	33.5-40.9	530	59.8	56.1-63.5	30	3.0	1.8- 4.2
65+	1857	586,510	491	27.3	24.8-29.8	1260	66.9	64.4-69.4	106	5.8	4.4- 7.2
Less Than H.S.	330	294,772	130	43.2	36.1-50.3	179	52.8	45.7-59.9	21	4.0	1.8- 6.2
H.S. or G.E.D.	1463	840,642	523	38.9	35.6-42.2	867	56.9	53.4-60.4	73	4.1	2.9- 5.3
Some Post-H.S.	1132	836,118	410	35.7	32.0-39.4	670	60.2	56.5-63.9	52	4.1	2.5- 5.7
College Graduate	1357	617,178	368	29.4	26.3-32.5	959	69.2	66.1-72.3	30	1.4	0.8- 2.0
Less than \$15,000	314	182,651	141	45.6	38.2-53.0	158	49.1	41.7-56.5	15	5.3	2.0- 8.6
\$15,000- 24,999	641	390,471	255	39.8	34.5-45.1	341	54.0	48.7-59.3	45	6.3	3.8- 8.8
\$25,000- 34,999	417	249,954	144	43.9	37.0-50.8	247	51.6	44.9-58.3	26	4.5	2.3- 6.7
\$35,000- 49,999	506	313,794	166	34.6	28.9-40.3	320	62.4	56.7-68.1	20	3.0	1.0- 5.0
\$50,000- 74,999	522	342,707	167	32.4	27.1-37.7	349	66.8	61.5-72.1	6	0.9	0.1- 1.7
\$75,000+	850	586,526	242	32.9	28.6-37.2	590	65.1	60.8-69.4	18	2.0	0.8- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	57
20 MALES ONLY	58
21 FEMALES ONLY	59
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7569	5,120,063	545	5.7	5.1- 6.3	7024	94.3	93.7-94.9
Male	3214	2,490,840	313	7.5	6.5- 8.5	2901	92.5	91.5-93.5
Female	4355	2,629,222	232	4.1	3.5- 4.7	4123	95.9	95.3-96.5
White/Non-Hisp	6257	4,116,332	459	5.8	5.2- 6.4	5798	94.2	93.6-94.8
Black or Afr. Am./Non-Hisp	579	446,262	39	5.6	3.4- 7.8	540	94.4	92.2-96.6
Oth. Race/Non-Hisp.	200	132,153	13	3.3	0.4- 6.2	187	96.7	93.8-99.6
MultiRacial/Non-Hisp.	132	44,219	14	9.3	3.0-15.6	118	90.7	84.4-97.0
Hispanic	259	296,139	11	5.7	2.0- 9.4	248	94.3	90.6-98.0
18-24	367	684,139	5	1.5	0.1- 2.9	362	98.5	97.1-99.9
25-34	631	851,153	10	1.6	0.6- 2.6	621	98.4	97.4-99.4
35-44	732	816,482	18	2.8	1.4- 4.2	714	97.2	95.8-98.6
45-54	1192	833,549	50	4.6	3.0- 6.2	1142	95.4	93.8-97.0
55-64	1611	868,923	114	8.4	6.6-10.2	1497	91.6	89.8-93.4
65+	3036	1,065,817	348	12.8	11.2-14.4	2688	87.2	85.6-88.8
Less Than H.S.	595	628,776	87	11.3	8.4-14.2	508	88.7	85.8-91.6
H.S. or G.E.D.	2565	1,715,447	210	5.7	4.7- 6.7	2355	94.3	93.3-95.3
Some Post-H.S.	1948	1,573,766	125	4.9	3.9- 5.9	1823	95.1	94.1-96.1
College Graduate	2430	1,179,022	120	3.8	2.8- 4.8	2310	96.2	95.2-97.2
Less than \$15,000	523	359,422	71	11.9	8.6-15.2	452	88.1	84.8-91.4
\$15,000- 24,999	1032	652,262	112	8.5	6.5-10.5	920	91.5	89.5-93.5
\$25,000- 34,999	722	471,289	55	6.8	4.4- 9.2	667	93.2	90.8-95.6
\$35,000- 49,999	911	636,018	66	5.1	3.5- 6.7	845	94.9	93.3-96.5
\$50,000- 74,999	1012	745,496	54	4.4	2.8- 6.0	958	95.6	94.0-97.2
\$75,000+	1721	1,294,407	69	3.2	2.2- 4.2	1652	96.8	95.8-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3214	2,490,840	313	7.5	6.5- 8.5	2901	92.5	91.5-93.5
White/Non-Hisp	2614	1,983,839	264	7.7	6.5- 8.9	2350	92.3	91.1-93.5
Black or Afr. Am./Non-Hisp	224	210,617	17	6.1	2.6- 9.6	207	93.9	90.4-97.4
Oth. Race/Non-Hisp.	104	73,963	10	3.3	0.8- 5.8	94	96.7	94.2-99.2
MultiRacial/Non-Hisp.	68	24,719	10	14.2	3.8-24.6	58	85.8	75.4-96.2
Hispanic	130	146,873	7	8.9	2.0-15.8	123	91.1	84.2-98.0
18-24	182	352,157	4	2.1	0.0- 4.5	178	97.9	95.5- 100
25-34	314	427,048	3	0.9	0.0- 2.1	311	99.1	97.9- 100
35-44	331	405,468	10	3.5	1.1- 5.9	321	96.5	94.1-98.9
45-54	544	413,122	29	5.9	3.4- 8.4	515	94.1	91.6-96.6
55-64	701	423,902	72	11.9	9.0-14.8	629	88.1	85.2-91.0
65+	1142	469,143	195	18.3	15.6-21.0	947	81.7	79.0-84.4
Less Than H.S.	256	323,630	46	14.1	9.2-19.0	210	85.9	81.0-90.8
H.S. or G.E.D.	1077	864,997	116	6.9	5.5- 8.3	961	93.1	91.7-94.5
Some Post-H.S.	805	729,877	76	7.2	5.2- 9.2	729	92.8	90.8-94.8
College Graduate	1060	560,078	73	4.7	3.5- 5.9	987	95.3	94.1-96.5
Less than \$15,000	203	174,255	37	13.4	8.1-18.7	166	86.6	81.3-91.9
\$15,000- 24,999	382	254,585	54	11.8	7.9-15.7	328	88.2	84.3-92.1
\$25,000- 34,999	300	219,978	34	9.4	5.5-13.3	266	90.6	86.7-94.5
\$35,000- 49,999	403	320,859	42	7.5	4.8-10.2	361	92.5	89.8-95.2
\$50,000- 74,999	490	402,349	34	5.3	2.9- 7.7	456	94.7	92.3-97.1
\$75,000+	869	706,807	51	4.7	3.1- 6.3	818	95.3	93.7-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4355	2,629,222	232	4.1	3.5- 4.7	4123	95.9	95.3-96.5
White/Non-Hisp	3643	2,132,492	195	4.1	3.3- 4.9	3448	95.9	95.1-96.7
Black or Afr. Am./Non-Hisp	355	235,645	22	5.1	2.2- 8.0	333	94.9	92.0-97.8
Oth. Race/Non-Hisp.	96	58,191	3	3.4	0.0- 9.3	93	96.6	90.7- 100
MultiRacial/Non-Hisp.	64	19,499	4	3.1	0.0- 7.0	60	96.9	93.0- 100
Hispanic	129	149,267	4	2.7	0.0- 5.4	125	97.3	94.6- 100
18-24	185	331,981	1	0.7	0.0- 2.1	184	99.3	97.9- 100
25-34	317	424,105	7	2.2	0.4- 4.0	310	97.8	96.0-99.6
35-44	401	411,014	8	2.1	0.5- 3.7	393	97.9	96.3-99.5
45-54	648	420,428	21	3.2	1.8- 4.6	627	96.8	95.4-98.2
55-64	910	445,021	42	5.0	3.2- 6.8	868	95.0	93.2-96.8
65+	1894	596,674	153	8.4	6.8-10.0	1741	91.6	90.0-93.2
Less Than H.S.	339	305,146	41	8.3	5.4-11.2	298	91.7	88.8-94.6
H.S. or G.E.D.	1488	850,450	94	4.6	3.4- 5.8	1394	95.4	94.2-96.6
Some Post-H.S.	1143	843,889	49	2.8	1.8- 3.8	1094	97.2	96.2-98.2
College Graduate	1370	618,944	47	2.9	1.7- 4.1	1323	97.1	95.9-98.3
Less than \$15,000	320	185,167	34	10.5	6.2-14.8	286	89.5	85.2-93.8
\$15,000- 24,999	650	397,677	58	6.3	4.3- 8.3	592	93.7	91.7-95.7
\$25,000- 34,999	422	251,311	21	4.4	1.7- 7.1	401	95.6	92.9-98.3
\$35,000- 49,999	508	315,159	24	2.7	1.3- 4.1	484	97.3	95.9-98.7
\$50,000- 74,999	522	343,147	20	3.2	1.4- 5.0	502	96.8	95.0-98.6
\$75,000+	852	587,600	18	1.4	0.6- 2.2	834	98.6	97.8-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7534	5,105,814	538	5.0	4.4- 5.6	6996	95.0	94.4-95.6
Male	3208	2,488,479	270	5.9	5.1- 6.7	2938	94.1	93.3-94.9
Female	4326	2,617,335	268	4.1	3.5- 4.7	4058	95.9	95.3-96.5
White/Non-Hisp	6223	4,103,260	468	5.4	4.8- 6.0	5755	94.6	94.0-95.2
Black or Afr. Am./Non-Hisp	579	443,500	33	4.2	2.2- 6.2	546	95.8	93.8-97.8
Oth. Race/Non-Hisp.	202	133,969	12	2.1	0.3- 3.9	190	97.9	96.1-99.7
MultiRacial/Non-Hisp.	129	43,512	9	3.3	0.8- 5.8	120	96.7	94.2-99.2
Hispanic	260	296,596	5	1.2	0.0- 2.4	255	98.8	97.6- 100
18-24	367	684,067				367	100.0	100.0- 100
25-34	631	852,581	3	0.6	0.0- 1.2	628	99.4	98.8- 100
35-44	732	816,254	13	2.0	0.8- 3.2	719	98.0	96.8-99.2
45-54	1190	831,847	47	4.2	2.8- 5.6	1143	95.8	94.4-97.2
55-64	1608	865,315	98	6.5	5.1- 7.9	1510	93.5	92.1-94.9
65+	3006	1,055,750	377	13.4	11.8-15.0	2629	86.6	85.0-88.2
Less Than H.S.	585	622,141	56	6.0	4.0- 8.0	529	94.0	92.0-96.0
H.S. or G.E.D.	2554	1,708,539	214	5.8	4.8- 6.8	2340	94.2	93.2-95.2
Some Post-H.S.	1947	1,574,303	141	4.9	3.9- 5.9	1806	95.1	94.1-96.1
College Graduate	2415	1,176,029	125	3.3	2.5- 4.1	2290	96.7	95.9-97.5
Less than \$15,000	516	353,642	53	8.2	5.5-10.9	463	91.8	89.1-94.5
\$15,000- 24,999	1023	646,444	98	6.3	4.7- 7.9	925	93.7	92.1-95.3
\$25,000- 34,999	723	471,820	68	6.0	4.0- 8.0	655	94.0	92.0-96.0
\$35,000- 49,999	905	633,652	68	4.8	3.4- 6.2	837	95.2	93.8-96.6
\$50,000- 74,999	1013	747,170	73	5.6	4.0- 7.2	940	94.4	92.8-96.0
\$75,000+	1717	1,293,304	65	2.7	1.9- 3.5	1652	97.3	96.5-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3208	2,488,479	270	5.9	5.1- 6.7	2938	94.1	93.3-94.9
White/Non-Hisp	2612	1,983,188	239	6.5	5.5- 7.5	2373	93.5	92.5-94.5
Black or Afr. Am./Non-Hisp	224	209,016	10	4.5	1.0- 8.0	214	95.5	92.0-99.0
Oth. Race/Non-Hisp.	104	73,601	9	3.4	0.1- 6.7	95	96.6	93.3-99.9
MultiRacial/Non-Hisp.	65	24,012	4	3.9	0.0- 8.0	61	96.1	92.0- 100
Hispanic	131	148,256	3	2.0	0.0- 4.4	128	98.0	95.6- 100
18-24	182	352,157				182	100.0	100.0- 100
25-34	314	428,476	2	0.6	0.0- 1.6	312	99.4	98.4- 100
35-44	332	407,638	9	2.9	0.7- 5.1	323	97.1	94.9-99.3
45-54	542	411,567	27	5.5	3.1- 7.9	515	94.5	92.1-96.9
55-64	700	422,352	53	7.5	5.3- 9.7	647	92.5	90.3-94.7
65+	1138	466,288	179	16.7	14.2-19.2	959	83.3	80.8-85.8
Less Than H.S.	256	322,483	20	4.6	2.1- 7.1	236	95.4	92.9-97.9
H.S. or G.E.D.	1073	861,552	100	6.0	4.6- 7.4	973	94.0	92.6-95.4
Some Post-H.S.	807	732,078	74	6.8	4.8- 8.8	733	93.2	91.2-95.2
College Graduate	1054	558,357	74	5.1	3.7- 6.5	980	94.9	93.5-96.3
Less than \$15,000	201	171,781	20	7.5	3.2-11.8	181	92.5	88.2-96.8
\$15,000- 24,999	379	252,923	34	6.8	4.3- 9.3	345	93.2	90.7-95.7
\$25,000- 34,999	302	220,865	39	8.9	5.4-12.4	263	91.1	87.6-94.6
\$35,000- 49,999	401	319,499	41	6.5	4.1- 8.9	360	93.5	91.1-95.9
\$50,000- 74,999	491	403,655	47	7.0	4.5- 9.5	444	93.0	90.5-95.5
\$75,000+	866	705,747	48	3.9	2.7- 5.1	818	96.1	94.9-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4326	2,617,335	268	4.1	3.5- 4.7	4058	95.9	95.3-96.5
White/Non-Hisp	3611	2,120,072	229	4.4	3.6- 5.2	3382	95.6	94.8-96.4
Black or Afr. Am./Non-Hisp	355	234,484	23	4.0	2.0- 6.0	332	96.0	94.0-98.0
Oth. Race/Non-Hisp.	98	60,369	3	0.5	0.0- 1.1	95	99.5	98.9- 100
MultiRacial/Non-Hisp.	64	19,499	5	2.5	0.0- 5.2	59	97.5	94.8- 100
Hispanic	129	148,340	2	0.4	0.0- 1.0	127	99.6	99.0- 100
18-24	185	331,910				185	100.0	100.0- 100
25-34	317	424,105	1	0.5	0.0- 1.5	316	99.5	98.5- 100
35-44	400	408,616	4	1.1	0.0- 2.3	396	98.9	97.7- 100
45-54	648	420,280	20	3.0	1.4- 4.6	628	97.0	95.4-98.6
55-64	908	442,963	45	5.5	3.5- 7.5	863	94.5	92.5-96.5
65+	1868	589,462	198	10.8	9.0-12.6	1670	89.2	87.4-91.0
Less Than H.S.	329	299,658	36	7.4	4.5-10.3	293	92.6	89.7-95.5
H.S. or G.E.D.	1481	846,987	114	5.6	4.4- 6.8	1367	94.4	93.2-95.6
Some Post-H.S.	1140	842,225	67	3.2	2.2- 4.2	1073	96.8	95.8-97.8
College Graduate	1361	617,672	51	1.7	1.1- 2.3	1310	98.3	97.7-98.9
Less than \$15,000	315	181,860	33	8.8	5.1-12.5	282	91.2	87.5-94.9
\$15,000- 24,999	644	393,520	64	6.1	4.1- 8.1	580	93.9	91.9-95.9
\$25,000- 34,999	421	250,955	29	3.5	1.9- 5.1	392	96.5	94.9-98.1
\$35,000- 49,999	504	314,153	27	3.1	1.7- 4.5	477	96.9	95.5-98.3
\$50,000- 74,999	522	343,515	26	3.9	1.9- 5.9	496	96.1	94.1-98.1
\$75,000+	851	587,557	17	1.3	0.5- 2.1	834	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7582	5,126,435	435	4.2	3.6- 4.8	7147	95.8	95.2-96.4
Male	3226	2,497,049	181	4.4	3.6- 5.2	3045	95.6	94.8-96.4
Female	4356	2,629,386	254	4.1	3.5- 4.7	4102	95.9	95.3-96.5
White/Non-Hisp	6265	4,122,176	352	4.1	3.5- 4.7	5913	95.9	95.3-96.5
Black or Afr. Am./Non-Hisp	582	447,983	48	5.8	3.8- 7.8	534	94.2	92.2-96.2
Oth. Race/Non-Hisp.	201	130,832	10	1.4	0.4- 2.4	191	98.6	97.6-99.6
MultiRacial/Non-Hisp.	132	44,219	9	7.3	1.4-13.2	123	92.7	86.8-98.6
Hispanic	259	295,245	9	4.3	1.2- 7.4	250	95.7	92.6-98.8
18-24	369	686,457	4	1.1	0.0- 2.3	365	98.9	97.7- 100
25-34	631	852,581	4	0.4	0.0- 0.8	627	99.6	99.2- 100
35-44	733	816,752	11	1.6	0.4- 2.8	722	98.4	97.2-99.6
45-54	1192	832,802	52	4.7	3.3- 6.1	1140	95.3	93.9-96.7
55-64	1612	868,364	96	6.1	4.7- 7.5	1516	93.9	92.5-95.3
65+	3045	1,069,479	268	9.4	8.0-10.8	2777	90.6	89.2-92.0
Less Than H.S.	599	630,131	63	8.3	5.9-10.7	536	91.7	89.3-94.1
H.S. or G.E.D.	2571	1,717,653	177	4.6	3.8- 5.4	2394	95.4	94.6-96.2
Some Post-H.S.	1949	1,575,089	124	3.8	3.0- 4.6	1825	96.2	95.4-97.0
College Graduate	2431	1,180,327	71	2.3	1.5- 3.1	2360	97.7	96.9-98.5
Less than \$15,000	527	361,299	59	8.1	5.4-10.8	468	91.9	89.2-94.6
\$15,000- 24,999	1033	652,611	103	7.1	5.3- 8.9	930	92.9	91.1-94.7
\$25,000- 34,999	723	471,228	48	5.1	3.1- 7.1	675	94.9	92.9-96.9
\$35,000- 49,999	908	634,964	44	4.5	2.7- 6.3	864	95.5	93.7-97.3
\$50,000- 74,999	1014	744,855	47	3.0	2.0- 4.0	967	97.0	96.0-98.0
\$75,000+	1723	1,295,062	38	1.6	1.0- 2.2	1685	98.4	97.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3226	2,497,049	181	4.4	3.6- 5.2	3045	95.6	94.8-96.4
White/Non-Hisp	2625	1,991,292	143	3.9	3.1- 4.7	2482	96.1	95.3-96.9
Black or Afr. Am./Non-Hisp	226	212,108	16	6.8	3.3-10.3	210	93.2	89.7-96.7
Oth. Race/Non-Hisp.	103	70,831	9	2.4	0.4- 4.4	94	97.6	95.6-99.6
MultiRacial/Non-Hisp.	68	24,719	6	10.4	0.6-20.2	62	89.6	79.8-99.4
Hispanic	130	146,689	4	6.1	0.4-11.8	126	93.9	88.2-99.6
18-24	183	353,156	2	1.0	0.0- 2.6	181	99.0	97.4- 100
25-34	314	428,476	2	0.4	0.0- 1.0	312	99.6	99.0- 100
35-44	333	405,706	5	2.0	0.0- 4.0	328	98.0	96.0- 100
45-54	545	413,957	26	5.8	3.3- 8.3	519	94.2	91.7-96.7
55-64	701	424,043	45	6.7	4.5- 8.9	656	93.3	91.1-95.5
65+	1150	471,712	101	9.4	7.4-11.4	1049	90.6	88.6-92.6
Less Than H.S.	259	325,915	32	9.5	5.6-13.4	227	90.5	86.6-94.4
H.S. or G.E.D.	1080	865,339	62	4.1	2.9- 5.3	1018	95.9	94.7-97.1
Some Post-H.S.	808	732,290	48	3.8	2.6- 5.0	760	96.2	95.0-97.4
College Graduate	1062	561,063	39	2.9	1.7- 4.1	1023	97.1	95.9-98.3
Less than \$15,000	206	176,010	17	7.0	2.9-11.1	189	93.0	88.9-97.1
\$15,000- 24,999	383	255,575	41	9.0	5.7-12.3	342	91.0	87.7-94.3
\$25,000- 34,999	300	219,237	20	5.1	2.6- 7.6	280	94.9	92.4-97.4
\$35,000- 49,999	404	321,632	22	5.0	2.3- 7.7	382	95.0	92.3-97.7
\$50,000- 74,999	492	401,706	27	3.8	2.2- 5.4	465	96.2	94.6-97.8
\$75,000+	870	707,019	18	1.6	0.6- 2.6	852	98.4	97.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4356	2,629,386	254	4.1	3.5- 4.7	4102	95.9	95.3-96.5
White/Non-Hisp	3640	2,130,884	209	4.2	3.4- 5.0	3431	95.8	95.0-96.6
Black or Afr. Am./Non-Hisp	356	235,875	32	4.9	2.9- 6.9	324	95.1	93.1-97.1
Oth. Race/Non-Hisp.	98	60,000	1	0.2	0.0- 0.6	97	99.8	99.4- 100
MultiRacial/Non-Hisp.	64	19,499	3	3.3	0.0- 8.2	61	96.7	91.8- 100
Hispanic	129	148,556	5	2.5	0.0- 5.0	124	97.5	95.0- 100
18-24	186	333,301	2	1.2	0.0- 2.8	184	98.8	97.2- 100
25-34	317	424,105	2	0.5	0.0- 1.3	315	99.5	98.7- 100
35-44	400	411,046	6	1.3	0.1- 2.5	394	98.7	97.5-99.9
45-54	647	418,846	26	3.7	2.1- 5.3	621	96.3	94.7-97.9
55-64	911	444,321	51	5.5	3.7- 7.3	860	94.5	92.7-96.3
65+	1895	597,767	167	9.4	7.8-11.0	1728	90.6	89.0-92.2
Less Than H.S.	340	304,217	31	7.0	4.3- 9.7	309	93.0	90.3-95.7
H.S. or G.E.D.	1491	852,314	115	5.1	3.9- 6.3	1376	94.9	93.7-96.1
Some Post-H.S.	1141	842,799	76	3.8	2.6- 5.0	1065	96.2	95.0-97.4
College Graduate	1369	619,264	32	1.7	0.7- 2.7	1337	98.3	97.3-99.3
Less than \$15,000	321	185,289	42	9.2	5.7-12.7	279	90.8	87.3-94.3
\$15,000- 24,999	650	397,035	62	5.9	4.1- 7.7	588	94.1	92.3-95.9
\$25,000- 34,999	423	251,990	28	5.1	2.4- 7.8	395	94.9	92.2-97.6
\$35,000- 49,999	504	313,332	22	4.1	1.9- 6.3	482	95.9	93.7-98.1
\$50,000- 74,999	522	343,149	20	2.1	1.1- 3.1	502	97.9	96.9-98.9
\$75,000+	853	588,043	20	1.6	0.8- 2.4	833	98.4	97.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7584	5,128,811	1088	14.6	13.6-15.6	6496	85.4	84.4-86.4
Male	3229	2,500,966	367	11.4	10.0-12.8	2862	88.6	87.2-90.0
Female	4355	2,627,844	721	17.7	16.1-19.3	3634	82.3	80.7-83.9
White/Non-Hisp	6266	4,118,536	857	14.4	13.2-15.6	5409	85.6	84.4-86.8
Black or Afr. Am./Non-Hisp	582	447,801	101	18.4	14.7-22.1	481	81.6	77.9-85.3
Oth. Race/Non-Hisp.	203	134,452	38	11.0	5.7-16.3	165	89.0	83.7-94.3
MultiRacial/Non-Hisp.	130	43,422	34	25.0	15.4-34.6	96	75.0	65.4-84.6
Hispanic	260	298,003	35	11.8	7.3-16.3	225	88.2	83.7-92.7
18-24	366	682,897	67	16.8	12.7-20.9	299	83.2	79.1-87.3
25-34	630	850,783	102	16.2	13.1-19.3	528	83.8	80.7-86.9
35-44	736	820,817	111	13.5	11.0-16.0	625	86.5	84.0-89.0
45-54	1195	835,185	204	16.8	14.4-19.2	991	83.2	80.8-85.6
55-64	1613	869,376	224	13.6	11.6-15.6	1389	86.4	84.4-88.4
65+	3044	1,069,752	380	12.0	10.6-13.4	2664	88.0	86.6-89.4
Less Than H.S.	598	630,292	129	19.5	15.4-23.6	469	80.5	76.4-84.6
H.S. or G.E.D.	2571	1,717,768	368	14.5	12.7-16.3	2203	85.5	83.7-87.3
Some Post-H.S.	1955	1,577,697	295	14.9	12.9-16.9	1660	85.1	83.1-87.1
College Graduate	2427	1,178,252	286	11.6	10.0-13.2	2141	88.4	86.8-90.0
Less than \$15,000	524	360,435	141	26.3	21.4-31.2	383	73.7	68.8-78.6
\$15,000- 24,999	1034	653,919	174	18.5	15.4-21.6	860	81.5	78.4-84.6
\$25,000- 34,999	728	473,620	104	14.7	11.2-18.2	624	85.3	81.8-88.8
\$35,000- 49,999	911	635,884	132	15.0	11.9-18.1	779	85.0	81.9-88.1
\$50,000- 74,999	1015	747,734	120	12.0	9.5-14.5	895	88.0	85.5-90.5
\$75,000+	1720	1,292,874	189	10.4	8.6-12.2	1531	89.6	87.8-91.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3229	2,500,966	367	11.4	10.0-12.8	2862	88.6	87.2-90.0
White/Non-Hisp	2626	1,990,320	289	11.3	9.7-12.9	2337	88.7	87.1-90.3
Black or Afr. Am./Non-Hisp	227	212,325	31	14.3	9.0-19.6	196	85.7	80.4-91.0
Oth. Race/Non-Hisp.	104	74,026	14	9.5	2.6-16.4	90	90.5	83.6-97.4
MultiRacial/Non-Hisp.	67	24,145	14	19.7	8.1-31.3	53	80.3	68.7-91.9
Hispanic	130	148,068	11	8.7	2.6-14.8	119	91.3	85.2-97.4
18-24	182	352,581	29	14.6	8.9-20.3	153	85.4	79.7-91.1
25-34	313	426,678	41	13.9	9.4-18.4	272	86.1	81.6-90.6
35-44	335	410,042	40	9.6	6.5-12.7	295	90.4	87.3-93.5
45-54	546	414,519	77	13.5	10.4-16.6	469	86.5	83.4-89.6
55-64	703	424,627	74	9.6	7.2-12.0	629	90.4	88.0-92.8
65+	1150	472,518	106	8.3	6.5-10.1	1044	91.7	89.9-93.5
Less Than H.S.	259	326,446	39	13.8	8.3-19.3	220	86.2	80.7-91.7
H.S. or G.E.D.	1083	867,644	128	12.2	9.8-14.6	955	87.8	85.4-90.2
Some Post-H.S.	809	732,371	89	10.4	7.9-12.9	720	89.6	87.1-92.1
College Graduate	1060	560,497	106	10.1	7.9-12.3	954	89.9	87.7-92.1
Less than \$15,000	204	175,756	44	21.3	14.0-28.6	160	78.7	71.4-86.0
\$15,000- 24,999	383	255,563	48	14.3	9.8-18.8	335	85.7	81.2-90.2
\$25,000- 34,999	304	221,530	35	13.3	8.0-18.6	269	86.7	81.4-92.0
\$35,000- 49,999	404	321,632	54	11.5	7.6-15.4	350	88.5	84.6-92.4
\$50,000- 74,999	492	404,097	47	8.4	5.7-11.1	445	91.6	88.9-94.3
\$75,000+	869	706,046	74	8.0	5.8-10.2	795	92.0	89.8-94.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4355	2,627,844	721	17.7	16.1-19.3	3634	82.3	80.7-83.9
White/Non-Hisp	3640	2,128,215	568	17.3	15.5-19.1	3072	82.7	80.9-84.5
Black or Afr. Am./Non-Hisp	355	235,476	70	22.1	16.6-27.6	285	77.9	72.4-83.4
Oth. Race/Non-Hisp.	99	60,426	24	12.9	4.7-21.1	75	87.1	78.9-95.3
MultiRacial/Non-Hisp.	63	19,277	20	31.7	16.0-47.4	43	68.3	52.6-84.0
Hispanic	130	149,935	24	15.0	8.3-21.7	106	85.0	78.3-91.7
18-24	184	330,316	38	19.1	13.0-25.2	146	80.9	74.8-87.0
25-34	317	424,105	61	18.6	13.9-23.3	256	81.4	76.7-86.1
35-44	401	410,775	71	17.3	13.2-21.4	330	82.7	78.6-86.8
45-54	649	420,666	127	20.1	16.6-23.6	522	79.9	76.4-83.4
55-64	910	444,749	150	17.5	14.6-20.4	760	82.5	79.6-85.4
65+	1894	597,234	274	15.0	13.0-17.0	1620	85.0	83.0-87.0
Less Than H.S.	339	303,846	90	25.5	19.6-31.4	249	74.5	68.6-80.4
H.S. or G.E.D.	1488	850,124	240	16.8	14.3-19.3	1248	83.2	80.7-85.7
Some Post-H.S.	1146	845,326	206	18.8	15.9-21.7	940	81.2	78.3-84.1
College Graduate	1367	617,755	180	13.0	10.8-15.2	1187	87.0	84.8-89.2
Less than \$15,000	320	184,679	97	31.1	24.4-37.8	223	68.9	62.2-75.6
\$15,000- 24,999	651	398,356	126	21.1	16.8-25.4	525	78.9	74.6-83.2
\$25,000- 34,999	424	252,090	69	15.9	11.0-20.8	355	84.1	79.2-89.0
\$35,000- 49,999	507	314,252	78	18.6	13.7-23.5	429	81.4	76.5-86.3
\$50,000- 74,999	523	343,637	73	16.3	12.0-20.6	450	83.7	79.4-88.0
\$75,000+	851	586,828	115	13.2	10.3-16.1	736	86.8	83.9-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1047	726,439	776	70.2	66.5-73.9	271	29.8	26.1-33.5
Male	351	274,722	226	59.9	53.2-66.6	125	40.1	33.4-46.8
Female	696	451,717	550	76.4	72.3-80.5	146	23.6	19.5-27.7
White/Non-Hisp	826	574,908	611	70.5	66.4-74.6	215	29.5	25.4-33.6
Black or Afr. Am./Non-Hisp	99	81,897	75	70.2	59.6-80.8	24	29.8	19.2-40.4
18-24	64	111,633	40	64.1	51.2-77.0	24	35.9	23.0-48.8
25-34	99	133,720	53	53.6	42.6-64.6	46	46.4	35.4-57.4
35-44	109	109,415	75	69.7	60.1-79.3	34	30.3	20.7-39.9
45-54	199	135,323	152	76.2	69.5-82.9	47	23.8	17.1-30.5
55-64	216	113,841	171	78.1	71.6-84.6	45	21.9	15.4-28.4
65+	360	122,506	285	80.1	75.4-84.8	75	19.9	15.2-24.6
Less Than H.S.	126	120,563	108	80.1	69.3-90.9	18	19.9	9.1-30.7
H.S. or G.E.D.	346	236,836	262	71.9	65.6-78.2	84	28.1	21.8-34.4
Some Post-H.S.	289	230,557	212	68.5	61.6-75.4	77	31.5	24.6-38.4
College Graduate	276	130,639	185	59.8	52.4-67.2	91	40.2	32.8-47.6
Less than \$15,000	137	93,372	114	85.3	78.0-92.6	23	14.7	7.4-22.0
\$15,000- 24,999	167	117,837	137	80.2	72.6-87.8	30	19.8	12.2-27.4
\$25,000- 34,999	103	69,090	79	69.1	56.2-82.0	24	30.9	18.0-43.8
\$35,000- 49,999	123	90,252	88	62.4	50.2-74.6	35	37.6	25.4-49.8
\$50,000- 74,999	118	87,853	75	59.8	48.8-70.8	43	40.2	29.2-51.2
\$75,000+	181	127,387	122	61.3	52.1-70.5	59	38.7	29.5-47.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	351	274,722	226	59.9	53.2-66.6	125	40.1	33.4-46.8
White/Non-Hisp	276	214,588	185	62.2	54.6-69.8	91	37.8	30.2-45.4
45-54	73	52,082	46	63.2	51.0-75.4	27	36.8	24.6-49.0
55-64	72	40,185	58	82.4	72.4-92.4	14	17.6	7.6-27.6
65+	100	36,935	72	75.4	65.8-85.0	28	24.6	15.0-34.2
H.S. or G.E.D.	121	99,563	76	56.3	45.3-67.3	45	43.7	32.7-54.7
Some Post-H.S.	85	73,040	55	58.7	46.0-71.4	30	41.3	28.6-54.0
College Graduate	102	54,374	59	54.2	42.2-66.2	43	45.8	33.8-57.8
\$35,000- 49,999	51	35,205	36	60.3	40.7-79.9	15	39.7	20.1-59.3
\$75,000+	68	52,113	34	45.4	30.5-60.3	34	54.6	39.7-69.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	696	451,717	550	76.4	72.3-80.5	146	23.6	19.5-27.7
White/Non-Hisp	550	360,320	426	75.4	70.5-80.3	124	24.6	19.7-29.5
Black or Afr. Am./Non-Hisp	68	51,454	58	83.9	73.5-94.3	10	16.1	5.7-26.5
25-34	60	77,547	36	60.1	46.6-73.6	24	39.9	26.4-53.4
35-44	69	69,998	56	80.8	69.6-92.0	13	19.2	8.0-30.4
45-54	126	83,241	106	84.3	77.2-91.4	20	15.7	8.6-22.8
55-64	144	73,656	113	75.8	67.4-84.2	31	24.2	15.8-32.6
65+	260	85,571	213	82.1	76.6-87.6	47	17.9	12.4-23.4
Less Than H.S.	88	75,636	77	83.8	72.2-95.4	11	16.2	4.6-27.8
H.S. or G.E.D.	225	137,273	186	83.1	76.8-89.4	39	16.9	10.6-23.2
Some Post-H.S.	204	157,517	157	73.1	65.3-80.9	47	26.9	19.1-34.7
College Graduate	174	76,265	126	63.8	54.4-73.2	48	36.2	26.8-45.6
Less than \$15,000	94	56,504	82	90.4	84.1-96.7	12	9.6	3.3-15.9
\$15,000- 24,999	120	81,539	101	81.5	72.3-90.7	19	18.5	9.3-27.7
\$25,000- 34,999	68	39,695	55	83.0	71.4-94.6	13	17.0	5.4-28.6
\$35,000- 49,999	72	55,047	52	63.8	48.3-79.3	20	36.2	20.7-51.7
\$50,000- 74,999	73	56,065	47	61.0	46.7-75.3	26	39.0	24.7-53.3
\$75,000+	113	75,274	88	72.3	61.7-82.9	25	27.7	17.1-38.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7593	5,136,324	713	6.1	5.5- 6.7	6880	93.9	93.3-94.5
Male	3228	2,501,775	323	6.4	5.4- 7.4	2905	93.6	92.6-94.6
Female	4365	2,634,549	390	5.8	5.0- 6.6	3975	94.2	93.4-95.0
White/Non-Hisp	6273	4,125,823	680	7.3	6.5- 8.1	5593	92.7	91.9-93.5
Black or Afr. Am./Non-Hisp	583	448,200	2	0.5	0.0- 1.3	581	99.5	98.7- 100
Oth. Race/Non-Hisp.	202	133,950	10	1.6	0.4- 2.8	192	98.4	97.2-99.6
MultiRacial/Non-Hisp.	132	44,219	6	2.7	0.2- 5.2	126	97.3	94.8-99.8
Hispanic	261	298,191	4	0.7	0.0- 1.5	257	99.3	98.5- 100
18-24	369	686,457	5	1.8	0.0- 3.8	364	98.2	96.2- 100
25-34	631	852,581	1	0.2	0.0- 0.6	630	99.8	99.4- 100
35-44	737	821,724	14	1.6	0.6- 2.6	723	98.4	97.4-99.4
45-54	1195	835,142	45	3.3	2.3- 4.3	1150	96.7	95.7-97.7
55-64	1617	870,978	120	7.6	6.0- 9.2	1497	92.4	90.8-94.0
65+	3044	1,069,443	528	17.9	16.1-19.7	2516	82.1	80.3-83.9
Less Than H.S.	601	632,107	51	6.0	3.6- 8.4	550	94.0	91.6-96.4
H.S. or G.E.D.	2576	1,722,110	234	5.8	4.8- 6.8	2342	94.2	93.2-95.2
Some Post-H.S.	1954	1,577,473	179	6.0	5.0- 7.0	1775	94.0	93.0-95.0
College Graduate	2429	1,179,833	248	6.8	5.8- 7.8	2181	93.2	92.2-94.2
Less than \$15,000	529	362,044	39	4.9	2.7- 7.1	490	95.1	92.9-97.3
\$15,000- 24,999	1036	654,938	95	5.8	4.4- 7.2	941	94.2	92.8-95.6
\$25,000- 34,999	727	473,040	79	7.5	5.5- 9.5	648	92.5	90.5-94.5
\$35,000- 49,999	910	636,164	103	7.0	5.2- 8.8	807	93.0	91.2-94.8
\$50,000- 74,999	1014	747,200	75	4.1	2.9- 5.3	939	95.9	94.7-97.1
\$75,000+	1723	1,295,062	164	6.8	5.4- 8.2	1559	93.2	91.8-94.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3228	2,501,775	323	6.4	5.4- 7.4	2905	93.6	92.6-94.6
White/Non-Hisp	2625	1,991,542	305	7.9	6.7- 9.1	2320	92.1	90.9-93.3
Black or Afr. Am./Non-Hisp	227	212,325				227	100.0	100.0- 100
Oth. Race/Non-Hisp.	103	73,524	5	1.1	0.0- 2.3	98	98.9	97.7- 100
MultiRacial/Non-Hisp.	68	24,719	5	3.2	0.1- 6.3	63	96.8	93.7-99.9
Hispanic	131	148,256	1	0.1	0.0- 0.3	130	99.9	99.7- 100
18-24	183	353,156	2	2.4	0.0- 5.9	181	97.6	94.1- 100
25-34	314	428,476				314	100.0	100.0- 100
35-44	335	410,042	4	1.4	0.0- 3.0	331	98.6	97.0- 100
45-54	545	414,077	15	2.4	1.0- 3.8	530	97.6	96.2-99.0
55-64	704	424,974	49	7.6	5.2-10.0	655	92.4	90.0-94.8
65+	1147	471,050	253	22.2	19.3-25.1	894	77.8	74.9-80.7
Less Than H.S.	260	326,512	27	7.6	3.3-11.9	233	92.4	88.1-96.7
H.S. or G.E.D.	1082	868,486	95	5.5	4.1- 6.9	987	94.5	93.1-95.9
Some Post-H.S.	808	732,224	77	6.1	4.3- 7.9	731	93.9	92.1-95.7
College Graduate	1060	560,544	123	7.7	6.1- 9.3	937	92.3	90.7-93.9
Less than \$15,000	206	176,010	14	4.0	0.7- 7.3	192	96.0	92.7-99.3
\$15,000- 24,999	384	256,138	40	7.4	4.7-10.1	344	92.6	89.9-95.3
\$25,000- 34,999	303	220,950	41	8.9	5.6-12.2	262	91.1	87.8-94.4
\$35,000- 49,999	402	321,005	54	7.7	5.2-10.2	348	92.3	89.8-94.8
\$50,000- 74,999	492	403,847	36	3.7	2.3- 5.1	456	96.3	94.9-97.7
\$75,000+	870	707,019	91	7.7	5.3-10.1	779	92.3	89.9-94.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4365	2,634,549	390	5.8	5.0- 6.6	3975	94.2	93.4-95.0
White/Non-Hisp	3648	2,134,282	375	6.8	6.0- 7.6	3273	93.2	92.4-94.0
Black or Afr. Am./Non-Hisp	356	235,875	2	0.9	0.0- 2.3	354	99.1	97.7- 100
Oth. Race/Non-Hisp.	99	60,426	5	2.2	0.0- 4.6	94	97.8	95.4- 100
MultiRacial/Non-Hisp.	64	19,499	1	2.0	0.0- 5.9	63	98.0	94.1- 100
Hispanic	130	149,935	3	1.3	0.0- 2.9	127	98.7	97.1- 100
18-24	186	333,301	3	1.2	0.0- 2.6	183	98.8	97.4- 100
25-34	317	424,105	1	0.4	0.0- 1.2	316	99.6	98.8- 100
35-44	402	411,682	10	1.9	0.7- 3.1	392	98.1	96.9-99.3
45-54	650	421,065	30	4.1	2.5- 5.7	620	95.9	94.3-97.5
55-64	913	446,004	71	7.6	5.6- 9.6	842	92.4	90.4-94.4
65+	1897	598,392	275	14.6	12.6-16.6	1622	85.4	83.4-87.4
Less Than H.S.	341	305,595	24	4.2	2.0- 6.4	317	95.8	93.6-98.0
H.S. or G.E.D.	1494	853,624	139	6.2	5.0- 7.4	1355	93.8	92.6-95.0
Some Post-H.S.	1146	845,249	102	5.8	4.4- 7.2	1044	94.2	92.8-95.6
College Graduate	1369	619,289	125	6.0	4.8- 7.2	1244	94.0	92.8-95.2
Less than \$15,000	323	186,034	25	5.7	2.8- 8.6	298	94.3	91.4-97.2
\$15,000- 24,999	652	398,801	55	4.8	3.2- 6.4	597	95.2	93.6-96.8
\$25,000- 34,999	424	252,090	38	6.3	3.9- 8.7	386	93.7	91.3-96.1
\$35,000- 49,999	508	315,159	49	6.2	4.0- 8.4	459	93.8	91.6-96.0
\$50,000- 74,999	522	343,353	39	4.6	2.8- 6.4	483	95.4	93.6-97.2
\$75,000+	853	588,043	73	5.8	4.2- 7.4	780	94.2	92.6-95.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7583	5,123,064	831	7.3	6.7- 7.9	6752	92.7	92.1-93.3
Male	3227	2,496,143	271	5.6	4.8- 6.4	2956	94.4	93.6-95.2
Female	4356	2,626,922	560	8.9	7.9- 9.9	3796	91.1	90.1-92.1
White/Non-Hisp	6264	4,116,577	718	8.0	7.2- 8.8	5546	92.0	91.2-92.8
Black or Afr. Am./Non-Hisp	582	447,130	48	5.6	3.6- 7.6	534	94.4	92.4-96.4
Oth. Race/Non-Hisp.	204	134,518	16	2.7	0.9- 4.5	188	97.3	95.5-99.1
MultiRacial/Non-Hisp.	130	43,325	17	8.2	3.7-12.7	113	91.8	87.3-96.3
Hispanic	260	295,660	10	2.2	0.6- 3.8	250	97.8	96.2-99.4
18-24	368	683,926	4	1.1	0.0- 2.3	364	98.9	97.7- 100
25-34	629	848,531	8	1.2	0.2- 2.2	621	98.8	97.8-99.8
35-44	737	821,724	23	3.2	1.8- 4.6	714	96.8	95.4-98.2
45-54	1193	833,106	95	7.1	5.5- 8.7	1098	92.9	91.3-94.5
55-64	1610	865,241	164	10.2	8.4-12.0	1446	89.8	88.0-91.6
65+	3046	1,070,536	537	17.0	15.4-18.6	2509	83.0	81.4-84.6
Less Than H.S.	597	625,912	78	8.6	6.2-11.0	519	91.4	89.0-93.8
H.S. or G.E.D.	2573	1,718,829	313	8.6	7.4- 9.8	2260	91.4	90.2-92.6
Some Post-H.S.	1951	1,574,217	193	6.3	5.1- 7.5	1758	93.7	92.5-94.9
College Graduate	2430	1,179,379	243	6.1	5.1- 7.1	2187	93.9	92.9-94.9
Less than \$15,000	525	360,223	68	9.3	6.4-12.2	457	90.7	87.8-93.6
\$15,000- 24,999	1032	648,175	124	8.1	6.3- 9.9	908	91.9	90.1-93.7
\$25,000- 34,999	725	470,983	84	7.3	5.1- 9.5	641	92.7	90.5-94.9
\$35,000- 49,999	907	633,129	101	6.6	5.0- 8.2	806	93.4	91.8-95.0
\$50,000- 74,999	1015	747,828	95	6.5	4.9- 8.1	920	93.5	91.9-95.1
\$75,000+	1722	1,294,534	136	5.7	4.5- 6.9	1586	94.3	93.1-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3227	2,496,143	271	5.6	4.8- 6.4	2956	94.4	93.6-95.2
White/Non-Hisp	2626	1,989,962	228	6.0	5.0- 7.0	2398	94.0	93.0-95.0
Black or Afr. Am./Non-Hisp	226	211,255	16	5.4	2.3- 8.5	210	94.6	91.5-97.7
Oth. Race/Non-Hisp.	105	74,092	6	2.2	0.0- 4.6	99	97.8	95.4- 100
MultiRacial/Non-Hisp.	66	23,826	7	6.1	1.2-11.0	59	93.9	89.0-98.8
Hispanic	130	145,725	5	1.9	0.1- 3.7	125	98.1	96.3-99.9
18-24	182	350,625	4	2.2	0.0- 4.4	178	97.8	95.6- 100
25-34	315	428,898	3	0.7	0.0- 1.7	312	99.3	98.3- 100
35-44	335	410,042	5	1.5	0.0- 3.1	330	98.5	96.9- 100
45-54	543	412,041	17	3.3	1.5- 5.1	526	96.7	94.9-98.5
55-64	700	421,908	55	8.0	5.6-10.4	645	92.0	89.6-94.4
65+	1152	472,629	187	16.2	13.7-18.7	965	83.8	81.3-86.3
Less Than H.S.	258	323,239	25	6.2	3.5- 8.9	233	93.8	91.1-96.5
H.S. or G.E.D.	1081	865,710	94	6.3	4.7- 7.9	987	93.7	92.1-95.3
Some Post-H.S.	808	732,122	59	4.9	3.3- 6.5	749	95.1	93.5-96.7
College Graduate	1062	561,063	92	5.3	3.9- 6.7	970	94.7	93.3-96.1
Less than \$15,000	204	175,249	19	6.9	3.0-10.8	185	93.1	89.2-97.0
\$15,000- 24,999	382	252,537	36	6.9	4.4- 9.4	346	93.1	90.6-95.6
\$25,000- 34,999	302	219,669	28	6.0	3.3- 8.7	274	94.0	91.3-96.7
\$35,000- 49,999	402	319,836	34	5.1	3.1- 7.1	368	94.9	92.9-96.9
\$50,000- 74,999	493	404,475	48	6.6	4.2- 9.0	445	93.4	91.0-95.8
\$75,000+	869	706,491	52	4.4	2.8- 6.0	817	95.6	94.0-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4356	2,626,922	560	8.9	7.9- 9.9	3796	91.1	90.1-92.1
White/Non-Hisp	3638	2,126,615	490	9.8	8.8-10.8	3148	90.2	89.2-91.2
Black or Afr. Am./Non-Hisp	356	235,875	32	5.8	3.3- 8.3	324	94.2	91.7-96.7
Oth. Race/Non-Hisp.	99	60,426	10	3.3	0.6- 6.0	89	96.7	94.0-99.4
MultiRacial/Non-Hisp.	64	19,499	10	10.8	2.6-19.0	54	89.2	81.0-97.4
Hispanic	130	149,935	5	2.4	0.0- 4.9	125	97.6	95.1- 100
18-24	186	333,301				186	100.0	100.0- 100
25-34	314	419,633	5	1.7	0.1- 3.3	309	98.3	96.7-99.9
35-44	402	411,682	18	4.9	2.5- 7.3	384	95.1	92.7-97.5
45-54	650	421,065	78	10.8	8.1-13.5	572	89.2	86.5-91.9
55-64	910	443,333	109	12.3	9.8-14.8	801	87.7	85.2-90.2
65+	1894	597,908	350	17.7	15.7-19.7	1544	82.3	80.3-84.3
Less Than H.S.	339	302,672	53	11.2	7.5-14.9	286	88.8	85.1-92.5
H.S. or G.E.D.	1492	853,119	219	10.8	9.0-12.6	1273	89.2	87.4-91.0
Some Post-H.S.	1143	842,095	134	7.5	5.9- 9.1	1009	92.5	90.9-94.1
College Graduate	1368	618,316	151	6.8	5.4- 8.2	1217	93.2	91.8-94.6
Less than \$15,000	321	184,973	49	11.6	7.5-15.7	272	88.4	84.3-92.5
\$15,000- 24,999	650	395,638	88	8.8	6.4-11.2	562	91.2	88.8-93.6
\$25,000- 34,999	423	251,314	56	8.6	5.5-11.7	367	91.4	88.3-94.5
\$35,000- 49,999	505	313,292	67	8.2	5.8-10.6	438	91.8	89.4-94.2
\$50,000- 74,999	522	343,353	47	6.4	4.2- 8.6	475	93.6	91.4-95.8
\$75,000+	853	588,043	84	7.1	5.1- 9.1	769	92.9	90.9-94.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7565	5,112,997	911	9.0	8.2- 9.8	6654	91.0	90.2-91.8
Male	3214	2,489,395	336	7.6	6.6- 8.6	2878	92.4	91.4-93.4
Female	4351	2,623,601	575	10.3	9.3-11.3	3776	89.7	88.7-90.7
White/Non-Hisp	6247	4,105,841	762	9.6	8.8-10.4	5485	90.4	89.6-91.2
Black or Afr. Am./Non-Hisp	582	448,006	68	7.8	5.4-10.2	514	92.2	89.8-94.6
Oth. Race/Non-Hisp.	202	133,690	29	8.0	2.1-13.9	173	92.0	86.1-97.9
MultiRacial/Non-Hisp.	132	44,219	27	17.3	9.7-24.9	105	82.7	75.1-90.3
Hispanic	260	295,704	10	3.3	0.8- 5.8	250	96.7	94.2-99.2
18-24	367	683,505	11	2.6	0.8- 4.4	356	97.4	95.6-99.2
25-34	632	853,072	13	1.7	0.7- 2.7	619	98.3	97.3-99.3
35-44	734	819,450	37	4.8	3.2- 6.4	697	95.2	93.6-96.8
45-54	1188	827,653	129	11.0	8.8-13.2	1059	89.0	86.8-91.2
55-64	1612	865,524	240	15.2	13.0-17.4	1372	84.8	82.6-87.0
65+	3032	1,063,793	481	15.7	14.1-17.3	2551	84.3	82.7-85.9
Less Than H.S.	595	624,287	145	16.4	13.3-19.5	450	83.6	80.5-86.7
H.S. or G.E.D.	2568	1,716,868	399	11.4	10.0-12.8	2169	88.6	87.2-90.0
Some Post-H.S.	1945	1,569,418	227	7.5	6.3- 8.7	1718	92.5	91.3-93.7
College Graduate	2425	1,178,193	138	3.6	2.8- 4.4	2287	96.4	95.6-97.2
Less than \$15,000	524	358,129	153	22.9	18.6-27.2	371	77.1	72.8-81.4
\$15,000- 24,999	1035	652,537	227	16.5	14.0-19.0	808	83.5	81.0-86.0
\$25,000- 34,999	726	471,501	117	12.0	9.3-14.7	609	88.0	85.3-90.7
\$35,000- 49,999	908	634,770	95	7.4	5.6- 9.2	813	92.6	90.8-94.4
\$50,000- 74,999	1012	745,941	77	5.3	3.9- 6.7	935	94.7	93.3-96.1
\$75,000+	1720	1,291,181	65	3.5	2.3- 4.7	1655	96.5	95.3-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3214	2,489,395	336	7.6	6.6- 8.6	2878	92.4	91.4-93.4
White/Non-Hisp	2611	1,979,422	287	8.4	7.2- 9.6	2324	91.6	90.4-92.8
Black or Afr. Am./Non-Hisp	227	212,325	15	4.3	1.8- 6.8	212	95.7	93.2-98.2
Oth. Race/Non-Hisp.	103	73,264	13	4.3	0.6- 8.0	90	95.7	92.0-99.4
MultiRacial/Non-Hisp.	68	24,719	15	20.7	9.1-32.3	53	79.3	67.7-90.9
Hispanic	131	148,256	3	3.4	0.0- 7.5	128	96.6	92.5- 100
18-24	182	352,513	5	2.1	0.0- 4.3	177	97.9	95.7- 100
25-34	315	428,967	4	0.9	0.0- 1.9	311	99.1	98.1- 100
35-44	333	408,234	19	5.2	2.7- 7.7	314	94.8	92.3-97.3
45-54	541	410,740	46	7.9	5.4-10.4	495	92.1	89.6-94.6
55-64	700	420,744	90	13.0	10.1-15.9	610	87.0	84.1-89.9
65+	1143	468,198	172	14.9	12.5-17.3	971	85.1	82.7-87.5
Less Than H.S.	257	322,468	51	11.4	7.7-15.1	206	88.6	84.9-92.3
H.S. or G.E.D.	1078	864,898	143	9.7	7.7-11.7	935	90.3	88.3-92.3
Some Post-H.S.	805	729,170	85	6.8	5.0- 8.6	720	93.2	91.4-95.0
College Graduate	1056	558,850	56	3.5	2.5- 4.5	1000	96.5	95.5-97.5
Less than \$15,000	203	172,755	46	16.2	10.7-21.7	157	83.8	78.3-89.3
\$15,000- 24,999	382	253,560	81	17.4	13.1-21.7	301	82.6	78.3-86.9
\$25,000- 34,999	303	220,279	55	14.1	9.6-18.6	248	85.9	81.4-90.4
\$35,000- 49,999	400	319,610	42	7.2	4.7- 9.7	358	92.8	90.3-95.3
\$50,000- 74,999	491	403,812	34	4.7	2.7- 6.7	457	95.3	93.3-97.3
\$75,000+	869	705,891	33	3.2	1.8- 4.6	836	96.8	95.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4351	2,623,601	575	10.3	9.3-11.3	3776	89.7	88.7-90.7
White/Non-Hisp	3636	2,126,419	475	10.6	9.4-11.8	3161	89.4	88.2-90.6
Black or Afr. Am./Non-Hisp	355	235,681	53	11.0	7.5-14.5	302	89.0	85.5-92.5
Oth. Race/Non-Hisp.	99	60,426	16	12.4	0.6-24.2	83	87.6	75.8-99.4
MultiRacial/Non-Hisp.	64	19,499	12	13.1	4.5-21.7	52	86.9	78.3-95.5
Hispanic	129	147,448	7	3.3	0.4- 6.2	122	96.7	93.8-99.6
18-24	185	330,991	6	3.2	0.5- 5.9	179	96.8	94.1-99.5
25-34	317	424,105	9	2.4	0.6- 4.2	308	97.6	95.8-99.4
35-44	401	411,216	18	4.3	2.1- 6.5	383	95.7	93.5-97.9
45-54	647	416,913	83	14.0	10.7-17.3	564	86.0	82.7-89.3
55-64	912	444,781	150	17.2	14.3-20.1	762	82.8	79.9-85.7
65+	1889	595,595	309	16.4	14.4-18.4	1580	83.6	81.6-85.6
Less Than H.S.	338	301,819	94	21.7	16.4-27.0	244	78.3	73.0-83.6
H.S. or G.E.D.	1490	851,970	256	13.1	11.1-15.1	1234	86.9	84.9-88.9
Some Post-H.S.	1140	840,248	142	8.2	6.4-10.0	998	91.8	90.0-93.6
College Graduate	1369	619,343	82	3.8	2.8- 4.8	1287	96.2	95.2-97.2
Less than \$15,000	321	185,374	107	29.1	22.8-35.4	214	70.9	64.6-77.2
\$15,000- 24,999	653	398,977	146	16.0	12.7-19.3	507	84.0	80.7-87.3
\$25,000- 34,999	423	251,222	62	10.2	7.1-13.3	361	89.8	86.7-92.9
\$35,000- 49,999	508	315,159	53	7.6	5.1-10.1	455	92.4	89.9-94.9
\$50,000- 74,999	521	342,130	43	6.1	3.9- 8.3	478	93.9	91.7-96.1
\$75,000+	851	585,290	32	3.9	1.9- 5.9	819	96.1	94.1-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7569	5,123,881	2925	28.5	27.3-29.7	4644	71.5	70.3-72.7
Male	3222	2,501,231	1050	25.1	23.3-26.9	2172	74.9	73.1-76.7
Female	4347	2,622,650	1875	31.8	30.0-33.6	2472	68.2	66.4-70.0
White/Non-Hisp	6254	4,117,314	2474	30.1	28.7-31.5	3780	69.9	68.5-71.3
Black or Afr. Am./Non-Hisp	580	446,837	216	26.6	22.5-30.7	364	73.4	69.3-77.5
Oth. Race/Non-Hisp.	202	134,131	78	12.5	8.0-17.0	124	87.5	83.0-92.0
MultiRacial/Non-Hisp.	131	44,134	60	44.0	33.0-55.0	71	56.0	45.0-67.0
Hispanic	258	294,812	48	13.3	8.6-18.0	210	86.7	82.0-91.4
18-24	369	686,457	19	4.6	2.4- 6.8	350	95.4	93.2-97.6
25-34	632	851,633	64	8.9	6.5-11.3	568	91.1	88.7-93.5
35-44	736	821,469	117	15.2	12.3-18.1	619	84.8	81.9-87.7
45-54	1187	831,079	374	31.5	28.6-34.4	813	68.5	65.6-71.4
55-64	1611	866,976	725	45.2	42.3-48.1	886	54.8	51.9-57.7
65+	3034	1,066,268	1626	53.9	51.7-56.1	1408	46.1	43.9-48.3
Less Than H.S.	595	627,022	285	32.7	28.2-37.2	310	67.3	62.8-71.8
H.S. or G.E.D.	2566	1,718,838	1092	31.5	29.3-33.7	1474	68.5	66.3-70.7
Some Post-H.S.	1949	1,574,390	793	29.1	26.7-31.5	1156	70.9	68.5-73.3
College Graduate	2426	1,178,831	747	21.0	19.2-22.8	1679	79.0	77.2-80.8
Less than \$15,000	526	361,431	290	42.1	36.6-47.6	236	57.9	52.4-63.4
\$15,000- 24,999	1031	650,684	500	36.5	32.8-40.2	531	63.5	59.8-67.2
\$25,000- 34,999	724	472,007	315	31.7	27.6-35.8	409	68.3	64.2-72.4
\$35,000- 49,999	905	632,324	375	30.9	27.2-34.6	530	69.1	65.4-72.8
\$50,000- 74,999	1012	747,212	348	26.7	23.6-29.8	664	73.3	70.2-76.4
\$75,000+	1720	1,293,785	419	17.6	15.6-19.6	1301	82.4	80.4-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3222	2,501,231	1050	25.1	23.3-26.9	2172	74.9	73.1-76.7
White/Non-Hisp	2621	1,991,106	884	26.8	24.8-28.8	1737	73.2	71.2-75.2
Black or Afr. Am./Non-Hisp	225	211,448	72	23.3	17.4-29.2	153	76.7	70.8-82.6
Oth. Race/Non-Hisp.	103	73,704	30	10.1	4.4-15.8	73	89.9	84.2-95.6
MultiRacial/Non-Hisp.	67	24,635	28	42.7	28.4-57.0	39	57.3	43.0-71.6
Hispanic	131	148,256	20	10.9	4.8-17.0	111	89.1	83.0-95.2
18-24	183	353,156	7	3.9	1.0- 6.8	176	96.1	93.2-99.0
25-34	316	429,640	30	7.4	4.7-10.1	286	92.6	89.9-95.3
35-44	334	409,787	49	14.3	10.2-18.4	285	85.7	81.6-89.8
45-54	543	414,059	164	30.2	25.9-34.5	379	69.8	65.5-74.1
55-64	701	423,735	281	40.7	36.6-44.8	420	59.3	55.2-63.4
65+	1145	470,854	519	48.0	44.5-51.5	626	52.0	48.5-55.5
Less Than H.S.	258	325,596	101	26.4	20.5-32.3	157	73.6	67.7-79.5
H.S. or G.E.D.	1080	868,987	384	27.4	24.5-30.3	696	72.6	69.7-75.5
Some Post-H.S.	807	732,509	286	25.9	22.6-29.2	521	74.1	70.8-77.4
College Graduate	1059	560,130	275	19.7	17.2-22.2	784	80.3	77.8-82.8
Less than \$15,000	204	175,754	96	34.8	27.0-42.6	108	65.2	57.4-73.0
\$15,000- 24,999	382	255,358	159	35.4	29.5-41.3	223	64.6	58.7-70.5
\$25,000- 34,999	303	221,313	112	27.9	22.0-33.8	191	72.1	66.2-78.0
\$35,000- 49,999	400	320,387	145	26.8	21.9-31.7	255	73.2	68.3-78.1
\$50,000- 74,999	490	403,773	151	24.9	20.4-29.4	339	75.1	70.6-79.6
\$75,000+	869	706,815	207	18.1	15.2-21.0	662	81.9	79.0-84.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4347	2,622,650	1875	31.8	30.0-33.6	2472	68.2	66.4-70.0
White/Non-Hisp	3633	2,126,209	1590	33.3	31.3-35.3	2043	66.7	64.7-68.7
Black or Afr. Am./Non-Hisp	355	235,389	144	29.6	23.9-35.3	211	70.4	64.7-76.1
Oth. Race/Non-Hisp.	99	60,426	48	15.4	7.8-23.0	51	84.6	77.0-92.2
MultiRacial/Non-Hisp.	64	19,499	32	45.7	28.8-62.6	32	54.3	37.4-71.2
Hispanic	127	146,556	28	15.8	8.5-23.1	99	84.2	76.9-91.5
18-24	186	333,301	12	5.4	2.1- 8.7	174	94.6	91.3-97.9
25-34	316	421,993	34	10.6	6.7-14.5	282	89.4	85.5-93.3
35-44	402	411,682	68	16.1	12.2-20.0	334	83.9	80.0-87.8
45-54	644	417,020	210	32.7	28.6-36.8	434	67.3	63.2-71.4
55-64	910	443,241	444	49.4	45.7-53.1	466	50.6	46.9-54.3
65+	1889	595,414	1107	58.6	55.9-61.3	782	41.4	38.7-44.1
Less Than H.S.	337	301,426	184	39.4	32.9-45.9	153	60.6	54.1-67.1
H.S. or G.E.D.	1486	849,850	708	35.8	32.9-38.7	778	64.2	61.3-67.1
Some Post-H.S.	1142	841,881	507	31.9	28.8-35.0	635	68.1	65.0-71.2
College Graduate	1367	618,700	472	22.2	19.8-24.6	895	77.8	75.4-80.2
Less than \$15,000	322	185,677	194	49.0	41.7-56.3	128	51.0	43.7-58.3
\$15,000- 24,999	649	395,326	341	37.2	32.5-41.9	308	62.8	58.1-67.5
\$25,000- 34,999	421	250,694	203	35.0	29.1-40.9	218	65.0	59.1-70.9
\$35,000- 49,999	505	311,937	230	35.1	29.8-40.4	275	64.9	59.6-70.2
\$50,000- 74,999	522	343,439	197	28.9	24.2-33.6	325	71.1	66.4-75.8
\$75,000+	851	586,969	212	17.1	14.4-19.8	639	82.9	80.2-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7575	5,114,530	1446	19.7	18.5-20.9	6129	80.3	79.1-81.5
Male	3219	2,487,900	449	14.0	12.4-15.6	2770	86.0	84.4-87.6
Female	4356	2,626,630	997	25.2	23.4-27.0	3359	74.8	73.0-76.6
White/Non-Hisp	6261	4,113,956	1196	20.1	18.7-21.5	5065	79.9	78.5-81.3
Black or Afr. Am./Non-Hisp	582	446,457	100	18.5	14.4-22.6	482	81.5	77.4-85.6
Oth. Race/Non-Hisp.	201	131,445	41	17.3	7.7-26.9	160	82.7	73.1-92.3
MultiRacial/Non-Hisp.	132	44,219	48	41.6	30.8-52.4	84	58.4	47.6-69.2
Hispanic	259	295,761	41	16.7	11.0-22.4	218	83.3	77.6-89.0
18-24	366	680,629	96	24.5	19.6-29.4	270	75.5	70.6-80.4
25-34	630	850,864	141	21.1	17.6-24.6	489	78.9	75.4-82.4
35-44	735	817,706	155	18.9	15.8-22.0	580	81.1	78.0-84.2
45-54	1195	835,095	274	21.8	19.1-24.5	921	78.2	75.5-80.9
55-64	1609	864,788	361	21.1	18.7-23.5	1248	78.9	76.5-81.3
65+	3040	1,065,448	419	13.5	11.9-15.1	2621	86.5	84.9-88.1
Less Than H.S.	593	624,777	173	29.1	24.4-33.8	420	70.9	66.2-75.6
H.S. or G.E.D.	2571	1,712,677	467	18.2	16.2-20.2	2104	81.8	79.8-83.8
Some Post-H.S.	1952	1,574,865	420	21.5	19.1-23.9	1532	78.5	76.1-80.9
College Graduate	2427	1,177,947	380	14.6	12.8-16.4	2047	85.4	83.6-87.2
Less than \$15,000	523	358,738	214	42.5	36.6-48.4	309	57.5	51.6-63.4
\$15,000- 24,999	1035	652,545	281	28.9	25.2-32.6	754	71.1	67.4-74.8
\$25,000- 34,999	723	471,089	149	21.7	17.6-25.8	574	78.3	74.2-82.4
\$35,000- 49,999	910	635,434	178	19.8	16.3-23.3	732	80.2	76.7-83.7
\$50,000- 74,999	1013	744,642	154	14.9	12.2-17.6	859	85.1	82.4-87.8
\$75,000+	1720	1,292,270	221	12.8	10.6-15.0	1499	87.2	85.0-89.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3219	2,487,900	449	14.0	12.4-15.6	2770	86.0	84.4-87.6
White/Non-Hisp	2618	1,982,227	347	13.5	11.7-15.3	2271	86.5	84.7-88.3
Black or Afr. Am./Non-Hisp	227	212,325	33	14.5	8.8-20.2	194	85.5	79.8-91.2
Oth. Race/Non-Hisp.	103	71,256	23	19.9	5.6-34.2	80	80.1	65.8-94.4
MultiRacial/Non-Hisp.	68	24,719	26	41.2	27.1-55.3	42	58.8	44.7-72.9
Hispanic	129	145,827	14	13.7	5.7-21.7	115	86.3	78.3-94.3
18-24	180	347,328	38	20.1	13.2-27.0	142	79.9	73.0-86.8
25-34	314	428,503	47	14.2	9.9-18.5	267	85.8	81.5-90.1
35-44	333	406,024	45	11.0	7.3-14.7	288	89.0	85.3-92.7
45-54	546	414,519	80	14.2	10.9-17.5	466	85.8	82.5-89.1
55-64	701	422,726	114	14.5	11.6-17.4	587	85.5	82.6-88.4
65+	1145	468,801	125	11.2	9.0-13.4	1020	88.8	86.6-91.0
Less Than H.S.	254	320,821	49	20.9	14.2-27.6	205	79.1	72.4-85.8
H.S. or G.E.D.	1081	862,681	156	13.9	11.5-16.3	925	86.1	83.7-88.5
Some Post-H.S.	809	732,290	130	14.6	11.5-17.7	679	85.4	82.3-88.5
College Graduate	1058	558,637	113	9.4	7.2-11.6	945	90.6	88.4-92.8
Less than \$15,000	201	173,750	70	37.4	28.2-46.6	131	62.6	53.4-71.8
\$15,000- 24,999	383	253,888	91	23.3	17.8-28.8	292	76.7	71.2-82.2
\$25,000- 34,999	302	220,117	51	16.5	11.0-22.0	251	83.5	78.0-89.0
\$35,000- 49,999	403	320,379	45	11.7	7.6-15.8	358	88.3	84.2-92.4
\$50,000- 74,999	492	401,706	52	9.5	6.6-12.4	440	90.5	87.6-93.4
\$75,000+	868	704,716	75	8.8	6.1-11.5	793	91.2	88.5-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4356	2,626,630	997	25.2	23.4-27.0	3359	74.8	73.0-76.6
White/Non-Hisp	3643	2,131,729	849	26.1	24.1-28.1	2794	73.9	71.9-75.9
Black or Afr. Am./Non-Hisp	355	234,132	67	22.2	16.5-27.9	288	77.8	72.1-83.5
Oth. Race/Non-Hisp.	98	60,188	18	14.1	2.3-25.9	80	85.9	74.1-97.7
MultiRacial/Non-Hisp.	64	19,499	22	42.0	25.1-58.9	42	58.0	41.1-74.9
Hispanic	130	149,935	27	19.7	11.7-27.7	103	80.3	72.3-88.3
18-24	186	333,301	58	29.1	22.0-36.2	128	70.9	63.8-78.0
25-34	316	422,362	94	28.1	22.6-33.6	222	71.9	66.4-77.4
35-44	402	411,682	110	26.8	21.9-31.7	292	73.2	68.3-78.1
45-54	649	420,576	194	29.4	25.3-33.5	455	70.6	66.5-74.7
55-64	908	442,062	247	27.4	23.9-30.9	661	72.6	69.1-76.1
65+	1895	596,647	294	15.3	13.3-17.3	1601	84.7	82.7-86.7
Less Than H.S.	339	303,956	124	37.8	31.1-44.5	215	62.2	55.5-68.9
H.S. or G.E.D.	1490	849,996	311	22.6	19.7-25.5	1179	77.4	74.5-80.3
Some Post-H.S.	1143	842,575	290	27.5	24.0-31.0	853	72.5	69.0-76.0
College Graduate	1369	619,310	267	19.2	16.7-21.7	1102	80.8	78.3-83.3
Less than \$15,000	322	184,988	144	47.3	40.0-54.6	178	52.7	45.4-60.0
\$15,000- 24,999	652	398,657	190	32.5	27.4-37.6	462	67.5	62.4-72.6
\$25,000- 34,999	421	250,972	98	26.2	20.1-32.3	323	73.8	67.7-79.9
\$35,000- 49,999	507	315,056	133	28.1	22.6-33.6	374	71.9	66.4-77.4
\$50,000- 74,999	521	342,936	102	21.1	16.4-25.8	419	78.9	74.2-83.6
\$75,000+	852	587,554	146	17.7	14.4-21.0	706	82.3	79.0-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7577	5,124,341	361	3.4	3.0- 3.8	7216	96.6	96.2-97.0
Male	3223	2,495,045	148	3.3	2.7- 3.9	3075	96.7	96.1-97.3
Female	4354	2,629,296	213	3.5	2.9- 4.1	4141	96.5	95.9-97.1
White/Non-Hisp	6261	4,120,332	301	3.4	3.0- 3.8	5960	96.6	96.2-97.0
Black or Afr. Am./Non-Hisp	582	447,540	36	4.7	2.7- 6.7	546	95.3	93.3-97.3
Oth. Race/Non-Hisp.	203	133,198	3	1.0	0.0- 2.2	200	99.0	97.8- 100
MultiRacial/Non-Hisp.	131	44,182	10	6.4	0.7-12.1	121	93.6	87.9-99.3
Hispanic	258	293,146	4	2.1	0.0- 4.5	254	97.9	95.5- 100
18-24	367	682,606	2	0.6	0.0- 1.6	365	99.4	98.4- 100
25-34	632	853,072	8	1.1	0.3- 1.9	624	98.9	98.1-99.7
35-44	735	819,497	14	1.6	0.6- 2.6	721	98.4	97.4-99.4
45-54	1191	832,037	29	2.7	1.5- 3.9	1162	97.3	96.1-98.5
55-64	1614	869,091	73	4.8	3.4- 6.2	1541	95.2	93.8-96.6
65+	3038	1,068,037	235	7.9	6.7- 9.1	2803	92.1	90.9-93.3
Less Than H.S.	596	626,641	42	5.1	3.1- 7.1	554	94.9	92.9-96.9
H.S. or G.E.D.	2570	1,718,185	136	3.8	3.0- 4.6	2434	96.2	95.4-97.0
Some Post-H.S.	1952	1,577,096	94	3.0	2.2- 3.8	1858	97.0	96.2-97.8
College Graduate	2427	1,179,185	88	2.4	1.8- 3.0	2339	97.6	97.0-98.2
Less than \$15,000	527	359,804	51	8.5	5.6-11.4	476	91.5	88.6-94.4
\$15,000- 24,999	1034	651,891	68	4.4	3.2- 5.6	966	95.6	94.4-96.8
\$25,000- 34,999	724	470,303	50	5.7	3.7- 7.7	674	94.3	92.3-96.3
\$35,000- 49,999	911	636,642	40	2.5	1.5- 3.5	871	97.5	96.5-98.5
\$50,000- 74,999	1013	747,124	36	2.3	1.3- 3.3	977	97.7	96.7-98.7
\$75,000+	1722	1,294,517	28	1.1	0.7- 1.5	1694	98.9	98.5-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3223	2,495,045	148	3.3	2.7- 3.9	3075	96.7	96.1-97.3
White/Non-Hisp	2622	1,989,948	124	3.2	2.4- 4.0	2498	96.8	96.0-97.6
Black or Afr. Am./Non-Hisp	226	211,665	12	5.2	1.9- 8.5	214	94.8	91.5-98.1
Oth. Race/Non-Hisp.	105	74,092	2	1.6	0.0- 3.8	103	98.4	96.2- 100
MultiRacial/Non-Hisp.	68	24,719	7	8.2	0.0-17.4	61	91.8	82.6- 100
Hispanic	128	143,211	1	2.2	0.0- 6.5	127	97.8	93.5- 100
18-24	182	350,625	2	1.2	0.0- 3.0	180	98.8	97.0- 100
25-34	315	428,967	3	0.8	0.0- 1.8	312	99.2	98.2- 100
35-44	334	408,475	6	1.6	0.0- 3.2	328	98.4	96.8- 100
45-54	544	412,278	8	1.6	0.2- 3.0	536	98.4	97.0-99.8
55-64	701	423,163	31	4.8	2.8- 6.8	670	95.2	93.2-97.2
65+	1147	471,536	98	8.8	6.8-10.8	1049	91.2	89.2-93.2
Less Than H.S.	256	321,703	13	4.0	1.3- 6.7	243	96.0	93.3-98.7
H.S. or G.E.D.	1081	867,249	58	3.6	2.4- 4.8	1023	96.4	95.2-97.6
Some Post-H.S.	810	733,344	34	3.1	1.7- 4.5	776	96.9	95.5-98.3
College Graduate	1059	560,307	43	2.8	1.8- 3.8	1016	97.2	96.2-98.2
Less than \$15,000	204	173,769	15	6.7	2.4-11.0	189	93.3	89.0-97.6
\$15,000- 24,999	383	253,607	25	4.6	2.4- 6.8	358	95.4	93.2-97.6
\$25,000- 34,999	302	219,483	19	4.8	2.1- 7.5	283	95.2	92.5-97.9
\$35,000- 49,999	404	321,632	17	2.5	0.9- 4.1	387	97.5	95.9-99.1
\$50,000- 74,999	490	403,487	16	2.4	1.0- 3.8	474	97.6	96.2-99.0
\$75,000+	870	707,019	22	1.5	0.7- 2.3	848	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? (CHCKDNY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4354	2,629,296	213	3.5	2.9- 4.1	4141	96.5	95.9-97.1
White/Non-Hisp	3639	2,130,384	177	3.5	2.9- 4.1	3462	96.5	95.9-97.1
Black or Afr. Am./Non-Hisp	356	235,875	24	4.3	2.1- 6.5	332	95.7	93.5-97.9
Oth. Race/Non-Hisp.	98	59,106	1	0.3	0.0- 0.9	97	99.7	99.1- 100
MultiRacial/Non-Hisp.	63	19,463	3	4.1	0.0- 9.4	60	95.9	90.6- 100
Hispanic	130	149,935	3	2.0	0.0- 4.5	127	98.0	95.5- 100
18-24	185	331,981				185	100.0	100.0- 100
25-34	317	424,105	5	1.3	0.1- 2.5	312	98.7	97.5-99.9
35-44	401	411,022	8	1.7	0.3- 3.1	393	98.3	96.9-99.7
45-54	647	419,759	21	3.7	1.9- 5.5	626	96.3	94.5-98.1
55-64	913	445,928	42	4.9	3.1- 6.7	871	95.1	93.3-96.9
65+	1891	596,501	137	7.2	5.8- 8.6	1754	92.8	91.4-94.2
Less Than H.S.	340	304,937	29	6.3	3.6- 9.0	311	93.7	91.0-96.4
H.S. or G.E.D.	1489	850,935	78	4.0	2.8- 5.2	1411	96.0	94.8-97.2
Some Post-H.S.	1142	843,752	60	3.0	2.0- 4.0	1082	97.0	96.0-98.0
College Graduate	1368	618,879	45	2.0	1.2- 2.8	1323	98.0	97.2-98.8
Less than \$15,000	323	186,034	36	10.2	6.3-14.1	287	89.8	85.9-93.7
\$15,000- 24,999	651	398,284	43	4.2	2.6- 5.8	608	95.8	94.2-97.4
\$25,000- 34,999	422	250,820	31	6.5	3.6- 9.4	391	93.5	90.6-96.4
\$35,000- 49,999	507	315,010	23	2.5	1.1- 3.9	484	97.5	96.1-98.9
\$50,000- 74,999	523	343,637	20	2.2	1.0- 3.4	503	97.8	96.6-99.0
\$75,000+	852	587,498	6	0.5	0.0- 1.1	846	99.5	98.9- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7595	5,133,062	1303	12.5	11.7-13.3	77	1.2	0.8- 1.6	6112	85.1	84.1-86.1	103	1.2	1.0- 1.4
Male	3230	2,499,343	605	13.6	12.2-15.0				2588	85.4	84.0-86.8	37	1.0	0.6- 1.4
Female	4365	2,633,719	698	11.4	10.4-12.4	77	2.3	1.7- 2.9	3524	84.9	83.7-86.1	66	1.4	1.0- 1.8
White/Non-Hisp	6275	4,126,035	1071	12.7	11.7-13.7	63	1.2	0.8- 1.6	5063	84.9	83.9-85.9	78	1.2	0.8- 1.6
Black or Afr. Am./Non-Hisp	583	448,200	125	14.2	11.1-17.3	8	1.2	0.2- 2.2	444	84.1	80.8-87.4	6	0.5	0.1- 0.9
Oth. Race/Non-Hisp.	203	134,027	29	6.1	1.6-10.6	1	0.4	0.0- 1.2	169	93.1	88.4-97.8	4	0.4	0.0- 1.0
MultiRacial/Non-Hisp.	132	44,219	28	14.3	7.4-21.2	1	0.7	0.0- 2.1	100	83.7	76.6-90.8	3	1.2	0.0- 3.0
Hispanic	258	293,927	35	10.5	6.2-14.8	4	1.5	0.0- 3.5	210	85.8	80.9-90.7	9	2.1	0.5- 3.7
18-24	367	682,381	5	1.7	0.0- 3.5	1	0.4	0.0- 1.2	357	97.2	95.0-99.4	4	0.7	0.0- 1.5
25-34	631	853,066	18	2.8	1.4- 4.2	16	2.6	1.2- 4.0	594	94.5	92.5-96.5	3	0.2	0.0- 0.4
35-44	736	821,554	49	6.5	4.3- 8.7	16	1.8	0.8- 2.8	659	90.0	87.5-92.5	12	1.7	0.7- 2.7
45-54	1194	834,201	149	12.2	10.0-14.4	14	1.1	0.5- 1.7	1019	85.5	83.3-87.7	12	1.1	0.5- 1.7
55-64	1618	871,262	329	19.9	17.5-22.3	16	1.0	0.4- 1.6	1247	77.2	74.8-79.6	26	1.9	1.1- 2.7
65+	3049	1,070,597	753	25.8	23.8-27.8	14	0.4	0.2- 0.6	2236	72.4	70.4-74.4	46	1.4	1.0- 1.8
Less Than H.S.	599	628,786	147	17.6	14.1-21.1	10	2.0	0.4- 3.6	430	78.8	74.9-82.7	12	1.6	0.6- 2.6
H.S. or G.E.D.	2579	1,723,404	487	13.4	12.0-14.8	22	1.0	0.6- 1.4	2030	84.4	82.8-86.0	40	1.3	0.7- 1.9
Some Post-H.S.	1952	1,575,582	361	11.8	10.2-13.4	26	1.3	0.7- 1.9	1538	85.7	83.9-87.5	27	1.2	0.6- 1.8
College Graduate	2432	1,180,487	301	9.1	7.9-10.3	19	1.0	0.4- 1.6	2088	89.1	87.7-90.5	24	0.9	0.5- 1.3
Less than \$15,000	527	361,780	136	20.6	16.5-24.7	7	1.4	0.2- 2.6	367	74.9	70.4-79.4	17	3.2	1.4- 5.0
\$15,000- 24,999	1035	651,794	261	18.7	16.0-21.4	14	1.9	0.7- 3.1	740	77.8	74.7-80.9	20	1.6	0.8- 2.4
\$25,000- 34,999	728	473,620	143	14.9	12.0-17.8	7	1.0	0.2- 1.8	567	82.7	79.6-85.8	11	1.4	0.2- 2.6
\$35,000- 49,999	910	634,653	157	13.0	10.5-15.5	8	1.2	0.2- 2.2	735	84.7	82.0-87.4	10	1.1	0.3- 1.9
\$50,000- 74,999	1016	748,112	157	10.9	8.7-13.1	8	0.9	0.1- 1.7	842	87.6	85.2-90.0	9	0.6	0.2- 1.0
\$75,000+	1722	1,294,469	166	7.5	5.9- 9.1	18	1.2	0.6- 1.8	1526	90.8	89.0-92.6	12	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3230	2,499,343	605	13.6	12.2-15.0	2588	85.4	84.0-86.8	37	1.0	0.6- 1.4
White/Non-Hisp	2628	1,992,623	508	14.0	12.4-15.6	2091	85.0	83.4-86.6	29	1.1	0.7- 1.5
Black or Afr. Am./Non-Hisp	227	212,325	43	15.0	9.9-20.1	182	84.7	79.6-89.8	2	0.3	0.0- 0.7
Oth. Race/Non-Hisp.	104	73,601	15	9.3	1.3-17.3	88	90.4	82.4-98.4	1	0.3	0.0- 0.9
MultiRacial/Non-Hisp.	68	24,719	14	16.2	5.8-26.6	53	83.5	73.1-93.9	1	0.3	0.0- 0.9
Hispanic	128	143,992	16	9.7	3.8-15.6	110	89.0	82.9-95.1	2	1.3	0.0- 3.1
18-24	181	349,080	4	3.0	0.0- 6.5	176	96.5	93.0- 100	1	0.5	0.0- 1.5
25-34	314	428,961	10	3.0	1.0- 5.0	303	96.8	94.8-98.8	1	0.2	0.0- 0.6
35-44	335	410,042	19	6.8	3.5-10.1	311	91.6	88.1-95.1	5	1.6	0.0- 3.2
45-54	546	414,519	67	11.8	8.9-14.7	472	86.8	83.7-89.9	7	1.3	0.3- 2.3
55-64	704	424,974	157	22.0	18.5-25.5	537	76.7	73.2-80.2	10	1.3	0.3- 2.3
65+	1150	471,767	348	31.0	27.7-34.3	789	67.9	64.6-71.2	13	1.1	0.3- 1.9
Less Than H.S.	259	323,981	59	17.1	11.6-22.6	197	82.2	76.7-87.7	3	0.7	0.0- 1.5
H.S. or G.E.D.	1085	869,774	210	13.6	11.4-15.8	859	85.0	82.6-87.4	16	1.3	0.5- 2.1
Some Post-H.S.	807	730,703	176	13.9	11.5-16.3	624	85.4	82.9-87.9	7	0.6	0.0- 1.2
College Graduate	1061	560,875	158	11.1	8.9-13.3	892	87.6	85.2-90.0	11	1.2	0.2- 2.2
Less than \$15,000	205	175,823	46	18.1	12.0-24.2	152	79.1	72.6-85.6	7	2.8	0.4- 5.2
\$15,000- 24,999	383	253,607	106	20.9	16.4-25.4	270	77.0	72.3-81.7	7	2.1	0.5- 3.7
\$25,000- 34,999	304	221,530	65	16.6	11.9-21.3	233	81.8	76.9-86.7	6	1.6	0.0- 3.2
\$35,000- 49,999	402	319,494	88	16.1	12.0-20.2	313	83.7	79.6-87.8	1	0.2	0.0- 0.6
\$50,000- 74,999	493	404,475	100	13.8	10.5-17.1	389	85.4	82.1-88.7	4	0.7	0.0- 1.5
\$75,000+	870	707,019	97	8.8	6.4-11.2	769	90.9	88.5-93.3	4	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4365	2,633,719	698	11.4	10.4-12.4	77	2.3	1.7- 2.9	3524	84.9	83.7-86.1	66	1.4	1.0- 1.8
White/Non-Hisp	3647	2,133,412	563	11.5	10.3-12.7	63	2.4	1.6- 3.2	2972	84.7	83.3-86.1	49	1.3	0.9- 1.7
Black or Afr. Am./Non-Hisp	356	235,875	82	13.5	9.8-17.2	8	2.3	0.5- 4.1	262	83.6	79.5-87.7	4	0.6	0.0- 1.4
Oth. Race/Non-Hisp.	99	60,426	14	2.3	0.7- 3.9	1	0.8	0.0- 2.4	81	96.3	93.8-98.8	3	0.6	0.0- 1.6
MultiRacial/Non-Hisp.	64	19,499	14	12.0	4.6-19.4	1	1.5	0.0- 4.4	47	84.1	75.1-93.1	2	2.4	0.0- 6.5
Hispanic	130	149,935	19	11.3	5.0-17.6	4	3.0	0.0- 6.7	100	82.8	75.4-90.2	7	2.9	0.4- 5.4
18-24	186	333,301	1	0.3	0.0- 0.9	1	0.8	0.0- 2.4	181	97.9	95.9-99.9	3	0.9	0.0- 2.1
25-34	317	424,105	8	2.5	0.5- 4.5	16	5.2	2.5- 7.9	291	92.1	88.8-95.4	2	0.2	0.0- 0.6
35-44	401	411,512	30	6.2	3.7- 8.7	16	3.6	1.6- 5.6	348	88.4	84.9-91.9	7	1.8	0.4- 3.2
45-54	648	419,682	82	12.6	9.7-15.5	14	2.3	0.9- 3.7	547	84.3	81.2-87.4	5	0.8	0.0- 1.6
55-64	914	446,288	172	17.9	15.0-20.8	16	1.9	0.9- 2.9	710	77.7	74.6-80.8	16	2.5	1.1- 3.9
65+	1899	598,831	405	21.6	19.2-24.0	14	0.8	0.4- 1.2	1447	76.0	73.6-78.4	33	1.7	1.1- 2.3
Less Than H.S.	340	304,805	88	18.0	13.5-22.5	10	4.2	1.1- 7.3	233	75.2	69.7-80.7	9	2.5	0.7- 4.3
H.S. or G.E.D.	1494	853,630	277	13.1	11.3-14.9	22	1.9	0.9- 2.9	1171	83.7	81.5-85.9	24	1.3	0.7- 1.9
Some Post-H.S.	1145	844,879	185	10.0	8.2-11.8	26	2.4	1.2- 3.6	914	85.9	83.7-88.1	20	1.6	0.8- 2.4
College Graduate	1371	619,612	143	7.2	5.8- 8.6	19	1.9	0.9- 2.9	1196	90.3	88.5-92.1	13	0.6	0.2- 1.0
Less than \$15,000	322	185,957	90	22.8	17.3-28.3	7	2.7	0.3- 5.1	215	70.9	64.8-77.0	10	3.6	1.1- 6.1
\$15,000- 24,999	652	398,187	155	17.3	13.8-20.8	14	3.2	1.0- 5.4	470	78.3	74.4-82.2	13	1.2	0.4- 2.0
\$25,000- 34,999	424	252,090	78	13.3	9.6-17.0	7	1.9	0.3- 3.5	334	83.6	79.5-87.7	5	1.3	0.0- 2.9
\$35,000- 49,999	508	315,159	69	9.8	6.7-12.9	8	2.5	0.5- 4.5	422	85.8	82.1-89.5	9	2.0	0.6- 3.4
\$50,000- 74,999	523	343,637	57	7.4	5.0- 9.8	8	1.9	0.1- 3.7	453	90.2	87.3-93.1	5	0.5	0.0- 1.1
\$75,000+	852	587,450	69	5.8	4.2- 7.4	18	2.6	1.2- 4.0	757	90.7	88.5-92.9	8	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15						16-30			31-45			46-60			60+				
	TOTAL	WEIGHTED	N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)					
TOTAL	1223	610,154	19	3.7	1.3- 6.1		93	10.5	8.0-13.0		262	25.0	21.7-28.3		542	42.7	39.2-46.2		307	18.1	15.7-20.5	
Male	586	331,863	15	5.8	1.9- 9.7		37	9.1	5.6-12.6		121	23.8	19.3-28.3		275	44.1	39.0-49.2		138	17.2	13.9-20.5	
Female	637	278,291	4	1.2	0.0- 2.6		56	12.2	8.7-15.7		141	26.5	21.8-31.2		267	41.0	36.3-45.7		169	19.1	15.8-22.4	
White/Non-Hisp	1007	501,070	15	3.4	0.9- 5.9		69	9.5	7.0-12.0		198	22.0	18.7-25.3		470	45.9	42.0-49.8		255	19.2	16.7-21.7	
Black or Afr. Am./Non-Hisp	114	58,735	10	11.1	2.5-19.7		38	38.1	26.3-49.9		39	34.3	22.7-45.9		27	16.5	8.1-24.9					
45-54	143	96,772	3	2.7	0.0- 6.0		18	11.1	5.4-16.8		73	50.5	41.3-59.7		49	35.7	26.7-44.7					
55-64	318	168,136	5	1.3	0.0- 2.7		28	7.9	4.8-11.0		67	20.2	15.1-25.3		200	65.3	59.2-71.4		18	5.2	2.5- 7.9	
65+	690	256,640	3	0.4	0.0- 0.8		19	2.6	1.4- 3.8		86	12.2	9.3-15.1		293	45.2	40.7-49.7		289	39.6	35.1-44.1	
Less Than H.S.	133	102,095	3	7.6	0.0-18.0		13	10.3	3.6-17.0		29	25.8	15.8-35.8		60	41.1	30.7-51.5		28	15.1	8.4-21.8	
H.S. or G.E.D.	459	221,167	7	3.3	0.4- 6.2		35	9.9	6.2-13.6		83	21.2	16.1-26.3		211	46.3	40.6-52.0		123	19.4	15.5-23.3	
Some Post-H.S.	343	178,726	4	2.2	0.0- 4.9		21	7.9	3.8-12.0		88	29.7	23.4-36.0		140	40.4	33.9-46.9		90	19.7	15.2-24.2	
College Graduate	281	101,969	5	3.3	0.0- 7.0		22	14.5	7.8-21.2		61	25.2	18.5-31.9		129	41.3	34.2-48.4		64	15.7	11.4-20.0	
Less than \$15,000	128	70,436	2	3.6	0.0- 8.5		24	23.6	13.6-33.6		37	28.4	18.8-38.0		47	35.4	25.2-45.6		18	9.0	4.1-13.9	
\$15,000- 24,999	250	117,092	1	0.7	0.0- 2.1		16	10.1	4.6-15.6		56	25.3	17.9-32.7		105	43.3	35.7-50.9		72	20.5	14.8-26.2	
\$25,000- 34,999	137	68,651	1	1.7	0.0- 4.8		13	10.5	3.8-17.2		29	24.6	15.2-34.0		55	39.5	29.7-49.3		39	23.7	15.5-31.9	
\$35,000- 49,999	149	79,186	3	4.2	0.0- 9.9		8	6.5	1.4-11.6		26	26.6	16.0-37.2		74	45.5	35.3-55.7		38	17.3	11.0-23.6	
\$50,000- 74,999	149	77,541	3	2.8	0.0- 6.7		10	13.4	4.6-22.2		27	21.6	12.4-30.8		77	47.0	36.8-57.2		32	15.2	9.1-21.3	
\$75,000+	162	94,176	6	12.3	0.3-24.3		7	6.1	0.8-11.4		46	30.2	20.8-39.6		73	38.7	29.1-48.3		30	12.7	7.4-18.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	586	331,863	15	5.8	1.9- 9.7	37	9.1	5.8-12.4	121	23.8	19.3-28.3	275	44.1	39.0-49.2	138	17.2	13.9-20.5
White/Non-Hisp	493	271,231	12	5.6	1.1-10.1	28	7.7	4.4-11.0	92	20.6	16.1-25.1	245	48.2	42.5-53.9	116	17.9	14.2-21.6
45-54	65	46,902	2	2.6	0.0- 6.5	9	13.4	4.0-22.8	36	56.7	43.2-70.2	18	27.3	15.1-39.5			
55-64	156	92,774	3	1.8	0.0- 4.2	10	5.4	1.9- 8.9	26	16.3	9.4-23.2	110	72.4	64.4-80.4	7	4.1	0.8- 7.4
65+	332	140,978	3	0.7	0.0- 1.5	7	1.5	0.3- 2.7	44	12.9	8.6-17.2	147	47.1	40.6-53.6	131	37.8	31.5-44.1
Less Than H.S.	54	53,473	2	12.0	0.0-30.4	7	10.9	1.1-20.7	11	23.8	9.3-38.3	28	41.5	25.4-57.6	6	11.8	2.0-21.6
H.S. or G.E.D.	207	117,716	6	5.8	0.3-11.3	13	8.4	3.3-13.5	36	21.8	14.2-29.4	98	45.4	37.2-53.6	54	18.7	13.0-24.4
Some Post-H.S.	172	98,281	4	4.1	0.0- 8.8	9	6.5	0.8-12.2	43	26.0	18.0-34.0	74	44.2	35.2-53.2	42	19.1	12.8-25.4
College Graduate	151	60,147	3	3.4	0.0- 8.1	7	10.9	2.1-19.7	31	24.8	16.2-33.4	74	44.3	34.7-53.9	36	16.6	10.5-22.7
\$15,000- 24,999	104	52,303	1	1.7	0.0- 5.0	6	8.3	0.9-15.7	20	21.3	11.3-31.3	46	45.6	33.8-57.4	31	23.1	13.3-32.9
\$25,000- 34,999	64	36,497	1	3.1	0.0- 9.2	7	12.6	1.8-23.4	13	18.9	7.5-30.3	27	43.8	29.5-58.1	16	21.5	10.3-32.7
\$35,000- 49,999	87	51,315	2	6.2	0.0-14.8	4	3.8	0.0- 7.7	16	25.0	11.9-38.1	43	47.0	33.9-60.1	22	18.1	9.9-26.3
\$50,000- 74,999	96	54,316	3	4.0	0.0- 9.5	6	14.4	2.6-26.2	16	22.2	10.4-34.0	49	43.1	31.1-55.1	22	16.2	8.4-24.0
\$75,000+	93	59,886	4	16.4	0.0-34.0	2	4.9	0.0-12.3	26	28.6	16.6-40.6	42	37.7	24.8-50.6	19	12.5	5.8-19.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	637	278,291	4	1.2	0.0- 2.6	56	12.2	8.7-15.7	141	26.5	21.8-31.2	267	41.0	36.1-45.9	169	19.1	15.8-22.4
White/Non-Hisp	514	229,839	3	0.8	0.0- 2.0	41	11.6	7.9-15.3	106	23.7	19.0-28.4	225	43.2	37.9-48.5	139	20.7	17.0-24.4
Black or Afr. Am./Non-Hisp	74	28,436				7	8.8	1.7-15.9	24	43.8	28.9-58.7	26	35.2	20.9-49.5	17	12.1	5.4-18.8
45-54	78	49,870	1	2.8	0.0- 8.1	9	9.0	2.3-15.7	37	44.6	32.3-56.9	31	43.6	31.3-55.9			
55-64	162	75,361	2	0.8	0.0- 2.0	18	11.0	5.3-16.7	41	25.0	17.2-32.8	90	56.6	47.6-65.6	11	6.6	2.3-10.9
65+	358	115,663				12	4.0	1.6- 6.4	42	11.4	7.3-15.5	146	42.9	36.6-49.2	158	41.8	35.7-47.9
Less Than H.S.	79	48,623	1	2.9	0.0- 8.4	6	9.7	0.5-18.9	18	28.0	14.3-41.7	32	40.8	27.5-54.1	22	18.7	9.5-27.9
H.S. or G.E.D.	252	103,450	1	0.5	0.0- 1.5	22	11.6	6.1-17.1	47	20.4	14.1-26.7	113	47.4	39.8-55.0	69	20.2	14.9-25.5
Some Post-H.S.	171	80,445				12	9.6	3.7-15.5	45	34.3	24.7-43.9	66	35.6	26.6-44.6	48	20.5	14.0-27.0
College Graduate	130	41,822	2	3.3	0.0- 9.0	15	19.6	9.6-29.6	30	25.7	16.1-35.3	55	37.0	27.0-47.0	28	14.5	8.4-20.6
Less than \$15,000	84	39,684	1	3.5	0.0-10.2	18	27.0	13.9-40.1	24	29.0	17.2-40.8	24	25.9	14.7-37.1	17	14.5	6.3-22.7
\$15,000- 24,999	146	64,789				10	11.6	4.0-19.2	36	28.5	17.9-39.1	59	41.4	31.0-51.8	41	18.4	11.7-25.1
\$25,000- 34,999	73	32,154				6	8.1	1.0-15.2	16	31.0	16.3-45.7	28	34.7	21.6-47.8	23	26.2	13.9-38.5
\$35,000- 49,999	62	27,870	1	0.4	0.0- 1.2	4	11.6	0.0-24.1	10	29.6	11.4-47.8	31	42.7	26.2-59.2	16	15.8	6.8-24.8
\$50,000- 74,999	53	23,225				4	10.8	0.0-22.0	11	20.1	7.8-32.4	28	56.1	40.2-72.0	10	13.0	4.0-22.0
\$75,000+	69	34,290	2	5.1	0.0-12.5	5	8.4	1.1-15.7	20	33.2	20.1-46.3	31	40.4	27.3-53.5	11	12.9	3.9-21.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)	
1 MALES AND FEMALES	79
2 MALES ONLY	80
3 FEMALES ONLY	81
NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? (RMVTETH4)	
4 MALES AND FEMALES	82
5 MALES ONLY	83
6 FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 1: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7517	5,092,652	4960	64.4	63.0-65.8	808	12.2	11.2-13.2	693	10.0	9.0-11.0	1025	12.9	11.9-13.9	31	0.6	0.4- 0.8
Male	3202	2,479,709	2001	60.6	58.4-62.8	366	12.6	11.0-14.2	324	11.1	9.5-12.7	494	15.0	13.4-16.6	17	0.6	0.2- 1.0
Female	4315	2,612,943	2959	67.9	65.9-69.9	442	11.9	10.5-13.3	369	8.9	7.7-10.1	531	10.8	9.6-12.0	14	0.5	0.1- 0.9
White/Non-Hisp	6219	4,099,378	4211	65.6	64.0-67.2	639	11.8	10.6-13.0	530	9.4	8.4-10.4	823	12.9	11.7-14.1	16	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	577	444,550	330	55.6	50.5-60.7	80	15.5	11.6-19.4	78	14.8	11.1-18.5	85	13.3	10.0-16.6	4	0.9	0.0- 1.9
Oth. Race/Non-Hisp.	197	129,650	116	61.6	50.4-72.8	26	18.8	9.0-28.6	20	8.2	2.9-13.5	33	8.1	3.6-12.6	2	3.3	0.0- 7.8
MultiRacial/Non-Hisp.	131	43,588	55	49.0	38.0-60.0	19	11.4	4.7-18.1	25	17.2	9.6-24.8	31	20.8	12.2-29.4	1	1.6	0.0- 4.7
Hispanic	257	292,305	152	60.8	53.5-68.1	28	9.7	5.8-13.6	31	11.3	7.0-15.6	38	15.1	9.8-20.4	8	3.1	0.7- 5.5
18-24	361	675,248	238	67.9	62.6-73.2	56	15.0	10.9-19.1	35	8.5	5.4-11.6	32	8.6	5.5-11.7			
25-34	630	849,812	371	57.5	53.2-61.8	97	15.5	12.4-18.6	88	14.6	11.5-17.7	68	11.5	8.6-14.4	6	0.9	0.1- 1.7
35-44	730	813,497	481	65.4	61.5-69.3	87	13.4	10.5-16.3	82	10.5	8.0-13.0	72	9.3	6.9-11.7	8	1.4	0.4- 2.4
45-54	1185	830,041	800	66.4	63.3-69.5	126	10.9	8.7-13.1	100	8.9	7.1-10.7	155	13.5	11.3-15.7	4	0.4	0.0- 0.8
55-64	1605	866,238	1078	65.1	62.4-67.8	152	10.1	8.3-11.9	142	9.8	8.0-11.6	229	14.9	12.7-17.1	4	0.2	0.0- 0.4
65+	3006	1,057,817	1992	64.7	62.5-66.9	290	9.8	8.4-11.2	246	7.8	6.6- 9.0	469	17.3	15.5-19.1	9	0.5	0.1- 0.9
Less Than H.S.	589	623,921	226	45.8	40.5-51.1	87	14.8	11.3-18.3	73	10.4	7.5-13.3	192	26.9	22.4-31.4	11	2.1	0.7- 3.5
H.S. or G.E.D.	2530	1,698,299	1420	57.0	54.5-59.5	317	13.7	11.9-15.5	308	12.4	10.8-14.0	472	16.4	14.6-18.2	13	0.5	0.1- 0.9
Some Post-H.S.	1947	1,573,114	1307	67.4	64.7-70.1	217	12.5	10.5-14.5	180	10.0	8.2-11.8	243	10.1	8.5-11.7			
College Graduate	2421	1,175,031	1985	80.6	78.4-82.8	183	8.4	7.0- 9.8	130	6.2	4.8- 7.6	117	4.2	3.2- 5.2	6	0.6	0.0- 1.2
Less than \$15,000	517	356,462	202	44.4	38.5-50.3	89	19.9	15.2-24.6	63	10.5	7.2-13.8	157	23.7	19.4-28.0	6	1.6	0.2- 3.0
\$15,000- 24,999	1024	647,588	490	49.2	45.1-53.3	133	14.1	11.2-17.0	136	13.1	10.4-15.8	258	22.7	19.4-26.0	7	0.9	0.1- 1.7
\$25,000- 34,999	717	469,455	405	52.3	47.4-57.2	77	11.9	8.6-15.2	98	15.4	11.7-19.1	130	19.1	15.2-23.0	7	1.4	0.2- 2.6
\$35,000- 49,999	907	632,608	598	60.9	56.6-65.2	119	15.9	12.4-19.4	87	10.9	8.2-13.6	103	12.3	9.4-15.2			
\$50,000- 74,999	1011	744,633	731	68.2	64.3-72.1	103	11.6	8.9-14.3	95	10.9	8.4-13.4	82	9.3	6.8-11.8			
\$75,000+	1720	1,293,894	1430	81.0	78.6-83.4	129	8.5	6.7-10.3	84	5.4	4.0- 6.8	73	4.6	3.2- 6.0	4	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 2: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3202	2,479,709	2001	60.6	58.4-62.8	366	12.6	11.0-14.2	324	11.1	9.5-12.7	494	15.0	13.4-16.6	17	0.6	0.2- 1.0
White/Non-Hisp	2611	1,980,184	1681	62.2	59.8-64.6	284	12.1	10.5-13.7	244	10.2	8.6-11.8	391	15.0	13.2-16.8	11	0.4	0.0- 0.8
Black or Afr. Am./Non-Hisp	222	209,110	112	50.4	42.4-58.4	32	15.1	8.8-21.4	35	18.1	11.8-24.4	40	14.8	9.7-19.9	3	1.6	0.0- 3.6
Oth. Race/Non-Hisp.	102	71,558	58	54.3	38.6-70.0	17	25.2	10.7-39.7	8	7.3	0.2-14.4	18	10.4	3.3-17.5	1	2.7	0.0- 7.8
MultiRacial/Non-Hisp.	67	24,089	27	45.2	30.7-59.7	7	6.0	0.9-11.1	14	19.6	8.8-30.4	18	26.1	13.0-39.2	1	3.0	0.0- 8.7
Hispanic	128	144,222	70	51.9	41.5-62.3	18	12.0	5.9-18.1	20	15.8	8.5-23.1	19	19.1	10.3-27.9	1	1.2	0.0- 3.6
18-24	180	347,684	117	66.1	58.3-73.9	25	14.1	8.4-19.8	18	9.0	4.3-13.7	20	10.8	5.7-15.9			
25-34	314	426,592	166	50.3	44.0-56.6	50	15.4	11.1-19.7	50	17.8	12.9-22.7	45	15.8	11.1-20.5	3	0.8	0.0- 1.8
35-44	329	403,125	194	59.7	53.8-65.6	50	15.9	11.4-20.4	42	12.4	8.5-16.3	37	10.1	6.6-13.6	6	1.8	0.2- 3.4
45-54	540	410,751	337	62.5	57.8-67.2	58	10.6	7.7-13.5	52	9.2	6.5-11.9	91	17.1	13.4-20.8	2	0.6	0.0- 1.4
55-64	699	423,036	454	63.7	59.6-67.8	74	10.4	7.9-12.9	62	10.2	7.5-12.9	108	15.6	12.5-18.7	1	0.1	0.0- 0.3
65+	1140	468,521	733	62.1	58.6-65.6	109	10.1	7.9-12.3	100	8.0	6.2- 9.8	193	19.2	16.3-22.1	5	0.6	0.0- 1.2
Less Than H.S.	255	323,859	89	40.4	32.4-48.4	35	12.5	7.8-17.2	24	10.0	5.3-14.7	102	35.0	27.7-42.3	5	2.1	0.1- 4.1
H.S. or G.E.D.	1069	857,553	555	52.9	49.2-56.6	139	14.2	11.7-16.7	156	15.1	12.4-17.8	212	17.1	14.6-19.6	7	0.7	0.1- 1.3
Some Post-H.S.	805	729,639	515	65.1	60.8-69.4	96	13.2	10.1-16.3	81	10.8	7.9-13.7	113	10.9	8.5-13.3			
College Graduate	1057	556,876	831	78.2	75.1-81.3	93	9.3	7.1-11.5	62	6.2	4.2- 8.2	67	5.7	3.9- 7.5	4	0.6	0.0- 1.2
Less than \$15,000	201	172,133	82	45.7	36.5-54.9	37	20.7	13.1-28.3	19	9.8	4.5-15.1	59	21.9	15.4-28.4	4	1.9	0.0- 4.1
\$15,000- 24,999	379	252,142	150	37.3	31.0-43.6	56	17.0	12.1-21.9	61	15.4	10.9-19.9	112	30.3	24.2-36.4			
\$25,000- 34,999	298	218,512	141	42.7	35.4-50.0	32	11.7	7.0-16.4	47	17.2	11.5-22.9	72	25.5	18.8-32.2	6	2.8	0.3- 5.3
\$35,000- 49,999	401	318,594	234	54.0	47.5-60.5	59	17.1	11.8-22.4	45	11.9	7.6-16.2	63	17.0	12.1-21.9			
\$50,000- 74,999	491	402,237	336	65.9	60.4-71.4	51	11.0	7.3-14.7	56	12.8	8.9-16.7	48	10.2	6.7-13.7			
\$75,000+	869	706,331	686	76.4	72.9-79.9	76	10.0	7.5-12.5	52	6.9	4.7- 9.1	52	6.1	4.1- 8.1	3	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 3: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4315	2,612,943	2959	67.9	65.9-69.9	442	11.9	10.5-13.3	369	8.9	7.7-10.1	531	10.8	9.6-12.0	14	0.5	0.1- 0.9
White/Non-Hisp	3608	2,119,194	2530	68.8	66.8-70.8	355	11.6	10.0-13.2	286	8.6	7.4- 9.8	432	10.9	9.7-12.1	5	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	355	235,440	218	60.3	53.8-66.8	48	15.8	10.7-20.9	43	11.8	7.7-15.9	45	11.9	7.6-16.2	1	0.2	0.0- 0.6
Oth. Race/Non-Hisp.	95	58,092	58	70.6	55.3-85.9	9	10.8	0.0-22.6	12	9.3	1.3-17.3	15	5.3	0.4-10.2	1	4.1	0.0-11.9
MultiRacial/Non-Hisp.	64	19,499	28	53.7	37.0-70.4	12	18.0	5.1-30.9	11	14.1	3.7-24.5	13	14.2	5.2-23.2			
Hispanic	129	148,083	82	69.4	60.2-78.6	10	7.3	2.2-12.4	11	7.0	2.3-11.7	19	11.2	5.1-17.3	7	5.0	0.9- 9.1
18-24	181	327,565	121	69.8	62.5-77.1	31	15.9	10.2-21.6	17	7.9	4.0-11.8	12	6.4	2.7-10.1			
25-34	316	423,220	205	64.7	58.8-70.6	47	15.6	11.1-20.1	38	11.4	7.5-15.3	23	7.3	4.2-10.4	3	1.0	0.0- 2.2
35-44	401	410,372	287	71.0	65.9-76.1	37	10.9	7.2-14.6	40	8.7	5.8-11.6	35	8.4	5.3-11.5	2	1.0	0.0- 2.4
45-54	645	419,289	463	70.2	66.1-74.3	68	11.1	8.2-14.0	48	8.5	6.0-11.0	64	9.9	7.4-12.4	2	0.3	0.0- 0.7
55-64	906	443,202	624	66.4	62.7-70.1	78	9.8	7.4-12.2	80	9.3	7.1-11.5	121	14.2	11.5-16.9	3	0.3	0.0- 0.7
65+	1866	589,296	1259	66.7	64.2-69.2	181	9.6	8.0-11.2	146	7.6	6.2- 9.0	276	15.7	13.7-17.7	4	0.4	0.0- 0.8
Less Than H.S.	334	300,062	137	51.7	44.6-58.8	52	17.2	11.9-22.5	49	10.8	7.1-14.5	90	18.1	13.4-22.8	6	2.1	0.1- 4.1
H.S. or G.E.D.	1461	840,747	865	61.1	57.8-64.4	178	13.3	10.9-15.7	152	9.6	7.6-11.6	260	15.7	13.3-18.1	6	0.3	0.1- 0.5
Some Post-H.S.	1142	843,476	792	69.4	65.9-72.9	121	11.8	9.3-14.3	99	9.4	7.2-11.6	130	9.3	7.3-11.3			
College Graduate	1364	618,155	1154	82.8	80.1-85.5	90	7.6	5.6- 9.6	68	6.2	4.2- 8.2	50	2.8	1.8- 3.8	2	0.6	0.0- 1.4
Less than \$15,000	316	184,329	120	43.1	35.7-50.5	52	19.1	13.2-25.0	44	11.2	7.1-15.3	98	25.3	19.4-31.2	2	1.3	0.0- 3.3
\$15,000- 24,999	645	395,446	340	56.8	51.5-62.1	77	12.3	9.0-15.6	75	11.5	8.2-14.8	146	17.9	14.2-21.6	7	1.5	0.1- 2.9
\$25,000- 34,999	419	250,943	264	60.6	53.9-67.3	45	12.0	7.1-16.9	51	13.9	9.2-18.6	58	13.5	9.2-17.8	1	0.1	0.0- 0.3
\$35,000- 49,999	506	314,014	364	67.9	62.2-73.6	60	14.6	9.9-19.3	42	9.9	6.4-13.4	40	7.6	4.7-10.5			
\$50,000- 74,999	520	342,396	395	70.8	65.5-76.1	52	12.3	8.4-16.2	39	8.6	5.5-11.7	34	8.3	5.0-11.6			
\$75,000+	851	587,564	744	86.5	83.6-89.4	53	6.6	4.4- 8.8	32	3.6	2.2- 5.0	21	2.9	1.3- 4.5	1	0.4	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 4: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7393	5,035,035	2204	26.3	25.1-27.5	974	10.1	9.3-10.9	746	7.1	6.5- 7.7	3469	56.5	55.1-57.9
Male	3164	2,467,311	966	26.8	24.8-28.8	416	10.0	8.8-11.2	276	6.3	5.5- 7.1	1506	57.0	54.8-59.2
Female	4229	2,567,724	1238	25.8	24.0-27.6	558	10.3	9.3-11.3	470	7.9	6.9- 8.9	1963	56.0	54.0-58.0
White/Non-Hisp	6104	4,044,009	1813	26.0	24.6-27.4	812	10.8	9.8-11.8	609	7.4	6.6- 8.2	2870	55.8	54.2-57.4
Black or Afr. Am./Non-Hisp	568	438,197	190	30.6	25.9-35.3	84	9.8	7.3-12.3	63	7.3	4.9- 9.7	231	52.3	47.2-57.4
Oth. Race/Non-Hisp.	198	131,921	48	19.0	9.8-28.2	25	4.9	2.4- 7.4	30	7.1	2.6-11.6	95	69.0	59.0-79.0
MultiRacial/Non-Hisp.	131	44,089	39	24.9	15.9-33.9	26	16.7	8.7-24.7	16	8.3	3.6-13.0	50	50.1	39.1-61.1
Hispanic	254	291,533	80	27.5	21.0-34.0	10	2.4	0.4- 4.4	6	1.4	0.2- 2.6	158	68.7	62.0-75.4
18-24	367	684,555	24	6.2	3.7- 8.7	8	2.1	0.5- 3.7				335	91.7	88.8-94.6
25-34	627	843,827	143	22.8	19.3-26.3	22	3.3	1.7- 4.9	5	0.7	0.1- 1.3	457	73.2	69.3-77.1
35-44	728	812,032	201	27.7	24.0-31.4	50	6.8	4.6- 9.0	18	2.4	1.0- 3.8	459	63.1	59.0-67.2
45-54	1170	816,818	340	30.0	27.1-32.9	104	9.8	7.8-11.8	71	6.5	4.9- 8.1	655	53.7	50.4-57.0
55-64	1586	854,603	525	34.4	31.7-37.1	224	14.3	12.3-16.3	154	10.6	8.6-12.6	683	40.6	37.9-43.3
65+	2915	1,023,200	971	31.6	29.6-33.6	566	20.4	18.6-22.2	498	18.4	16.6-20.2	880	29.6	27.6-31.6
Less Than H.S.	574	613,942	134	25.5	21.0-30.0	122	16.6	13.1-20.1	178	19.5	16.0-23.0	140	38.3	32.6-44.0
H.S. or G.E.D.	2489	1,682,872	806	29.0	26.8-31.2	430	12.7	11.3-14.1	365	9.4	8.2-10.6	888	48.9	46.4-51.4
Some Post-H.S.	1908	1,549,625	620	27.2	24.8-29.6	259	9.0	7.6-10.4	153	4.4	3.6- 5.2	876	59.4	56.7-62.1
College Graduate	2394	1,167,148	638	21.5	19.5-23.5	159	4.4	3.6- 5.2	48	1.0	0.6- 1.4	1549	73.1	70.9-75.3
Less than \$15,000	511	352,609	134	26.0	20.9-31.1	100	14.2	10.7-17.7	136	20.5	16.4-24.6	141	39.3	33.2-45.4
\$15,000- 24,999	998	637,372	307	28.1	24.4-31.8	220	17.7	15.0-20.4	194	14.0	11.6-16.4	277	40.2	35.9-44.5
\$25,000- 34,999	708	462,591	227	30.4	25.9-34.9	129	13.3	10.6-16.0	98	9.1	6.9-11.3	254	47.3	42.2-52.4
\$35,000- 49,999	890	625,377	309	29.5	25.8-33.2	125	10.9	8.5-13.3	69	5.0	3.6- 6.4	387	54.5	50.2-58.8
\$50,000- 74,999	1010	744,662	335	29.1	25.6-32.6	102	8.0	6.2- 9.8	50	3.7	2.5- 4.9	523	59.2	55.3-63.1
\$75,000+	1703	1,280,767	437	22.0	19.6-24.4	94	4.7	3.3- 6.1	33	1.4	0.8- 2.0	1139	71.8	69.3-74.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 5: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3164	2,467,311	966	26.8	24.8-28.8	416	10.0	8.8-11.2	276	6.3	5.5- 7.1	1506	57.0	54.8-59.2
White/Non-Hisp	2572	1,962,791	772	25.9	23.9-27.9	356	11.1	9.7-12.5	221	6.3	5.3- 7.3	1223	56.8	54.4-59.2
Black or Afr. Am./Non-Hisp	223	209,659	77	31.5	24.1-38.9	27	7.4	4.3-10.5	25	9.1	5.2-13.0	94	52.0	44.0-60.0
Oth. Race/Non-Hisp.	102	73,670	27	26.1	11.6-40.6	13	3.9	1.0- 6.8	11	6.1	0.6-11.6	51	64.0	49.1-78.9
MultiRacial/Non-Hisp.	67	24,590	23	25.7	13.9-37.5	12	19.5	7.2-31.8	8	9.8	2.5-17.1	24	45.0	30.5-59.5
Hispanic	128	145,599	47	33.8	24.2-43.4	4	2.6	0.0- 6.1	3	1.1	0.0- 2.5	74	62.5	52.7-72.3
18-24	183	353,156	9	4.5	1.4- 7.6	3	1.6	0.0- 3.4				171	94.0	90.5-97.5
25-34	316	429,640	69	22.2	17.1-27.3	11	3.5	1.0- 6.0	2	0.4	0.0- 1.0	234	73.9	68.4-79.4
35-44	333	407,442	95	28.9	23.2-34.6	22	6.6	3.7- 9.5	6	1.8	0.2- 3.4	210	62.6	56.7-68.5
45-54	531	404,043	162	32.2	27.7-36.7	46	9.1	6.4-11.8	27	5.3	3.1- 7.5	296	53.4	48.5-58.3
55-64	691	417,273	251	37.5	33.4-41.6	98	14.5	11.6-17.4	61	9.5	6.8-12.2	281	38.4	34.3-42.5
65+	1110	455,757	380	31.7	28.4-35.0	236	22.2	19.3-25.1	180	18.3	15.4-21.2	314	27.8	24.7-30.9
Less Than H.S.	251	317,516	62	24.4	17.9-30.9	48	14.6	9.7-19.5	66	16.2	11.7-20.7	75	44.8	36.6-53.0
H.S. or G.E.D.	1056	855,543	338	29.2	25.9-32.5	191	12.8	10.6-15.0	129	8.1	6.5- 9.7	398	49.9	46.2-53.6
Some Post-H.S.	796	725,416	276	28.7	25.0-32.4	103	8.7	6.7-10.7	58	3.8	2.6- 5.0	359	58.9	54.8-63.0
College Graduate	1045	555,568	287	22.2	19.3-25.1	72	4.5	3.3- 5.7	22	1.1	0.5- 1.7	664	72.2	69.1-75.3
Less than \$15,000	197	169,950	50	24.5	16.7-32.3	37	12.0	7.3-16.7	42	17.3	11.4-23.2	68	46.2	36.8-55.6
\$15,000- 24,999	376	252,215	114	27.7	22.2-33.2	86	20.5	15.6-25.4	71	15.1	11.0-19.2	105	36.8	30.1-43.5
\$25,000- 34,999	298	217,678	98	30.0	23.3-36.7	60	15.5	11.0-20.0	39	8.5	5.2-11.8	101	46.0	38.6-53.4
\$35,000- 49,999	394	316,032	131	28.8	23.3-34.3	57	11.0	7.5-14.5	37	5.6	3.4- 7.8	169	54.6	48.1-61.1
\$50,000- 74,999	489	401,770	179	33.2	28.1-38.3	51	7.3	4.9- 9.7	26	3.4	1.8- 5.0	233	56.1	50.6-61.6
\$75,000+	858	699,368	233	23.4	20.1-26.7	52	5.5	3.5- 7.5	21	1.9	0.9- 2.9	552	69.2	65.5-72.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 6: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4229	2,567,724	1238	25.8	24.0-27.6	558	10.3	9.3-11.3	470	7.9	6.9- 8.9	1963	56.0	54.0-58.0
White/Non-Hisp	3532	2,081,218	1041	26.0	24.2-27.8	456	10.6	9.4-11.8	388	8.5	7.5- 9.5	1647	54.9	52.7-57.1
Black or Afr. Am./Non-Hisp	345	228,538	113	29.8	23.9-35.7	57	12.1	8.2-16.0	38	5.6	3.2- 8.0	137	52.5	45.8-59.2
Oth. Race/Non-Hisp.	96	58,250	21	10.1	3.4-16.8	12	6.1	1.4-10.8	19	8.4	0.8-16.0	44	75.4	63.8-87.0
MultiRacial/Non-Hisp.	64	19,499	16	23.9	9.6-38.2	14	13.1	4.3-21.9	8	6.5	1.0-12.0	26	56.5	40.2-72.8
Hispanic	126	145,934	33	21.3	13.1-29.5	6	2.1	0.1- 4.1	3	1.7	0.0- 3.9	84	74.9	66.3-83.5
18-24	184	331,399	15	8.0	3.9-12.1	5	2.7	0.0- 5.4				164	89.3	84.4-94.2
25-34	311	414,187	74	23.4	18.3-28.5	11	3.2	1.2- 5.2	3	1.0	0.0- 2.2	223	72.5	67.0-78.0
35-44	395	404,590	106	26.4	21.3-31.5	28	7.0	4.1- 9.9	12	3.0	1.0- 5.0	249	63.5	58.0-69.0
45-54	639	412,775	178	27.9	24.0-31.8	58	10.5	7.6-13.4	44	7.7	5.3-10.1	359	53.9	49.4-58.4
55-64	895	437,330	274	31.5	28.0-35.0	126	14.2	11.5-16.9	93	11.6	9.1-14.1	402	42.7	39.0-46.4
65+	1805	567,443	591	31.5	29.0-34.0	330	18.9	16.7-21.1	318	18.5	16.3-20.7	566	31.1	28.6-33.6
Less Than H.S.	323	296,426	72	26.8	20.3-33.3	74	18.8	13.7-23.9	112	23.1	18.0-28.2	65	31.4	24.1-38.7
H.S. or G.E.D.	1433	827,329	468	28.8	25.9-31.7	239	12.6	10.6-14.6	236	10.8	9.2-12.4	490	47.9	44.4-51.4
Some Post-H.S.	1112	824,209	344	26.0	22.9-29.1	156	9.3	7.5-11.1	95	4.9	3.5- 6.3	517	59.8	56.3-63.3
College Graduate	1349	611,580	351	20.8	18.3-23.3	87	4.3	3.1- 5.5	26	0.9	0.5- 1.3	885	73.9	71.2-76.6
Less than \$15,000	314	182,659	84	27.4	20.7-34.1	63	16.3	11.4-21.2	94	23.4	17.7-29.1	73	32.9	25.5-40.3
\$15,000- 24,999	622	385,157	193	28.4	23.5-33.3	134	15.9	12.6-19.2	123	13.3	10.4-16.2	172	42.5	36.8-48.2
\$25,000- 34,999	410	244,914	129	30.7	24.6-36.8	69	11.3	7.8-14.8	59	9.6	6.7-12.5	153	48.4	41.5-55.3
\$35,000- 49,999	496	309,344	178	30.3	25.2-35.4	68	10.8	7.9-13.7	32	4.4	2.4- 6.4	218	54.5	48.8-60.2
\$50,000- 74,999	521	342,892	156	24.2	19.7-28.7	51	8.9	6.0-11.8	24	4.0	2.0- 6.0	290	62.8	57.5-68.1
\$75,000+	845	581,399	204	20.3	17.2-23.4	42	3.7	2.1- 5.3	12	0.9	0.3- 1.5	587	75.0	71.5-78.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR SEX? OR WHAT WAS YOUR SEX AT BIRTH? WAS IT... (SEX1)	
MALES AND FEMALES	
WHAT IS YOUR AGE? (AGE)	
2 MALES AND FEMALES	90
3 MALES ONLY	91
4 FEMALES ONLY	92
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
5 MALES AND FEMALES	93
6 MALES ONLY	94
7 FEMALES ONLY	95
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
8 MALES AND FEMALES	96
9 MALES ONLY	97
10 FEMALES ONLY	98
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
11 MALES AND FEMALES	99
12 MALES ONLY	100
13 FEMALES ONLY	101
ARE YOU: (MARITAL STATUS) (MARITAL)	
14 MALES AND FEMALES	102
15 MALES ONLY	103
16 FEMALES ONLY	104
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
17 MALES AND FEMALES	105
18 MALES ONLY	106
19 FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
20 MALES AND FEMALES	108
21 MALES ONLY	109
22 FEMALES ONLY	110
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
23 MALES AND FEMALES	111
24 MALES ONLY	112
25 FEMALES ONLY	113
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
26 MALES AND FEMALES	114
27 MALES ONLY	115
28 FEMALES ONLY	116
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
29 MALES AND FEMALES	117
30 MALES ONLY	118
31 FEMALES ONLY	119
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
32 MALES AND FEMALES	120
33 MALES ONLY	121
34 FEMALES ONLY	122
HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
35 MALES AND FEMALES	123
36 MALES ONLY	124
37 FEMALES ONLY	125
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
38 MALES AND FEMALES	126
39 MALES ONLY	127
40 FEMALES ONLY	128

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
41 MALES AND FEMALES	129
42 MALES ONLY	130
43 FEMALES ONLY	131
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
44 MALES AND FEMALES	132
45 MALES ONLY	133
46 FEMALES ONLY	134
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
47 MALES AND FEMALES	135
48 MALES ONLY	136
49 FEMALES ONLY	137
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
50 MALES AND FEMALES	138
51 MALES ONLY	139
52 FEMALES ONLY	140
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
53 MALES AND FEMALES	141
54 MALES ONLY	142
55 FEMALES ONLY	143
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
58 FEMALES ONLY	
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
59 MALES AND FEMALES	147
60 MALES ONLY	148
61 FEMALES ONLY	149
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
62 MALES AND FEMALES	150
63 MALES ONLY	151
64 FEMALES ONLY	152
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
65 MALES AND FEMALES	153
66 MALES ONLY	154
67 FEMALES ONLY	155
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
68 MALES AND FEMALES	156
69 MALES ONLY	157
70 FEMALES ONLY	158
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
71 MALES AND FEMALES	159
72 MALES ONLY	160
73 FEMALES ONLY	161
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
74 MALES AND FEMALES	162
75 MALES ONLY	163
76 FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 1: WHAT IS YOUR SEX? OR WHAT WAS YOUR SEX AT BIRTH? WAS IT... (SEX1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7608	5,141,872	3239	48.7	47.1-50.3	4369	51.3	49.7-52.9
White/Non-Hisp	6282	4,129,056	2631	48.3	46.7-49.9	3651	51.7	50.1-53.3
Black or Afr. Am./Non-Hisp	583	448,200	227	47.4	42.1-52.7	356	52.6	47.3-57.9
Oth. Race/Non-Hisp.	204	134,518	105	55.1	43.7-66.5	99	44.9	33.5-56.3
MultiRacial/Non-Hisp.	132	44,219	68	55.9	44.9-66.9	64	44.1	33.1-55.1
Hispanic	261	298,191	131	49.7	42.3-57.1	130	50.3	42.9-57.7
18-24	369	686,457	183	51.4	45.7-57.1	186	48.6	42.9-54.3
25-34	633	853,745	316	50.3	46.0-54.6	317	49.7	45.4-54.0
35-44	737	821,724	335	49.9	45.8-54.0	402	50.1	46.0-54.2
45-54	1198	836,619	548	49.7	46.4-53.0	650	50.3	47.0-53.6
55-64	1618	871,262	704	48.8	45.9-51.7	914	51.2	48.3-54.1
65+	3053	1,072,065	1153	44.1	41.9-46.3	1900	55.9	53.7-58.1
Less Than H.S.	601	632,107	260	51.7	46.4-57.0	341	48.3	43.0-53.6
H.S. or G.E.D.	2582	1,724,361	1087	50.5	48.0-53.0	1495	49.5	47.0-52.0
Some Post-H.S.	1957	1,578,893	810	46.4	43.5-49.3	1147	53.6	50.7-56.5
College Graduate	2433	1,180,675	1062	47.5	45.0-50.0	1371	52.5	50.0-55.0
Less than \$15,000	529	362,044	206	48.6	42.7-54.5	323	51.4	45.5-57.3
\$15,000- 24,999	1037	655,115	384	39.1	35.2-43.0	653	60.9	57.0-64.8
\$25,000- 34,999	728	473,620	304	46.8	41.9-51.7	424	53.2	48.3-58.1
\$35,000- 49,999	912	636,791	404	50.5	46.2-54.8	508	49.5	45.2-53.8
\$50,000- 74,999	1016	748,112	493	54.1	50.2-58.0	523	45.9	42.0-49.8
\$75,000+	1723	1,295,062	870	54.6	51.7-57.5	853	45.4	42.5-48.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-24			25-34			35-44			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7608	5,141,872	369	13.4	12.0-14.8	633	16.6	15.2-18.0	737	16.0	14.8-17.2	1198	16.3	15.3-17.3	1618	16.9	15.9-17.9	3053	20.8	19.8-21.8
Male	3239	2,506,523	183	14.1	11.9-16.3	316	17.1	15.1-19.1	335	16.4	14.6-18.2	548	16.6	15.0-18.2	704	17.0	15.6-18.4	1153	18.9	17.5-20.3
Female	4369	2,635,349	186	12.6	10.8-14.4	317	16.1	14.3-17.9	402	15.6	14.0-17.2	650	16.0	14.6-17.4	914	16.9	15.7-18.1	1900	22.7	21.5-23.9
White/Non-Hisp	6282	4,129,056	254	12.0	10.6-13.4	451	15.3	13.9-16.7	542	14.8	13.6-16.0	985	16.4	15.2-17.6	1359	18.2	17.2-19.2	2691	23.3	22.3-24.3
Black or Afr. Am./Non-Hisp	583	448,200	32	12.6	8.3-16.9	75	20.4	16.1-24.7	79	19.6	15.3-23.9	88	16.6	12.9-20.3	136	17.0	13.9-20.1	173	13.8	11.1-16.5
Oth. Race/Non-Hisp.	204	134,518	20	26.2	14.6-37.8	24	19.2	10.4-28.0	23	19.8	10.6-29.0	30	16.5	8.1-24.9	35	8.3	4.2-12.4	72	9.9	5.6-14.2
MultiRacial/Non-Hisp.	132	44,219	16	25.7	14.7-36.7	18	23.9	13.5-34.3	15	12.1	5.8-18.4	20	13.7	7.0-20.4	28	13.8	8.1-19.5	35	10.7	6.2-15.2
Hispanic	261	298,191	44	27.7	20.3-35.1	54	26.0	19.3-32.7	65	26.1	19.4-32.8	45	11.7	7.8-15.6	29	5.0	2.8-7.2	24	3.5	1.7-5.3
Less Than H.S.	601	632,107	31	14.5	9.6-19.4	56	17.8	13.3-22.3	63	17.4	13.1-21.7	82	13.8	10.7-16.9	117	15.3	12.2-18.4	252	21.3	18.0-24.6
H.S. or G.E.D.	2582	1,724,361	150	15.8	13.4-18.2	157	12.5	10.5-14.5	178	12.3	10.3-14.3	358	15.7	13.9-17.5	551	19.0	17.2-20.8	1188	24.7	22.9-26.5
Some Post-H.S.	1957	1,578,893	128	15.9	13.2-18.6	182	18.3	15.8-20.8	196	15.6	13.4-17.8	288	15.3	13.3-17.3	415	15.9	14.1-17.7	748	19.0	17.4-20.6
College Graduate	2433	1,180,675	59	5.9	4.3-7.5	236	19.7	17.3-22.1	295	21.1	18.7-23.5	457	19.2	17.4-21.0	529	16.5	14.9-18.1	857	17.6	16.2-19.0
Less than \$15,000	529	362,044	35	17.5	12.0-23.0	34	13.4	8.7-18.1	53	14.1	10.0-18.2	89	16.8	12.9-20.7	138	21.3	17.2-25.4	180	16.8	13.7-19.9
\$15,000- 24,999	1037	655,115	59	15.4	11.7-19.1	75	15.2	11.9-18.5	87	15.0	11.7-18.3	107	10.6	8.4-12.8	203	16.4	13.9-18.9	506	27.5	24.6-30.4
\$25,000- 34,999	728	473,620	32	12.1	7.8-16.4	79	22.5	17.8-27.2	44	10.9	7.6-14.2	84	12.6	9.7-15.5	116	15.0	12.1-17.9	373	27.0	23.5-30.5
\$35,000- 49,999	912	636,791	43	14.1	10.0-18.2	91	19.1	15.2-23.0	75	13.3	10.2-16.4	111	14.2	11.5-16.9	171	15.2	12.7-17.7	421	24.2	21.3-27.1
\$50,000- 74,999	1016	748,112	43	10.0	6.9-13.1	103	18.8	15.3-22.3	117	19.1	15.6-22.6	162	15.9	13.4-18.4	268	19.5	17.0-22.0	323	16.7	14.5-18.9
\$75,000+	1723	1,295,062	58	10.0	7.3-12.7	152	16.5	14.0-19.0	256	22.1	19.6-24.6	450	23.1	20.7-25.5	439	17.9	15.9-19.9	368	10.3	8.9-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-24			25-34			35-44			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3239	2,506,523	183	14.1	11.9-16.3	316	17.1	15.1-19.1	335	16.4	14.6-18.2	548	16.6	15.0-18.2	704	17.0	15.6-18.4	1153	18.9	17.5-20.3
White/Non-Hisp	2631	1,994,014	125	12.8	10.6-15.0	226	16.1	13.9-18.3	235	14.6	12.6-16.6	439	16.6	15.0-18.2	592	18.5	16.9-20.1	1014	21.4	19.8-23.0
Black or Afr. Am./Non-Hisp	227	212,325	15	14.2	7.1-21.3	30	17.4	11.5-23.3	30	19.2	12.3-26.1	37	18.2	12.1-24.3	53	16.8	11.9-21.7	62	14.2	9.7-18.7
Oth. Race/Non-Hisp.	105	74,092	11	20.6	5.7-35.5	17	27.6	13.7-41.5	13	25.2	11.1-39.3	15	10.3	3.0-17.6	17	10.4	3.7-17.1	32	5.8	2.7- 8.9
MultiRacial/Non-Hisp.	68	24,719	8	22.4	8.7-36.1	10	23.3	10.0-36.6	9	13.7	4.5-22.9	14	19.7	9.1-30.3	10	9.9	3.4-16.4	17	11.0	4.5-17.5
Hispanic	131	148,256	22	28.6	18.0-39.2	26	23.4	14.6-32.2	37	28.8	19.8-37.8	25	13.0	7.1-18.9	14	4.3	1.9- 6.7	7	1.9	0.0- 3.9
Less Than H.S.	260	326,512	16	17.3	9.7-24.9	30	20.1	13.0-27.2	33	16.8	11.1-22.5	39	13.6	9.1-18.1	46	13.1	8.8-17.4	96	19.1	14.4-23.8
H.S. or G.E.D.	1087	870,560	84	17.1	13.6-20.6	81	12.6	9.9-15.3	97	14.7	11.8-17.6	189	17.5	15.0-20.0	244	19.0	16.5-21.5	392	19.1	16.9-21.3
Some Post-H.S.	810	733,344	57	16.2	12.1-20.3	85	18.0	14.3-21.7	79	15.8	12.3-19.3	126	15.5	12.6-18.4	184	16.2	13.7-18.7	279	18.3	15.8-20.8
College Graduate	1062	561,063	26	5.1	2.9- 7.3	118	21.0	17.5-24.5	123	19.2	15.9-22.5	188	18.0	15.5-20.5	224	17.1	14.7-19.5	383	19.5	17.1-21.9
Less than \$15,000	206	176,010	21	23.9	14.9-32.9	15	12.5	5.8-19.2	18	11.9	5.6-18.2	40	18.1	11.8-24.4	63	22.6	16.3-28.9	49	11.1	7.2-15.0
\$15,000- 24,999	384	256,138	24	14.4	8.5-20.3	26	13.0	7.9-18.1	36	13.8	9.1-18.5	47	12.4	8.7-16.1	81	19.3	14.8-23.8	170	27.1	22.2-32.0
\$25,000- 34,999	304	221,530	15	10.6	4.9-16.3	37	23.4	16.5-30.3	23	13.0	7.5-18.5	36	12.0	7.7-16.3	50	14.0	9.5-18.5	143	27.1	21.8-32.4
\$35,000- 49,999	404	321,632	24	15.9	9.6-22.2	37	16.6	11.1-22.1	38	14.9	10.0-19.8	47	13.3	9.2-17.4	81	15.7	12.0-19.4	177	23.6	19.3-27.9
\$50,000- 74,999	493	404,475	18	8.4	4.3-12.5	61	20.6	15.5-25.7	54	18.8	13.9-23.7	81	16.2	12.5-19.9	113	18.2	14.5-21.9	166	17.7	14.6-20.8
\$75,000+	870	707,019	24	8.7	5.0-12.4	84	16.9	13.4-20.4	126	22.1	18.4-25.8	219	22.6	19.5-25.7	216	18.4	15.7-21.1	201	11.3	9.3-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4369	2,635,349	186	12.6	10.8-14.4	317	16.1	14.3-17.9	402	15.6	14.0-17.2	650	16.0	14.6-17.4	914	16.9	15.7-18.1	1900	22.7	21.5-23.9
White/Non-Hisp	3651	2,135,042	129	11.2	9.2-13.2	225	14.6	12.6-16.6	307	14.9	13.1-16.7	546	16.2	14.8-17.6	767	17.9	16.5-19.3	1677	25.1	23.7-26.5
Black or Afr. Am./Non-Hisp	356	235,875	17	11.2	5.9-16.5	45	23.1	17.0-29.2	49	19.9	14.4-25.4	51	15.2	10.7-19.7	83	17.2	13.1-21.3	111	13.4	10.3-16.5
Oth. Race/Non-Hisp.	99	60,426	9	33.1	15.1-51.1	7	8.8	0.8-16.8	10	13.2	2.8-23.6	15	24.1	8.6-39.6	18	5.7	2.0-9.4	40	15.0	6.4-23.6
MultiRacial/Non-Hisp.	64	19,499	8	29.9	12.5-47.3	8	24.6	7.9-41.3	6	10.2	2.0-18.4	6	6.1	0.2-12.0	18	18.8	8.4-29.2	18	10.4	3.9-16.9
Hispanic	130	149,935	22	26.7	16.3-37.1	28	28.6	18.8-38.4	28	23.4	13.6-33.2	20	10.3	5.0-15.6	15	5.8	2.3-9.3	17	5.2	2.5-7.9
Less Than H.S.	341	305,595	15	11.5	5.8-17.2	26	15.3	9.6-21.0	30	18.0	11.5-24.5	43	14.1	9.6-18.6	71	17.6	13.1-22.1	156	23.6	19.1-28.1
H.S. or G.E.D.	1495	853,801	66	14.4	11.1-17.7	76	12.4	9.7-15.1	81	9.9	7.5-12.3	169	13.9	11.7-16.1	307	18.9	16.5-21.3	796	30.5	28.0-33.0
Some Post-H.S.	1147	845,549	71	15.7	12.2-19.2	97	18.5	15.0-22.0	117	15.3	12.6-18.0	162	15.1	12.6-17.6	231	15.7	13.5-17.9	469	19.7	17.5-21.9
College Graduate	1371	619,612	33	6.7	4.3-9.1	118	18.5	15.4-21.6	172	22.7	19.6-25.8	269	20.3	17.8-22.8	305	15.9	13.9-17.9	474	15.9	14.1-17.7
Less than \$15,000	323	186,034	14	11.4	5.5-17.3	19	14.3	8.0-20.6	35	16.2	10.5-21.9	49	15.7	10.8-20.6	75	20.2	14.9-25.5	131	22.3	17.4-27.2
\$15,000- 24,999	653	398,977	35	16.1	11.0-21.2	49	16.6	12.1-21.1	51	15.7	11.0-20.4	60	9.4	6.9-11.9	122	14.5	11.4-17.6	336	27.7	24.0-31.4
\$25,000- 34,999	424	252,090	17	13.4	7.1-19.7	42	21.7	15.4-28.0	21	9.2	5.1-13.3	48	13.1	9.2-17.0	66	15.8	11.7-19.9	230	26.9	22.4-31.4
\$35,000- 49,999	508	315,159	19	12.2	6.9-17.5	54	21.6	16.1-27.1	37	11.7	7.8-15.6	64	15.0	11.1-18.9	90	14.8	11.3-18.3	244	24.7	20.8-28.6
\$50,000- 74,999	523	343,637	25	11.9	7.0-16.8	42	16.6	11.5-21.7	63	19.5	14.8-24.2	81	15.5	12.0-19.0	155	20.9	17.2-24.6	157	15.5	12.6-18.4
\$75,000+	853	588,043	34	11.5	7.6-15.4	68	16.0	12.3-19.7	130	22.2	18.5-25.9	231	23.8	20.5-27.1	223	17.3	14.8-19.8	167	9.2	7.4-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7531	5,096,463	163	4.1	3.3- 4.9	31	0.6	0.4- 0.8	7	0.1	0.1- 0.1	58	1.1	0.7- 1.5	2	0.0	0.0- 0.0	7270	94.1	93.3-94.9
Male	3194	2,478,350	86	4.2	3.2- 5.2	10	0.3	0.1- 0.5	5	0.1	0.0- 0.3	29	1.3	0.7- 1.9	1	0.0	0.0- 0.0	3063	94.0	92.8-95.2
Female	4337	2,618,113	77	4.0	3.0- 5.0	21	0.8	0.4- 1.2	2	0.1	0.0- 0.3	29	0.8	0.4- 1.2	1	0.1	0.0- 0.3	4207	94.3	93.1-95.5
18-24	369	686,457	37	9.8	6.5-13.1	4	1.1	0.0- 2.3				3	1.1	0.0- 2.5				325	88.0	84.3-91.7
25-34	626	844,767	33	6.1	3.9- 8.3	6	1.0	0.2- 1.8	3	0.3	0.0- 0.7	11	1.6	0.6- 2.6	1	0.2	0.0- 0.6	572	90.8	88.3-93.3
35-44	729	811,006	40	6.5	4.1- 8.9	6	0.6	0.2- 1.0				18	2.5	1.1- 3.9	1	0.1	0.0- 0.3	664	90.4	87.7-93.1
45-54	1183	826,952	24	2.5	1.3- 3.7	10	0.7	0.3- 1.1	1	0.2	0.0- 0.6	10	0.8	0.2- 1.4				1138	95.8	94.4-97.2
55-64	1601	865,378	19	1.2	0.6- 1.8	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3	5	0.2	0.0- 0.4				1572	98.3	97.5-99.1
65+	3023	1,061,903	10	0.5	0.1- 0.9	2	0.1	0.1- 0.1	1	0.0	0.0- 0.0	11	0.4	0.2- 0.6				2999	99.0	98.6-99.4
Less Than H.S.	590	621,665	58	15.3	11.2-19.4	3	0.3	0.0- 0.7				11	2.9	0.9- 4.9	1	0.1	0.0- 0.3	517	81.4	77.1-85.7
H.S. or G.E.D.	2554	1,708,842	52	3.3	2.3- 4.3	10	0.5	0.1- 0.9	2	0.1	0.0- 0.3	15	0.7	0.3- 1.1	1	0.1	0.0- 0.3	2474	95.3	94.1-96.5
Some Post-H.S.	1945	1,570,426	29	2.3	1.3- 3.3	10	0.8	0.2- 1.4	4	0.2	0.0- 0.4	15	0.9	0.3- 1.5				1887	95.7	94.3-97.1
College Graduate	2418	1,175,952	23	1.7	0.9- 2.5	8	0.3	0.1- 0.5	1	0.0	0.0- 0.0	16	0.7	0.3- 1.1				2370	97.3	96.3-98.3
Less than \$15,000	524	359,807	20	6.3	3.0- 9.6	3	0.2	0.0- 0.6				4	0.7	0.0- 1.7				497	92.7	89.4-96.0
\$15,000- 24,999	1028	647,131	30	7.4	4.5-10.3	4	0.6	0.0- 1.2	1	0.1	0.0- 0.3	13	2.2	0.6- 3.8	2	0.4	0.0- 1.0	978	89.4	86.1-92.7
\$25,000- 34,999	724	469,990	22	5.4	3.0- 7.8	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	4	1.1	0.0- 2.3				696	93.0	90.3-95.7
\$35,000- 49,999	906	632,663	20	4.2	2.0- 6.4	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	6	0.9	0.0- 1.9				877	94.5	92.1-96.9
\$50,000- 74,999	1013	745,313	17	2.6	1.0- 4.2	5	0.7	0.0- 1.5				6	0.5	0.1- 0.9				985	96.2	94.4-98.0
\$75,000+	1712	1,286,634	21	2.0	0.8- 3.2	8	0.6	0.0- 1.2	1	0.0	0.0- 0.0	11	0.9	0.1- 1.7				1671	96.4	95.0-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3194	2,478,350	86	4.2	3.2- 5.2	10	0.3	0.1- 0.5	5	0.1	0.0- 0.3	29	1.3	0.7- 1.9	1	0.0	0.0- 0.0	3063	94.0	92.8-95.2
18-24	183	353,156	19	9.8	5.1-14.5							3	2.2	0.0- 4.9				161	88.0	82.7-93.3
25-34	312	425,204	14	5.0	2.3- 7.7	3	0.7	0.0- 1.5	2	0.4	0.0- 1.0	7	2.1	0.3- 3.9				286	91.8	88.5-95.1
35-44	328	399,485	26	7.7	4.6-10.8	1	0.2	0.0- 0.6				9	2.6	0.6- 4.6	1	0.2	0.0- 0.6	291	89.3	85.8-92.8
45-54	537	408,574	15	2.8	1.2- 4.4	4	0.6	0.0- 1.2				6	1.3	0.0- 2.7				512	95.3	93.1-97.5
55-64	692	422,286	9	1.0	0.4- 1.6	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6	2	0.1	0.0- 0.3				678	98.5	97.7-99.3
65+	1142	469,645	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3				1135	99.4	98.8- 100
Less Than H.S.	254	320,619	27	12.9	7.8-18.0	2	0.4	0.0- 1.2				7	3.4	0.7- 6.1	1	0.2	0.0- 0.6	217	83.1	77.4-88.8
H.S. or G.E.D.	1072	860,546	31	4.1	2.3- 5.9	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3	5	0.8	0.0- 1.6				1030	94.6	92.6-96.6
Some Post-H.S.	803	727,957	18	2.9	1.3- 4.5	2	0.1	0.0- 0.3	3	0.3	0.0- 0.7	7	1.6	0.2- 3.0				773	95.2	93.0-97.4
College Graduate	1053	558,056	9	1.0	0.4- 1.6	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	10	0.8	0.2- 1.4				1032	98.1	97.3-98.9
Less than \$15,000	204	175,241	8	5.8	1.5-10.1	2	0.2	0.0- 0.4										194	94.0	89.7-98.3
\$15,000- 24,999	382	253,186	14	6.7	3.0-10.4	2	0.5	0.0- 1.3	1	0.4	0.0- 1.2	6	2.3	0.0- 4.7	1	0.3	0.0- 0.9	358	89.9	85.6-94.2
\$25,000- 34,999	302	219,865	15	8.8	4.3-13.3							4	2.4	0.0- 4.9				283	88.8	83.7-93.9
\$35,000- 49,999	400	317,875	9	3.7	0.8- 6.6				1	0.1	0.0- 0.3	5	1.7	0.0- 3.5				385	94.5	91.2-97.8
\$50,000- 74,999	491	402,244	13	3.4	1.0- 5.8	3	0.5	0.0- 1.3				2	0.5	0.0- 1.3				473	95.6	93.2-98.0
\$75,000+	863	700,241	8	1.4	0.2- 2.6				1	0.0	0.0- 0.0	8	1.5	0.1- 2.9				846	97.1	95.3-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4337	2,618,113	77	4.0	3.0- 5.0	21	0.8	0.4- 1.2	2	0.1	0.0- 0.3	29	0.8	0.4- 1.2	1	0.1	0.0- 0.3	4207	94.3	93.1-95.5
18-24	186	333,301	18	9.7	5.0-14.4	4	2.3	0.0- 4.8										164	88.0	82.7-93.3
25-34	314	419,563	19	7.3	3.8-10.8	3	1.3	0.0- 2.9	1	0.2	0.0- 0.6	4	1.1	0.0- 2.3	1	0.4	0.0- 1.2	286	89.8	85.9-93.7
35-44	401	411,521	14	5.2	1.9- 8.5	5	0.9	0.0- 1.9				9	2.3	0.1- 4.5				373	91.5	87.6-95.4
45-54	646	418,378	9	2.2	0.6- 3.8	6	0.9	0.1- 1.7	1	0.3	0.0- 0.9	4	0.4	0.0- 0.8				626	96.3	94.3-98.3
55-64	909	443,092	10	1.5	0.3- 2.7	2	0.2	0.0- 0.4				3	0.3	0.0- 0.7				894	98.0	96.8-99.2
65+	1881	592,258	7	0.6	0.2- 1.0	1	0.1	0.0- 0.3				9	0.6	0.2- 1.0				1864	98.7	98.1-99.3
Less Than H.S.	336	301,046	31	17.8	11.3-24.3	1	0.2	0.0- 0.6				4	2.4	0.0- 5.1				300	79.7	73.0-86.4
H.S. or G.E.D.	1482	848,297	21	2.4	1.2- 3.6	5	0.7	0.1- 1.3	1	0.1	0.0- 0.3	10	0.7	0.1- 1.3	1	0.2	0.0- 0.6	1444	96.0	94.4-97.6
Some Post-H.S.	1142	842,469	11	1.9	0.5- 3.3	8	1.4	0.2- 2.6	1	0.1	0.0- 0.3	8	0.4	0.0- 0.8				1114	96.1	94.3-97.9
College Graduate	1365	617,897	14	2.3	0.9- 3.7	7	0.6	0.0- 1.2				6	0.6	0.0- 1.2				1338	96.5	94.9-98.1
Less than \$15,000	320	184,565	12	6.8	2.1-11.5	1	0.3	0.0- 0.9				4	1.4	0.0- 3.4				303	91.5	86.4-96.6
\$15,000- 24,999	646	393,945	16	7.9	3.8-12.0	2	0.6	0.0- 1.4				7	2.1	0.0- 4.3	1	0.4	0.0- 1.2	620	89.0	84.3-93.7
\$25,000- 34,999	422	250,125	7	2.3	0.3- 4.3	1	0.7	0.0- 1.9	1	0.3	0.0- 0.9							413	96.8	94.4-99.2
\$35,000- 49,999	506	314,788	11	4.7	1.8- 7.6	2	0.5	0.0- 1.3				1	0.2	0.0- 0.6				492	94.6	91.5-97.7
\$50,000- 74,999	522	343,069	4	1.7	0.0- 3.7	2	0.8	0.0- 2.2				4	0.6	0.0- 1.2				512	96.9	94.5-99.3
\$75,000+	849	586,393	13	2.8	0.8- 4.8	8	1.4	0.0- 2.8				3	0.2	0.0- 0.4				825	95.6	93.2-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7464	5,029,180	7185	97.0	96.4-97.6	139	1.1	0.9- 1.3	3	0.0	0.0- 0.0	1	0.0	0.0- 0.0	136	1.9	1.5- 2.3
Male	3167	2,445,912	3015	96.4	95.6-97.2	75	1.4	1.0- 1.8	2	0.0	0.0- 0.0				75	2.2	1.4- 3.0
Female	4297	2,583,268	4170	97.5	96.7-98.3	64	0.8	0.6- 1.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	61	1.7	1.1- 2.3
18-24	360	664,706	326	94.3	91.9-96.7	17	2.1	0.9- 3.3							17	3.7	1.7- 5.7
25-34	622	835,022	585	95.3	93.3-97.3	19	1.5	0.7- 2.3				1	0.0	0.0- 0.0	17	3.2	1.4- 5.0
35-44	718	799,528	676	95.5	93.7-97.3	18	1.1	0.5- 1.7							24	3.4	1.8- 5.0
45-54	1165	812,225	1127	98.1	97.3-98.9	23	1.0	0.6- 1.4							15	0.9	0.3- 1.5
55-64	1590	859,803	1546	98.6	98.2-99.0	27	0.7	0.3- 1.1	2	0.0	0.0- 0.0				15	0.6	0.2- 1.0
65+	3009	1,057,896	2925	98.8	98.4-99.2	35	0.5	0.3- 0.7	1	0.0	0.0- 0.0				48	0.7	0.5- 0.9
Less Than H.S.	579	600,397	540	91.7	88.6-94.8	9	0.8	0.2- 1.4							30	7.4	4.5-10.3
H.S. or G.E.D.	2542	1,693,914	2435	97.2	96.4-98.0	62	1.4	1.0- 1.8	2	0.0	0.0- 0.0				43	1.4	0.8- 2.0
Some Post-H.S.	1926	1,555,187	1845	97.3	96.5-98.1	45	1.3	0.7- 1.9							36	1.4	0.8- 2.0
College Graduate	2396	1,165,112	2344	98.8	98.2-99.4	23	0.4	0.2- 0.6	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	27	0.7	0.1- 1.3
Less than \$15,000	521	355,391	489	95.9	93.5-98.3	20	1.6	0.6- 2.6	1	0.1	0.0- 0.3				11	2.5	0.3- 4.7
\$15,000- 24,999	1018	636,443	968	95.4	93.4-97.4	25	1.3	0.7- 1.9							25	3.3	1.5- 5.1
\$25,000- 34,999	718	465,505	686	96.2	94.2-98.2	21	1.5	0.5- 2.5	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	9	2.2	0.4- 4.0
\$35,000- 49,999	901	629,394	870	97.3	95.9-98.7	15	0.9	0.3- 1.5							16	1.8	0.4- 3.2
\$50,000- 74,999	1009	741,545	976	96.6	95.0-98.2	18	1.7	0.7- 2.7							15	1.8	0.4- 3.2
\$75,000+	1700	1,270,414	1666	99.1	98.7-99.5	17	0.3	0.1- 0.5	1	0.0	0.0- 0.0				16	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3167	2,445,912	3015	96.4	95.6-97.2	75	1.4	1.0- 1.8	2	0.0	0.0- 0.0	75	2.2	1.4- 3.0
18-24	178	340,382	160	94.1	91.0-97.2	9	2.3	0.5- 4.1				9	3.6	0.9- 6.3
25-34	311	420,097	291	95.4	92.9-97.9	12	1.9	0.7- 3.1				8	2.7	0.5- 4.9
35-44	323	394,841	297	93.8	90.9-96.7	12	1.7	0.5- 2.9				14	4.5	2.0- 7.0
45-54	528	400,268	503	97.4	96.2-98.6	16	1.5	0.7- 2.3				9	1.1	0.3- 1.9
55-64	689	421,933	668	98.3	97.5-99.1	10	0.6	0.2- 1.0	1	0.0	0.0- 0.0	10	1.0	0.4- 1.6
65+	1138	468,392	1096	98.7	98.1-99.3	16	0.5	0.1- 0.9	1	0.0	0.0- 0.0	25	0.7	0.3- 1.1
Less Than H.S.	250	310,153	225	90.8	86.7-94.9	7	1.1	0.3- 1.9				18	8.2	4.1-12.3
H.S. or G.E.D.	1066	851,441	1002	96.1	94.7-97.5	40	2.2	1.4- 3.0	2	0.0	0.0- 0.0	22	1.7	0.7- 2.7
Some Post-H.S.	798	723,047	759	97.1	95.7-98.5	18	1.3	0.5- 2.1				21	1.6	0.6- 2.6
College Graduate	1043	554,456	1019	99.1	98.7-99.5	10	0.5	0.1- 0.9				14	0.4	0.2- 0.6
Less than \$15,000	203	172,487	188	96.2	93.7-98.7	9	2.1	0.3- 3.9	1	0.1	0.0- 0.3	5	1.6	0.0- 3.4
\$15,000- 24,999	378	251,547	347	93.5	90.2-96.8	15	1.8	0.8- 2.8				16	4.7	1.6- 7.8
\$25,000- 34,999	300	216,246	281	93.5	89.4-97.6	11	1.9	0.5- 3.3	1	0.1	0.0- 0.3	7	4.6	0.7- 8.5
\$35,000- 49,999	397	316,960	383	98.2	96.8-99.6	8	1.1	0.1- 2.1				6	0.8	0.0- 1.8
\$50,000- 74,999	490	399,858	467	95.8	93.4-98.2	13	2.3	0.7- 3.9				10	1.9	0.1- 3.7
\$75,000+	857	692,966	839	98.9	98.1-99.7	8	0.3	0.1- 0.5				10	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4297	2,583,268	4170	97.5	96.7-98.3	64	0.8	0.6- 1.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	61	1.7	1.1- 2.3
18-24	182	324,325	166	94.4	91.3-97.5	8	1.8	0.4- 3.2				8	3.8	0.9- 6.7			
25-34	311	414,925	294	95.2	92.3-98.1	7	1.1	0.1- 2.1				1	0.1	0.0- 0.3	9	3.7	1.0- 6.4
35-44	395	404,687	379	97.2	95.2-99.2	6	0.5	0.1- 0.9							10	2.3	0.3- 4.3
45-54	637	411,956	624	98.9	98.1-99.7	7	0.5	0.1- 0.9							6	0.7	0.1- 1.3
55-64	901	437,870	878	99.0	98.4-99.6	17	0.8	0.4- 1.2	1	0.0	0.0- 0.0				5	0.2	0.0- 0.4
65+	1871	589,504	1829	98.9	98.5-99.3	19	0.4	0.2- 0.6							23	0.7	0.3- 1.1
Less Than H.S.	329	290,244	315	92.8	88.3-97.3	2	0.5	0.0- 1.3							12	6.7	2.2-11.2
H.S. or G.E.D.	1476	842,474	1433	98.2	97.4-99.0	22	0.7	0.3- 1.1							21	1.1	0.5- 1.7
Some Post-H.S.	1128	832,141	1086	97.5	96.5-98.5	27	1.2	0.6- 1.8							15	1.3	0.5- 2.1
College Graduate	1353	610,656	1325	98.6	97.6-99.6	13	0.4	0.2- 0.6	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	13	0.9	0.0- 1.9
Less than \$15,000	318	182,905	301	95.6	91.7-99.5	11	1.0	0.2- 1.8							6	3.3	0.0- 7.2
\$15,000- 24,999	640	384,897	621	96.7	94.3-99.1	10	0.9	0.1- 1.7							9	2.4	0.2- 4.6
\$25,000- 34,999	418	249,259	405	98.5	97.3-99.7	10	1.2	0.0- 2.4				1	0.2	0.0- 0.6	2	0.1	0.0- 0.3
\$35,000- 49,999	504	312,435	487	96.4	93.9-98.9	7	0.8	0.0- 1.6							10	2.9	0.4- 5.4
\$50,000- 74,999	519	341,687	509	97.4	95.2-99.6	5	1.0	0.0- 2.0							5	1.6	0.0- 3.6
\$75,000+	843	577,448	827	99.3	98.9-99.7	9	0.3	0.1- 0.5	1	0.0	0.0- 0.0				6	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	123	47,092	85	57.3	45.0-69.6	16	14.9	8.0-21.8	15	18.2	7.8-28.6	3	8.3	0.0-18.5	1	0.3	0.0- 0.9	3	0.9	0.0- 2.3
Male	67	31,097	44	53.7	37.4-70.0	8	14.4	4.4-24.4	10	17.9	4.4-31.4	3	12.6	0.0-27.7	1	0.5	0.0- 1.5	1	1.0	0.0- 3.0
Female	56	15,995	41	64.3	47.1-81.5	8	16.0	6.2-25.8	5	18.9	2.6-35.2							2	0.8	0.0- 2.0
H.S. or G.E.D.	58	22,884	41	60.2	42.6-77.8	7	14.1	3.5-24.7	7	24.5	6.7-42.3				1	0.7	0.0- 2.1	2	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	67	31,097	44	53.7	37.8-69.6	8	14.4	5.4-23.4	10	17.9	4.8-31.0	3	12.6	0.0-27.7	1	0.5	0.5-0.5	1	1.0	0.0-3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 8: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	56	15,995	41	64.3	46.1-82.5	8	16.0	6.0-26.0	5	18.9	2.2-35.6	2	0.8	0.0- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7533	5,100,092	3844	51.7	50.1-53.3	1117	12.0	11.2-12.8	1120	7.1	6.5- 7.7	128	2.1	1.7- 2.5	1120	22.4	21.0-23.8	204	4.6	3.8- 5.4
Male	3207	2,484,860	1755	51.8	49.4-54.2	449	11.9	10.5-13.3	285	4.4	3.8- 5.0	50	1.7	1.1- 2.3	565	24.9	22.7-27.1	103	5.3	4.1- 6.5
Female	4326	2,615,232	2089	51.7	49.7-53.7	668	12.2	11.0-13.4	835	9.8	9.0-10.6	78	2.5	1.7- 3.3	555	20.0	18.2-21.8	101	3.9	2.9- 4.9
White/Non-Hisp	6243	4,109,080	3351	55.1	53.5-56.7	913	12.3	11.3-13.3	984	7.7	7.1- 8.3	74	1.5	1.1- 1.9	779	19.3	17.7-20.9	142	4.1	3.3- 4.9
Black or Afr. Am./Non-Hisp	578	445,768	157	28.5	24.0-33.0	111	14.7	11.4-18.0	76	6.9	4.7- 9.1	29	3.9	2.1- 5.7	188	41.3	36.0-46.6	17	4.6	2.1- 7.1
Oth. Race/Non-Hisp.	201	131,637	102	47.0	35.4-58.6	29	7.8	2.7-12.9	19	2.3	0.7- 3.9	2	1.3	0.0- 3.8	47	39.9	27.9-51.9	2	1.7	0.0- 4.4
MultiRacial/Non-Hisp.	129	42,632	49	36.8	26.0-47.6	21	11.0	5.3-16.7	12	5.0	1.1- 8.9	2	1.7	0.0- 4.1	30	31.9	21.1-42.7	15	13.6	6.5-20.7
Hispanic	256	293,609	117	43.1	35.7-50.5	23	6.2	3.1- 9.3	11	2.0	0.4- 3.6	20	8.6	4.1-13.1	64	29.6	22.3-36.9	21	10.5	5.8-15.2
18-24	367	684,688	28	8.7	5.4-12.0				1	0.2	0.0- 0.6	2	0.4	0.0- 1.0	296	79.8	75.1-84.5	40	10.9	7.2-14.6
25-34	627	848,084	264	46.2	41.9-50.5	38	5.6	3.8- 7.4	1	0.1	0.0- 0.3	16	3.0	1.4- 4.6	244	34.8	30.7-38.9	64	10.3	7.8-12.8
35-44	730	814,245	438	63.0	59.1-66.9	91	12.6	9.9-15.3	9	1.0	0.2- 1.8	22	4.0	2.2- 5.8	137	14.7	12.0-17.4	33	4.8	3.0- 6.6
45-54	1177	821,521	729	62.8	59.7-65.9	232	20.1	17.4-22.8	33	2.7	1.7- 3.7	37	3.2	2.0- 4.4	123	9.3	7.5-11.1	23	1.8	1.0- 2.6
55-64	1601	864,798	944	63.4	60.7-66.1	300	18.5	16.1-20.9	141	7.1	5.7- 8.5	24	1.5	0.7- 2.3	167	8.1	6.7- 9.5	25	1.5	0.7- 2.3
65+	3031	1,066,756	1441	57.2	55.0-59.4	456	12.9	11.5-14.3	935	25.4	23.6-27.2	27	0.7	0.3- 1.1	153	3.3	2.7- 3.9	19	0.6	0.2- 1.0
Less Than H.S.	596	627,821	198	37.4	32.3-42.5	109	13.4	10.3-16.5	142	11.8	9.4-14.2	27	6.5	3.8- 9.2	97	24.2	19.1-29.3	23	6.7	3.6- 9.8
H.S. or G.E.D.	2564	1,716,071	1164	47.5	45.0-50.0	391	12.3	10.9-13.7	507	9.2	8.2-10.2	53	2.1	1.5- 2.7	388	25.0	22.5-27.5	61	4.0	2.8- 5.2
Some Post-H.S.	1940	1,568,794	972	51.2	48.3-54.1	329	13.1	11.3-14.9	236	5.2	4.4- 6.0	28	1.4	0.8- 2.0	321	24.3	21.6-27.0	54	4.8	3.2- 6.4
College Graduate	2416	1,173,494	1501	66.1	63.7-68.5	285	9.4	8.0-10.8	234	4.2	3.4- 5.0	20	0.8	0.4- 1.2	310	15.1	13.1-17.1	66	4.2	3.0- 5.4
Less than \$15,000	520	357,189	70	18.7	13.8-23.6	161	23.8	19.3-28.3	86	9.1	6.7-11.5	33	7.4	4.5-10.3	154	36.0	30.3-41.7	16	5.1	2.0- 8.2
\$15,000- 24,999	1030	650,034	264	29.9	26.0-33.8	243	18.8	16.1-21.5	281	15.9	13.5-18.3	29	4.1	2.1- 6.1	187	27.9	23.8-32.0	26	3.4	1.8- 5.0
\$25,000- 34,999	726	472,581	258	38.6	33.9-43.3	136	14.7	11.6-17.8	161	11.1	8.7-13.5	16	3.6	1.4- 5.8	133	25.2	20.7-29.7	22	6.9	3.6-10.2
\$35,000- 49,999	911	635,557	448	49.2	44.9-53.5	146	13.4	10.7-16.1	135	6.3	4.9- 7.7	12	1.1	0.3- 1.9	134	23.4	19.1-27.7	36	6.7	4.2- 9.2
\$50,000- 74,999	1015	747,960	620	58.9	55.0-62.8	130	12.4	10.0-14.8	80	3.2	2.2- 4.2	9	1.2	0.2- 2.2	146	19.8	16.1-23.5	30	4.4	2.6- 6.2
\$75,000+	1722	1,293,972	1372	75.2	72.3-78.1	112	5.6	4.4- 6.8	53	1.4	0.8- 2.0	8	0.6	0.0- 1.2	131	13.0	10.5-15.5	46	4.2	2.6- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	3207	2,484,860	1755	51.8	49.4-54.2	449	11.9	10.5-13.3	285	4.4	3.8- 5.0	50	1.7	1.1- 2.3	565	24.9	22.7-27.1	103	5.3	4.1- 6.5			
White/Non-Hisp	2621	1,986,203	1511	55.0	52.5-57.5	357	12.0	10.6-13.4	248	4.7	3.9- 5.5	28	1.2	0.6- 1.8	412	22.4	20.0-24.8	65	4.7	3.3- 6.1			
Black or Afr. Am./Non-Hisp	225	210,830	73	30.9	23.8-38.0	47	16.4	11.1-21.7	17	4.9	1.8- 8.0	9	1.6	0.4- 2.8	69	40.1	31.9-48.3	10	6.1	1.8-10.4			
Oth. Race/Non-Hisp.	103	71,967	54	49.0	33.1-64.9	11	5.1	1.0- 9.2	6	1.0	0.0- 2.0	2	2.4	0.0- 6.9	28	39.5	23.6-55.4	2	3.0	0.0- 8.1			
MultiRacial/Non-Hisp.	66	23,163	23	33.4	19.7-47.1	14	15.2	6.4-24.0	5	5.5	0.0-12.0	1	1.9	0.0- 5.6	12	25.2	11.7-38.7	11	18.8	8.0-29.6			
Hispanic	129	147,057	58	41.3	31.1-51.5	12	7.4	2.1-12.7	3	1.5	0.0- 3.7	9	7.8	1.7-13.9	37	32.1	21.9-42.3	10	9.9	3.6-16.2			
18-24	181	351,387	9	6.1	2.2-10.0				1	0.4	0.0- 1.2	1	0.6	0.0- 1.8	147	80.3	73.6-87.0	23	12.5	6.8-18.2			
25-34	313	427,008	122	41.5	35.2-47.8	14	4.3	1.9- 6.7	1	0.2	0.0- 0.6	7	2.9	0.4- 5.4	137	41.2	35.1-47.3	32	10.0	6.3-13.7			
35-44	331	405,181	191	60.2	54.3-66.1	44	13.9	9.6-18.2	2	0.3	0.0- 0.9	6	2.2	0.4- 4.0	69	16.8	12.5-21.1	19	6.5	3.4- 9.6			
45-54	537	408,199	337	63.7	59.0-68.4	107	20.6	16.7-24.5	7	1.6	0.2- 3.0	12	2.1	0.7- 3.5	59	9.5	6.8-12.2	15	2.5	1.1- 3.9			
55-64	696	421,347	416	64.3	60.2-68.4	130	18.7	15.4-22.0	39	5.0	3.0- 7.0	13	1.4	0.4- 2.4	88	8.8	6.6-11.0	10	1.8	0.6- 3.0			
65+	1149	471,738	680	66.7	63.4-70.0	154	12.1	9.9-14.3	235	16.6	14.1-19.1	11	0.6	0.2- 1.0	65	3.7	2.5- 4.9	4	0.3	0.0- 0.7			
Less Than H.S.	257	323,825	90	35.1	27.8-42.4	45	13.1	8.6-17.6	44	8.3	5.2-11.4	9	5.7	1.8- 9.6	59	32.3	24.5-40.1	10	5.5	1.2- 9.8			
H.S. or G.E.D.	1079	865,118	521	47.9	44.2-51.6	174	12.6	10.4-14.8	113	4.6	3.4- 5.8	23	1.7	0.9- 2.5	212	28.1	24.4-31.8	36	5.1	3.3- 6.9			
Some Post-H.S.	805	729,747	440	52.2	47.7-56.7	120	12.1	9.6-14.6	61	3.5	2.3- 4.7	9	0.5	0.1- 0.9	150	25.7	21.4-30.0	25	6.0	3.5- 8.5			
College Graduate	1057	558,427	700	66.8	63.3-70.3	108	9.8	7.6-12.0	67	3.0	2.0- 4.0	9	0.8	0.2- 1.4	141	14.8	12.1-17.5	32	4.7	2.7- 6.7			
Less than \$15,000	203	173,760	31	19.3	11.7-26.9	60	22.0	15.3-28.7	18	5.5	2.4- 8.6	10	3.8	0.9- 6.7	76	42.0	33.0-51.0	8	7.3	1.6-13.0			
\$15,000- 24,999	382	254,478	129	35.6	29.5-41.7	85	19.1	14.4-23.8	69	11.1	7.6-14.6	9	2.5	0.3- 4.7	79	28.9	22.4-35.4	11	2.8	0.8- 4.8			
\$25,000- 34,999	302	220,491	123	41.8	34.7-48.9	49	12.8	8.3-17.3	48	8.2	5.1-11.3	5	2.8	0.0- 5.7	66	28.1	21.0-35.2	11	6.3	2.2-10.4			
\$35,000- 49,999	403	320,397	212	48.1	41.6-54.6	58	11.5	7.8-15.2	41	4.2	2.4- 6.0	4	1.1	0.0- 2.5	70	26.6	20.1-33.1	18	8.5	4.2-12.8			
\$50,000- 74,999	493	404,475	294	54.8	49.1-60.5	70	15.1	11.4-18.8	25	2.2	1.2- 3.2	5	1.4	0.0- 3.0	84	22.4	17.1-27.7	15	4.2	1.8- 6.6			
\$75,000+	869	705,928	679	72.8	68.5-77.1	68	7.5	5.5- 9.5	23	1.0	0.4- 1.6	7	0.9	0.0- 2.1	64	12.0	8.5-15.5	28	5.7	3.2- 8.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4326	2,615,232	2089	51.7	49.7-53.7	668	12.2	11.0-13.4	835	9.8	9.0-10.6	78	2.5	1.7- 3.3	555	20.0	18.2-21.8	101	3.9	2.9- 4.9
White/Non-Hisp	3622	2,122,877	1840	55.3	53.1-57.5	556	12.6	11.2-14.0	736	10.5	9.5-11.5	46	1.8	1.2- 2.4	367	16.4	14.4-18.4	77	3.5	2.5- 4.5
Black or Afr. Am./Non-Hisp	353	234,938	84	26.3	20.4-32.2	64	13.3	9.2-17.4	59	8.7	5.8-11.6	20	6.0	2.7- 9.3	119	42.4	35.7-49.1	7	3.3	0.6- 6.0
Oth. Race/Non-Hisp.	98	59,670	48	44.7	27.8-61.6	18	11.0	1.2-20.8	13	3.9	1.0- 6.8				19	40.4	22.6-58.2			
MultiRacial/Non-Hisp.	63	19,469	26	40.9	24.0-57.8	7	6.0	0.0-12.3	7	4.3	0.6- 8.0	1	1.5	0.0- 4.4	18	39.8	22.7-56.9	4	7.4	0.0-16.0
Hispanic	127	146,552	59	45.0	34.0-56.0	11	5.1	1.6- 8.6	8	2.6	0.4- 4.8	11	9.3	2.8-15.8	27	27.1	16.9-37.3	11	11.0	4.1-17.9
18-24	186	333,301	19	11.5	6.2-16.8							1	0.2	0.0- 0.6	149	79.2	72.5-85.9	17	9.1	4.6-13.6
25-34	314	421,076	142	51.0	44.9-57.1	24	6.9	4.0- 9.8				9	3.1	0.9- 5.3	107	28.3	23.0-33.6	32	10.7	6.8-14.6
35-44	399	409,064	247	65.8	60.5-71.1	47	11.2	7.7-14.7	7	1.6	0.2- 3.0	16	5.8	2.7- 8.9	68	12.5	9.2-15.8	14	3.1	1.3- 4.9
45-54	640	413,322	392	61.9	57.6-66.2	125	19.7	16.0-23.4	26	3.8	2.2- 5.4	25	4.4	2.4- 6.4	64	9.2	6.7-11.7	8	1.1	0.3- 1.9
55-64	905	443,451	528	62.6	58.9-66.3	170	18.2	15.3-21.1	102	9.1	6.9-11.3	11	1.5	0.5- 2.5	79	7.5	5.5- 9.5	15	1.2	0.4- 2.0
65+	1882	595,019	761	49.6	46.9-52.3	302	13.5	11.7-15.3	700	32.4	29.9-34.9	16	0.7	0.3- 1.1	88	2.9	2.1- 3.7	15	0.8	0.4- 1.2
Less Than H.S.	339	303,997	108	39.9	32.8-47.0	64	13.7	9.4-18.0	98	15.5	11.8-19.2	18	7.3	3.4-11.2	38	15.6	9.9-21.3	13	7.9	3.6-12.2
H.S. or G.E.D.	1485	850,953	643	47.1	43.8-50.4	217	11.9	9.9-13.9	394	13.9	12.1-15.7	30	2.4	1.4- 3.4	176	21.8	18.5-25.1	25	2.8	1.4- 4.2
Some Post-H.S.	1135	839,047	532	50.3	46.4-54.2	209	14.0	11.6-16.4	175	6.8	5.4- 8.2	19	2.1	0.9- 3.3	171	23.1	19.6-26.6	29	3.8	2.0- 5.6
College Graduate	1359	615,068	801	65.5	62.2-68.8	177	9.2	7.4-11.0	167	5.4	4.2- 6.6	11	0.9	0.3- 1.5	169	15.4	12.7-18.1	34	3.7	2.3- 5.1
Less than \$15,000	317	183,429	39	18.0	11.5-24.5	101	25.5	19.6-31.4	68	12.5	8.8-16.2	23	10.8	5.9-15.7	78	30.2	23.1-37.3	8	3.0	0.3- 5.7
\$15,000- 24,999	648	395,556	135	26.3	21.2-31.4	158	18.6	15.1-22.1	212	18.9	15.8-22.0	20	5.0	2.3- 7.7	108	27.3	22.0-32.6	15	3.9	1.5- 6.3
\$25,000- 34,999	424	252,090	135	35.7	29.2-42.2	87	16.3	12.2-20.4	113	13.5	10.2-16.8	11	4.4	1.3- 7.5	67	22.6	16.7-28.5	11	7.4	2.5-12.3
\$35,000- 49,999	508	315,159	236	50.2	44.3-56.1	88	15.4	11.5-19.3	94	8.4	6.0-10.8	8	1.0	0.2- 1.8	64	20.2	14.7-25.7	18	4.8	2.1- 7.5
\$50,000- 74,999	522	343,485	326	63.8	58.3-69.3	60	9.3	6.6-12.0	55	4.5	2.9- 6.1	4	0.9	0.0- 1.9	62	16.8	11.9-21.7	15	4.7	2.0- 7.4
\$75,000+	853	588,043	693	78.0	73.9-82.1	44	3.4	2.0- 4.8	30	1.8	1.0- 2.6	1	0.2	0.0- 0.6	67	14.1	10.2-18.0	18	2.5	1.1- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7573	5,116,036	7	0.1	0.0-0.3	146	2.7	2.1-3.3	448	9.5	8.3-10.7	2582	33.7	32.3-35.1	1957	30.9	29.5-32.3	2433	23.1	21.9-24.3
Male	3219	2,491,480	4	0.2	0.0-0.4	76	3.0	2.2-3.8	180	9.9	8.1-11.7	1087	34.9	32.7-37.1	810	29.4	27.2-31.6	1062	22.5	20.9-24.1
Female	4354	2,624,556	3	0.1	0.0-0.3	70	2.4	1.6-3.2	268	9.2	7.8-10.6	1495	32.5	30.7-34.3	1147	32.2	30.2-34.2	1371	23.6	22.0-25.2
White/Non-Hisp	6266	4,119,039	3	0.1	0.1-0.1	82	1.8	1.2-2.4	341	8.7	7.5-9.9	2132	34.0	32.4-35.6	1594	30.9	29.3-32.5	2114	24.6	23.4-25.8
Black or Afr. Am./Non-Hisp	581	446,615				14	1.9	0.7-3.1	42	8.4	5.3-11.5	208	36.7	31.8-41.6	179	36.9	31.8-42.0	138	16.1	13.0-19.2
Oth. Race/Non-Hisp.	203	133,036	1	1.4	0.0-4.1	6	1.6	0.0-3.6	17	9.4	2.1-16.7	57	23.2	13.2-33.2	54	30.8	19.6-42.0	68	33.6	23.2-44.0
MultiRacial/Non-Hisp.	132	44,219				3	3.7	0.0-8.2	6	7.3	0.8-13.8	58	44.0	33.2-54.8	42	34.8	24.0-45.6	23	10.1	5.2-15.0
Hispanic	259	295,973	2	0.7	0.0-1.7	37	17.2	11.3-23.1	34	21.1	14.2-28.0	80	27.2	20.9-33.5	58	22.9	16.4-29.4	48	10.9	7.2-14.6
18-24	368	685,302				5	2.3	0.3-4.3	26	11.1	6.8-15.4	150	39.7	34.2-45.2	128	36.7	31.2-42.2	59	10.2	7.3-13.1
25-34	631	849,369	1	0.1	0.0-0.3	13	2.4	1.0-3.8	42	10.7	7.4-14.0	157	25.4	21.7-29.1	182	34.0	29.7-38.3	236	27.4	23.9-30.9
35-44	732	816,414	2	0.4	0.0-1.0	17	3.4	1.6-5.2	44	9.6	6.7-12.5	178	26.0	22.3-29.7	196	30.1	26.2-34.0	295	30.5	27.0-34.0
45-54	1185	826,818	1	0.1	0.0-0.3	22	2.7	1.3-4.1	59	7.8	5.6-10.0	358	32.8	29.7-35.9	288	29.2	26.1-32.3	457	27.4	24.9-29.9
55-64	1612	868,961				25	2.2	1.2-3.2	92	8.9	6.9-10.9	551	37.6	34.9-40.3	415	28.9	26.4-31.4	529	22.4	20.2-24.6
65+	3045	1,069,172	3	0.2	0.0-0.4	64	2.9	2.1-3.7	185	9.5	7.9-11.1	1188	39.9	37.7-42.1	748	28.1	26.1-30.1	857	19.5	17.9-21.1
Less than \$15,000	529	362,044	1	0.1	0.0-0.3	37	7.9	4.4-11.4	94	23.3	18.2-28.4	226	38.7	33.2-44.2	114	24.0	18.9-29.1	57	6.0	3.8-8.2
\$15,000- 24,999	1036	654,363	2	0.4	0.0-1.0	36	5.6	3.2-8.0	112	17.2	13.7-20.7	482	40.0	36.1-43.9	275	28.2	24.5-31.9	129	8.6	6.6-10.6
\$25,000- 34,999	726	471,556	2	0.6	0.0-1.6	24	5.5	3.0-8.0	44	8.5	5.6-11.4	311	40.5	35.8-45.2	218	33.2	28.3-38.1	127	11.7	9.2-14.2
\$35,000- 49,999	912	636,791	1	0.1	0.0-0.3	9	1.5	0.3-2.7	28	6.9	4.0-9.8	329	36.6	32.5-40.7	277	37.0	32.7-41.3	268	18.0	15.3-20.7
\$50,000- 74,999	1015	746,760				2	0.4	0.0-1.0	34	7.0	4.3-9.7	309	33.5	29.8-37.2	285	34.2	30.3-38.1	385	24.9	22.0-27.8
\$75,000+	1721	1,291,594	1	0.1	0.0-0.3	5	0.6	0.0-1.2	20	3.5	1.7-5.3	280	21.1	18.6-23.6	406	30.8	27.9-33.7	1009	43.9	41.0-46.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3219	2,491,480	4	0.2	0.0- 0.4	76	3.0	2.2- 3.8	180	9.9	8.1-11.7	1087	34.9	32.7-37.1	810	29.4	27.2-31.6	1062	22.5	20.9-24.1
White/Non-Hisp	2625	1,990,653	1	0.1	0.0- 0.3	38	2.0	1.2- 2.8	134	9.1	7.1-11.1	874	35.1	32.7-37.5	653	29.3	26.9-31.7	925	24.4	22.6-26.2
Black or Afr. Am./Non-Hisp	226	211,837				10	2.9	0.7- 5.1	15	9.0	3.9-14.1	84	37.1	29.5-44.7	70	38.1	29.9-46.3	47	12.8	8.5-17.1
Oth. Race/Non-Hisp.	104	72,610	1	2.6	0.0- 7.7	3	1.1	0.0- 2.7	7	12.1	0.3-23.9	26	21.4	7.3-35.5	30	26.5	12.6-40.4	37	36.3	22.0-50.6
MultiRacial/Non-Hisp.	68	24,719				3	6.7	0.0-14.7	4	6.7	0.0-13.4	38	57.6	43.5-71.7	15	21.4	9.8-33.0	8	7.7	1.4-14.0
Hispanic	130	146,689	2	1.4	0.0- 3.6	20	17.7	9.9-25.5	15	17.8	9.0-26.6	42	31.9	22.3-41.5	30	23.9	14.7-33.1	21	7.2	3.7-10.7
18-24	183	353,156				4	3.7	0.2- 7.2	12	12.2	5.5-18.9	84	42.3	34.3-50.3	57	33.7	25.9-41.5	26	8.1	4.6-11.6
25-34	314	425,264				7	2.0	0.4- 3.6	23	13.5	8.0-19.0	81	25.8	20.5-31.1	85	31.0	25.1-36.9	118	27.8	22.9-32.7
35-44	332	406,735	2	0.8	0.0- 2.0	9	3.3	1.1- 5.5	22	9.4	5.3-13.5	97	31.4	25.7-37.1	79	28.6	22.9-34.3	123	26.6	21.9-31.3
45-54	542	411,648	1	0.2	0.0- 0.6	16	4.1	1.9- 6.3	22	6.5	3.8- 9.2	189	37.1	32.4-41.8	126	27.6	23.1-32.1	188	24.5	21.0-28.0
55-64	698	422,673				8	1.3	0.3- 2.3	38	8.8	5.9-11.7	244	39.1	35.0-43.2	184	28.0	24.1-31.9	224	22.7	19.6-25.8
65+	1150	472,003	1	0.2	0.0- 0.6	32	3.7	2.1- 5.3	63	9.3	6.8-11.8	392	35.2	31.9-38.5	279	28.4	25.3-31.5	383	23.2	20.7-25.7
Less than \$15,000	206	176,010				14	6.6	1.7-11.5	33	21.5	13.7-29.3	85	37.8	29.4-46.2	48	26.9	18.5-35.3	26	7.2	3.7-10.7
\$15,000- 24,999	384	256,138	1	0.6	0.0- 1.8	20	7.2	3.3-11.1	47	19.0	13.5-24.5	162	39.0	32.9-45.1	103	25.3	19.8-30.8	51	9.0	5.9-12.1
\$25,000- 34,999	302	219,466	2	1.3	0.0- 3.3	16	7.7	3.6-11.8	16	6.7	2.8-10.6	141	45.6	38.3-52.9	77	28.1	21.2-35.0	50	10.7	7.2-14.2
\$35,000- 49,999	404	321,632	1	0.2	0.0- 0.6	5	1.6	0.0- 3.6	14	8.1	3.6-12.6	158	38.3	32.2-44.4	121	35.9	29.4-42.4	105	15.9	12.2-19.6
\$50,000- 74,999	493	404,475				2	0.8	0.0- 2.0	18	8.3	4.0-12.6	166	36.5	31.2-41.8	148	34.0	28.5-39.5	159	20.5	16.6-24.4
\$75,000+	868	703,551				5	1.2	0.0- 2.4	14	4.9	2.0- 7.8	168	23.6	19.9-27.3	194	29.7	25.6-33.8	487	40.6	36.7-44.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4354	2,624,556	3	0.1	0.0-0.3	70	2.4	1.6-3.2	268	9.2	7.8-10.6	1495	32.5	30.7-34.3	1147	32.2	30.2-34.2	1371	23.6	22.0-25.2
White/Non-Hisp	3641	2,128,386	2	0.1	0.1-0.1	44	1.6	1.0-2.2	207	8.4	7.0-9.8	1258	33.0	31.0-35.0	941	32.3	30.1-34.5	1189	24.7	23.1-26.3
Black or Afr. Am./Non-Hisp	355	234,778				4	0.9	0.0-1.9	27	7.8	4.1-11.5	124	36.4	29.9-42.9	109	35.8	29.3-42.3	91	19.1	14.6-23.6
Oth. Race/Non-Hisp.	99	60,426				3	2.2	0.0-6.1	10	6.1	0.0-12.6	31	25.4	11.1-39.7	24	36.0	18.4-53.6	31	30.3	15.2-45.4
MultiRacial/Non-Hisp.	64	19,499							2	8.0	0.0-20.0	20	26.8	12.9-40.7	27	51.9	35.0-68.8	15	13.3	5.3-21.3
Hispanic	129	149,284				17	16.7	7.7-25.7	19	24.3	14.1-34.5	38	22.6	14.6-30.6	28	22.0	12.8-31.2	27	14.4	7.9-20.9
18-24	185	332,146				1	0.8	0.0-2.4	14	9.8	4.7-14.9	66	37.0	29.4-44.6	71	40.0	32.2-47.8	33	12.4	7.9-16.9
25-34	317	424,105	1	0.2	0.0-0.6	6	2.9	0.5-5.3	19	7.9	4.4-11.4	76	25.0	19.7-30.3	97	37.0	30.9-43.1	118	27.1	22.2-32.0
35-44	400	409,679				8	3.5	0.6-6.4	22	9.9	5.6-14.2	81	20.6	16.1-25.1	117	31.6	26.3-36.9	172	34.3	29.4-39.2
45-54	643	415,169				6	1.4	0.2-2.6	37	9.0	5.9-12.1	169	28.5	24.4-32.6	162	30.8	26.5-35.1	269	30.3	26.6-34.0
55-64	914	446,288				17	3.1	1.5-4.7	54	8.9	6.4-11.4	307	36.2	32.5-39.9	231	29.7	26.2-33.2	305	22.1	19.4-24.8
65+	1895	597,169	2	0.2	0.0-0.6	32	2.3	1.3-3.3	122	9.6	7.6-11.6	796	43.6	40.9-46.3	469	27.8	25.3-30.3	474	16.5	14.7-18.3
Less than \$15,000	323	186,034	1	0.2	0.0-0.6	23	9.2	4.3-14.1	61	24.9	18.2-31.6	141	39.5	32.4-46.6	66	21.3	15.2-27.4	31	4.9	2.5-7.3
\$15,000- 24,999	652	398,225	1	0.2	0.0-0.6	16	4.6	1.5-7.7	65	16.0	11.5-20.5	320	40.7	35.6-45.8	172	30.1	25.0-35.2	78	8.4	5.9-10.9
\$25,000- 34,999	424	252,090				8	3.5	0.6-6.4	28	10.0	5.7-14.3	170	36.1	30.0-42.2	141	37.6	30.9-44.3	77	12.7	9.0-16.4
\$35,000- 49,999	508	315,159				4	1.3	0.0-2.7	14	5.7	2.2-9.2	171	34.9	29.2-40.6	156	38.0	32.1-43.9	163	20.1	16.2-24.0
\$50,000- 74,999	522	342,285							16	5.5	2.4-8.6	143	29.9	24.8-35.0	137	34.4	28.7-40.1	226	30.2	25.5-34.9
\$75,000+	853	588,043	1	0.2	0.0-0.6				6	1.8	0.0-3.6	112	18.0	14.3-21.7	212	32.1	27.8-36.4	522	48.0	43.7-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7535	5,099,350	5650	71.7	70.3-73.1	1568	22.8	21.4-24.2	317	5.5	4.7- 6.3
Male	3206	2,481,147	2383	70.6	68.4-72.8	691	23.5	21.5-25.5	132	5.9	4.7- 7.1
Female	4329	2,618,203	3267	72.7	70.9-74.5	877	22.2	20.4-24.0	185	5.1	4.1- 6.1
White/Non-Hisp	6239	4,105,020	4972	76.7	75.3-78.1	1030	18.2	16.8-19.6	237	5.1	4.3- 5.9
Black or Afr. Am./Non-Hisp	578	444,951	274	47.2	42.1-52.3	277	47.2	42.1-52.3	27	5.6	3.1- 8.1
Oth. Race/Non-Hisp.	201	133,519	112	43.6	32.4-54.8	75	46.0	34.4-57.6	14	10.5	2.1-18.9
MultiRacial/Non-Hisp.	130	43,848	74	52.1	41.1-63.1	45	36.8	26.2-47.4	11	11.1	3.8-18.4
Hispanic	258	294,347	117	52.6	45.2-60.0	117	38.4	31.3-45.5	24	9.0	5.1-12.9
18-24	367	678,496	73	28.4	22.7-34.1	193	47.8	42.1-53.5	101	23.8	19.3-28.3
25-34	633	853,745	292	56.0	51.7-60.3	295	38.0	33.9-42.1	46	6.0	4.2- 7.8
35-44	732	816,998	490	75.0	71.7-78.3	221	22.8	19.7-25.9	21	2.2	1.2- 3.2
45-54	1177	822,873	933	83.7	81.5-85.9	216	14.6	12.6-16.6	28	1.7	0.9- 2.5
55-64	1603	863,500	1300	85.3	83.5-87.1	259	12.7	10.9-14.5	44	2.0	1.4- 2.6
65+	3023	1,063,738	2562	89.0	87.8-90.2	384	9.3	8.1-10.5	77	1.7	1.1- 2.3
Less Than H.S.	600	631,888	296	52.8	47.5-58.1	258	40.1	35.0-45.2	46	7.1	4.6- 9.6
H.S. or G.E.D.	2553	1,706,045	1841	70.1	67.7-72.5	587	22.9	20.7-25.1	125	7.0	5.4- 8.6
Some Post-H.S.	1937	1,563,580	1411	70.6	67.9-73.3	430	23.3	20.8-25.8	96	6.1	4.7- 7.5
College Graduate	2422	1,177,743	2086	85.6	83.8-87.4	288	12.8	11.0-14.6	48	1.6	1.0- 2.2
Less than \$15,000	525	360,274	202	40.1	34.4-45.8	288	53.1	47.4-58.8	35	6.8	3.9- 9.7
\$15,000- 24,999	1034	651,610	600	53.3	49.2-57.4	377	40.0	35.9-44.1	57	6.7	4.5- 8.9
\$25,000- 34,999	726	471,997	496	64.9	60.2-69.6	202	31.1	26.6-35.6	28	4.0	1.6- 6.4
\$35,000- 49,999	910	634,892	741	77.0	73.1-80.9	144	19.9	16.2-23.6	25	3.0	1.4- 4.6
\$50,000- 74,999	1015	748,013	841	78.9	75.6-82.2	143	16.6	13.7-19.5	31	4.5	2.7- 6.3
\$75,000+	1721	1,293,782	1583	90.0	88.0-92.0	107	7.0	5.4- 8.6	31	3.0	1.6- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3206	2,481,147	2383	70.6	68.4-72.8	691	23.5	21.5-25.5	132	5.9	4.7- 7.1
White/Non-Hisp	2619	1,981,123	2083	76.0	73.8-78.2	441	18.6	16.6-20.6	95	5.4	4.2- 6.6
Black or Afr. Am./Non-Hisp	226	211,463	108	47.7	39.7-55.7	106	44.5	36.7-52.3	12	7.8	3.1-12.5
Oth. Race/Non-Hisp.	103	73,257	52	39.6	24.9-54.3	43	48.7	33.0-64.4	8	11.7	0.0-24.4
MultiRacial/Non-Hisp.	66	24,349	37	53.6	39.1-68.1	24	34.1	20.8-47.4	5	12.4	1.8-23.0
Hispanic	128	144,412	53	47.2	36.6-57.8	65	45.0	34.8-55.2	10	7.8	2.5-13.1
18-24	181	345,195	31	23.8	16.0-31.6	96	50.1	41.9-58.3	54	26.1	19.2-33.0
25-34	316	429,640	137	54.8	48.7-60.9	158	39.1	33.2-45.0	21	6.2	3.5- 8.9
35-44	332	407,130	214	73.7	68.8-78.6	106	23.4	18.7-28.1	12	3.0	1.2- 4.8
45-54	534	405,868	430	85.0	82.1-87.9	96	13.9	11.0-16.8	8	1.1	0.3- 1.9
55-64	696	421,639	564	86.1	83.6-88.6	112	12.0	9.5-14.5	20	1.9	0.9- 2.9
65+	1147	471,675	1007	90.5	88.7-92.3	123	8.4	6.6-10.2	17	1.1	0.3- 1.9
Less Than H.S.	260	326,512	138	55.1	47.5-62.7	103	38.5	31.1-45.9	19	6.4	3.1- 9.7
H.S. or G.E.D.	1075	860,174	756	67.3	63.8-70.8	257	23.5	20.4-26.6	62	9.2	6.7-11.7
Some Post-H.S.	803	724,680	592	71.1	67.0-75.2	174	23.1	19.4-26.8	37	5.8	3.6- 8.0
College Graduate	1057	559,457	890	84.1	81.4-86.8	153	15.0	12.3-17.7	14	0.9	0.3- 1.5
Less than \$15,000	204	174,596	73	40.7	31.7-49.7	121	53.7	44.7-62.7	10	5.6	1.3- 9.9
\$15,000- 24,999	381	252,633	215	50.3	43.8-56.8	148	42.2	35.9-48.5	18	7.5	3.6-11.4
\$25,000- 34,999	302	219,907	204	63.1	56.0-70.2	88	32.3	25.6-39.0	10	4.6	0.5- 8.7
\$35,000- 49,999	403	320,397	319	75.5	69.6-81.4	70	20.5	14.8-26.2	14	4.0	1.5- 6.5
\$50,000- 74,999	493	404,475	392	75.5	70.6-80.4	85	19.8	15.3-24.3	16	4.7	2.2- 7.2
\$75,000+	870	707,019	793	89.9	87.4-92.4	65	8.0	5.6-10.4	12	2.2	0.8- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4329	2,618,203	3267	72.7	70.9-74.5	877	22.2	20.4-24.0	185	5.1	4.1- 6.1
White/Non-Hisp	3620	2,123,897	2889	77.5	75.5-79.5	589	17.8	16.0-19.6	142	4.8	3.8- 5.8
Black or Afr. Am./Non-Hisp	352	233,488	166	46.7	40.0-53.4	171	49.7	43.0-56.4	15	3.5	1.1- 5.9
Oth. Race/Non-Hisp.	98	60,263	60	48.4	31.3-65.5	32	42.6	25.2-60.0	6	9.0	0.0-18.8
MultiRacial/Non-Hisp.	64	19,499	37	50.4	33.3-67.5	21	40.2	23.1-57.3	6	9.4	0.0-18.8
Hispanic	130	149,935	64	57.9	47.7-68.1	52	32.0	22.8-41.2	14	10.1	4.2-16.0
18-24	186	333,301	42	33.2	25.2-41.2	97	45.4	37.6-53.2	47	21.4	15.3-27.5
25-34	317	424,105	155	57.2	51.3-63.1	137	37.0	31.3-42.7	25	5.9	3.4- 8.4
35-44	400	409,868	276	76.4	72.1-80.7	115	22.2	17.9-26.5	9	1.4	0.4- 2.4
45-54	643	417,005	503	82.5	79.4-85.6	120	15.3	12.4-18.2	20	2.2	1.0- 3.4
55-64	907	441,861	736	84.5	82.0-87.0	147	13.4	11.0-15.8	24	2.1	1.1- 3.1
65+	1876	592,063	1555	87.8	86.2-89.4	261	10.0	8.4-11.6	60	2.2	1.4- 3.0
Less Than H.S.	340	305,376	158	50.4	43.3-57.5	155	41.7	34.8-48.6	27	7.9	4.0-11.8
H.S. or G.E.D.	1478	845,871	1085	72.8	69.7-75.9	330	22.3	19.4-25.2	63	4.8	3.2- 6.4
Some Post-H.S.	1134	838,900	819	70.2	66.7-73.7	256	23.5	20.2-26.8	59	6.3	4.3- 8.3
College Graduate	1365	618,286	1196	87.0	84.6-89.4	135	10.9	8.7-13.1	34	2.2	1.2- 3.2
Less than \$15,000	321	185,679	129	39.6	32.3-46.9	167	52.5	45.2-59.8	25	7.9	4.0-11.8
\$15,000- 24,999	653	398,977	385	55.3	50.0-60.6	229	38.5	33.2-43.8	39	6.2	3.7- 8.7
\$25,000- 34,999	424	252,090	292	66.4	60.1-72.7	114	30.0	23.7-36.3	18	3.6	1.2- 6.0
\$35,000- 49,999	507	314,495	422	78.6	73.7-83.5	74	19.4	14.7-24.1	11	2.0	0.0- 4.0
\$50,000- 74,999	522	343,538	449	82.9	78.6-87.2	58	12.7	9.0-16.4	15	4.3	1.8- 6.8
\$75,000+	851	586,763	790	90.0	86.9-93.1	42	5.9	3.5- 8.3	19	4.1	1.9- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7317	4,832,059	7018	95.4	94.8-96.0	151	2.3	1.9- 2.7	148	2.3	1.9- 2.7
Male	3093	2,347,133	2952	95.0	94.0-96.0	66	2.4	1.6- 3.2	75	2.6	1.8- 3.4
Female	4224	2,484,926	4066	95.8	94.8-96.8	85	2.3	1.7- 2.9	73	1.9	1.3- 2.5
White/Non-Hisp	6063	3,910,361	5871	96.7	96.1-97.3	88	1.4	1.0- 1.8	104	1.9	1.5- 2.3
Black or Afr. Am./Non-Hisp	558	412,657	533	95.9	93.9-97.9	20	3.4	1.6- 5.2	5	0.7	0.0- 1.5
Oth. Race/Non-Hisp.	189	115,174	167	80.9	70.3-91.5	12	9.8	2.2-17.4	10	9.4	1.0-17.8
MultiRacial/Non-Hisp.	128	41,747	125	98.2	96.0- 100	2	1.2	0.0- 3.0	1	0.6	0.0- 1.8
Hispanic	238	267,612	205	86.1	80.8-91.4	26	11.1	6.2-16.0	7	2.8	0.4- 5.2
18-24	316	581,622	298	94.6	91.9-97.3	9	2.7	0.9- 4.5	9	2.8	0.8- 4.8
25-34	551	761,840	521	95.0	93.0-97.0	17	3.0	1.6- 4.4	13	2.0	0.8- 3.2
35-44	696	774,864	671	95.9	93.9-97.9	15	2.7	1.1- 4.3	10	1.4	0.4- 2.4
45-54	1157	810,474	1092	93.4	91.4-95.4	21	2.0	1.0- 3.0	44	4.6	3.0- 6.2
55-64	1584	850,385	1544	97.6	96.8-98.4	17	0.9	0.3- 1.5	23	1.4	0.6- 2.2
65+	3013	1,052,873	2892	95.6	94.6-96.6	72	2.7	1.9- 3.5	49	1.7	1.1- 2.3
Less Than H.S.	585	603,340	542	93.3	90.8-95.8	32	4.8	2.6- 7.0	11	1.9	0.5- 3.3
H.S. or G.E.D.	2529	1,658,862	2408	94.7	93.5-95.9	67	2.8	1.8- 3.8	54	2.5	1.7- 3.3
Some Post-H.S.	1879	1,473,495	1813	96.0	94.8-97.2	28	1.8	1.0- 2.6	38	2.2	1.2- 3.2
College Graduate	2290	1,072,008	2235	97.7	96.9-98.5	22	0.8	0.4- 1.2	33	1.4	0.8- 2.0
Less than \$15,000	508	331,632	485	94.8	92.3-97.3	18	4.7	2.2- 7.2	5	0.5	0.1- 0.9
\$15,000- 24,999	1006	619,619	960	93.5	91.1-95.9	28	4.5	2.3- 6.7	18	2.0	1.0- 3.0
\$25,000- 34,999	702	445,805	682	95.7	93.2-98.2	12	1.7	0.3- 3.1	8	2.6	0.4- 4.8
\$35,000- 49,999	881	609,249	864	97.8	96.6-99.0	9	1.0	0.2- 1.8	8	1.2	0.2- 2.2
\$50,000- 74,999	966	697,568	943	97.8	96.6-99.0	13	1.2	0.2- 2.2	10	1.0	0.4- 1.6
\$75,000+	1624	1,193,034	1599	97.9	96.9-98.9	12	0.9	0.3- 1.5	13	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3093	2,347,133	2952	95.0	94.0-96.0	66	2.4	1.6- 3.2	75	2.6	1.8- 3.4
White/Non-Hisp	2521	1,879,423	2436	96.2	95.2-97.2	34	1.4	0.8- 2.0	51	2.4	1.6- 3.2
Black or Afr. Am./Non-Hisp	214	193,198	205	96.7	94.2-99.2	9	3.3	0.8- 5.8			
Oth. Race/Non-Hisp.	96	63,477	85	87.0	76.2-97.8	6	10.1	0.0-20.5	5	2.9	0.0- 6.2
MultiRacial/Non-Hisp.	65	22,623	62	96.6	92.7- 100	2	2.3	0.0- 5.4	1	1.1	0.0- 3.3
Hispanic	123	137,419	107	86.2	79.1-93.3	12	10.6	4.3-16.9	4	3.3	0.0- 7.0
18-24	161	303,783	151	94.3	90.6-98.0	5	2.7	0.2- 5.2	5	3.0	0.3- 5.7
25-34	265	379,394	247	94.0	91.1-96.9	9	2.9	0.9- 4.9	9	3.0	0.8- 5.2
35-44	316	386,435	300	95.0	92.3-97.7	12	3.8	1.4- 6.2	4	1.2	0.0- 2.6
45-54	526	399,899	489	92.9	90.4-95.4	11	1.7	0.5- 2.9	26	5.4	3.0- 7.8
55-64	693	416,677	672	97.4	96.0-98.8	7	0.7	0.1- 1.3	14	1.9	0.7- 3.1
65+	1132	460,944	1093	95.9	94.3-97.5	22	2.7	1.3- 4.1	17	1.4	0.6- 2.2
Less Than H.S.	250	309,023	230	93.5	90.2-96.8	13	3.6	1.4- 5.8	7	2.9	0.5- 5.3
H.S. or G.E.D.	1065	841,334	1007	93.4	91.4-95.4	31	3.4	1.8- 5.0	27	3.2	1.8- 4.6
Some Post-H.S.	770	678,392	742	96.6	95.2-98.0	10	1.3	0.3- 2.3	18	2.0	0.8- 3.2
College Graduate	989	504,822	962	97.3	95.9-98.7	10	1.2	0.2- 2.2	17	1.5	0.5- 2.5
Less than \$15,000	191	152,489	181	94.9	90.8-99.0	8	4.9	0.8- 9.0	2	0.2	0.0- 0.4
\$15,000- 24,999	368	237,974	346	91.8	87.7-95.9	15	5.9	2.2- 9.6	7	2.3	0.5- 4.1
\$25,000- 34,999	298	216,578	285	93.7	89.6-97.8	7	2.7	0.2- 5.2	6	3.6	0.3- 6.9
\$35,000- 49,999	392	308,723	385	98.2	96.6-99.8	2	0.4	0.0- 1.0	5	1.5	0.1- 2.9
\$50,000- 74,999	462	373,395	454	98.4	97.0-99.8	4	0.8	0.0- 1.8	4	0.8	0.0- 1.8
\$75,000+	821	655,275	807	97.9	96.5-99.3	5	0.8	0.0- 1.6	9	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 25: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4224	2,484,926	4066	95.8	94.8-96.8	85	2.3	1.7- 2.9	73	1.9	1.3- 2.5
White/Non-Hisp	3542	2,030,938	3435	97.1	96.3-97.9	54	1.4	0.8- 2.0	53	1.4	1.0- 1.8
Black or Afr. Am./Non-Hisp	344	219,459	328	95.2	92.5-97.9	11	3.5	1.1- 5.9	5	1.3	0.0- 2.7
Oth. Race/Non-Hisp.	93	51,697	82	73.3	55.1-91.5	6	9.3	0.0-20.3	5	17.4	0.3-34.5
MultiRacial/Non-Hisp.	63	19,124	63	100.0	100.0- 100						
Hispanic	115	130,194	98	86.0	78.0-94.0	14	11.7	4.1-19.3	3	2.2	0.0- 4.7
18-24	155	277,840	147	94.9	91.2-98.6	4	2.5	0.0- 5.0	4	2.5	0.0- 5.4
25-34	286	382,446	274	96.0	93.6-98.4	8	3.0	0.8- 5.2	4	1.0	0.0- 2.0
35-44	380	388,429	371	96.8	94.3-99.3	3	1.6	0.0- 4.0	6	1.5	0.1- 2.9
45-54	631	410,575	603	93.9	91.2-96.6	10	2.3	0.5- 4.1	18	3.8	1.6- 6.0
55-64	891	433,708	872	97.8	96.6-99.0	10	1.2	0.4- 2.0	9	1.0	0.2- 1.8
65+	1881	591,929	1799	95.4	94.2-96.6	50	2.8	1.8- 3.8	32	1.8	1.0- 2.6
Less Than H.S.	335	294,316	312	93.1	89.4-96.8	19	6.0	2.3- 9.7	4	0.9	0.0- 1.9
H.S. or G.E.D.	1464	817,527	1401	96.1	94.7-97.5	36	2.2	1.0- 3.4	27	1.7	0.9- 2.5
Some Post-H.S.	1109	795,103	1071	95.4	93.6-97.2	18	2.2	1.0- 3.4	20	2.4	0.8- 4.0
College Graduate	1301	567,186	1273	98.1	97.3-98.9	12	0.5	0.1- 0.9	16	1.4	0.6- 2.2
Less than \$15,000	317	179,142	304	94.7	91.6-97.8	10	4.6	1.5- 7.7	3	0.7	0.0- 1.5
\$15,000- 24,999	638	381,645	614	94.6	91.7-97.5	13	3.6	0.9- 6.3	11	1.8	0.6- 3.0
\$25,000- 34,999	404	229,227	397	97.6	94.5- 100	5	0.7	0.0- 1.5	2	1.6	0.0- 4.5
\$35,000- 49,999	489	300,526	479	97.4	95.4-99.4	7	1.6	0.0- 3.2	3	1.0	0.0- 2.2
\$50,000- 74,999	504	324,173	489	97.1	95.3-98.9	9	1.7	0.1- 3.3	6	1.2	0.2- 2.2
\$75,000+	803	537,759	792	97.9	96.1-99.7	7	1.0	0.0- 2.0	4	1.1	0.0- 2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7608	5,141,872	7074	92.4	91.6-93.2	102	1.4	1.0- 1.8	432	6.2	5.4- 7.0
Male	3239	2,506,523	2987	91.5	90.1-92.9	44	1.7	0.9- 2.5	208	6.8	5.6- 8.0
Female	4369	2,635,349	4087	93.3	92.3-94.3	58	1.2	0.8- 1.6	224	5.5	4.5- 6.5
White/Non-Hisp	6282	4,129,056	5888	93.2	92.4-94.0	75	1.1	0.7- 1.5	319	5.7	4.9- 6.5
Black or Afr. Am./Non-Hisp	583	448,200	541	93.2	90.5-95.9	8	1.2	0.2- 2.2	34	5.6	3.1- 8.1
Oth. Race/Non-Hisp.	204	134,518	186	87.6	79.0-96.2	2	0.8	0.0- 2.0	16	11.6	3.2-20.0
MultiRacial/Non-Hisp.	132	44,219	123	92.8	87.7-97.9	3	2.2	0.0- 4.7	6	5.0	0.5- 9.5
Hispanic	261	298,191	228	87.0	81.7-92.3	12	7.2	2.5-11.9	21	5.8	2.9- 8.7
18-24	369	686,457	333	88.4	84.5-92.3	11	3.9	1.4- 6.4	25	7.8	4.7-10.9
25-34	633	853,745	586	93.2	91.0-95.4	8	1.3	0.3- 2.3	39	5.5	3.5- 7.5
35-44	737	821,724	685	93.4	91.4-95.4	7	0.9	0.1- 1.7	45	5.7	3.9- 7.5
45-54	1198	836,619	1093	91.2	89.4-93.0	14	0.9	0.3- 1.5	91	7.9	6.1- 9.7
55-64	1618	871,262	1531	94.5	93.1-95.9	10	0.4	0.0- 0.8	77	5.1	3.7- 6.5
65+	3053	1,072,065	2846	92.9	91.7-94.1	52	1.5	0.9- 2.1	155	5.5	4.5- 6.5
Less Than H.S.	601	632,107	554	92.6	90.1-95.1	16	2.4	0.8- 4.0	31	5.0	2.8- 7.2
H.S. or G.E.D.	2582	1,724,361	2381	91.6	90.0-93.2	45	1.6	1.0- 2.2	156	6.8	5.4- 8.2
Some Post-H.S.	1957	1,578,893	1813	92.2	90.4-94.0	22	1.5	0.5- 2.5	122	6.3	4.9- 7.7
College Graduate	2433	1,180,675	2307	94.6	93.4-95.8	19	0.6	0.2- 1.0	107	4.8	3.6- 6.0
Less than \$15,000	529	362,044	497	94.1	91.7-96.5	10	1.3	0.3- 2.3	22	4.6	2.4- 6.8
\$15,000- 24,999	1037	655,115	968	92.6	90.2-95.0	15	1.5	0.3- 2.7	54	5.8	3.6- 8.0
\$25,000- 34,999	728	473,620	687	91.5	88.2-94.8	13	2.1	0.5- 3.7	28	6.4	3.5- 9.3
\$35,000- 49,999	912	636,791	880	96.0	94.2-97.8	5	0.6	0.0- 1.2	27	3.5	1.9- 5.1
\$50,000- 74,999	1016	748,112	984	96.8	95.4-98.2	8	0.9	0.0- 1.9	24	2.4	1.2- 3.6
\$75,000+	1723	1,295,062	1663	95.6	94.0-97.2	10	0.8	0.0- 1.6	50	3.6	2.4- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.						Refused to give Zipcode		
	TOTAL	WEIGHTED	0001-77776			Didnt Know Zipcode			N	%	C.I. (95%)
			N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	3239	2,506,523	2987	91.5	90.1-92.9	44	1.7	0.9- 2.5	208	6.8	5.6- 8.0
White/Non-Hisp	2631	1,994,014	2449	92.4	91.0-93.8	27	1.2	0.4- 2.0	155	6.5	5.3- 7.7
Black or Afr. Am./Non-Hisp	227	212,325	212	93.4	89.5-97.3	4	1.5	0.0- 3.3	11	5.0	1.5- 8.5
Oth. Race/Non-Hisp.	105	74,092	95	88.6	77.2- 100	1	0.3	0.0- 0.9	9	11.1	0.0-22.5
MultiRacial/Non-Hisp.	68	24,719	61	88.1	79.3-96.9	3	4.0	0.0- 8.5	4	7.9	0.1-15.7
Hispanic	131	148,256	115	84.0	76.0-92.0	7	9.5	2.4-16.6	9	6.5	1.8-11.2
18-24	183	353,156	159	84.4	77.9-90.9	8	5.4	1.1- 9.7	16	10.1	5.0-15.2
25-34	316	429,640	287	91.8	88.7-94.9	5	1.7	0.1- 3.3	24	6.5	3.8- 9.2
35-44	335	410,042	313	93.7	91.0-96.4	7	1.9	0.3- 3.5	15	4.4	2.0- 6.8
45-54	548	415,554	500	91.8	89.4-94.2	4	0.5	0.0- 1.1	44	7.7	5.3-10.1
55-64	704	424,974	661	93.9	91.7-96.1	4	0.2	0.0- 0.4	39	5.9	3.7- 8.1
65+	1153	473,157	1067	92.2	90.2-94.2	16	1.1	0.5- 1.7	70	6.7	4.9- 8.5
Less Than H.S.	260	326,512	231	90.3	86.0-94.6	12	4.0	1.1- 6.9	17	5.8	2.5- 9.1
H.S. or G.E.D.	1087	870,560	989	89.9	87.4-92.4	16	1.4	0.6- 2.2	82	8.7	6.3-11.1
Some Post-H.S.	810	733,344	753	92.4	89.9-94.9	7	1.9	0.0- 3.9	50	5.8	3.8- 7.8
College Graduate	1062	561,063	1003	94.4	92.6-96.2	9	0.7	0.1- 1.3	50	4.9	3.1- 6.7
Less than \$15,000	206	176,010	193	94.7	91.4-98.0	5	1.8	0.0- 3.6	8	3.6	0.9- 6.3
\$15,000- 24,999	384	256,138	347	88.9	84.4-93.4	9	2.6	0.2- 5.0	28	8.6	4.7-12.5
\$25,000- 34,999	304	221,530	283	89.9	84.4-95.4	7	3.0	0.1- 5.9	14	7.1	2.4-11.8
\$35,000- 49,999	404	321,632	392	97.1	95.1-99.1	2	0.7	0.0- 1.7	10	2.2	0.6- 3.8
\$50,000- 74,999	493	404,475	478	96.2	93.8-98.6	2	1.1	0.0- 2.7	13	2.7	0.9- 4.5
\$75,000+	870	707,019	834	95.0	92.8-97.2	3	0.4	0.0- 1.0	33	4.5	2.5- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4369	2,635,349	4087	93.3	92.3-94.3	58	1.2	0.8- 1.6	224	5.5	4.5- 6.5
White/Non-Hisp	3651	2,135,042	3439	94.0	93.0-95.0	48	1.0	0.6- 1.4	164	5.1	4.1- 6.1
Black or Afr. Am./Non-Hisp	356	235,875	329	93.0	89.5-96.5	4	0.8	0.0- 1.8	23	6.2	2.7- 9.7
Oth. Race/Non-Hisp.	99	60,426	91	86.4	73.3-99.5	1	1.3	0.0- 3.8	7	12.2	0.0-25.1
MultiRacial/Non-Hisp.	64	19,499	62	98.7	96.9- 100				2	1.3	0.0- 3.1
Hispanic	130	149,935	113	90.1	83.4-96.8	5	4.9	0.0-11.0	12	5.0	1.9- 8.1
18-24	186	333,301	174	92.6	88.1-97.1	3	2.2	0.0- 5.1	9	5.2	1.7- 8.7
25-34	317	424,105	299	94.5	91.8-97.2	3	0.9	0.0- 2.1	15	4.5	2.0- 7.0
35-44	402	411,682	372	93.1	90.4-95.8				30	6.9	4.2- 9.6
45-54	650	421,065	593	90.6	87.9-93.3	10	1.3	0.5- 2.1	47	8.1	5.6-10.6
55-64	914	446,288	870	95.1	93.5-96.7	6	0.6	0.0- 1.2	38	4.3	2.7- 5.9
65+	1900	598,908	1779	93.5	92.1-94.9	36	1.9	1.1- 2.7	85	4.6	3.4- 5.8
Less Than H.S.	341	305,595	323	95.1	92.2-98.0	4	0.8	0.0- 1.6	14	4.1	1.4- 6.8
H.S. or G.E.D.	1495	853,801	1392	93.4	91.8-95.0	29	1.7	0.9- 2.5	74	4.9	3.5- 6.3
Some Post-H.S.	1147	845,549	1060	92.1	89.9-94.3	15	1.2	0.0- 2.4	72	6.7	4.7- 8.7
College Graduate	1371	619,612	1304	94.7	92.9-96.5	10	0.6	0.2- 1.0	57	4.7	3.1- 6.3
Less than \$15,000	323	186,034	304	93.6	90.5-96.7	5	0.9	0.0- 1.9	14	5.5	2.6- 8.4
\$15,000- 24,999	653	398,977	621	95.1	92.6-97.6	6	0.9	0.0- 1.9	26	4.1	1.7- 6.5
\$25,000- 34,999	424	252,090	404	93.0	88.9-97.1	6	1.2	0.0- 2.6	14	5.8	1.9- 9.7
\$35,000- 49,999	508	315,159	488	94.8	92.1-97.5	3	0.5	0.0- 1.1	17	4.7	2.0- 7.4
\$50,000- 74,999	523	343,637	506	97.4	96.0-98.8	6	0.6	0.0- 1.2	11	1.9	0.5- 3.3
\$75,000+	853	588,043	829	96.3	94.3-98.3	7	1.3	0.0- 2.9	17	2.4	1.0- 3.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3730	1,383,256	1076	26.6	24.6-28.6	2654	73.4	71.4-75.4
Male	1337	545,134	419	27.6	24.5-30.7	918	72.4	69.3-75.5
Female	2393	838,122	657	25.9	23.5-28.3	1736	74.1	71.7-76.5
White/Non-Hisp	3224	1,206,102	915	26.3	24.3-28.3	2309	73.7	71.7-75.7
Black or Afr. Am./Non-Hisp	254	94,839	89	30.9	23.5-38.3	165	69.1	61.7-76.5
Oth. Race/Non-Hisp.	77	20,710	19	26.2	8.2-44.2	58	73.8	55.8-91.8
Hispanic	53	29,043	19	30.2	14.1-46.3	34	69.8	53.7-85.9
25-34	58	54,257	18	31.1	16.6-45.6	40	68.9	54.4-83.4
35-44	187	142,516	39	21.4	14.1-28.7	148	78.6	71.3-85.9
45-54	397	191,123	102	23.9	19.0-28.8	295	76.1	71.2-81.0
55-64	833	328,713	260	30.3	26.6-34.0	573	69.7	66.0-73.4
65+	2228	616,207	646	26.1	23.9-28.3	1582	73.9	71.7-76.1
Less Than H.S.	263	152,460	48	16.6	10.7-22.5	215	83.4	77.5-89.3
H.S. or G.E.D.	1346	502,838	379	26.8	23.9-29.7	967	73.2	70.3-76.1
Some Post-H.S.	939	414,556	300	30.0	26.1-33.9	639	70.0	66.1-73.9
College Graduate	1174	311,255	346	26.5	23.4-29.6	828	73.5	70.4-76.6
Less than \$15,000	238	77,659	36	15.7	9.0-22.4	202	84.3	77.6-91.0
\$15,000- 24,999	539	188,593	125	21.8	17.3-26.3	414	78.2	73.7-82.7
\$25,000- 34,999	380	134,132	104	24.1	18.6-29.6	276	75.9	70.4-81.4
\$35,000- 49,999	437	158,308	153	33.4	27.1-39.7	284	66.6	60.3-72.9
\$50,000- 74,999	459	196,533	155	29.5	23.8-35.2	304	70.5	64.8-76.2
\$75,000+	723	315,862	220	28.9	24.6-33.2	503	71.1	66.8-75.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1337	545,134	419	27.6	24.5-30.7	918	72.4	69.3-75.5
White/Non-Hisp	1154	477,866	354	26.8	23.5-30.1	800	73.2	69.9-76.5
Black or Afr. Am./Non-Hisp	76	33,090	23	32.0	17.5-46.5	53	68.0	53.5-82.5
35-44	66	50,508	19	24.6	11.9-37.3	47	75.4	62.7-88.1
45-54	151	75,058	48	31.3	22.3-40.3	103	68.7	59.7-77.7
55-64	332	144,822	100	27.7	22.0-33.4	232	72.3	66.6-78.0
65+	753	228,276	241	28.0	24.3-31.7	512	72.0	68.3-75.7
Less Than H.S.	92	61,058	11	10.3	2.9-17.7	81	89.7	82.3-97.1
H.S. or G.E.D.	432	180,842	141	29.1	24.0-34.2	291	70.9	65.8-76.0
Some Post-H.S.	340	165,122	111	31.3	25.0-37.6	229	68.7	62.4-75.0
College Graduate	469	137,028	155	29.0	23.7-34.3	314	71.0	65.7-76.3
Less than \$15,000	61	24,033	13	30.2	13.0-47.4	48	69.8	52.6-87.0
\$15,000- 24,999	172	60,579	44	20.6	13.9-27.3	128	79.4	72.7-86.1
\$25,000- 34,999	145	55,751	37	21.6	13.2-30.0	108	78.4	70.0-86.8
\$35,000- 49,999	169	70,061	56	32.9	23.1-42.7	113	67.1	57.3-76.9
\$50,000- 74,999	194	86,349	71	31.8	23.8-39.8	123	68.2	60.2-76.2
\$75,000+	321	147,281	109	28.7	22.2-35.2	212	71.3	64.8-77.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 31: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2393	838,122	657	25.9	23.5-28.3	1736	74.1	71.7-76.5
White/Non-Hisp	2070	728,236	561	26.0	23.5-28.5	1509	74.0	71.5-76.5
Black or Afr. Am./Non-Hisp	178	61,749	66	30.2	22.0-38.4	112	69.8	61.6-78.0
35-44	121	92,009	20	19.6	10.8-28.4	101	80.4	71.6-89.2
45-54	246	116,065	54	19.1	13.8-24.4	192	80.9	75.6-86.2
55-64	501	183,890	160	32.3	27.4-37.2	341	67.7	62.8-72.6
65+	1475	387,931	405	25.0	22.5-27.5	1070	75.0	72.5-77.5
Less Than H.S.	171	91,402	37	20.9	12.9-28.9	134	79.1	71.1-87.1
H.S. or G.E.D.	914	321,996	238	25.6	22.1-29.1	676	74.4	70.9-77.9
Some Post-H.S.	599	249,434	189	29.2	24.1-34.3	410	70.8	65.7-75.9
College Graduate	705	174,227	191	24.6	20.5-28.7	514	75.4	71.3-79.5
Less than \$15,000	177	53,626	23	9.1	4.4-13.8	154	90.9	86.2-95.6
\$15,000- 24,999	367	128,014	81	22.3	16.4-28.2	286	77.7	71.8-83.6
\$25,000- 34,999	235	78,381	67	25.9	18.6-33.2	168	74.1	66.8-81.4
\$35,000- 49,999	268	88,247	97	33.7	25.5-41.9	171	66.3	58.1-74.5
\$50,000- 74,999	265	110,184	84	27.7	19.9-35.5	181	72.3	64.5-80.1
\$75,000+	402	168,582	111	29.1	23.4-34.8	291	70.9	65.2-76.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1030	351,652	747	86.9	84.5-89.3	203	9.4	7.2-11.6	61	2.4	1.6- 3.2	8	0.8	0.2- 1.4	5	0.3	0.1- 0.5	6	0.2	0.0- 0.4
Male	402	144,588	291	86.6	83.3-89.9	68	8.3	5.8-10.8	32	3.4	1.6- 5.2	5	0.9	0.0- 1.9	3	0.4	0.0- 1.0	3	0.4	0.0- 0.8
Female	628	207,064	456	87.1	83.8-90.4	135	10.2	7.1-13.3	29	1.7	1.1- 2.3	3	0.7	0.0- 1.7	2	0.2	0.0- 0.4	3	0.2	0.0- 0.4
White/Non-Hisp	882	304,698	642	87.4	84.9-89.9	169	9.0	6.6-11.4	55	2.6	1.6- 3.6	6	0.5	0.0- 1.1	5	0.3	0.0- 0.7	5	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	84	27,121	64	86.9	80.0-93.8	18	12.3	5.6-19.0	1	0.4	0.0- 1.2							1	0.4	0.0- 1.2
45-54	99	44,211	78	91.6	87.3-95.9	13	5.9	2.2- 9.6	5	1.4	0.0- 2.8				2	0.8	0.0- 2.0	1	0.3	0.0- 0.8
55-64	247	94,177	207	92.9	90.2-95.6	21	4.4	2.0- 6.8	17	2.4	1.0- 3.8				1	0.1	0.0- 0.3	1	0.2	0.0- 0.8
65+	619	153,069	409	82.2	79.3-85.1	162	13.6	11.1-16.1	37	2.9	1.7- 4.1	5	0.5	0.0- 1.1	2	0.4	0.0- 1.0	4	0.3	0.0- 0.8
H.S. or G.E.D.	365	129,789	273	87.8	84.5-91.1	77	9.8	6.9-12.7	9	1.3	0.3- 2.3	4	0.8	0.0- 1.8	1	0.1	0.0- 0.3	1	0.2	0.0- 0.8
Some Post-H.S.	287	119,197	203	85.7	80.4-91.0	57	10.6	5.5-15.7	21	2.2	1.2- 3.2	2	0.7	0.0- 2.1	2	0.5	0.0- 1.1	2	0.3	0.0- 0.8
College Graduate	329	78,180	237	88.9	86.2-91.6	59	6.8	4.6- 9.0	27	3.3	1.9- 4.7	1	0.2	0.0- 0.6	2	0.4	0.0- 1.0	3	0.4	0.0- 0.8
\$15,000- 24,999	123	40,681	95	89.1	84.2-94.0	23	8.4	4.1-12.7	3	1.1	0.0- 2.5	2	1.3	0.0- 3.3						
\$25,000- 34,999	101	31,681	72	81.9	73.3-90.5	24	16.3	7.9-24.7	4	1.7	0.0- 3.5	1	0.2	0.0- 0.6						
\$35,000- 49,999	148	51,233	104	89.4	85.1-93.7	38	8.1	4.6-11.6	6	2.5	0.1- 4.9									
\$50,000- 74,999	154	56,978	107	81.6	71.8-91.4	26	11.4	1.8-21.0	17	5.2	1.7- 8.7				2	1.0	0.0- 2.4	2	0.9	0.0- 2.4
\$75,000+	217	89,956	166	89.7	86.0-93.4	31	7.1	4.0-10.2	16	2.0	0.8- 3.2	1	0.9	0.0- 2.7	1	0.1	0.0- 0.3	2	0.3	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	402	144,588	291	86.6	83.3-89.9	68	8.3	5.8-10.8	32	3.4	1.6- 5.2	5	0.9	0.0- 1.9	3	0.4	0.0- 1.0	3	0.4	0.0- 0.8
White/Non-Hisp	344	123,941	247	85.6	81.9-89.3	59	9.1	6.4-11.8	29	3.9	1.9- 5.9	4	0.6	0.0- 1.4	3	0.5	0.0- 1.1	2	0.3	0.0- 0.8
55-64	95	38,501	79	91.7	86.8-96.6	8	5.6	1.1-10.1	7	2.5	0.3- 4.7				1	0.2	0.0- 0.6			
65+	231	60,592	150	79.7	74.6-84.8	53	13.1	9.0-17.2	21	4.7	2.3- 7.1	4	1.2	0.0- 2.8	1	0.6	0.0- 1.8	2	0.7	0.0- 1.7
H.S. or G.E.D.	134	50,377	98	84.5	78.4-90.6	29	11.5	6.4-16.6	4	2.0	0.0- 4.4	3	2.1	0.0- 4.6						
Some Post-H.S.	107	50,397	79	89.6	84.9-94.3	18	7.1	3.2-11.0	7	1.9	0.3- 3.5	1	0.1	0.0- 0.3	1	0.7	0.0- 2.1	1	0.6	0.0- 1.8
College Graduate	150	38,096	108	88.3	84.2-92.4	19	5.2	2.5- 7.9	18	4.7	2.3- 7.1	1	0.4	0.0- 1.2	2	0.7	0.0- 1.7	2	0.6	0.0- 1.4
\$35,000- 49,999	54	22,034	38	88.3	80.7-95.9	12	7.4	2.3-12.5	4	4.3	0.0- 9.6									
\$50,000- 74,999	71	27,496	49	83.3	74.5-92.1	7	5.4	0.9- 9.9	13	9.0	2.1-15.9				1	1.3	0.0- 3.8	1	1.0	0.0- 3.0
\$75,000+	107	41,572	80	90.8	86.3-95.3	17	6.7	2.6-10.8	7	1.7	0.3- 3.1				1	0.2	0.0- 0.6	2	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	628	207,064	456	87.1	83.8-90.4	135	10.2	7.1-13.3	29	1.7	1.1- 2.3	3	0.7	0.0- 1.7	2	0.2	0.0- 0.4	3	0.2	0.0- 0.4
White/Non-Hisp	538	180,758	395	88.7	85.2-92.2	110	8.9	5.6-12.2	26	1.7	0.9- 2.5	2	0.4	0.0- 1.2	2	0.2	0.0- 0.4	3	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	63	17,421	46	81.4	71.4-91.4	17	18.6	8.6-28.6												
45-54	52	21,342	39	88.5	81.6-95.4	9	8.5	2.4-14.6	3	2.3	0.0- 5.0				1	0.8	0.0- 2.4			
55-64	152	55,677	128	93.7	90.8-96.6	13	3.5	1.1- 5.9	10	2.4	0.8- 4.0							1	0.4	0.0- 1.2
65+	388	92,477	259	83.9	80.4-87.4	109	14.0	10.7-17.3	16	1.8	0.8- 2.8	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	2	0.1	0.0- 0.3
H.S. or G.E.D.	231	79,412	175	89.9	86.2-93.6	48	8.7	5.2-12.2	5	0.9	0.1- 1.7	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9
Some Post-H.S.	180	68,800	124	82.8	74.6-91.0	39	13.2	5.4-21.0	14	2.5	0.9- 4.1	1	1.1	0.0- 3.3	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3
College Graduate	179	40,084	129	89.5	85.6-93.4	40	8.3	4.8-11.8	9	2.0	0.6- 3.4							1	0.1	0.0- 0.3
\$15,000- 24,999	80	28,442	65	93.5	89.6-97.4	13	5.3	1.8- 8.8	2	1.2	0.0- 3.0									
\$25,000- 34,999	64	19,612	47	84.6	74.0-95.2	15	14.3	3.9-24.7	2	1.0	0.0- 2.4									
\$35,000- 49,999	94	29,199	66	90.2	85.1-95.3	26	8.7	4.0-13.4	2	1.1	0.0- 2.7									
\$50,000- 74,999	83	29,482	58	79.9	62.8-97.0	19	16.9	0.0-34.1	4	1.7	0.0- 3.5				1	0.6	0.0- 1.8	1	0.8	0.0- 2.4
\$75,000+	110	48,384	86	88.8	82.9-94.7	14	7.4	2.7-12.1	9	2.2	0.4- 4.0	1	1.6	0.0- 4.7						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3664	1,354,005	2362	61.6	59.4-63.8	562	16.2	14.6-17.8	83	3.3	2.3- 4.3	31	1.4	0.8- 2.0	15	0.7	0.3- 1.1	7	0.4	0.0- 0.8	604	16.4	14.8-18.1
Male	1312	531,166	792	58.6	55.1-62.1	231	17.5	15.0-20.0	26	2.9	1.5- 4.3	16	1.9	0.7- 3.1	6	0.6	0.0- 1.2	4	0.8	0.0- 1.6	237	17.6	14.9-20.3
Female	2352	822,839	1570	63.6	60.9-66.3	331	15.3	13.3-17.3	57	3.6	2.2- 5.0	15	1.1	0.3- 1.9	9	0.7	0.1- 1.3	3	0.1	0.0- 0.3	367	15.6	13.6-17.7
White/Non-Hisp	3173	1,183,822	2051	62.3	60.1-64.5	504	16.9	15.3-18.5	67	2.8	2.0- 3.6	26	1.3	0.7- 1.9	11	0.6	0.2- 1.0	5	0.2	0.0- 0.4	509	15.9	14.3-17.5
Black or Afr. Am./Non-Hisp	244	90,524	165	61.6	53.2-70.0	22	10.4	5.1-15.7	7	3.7	0.0- 7.4	1	0.3	0.0- 0.9				1	1.6	0.0- 4.7	48	22.3	15.0-29.6
Oth. Race/Non-Hisp.	76	20,277	43	54.7	33.9-75.5	15	11.9	2.5-21.3	2	1.3	0.0- 3.7	2	17.5	0.0-39.3	2	4.7	0.0-13.1				12	9.9	1.5-18.3
Hispanic	52	28,847	32	57.2	35.2-79.2	8	14.8	3.0-26.6	2	15.8	0.0-40.7				1	1.7	0.0- 5.0				9	10.5	1.9-19.1
25-34	57	53,152	34	58.1	42.8-73.4	10	21.1	7.4-34.8	4	3.8	0.0- 8.1	2	5.5	0.0-13.3	1	0.9	0.0- 2.7	1	0.8	0.0- 2.4	5	9.8	1.4-18.1
35-44	182	139,717	120	62.8	53.8-71.8	35	19.2	12.5-25.9	7	6.4	0.1-12.7	6	4.5	0.4- 8.6	3	1.9	0.0- 4.4	2	1.7	0.0- 4.1	9	3.4	0.3- 6.6
45-54	394	188,076	269	67.6	61.9-73.3	45	9.6	6.5-12.7	23	7.6	4.1-11.1	12	2.5	0.7- 4.3	7	2.0	0.4- 3.6	1	0.3	0.0- 0.9	37	10.4	6.5-14.3
55-64	812	320,808	535	62.7	58.6-66.8	144	17.9	14.8-21.0	21	3.1	1.5- 4.7	6	1.0	0.0- 2.0	2	0.4	0.0- 1.0	1	0.0	0.0- 0.0	103	14.8	11.7-17.9
65+	2192	601,811	1384	57.4	54.9-59.9	327	17.5	15.5-19.5	26	1.4	0.8- 2.0	5	0.3	0.0- 0.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	448	23.2	21.0-25.4
Less Than H.S.	261	152,081	131	53.1	44.3-61.9	19	7.2	3.7-10.7	8	6.9	0.8-13.0										103	32.8	25.4-40.2
H.S. or G.E.D.	1331	494,262	824	58.0	54.7-61.3	187	15.6	13.2-18.0	19	2.0	1.0- 3.0	7	1.2	0.2- 2.2	5	0.7	0.1- 1.3	4	0.7	0.0- 1.5	285	21.8	18.9-24.7
Some Post-H.S.	912	403,180	614	65.6	61.5-69.7	153	18.5	15.2-21.8	16	2.8	1.2- 4.4	4	0.8	0.0- 1.8	3	0.7	0.0- 1.7	1	0.2	0.0- 0.6	121	11.3	8.9-13.7
College Graduate	1152	302,335	790	66.9	63.4-70.4	200	18.5	15.8-21.2	39	4.2	2.6- 5.8	20	3.3	1.3- 5.3	7	0.9	0.1- 1.7	2	0.2	0.0- 0.6	94	6.0	4.6- 7.4
Less than \$15,000	236	77,401	131	56.2	47.8-64.6	6	2.4	0.2- 4.6	1	0.4	0.0- 1.2							1	1.5	0.0- 4.2	97	39.5	31.5-47.5
\$15,000- 24,999	536	187,604	346	57.3	51.4-63.2	44	10.2	6.5-13.9	7	4.2	0.0- 8.9	3	1.0	0.0- 2.4	2	0.4	0.0- 1.0				134	26.9	21.8-32.0
\$25,000- 34,999	380	134,132	268	66.5	59.8-73.2	41	12.8	7.3-18.3	4	1.6	0.0- 3.4	1	0.5	0.0- 1.5							66	18.6	13.7-23.5
\$35,000- 49,999	438	158,446	309	64.8	58.7-70.9	62	16.1	11.8-20.4	7	2.3	0.5- 4.1	3	1.1	0.0- 2.7				1	0.3	0.0- 0.9	56	15.4	10.7-20.1
\$50,000- 74,999	456	194,988	283	62.2	56.3-68.1	113	22.2	17.7-26.7	12	2.0	0.6- 3.4	3	2.2	0.0- 4.7	1	0.0	0.0- 0.0	3	1.0	0.0- 2.6	41	10.3	6.6-14.0
\$75,000+	715	312,159	459	63.9	59.4-68.4	171	21.4	17.7-25.1	36	6.6	4.1- 9.1	17	3.2	1.2- 5.2	7	1.7	0.3- 3.1	2	0.5	0.0- 1.1	23	2.7	1.3- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1312	531,166	792	58.6	55.1-62.1	231	17.5	14.8-20.2	26	2.9	1.5- 4.3	16	1.9	0.7- 3.1	6	0.6	0.0- 1.2	4	0.8	0.0- 1.6	237	17.6	14.9-20.2
White/Non-Hisp	1134	466,203	678	58.5	54.8-62.2	211	18.8	15.9-21.7	21	2.7	1.3- 4.1	12	1.4	0.4- 2.4	5	0.6	0.0- 1.2	2	0.3	0.0- 0.7	205	17.7	14.8-20.2
Black or Afr. Am./Non-Hisp	73	31,323	46	56.5	41.4-71.6	8	11.6	1.8-21.4	2	5.7	0.0-14.7							1	4.7	0.0-13.5	16	21.5	9.3-33.3
35-44	64	49,210	42	60.1	45.0-75.2	11	18.8	6.6-31.0	2	4.9	0.0-11.6	4	8.7	0.0-18.5				2	4.9	0.0-11.8	3	2.4	0.0- 5.0
45-54	147	72,011	95	62.8	53.0-72.6	18	10.5	5.0-16.0	8	9.8	2.9-16.7	7	4.5	0.4- 8.6	2	1.4	0.0- 3.4	1	0.7	0.0- 2.1	16	10.3	3.6-17.0
55-64	322	140,571	206	63.3	57.0-69.6	55	16.3	11.8-20.8	7	2.0	0.2- 3.8	4	1.7	0.0- 3.7	1	0.7	0.0- 2.1				49	16.0	11.1-20.9
65+	745	224,007	428	52.5	48.2-56.8	142	21.3	17.8-24.8	8	1.2	0.2- 2.2	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6				165	24.8	20.9-28.7
Less Than H.S.	92	61,058	50	60.6	47.3-73.9	9	9.7	2.8-16.6	1	2.1	0.0- 6.2										32	27.7	16.5-38.9
H.S. or G.E.D.	427	177,382	246	53.6	47.5-59.7	68	16.2	12.1-20.3	4	1.1	0.1- 2.1	3	1.6	0.0- 3.4	3	1.1	0.0- 2.5	2	1.5	0.0- 3.5	101	25.0	19.3-30.7
Some Post-H.S.	330	160,216	204	59.8	52.9-66.7	67	21.6	15.5-27.7	9	4.9	1.4- 8.4	1	0.1	0.0- 0.3				1	0.6	0.0- 1.8	48	12.9	8.8-17.0
College Graduate	459	131,425	291	63.3	57.6-69.0	85	18.0	13.9-22.1	11	3.0	1.0- 5.0	12	5.4	1.3- 9.5	3	1.1	0.0- 2.3	1	0.4	0.0- 1.2	56	8.8	6.1-11.5
Less than \$15,000	61	24,033	29	50.9	33.5-68.3	3	2.9	0.0- 6.4										1	4.7	0.0-13.5	28	41.5	24.8-58.2
\$15,000- 24,999	173	60,629	101	54.7	45.5-63.9	16	9.2	4.5-13.9	2	1.2	0.0- 3.2	3	3.1	0.0- 7.0	1	0.7	0.0- 2.1				50	31.1	22.7-39.5
\$25,000- 34,999	145	55,751	101	65.0	53.6-76.4	15	14.3	3.7-24.9	1	0.8	0.0- 2.4										28	19.9	11.9-27.9
\$35,000- 49,999	169	70,061	109	62.0	52.6-71.4	25	14.3	8.2-20.4				1	1.7	0.0- 5.0							34	22.0	13.8-30.2
\$50,000- 74,999	193	85,289	110	58.7	49.9-67.5	58	27.2	19.8-34.6	4	1.3	0.0- 2.9							1	1.7	0.0- 5.0	20	11.1	5.0-17.2
\$75,000+	316	144,813	194	59.2	51.8-66.6	78	22.8	16.9-28.7	16	8.2	3.9-12.5	10	4.6	0.7- 8.5	2	1.0	0.0- 2.4	2	1.0	0.0- 2.4	14	3.1	1.3- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 37: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	1-Number			2-Numbers			3-Numbers			4-Numbers			5-Numbers			6+ Numbers			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2352	822,839	1570	63.6	60.9-66.3	331	15.3	13.3-17.3	57	3.6	2.2- 5.0	15	1.1	0.3- 1.9	9	0.7	0.1- 1.3	3	0.1	0.0- 0.3	367	15.6	13.6-17.6
White/Non-Hisp	2039	717,618	1373	64.7	62.0-67.4	293	15.7	13.7-17.7	46	2.9	1.9- 3.9	14	1.2	0.4- 2.0	6	0.7	0.1- 1.3	3	0.1	0.0- 0.3	304	14.6	12.6-16.6
Black or Afr. Am./Non-Hisp	171	59,201	119	64.3	54.5-74.1	14	9.8	3.7-15.9	5	2.6	0.0- 5.3	1	0.5	0.0- 1.5							32	22.8	14.0-31.6
35-44	118	90,507	78	64.2	52.8-75.6	24	19.5	11.5-27.5	5	7.3	0.0-16.3	2	2.2	0.0- 5.5	3	2.9	0.0- 7.0				6	4.0	0.0- 8.0
45-54	247	116,065	174	70.5	63.8-77.2	27	9.0	5.3-12.7	15	6.3	2.4-10.2	5	1.3	0.0- 2.7	5	2.4	0.0- 4.8				21	10.4	5.7-15.1
55-64	490	180,237	329	62.2	56.9-67.5	89	19.2	15.1-23.3	14	4.0	1.5- 6.5	2	0.5	0.0- 1.1	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	54	13.9	9.6-18.2
65+	1447	377,804	956	60.4	57.3-63.5	185	15.2	12.8-17.6	18	1.5	0.7- 2.3	4	0.5	0.0- 1.1				1	0.1	0.0- 0.3	283	22.3	19.6-25.0
Less Than H.S.	169	91,023	81	48.1	37.1-59.1	10	5.6	1.7- 9.5	7	10.1	0.5-19.7										71	36.2	26.6-45.8
H.S. or G.E.D.	904	316,879	578	60.4	56.5-64.3	119	15.2	12.3-18.1	15	2.5	1.1- 3.9	4	1.0	0.0- 2.2	2	0.5	0.0- 1.1	2	0.3	0.0- 0.7	184	20.0	16.9-23.1
Some Post-H.S.	582	242,964	410	69.4	64.5-74.3	86	16.4	12.5-20.3	7	1.5	0.1- 2.9	3	1.3	0.0- 3.1	3	1.2	0.0- 2.8				73	10.2	7.5-12.9
College Graduate	693	170,909	499	69.7	65.4-74.0	115	18.9	15.2-22.6	28	5.1	2.9- 7.3	8	1.6	0.4- 2.8	4	0.8	0.0- 1.8	1	0.1	0.0- 0.3	38	3.9	2.5- 5.3
Less than \$15,000	175	53,368	102	58.5	49.3-67.7	3	2.2	0.0- 4.9	1	0.6	0.0- 1.8										69	38.6	29.6-47.6
\$15,000- 24,999	363	126,975	245	58.5	50.7-66.3	28	10.7	5.6-15.8	5	5.6	0.0-12.3				1	0.3	0.0- 0.9				84	24.9	18.8-31.0
\$25,000- 34,999	235	78,381	167	67.6	59.6-75.6	26	11.7	6.4-17.0	3	2.2	0.0- 5.1	1	0.8	0.0- 2.4							38	17.7	11.4-24.0
\$35,000- 49,999	269	88,384	200	67.0	59.2-74.8	37	17.5	11.4-23.6	7	4.1	1.0- 7.2	2	0.7	0.0- 1.7				1	0.5	0.0- 1.5	22	10.2	4.7-15.7
\$50,000- 74,999	263	109,699	173	65.0	57.0-73.0	55	18.3	12.8-23.8	8	2.5	0.3- 4.7	3	4.0	0.0- 8.7	1	0.1	0.0- 0.3	2	0.5	0.0- 1.3	21	9.7	5.0-14.4
\$75,000+	399	167,346	265	67.9	62.2-73.6	93	20.2	15.7-24.7	20	5.1	2.2- 8.0	7	1.9	0.3- 3.5	5	2.3	0.0- 4.7				9	2.4	0.2- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7588	5,127,758	922	10.3	9.5-11.1	6666	89.7	88.9-90.5
Male	3221	2,494,404	853	19.6	18.0-21.2	2368	80.4	78.8-82.0
Female	4367	2,633,354	69	1.5	1.1- 1.9	4298	98.5	98.1-98.9
White/Non-Hisp	6271	4,120,836	754	10.8	9.8-11.8	5517	89.2	88.2-90.2
Black or Afr. Am./Non-Hisp	583	448,200	69	10.0	7.1-12.9	514	90.0	87.1-92.9
Oth. Race/Non-Hisp.	203	133,745	37	9.2	2.7-15.7	166	90.8	84.3-97.3
MultiRacial/Non-Hisp.	132	44,219	27	16.7	9.3-24.1	105	83.3	75.9-90.7
Hispanic	261	298,191	17	3.9	1.4- 6.4	244	96.1	93.6-98.6
18-24	369	686,457	9	2.5	0.7- 4.3	360	97.5	95.7-99.3
25-34	632	853,171	31	4.7	2.7- 6.7	601	95.3	93.3-97.3
35-44	736	820,323	40	5.6	3.6- 7.6	696	94.4	92.4-96.4
45-54	1188	828,246	117	11.0	8.8-13.2	1071	89.0	86.8-91.2
55-64	1615	870,376	152	10.7	8.7-12.7	1463	89.3	87.3-91.3
65+	3048	1,069,185	573	22.5	20.5-24.5	2475	77.5	75.5-79.5
Less Than H.S.	600	631,672	49	6.6	4.2- 9.0	551	93.4	91.0-95.8
H.S. or G.E.D.	2578	1,720,347	356	11.8	10.4-13.2	2222	88.2	86.8-89.6
Some Post-H.S.	1952	1,574,914	271	11.6	10.0-13.2	1681	88.4	86.8-90.0
College Graduate	2431	1,179,965	245	8.5	7.1- 9.9	2186	91.5	90.1-92.9
Less than \$15,000	529	362,044	47	8.4	5.1-11.7	482	91.6	88.3-94.9
\$15,000- 24,999	1036	654,342	140	11.0	8.8-13.2	896	89.0	86.8-91.2
\$25,000- 34,999	726	472,894	113	13.0	10.1-15.9	613	87.0	84.1-89.9
\$35,000- 49,999	912	636,791	122	10.5	8.3-12.7	790	89.5	87.3-91.7
\$50,000- 74,999	1016	748,112	140	12.1	9.7-14.5	876	87.9	85.5-90.3
\$75,000+	1721	1,292,543	187	9.2	7.6-10.8	1534	90.8	89.2-92.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3221	2,494,404	853	19.6	18.0-21.2	2368	80.4	78.8-82.0
White/Non-Hisp	2621	1,986,364	708	21.0	19.2-22.8	1913	79.0	77.2-80.8
Black or Afr. Am./Non-Hisp	227	212,325	56	17.2	11.7-22.7	171	82.8	77.3-88.3
Oth. Race/Non-Hisp.	104	73,318	33	15.2	4.0-26.4	71	84.8	73.6-96.0
MultiRacial/Non-Hisp.	68	24,719	26	29.0	16.7-41.3	42	71.0	58.7-83.3
Hispanic	131	148,256	14	7.2	2.3-12.1	117	92.8	87.9-97.7
18-24	183	353,156	8	4.6	1.3-7.9	175	95.4	92.1-98.7
25-34	315	429,066	26	8.0	4.5-11.5	289	92.0	88.5-95.5
35-44	334	408,641	37	10.8	7.3-14.3	297	89.2	85.7-92.7
45-54	540	409,177	100	19.7	15.8-23.6	440	80.3	76.4-84.2
55-64	701	424,088	127	19.2	15.9-22.5	574	80.8	77.5-84.1
65+	1148	470,277	555	49.2	45.7-52.7	593	50.8	47.3-54.3
Less Than H.S.	259	326,077	48	12.9	8.4-17.4	211	87.1	82.6-91.6
H.S. or G.E.D.	1083	866,547	333	21.7	19.0-24.4	750	78.3	75.6-81.0
Some Post-H.S.	805	729,365	249	22.8	19.5-26.1	556	77.2	73.9-80.5
College Graduate	1060	560,354	222	16.2	13.7-18.7	838	83.8	81.3-86.3
Less than \$15,000	206	176,010	41	15.3	8.8-21.8	165	84.7	78.2-91.2
\$15,000- 24,999	383	255,364	119	24.3	19.4-29.2	264	75.7	70.8-80.6
\$25,000- 34,999	302	220,804	110	25.9	20.2-31.6	192	74.1	68.4-79.8
\$35,000- 49,999	404	321,632	114	18.7	14.6-22.8	290	81.3	77.2-85.4
\$50,000- 74,999	493	404,475	135	22.0	17.7-26.3	358	78.0	73.7-82.3
\$75,000+	868	704,500	176	16.1	13.4-18.8	692	83.9	81.2-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4367	2,633,354	69	1.5	1.1- 1.9	4298	98.5	98.1-98.9
White/Non-Hisp	3650	2,134,472	46	1.3	0.9- 1.7	3604	98.7	98.3-99.1
Black or Afr. Am./Non-Hisp	356	235,875	13	3.6	1.2- 6.0	343	96.4	94.0-98.8
Oth. Race/Non-Hisp.	99	60,426	4	1.8	0.0- 4.5	95	98.2	95.5- 100
MultiRacial/Non-Hisp.	64	19,499	1	1.1	0.0- 3.3	63	98.9	96.7- 100
Hispanic	130	149,935	3	0.8	0.0- 1.8	127	99.2	98.2- 100
18-24	186	333,301	1	0.2	0.0- 0.6	185	99.8	99.4- 100
25-34	317	424,105	5	1.4	0.0- 2.8	312	98.6	97.2- 100
35-44	402	411,682	3	0.4	0.0- 0.8	399	99.6	99.2- 100
45-54	648	419,070	17	2.4	1.0- 3.8	631	97.6	96.2-99.0
55-64	914	446,288	25	2.6	1.2- 4.0	889	97.4	96.0-98.8
65+	1900	598,908	18	1.5	0.7- 2.3	1882	98.5	97.7-99.3
Less Than H.S.	341	305,595	1	0.0	0.0- 0.0	340	100.0	100.0- 100
H.S. or G.E.D.	1495	853,801	23	1.6	0.8- 2.4	1472	98.4	97.6-99.2
Some Post-H.S.	1147	845,549	22	1.9	0.9- 2.9	1125	98.1	97.1-99.1
College Graduate	1371	619,612	23	1.5	0.9- 2.1	1348	98.5	97.9-99.1
Less than \$15,000	323	186,034	6	1.9	0.1- 3.7	317	98.1	96.3-99.9
\$15,000- 24,999	653	398,977	21	2.4	1.2- 3.6	632	97.6	96.4-98.8
\$25,000- 34,999	424	252,090	3	1.8	0.0- 4.0	421	98.2	96.0- 100
\$35,000- 49,999	508	315,159	8	2.0	0.4- 3.6	500	98.0	96.4-99.6
\$50,000- 74,999	523	343,637	5	0.4	0.0- 0.8	518	99.6	99.2- 100
\$75,000+	853	588,043	11	1.1	0.3- 1.9	842	98.9	98.1-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7519	5,076,363	3487	57.3	55.9-58.7	253	4.7	3.9- 5.5	387	6.0	5.2- 6.8	159	5.6	4.6- 6.6	2562	18.8	18.0-19.6	671	7.7	6.9- 8.5
Male	3202	2,475,523	1731	64.5	62.3-66.7	121	4.5	3.5- 5.5	10	0.3	0.1- 0.5	77	5.8	4.4- 7.2	1023	18.4	17.0-19.8	240	6.4	5.4- 7.4
Female	4317	2,600,839	1756	50.3	48.3-52.3	132	4.8	3.8- 5.8	377	11.3	9.9-12.7	82	5.5	4.1- 6.9	1539	19.2	18.0-20.4	431	8.9	7.9- 9.9
White/Non-Hisp	6234	4,093,911	2848	56.4	54.8-58.0	187	4.4	3.6- 5.2	326	6.0	5.2- 6.8	117	5.1	4.1- 6.1	2253	20.8	19.8-21.8	503	7.3	6.5- 8.1
Black or Afr. Am./Non-Hisp	566	436,545	260	58.4	53.3-63.5	28	6.2	3.5- 8.9	18	2.8	1.2- 4.4	16	5.8	2.9- 8.7	165	15.1	12.0-18.2	79	11.7	8.8-14.6
Oth. Race/Non-Hisp.	202	133,442	85	53.6	42.0-65.2	7	2.3	0.0- 4.8	15	9.2	2.7-15.7	13	20.2	9.4-31.0	56	8.4	4.5-12.3	26	6.3	2.4-10.2
MultiRacial/Non-Hisp.	130	42,747	63	62.0	51.6-72.4	6	5.2	0.5- 9.9	4	4.7	0.0-10.4				29	10.2	5.3-15.1	28	17.8	9.8-25.8
Hispanic	256	292,313	167	67.2	59.9-74.5	22	7.7	4.2-11.2	18	8.8	3.9-13.7	12	8.2	3.1-13.3	17	2.9	1.3- 4.5	20	5.2	2.3- 8.1
18-24	360	672,212	181	48.5	42.6-54.4	42	10.5	7.2-13.8	9	2.4	0.6- 4.2	120	36.8	31.1-42.5				8	1.8	0.4- 3.2
25-34	623	842,858	490	78.1	74.4-81.8	36	6.4	4.0- 8.8	49	9.3	6.6-12.0	24	2.9	1.5- 4.3	2	0.4	0.0- 1.0	22	2.9	1.5- 4.3
35-44	729	814,470	559	77.7	74.4-81.0	41	4.8	3.2- 6.4	65	9.0	6.5-11.5	12	1.5	0.7- 2.3	2	0.4	0.0- 1.0	50	6.5	4.3- 8.7
45-54	1178	821,594	897	76.5	73.8-79.2	49	4.6	3.2- 6.0	59	5.1	3.5- 6.7	2	0.2	0.0- 0.6	30	2.4	1.4- 3.4	141	11.1	9.1-13.1
55-64	1600	861,343	921	57.8	55.1-60.5	54	2.9	1.9- 3.9	60	4.3	3.1- 5.5				284	17.8	15.6-20.0	281	17.2	15.0-19.4
65+	3029	1,063,885	439	15.3	13.7-16.9	31	1.0	0.6- 1.4	145	5.1	4.1- 6.1	1	0.0	0.0- 0.0	2244	72.8	70.8-74.8	169	5.8	4.8- 6.8
Less Than H.S.	595	626,340	161	42.0	36.5-47.5	33	7.9	4.8-11.0	57	10.7	7.4-14.0	8	3.6	0.9- 6.3	173	15.8	12.9-18.7	163	20.0	16.5-23.5
H.S. or G.E.D.	2540	1,689,280	982	52.8	50.3-55.3	95	5.3	4.1- 6.5	146	5.5	4.3- 6.7	43	4.9	3.3- 6.5	983	21.7	20.1-23.3	291	9.8	8.4-11.2
Some Post-H.S.	1944	1,570,614	906	57.2	54.3-60.1	73	4.5	3.3- 5.7	98	5.9	4.5- 7.3	72	9.0	6.8-11.2	646	18.4	16.6-20.2	149	4.9	3.9- 5.9
College Graduate	2416	1,170,398	1425	71.6	69.4-73.8	51	2.2	1.4- 3.0	82	4.1	3.1- 5.1	36	3.4	2.2- 4.6	757	16.9	15.5-18.3	65	1.8	1.2- 2.4
Less than \$15,000	526	357,614	94	28.8	23.1-34.5	56	11.2	7.5-14.9	24	3.9	1.9- 5.9	20	9.3	5.2-13.4	136	14.4	11.3-17.5	196	32.3	27.2-37.4
\$15,000- 24,999	1027	646,176	277	39.0	34.7-43.3	59	8.3	5.9-10.7	49	6.1	3.7- 8.5	24	5.5	3.1- 7.9	427	24.8	21.9-27.7	191	16.3	13.6-19.0
\$25,000- 34,999	725	470,996	292	54.4	49.5-59.3	22	6.2	3.3- 9.1	31	5.6	2.9- 8.3	8	2.2	0.4- 4.0	311	24.3	21.0-27.6	61	7.3	5.1- 9.5
\$35,000- 49,999	909	634,449	417	59.0	54.9-63.1	22	3.5	1.7- 5.3	48	7.4	5.0- 9.8	16	4.3	1.9- 6.7	373	22.5	19.8-25.2	33	3.3	1.9- 4.7
\$50,000- 74,999	1013	745,672	596	67.4	63.7-71.1	24	2.5	1.3- 3.7	43	5.9	3.7- 8.1	15	4.3	1.9- 6.7	302	16.6	14.2-19.0	33	3.3	1.9- 4.7
\$75,000+	1716	1,290,248	1275	78.8	76.3-81.3	21	1.6	0.6- 2.6	67	4.1	2.9- 5.3	34	5.6	3.4- 7.8	302	9.4	8.0-10.8	17	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3202	2,475,523	1731	64.5	62.3-66.7	121	4.5	3.5- 5.5	10	0.3	0.1- 0.5	77	5.8	4.4- 7.2	1023	18.4	17.0-19.8	240	6.4	5.4- 7.4
White/Non-Hisp	2614	1,978,275	1396	63.7	61.3-66.1	90	4.2	3.2- 5.2	6	0.1	0.0- 0.3	58	5.7	4.1- 7.3	890	20.4	18.8-22.0	174	5.9	4.9- 6.9
Black or Afr. Am./Non-Hisp	221	206,959	109	59.2	51.4-67.0	12	7.4	2.7-12.1	1	0.7	0.0- 2.1	7	5.5	1.4- 9.6	66	16.9	11.8-22.0	26	10.2	6.1-14.3
Oth. Race/Non-Hisp.	103	73,016	50	70.7	57.6-83.8	5	3.5	0.0- 8.0	1	0.2	0.0- 0.6	5	10.1	0.0-20.7	27	8.1	2.6-13.6	15	7.5	1.2-13.8
MultiRacial/Non-Hisp.	67	24,045	37	67.2	54.3-80.1	2	4.6	0.0-11.3							15	11.1	4.2-18.0	13	17.1	6.5-27.7
Hispanic	129	145,011	95	75.3	65.9-84.7	11	6.5	2.4-10.6	2	2.0	0.0- 5.3	6	8.7	1.1-16.3	6	1.5	0.1- 2.9	9	6.0	1.3-10.7
18-24	178	345,761	89	50.3	41.9-58.7	22	9.2	5.1-13.3	2	1.2	0.0- 3.0	62	37.8	29.6-46.0				3	1.6	0.0- 3.8
25-34	310	423,428	272	89.3	85.6-93.0	13	4.6	1.9- 7.3				12	2.7	0.9- 4.5	2	0.7	0.0- 1.7	11	2.7	0.9- 4.5
35-44	331	405,970	288	88.0	84.3-91.7	16	4.0	2.0- 6.0				3	0.6	0.0- 1.2	1	0.5	0.0- 1.5	23	7.0	3.9-10.1
45-54	538	408,419	442	82.1	78.4-85.8	29	6.4	3.9- 8.9	2	0.3	0.0- 0.9				16	3.1	1.3- 4.9	49	8.1	5.6-10.6
55-64	694	419,615	432	62.7	58.6-66.8	25	3.3	1.9- 4.7	2	0.2	0.0- 0.6				129	19.2	15.7-22.7	106	14.6	11.7-17.5
65+	1151	472,331	208	19.1	16.4-21.8	16	1.0	0.4- 1.6	4	0.2	0.0- 0.4				875	75.4	72.5-78.3	48	4.3	2.9- 5.7
Less Than H.S.	257	323,714	104	56.5	48.9-64.1	13	5.6	2.1- 9.1	2	0.9	0.0- 2.5	4	4.7	0.0- 9.4	77	16.5	12.0-21.0	57	15.8	11.1-20.5
H.S. or G.E.D.	1070	853,844	529	62.5	59.0-66.0	51	5.2	3.6- 6.8	3	0.4	0.0- 0.8	22	5.1	2.9- 7.3	360	18.9	16.5-21.3	105	8.0	6.2- 9.8
Some Post-H.S.	806	729,450	419	61.8	57.5-66.1	35	5.2	3.2- 7.2	2	0.1	0.0- 0.3	33	9.3	6.0-12.6	266	19.5	16.8-22.2	51	4.0	2.6- 5.4
College Graduate	1057	557,491	672	75.7	73.0-78.4	22	2.1	1.1- 3.1	3	0.1	0.0- 0.3	18	3.1	1.5- 4.7	318	17.4	15.2-19.6	24	1.6	0.8- 2.4
Less than \$15,000	204	172,551	44	31.3	22.5-40.1	28	13.1	7.0-19.2	2	1.0	0.0- 2.8	12	13.5	6.1-20.9	42	14.7	9.4-20.0	76	26.5	19.4-33.6
\$15,000- 24,999	380	251,568	108	39.6	33.1-46.1	30	9.3	5.8-12.8	2	1.0	0.0- 3.0	10	5.0	1.7- 8.3	160	27.7	22.6-32.8	70	17.3	12.4-22.2
\$25,000- 34,999	303	219,492	131	58.0	51.1-64.9	10	5.8	1.9- 9.7				4	1.6	0.0- 3.2	127	25.7	20.4-31.0	31	8.9	5.2-12.6
\$35,000- 49,999	403	321,355	204	65.7	60.0-71.4	8	2.7	0.7- 4.7	1	0.2	0.0- 0.6	7	3.9	0.8- 7.0	170	24.3	20.0-28.6	13	3.3	1.3- 5.3
\$50,000- 74,999	493	404,475	307	74.3	69.8-78.8	10	2.5	0.7- 4.3	3	0.3	0.0- 0.7	6	3.2	0.7- 5.7	157	17.6	14.3-20.9	10	2.2	0.6- 3.8
\$75,000+	867	704,088	689	85.2	82.1-88.3	8	0.8	0.2- 1.4	1	0.1	0.0- 0.3	12	4.0	1.5- 6.5	153	9.4	7.6-11.2	4	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS
TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4317	2,600,839	1756	50.3	48.3-52.3	132	4.8	3.8- 5.8	377	11.3	9.9-12.7	82	5.5	4.1- 6.9	1539	19.2	18.0-20.4	431	8.9	7.9- 9.9
White/Non-Hisp	3620	2,115,636	1452	49.6	47.4-51.8	97	4.5	3.3- 5.7	320	11.6	10.0-13.2	59	4.6	3.4- 5.8	1363	21.1	19.7-22.5	329	8.6	7.4- 9.8
Black or Afr. Am./Non-Hisp	345	229,585	151	57.7	51.2-64.2	16	5.1	2.2- 8.0	17	4.7	2.0- 7.4	9	6.0	1.9-10.1	99	13.5	10.0-17.0	53	12.9	9.0-16.8
Oth. Race/Non-Hisp.	99	60,426	35	33.0	17.5-48.5	2	0.9	0.0- 2.5	14	20.1	6.6-33.6	8	32.3	14.3-50.3	29	8.7	3.2-14.2	11	4.9	0.4- 9.4
MultiRacial/Non-Hisp.	63	18,702	26	55.3	38.4-72.2	4	6.1	0.0-12.6	4	10.8	0.0-23.1				14	9.2	2.5-15.9	15	18.6	6.4-30.8
Hispanic	127	147,302	72	59.2	48.4-70.0	11	8.9	3.4-14.4	16	15.5	6.7-24.3	6	7.8	0.7-14.9	11	4.3	1.4- 7.2	11	4.4	1.1- 7.7
18-24	182	326,452	92	46.6	38.8-54.4	20	11.8	6.5-17.1	7	3.8	0.7- 6.9	58	35.8	28.0-43.6				5	2.0	0.2- 3.8
25-34	313	419,430	218	66.8	60.9-72.7	23	8.2	4.7-11.7	49	18.7	13.6-23.8	12	3.2	1.2- 5.2				11	3.1	1.1- 5.1
35-44	398	408,500	271	67.5	62.2-72.8	25	5.6	3.2- 8.0	65	18.0	13.5-22.5	9	2.4	0.8- 4.0	1	0.4	0.0- 1.2	27	6.1	3.4- 8.8
45-54	640	413,175	455	71.0	66.9-75.1	20	2.8	1.4- 4.2	57	9.9	7.0-12.8	2	0.5	0.0- 1.1	14	1.7	0.7- 2.7	92	14.1	11.0-17.2
55-64	906	441,728	489	53.1	49.2-57.0	29	2.5	1.3- 3.7	58	8.2	6.0-10.4				155	16.4	13.7-19.1	175	19.8	16.7-22.9
65+	1878	591,554	231	12.2	10.4-14.0	15	1.0	0.4- 1.6	141	9.1	7.3-10.9	1	0.0	0.0- 0.0	1369	70.7	68.2-73.2	121	6.9	5.5- 8.3
Less Than H.S.	338	302,626	57	26.4	19.7-33.1	20	10.4	5.5-15.3	55	21.1	14.8-27.4	4	2.5	0.0- 5.2	96	15.1	11.4-18.8	106	24.5	19.2-29.8
H.S. or G.E.D.	1470	835,436	453	42.9	39.4-46.4	44	5.5	3.5- 7.5	143	10.7	8.5-12.9	21	4.7	2.5- 6.9	623	24.7	22.3-27.1	186	11.5	9.5-13.5
Some Post-H.S.	1138	841,164	487	53.2	49.5-56.9	38	3.9	2.3- 5.5	96	11.0	8.5-13.5	39	8.7	5.8-11.6	380	17.4	15.2-19.6	98	5.7	4.3- 7.1
College Graduate	1359	612,907	753	68.0	64.9-71.1	29	2.4	1.4- 3.4	79	7.7	5.7- 9.7	18	3.6	1.8- 5.4	439	16.4	14.4-18.4	41	2.0	1.2- 2.8
Less than \$15,000	322	185,063	50	26.5	19.2-33.8	28	9.5	5.0-14.0	22	6.7	3.2-10.2	8	5.3	1.6- 9.0	94	14.2	10.5-17.9	120	37.7	30.8-44.6
\$15,000- 24,999	647	394,608	169	38.6	33.1-44.1	29	7.6	4.3-10.9	47	9.3	5.6-13.0	14	5.7	2.4- 9.0	267	23.0	19.5-26.5	121	15.6	12.3-18.9
\$25,000- 34,999	422	251,504	161	51.3	44.6-58.0	12	6.6	2.3-10.9	31	10.4	5.5-15.3	4	2.8	0.0- 5.9	184	23.1	18.8-27.4	30	5.8	3.3- 8.3
\$35,000- 49,999	506	313,095	213	52.1	46.2-58.0	14	4.4	1.7- 7.1	47	14.8	10.1-19.5	9	4.7	1.4- 8.0	203	20.6	17.1-24.1	20	3.3	1.5- 5.1
\$50,000- 74,999	520	341,197	289	59.3	53.6-65.0	14	2.6	1.0- 4.2	40	12.5	8.0-17.0	9	5.5	1.6- 9.4	145	15.4	12.3-18.5	23	4.6	2.2- 7.0
\$75,000+	849	586,160	586	71.1	67.0-75.2	13	2.5	0.7- 4.3	66	8.8	6.3-11.3	22	7.6	4.3-10.9	149	9.3	7.5-11.1	13	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7566	5,115,435	748	14.1	12.9-15.3	597	12.3	11.3-13.3	297	6.7	5.9- 7.5	91	2.1	1.5- 2.7	50	1.2	0.8- 1.6	5783	63.6	62.0-65.2
Male	3214	2,487,472	316	13.2	11.6-14.8	260	11.9	10.3-13.5	131	6.1	4.9- 7.3	31	1.4	0.8- 2.0	23	1.2	0.6- 1.8	2453	66.2	64.0-68.4
Female	4352	2,627,963	432	15.0	13.4-16.6	337	12.7	11.1-14.3	166	7.2	6.0- 8.4	60	2.7	1.9- 3.5	27	1.3	0.7- 1.9	3330	61.1	58.9-63.3
White/Non-Hisp	6259	4,116,892	595	14.2	13.0-15.4	439	11.1	9.9-12.3	224	6.2	5.2- 7.2	60	1.7	1.1- 2.3	37	1.1	0.7- 1.5	4904	65.7	64.1-67.3
Black or Afr. Am./Non-Hisp	580	445,425	59	12.5	9.0-16.0	69	16.1	12.2-20.0	27	6.7	4.0- 9.4	13	3.0	1.2- 4.8	5	1.7	0.1- 3.3	407	60.1	55.0-65.2
Oth. Race/Non-Hisp.	204	134,518	19	11.9	4.5-19.3	15	14.3	6.3-22.3	9	7.0	0.7-13.3	3	2.4	0.0- 5.1	1	0.6	0.0- 1.8	157	63.9	52.9-74.9
MultiRacial/Non-Hisp.	132	44,219	24	23.6	14.2-33.0	15	15.5	7.1-23.9	7	8.2	1.1-15.3	2	1.1	0.0- 2.7				84	51.5	40.5-62.5
Hispanic	258	296,233	40	16.7	11.2-22.2	51	22.4	15.9-28.9	25	13.1	7.6-18.6	12	6.0	2.3- 9.7	6	3.1	0.4- 5.8	124	38.7	31.4-46.0
18-24	369	686,457	75	19.6	15.1-24.1	29	8.1	5.0-11.2	8	3.3	0.9- 5.7	7	2.4	0.6- 4.2	5	1.5	0.1- 2.9	245	65.1	59.6-70.6
25-34	628	847,452	124	20.1	16.6-23.6	122	20.4	16.9-23.9	96	16.7	13.4-20.0	30	5.3	3.3- 7.3	12	2.2	0.8- 3.6	244	35.3	31.2-39.4
35-44	731	816,108	145	19.8	16.5-23.1	204	30.6	26.7-34.5	108	15.1	12.2-18.0	31	3.9	2.3- 5.5	25	3.3	1.9- 4.7	218	27.3	23.6-31.0
45-54	1183	826,317	238	21.0	18.3-23.7	149	11.8	9.8-13.8	57	4.1	2.9- 5.3	9	0.8	0.2- 1.4	5	0.5	0.1- 0.9	725	61.8	58.7-64.9
55-64	1613	869,741	101	6.5	5.1- 7.9	59	4.2	3.0- 5.4	16	1.3	0.5- 2.1	7	0.4	0.0- 0.8	2	0.3	0.0- 0.7	1428	87.3	85.3-89.3
65+	3042	1,069,359	65	2.4	1.8- 3.0	34	1.6	1.0- 2.2	12	0.8	0.2- 1.4	7	0.2	0.0- 0.4	1	0.1	0.0- 0.3	2923	95.0	94.0-96.0
Less Than H.S.	601	632,107	49	10.6	7.3-13.9	47	11.7	8.2-15.2	30	9.3	5.8-12.8	20	4.9	2.5- 7.3	6	1.4	0.2- 2.6	449	62.2	56.9-67.5
H.S. or G.E.D.	2566	1,715,123	225	13.5	11.5-15.5	164	10.7	8.9-12.5	72	4.8	3.6- 6.0	28	1.7	0.9- 2.5	16	1.2	0.6- 1.8	2061	68.1	65.6-70.6
Some Post-H.S.	1950	1,574,302	222	16.4	14.0-18.8	160	12.7	10.5-14.9	75	6.8	5.0- 8.6	18	1.7	0.9- 2.5	17	1.6	0.8- 2.4	1458	60.7	57.8-63.6
College Graduate	2426	1,175,039	251	14.0	12.0-16.0	224	14.2	12.2-16.2	118	7.8	6.2- 9.4	25	1.6	0.8- 2.4	11	0.7	0.3- 1.1	1797	61.6	59.1-64.1
Less than \$15,000	528	361,446	42	9.3	6.0-12.6	26	9.3	5.6-13.0	11	4.6	1.7- 7.5	5	1.8	0.0- 3.6	2	0.4	0.0- 1.2	442	74.6	69.3-79.9
\$15,000- 24,999	1034	653,791	86	11.5	8.8-14.2	74	11.2	8.3-14.1	33	6.3	3.8- 8.8	16	3.0	1.4- 4.6	4	1.1	0.0- 2.3	821	66.9	62.8-71.0
\$25,000- 34,999	726	471,658	73	14.5	11.0-18.0	40	9.9	6.6-13.2	28	8.4	5.1-11.7	5	1.9	0.1- 3.7	4	1.2	0.0- 2.4	576	64.2	59.1-69.3
\$35,000- 49,999	911	635,557	77	13.0	9.9-16.1	53	9.3	6.6-12.0	33	7.1	4.4- 9.8	13	2.5	0.9- 4.1	10	2.0	0.6- 3.4	725	66.2	61.7-70.7
\$50,000- 74,999	1014	746,273	94	13.6	10.5-16.7	86	12.8	9.9-15.7	49	8.0	5.5-10.5	16	2.6	1.0- 4.2	10	1.6	0.4- 2.8	759	61.4	57.3-65.5
\$75,000+	1721	1,292,494	255	18.2	15.7-20.7	219	17.1	14.7-19.5	98	6.7	5.1- 8.3	25	1.7	0.9- 2.5	14	1.3	0.5- 2.1	1110	54.9	51.8-58.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3214	2,487,472	316	13.2	11.6-14.8	260	11.9	10.3-13.5	131	6.1	4.9-7.3	31	1.4	0.8-2.0	23	1.2	0.6-1.8	2453	66.2	64.0-68.4
White/Non-Hisp	2620	1,985,481	254	13.6	11.6-15.6	190	10.6	9.0-12.2	95	5.6	4.2-7.0	16	0.8	0.4-1.2	17	1.0	0.4-1.6	2048	68.4	66.0-70.8
Black or Afr. Am./Non-Hisp	225	210,239	16	9.3	4.2-14.4	23	14.0	8.3-19.7	13	7.1	3.2-11.0	4	2.4	0.0-4.9	1	1.3	0.0-3.8	168	65.9	58.1-73.7
Oth. Race/Non-Hisp.	105	74,092	11	12.8	3.0-22.6	6	10.1	1.1-19.1	5	9.1	0.0-19.1	1	2.1	0.0-6.2	1	1.0	0.0-3.0	81	64.9	50.2-79.6
MultiRacial/Non-Hisp.	68	24,719	13	21.1	9.5-32.7	5	12.4	1.6-23.2	4	7.3	0.0-15.1	2	2.0	0.0-4.7				44	57.2	42.9-71.5
Hispanic	129	146,966	17	14.7	7.4-22.0	32	28.6	19.0-38.2	11	9.0	3.7-14.3	7	6.5	1.0-12.0	3	3.7	0.0-8.0	59	37.4	27.4-47.4
18-24	183	353,156	33	17.8	11.5-24.1	9	4.3	1.4-7.2	4	2.8	0.0-5.7	4	2.3	0.0-4.7	3	1.9	0.0-4.1	130	70.9	63.5-78.3
25-34	311	423,347	58	19.6	14.5-24.7	50	18.0	13.1-22.9	37	12.4	8.3-16.5	5	1.3	0.1-2.5	3	1.1	0.0-2.5	158	47.6	41.3-53.9
35-44	331	405,783	50	15.9	11.4-20.4	85	29.5	23.8-35.2	49	15.5	11.0-20.0	15	4.1	1.7-6.5	14	3.7	1.5-5.9	118	31.2	25.7-36.7
45-54	539	409,465	96	18.4	14.5-22.3	80	14.5	11.2-17.8	29	4.3	2.5-6.1	4	0.9	0.0-1.9	3	0.7	0.0-1.5	327	61.1	56.4-65.8
55-64	699	423,453	52	7.3	5.1-9.5	26	4.3	2.5-6.1	7	1.3	0.1-2.5	1	0.1	0.0-0.3				613	87.0	84.1-89.9
65+	1151	472,267	27	2.3	1.3-3.3	10	1.3	0.3-2.3	5	0.8	0.0-1.6	2	0.2	0.0-0.4				1107	95.4	93.8-97.0
Less Than H.S.	260	326,512	19	9.0	4.5-13.5	18	9.2	4.7-13.7	15	7.7	3.4-12.0	8	4.2	1.1-7.3	3	1.6	0.0-3.6	197	68.3	61.0-75.6
H.S. or G.E.D.	1077	863,008	111	14.2	11.3-17.1	79	11.1	8.6-13.6	34	4.8	3.0-6.6	7	0.7	0.1-1.3	7	0.9	0.1-1.7	839	68.3	64.6-72.0
Some Post-H.S.	806	729,826	84	14.8	11.3-18.3	74	13.2	10.1-16.3	30	6.1	3.7-8.5	5	0.8	0.0-1.6	7	1.6	0.4-2.8	606	63.5	59.0-68.0
College Graduate	1058	557,071	102	12.2	9.7-14.7	88	13.0	10.3-15.7	52	7.4	5.2-9.6	11	1.7	0.7-2.7	6	0.8	0.0-1.6	799	65.0	61.3-68.7
Less than \$15,000	205	175,412	14	7.5	2.8-12.2	5	3.9	0.4-7.4	5	3.6	0.5-6.7	1	1.2	0.0-3.6				180	83.7	77.0-90.4
\$15,000- 24,999	383	255,731	29	10.2	5.7-14.7	24	9.2	5.3-13.1	11	4.1	1.4-6.8	4	2.3	0.0-4.7	2	1.3	0.0-3.3	313	72.8	66.5-79.1
\$25,000- 34,999	302	219,568	21	9.8	5.3-14.3	16	10.2	4.9-15.5	8	5.2	1.3-9.1	3	2.0	0.0-4.4	2	1.5	0.0-3.7	252	71.3	64.0-78.6
\$35,000- 49,999	403	320,397	34	13.2	8.3-18.1	25	9.1	5.4-12.8	13	6.3	2.4-10.2	2	0.2	0.0-0.4	2	0.8	0.0-2.0	327	70.4	64.1-76.7
\$50,000- 74,999	491	402,636	43	12.9	8.6-17.2	50	14.5	10.4-18.6	24	7.8	4.5-11.1	3	1.2	0.0-2.8	5	1.5	0.0-3.1	366	62.1	56.4-67.8
\$75,000+	869	704,940	125	16.9	13.6-20.2	104	16.1	12.8-19.4	50	6.8	4.6-9.0	14	1.5	0.7-2.3	9	1.6	0.4-2.8	567	57.0	52.7-61.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4352	2,627,963	432	15.0	13.4-16.6	337	12.7	11.1-14.3	166	7.2	6.0- 8.4	60	2.7	1.9- 3.5	27	1.3	0.7- 1.9	3330	61.1	58.9-63.3
White/Non-Hisp	3639	2,131,411	341	14.7	12.9-16.5	249	11.6	10.0-13.2	129	6.7	5.3- 8.1	44	2.5	1.7- 3.3	20	1.2	0.6- 1.8	2856	63.2	61.0-65.4
Black or Afr. Am./Non-Hisp	355	235,186	43	15.4	10.7-20.1	46	18.0	12.5-23.5	14	6.2	2.7- 9.7	9	3.4	0.9- 5.9	4	2.0	0.0- 4.2	239	55.0	48.3-61.7
Oth. Race/Non-Hisp.	99	60,426	8	10.8	0.0-22.4	9	19.3	5.4-33.2	4	4.4	0.0-10.7	2	2.7	0.0- 6.4				76	62.7	46.0-79.4
MultiRacial/Non-Hisp.	64	19,499	11	26.7	11.2-42.2	10	19.5	6.2-32.8	3	9.5	0.0-22.0							40	44.3	27.8-60.8
Hispanic	129	149,267	23	18.6	10.2-27.0	19	16.4	8.2-24.6	14	17.0	7.6-26.4	5	5.5	0.6-10.4	3	2.6	0.0- 6.1	65	40.0	29.6-50.4
18-24	186	333,301	42	21.6	15.1-28.1	20	12.1	6.8-17.4	4	3.9	0.0- 7.8	3	2.5	0.0- 5.2	2	1.0	0.0- 2.4	115	58.9	51.1-66.7
25-34	317	424,105	66	20.7	15.8-25.6	72	22.7	17.6-27.8	59	21.0	15.7-26.3	25	9.3	5.6-13.0	9	3.4	1.0- 5.8	86	23.0	18.1-27.9
35-44	400	410,325	95	23.7	19.0-28.4	119	31.6	26.3-36.9	59	14.7	10.6-18.8	16	3.7	1.9- 5.5	11	2.9	0.9- 4.9	100	23.4	18.7-28.1
45-54	644	416,852	142	23.5	19.8-27.2	69	9.0	6.6-11.4	28	4.0	2.4- 5.6	5	0.7	0.0- 1.5	2	0.3	0.0- 0.7	398	62.4	58.1-66.7
55-64	914	446,288	49	5.8	3.8- 7.8	33	4.1	2.5- 5.7	9	1.2	0.4- 2.0	6	0.8	0.0- 1.6	2	0.5	0.0- 1.3	815	87.6	85.1-90.1
65+	1891	597,092	38	2.5	1.7- 3.3	24	1.8	1.0- 2.6	7	0.7	0.0- 1.5	5	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1816	94.7	93.3-96.1
Less Than H.S.	341	305,595	30	12.3	7.6-17.0	29	14.4	8.7-20.1	15	10.9	5.4-16.4	12	5.7	2.4- 9.0	3	1.1	0.0- 2.7	252	55.5	48.4-62.6
H.S. or G.E.D.	1489	852,115	114	12.7	10.2-15.2	85	10.4	7.9-12.9	38	4.7	2.9- 6.5	21	2.8	1.4- 4.2	9	1.5	0.5- 2.5	1222	68.0	64.5-71.5
Some Post-H.S.	1144	844,476	138	17.8	14.7-20.9	86	12.3	9.6-15.0	45	7.5	5.0-10.0	13	2.4	1.0- 3.8	10	1.7	0.5- 2.9	852	58.3	54.4-62.2
College Graduate	1368	617,968	149	15.7	13.0-18.4	136	15.4	12.7-18.1	66	8.1	5.9-10.3	14	1.5	0.5- 2.5	5	0.7	0.1- 1.3	998	58.6	55.1-62.1
Less than \$15,000	323	186,034	28	10.9	6.4-15.4	21	14.3	8.2-20.4	6	5.4	0.7-10.1	4	2.4	0.0- 4.8	2	0.9	0.0- 2.3	262	66.0	58.4-73.6
\$15,000- 24,999	651	398,060	57	12.3	8.8-15.8	50	12.4	8.3-16.5	22	7.7	4.0-11.4	12	3.4	1.0- 5.8	2	1.0	0.0- 2.4	508	63.1	57.6-68.6
\$25,000- 34,999	424	252,090	52	18.5	13.0-24.0	24	9.6	5.3-13.9	20	11.2	5.9-16.5	2	1.7	0.0- 4.1	2	0.9	0.0- 2.3	324	57.9	51.0-64.8
\$35,000- 49,999	508	315,159	43	12.8	8.7-16.9	28	9.5	5.4-13.6	20	7.8	3.9-11.7	11	4.9	1.8- 8.0	8	3.1	0.7- 5.5	398	61.9	55.8-68.0
\$50,000- 74,999	523	343,637	51	14.4	10.1-18.7	36	10.8	6.7-14.9	25	8.2	4.3-12.1	13	4.1	1.4- 6.8	5	1.8	0.0- 3.6	393	60.6	54.7-66.5
\$75,000+	852	587,554	130	19.7	16.0-23.4	115	18.4	14.7-22.1	48	6.7	4.5- 8.9	11	1.9	0.7- 3.1	5	0.9	0.0- 1.9	543	52.5	48.2-56.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5945	4,170,745	253	4.8	4.0- 5.6	276	3.9	3.3- 4.5	448	6.9	6.1- 7.7	589	8.8	7.8- 9.8	728	11.4	10.4-12.4	3651	64.3	62.7-65.9
Male	2661	2,086,804	101	4.7	3.5- 5.9	105	3.7	2.7- 4.7	150	4.8	3.8- 5.8	234	7.4	6.2- 8.6	304	10.6	9.0-12.2	1767	68.7	66.5-70.9
Female	3284	2,083,941	152	4.9	3.9- 5.9	171	4.0	3.2- 4.8	298	9.0	7.6-10.4	355	10.2	8.8-11.6	424	12.1	10.5-13.7	1884	59.8	57.4-62.2
White/Non-Hisp	4931	3,373,950	161	3.5	2.7- 4.3	200	3.4	2.8- 4.0	319	5.5	4.7- 6.3	471	8.2	7.2- 9.2	581	10.9	9.7-12.1	3199	68.5	66.9-70.1
Black or Afr. Am./Non-Hisp	472	363,198	53	14.2	9.9-18.5	44	7.8	5.1-10.5	64	12.0	8.5-15.5	57	11.2	7.9-14.5	72	12.9	9.4-16.4	182	42.0	36.3-47.7
Oth. Race/Non-Hisp.	153	106,372	8	7.1	0.0-14.7	8	7.8	0.0-16.0	21	12.4	3.0-21.8	13	6.2	1.3-11.1	17	12.0	2.0-22.0	86	54.5	41.2-67.8
MultiRacial/Non-Hisp.	112	37,206	11	9.9	2.1-17.7	10	5.7	1.2-10.2	11	10.9	3.8-18.0	14	10.6	4.1-17.1	21	16.5	7.5-25.5	45	46.5	34.3-58.7
Hispanic	203	237,320	17	7.6	3.1-12.1	10	3.4	0.7- 6.1	25	15.6	8.9-22.3	25	13.5	7.4-19.6	28	13.8	8.3-19.3	98	46.1	37.5-54.7
18-24	270	515,270	23	8.2	4.7-11.7	12	4.1	1.7- 6.5	27	9.6	5.7-13.5	32	10.0	6.3-13.7	32	11.1	7.0-15.2	144	57.0	50.5-63.5
25-34	534	729,965	19	3.6	1.8- 5.4	15	3.0	1.2- 4.8	35	5.9	3.7- 8.1	40	7.7	5.2-10.2	79	14.6	11.3-17.9	346	65.2	60.7-69.7
35-44	632	715,644	32	4.4	2.6- 6.2	21	2.7	1.3- 4.1	38	6.4	4.0- 8.8	49	7.3	4.9- 9.7	44	7.2	4.8- 9.6	448	71.9	67.8-76.0
45-54	1003	698,502	49	5.2	3.6- 6.8	40	3.5	2.1- 4.9	45	4.2	2.8- 5.6	62	5.7	4.1- 7.3	84	8.5	6.5-10.5	723	72.8	69.7-75.9
55-64	1335	730,102	70	6.0	4.4- 7.6	68	4.6	3.2- 6.0	94	6.6	5.0- 8.2	109	8.0	6.2- 9.8	116	9.7	7.7-11.7	878	65.0	62.1-67.9
65+	2171	781,262	60	2.6	1.8- 3.4	120	5.2	4.0- 6.4	209	9.2	7.6-10.8	297	13.9	12.1-15.7	373	16.3	14.3-18.3	1112	52.8	50.3-55.3
Less Than H.S.	452	497,249	77	14.0	10.3-17.7	55	8.8	5.7-11.9	84	17.9	13.4-22.4	66	12.6	8.9-16.3	70	13.8	10.1-17.5	100	33.0	26.9-39.1
H.S. or G.E.D.	1937	1,347,703	105	5.4	4.2- 6.6	121	5.0	3.8- 6.2	205	8.2	6.6- 9.8	277	11.2	9.6-12.8	311	14.2	12.2-16.2	918	56.0	53.3-58.7
Some Post-H.S.	1575	1,316,267	46	3.4	2.0- 4.8	68	3.2	2.2- 4.2	112	5.2	4.0- 6.4	163	8.8	7.0-10.6	218	11.9	9.9-13.9	968	67.5	64.6-70.4
College Graduate	1975	1,001,889	25	1.3	0.7- 1.9	32	0.9	0.5- 1.3	46	1.9	1.1- 2.7	83	3.8	2.8- 4.8	127	5.5	4.3- 6.7	1662	86.7	84.9-88.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2661	2,086,804	101	4.7	3.5- 5.9	105	3.7	2.7- 4.7	150	4.8	3.8- 5.8	234	7.4	6.2- 8.6	304	10.6	9.0-12.2	1767	68.7	66.5-70.9
White/Non-Hisp	2193	1,683,476	62	3.4	2.4- 4.4	69	2.9	2.1- 3.7	101	4.0	3.0- 5.0	180	6.6	5.4- 7.8	242	10.1	8.5-11.7	1539	73.1	70.7-75.5
Black or Afr. Am./Non-Hisp	183	168,829	19	14.3	7.4-21.2	22	10.8	5.7-15.9	19	8.4	4.1-12.7	24	12.9	7.2-18.6	22	8.7	4.2-13.2	77	44.9	35.9-53.9
Oth. Race/Non-Hisp.	89	65,454	7	11.1	0.0-23.1	4	7.2	0.0-19.2	12	8.8	0.0-18.0	5	5.0	0.1- 9.9	8	11.5	0.0-24.4	53	56.4	39.0-73.8
MultiRacial/Non-Hisp.	59	20,824	6	12.3	0.0-24.6	4	6.3	0.0-13.4	8	14.0	4.0-24.0	7	7.7	1.4-14.0	10	13.4	2.8-24.0	24	46.3	30.6-62.0
Hispanic	103	116,509	6	5.7	0.6-10.8	4	3.3	0.0- 7.4	9	8.3	2.8-13.8	15	13.7	5.9-21.5	19	21.2	11.8-30.6	50	47.8	36.0-59.6
18-24	126	249,099	14	12.0	5.5-18.5	7	4.9	1.2- 8.6	9	5.5	1.4- 9.6	15	9.4	4.3-14.5	15	9.4	4.1-14.7	66	58.9	49.3-68.5
25-34	260	363,279	5	2.0	0.0- 4.0	10	4.0	1.1- 6.9	9	3.7	1.0- 6.4	17	5.5	2.8- 8.2	37	14.2	9.5-18.9	182	70.5	64.2-76.8
35-44	295	365,294	12	4.1	1.4- 6.8	6	1.7	0.3- 3.1	18	5.3	2.6- 8.0	18	4.4	2.2- 6.6	23	7.9	4.4-11.4	218	76.7	71.4-82.0
45-54	470	358,074	23	5.4	3.0- 7.8	17	3.4	1.4- 5.4	16	2.8	1.2- 4.4	31	6.1	3.9- 8.3	36	7.4	4.7-10.1	347	74.9	70.4-79.4
55-64	604	374,563	30	5.3	3.1- 7.5	33	5.3	3.1- 7.5	31	4.8	2.8- 6.8	50	8.4	5.9-10.9	50	8.3	5.8-10.8	410	67.9	63.6-72.2
65+	906	376,494	17	1.8	0.6- 3.0	32	3.4	2.0- 4.8	67	7.0	5.0- 9.0	103	11.4	8.9-13.9	143	15.9	13.0-18.8	544	60.5	56.6-64.4
Less Than H.S.	208	263,903	24	10.0	5.1-14.9	23	8.8	4.1-13.5	32	13.3	8.0-18.6	36	12.7	8.0-17.4	34	13.1	8.0-18.2	59	42.2	33.2-51.2
H.S. or G.E.D.	880	703,283	41	4.7	2.9- 6.5	44	4.7	2.9- 6.5	58	4.8	3.2- 6.4	104	9.4	7.2-11.6	141	14.2	11.5-16.9	492	62.1	58.2-66.0
Some Post-H.S.	691	635,450	21	4.7	2.3- 7.1	27	2.8	1.6- 4.0	41	4.0	2.4- 5.6	62	6.2	4.2- 8.2	77	9.7	7.0-12.4	463	72.6	68.5-76.7
College Graduate	878	478,636	15	1.8	0.6- 3.0	11	0.8	0.2- 1.4	19	1.5	0.7- 2.3	32	3.3	1.9- 4.7	50	4.9	3.3- 6.5	751	87.7	85.2-90.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3284	2,083,941	152	4.9	3.9- 5.9	171	4.0	3.2- 4.8	298	9.0	7.6-10.4	355	10.2	8.8-11.6	424	12.1	10.5-13.7	1884	59.8	57.4-62.2
White/Non-Hisp	2738	1,690,474	99	3.6	2.8- 4.4	131	3.8	2.8- 4.8	218	7.0	5.8- 8.2	291	9.8	8.4-11.2	339	11.8	10.2-13.4	1660	63.9	61.5-66.3
Black or Afr. Am./Non-Hisp	289	194,370	34	14.1	8.8-19.4	22	5.3	2.6- 8.0	45	15.0	9.7-20.3	33	9.6	5.7-13.5	50	16.5	11.2-21.8	105	39.5	32.2-46.8
Oth. Race/Non-Hisp.	64	40,918	1	0.7	0.0- 2.1	4	8.7	0.0-18.7	9	18.2	0.0-36.6	8	8.1	0.0-17.7	9	12.8	0.0-28.7	33	51.5	30.3-72.7
MultiRacial/Non-Hisp.	53	16,383	5	6.7	0.0-14.7	6	4.9	0.0-10.2	3	6.9	0.0-16.3	7	14.3	2.1-26.5	11	20.4	4.9-35.9	21	46.7	27.7-65.7
Hispanic	100	120,811	11	9.5	2.4-16.6	6	3.6	0.1- 7.1	16	22.6	11.2-34.0	10	13.2	4.2-22.2	9	6.7	1.8-11.6	48	44.4	32.1-56.7
18-24	144	266,171	9	4.6	1.5- 7.7	5	3.4	0.3- 6.5	18	13.5	7.2-19.8	17	10.7	5.6-15.8	17	12.7	6.4-19.0	78	55.2	46.2-64.2
25-34	274	366,686	14	5.2	2.3- 8.1	5	2.1	0.1- 4.1	26	8.2	5.1-11.3	23	9.9	5.8-14.0	42	14.9	10.2-19.6	164	59.8	53.3-66.3
35-44	337	350,350	20	4.8	2.4- 7.2	15	3.8	1.6- 6.0	20	7.5	3.4-11.6	31	10.4	6.3-14.5	21	6.6	3.7- 9.5	230	66.9	60.8-73.0
45-54	533	340,428	26	4.9	2.7- 7.1	23	3.6	1.8- 5.4	29	5.8	3.4- 8.2	31	5.2	3.2- 7.2	48	9.7	6.8-12.6	376	70.7	66.2-75.2
55-64	731	355,539	40	6.6	4.2- 9.0	35	3.9	2.3- 5.5	63	8.6	6.1-11.1	59	7.7	5.5- 9.9	66	11.2	8.5-13.9	468	62.0	57.9-66.1
65+	1265	404,768	43	3.4	2.2- 4.6	88	6.8	5.0- 8.6	142	11.1	8.9-13.3	194	16.2	13.8-18.6	230	16.7	14.3-19.1	568	45.7	42.4-49.0
Less Than H.S.	244	233,346	53	18.6	12.7-24.5	32	8.8	4.9-12.7	52	23.1	15.8-30.4	30	12.4	6.9-17.9	36	14.7	9.0-20.4	41	22.5	15.2-29.8
H.S. or G.E.D.	1057	644,420	64	6.1	4.3- 7.9	77	5.3	3.7- 6.9	147	12.0	9.5-14.5	173	13.1	10.6-15.6	170	14.1	11.4-16.8	426	49.3	45.2-53.4
Some Post-H.S.	884	680,817	25	2.3	1.1- 3.5	41	3.5	1.9- 5.1	71	6.3	4.3- 8.3	101	11.3	8.6-14.0	141	13.9	11.0-16.8	505	62.6	58.5-66.7
College Graduate	1097	523,253	10	0.8	0.2- 1.4	21	1.0	0.4- 1.6	27	2.3	0.9- 3.7	51	4.2	2.6- 5.8	77	6.1	4.3- 7.9	911	85.7	83.0-88.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6996	4,802,594	74	0.8	0.4- 1.2	2013	27.4	26.0-28.8	3010	43.1	41.5-44.7	1358	20.2	19.0-21.4	526	8.1	7.3- 8.9	15	0.4	0.2- 0.6
Male	3106	2,422,903	3	0.1	0.1- 0.1	317	11.5	9.9-13.1	1480	47.1	44.7-49.5	933	29.4	27.4-31.4	364	11.6	10.2-13.0	9	0.3	0.1- 0.5
Female	3890	2,379,691	71	1.6	1.0- 2.2	1696	43.6	41.4-45.8	1530	39.0	36.8-41.2	425	10.9	9.7-12.1	162	4.5	3.7- 5.3	6	0.4	0.0- 0.8
White/Non-Hisp	5797	3,874,405	62	0.8	0.4- 1.2	1702	27.2	25.6-28.8	2497	43.8	42.0-45.6	1118	20.3	18.9-21.7	418	7.9	6.9- 8.9			
Black or Afr. Am./Non-Hisp	536	413,791	4	0.8	0.0- 1.8	121	22.0	17.5-26.5	230	41.9	36.6-47.2	127	25.2	20.3-30.1	53	9.8	6.9-12.7	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	188	128,651	4	0.7	0.0- 1.5	55	36.9	25.3-48.5	75	31.1	20.3-41.9	36	19.9	10.1-29.7	12	3.6	0.5- 6.7	6	7.9	0.6-15.2
MultiRacial/Non-Hisp.	126	42,403				34	20.1	11.1-29.1	52	51.0	39.8-62.2	25	18.0	9.4-26.6	15	10.9	4.8-17.0			
Hispanic	240	271,700	3	1.3	0.0- 3.3	71	34.3	26.5-42.1	103	40.3	32.7-47.9	36	13.3	8.6-18.0	19	8.5	4.0-13.0	8	2.3	0.5- 4.1
18-24	355	663,122	5	1.8	0.2- 3.4	138	39.1	33.4-44.8	136	38.8	33.1-44.5	50	13.9	9.8-18.0	22	5.5	3.1- 7.9	4	0.9	0.0- 2.1
25-34	606	819,503	2	0.3	0.0- 0.7	166	26.5	22.6-30.4	267	46.8	42.3-51.3	118	17.8	14.5-21.1	49	8.1	5.6-10.6	4	0.5	0.1- 0.9
35-44	683	760,650	3	0.9	0.0- 1.9	168	23.7	20.2-27.2	270	40.4	36.1-44.7	170	24.3	20.8-27.8	67	10.0	7.5-12.5	5	0.7	0.0- 1.5
45-54	1088	764,376	10	0.6	0.2- 1.0	261	23.4	20.5-26.3	467	42.4	39.1-45.7	245	23.6	20.7-26.5	104	9.8	7.8-11.8	1	0.1	0.0- 0.3
55-64	1477	804,164	11	0.8	0.2- 1.4	356	21.7	19.3-24.1	652	44.7	41.8-47.6	314	22.6	20.1-25.1	143	10.0	8.2-11.8	1	0.1	0.0- 0.3
65+	2787	990,778	43	0.9	0.5- 1.3	924	30.7	28.7-32.7	1218	44.2	42.0-46.4	461	18.8	17.0-20.6	141	5.4	4.4- 6.4			
Less Than H.S.	568	598,768	10	1.7	0.3- 3.1	200	33.9	28.8-39.0	230	41.6	36.3-46.9	80	13.2	9.7-16.7	46	9.2	6.1-12.3	2	0.4	0.0- 1.0
H.S. or G.E.D.	2365	1,606,751	29	1.2	0.4- 2.0	690	25.5	23.1-27.9	1010	42.6	40.1-45.1	450	21.5	19.3-23.7	182	8.9	7.3-10.5	4	0.3	0.0- 0.7
Some Post-H.S.	1803	1,481,518	16	0.5	0.1- 0.9	476	25.7	23.0-28.4	786	44.8	41.9-47.7	364	20.7	18.3-23.1	158	8.0	6.4- 9.6	3	0.3	0.0- 0.7
College Graduate	2247	1,104,694	19	0.4	0.2- 0.6	641	28.4	26.0-30.8	978	42.6	40.1-45.1	463	21.8	19.6-24.0	140	6.3	5.1- 7.5	6	0.4	0.0- 0.8
Less than \$15,000	492	337,566	7	1.3	0.0- 2.7	154	29.2	23.9-34.5	183	39.5	33.4-45.6	93	19.6	14.9-24.3	53	9.7	6.4-13.0	2	0.7	0.0- 1.7
\$15,000- 24,999	981	618,302	18	2.1	0.7- 3.5	289	30.7	26.8-34.6	425	43.1	39.0-47.2	156	13.8	11.3-16.3	89	9.8	7.4-12.2	4	0.7	0.0- 1.5
\$25,000- 34,999	690	450,419	7	0.9	0.0- 1.9	216	29.8	25.1-34.5	292	42.6	37.5-47.7	131	20.3	16.4-24.2	40	5.3	3.3- 7.3	4	1.2	0.0- 2.8
\$35,000- 49,999	867	612,975	6	0.5	0.1- 0.9	220	23.6	19.9-27.3	403	47.3	42.8-51.8	165	19.5	16.0-23.0	73	9.2	6.7-11.7			
\$50,000- 74,999	973	720,444	3	0.2	0.0- 0.4	243	23.2	19.7-26.7	413	44.1	40.0-48.2	225	22.3	19.0-25.6	88	9.8	7.4-12.2	1	0.4	0.0- 1.2
\$75,000+	1658	1,262,448	11	0.5	0.0- 1.1	403	24.8	22.1-27.5	735	42.6	39.5-45.7	400	24.8	22.3-27.3	109	7.3	5.5- 9.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3106	2,422,903	3	0.1	0.1- 0.1	317	11.5	9.9-13.1	1480	47.1	44.7-49.5	933	29.4	27.4-31.4	364	11.6	10.2-13.0	9	0.3	0.1- 0.5
White/Non-Hisp	2536	1,935,909	2	0.1	0.1- 0.1	239	10.2	8.6-11.8	1216	48.2	45.7-50.7	782	30.1	27.9-32.3	297	11.5	9.9-13.1			
Black or Afr. Am./Non-Hisp	219	204,689				27	12.5	7.4-17.6	98	44.1	36.1-52.1	69	32.0	24.2-39.8	25	11.3	6.4-16.2			
Oth. Race/Non-Hisp.	99	71,959				12	17.6	6.0-29.2	46	37.8	22.5-53.1	28	32.6	17.1-48.1	9	5.6	0.1-11.1	4	6.5	0.0-14.5
MultiRacial/Non-Hisp.	66	24,372				9	14.8	3.8-25.8	31	49.6	35.1-64.1	17	25.6	12.3-38.9	9	9.9	2.8-17.0			
Hispanic	123	137,655	1	0.3	0.0- 0.9	24	24.5	14.5-34.5	52	40.3	29.7-50.9	25	17.4	10.0-24.8	16	14.8	6.8-22.8	5	2.7	0.2- 5.2
18-24	178	346,449				43	25.4	18.0-32.8	81	45.5	37.1-53.9	38	21.8	14.7-28.9	14	7.1	3.2-11.0	2	0.2	0.0- 0.6
25-34	307	420,157				44	12.9	9.0-16.8	151	52.7	46.4-59.0	78	23.0	17.9-28.1	31	10.8	6.5-15.1	3	0.6	0.0- 1.4
35-44	320	390,629				27	7.8	4.7-10.9	131	42.1	36.0-48.2	111	33.9	28.0-39.8	47	15.0	10.7-19.3	4	1.3	0.0- 2.9
45-54	524	398,765	3	0.4	0.0- 1.0	35	6.6	4.2- 9.0	238	44.4	39.5-49.3	177	35.1	30.4-39.8	71	13.5	10.2-16.8			
55-64	675	412,568				57	8.1	5.7-10.5	313	47.1	42.8-51.4	206	30.8	26.9-34.7	99	13.9	11.0-16.8			
65+	1102	454,336				111	10.0	7.8-12.2	566	49.9	46.4-53.4	323	31.0	27.7-34.3	102	9.0	7.0-11.0			
Less Than H.S.	246	314,742	1	0.3	0.0- 0.9	45	20.1	13.4-26.8	116	47.0	39.0-55.0	53	19.0	12.9-25.1	30	13.2	7.7-18.7	1	0.4	0.0- 1.2
H.S. or G.E.D.	1049	844,624				114	11.3	8.9-13.7	499	46.0	42.3-49.7	298	29.1	25.8-32.4	136	13.1	10.6-15.6	2	0.4	0.0- 1.0
Some Post-H.S.	778	710,243	1	0.1	0.0- 0.3	74	9.5	6.6-12.4	357	48.0	43.5-52.5	244	31.7	27.6-35.8	101	10.7	8.2-13.2	1	0.1	0.0- 0.3
College Graduate	1023	544,182	1	0.1	0.0- 0.3	80	8.4	6.2-10.6	503	48.2	44.5-51.9	337	33.2	29.7-36.7	97	9.6	7.4-11.8	5	0.5	0.0- 1.1
Less than \$15,000	197	167,495	1	0.2	0.0- 0.6	32	15.1	9.0-21.2	83	46.5	37.3-55.7	50	25.9	18.1-33.7	30	11.6	6.1-17.1	1	0.7	0.0- 2.1
\$15,000- 24,999	369	249,143	1	0.4	0.0- 1.2	50	16.6	11.1-22.1	177	48.6	42.1-55.1	82	17.6	13.1-22.1	56	16.0	11.3-20.7	3	0.8	0.0- 2.0
\$25,000- 34,999	297	215,713				46	16.9	11.2-22.6	145	46.9	39.5-54.3	84	30.1	23.2-37.0	20	5.7	2.6- 8.8	2	0.5	0.0- 1.1
\$35,000- 49,999	396	317,595				35	9.3	5.0-13.6	194	50.1	43.6-56.6	115	28.2	22.5-33.9	52	12.4	8.3-16.5			
\$50,000- 74,999	490	402,401	1	0.1	0.0- 0.3	35	9.2	5.5-12.9	226	47.9	42.2-53.6	161	28.6	23.7-33.5	66	13.5	9.8-17.2	1	0.7	0.0- 2.1
\$75,000+	862	701,825				54	7.1	4.6- 9.6	398	44.5	40.2-48.8	313	36.6	32.5-40.7	97	11.8	9.1-14.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 52: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3890	2,379,691	71	1.6	1.0- 2.2	1696	43.6	41.4-45.8	1530	39.0	36.8-41.2	425	10.9	9.7-12.1	162	4.5	3.7- 5.3	6	0.4	0.0- 0.8
White/Non-Hisp	3261	1,938,496	60	1.6	1.0- 2.2	1463	44.3	41.9-46.7	1281	39.4	37.2-41.6	336	10.5	9.1-11.9	121	4.3	3.3- 5.3			
Black or Afr. Am./Non-Hisp	317	209,102	4	1.7	0.0- 3.5	94	31.3	24.4-38.2	132	39.7	32.8-46.6	58	18.5	13.0-24.0	28	8.2	4.7-11.7	1	0.5	0.0- 1.5
Oth. Race/Non-Hisp.	89	56,691	4	1.6	0.0- 3.6	43	61.4	44.2-78.6	29	22.5	8.4-36.6	8	3.8	0.7- 6.9	3	1.0	0.0- 2.4	2	9.7	0.0-22.6
MultiRacial/Non-Hisp.	60	18,031				25	27.3	12.2-42.4	21	52.8	35.2-70.4	8	7.7	1.4-14.0	6	12.2	1.6-22.8			
Hispanic	117	134,045	2	2.4	0.0- 6.3	47	44.3	32.7-55.9	51	40.2	29.2-51.2	11	9.1	3.6-14.6	3	2.1	0.0- 4.6	3	1.9	0.0- 4.1
18-24	177	316,674	5	3.7	0.4- 7.0	95	54.1	46.1-62.1	55	31.4	23.8-39.0	12	5.3	2.2- 8.4	8	3.8	1.1- 6.5	2	1.7	0.0- 4.2
25-34	299	399,346	2	0.5	0.0- 1.3	122	40.9	34.6-47.2	116	40.7	34.4-47.0	40	12.4	8.5-16.3	18	5.2	2.5- 7.9	1	0.3	0.0- 0.9
35-44	363	370,021	3	1.8	0.0- 4.0	141	40.5	34.6-46.4	139	38.6	32.7-44.5	59	14.2	10.3-18.1	20	4.7	2.3- 7.1	1	0.1	0.0- 0.3
45-54	564	365,611	7	0.8	0.2- 1.4	226	41.7	36.8-46.6	229	40.2	35.5-44.9	68	11.1	8.2-14.0	33	5.9	3.7- 8.1	1	0.3	0.0- 0.9
55-64	802	391,596	11	1.7	0.5- 2.9	299	36.0	32.1-39.9	339	42.2	38.1-46.3	108	13.9	11.0-16.8	44	5.9	3.9- 7.9	1	0.2	0.0- 0.6
65+	1685	536,442	43	1.7	1.1- 2.3	813	48.2	45.3-51.1	652	39.4	36.7-42.1	138	8.4	6.8-10.0	39	2.3	1.5- 3.1			
Less Than H.S.	322	284,026	9	3.3	0.6- 6.0	155	49.2	42.1-56.3	114	35.6	28.7-42.5	27	6.8	3.9- 9.7	16	4.8	2.3- 7.3	1	0.4	0.0- 1.2
H.S. or G.E.D.	1316	762,128	29	2.5	0.9- 4.1	576	41.2	37.7-44.7	511	38.7	35.2-42.2	152	13.0	10.6-15.4	46	4.3	2.9- 5.7	2	0.3	0.0- 0.7
Some Post-H.S.	1025	771,275	15	0.9	0.3- 1.5	402	40.6	36.7-44.5	429	41.9	38.0-45.8	120	10.5	8.3-12.7	57	5.6	3.8- 7.4	2	0.5	0.0- 1.5
College Graduate	1224	560,512	18	0.7	0.3- 1.1	561	47.8	44.1-51.5	475	37.3	33.8-40.8	126	10.7	8.5-12.9	43	3.1	1.9- 4.3	1	0.4	0.0- 1.2
Less than \$15,000	295	170,072	6	2.4	0.0- 5.1	122	43.1	35.5-50.7	100	32.6	25.3-39.9	43	13.3	8.6-18.0	23	7.9	4.2-11.6	1	0.7	0.0- 1.9
\$15,000- 24,999	612	369,159	17	3.2	1.0- 5.4	239	40.1	34.6-45.6	248	39.3	33.8-44.8	74	11.2	8.1-14.3	33	5.6	3.2- 8.0	1	0.5	0.0- 1.5
\$25,000- 34,999	393	234,706	7	1.7	0.0- 3.5	170	41.6	34.7-48.5	147	38.7	32.0-45.4	47	11.2	7.5-14.9	20	4.9	2.4- 7.4	2	1.9	0.0- 4.8
\$35,000- 49,999	471	295,380	6	1.0	0.0- 2.0	185	38.9	33.0-44.8	209	44.2	38.1-50.3	50	10.0	6.5-13.5	21	5.9	2.8- 9.0			
\$50,000- 74,999	483	318,043	2	0.4	0.0- 1.0	208	40.8	34.9-46.7	187	39.3	33.4-45.2	64	14.4	10.5-18.3	22	5.1	2.6- 7.6			
\$75,000+	796	560,623	11	1.1	0.0- 2.5	349	46.9	42.4-51.4	337	40.1	35.8-44.4	87	10.2	7.7-12.7	12	1.7	0.5- 2.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7294	4,946,434	477	5.5	4.9- 6.1	3246	39.9	38.3-41.5	2900	43.0	41.4-44.6	642	11.0	10.0-12.0	8	0.2	0.0- 0.4	21	0.4	0.2- 0.6
Male	3119	2,429,086	15	0.5	0.1- 0.9	307	9.5	8.1-10.9	2137	66.7	64.5-68.9	638	22.2	20.2-24.2	8	0.4	0.0- 0.8	14	0.7	0.3- 1.1
Female	4175	2,517,347	462	10.3	9.1-11.5	2939	69.2	67.2-71.2	763	20.2	18.4-22.0	4	0.1	0.0- 0.3				7	0.2	0.0- 0.4
White/Non-Hisp	6082	4,014,231	400	5.2	4.6- 5.8	2719	39.5	37.9-41.1	2414	43.7	42.1-45.3	540	11.4	10.2-12.6	8	0.3	0.1- 0.5	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	551	426,698	27	4.0	2.0- 6.0	257	42.6	37.3-47.9	219	42.3	37.0-47.6	47	10.9	7.2-14.6				1	0.2	0.0- 0.6
Oth. Race/Non-Hisp.	188	125,117	12	5.5	0.4-10.6	71	41.6	29.8-53.4	81	40.3	28.5-52.1	20	8.2	1.1-15.3				4	4.4	0.0- 9.3
MultiRacial/Non-Hisp.	130	43,872	10	7.2	0.3-14.1	45	28.1	18.5-37.7	60	52.2	41.2-63.2	15	12.4	5.7-19.1						
Hispanic	232	265,228	26	13.1	7.4-18.8	100	42.4	34.6-50.2	78	33.3	25.9-40.7	13	5.5	2.2- 8.8				15	5.7	2.2- 9.2
18-24	357	666,553	24	6.3	3.8- 8.8	133	35.2	29.7-40.7	144	40.8	35.1-46.5	54	16.7	12.0-21.4	1	0.5	0.0- 1.5	1	0.5	0.0- 1.5
25-34	609	822,869	22	3.7	1.9- 5.5	240	39.7	35.4-44.0	268	44.0	39.5-48.5	70	11.5	8.6-14.4	1	0.1	0.0- 0.3	8	1.0	0.2- 1.8
35-44	706	788,119	29	4.6	2.6- 6.6	265	35.3	31.4-39.2	327	47.3	43.2-51.4	74	11.3	8.6-14.0	3	0.5	0.0- 1.3	8	1.1	0.1- 2.1
45-54	1143	797,863	44	4.1	2.7- 5.5	491	41.6	38.3-44.9	497	43.9	40.6-47.2	109	10.3	8.1-12.5	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
55-64	1551	838,444	77	4.7	3.5- 5.9	682	40.1	37.4-42.8	651	44.9	42.0-47.8	139	10.1	8.3-11.9				2	0.2	0.0- 0.4
65+	2928	1,032,586	281	8.6	7.4- 9.8	1435	45.1	42.9-47.3	1013	38.3	36.1-40.5	196	7.9	6.7- 9.1	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Less Than H.S.	568	590,825	66	10.0	7.1-12.9	257	39.3	34.0-44.6	195	37.0	31.7-42.3	41	11.4	7.3-15.5	1	0.6	0.0- 1.8	8	1.8	0.4- 3.2
H.S. or G.E.D.	2477	1,664,775	207	5.8	4.8- 6.8	1134	39.6	37.1-42.1	924	43.1	40.6-45.6	206	11.0	9.2-12.8	2	0.1	0.0- 0.3	4	0.3	0.0- 0.7
Some Post-H.S.	1875	1,525,360	116	5.5	4.1- 6.9	838	41.3	38.4-44.2	753	42.5	39.6-45.4	164	10.4	8.4-12.4	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0
College Graduate	2358	1,151,644	86	2.5	1.9- 3.1	1013	39.0	36.5-41.5	1019	46.5	44.0-49.0	230	11.5	9.7-13.3	2	0.1	0.0- 0.3	8	0.5	0.1- 0.9
Less than \$15,000	509	347,302	57	9.8	6.3-13.3	236	39.7	34.0-45.4	172	36.3	30.6-42.0	41	13.6	8.9-18.3				3	0.6	0.0- 1.4
\$15,000- 24,999	1007	624,765	101	8.9	6.5-11.3	488	44.9	40.8-49.0	352	38.4	34.3-42.5	61	6.4	4.4- 8.4	1	0.5	0.0- 1.5	4	0.8	0.0- 1.6
\$25,000- 34,999	714	458,381	57	7.3	4.8- 9.8	327	40.9	36.0-45.8	271	42.6	37.7-47.5	51	8.0	5.3-10.7	3	0.3	0.0- 0.7	5	0.9	0.0- 1.9
\$35,000- 49,999	891	625,824	45	3.9	2.3- 5.5	395	39.6	35.3-43.9	365	44.8	40.3-49.3	84	11.4	8.3-14.5				2	0.3	0.0- 0.7
\$50,000- 74,999	1007	741,225	37	3.3	1.9- 4.7	422	37.7	33.8-41.6	451	48.6	44.7-52.5	94	9.8	7.4-12.2	2	0.3	0.0- 0.7	1	0.4	0.0- 1.2
\$75,000+	1704	1,286,575	45	2.5	1.5- 3.5	633	35.8	32.9-38.7	814	47.4	44.3-50.5	209	14.0	11.6-16.4	2	0.3	0.0- 0.7	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3119	2,429,086	15	0.5	0.1- 0.9	307	9.5	8.1-10.9	2137	66.7	64.5-68.9	638	22.2	20.2-24.2	8	0.4	0.0- 0.8	14	0.7	0.3- 1.1
White/Non-Hisp	2560	1,948,946	8	0.3	0.1- 0.5	229	8.0	6.6- 9.4	1778	67.8	65.4-70.2	536	23.3	21.1-25.5	8	0.5	0.1- 0.9	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	220	205,954	1	0.9	0.0- 2.7	24	11.3	5.6-17.0	147	64.8	56.8-72.8	47	22.6	15.5-29.7				1	0.4	0.0- 1.2
Oth. Race/Non-Hisp.	97	70,326	2	2.9	0.0- 8.2	10	15.7	4.1-27.3	61	59.0	43.1-74.9	20	14.6	2.6-26.6				4	7.8	0.0-16.4
MultiRacial/Non-Hisp.	66	24,372	1	0.4	0.0- 1.2	5	7.4	0.0-15.2	45	69.8	56.9-82.7	15	22.4	10.8-34.0						
Hispanic	118	134,323	2	1.6	0.0- 4.0	29	23.8	14.8-32.8	66	56.4	45.6-67.2	13	10.8	4.3-17.3				8	7.4	1.5-13.3
18-24	177	346,922	1	0.3	0.0- 0.9	18	10.1	4.8-15.4	102	55.8	47.4-64.2	54	32.0	24.0-40.0	1	1.0	0.0- 2.8	1	0.9	0.0- 2.7
25-34	304	416,440	1	0.3	0.0- 0.9	32	10.9	7.0-14.8	194	64.2	58.1-70.3	70	22.8	17.3-28.3	1	0.3	0.0- 0.9	6	1.5	0.1- 2.9
35-44	317	389,552	2	0.9	0.0- 2.1	17	5.9	2.8- 9.0	217	68.3	62.6-74.0	72	22.1	17.0-27.2	3	1.0	0.0- 2.4	6	1.8	0.0- 3.6
45-54	528	403,200	5	1.1	0.0- 2.3	50	10.2	7.1-13.3	363	68.0	63.5-72.5	108	20.3	16.4-24.2	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3
55-64	679	414,325	2	0.2	0.0- 0.6	65	9.3	6.8-11.8	474	70.0	66.1-73.9	138	20.4	16.9-23.9						
65+	1114	458,647	4	0.1	0.0- 0.3	125	10.5	8.3-12.7	787	71.4	68.3-74.5	196	17.7	15.0-20.4	2	0.2	0.0- 0.6			
Less Than H.S.	248	314,418	4	1.4	0.0- 3.0	34	12.1	6.8-17.4	163	61.2	53.2-69.2	41	21.4	14.1-28.7	1	1.1	0.0- 3.1	5	2.7	0.2- 5.2
H.S. or G.E.D.	1056	847,532	3	0.3	0.0- 0.7	120	10.5	8.3-12.7	724	67.0	63.5-70.5	206	21.7	18.6-24.8	2	0.2	0.0- 0.4	1	0.3	0.0- 0.9
Some Post-H.S.	780	712,621	5	0.5	0.0- 1.1	74	9.5	6.8-12.2	535	67.2	62.9-71.5	163	22.1	18.2-26.0	3	0.6	0.0- 1.4			
College Graduate	1025	546,167	3	0.1	0.0- 0.3	78	6.6	4.6- 8.6	707	68.1	64.6-71.6	227	23.9	20.6-27.2	2	0.2	0.0- 0.4	8	1.0	0.2- 1.8
Less than \$15,000	199	169,624	2	0.4	0.0- 1.0	23	10.5	5.0-16.0	132	60.7	51.5-69.9	41	27.8	19.0-36.6				1	0.7	0.0- 2.1
\$15,000- 24,999	370	247,829	2	0.4	0.0- 1.0	45	11.3	7.0-15.6	258	69.3	63.0-75.6	61	16.2	11.5-20.9	1	1.3	0.0- 3.8	3	1.6	0.0- 3.4
\$25,000- 34,999	299	214,984	2	1.6	0.0- 3.8	44	13.7	8.8-18.6	197	66.6	59.7-73.5	50	16.2	10.9-21.5	3	0.6	0.0- 1.4	3	1.3	0.0- 3.1
\$35,000- 49,999	395	315,204	1	0.1	0.0- 0.3	38	8.0	4.7-11.3	271	69.1	63.0-75.2	84	22.6	16.9-28.3				1	0.2	0.0- 0.6
\$50,000- 74,999	490	402,709	2	0.2	0.0- 0.6	48	9.8	6.5-13.1	345	70.9	65.8-76.0	92	17.8	13.5-22.1	2	0.6	0.0- 1.4	1	0.7	0.0- 2.1
\$75,000+	865	704,790	2	0.3	0.0- 0.9	56	7.4	4.9- 9.9	595	66.2	62.1-70.3	209	25.6	21.7-29.5	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 55: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4175	2,517,347	462	10.3	9.1-11.5	2939	69.2	67.2-71.2	763	20.2	18.4-22.0	4	0.1	0.0- 0.3	7	0.2	0.0- 0.4
White/Non-Hisp	3522	2,065,285	392	9.8	8.6-11.0	2490	69.1	66.9-71.3	636	20.9	18.9-22.9	4	0.1	0.0- 0.3			
Black or Afr. Am./Non-Hisp	331	220,745	26	6.9	3.4-10.4	233	71.7	65.6-77.8	72	21.3	15.8-26.8						
Oth. Race/Non-Hisp.	91	54,791	10	8.8	0.0-18.2	61	75.0	60.7-89.3	20	16.2	4.4-28.0						
MultiRacial/Non-Hisp.	64	19,499	9	15.8	1.3-30.3	40	54.0	36.8-71.2	15	30.2	14.1-46.3						
Hispanic	114	130,906	24	24.8	14.4-35.2	71	61.5	50.1-72.9	12	9.7	3.4-16.0				7	4.0	0.7- 7.3
18-24	180	319,631	23	12.9	7.8-18.0	115	62.5	54.7-70.3	42	24.6	17.5-31.7						
25-34	305	406,429	21	7.1	3.8-10.4	208	69.3	63.6-75.0	74	23.2	18.1-28.3				2	0.5	0.0- 1.1
35-44	389	398,567	27	8.3	4.8-11.8	248	64.0	58.5-69.5	110	26.7	21.8-31.6	2	0.6	0.0- 1.6	2	0.4	0.0- 1.0
45-54	615	394,662	39	7.1	4.7- 9.5	441	73.6	69.7-77.5	134	19.3	16.0-22.6	1	0.1	0.0- 0.3			
55-64	872	424,118	75	9.1	6.7-11.5	617	70.1	66.6-73.6	177	20.3	17.2-23.4	1	0.0	0.0- 0.0	2	0.4	0.0- 1.0
65+	1814	573,939	277	15.4	13.4-17.4	1310	72.7	70.2-75.2	226	11.8	10.0-13.6				1	0.0	0.0- 0.0
Less Than H.S.	320	276,407	62	19.7	14.0-25.4	223	70.2	63.5-76.9	32	9.4	5.3-13.5				3	0.7	0.0- 1.7
H.S. or G.E.D.	1421	817,243	204	11.5	9.5-13.5	1014	69.8	66.5-73.1	200	18.3	15.4-21.2				3	0.3	0.0- 0.7
Some Post-H.S.	1095	812,739	111	9.8	7.4-12.2	764	69.1	65.4-72.8	218	20.8	17.7-23.9	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3
College Graduate	1333	605,478	83	4.6	3.4- 5.8	935	68.3	65.0-71.6	312	26.9	23.8-30.0	3	0.2	0.0- 0.4			
Less than \$15,000	310	177,679	55	18.8	12.3-25.3	213	67.5	60.2-74.8	40	13.1	8.4-17.8				2	0.6	0.0- 1.6
\$15,000- 24,999	637	376,936	99	14.5	10.6-18.4	443	67.1	61.8-72.4	94	18.1	13.8-22.4				1	0.3	0.0- 0.9
\$25,000- 34,999	415	243,397	55	12.3	8.0-16.6	283	64.9	58.4-71.4	74	21.4	15.7-27.1	1	0.7	0.0- 2.1	2	0.6	0.0- 1.6
\$35,000- 49,999	496	310,620	44	7.8	4.9-10.7	357	71.7	66.2-77.2	94	20.2	15.3-25.1				1	0.3	0.0- 0.9
\$50,000- 74,999	517	338,516	35	7.0	4.3- 9.7	374	70.8	65.7-75.9	106	22.0	17.5-26.5	2	0.2	0.0- 0.6			
\$75,000+	839	581,785	43	5.0	2.8- 7.2	577	70.2	66.3-74.1	219	24.7	21.0-28.4						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 56: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 50 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1144	1,306,791	33	3.2	2.0- 4.4	1111	96.8	95.6-98.0
White/Non-Hisp	875	1,000,072	21	2.8	1.4- 4.2	854	97.2	95.8-98.6
Black or Afr. Am./Non-Hisp	129	135,150	4	3.5	0.2- 6.8	125	96.5	93.2-99.8
Hispanic	78	115,101	5	6.4	0.0-13.1	73	93.6	86.9- 100
18-24	180	323,836	10	5.2	1.7- 8.7	170	94.8	91.3-98.3
25-34	309	411,808	11	3.8	1.4- 6.2	298	96.2	93.8-98.6
35-44	391	402,662	10	2.0	0.6- 3.4	381	98.0	96.6-99.4
45-54	264	168,485	2	0.4	0.0- 1.0	262	99.6	99.0- 100
Less Than H.S.	84	146,511	4	4.4	0.0- 9.5	80	95.6	90.5- 100
H.S. or G.E.D.	267	341,818	7	3.0	0.3- 5.7	260	97.0	94.3-99.7
Some Post-H.S.	350	466,116	12	3.2	1.2- 5.2	338	96.8	94.8-98.8
College Graduate	440	348,741	10	2.8	1.0- 4.6	430	97.2	95.4-99.0
Less than \$15,000	82	87,280	5	5.7	0.6-10.8	77	94.3	89.2-99.4
\$15,000- 24,999	151	195,642	7	4.9	1.2- 8.6	144	95.1	91.4-98.8
\$25,000- 34,999	101	127,033				101	100.0	100.0- 100
\$35,000- 49,999	137	163,085	5	5.0	0.0-10.1	132	95.0	89.9- 100
\$50,000- 74,999	167	186,742	2	1.1	0.0- 2.7	165	98.9	97.3- 100
\$75,000+	331	348,779	8	3.3	0.6- 6.0	323	96.7	94.0-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 57: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7415	5,024,442	770	7.4	6.8- 8.0	6645	92.6	92.0-93.2
Male	3156	2,454,228	374	8.6	7.4- 9.8	2782	91.4	90.2-92.6
Female	4259	2,570,213	396	6.2	5.4- 7.0	3863	93.8	93.0-94.6
White/Non-Hisp	6141	4,040,384	655	7.8	7.0- 8.6	5486	92.2	91.4-93.0
Black or Afr. Am./Non-Hisp	561	431,793	38	4.8	2.8- 6.8	523	95.2	93.2-97.2
Oth. Race/Non-Hisp.	194	132,124	29	8.9	4.0-13.8	165	91.1	86.2-96.0
MultiRacial/Non-Hisp.	129	43,042	19	11.4	5.5-17.3	110	88.6	82.7-94.5
Hispanic	255	293,502	18	4.8	2.1- 7.5	237	95.2	92.5-97.9
18-24	363	676,073	6	1.7	0.3- 3.1	357	98.3	96.9-99.7
25-34	618	834,624	18	2.7	1.3- 4.1	600	97.3	95.9-98.7
35-44	721	806,914	34	4.6	2.8- 6.4	687	95.4	93.6-97.2
45-54	1164	811,953	67	5.6	4.0- 7.2	1097	94.4	92.8-96.0
55-64	1573	847,791	124	7.8	6.2- 9.4	1449	92.2	90.6-93.8
65+	2976	1,047,085	521	18.0	16.2-19.8	2455	82.0	80.2-83.8
Less Than H.S.	584	616,817	95	11.1	8.4-13.8	489	88.9	86.2-91.6
H.S. or G.E.D.	2509	1,681,779	318	8.7	7.5- 9.9	2191	91.3	90.1-92.5
Some Post-H.S.	1904	1,543,912	195	7.0	5.8- 8.2	1709	93.0	91.8-94.2
College Graduate	2387	1,158,320	157	4.0	3.2- 4.8	2230	96.0	95.2-96.8
Less than \$15,000	516	353,454	85	12.9	9.6-16.2	431	87.1	83.8-90.4
\$15,000- 24,999	1024	644,968	153	10.2	8.2-12.2	871	89.8	87.8-91.8
\$25,000- 34,999	709	462,491	100	9.7	7.3-12.1	609	90.3	87.9-92.7
\$35,000- 49,999	894	626,391	99	7.9	5.9- 9.9	795	92.1	90.1-94.1
\$50,000- 74,999	1005	739,338	75	5.3	3.7- 6.9	930	94.7	93.1-96.3
\$75,000+	1710	1,288,314	73	3.4	2.4- 4.4	1637	96.6	95.6-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 58: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3156	2,454,228	374	8.6	7.4- 9.8	2782	91.4	90.2-92.6
White/Non-Hisp	2570	1,955,684	312	9.1	7.9-10.3	2258	90.9	89.7-92.1
Black or Afr. Am./Non-Hisp	220	206,370	16	5.2	2.3- 8.1	204	94.8	91.9-97.7
Oth. Race/Non-Hisp.	100	72,078	18	8.9	2.4-15.4	82	91.1	84.6-97.6
MultiRacial/Non-Hisp.	65	23,543	10	11.9	3.7-20.1	55	88.1	79.9-96.3
Hispanic	129	145,673	9	5.8	1.3-10.3	120	94.2	89.7-98.7
18-24	181	350,524	5	2.9	0.2- 5.6	176	97.1	94.4-99.8
25-34	307	419,544	11	3.0	1.0- 5.0	296	97.0	95.0-99.0
35-44	328	402,648	17	5.1	2.4- 7.8	311	94.9	92.2-97.6
45-54	533	405,926	37	7.0	4.5- 9.5	496	93.0	90.5-95.5
55-64	682	413,793	68	9.5	7.0-12.0	614	90.5	88.0-93.0
65+	1125	461,793	236	21.9	19.0-24.8	889	78.1	75.2-81.0
Less Than H.S.	253	320,973	49	13.3	9.0-17.6	204	86.7	82.4-91.0
H.S. or G.E.D.	1055	849,163	139	9.7	7.7-11.7	916	90.3	88.3-92.3
Some Post-H.S.	794	721,712	94	7.5	5.7- 9.3	700	92.5	90.7-94.3
College Graduate	1037	548,908	90	5.7	4.3- 7.1	947	94.3	92.9-95.7
Less than \$15,000	200	170,063	27	9.6	5.3-13.9	173	90.4	86.1-94.7
\$15,000- 24,999	375	251,599	64	12.3	8.6-16.0	311	87.7	84.0-91.4
\$25,000- 34,999	297	217,951	52	13.1	9.0-17.2	245	86.9	82.8-91.0
\$35,000- 49,999	395	315,648	64	11.7	8.2-15.2	331	88.3	84.8-91.8
\$50,000- 74,999	489	401,534	46	7.0	4.5- 9.5	443	93.0	90.5-95.5
\$75,000+	863	703,767	49	4.5	2.7- 6.3	814	95.5	93.7-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 59: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4259	2,570,213	396	6.2	5.4- 7.0	3863	93.8	93.0-94.6
White/Non-Hisp	3571	2,084,700	343	6.5	5.5- 7.5	3228	93.5	92.5-94.5
Black or Afr. Am./Non-Hisp	341	225,423	22	4.4	2.0- 6.8	319	95.6	93.2-98.0
Oth. Race/Non-Hisp.	94	60,045	11	9.0	1.6-16.4	83	91.0	83.6-98.4
MultiRacial/Non-Hisp.	64	19,499	9	10.7	2.3-19.1	55	89.3	80.9-97.7
Hispanic	126	147,829	9	3.8	0.9- 6.7	117	96.2	93.3-99.1
18-24	182	325,549	1	0.4	0.0- 1.2	181	99.6	98.8- 100
25-34	311	415,080	7	2.5	0.5- 4.5	304	97.5	95.5-99.5
35-44	393	404,266	17	4.1	1.9- 6.3	376	95.9	93.7-98.1
45-54	631	406,027	30	4.2	2.4- 6.0	601	95.8	94.0-97.6
55-64	891	433,998	56	6.2	4.4- 8.0	835	93.8	92.0-95.6
65+	1851	585,293	285	14.9	12.9-16.9	1566	85.1	83.1-87.1
Less Than H.S.	331	295,844	46	8.7	5.6-11.8	285	91.3	88.2-94.4
H.S. or G.E.D.	1454	832,616	179	7.7	6.3- 9.1	1275	92.3	90.9-93.7
Some Post-H.S.	1110	822,200	101	6.6	5.0- 8.2	1009	93.4	91.8-95.0
College Graduate	1350	609,412	67	2.4	1.6- 3.2	1283	97.6	96.8-98.4
Less than \$15,000	316	183,390	58	16.0	11.1-20.9	258	84.0	79.1-88.9
\$15,000- 24,999	649	393,368	89	8.9	6.5-11.3	560	91.1	88.7-93.5
\$25,000- 34,999	412	244,539	48	6.6	4.2- 9.0	364	93.4	91.0-95.8
\$35,000- 49,999	499	310,742	35	4.1	2.3- 5.9	464	95.9	94.1-97.7
\$50,000- 74,999	516	337,804	29	3.3	1.7- 4.9	487	96.7	95.1-98.3
\$75,000+	847	584,548	24	2.1	1.1- 3.1	823	97.9	96.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 60: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7402	5,009,961	478	5.3	4.7- 5.9	6924	94.7	94.1-95.3
Male	3151	2,445,027	219	5.7	4.7- 6.7	2932	94.3	93.3-95.3
Female	4251	2,564,934	259	4.9	4.1- 5.7	3992	95.1	94.3-95.9
White/Non-Hisp	6131	4,028,015	362	4.7	4.1- 5.3	5769	95.3	94.7-95.9
Black or Afr. Am./Non-Hisp	558	430,532	53	8.6	5.9-11.3	505	91.4	88.7-94.1
Oth. Race/Non-Hisp.	192	130,510	21	5.6	0.9-10.3	171	94.4	89.7-99.1
MultiRacial/Non-Hisp.	130	43,756	11	6.3	0.8-11.8	119	93.7	88.2-99.2
Hispanic	254	293,151	19	7.9	4.0-11.8	235	92.1	88.2-96.0
18-24	364	678,326	11	2.1	0.7- 3.5	353	97.9	96.5-99.3
25-34	614	824,547	15	2.1	0.9- 3.3	599	97.9	96.7-99.1
35-44	720	805,252	29	3.5	2.1- 4.9	691	96.5	95.1-97.9
45-54	1163	811,415	59	5.8	4.0- 7.6	1104	94.2	92.4-96.0
55-64	1566	843,000	130	8.5	6.9-10.1	1436	91.5	89.9-93.1
65+	2975	1,047,421	234	8.3	7.1- 9.5	2741	91.7	90.5-92.9
Less Than H.S.	582	608,723	82	10.7	8.0-13.4	500	89.3	86.6-92.0
H.S. or G.E.D.	2500	1,678,517	188	6.3	5.1- 7.5	2312	93.7	92.5-94.9
Some Post-H.S.	1910	1,545,997	129	4.4	3.4- 5.4	1781	95.6	94.6-96.6
College Graduate	2379	1,153,110	74	1.9	1.3- 2.5	2305	98.1	97.5-98.7
Less than \$15,000	516	353,167	86	12.5	9.2-15.8	430	87.5	84.2-90.8
\$15,000- 24,999	1022	641,987	104	8.4	6.2-10.6	918	91.6	89.4-93.8
\$25,000- 34,999	706	458,259	64	8.8	6.3-11.3	642	91.2	88.7-93.7
\$35,000- 49,999	894	621,865	55	4.9	3.3- 6.5	839	95.1	93.5-96.7
\$50,000- 74,999	1004	738,548	33	3.0	1.8- 4.2	971	97.0	95.8-98.2
\$75,000+	1707	1,287,224	28	1.0	0.6- 1.4	1679	99.0	98.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 61: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3151	2,445,027	219	5.7	4.7- 6.7	2932	94.3	93.3-95.3
White/Non-Hisp	2565	1,948,197	161	5.0	4.0- 6.0	2404	95.0	94.0-96.0
Black or Afr. Am./Non-Hisp	220	206,370	23	10.1	5.8-14.4	197	89.9	85.6-94.2
Oth. Race/Non-Hisp.	100	70,567	14	4.7	1.4- 8.0	86	95.3	92.0-98.6
MultiRacial/Non-Hisp.	66	24,257	7	8.9	0.0-18.1	59	91.1	81.9- 100
Hispanic	129	145,990	9	9.0	2.7-15.3	120	91.0	84.7-97.3
18-24	182	352,777	8	3.0	0.5- 5.5	174	97.0	94.5-99.5
25-34	305	412,967	8	2.1	0.5- 3.7	297	97.9	96.3-99.5
35-44	329	402,468	17	4.5	2.1- 6.9	312	95.5	93.1-97.9
45-54	530	404,232	24	5.3	2.9- 7.7	506	94.7	92.3-97.1
55-64	678	410,492	61	9.1	6.7-11.5	617	90.9	88.5-93.3
65+	1127	462,091	101	9.5	7.3-11.7	1026	90.5	88.3-92.7
Less Than H.S.	250	313,311	34	10.1	6.2-14.0	216	89.9	86.0-93.8
H.S. or G.E.D.	1056	850,607	87	6.9	5.1- 8.7	969	93.1	91.3-94.9
Some Post-H.S.	796	722,207	65	5.2	3.6- 6.8	731	94.8	93.2-96.4
College Graduate	1032	545,431	31	1.8	1.0- 2.6	1001	98.2	97.4-99.0
Less than \$15,000	199	169,307	31	11.7	6.6-16.8	168	88.3	83.2-93.4
\$15,000- 24,999	376	249,966	50	11.6	7.5-15.7	326	88.4	84.3-92.5
\$25,000- 34,999	298	217,554	35	12.2	7.7-16.7	263	87.8	83.3-92.3
\$35,000- 49,999	393	310,431	28	5.6	3.2- 8.0	365	94.4	92.0-96.8
\$50,000- 74,999	488	400,667	23	4.5	2.3- 6.7	465	95.5	93.3-97.7
\$75,000+	861	702,492	14	1.2	0.4- 2.0	847	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 62: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4251	2,564,934	259	4.9	4.1- 5.7	3992	95.1	94.3-95.9
White/Non-Hisp	3566	2,079,818	201	4.4	3.6- 5.2	3365	95.6	94.8-96.4
Black or Afr. Am./Non-Hisp	338	224,161	30	7.2	3.9-10.5	308	92.8	89.5-96.1
Oth. Race/Non-Hisp.	92	59,942	7	6.7	0.0-15.9	85	93.3	84.1- 100
MultiRacial/Non-Hisp.	64	19,499	4	3.0	0.0- 6.3	60	97.0	93.7- 100
Hispanic	125	147,161	10	6.8	2.3-11.3	115	93.2	88.7-97.7
18-24	182	325,549	3	1.1	0.0- 2.5	179	98.9	97.5- 100
25-34	309	411,580	7	2.1	0.5- 3.7	302	97.9	96.3-99.5
35-44	391	402,784	12	2.5	0.9- 4.1	379	97.5	95.9-99.1
45-54	633	407,183	35	6.3	3.8- 8.8	598	93.7	91.2-96.2
55-64	888	432,508	69	7.9	5.7-10.1	819	92.1	89.9-94.3
65+	1848	585,330	133	7.4	6.0- 8.8	1715	92.6	91.2-94.0
Less Than H.S.	332	295,413	48	11.3	7.6-15.0	284	88.7	85.0-92.4
H.S. or G.E.D.	1444	827,910	101	5.6	4.2- 7.0	1343	94.4	93.0-95.8
Some Post-H.S.	1114	823,791	64	3.6	2.4- 4.8	1050	96.4	95.2-97.6
College Graduate	1347	607,679	43	2.0	1.2- 2.8	1304	98.0	97.2-98.8
Less than \$15,000	317	183,860	55	13.3	9.0-17.6	262	86.7	82.4-91.0
\$15,000- 24,999	646	392,021	54	6.4	4.0- 8.8	592	93.6	91.2-96.0
\$25,000- 34,999	408	240,705	29	5.9	3.4- 8.4	379	94.1	91.6-96.6
\$35,000- 49,999	501	311,434	27	4.3	2.3- 6.3	474	95.7	93.7-97.7
\$50,000- 74,999	516	337,882	10	1.2	0.2- 2.2	506	98.8	97.8-99.8
\$75,000+	846	584,731	14	0.9	0.3- 1.5	832	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 63: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7327	4,964,972	816	11.7	10.7-12.7	6511	88.3	87.3-89.3
Male	3119	2,424,124	314	10.2	8.8-11.6	2805	89.8	88.4-91.2
Female	4208	2,540,848	502	13.1	11.7-14.5	3706	86.9	85.5-88.3
White/Non-Hisp	6078	3,995,318	626	11.0	10.0-12.0	5452	89.0	88.0-90.0
Black or Afr. Am./Non-Hisp	551	426,649	81	16.3	12.2-20.4	470	83.7	79.6-87.8
Oth. Race/Non-Hisp.	186	126,930	30	10.8	4.5-17.1	156	89.2	82.9-95.5
MultiRacial/Non-Hisp.	129	43,627	33	29.7	19.3-40.1	96	70.3	59.9-80.7
Hispanic	250	290,061	35	12.9	8.2-17.6	215	87.1	82.4-91.8
18-24	360	672,279	54	13.5	9.6-17.4	306	86.5	82.6-90.4
25-34	607	813,611	73	10.6	8.1-13.1	534	89.4	86.9-91.9
35-44	714	798,551	88	11.9	9.2-14.6	626	88.1	85.4-90.8
45-54	1153	804,836	149	12.7	10.5-14.9	1004	87.3	85.1-89.5
55-64	1559	840,161	204	13.5	11.3-15.7	1355	86.5	84.3-88.7
65+	2934	1,035,533	248	9.0	7.6-10.4	2686	91.0	89.6-92.4
Less Than H.S.	581	608,972	133	20.3	16.4-24.2	448	79.7	75.8-83.6
H.S. or G.E.D.	2467	1,660,069	335	13.6	11.8-15.4	2132	86.4	84.6-88.2
Some Post-H.S.	1882	1,526,486	212	11.2	9.2-13.2	1670	88.8	86.8-90.8
College Graduate	2366	1,145,954	129	4.9	3.9- 5.9	2237	95.1	94.1-96.1
Less than \$15,000	514	352,841	160	31.1	25.8-36.4	354	68.9	63.6-74.2
\$15,000- 24,999	1008	638,424	189	19.1	16.0-22.2	819	80.9	77.8-84.0
\$25,000- 34,999	701	451,305	90	15.5	11.8-19.2	611	84.5	80.8-88.2
\$35,000- 49,999	889	617,846	83	10.7	7.8-13.6	806	89.3	86.4-92.2
\$50,000- 74,999	995	732,371	66	7.3	5.1- 9.5	929	92.7	90.5-94.9
\$75,000+	1697	1,280,150	62	3.8	2.4- 5.2	1635	96.2	94.8-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 64: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3119	2,424,124	314	10.2	8.8-11.6	2805	89.8	88.4-91.2
White/Non-Hisp	2546	1,933,991	225	8.9	7.5-10.3	2321	91.1	89.7-92.5
Black or Afr. Am./Non-Hisp	216	204,278	33	18.1	11.4-24.8	183	81.9	75.2-88.6
Oth. Race/Non-Hisp.	94	67,134	16	13.4	3.0-23.8	78	86.6	76.2-97.0
MultiRacial/Non-Hisp.	65	24,127	20	34.4	20.3-48.5	45	65.6	51.5-79.7
Hispanic	127	144,675	16	12.7	5.8-19.6	111	87.3	80.4-94.2
18-24	181	351,147	26	12.7	7.2-18.2	155	87.3	81.8-92.8
25-34	302	408,936	32	8.2	5.1-11.3	270	91.8	88.7-94.9
35-44	323	395,815	32	9.3	5.8-12.8	291	90.7	87.2-94.2
45-54	525	401,048	56	11.0	7.9-14.1	469	89.0	85.9-92.1
55-64	675	409,772	71	11.3	8.4-14.2	604	88.7	85.8-91.6
65+	1113	457,407	97	9.4	7.2-11.6	1016	90.6	88.4-92.8
Less Than H.S.	251	314,885	55	19.0	13.1-24.9	196	81.0	75.1-86.9
H.S. or G.E.D.	1043	841,219	137	12.9	10.4-15.4	906	87.1	84.6-89.6
Some Post-H.S.	783	712,212	77	8.3	5.9-10.7	706	91.7	89.3-94.1
College Graduate	1025	542,459	42	3.5	2.3- 4.7	983	96.5	95.3-97.7
Less than \$15,000	199	169,502	60	29.3	21.3-37.3	139	70.7	62.7-78.7
\$15,000- 24,999	371	250,107	67	17.8	12.7-22.9	304	82.2	77.1-87.3
\$25,000- 34,999	296	214,951	36	12.6	8.1-17.1	260	87.4	82.9-91.9
\$35,000- 49,999	391	308,136	35	9.0	4.9-13.1	356	91.0	86.9-95.1
\$50,000- 74,999	481	395,504	27	6.1	3.4- 8.8	454	93.9	91.2-96.6
\$75,000+	854	697,288	25	3.5	1.5- 5.5	829	96.5	94.5-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 65: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4208	2,540,848	502	13.1	11.7-14.5	3706	86.9	85.5-88.3
White/Non-Hisp	3532	2,061,327	401	13.0	11.4-14.6	3131	87.0	85.4-88.6
Black or Afr. Am./Non-Hisp	335	222,371	48	14.6	9.7-19.5	287	85.4	80.5-90.3
Oth. Race/Non-Hisp.	92	59,796	14	8.0	1.9-14.1	78	92.0	85.9-98.1
MultiRacial/Non-Hisp.	64	19,499	13	23.8	9.1-38.5	51	76.2	61.5-90.9
Hispanic	123	145,386	19	13.1	6.6-19.6	104	86.9	80.4-93.4
18-24	179	321,132	28	14.3	8.8-19.8	151	85.7	80.2-91.2
25-34	305	404,675	41	13.1	9.0-17.2	264	86.9	82.8-91.0
35-44	391	402,736	56	14.4	10.5-18.3	335	85.6	81.7-89.5
45-54	628	403,788	93	14.4	11.3-17.5	535	85.6	82.5-88.7
55-64	884	430,390	133	15.6	12.7-18.5	751	84.4	81.5-87.3
65+	1821	578,126	151	8.6	7.0-10.2	1670	91.4	89.8-93.0
Less Than H.S.	330	294,087	78	21.7	16.2-27.2	252	78.3	72.8-83.8
H.S. or G.E.D.	1424	818,850	198	14.2	11.8-16.6	1226	85.8	83.4-88.2
Some Post-H.S.	1099	814,274	135	13.8	11.1-16.5	964	86.2	83.5-88.9
College Graduate	1341	603,495	87	6.2	4.6- 7.8	1254	93.8	92.2-95.4
Less than \$15,000	315	183,339	100	32.8	25.9-39.7	215	67.2	60.3-74.1
\$15,000- 24,999	637	388,317	122	20.0	15.9-24.1	515	80.0	75.9-84.1
\$25,000- 34,999	405	236,354	54	18.0	12.1-23.9	351	82.0	76.1-87.9
\$35,000- 49,999	498	309,711	48	12.3	8.2-16.4	450	87.7	83.6-91.8
\$50,000- 74,999	514	336,866	39	8.6	5.3-11.9	475	91.4	88.1-94.7
\$75,000+	843	582,862	37	4.2	2.4- 6.0	806	95.8	94.0-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 66: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7351	4,977,380	1519	15.0	14.0-16.0	5832	85.0	84.0-86.0
Male	3136	2,434,197	518	12.4	11.0-13.8	2618	87.6	86.2-89.0
Female	4215	2,543,183	1001	17.5	16.1-18.9	3214	82.5	81.1-83.9
White/Non-Hisp	6091	4,001,744	1233	14.9	13.9-15.9	4858	85.1	84.1-86.1
Black or Afr. Am./Non-Hisp	556	430,335	146	20.3	16.6-24.0	410	79.7	76.0-83.4
Oth. Race/Non-Hisp.	189	128,339	40	6.6	3.3- 9.9	149	93.4	90.1-96.7
MultiRacial/Non-Hisp.	130	43,756	40	25.9	16.7-35.1	90	74.1	64.9-83.3
Hispanic	248	288,972	36	10.7	6.4-15.0	212	89.3	85.0-93.6
18-24	359	669,802	14	3.0	1.2- 4.8	345	97.0	95.2-98.8
25-34	613	822,126	26	3.9	2.1- 5.7	587	96.1	94.3-97.9
35-44	716	801,164	58	7.1	4.9- 9.3	658	92.9	90.7-95.1
45-54	1157	807,677	193	16.4	14.0-18.8	964	83.6	81.2-86.0
55-64	1555	836,463	374	24.7	22.2-27.2	1181	75.3	72.8-77.8
65+	2951	1,040,147	854	28.7	26.7-30.7	2097	71.3	69.3-73.3
Less Than H.S.	582	609,225	223	26.5	22.4-30.6	359	73.5	69.4-77.6
H.S. or G.E.D.	2475	1,657,162	641	18.2	16.4-20.0	1834	81.8	80.0-83.6
Some Post-H.S.	1900	1,541,619	397	13.2	11.6-14.8	1503	86.8	85.2-88.4
College Graduate	2363	1,145,881	251	6.5	5.5- 7.5	2112	93.5	92.5-94.5
Less than \$15,000	516	353,630	250	38.3	33.0-43.6	266	61.7	56.4-67.0
\$15,000- 24,999	1013	637,679	355	26.3	23.2-29.4	658	73.7	70.6-76.8
\$25,000- 34,999	707	459,249	191	19.5	16.0-23.0	516	80.5	77.0-84.0
\$35,000- 49,999	890	617,419	163	12.7	10.3-15.1	727	87.3	84.9-89.7
\$50,000- 74,999	998	734,626	125	8.3	6.5-10.1	873	91.7	89.9-93.5
\$75,000+	1700	1,282,051	101	4.5	3.3- 5.7	1599	95.5	94.3-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 67: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3136	2,434,197	518	12.4	11.2-13.6	2618	87.6	86.4-88.8
White/Non-Hisp	2554	1,939,801	405	11.7	10.3-13.1	2149	88.3	86.9-89.7
Black or Afr. Am./Non-Hisp	218	205,657	50	20.0	14.1-25.9	168	80.0	74.1-85.9
Oth. Race/Non-Hisp.	99	69,718	21	7.4	1.9-12.9	78	92.6	87.1-98.1
MultiRacial/Non-Hisp.	66	24,257	17	24.3	12.0-36.6	49	75.7	63.4-88.0
Hispanic	127	144,675	19	13.6	6.5-20.7	108	86.4	79.3-93.5
18-24	182	352,777	9	3.9	1.2- 6.6	173	96.1	93.4-98.8
25-34	305	412,400	11	2.7	0.9- 4.5	294	97.3	95.5-99.1
35-44	326	398,831	19	5.0	2.5- 7.5	307	95.0	92.5-97.5
45-54	528	402,856	74	14.0	10.7-17.3	454	86.0	82.7-89.3
55-64	675	408,409	148	22.9	19.2-26.6	527	77.1	73.4-80.8
65+	1120	458,923	257	23.1	20.2-26.0	863	76.9	74.0-79.8
Less Than H.S.	252	316,235	79	20.8	15.5-26.1	173	79.2	73.9-84.5
H.S. or G.E.D.	1047	841,465	204	14.3	11.9-16.7	843	85.7	83.3-88.1
Some Post-H.S.	792	719,979	138	10.9	8.7-13.1	654	89.1	86.9-91.3
College Graduate	1028	543,169	94	6.3	4.7- 7.9	934	93.7	92.1-95.3
Less than \$15,000	201	170,281	89	34.4	26.6-42.2	112	65.6	57.8-73.4
\$15,000- 24,999	375	250,485	121	27.3	21.8-32.8	254	72.7	67.2-78.2
\$25,000- 34,999	297	218,103	64	16.4	11.7-21.1	233	83.6	78.9-88.3
\$35,000- 49,999	391	307,988	63	11.5	8.4-14.6	328	88.5	85.4-91.6
\$50,000- 74,999	484	397,083	53	6.9	4.5- 9.3	431	93.1	90.7-95.5
\$75,000+	857	700,326	55	4.7	3.1- 6.3	802	95.3	93.7-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 68: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4215	2,543,183	1001	17.5	16.1-18.9	3214	82.5	81.1-83.9
White/Non-Hisp	3537	2,061,942	828	17.9	16.5-19.3	2709	82.1	80.7-83.5
Black or Afr. Am./Non-Hisp	338	224,679	96	20.6	15.7-25.5	242	79.4	74.5-84.3
Oth. Race/Non-Hisp.	90	58,621	19	5.7	2.2- 9.2	71	94.3	90.8-97.8
MultiRacial/Non-Hisp.	64	19,499	23	28.0	14.1-41.9	41	72.0	58.1-85.9
Hispanic	121	144,297	17	7.9	3.2-12.6	104	92.1	87.4-96.8
18-24	177	317,024	5	1.9	0.1- 3.7	172	98.1	96.3-99.9
25-34	308	409,726	15	5.2	2.3- 8.1	293	94.8	91.9-97.7
35-44	390	402,334	39	9.1	6.0-12.2	351	90.9	87.8-94.0
45-54	629	404,820	119	18.7	15.2-22.2	510	81.3	77.8-84.8
55-64	880	428,054	226	26.4	22.9-29.9	654	73.6	70.1-77.1
65+	1831	581,224	597	33.0	30.5-35.5	1234	67.0	64.5-69.5
Less Than H.S.	330	292,991	144	32.6	26.5-38.7	186	67.4	61.3-73.5
H.S. or G.E.D.	1428	815,697	437	22.1	19.7-24.5	991	77.9	75.5-80.3
Some Post-H.S.	1108	821,641	259	15.2	12.8-17.6	849	84.8	82.4-87.2
College Graduate	1335	602,712	157	6.7	5.3- 8.1	1178	93.3	91.9-94.7
Less than \$15,000	315	183,349	161	41.9	34.8-49.0	154	58.1	51.0-65.2
\$15,000- 24,999	638	387,193	234	25.6	21.7-29.5	404	74.4	70.5-78.3
\$25,000- 34,999	410	241,146	127	22.3	17.2-27.4	283	77.7	72.6-82.8
\$35,000- 49,999	499	309,431	100	13.9	10.6-17.2	399	86.1	82.8-89.4
\$50,000- 74,999	514	337,543	72	10.0	7.1-12.9	442	90.0	87.1-92.9
\$75,000+	843	581,726	46	4.2	2.6- 5.8	797	95.8	94.2-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 69: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7355	4,975,759	326	3.8	3.2- 4.4	7029	96.2	95.6-96.8
Male	3134	2,431,831	144	3.9	3.1- 4.7	2990	96.1	95.3-96.9
Female	4221	2,543,928	182	3.7	2.9- 4.5	4039	96.3	95.5-97.1
White/Non-Hisp	6095	4,001,161	246	3.6	3.0- 4.2	5849	96.4	95.8-97.0
Black or Afr. Am./Non-Hisp	554	429,067	32	4.4	2.6- 6.2	522	95.6	93.8-97.4
Oth. Race/Non-Hisp.	192	129,739	12	2.6	0.0- 5.3	180	97.4	94.7- 100
MultiRacial/Non-Hisp.	129	43,478	16	10.1	3.6-16.6	113	89.9	83.4-96.4
Hispanic	248	287,929	14	5.3	2.0- 8.6	234	94.7	91.4-98.0
18-24	359	670,129	5	1.2	0.0- 2.4	354	98.8	97.6- 100
25-34	613	822,126	12	2.0	0.6- 3.4	601	98.0	96.6-99.4
35-44	715	800,185	28	3.3	1.9- 4.7	687	96.7	95.3-98.1
45-54	1157	807,849	59	4.6	3.2- 6.0	1098	95.4	94.0-96.8
55-64	1552	834,778	94	5.9	4.5- 7.3	1458	94.1	92.7-95.5
65+	2959	1,040,692	128	4.7	3.7- 5.7	2831	95.3	94.3-96.3
Less Than H.S.	579	606,512	57	8.0	5.5-10.5	522	92.0	89.5-94.5
H.S. or G.E.D.	2477	1,657,735	130	4.3	3.3- 5.3	2347	95.7	94.7-96.7
Some Post-H.S.	1901	1,542,344	89	3.2	2.4- 4.0	1812	96.8	96.0-97.6
College Graduate	2367	1,145,677	49	1.5	0.9- 2.1	2318	98.5	97.9-99.1
Less than \$15,000	516	353,444	87	13.6	10.1-17.1	429	86.4	82.9-89.9
\$15,000- 24,999	1015	635,953	81	6.7	4.9- 8.5	934	93.3	91.5-95.1
\$25,000- 34,999	705	456,723	41	5.7	3.3- 8.1	664	94.3	91.9-96.7
\$35,000- 49,999	891	617,605	26	2.3	1.3- 3.3	865	97.7	96.7-98.7
\$50,000- 74,999	999	734,671	15	1.2	0.6- 1.8	984	98.8	98.2-99.4
\$75,000+	1700	1,283,136	17	1.0	0.4- 1.6	1683	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 70: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3134	2,431,831	144	3.9	3.1- 4.7	2990	96.1	95.3-96.9
White/Non-Hisp	2554	1,939,481	105	3.3	2.5- 4.1	2449	96.7	95.9-97.5
Black or Afr. Am./Non-Hisp	218	205,338	9	4.0	1.3- 6.7	209	96.0	93.3-98.7
Oth. Race/Non-Hisp.	99	69,718	11	4.6	0.0- 9.7	88	95.4	90.3- 100
MultiRacial/Non-Hisp.	65	23,979	6	10.9	0.7-21.1	59	89.1	78.9-99.3
Hispanic	126	143,227	13	10.2	3.9-16.5	113	89.8	83.5-96.1
18-24	182	352,777	3	1.8	0.0- 4.0	179	98.2	96.0- 100
25-34	305	412,400	7	1.9	0.3- 3.5	298	98.1	96.5-99.7
35-44	326	398,666	10	2.4	0.8- 4.0	316	97.6	96.0-99.2
45-54	528	402,856	28	4.4	2.4- 6.4	500	95.6	93.6-97.6
55-64	674	407,734	43	6.5	4.3- 8.7	631	93.5	91.3-95.7
65+	1119	457,398	53	5.5	3.7- 7.3	1066	94.5	92.7-96.3
Less Than H.S.	251	315,017	33	9.6	5.9-13.3	218	90.4	86.7-94.1
H.S. or G.E.D.	1045	840,064	50	4.0	2.6- 5.4	995	96.0	94.6-97.4
Some Post-H.S.	793	720,242	39	2.8	1.8- 3.8	754	97.2	96.2-98.2
College Graduate	1028	543,158	22	1.7	0.9- 2.5	1006	98.3	97.5-99.1
Less than \$15,000	200	170,005	33	13.2	7.7-18.7	167	86.8	81.3-92.3
\$15,000- 24,999	374	249,037	38	9.4	5.7-13.1	336	90.6	86.9-94.3
\$25,000- 34,999	297	216,394	21	5.2	2.8- 7.6	276	94.8	92.4-97.2
\$35,000- 49,999	391	307,988	15	3.1	1.3- 4.9	376	96.9	95.1-98.7
\$50,000- 74,999	485	397,264	6	1.0	0.2- 1.8	479	99.0	98.2-99.8
\$75,000+	858	701,014	10	1.3	0.3- 2.3	848	98.7	97.7-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 71: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4221	2,543,928	182	3.7	2.9- 4.5	4039	96.3	95.5-97.1
White/Non-Hisp	3541	2,061,680	141	3.8	3.0- 4.6	3400	96.2	95.4-97.0
Black or Afr. Am./Non-Hisp	336	223,729	23	4.7	2.3- 7.1	313	95.3	92.9-97.7
Oth. Race/Non-Hisp.	93	60,021	1	0.3	0.0- 0.9	92	99.7	99.1- 100
MultiRacial/Non-Hisp.	64	19,499	10	9.0	2.1-15.9	54	91.0	84.1-97.9
Hispanic	122	144,702	1	0.4	0.0- 1.2	121	99.6	98.8- 100
18-24	177	317,352	2	0.6	0.0- 1.6	175	99.4	98.4- 100
25-34	308	409,726	5	2.1	0.1- 4.1	303	97.9	95.9-99.9
35-44	389	401,519	18	4.1	1.7- 6.5	371	95.9	93.5-98.3
45-54	629	404,993	31	4.8	2.8- 6.8	598	95.2	93.2-97.2
55-64	878	427,044	51	5.4	3.6- 7.2	827	94.6	92.8-96.4
65+	1840	583,294	75	4.1	2.9- 5.3	1765	95.9	94.7-97.1
Less Than H.S.	328	291,494	24	6.3	3.2- 9.4	304	93.7	90.6-96.8
H.S. or G.E.D.	1432	817,670	80	4.5	3.3- 5.7	1352	95.5	94.3-96.7
Some Post-H.S.	1108	822,102	50	3.5	2.1- 4.9	1058	96.5	95.1-97.9
College Graduate	1339	602,519	27	1.3	0.7- 1.9	1312	98.7	98.1-99.3
Less than \$15,000	316	183,439	54	13.9	9.4-18.4	262	86.1	81.6-90.6
\$15,000- 24,999	641	386,916	43	4.9	3.1- 6.7	598	95.1	93.3-96.9
\$25,000- 34,999	408	240,329	20	6.2	2.5- 9.9	388	93.8	90.1-97.5
\$35,000- 49,999	500	309,617	11	1.5	0.5- 2.5	489	98.5	97.5-99.5
\$50,000- 74,999	514	337,407	9	1.4	0.2- 2.6	505	98.6	97.4-99.8
\$75,000+	842	582,122	7	0.6	0.0- 1.2	835	99.4	98.8- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 72: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7315	4,944,434	637	7.2	6.4- 8.0	6678	92.8	92.0-93.6
Male	3109	2,409,212	198	5.3	4.3- 6.3	2911	94.7	93.7-95.7
Female	4206	2,535,222	439	9.0	7.8-10.2	3767	91.0	89.8-92.2
White/Non-Hisp	6071	3,987,424	505	7.1	6.3- 7.9	5566	92.9	92.1-93.7
Black or Afr. Am./Non-Hisp	548	420,668	50	6.7	4.5- 8.9	498	93.3	91.1-95.5
Oth. Race/Non-Hisp.	189	128,975	21	2.5	1.1- 3.9	168	97.5	96.1-98.9
MultiRacial/Non-Hisp.	128	43,247	29	20.1	11.5-28.7	99	79.9	71.3-88.5
Hispanic	244	280,851	25	10.3	5.6-15.0	219	89.7	85.0-94.4
18-24	355	663,588	21	6.1	3.4- 8.8	334	93.9	91.2-96.6
25-34	609	815,644	34	4.7	2.9- 6.5	575	95.3	93.5-97.1
35-44	711	795,195	50	6.4	4.2- 8.6	661	93.6	91.4-95.8
45-54	1145	800,489	91	7.4	5.6- 9.2	1054	92.6	90.8-94.4
55-64	1550	834,017	162	9.0	7.4-10.6	1388	91.0	89.4-92.6
65+	2945	1,035,500	279	9.0	7.6-10.4	2666	91.0	89.6-92.4
Less Than H.S.	577	599,595	99	13.9	10.4-17.4	478	86.1	82.6-89.6
H.S. or G.E.D.	2461	1,647,928	259	8.7	7.3-10.1	2202	91.3	89.9-92.7
Some Post-H.S.	1887	1,532,303	166	6.1	4.9- 7.3	1721	93.9	92.7-95.1
College Graduate	2360	1,141,687	111	3.0	2.2- 3.8	2249	97.0	96.2-97.8
Less than \$15,000	510	351,207	141	20.7	16.6-24.8	369	79.3	75.2-83.4
\$15,000- 24,999	1003	624,185	147	13.0	10.3-15.7	856	87.0	84.3-89.7
\$25,000- 34,999	703	454,540	66	9.1	6.0-12.2	637	90.9	87.8-94.0
\$35,000- 49,999	890	614,811	55	5.4	3.6- 7.2	835	94.6	92.8-96.4
\$50,000- 74,999	998	732,273	35	2.7	1.5- 3.9	963	97.3	96.1-98.5
\$75,000+	1696	1,281,073	40	2.0	1.0- 3.0	1656	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 73: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3109	2,409,212	198	5.3	4.3- 6.3	2911	94.7	93.7-95.7
White/Non-Hisp	2540	1,930,222	141	4.7	3.7- 5.7	2399	95.3	94.3-96.3
Black or Afr. Am./Non-Hisp	213	198,465	18	7.0	3.5-10.5	195	93.0	89.5-96.5
Oth. Race/Non-Hisp.	98	69,583	11	2.3	0.5- 4.1	87	97.7	95.9-99.5
MultiRacial/Non-Hisp.	64	23,748	14	23.8	10.3-37.3	50	76.2	62.7-89.7
Hispanic	123	137,778	13	10.2	4.1-16.3	110	89.8	83.7-95.9
18-24	180	348,704	7	3.8	0.7- 6.9	173	96.2	93.1-99.3
25-34	303	408,485	14	3.4	1.4- 5.4	289	96.6	94.6-98.6
35-44	322	393,591	21	5.0	2.6- 7.4	301	95.0	92.6-97.4
45-54	525	399,630	40	6.9	4.5- 9.3	485	93.1	90.7-95.5
55-64	669	405,306	49	6.3	4.3- 8.3	620	93.7	91.7-95.7
65+	1110	453,496	67	6.1	4.3- 7.9	1043	93.9	92.1-95.7
Less Than H.S.	248	307,278	33	10.0	5.7-14.3	215	90.0	85.7-94.3
H.S. or G.E.D.	1039	835,591	86	7.2	5.4- 9.0	953	92.8	91.0-94.6
Some Post-H.S.	784	713,098	44	3.2	2.0- 4.4	740	96.8	95.6-98.0
College Graduate	1021	539,896	34	2.3	1.3- 3.3	987	97.7	96.7-98.7
Less than \$15,000	194	167,623	50	17.5	11.8-23.2	144	82.5	76.8-88.2
\$15,000- 24,999	369	241,264	42	9.2	5.9-12.5	327	90.8	87.5-94.1
\$25,000- 34,999	296	216,096	20	6.4	3.3- 9.5	276	93.6	90.5-96.7
\$35,000- 49,999	390	305,195	23	5.2	2.7- 7.7	367	94.8	92.3-97.3
\$50,000- 74,999	483	394,890	11	1.6	0.4- 2.8	472	98.4	97.2-99.6
\$75,000+	856	700,171	13	1.2	0.2- 2.2	843	98.8	97.8-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 74: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4206	2,535,222	439	9.0	7.8-10.2	3767	91.0	89.8-92.2
White/Non-Hisp	3531	2,057,202	364	9.3	7.9-10.7	3167	90.7	89.3-92.1
Black or Afr. Am./Non-Hisp	335	222,203	32	6.3	3.6- 9.0	303	93.7	91.0-96.4
Oth. Race/Non-Hisp.	91	59,392	10	2.8	0.6- 5.0	81	97.2	95.0-99.4
MultiRacial/Non-Hisp.	64	19,499	15	15.6	6.4-24.8	49	84.4	75.2-93.6
Hispanic	121	143,073	12	10.5	3.2-17.8	109	89.5	82.2-96.8
18-24	175	314,885	14	8.7	4.0-13.4	161	91.3	86.6-96.0
25-34	306	407,159	20	5.9	3.2- 8.6	286	94.1	91.4-96.8
35-44	389	401,604	29	7.7	4.4-11.0	360	92.3	89.0-95.6
45-54	620	400,859	51	7.8	5.4-10.2	569	92.2	89.8-94.6
55-64	881	428,712	113	11.5	9.1-13.9	768	88.5	86.1-90.9
65+	1835	582,004	212	11.2	9.4-13.0	1623	88.8	87.0-90.6
Less Than H.S.	329	292,317	66	18.1	12.4-23.8	263	81.9	76.2-87.6
H.S. or G.E.D.	1422	812,337	173	10.2	8.2-12.2	1249	89.8	87.8-91.8
Some Post-H.S.	1103	819,206	122	8.6	6.6-10.6	981	91.4	89.4-93.4
College Graduate	1339	601,791	77	3.6	2.4- 4.8	1262	96.4	95.2-97.6
Less than \$15,000	316	183,584	91	23.7	17.8-29.6	225	76.3	70.4-82.2
\$15,000- 24,999	634	382,921	105	15.3	11.4-19.2	529	84.7	80.8-88.6
\$25,000- 34,999	407	238,443	46	11.6	6.7-16.5	361	88.4	83.5-93.3
\$35,000- 49,999	500	309,617	32	5.5	3.1- 7.9	468	94.5	92.1-96.9
\$50,000- 74,999	515	337,383	24	4.1	1.9- 6.3	491	95.9	93.7-98.1
\$75,000+	840	580,902	27	2.9	1.3- 4.5	813	97.1	95.5-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	164
2 MALES ONLY	165
3 FEMALES ONLY	166
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	167
5 MALES ONLY	168
6 FEMALES ONLY	169
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	170
8 MALES ONLY	171
9 FEMALES ONLY	172
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	173
11 MALES ONLY	174
12 FEMALES ONLY	175
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	176
14 MALES ONLY	177
15 FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7278	4,916,725	3292	45.0	43.4-46.6	3986	55.0	53.4-56.6
Male	3088	2,393,696	1612	51.2	48.8-53.6	1476	48.8	46.4-51.2
Female	4190	2,523,029	1680	39.2	37.2-41.2	2510	60.8	58.8-62.8
White/Non-Hisp	6043	3,965,225	2787	47.1	45.3-48.9	3256	52.9	51.1-54.7
Black or Afr. Am./Non-Hisp	540	414,129	215	40.0	34.7-45.3	325	60.0	54.7-65.3
Oth. Race/Non-Hisp.	186	128,153	79	28.1	18.3-37.9	107	71.9	62.1-81.7
MultiRacial/Non-Hisp.	130	43,756	72	57.8	47.0-68.6	58	42.2	31.4-53.0
Hispanic	245	283,416	77	29.1	22.2-36.0	168	70.9	64.0-77.8
18-24	353	659,358	83	25.2	19.9-30.5	270	74.8	69.5-80.1
25-34	610	816,513	259	44.3	39.8-48.8	351	55.7	51.2-60.2
35-44	708	791,035	322	47.7	43.6-51.8	386	52.3	48.2-56.4
45-54	1143	796,307	524	49.4	46.1-52.7	619	50.6	47.3-53.9
55-64	1543	828,529	747	51.2	48.3-54.1	796	48.8	45.9-51.7
65+	2921	1,024,982	1357	47.9	45.7-50.1	1564	52.1	49.9-54.3
Less Than H.S.	575	597,312	379	63.9	58.6-69.2	196	36.1	30.8-41.4
H.S. or G.E.D.	2445	1,631,281	1254	49.7	47.2-52.2	1191	50.3	47.8-52.8
Some Post-H.S.	1883	1,527,965	914	45.1	42.2-48.0	969	54.9	52.0-57.8
College Graduate	2344	1,136,676	735	28.6	26.4-30.8	1609	71.4	69.2-73.6
Less than \$15,000	512	350,570	311	59.3	53.4-65.2	201	40.7	34.8-46.6
\$15,000- 24,999	1001	622,361	552	54.7	50.4-59.0	449	45.3	41.0-49.6
\$25,000- 34,999	700	453,775	358	49.3	44.2-54.4	342	50.7	45.6-55.8
\$35,000- 49,999	882	610,313	424	47.8	43.3-52.3	458	52.2	47.7-56.7
\$50,000- 74,999	994	729,333	441	45.2	41.1-49.3	553	54.8	50.7-58.9
\$75,000+	1690	1,275,432	615	37.5	34.6-40.4	1075	62.5	59.6-65.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3088	2,393,696	1612	51.2	48.8-53.6	1476	48.8	46.4-51.2
White/Non-Hisp	2522	1,914,964	1324	51.8	49.3-54.3	1198	48.2	45.7-50.7
Black or Afr. Am./Non-Hisp	211	196,445	115	55.1	46.9-63.3	96	44.9	36.7-53.1
Oth. Race/Non-Hisp.	95	69,054	46	39.6	23.9-55.3	49	60.4	44.7-76.1
MultiRacial/Non-Hisp.	66	24,257	43	60.8	46.5-75.1	23	39.2	24.9-53.5
Hispanic	124	140,309	52	42.0	31.4-52.6	72	58.0	47.4-68.6
18-24	179	346,957	47	30.7	22.7-38.7	132	69.3	61.3-77.3
25-34	303	407,725	139	47.8	41.3-54.3	164	52.2	45.7-58.7
35-44	322	391,995	162	55.6	49.5-61.7	160	44.4	38.3-50.5
45-54	521	395,800	264	54.4	49.5-59.3	257	45.6	40.7-50.5
55-64	668	404,498	347	54.7	50.4-59.0	321	45.3	41.0-49.6
65+	1095	446,720	653	60.4	56.9-63.9	442	39.6	36.1-43.1
Less Than H.S.	248	307,477	178	69.6	62.2-77.0	70	30.4	23.0-37.8
H.S. or G.E.D.	1027	823,231	637	57.4	53.7-61.1	390	42.6	38.9-46.3
Some Post-H.S.	782	711,942	428	49.6	45.1-54.1	354	50.4	45.9-54.9
College Graduate	1014	537,697	364	34.0	30.5-37.5	650	66.0	62.5-69.5
Less than \$15,000	197	167,841	130	62.7	53.7-71.7	67	37.3	28.3-46.3
\$15,000- 24,999	366	241,612	245	64.6	58.1-71.1	121	35.4	28.9-41.9
\$25,000- 34,999	294	214,450	165	51.0	43.6-58.4	129	49.0	41.6-56.4
\$35,000- 49,999	385	301,391	215	53.9	47.2-60.6	170	46.1	39.4-52.8
\$50,000- 74,999	480	392,050	247	52.0	46.3-57.7	233	48.0	42.3-53.7
\$75,000+	853	695,786	375	46.5	42.2-50.8	478	53.5	49.2-57.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4190	2,523,029	1680	39.2	37.2-41.2	2510	60.8	58.8-62.8
White/Non-Hisp	3521	2,050,260	1463	42.7	40.5-44.9	2058	57.3	55.1-59.5
Black or Afr. Am./Non-Hisp	329	217,684	100	26.4	20.5-32.3	229	73.6	67.7-79.5
Oth. Race/Non-Hisp.	91	59,099	33	14.8	7.0-22.6	58	85.2	77.4-93.0
MultiRacial/Non-Hisp.	64	19,499	29	54.1	37.2-71.0	35	45.9	29.0-62.8
Hispanic	121	143,107	25	16.5	9.2-23.8	96	83.5	76.2-90.8
18-24	174	312,401	36	19.0	12.5-25.5	138	81.0	74.5-87.5
25-34	307	408,788	120	40.8	34.7-46.9	187	59.2	53.1-65.3
35-44	386	399,040	160	39.9	34.4-45.4	226	60.1	54.6-65.6
45-54	622	400,507	260	44.5	40.0-49.0	362	55.5	51.0-60.0
55-64	875	424,031	400	47.9	44.0-51.8	475	52.1	48.2-56.0
65+	1826	578,263	704	38.4	35.7-41.1	1122	61.6	58.9-64.3
Less Than H.S.	327	289,835	201	57.9	50.6-65.2	126	42.1	34.8-49.4
H.S. or G.E.D.	1418	808,050	617	41.9	38.6-45.2	801	58.1	54.8-61.4
Some Post-H.S.	1101	816,023	486	41.2	37.5-44.9	615	58.8	55.1-62.5
College Graduate	1330	598,979	371	23.7	21.0-26.4	959	76.3	73.6-79.0
Less than \$15,000	315	182,729	181	56.2	48.8-63.6	134	43.8	36.4-51.2
\$15,000- 24,999	635	380,749	307	48.4	42.9-53.9	328	51.6	46.1-57.1
\$25,000- 34,999	406	239,326	193	47.8	40.9-54.7	213	52.2	45.3-59.1
\$35,000- 49,999	497	308,922	209	41.8	35.9-47.7	288	58.2	52.3-64.1
\$50,000- 74,999	514	337,283	194	37.4	31.9-42.9	320	62.6	57.1-68.1
\$75,000+	837	579,646	240	26.7	23.0-30.4	597	73.3	69.6-77.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3283	2,209,183	975	35.5	33.3-37.7	311	11.4	9.8-13.0	1997	53.1	50.7-55.5
Male	1607	1,222,686	474	35.3	32.2-38.4	140	10.4	8.4-12.4	993	54.3	51.2-57.4
Female	1676	986,497	501	35.8	32.7-38.9	171	12.6	10.2-15.0	1004	51.6	48.5-54.7
White/Non-Hisp	2780	1,864,463	814	35.9	33.5-38.3	236	10.4	8.8-12.0	1730	53.7	51.3-56.1
Black or Afr. Am./Non-Hisp	215	165,840	60	29.0	20.8-37.2	43	22.9	15.3-30.5	112	48.1	39.3-56.9
Oth. Race/Non-Hisp.	79	36,049	25	40.5	20.7-60.3	8	10.2	1.2-19.2	46	49.3	29.9-68.7
MultiRacial/Non-Hisp.	72	25,294	42	56.2	41.5-70.9	6	11.5	1.9-21.1	24	32.2	18.1-46.3
Hispanic	76	82,227	19	30.7	17.6-43.8	12	13.8	5.4-22.2	45	55.5	42.2-68.8
18-24	83	165,923	37	48.3	36.0-60.6	21	24.7	14.3-35.1	25	27.0	16.0-38.0
25-34	259	361,673	112	40.7	34.0-47.4	42	15.8	10.9-20.7	105	43.5	36.6-50.4
35-44	321	376,401	128	38.5	32.6-44.4	48	13.7	9.6-17.8	145	47.8	41.5-54.1
45-54	524	393,547	232	46.5	41.6-51.4	50	9.1	6.4-11.8	242	44.4	39.5-49.3
55-64	744	422,321	253	35.0	30.9-39.1	76	9.4	7.0-11.8	415	55.6	51.5-59.7
65+	1352	489,318	213	16.6	14.1-19.1	74	5.5	3.9-7.1	1065	77.9	75.2-80.6
Less Than H.S.	379	381,924	161	49.8	43.3-56.3	41	10.1	6.2-14.0	177	40.0	33.7-46.3
H.S. or G.E.D.	1253	810,886	411	37.5	34.0-41.0	124	11.7	9.2-14.2	718	50.8	47.3-54.3
Some Post-H.S.	910	686,328	275	33.2	29.1-37.3	89	12.5	9.4-15.6	546	54.2	49.9-58.5
College Graduate	731	323,456	127	19.0	15.5-22.5	56	9.7	6.8-12.6	548	71.3	67.0-75.6
Less than \$15,000	311	207,810	136	47.7	40.3-55.1	57	19.9	13.8-26.0	118	32.4	25.7-39.1
\$15,000- 24,999	552	340,427	184	39.3	34.0-44.6	65	12.8	9.3-16.3	303	47.9	42.6-53.2
\$25,000- 34,999	357	223,230	126	45.4	38.3-52.5	24	10.3	4.6-16.0	207	44.2	37.3-51.1
\$35,000- 49,999	423	290,758	124	33.2	27.1-39.3	35	12.2	7.5-16.9	264	54.6	48.1-61.1
\$50,000- 74,999	440	329,619	137	37.4	31.5-43.3	35	9.3	5.8-12.8	268	53.3	47.2-59.4
\$75,000+	614	478,427	119	23.2	18.7-27.7	54	10.0	7.1-12.9	441	66.8	61.9-71.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1607	1,222,686	474	35.3	32.2-38.4	140	10.4	8.4-12.4	993	54.3	51.2-57.4
White/Non-Hisp	1320	990,173	377	35.4	32.1-38.7	101	9.4	7.2-11.6	842	55.3	51.8-58.8
Black or Afr. Am./Non-Hisp	115	108,334	38	33.2	21.8-44.6	20	19.8	10.4-29.2	57	47.0	35.4-58.6
Hispanic	51	58,605	12	28.1	12.6-43.6	9	14.9	4.3-25.5	30	57.0	40.7-73.3
25-34	139	195,053	56	40.8	31.6-50.0	24	15.6	9.1-22.1	59	43.6	34.2-53.0
35-44	162	217,874	64	37.5	29.3-45.7	21	12.7	7.2-18.2	77	49.8	41.2-58.4
45-54	264	215,182	120	47.3	40.4-54.2	20	6.3	3.2- 9.4	124	46.5	39.6-53.4
55-64	344	219,177	117	35.1	29.2-41.0	34	9.0	5.7-12.3	193	55.9	49.8-62.0
65+	651	268,925	96	14.5	11.4-17.6	31	5.5	3.1- 7.9	524	80.0	76.3-83.7
Less Than H.S.	178	214,113	76	48.6	39.0-58.2	13	7.6	2.5-12.7	89	43.8	34.4-53.2
H.S. or G.E.D.	637	472,465	209	37.7	33.0-42.4	61	11.3	8.2-14.4	367	50.9	46.0-55.8
Some Post-H.S.	426	351,497	122	31.7	25.8-37.6	41	12.5	8.2-16.8	263	55.8	49.7-61.9
College Graduate	361	182,212	66	20.2	14.9-25.5	25	7.7	4.0-11.4	270	72.1	66.2-78.0
Less than \$15,000	130	105,163	61	48.9	37.5-60.3	20	17.9	8.9-26.9	49	33.2	23.0-43.4
\$15,000- 24,999	245	155,985	73	35.7	27.9-43.5	26	11.6	6.5-16.7	146	52.8	45.0-60.6
\$25,000- 34,999	165	109,283	56	44.4	34.6-54.2	13	11.8	3.8-19.8	96	43.8	34.4-53.2
\$35,000- 49,999	214	161,734	58	33.6	24.6-42.6	25	13.6	7.3-19.9	131	52.9	43.9-61.9
\$50,000- 74,999	246	203,385	87	39.6	31.8-47.4	21	10.3	5.4-15.2	138	50.1	42.3-57.9
\$75,000+	374	323,524	76	24.3	18.6-30.0	25	7.2	4.1-10.3	273	68.5	62.4-74.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1676	986,497	501	35.8	32.7-38.9	171	12.6	10.2-15.0	1004	51.6	48.5-54.7
White/Non-Hisp	1460	874,290	437	36.5	33.2-39.8	135	11.5	9.1-13.9	888	51.9	48.6-55.2
Black or Afr. Am./Non-Hisp	100	57,505	22	21.0	11.6-30.4	23	28.8	16.6-41.0	55	50.2	37.3-63.1
25-34	120	166,620	56	40.6	31.0-50.2	18	16.0	8.6-23.4	46	43.4	33.4-53.4
35-44	159	158,527	64	39.8	31.2-48.4	27	15.1	9.0-21.2	68	45.1	36.3-53.9
45-54	260	178,366	112	45.6	38.7-52.5	30	12.5	7.8-17.2	118	41.9	35.2-48.6
55-64	400	203,143	136	34.9	29.2-40.6	42	9.9	6.6-13.2	222	55.2	49.5-60.9
65+	701	220,393	117	19.1	15.4-22.8	43	5.6	3.6- 7.6	541	75.3	71.4-79.2
Less Than H.S.	201	167,811	85	51.4	42.8-60.0	28	13.4	7.7-19.1	88	35.1	27.1-43.1
H.S. or G.E.D.	616	338,420	202	37.1	32.2-42.0	63	12.3	8.6-16.0	351	50.6	45.5-55.7
Some Post-H.S.	484	334,830	153	34.9	29.2-40.6	48	12.5	8.0-17.0	283	52.6	46.7-58.5
College Graduate	370	141,244	61	17.4	12.7-22.1	31	12.3	7.4-17.2	278	70.3	64.2-76.4
Less than \$15,000	181	102,647	75	46.4	36.8-56.0	37	21.9	13.7-30.1	69	31.7	23.3-40.1
\$15,000- 24,999	307	184,441	111	42.4	35.1-49.7	39	13.8	8.7-18.9	157	43.8	36.7-50.9
\$25,000- 34,999	192	113,947	70	46.4	36.0-56.8	11	8.9	1.1-16.7	111	44.7	34.7-54.7
\$35,000- 49,999	209	129,024	66	32.7	24.9-40.5	10	10.4	3.1-17.7	133	56.9	48.1-65.7
\$50,000- 74,999	194	126,233	50	33.8	24.8-42.8	14	7.6	2.9-12.3	130	58.5	49.3-67.7
\$75,000+	240	154,904	43	21.0	14.1-27.9	29	15.8	9.5-22.1	168	63.2	55.2-71.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1279	1,026,183	698	58.0	54.7-61.3	581	42.0	38.7-45.3
Male	611	551,702	311	54.5	49.6-59.4	300	45.5	40.6-50.4
Female	668	474,480	387	62.2	57.7-66.7	281	37.8	33.3-42.3
White/Non-Hisp	1045	858,547	547	56.0	52.3-59.7	498	44.0	40.3-47.7
Black or Afr. Am./Non-Hisp	101	80,272	69	73.0	62.6-83.4	32	27.0	16.6-37.4
18-24	57	116,257	39	72.5	60.2-84.8	18	27.5	15.2-39.8
25-34	152	201,319	94	65.2	56.8-73.6	58	34.8	26.4-43.2
35-44	176	196,353	104	56.1	47.7-64.5	72	43.9	35.5-52.3
45-54	280	216,826	150	54.9	48.2-61.6	130	45.1	38.4-51.8
55-64	328	187,483	173	52.3	46.0-58.6	155	47.7	41.4-54.0
65+	286	107,944	138	49.0	41.9-56.1	148	51.0	43.9-58.1
Less Than H.S.	202	229,084	122	63.2	55.2-71.2	80	36.8	28.8-44.8
H.S. or G.E.D.	531	394,270	269	52.5	47.2-57.8	262	47.5	42.2-52.8
Some Post-H.S.	362	308,624	211	61.1	54.8-67.4	151	38.9	32.6-45.2
College Graduate	182	92,620	94	58.3	49.7-66.9	88	41.7	33.1-50.3
Less than \$15,000	191	139,260	120	64.1	54.7-73.5	71	35.9	26.5-45.3
\$15,000- 24,999	249	177,294	158	66.8	59.5-74.1	91	33.2	25.9-40.5
\$25,000- 34,999	148	121,008	74	57.1	46.9-67.3	74	42.9	32.7-53.1
\$35,000- 49,999	158	127,104	76	55.7	46.1-65.3	82	44.3	34.7-53.9
\$50,000- 74,999	171	153,195	77	49.2	40.0-58.4	94	50.8	41.6-60.0
\$75,000+	173	158,847	90	56.6	47.6-65.6	83	43.4	34.4-52.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	611	551,702	311	54.5	49.6-59.4	300	45.5	40.6-50.4
White/Non-Hisp	476	440,563	230	51.3	45.8-56.8	246	48.7	43.2-54.2
Black or Afr. Am./Non-Hisp	57	52,582	35	70.6	56.7-84.5	22	29.4	15.5-43.3
25-34	79	107,982	44	59.2	47.0-71.4	35	40.8	28.6-53.0
35-44	85	109,321	46	51.5	39.5-63.5	39	48.5	36.5-60.5
45-54	140	115,167	74	51.8	42.4-61.2	66	48.2	38.8-57.6
55-64	151	96,611	74	48.3	39.1-57.5	77	51.7	42.5-60.9
65+	126	53,549	53	46.1	35.5-56.7	73	53.9	43.3-64.5
Less Than H.S.	89	120,242	51	63.8	51.8-75.8	38	36.2	24.2-48.2
H.S. or G.E.D.	269	229,667	130	49.4	42.3-56.5	139	50.6	43.5-57.7
Some Post-H.S.	162	150,628	90	55.4	46.0-64.8	72	44.6	35.2-54.0
College Graduate	90	50,677	39	52.3	39.8-64.8	51	47.7	35.2-60.2
Less than \$15,000	81	70,256	47	59.0	44.5-73.5	34	41.0	26.5-55.5
\$15,000- 24,999	99	73,675	60	67.9	57.3-78.5	39	32.1	21.5-42.7
\$25,000- 34,999	68	59,327	33	48.7	34.2-63.2	35	51.3	36.8-65.8
\$35,000- 49,999	82	71,456	39	53.8	40.5-67.1	43	46.2	32.9-59.5
\$50,000- 74,999	108	101,515	45	48.8	37.0-60.6	63	51.2	39.4-63.0
\$75,000+	101	101,842	45	48.6	36.6-60.6	56	51.4	39.4-63.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	668	474,480	387	62.2	57.7-66.7	281	37.8	33.3-42.3
White/Non-Hisp	569	417,985	317	60.9	56.0-65.8	252	39.1	34.2-44.0
25-34	73	93,338	50	72.2	61.0-83.4	23	27.8	16.6-39.0
35-44	91	87,032	58	61.8	50.4-73.2	33	38.2	26.8-49.6
45-54	140	101,660	76	58.3	49.3-67.3	64	41.7	32.7-50.7
55-64	177	90,873	99	56.5	47.9-65.1	78	43.5	34.9-52.1
65+	160	54,396	85	51.9	42.7-61.1	75	48.1	38.9-57.3
Less Than H.S.	113	108,842	71	62.5	52.1-72.9	42	37.5	27.1-47.9
H.S. or G.E.D.	262	164,603	139	56.8	49.4-64.2	123	43.2	35.8-50.6
Some Post-H.S.	200	157,995	121	66.5	58.3-74.7	79	33.5	25.3-41.7
College Graduate	92	41,943	55	65.4	54.0-76.8	37	34.6	23.2-46.0
Less than \$15,000	110	69,004	73	69.3	58.1-80.5	37	30.7	19.5-41.9
\$15,000- 24,999	150	103,619	98	66.0	56.4-75.6	52	34.0	24.4-43.6
\$25,000- 34,999	80	61,681	41	65.1	52.2-78.0	39	34.9	22.0-47.8
\$35,000- 49,999	76	55,648	37	58.2	45.1-71.3	39	41.8	28.7-54.9
\$50,000- 74,999	63	51,680	32	49.9	34.6-65.2	31	50.1	34.8-65.4
\$75,000+	72	57,006	45	70.8	59.2-82.4	27	29.2	17.6-40.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1971	1,158,175	188	15.5	13.0-18.0	264	17.8	15.3-20.3	194	11.2	9.2-13.2	1323	55.4	52.5-58.3	2	0.0	0.0- 0.0
Male	985	657,427	103	17.3	13.6-21.0	131	18.1	14.6-21.6	76	9.1	6.7-11.5	675	55.5	51.4-59.6			
Female	986	500,747	85	13.1	10.0-16.2	133	17.5	14.0-21.0	118	14.0	11.1-16.9	648	55.3	51.0-59.6	2	0.1	0.0- 0.3
White/Non-Hisp	1709	989,563	149	13.9	11.2-16.6	218	17.0	14.3-19.7	162	10.9	8.9-12.9	1179	58.3	55.2-61.4	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	110	77,875	10	18.6	6.8-30.4	22	28.8	17.2-40.4	17	14.7	6.5-22.9	60	37.6	26.8-48.4	1	0.3	0.0- 0.9
25-34	102	152,961	29	27.3	17.7-36.9	39	37.5	27.1-47.9	21	19.7	11.5-27.9	13	15.5	6.9-24.1			
35-44	144	179,904	31	22.5	14.7-30.3	41	30.2	21.6-38.8	23	13.6	7.7-19.5	49	33.7	25.1-42.3			
45-54	238	172,577	27	13.3	8.0-18.6	45	16.6	11.3-21.9	35	16.1	10.8-21.4	131	54.0	46.7-61.3			
55-64	409	230,512	42	9.3	6.2-12.4	60	14.7	10.6-18.8	45	10.4	7.1-13.7	262	65.7	60.4-71.0			
65+	1054	378,902	41	4.4	2.6- 6.2	74	6.7	4.9- 8.5	69	6.2	4.6- 7.8	868	82.5	79.8-85.2	2	0.1	0.0- 0.3
Less Than H.S.	177	152,840	25	20.6	11.6-29.6	28	23.0	13.6-32.4	17	7.7	3.2-12.2	106	48.6	38.8-58.4	1	0.1	0.0- 0.3
H.S. or G.E.D.	707	406,142	62	15.1	10.8-19.4	94	15.4	11.9-18.9	76	12.4	9.1-15.7	475	57.1	52.2-62.0			
Some Post-H.S.	540	368,313	61	17.2	12.3-22.1	76	19.9	15.0-24.8	50	10.2	6.9-13.5	352	52.6	46.9-58.3	1	0.1	0.0- 0.3
College Graduate	539	225,874	39	10.0	6.5-13.5	65	15.8	11.5-20.1	48	12.3	8.4-16.2	387	61.9	56.4-67.4			
Less than \$15,000	118	67,419	26	27.1	15.9-38.3	21	17.9	9.1-26.7	16	13.2	5.2-21.2	54	41.4	29.8-53.0	1	0.4	0.0- 1.2
\$15,000- 24,999	301	162,259	38	16.8	10.9-22.7	38	13.9	8.4-19.4	30	12.3	7.4-17.2	195	57.0	49.6-64.4			
\$25,000- 34,999	203	97,732	16	18.8	9.2-28.4	27	19.2	11.4-27.0	23	12.2	6.1-18.3	136	49.5	40.1-58.9	1	0.2	0.0- 0.6
\$35,000- 49,999	262	158,255	15	10.4	4.3-16.5	36	19.9	12.5-27.3	26	12.2	6.9-17.5	185	57.5	49.3-65.7			
\$50,000- 74,999	265	173,817	23	15.1	8.4-21.8	45	24.4	17.0-31.8	22	11.4	5.7-17.1	175	49.1	41.3-56.9			
\$75,000+	436	316,116	40	15.8	10.5-21.1	54	15.6	10.7-20.5	39	9.6	6.1-13.1	303	58.9	52.6-65.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	985	657,427	103	17.3	13.6-21.0	131	18.1	14.6-21.6	76	9.1	6.7-11.5	675	55.5	51.4-59.6
White/Non-Hisp	835	541,441	76	14.7	10.8-18.6	104	17.1	13.4-20.8	61	8.4	6.0-10.8	594	59.8	55.3-64.3
Black or Afr. Am./Non-Hisp	57	50,959	9	25.9	9.6-42.2	12	26.5	12.8-40.2	8	14.5	3.7-25.3	28	33.1	20.0-46.2
25-34	57	82,389	18	31.9	18.4-45.4	23	40.7	26.2-55.2	11	16.6	6.8-26.4	5	10.8	0.8-20.8
35-44	77	108,553	22	28.5	17.1-39.9	21	28.4	17.0-39.8	7	9.0	1.9-16.1	27	34.0	22.4-45.6
45-54	123	99,420	12	12.3	5.0-19.6	25	18.8	11.0-26.6	17	15.1	8.0-22.2	69	53.9	43.9-63.9
55-64	191	121,150	19	8.2	4.1-12.3	25	14.7	8.8-20.6	21	11.0	5.9-16.1	126	66.2	58.6-73.8
65+	522	214,863	22	4.4	2.0- 6.8	33	5.9	3.5- 8.3	19	3.5	1.7- 5.3	448	86.3	82.8-89.8
Less Than H.S.	89	93,871	14	23.5	10.8-36.2	14	25.3	12.0-38.6	7	6.0	0.7-11.3	54	45.2	31.9-58.5
H.S. or G.E.D.	364	237,841	32	16.5	10.4-22.6	51	16.5	11.4-21.6	31	10.8	6.5-15.1	250	56.1	49.4-62.8
Some Post-H.S.	262	195,821	33	18.7	11.3-26.1	36	19.3	12.6-26.0	18	7.0	3.5-10.5	175	55.0	47.0-63.0
College Graduate	266	127,984	24	12.2	6.9-17.5	29	14.1	8.6-19.6	19	11.1	5.6-16.6	194	62.6	55.2-70.0
\$15,000- 24,999	146	82,310	17	15.0	7.2-22.8	17	15.0	6.6-23.4	9	10.5	3.2-17.8	103	59.5	49.1-69.9
\$25,000- 34,999	95	47,245	8	15.1	4.9-25.3	12	15.5	5.9-25.1	8	11.1	1.7-20.5	67	58.3	45.4-71.2
\$35,000- 49,999	131	85,486	7	8.8	0.8-16.8	18	20.2	9.0-31.4	9	9.4	2.7-16.1	97	61.6	49.4-73.8
\$50,000- 74,999	137	101,143	15	19.9	9.9-29.9	24	29.3	18.7-39.9	9	6.9	2.0-11.8	89	43.9	33.7-54.1
\$75,000+	270	219,450	30	19.7	12.6-26.8	35	16.0	9.9-22.1	23	9.0	4.9-13.1	182	55.3	47.7-62.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	986	500,747	85	13.1	10.0-16.2	133	17.5	14.0-21.0	118	14.0	11.1-16.9	648	55.3	51.0-59.6	2	0.1	0.0- 0.3
White/Non-Hisp	874	448,122	73	12.9	9.6-16.2	114	16.8	13.3-20.3	101	13.8	10.7-16.9	585	56.4	51.9-60.9	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	53	26,915	1	4.7	0.0-13.7	10	33.1	13.1-53.1	9	15.1	2.9-27.3	32	46.3	28.3-64.3	1	0.8	0.0- 2.4
35-44	67	71,351	9	13.3	4.3-22.3	20	32.9	20.0-45.8	16	20.6	10.4-30.8	22	33.2	20.7-45.7			
45-54	115	73,158	15	14.7	7.3-22.1	20	13.7	7.2-20.2	18	17.4	9.4-25.4	62	54.3	44.1-64.5			
55-64	218	109,363	23	10.5	6.0-15.0	35	14.6	8.9-20.3	24	9.6	5.3-13.9	136	65.2	57.8-72.6			
65+	532	164,039	19	4.5	2.1- 6.9	41	7.9	5.2-10.6	50	9.7	6.8-12.6	420	77.6	73.3-81.9	2	0.3	0.0- 0.7
Less Than H.S.	88	58,969	11	15.9	4.9-26.9	14	19.3	7.7-30.9	10	10.4	2.4-18.4	52	54.0	40.3-67.7	1	0.4	0.0- 1.2
H.S. or G.E.D.	343	168,301	30	13.0	7.5-18.5	43	13.7	9.2-18.2	45	14.7	9.6-19.8	225	58.6	51.7-65.5			
Some Post-H.S.	278	172,492	28	15.6	9.3-21.9	40	20.6	13.3-27.9	32	13.9	8.0-19.8	177	49.8	42.0-57.6	1	0.1	0.0- 0.3
College Graduate	273	97,890	15	7.2	3.1-11.3	36	17.9	11.2-24.6	29	13.9	8.4-19.4	193	61.0	53.4-68.6			
Less than \$15,000	69	32,512	13	26.4	12.7-40.1	13	20.5	7.4-33.6	11	14.5	3.3-25.7	31	37.8	23.3-52.3	1	0.8	0.0- 2.4
\$15,000- 24,999	155	79,949	21	18.6	9.8-27.4	21	12.8	5.7-19.9	21	14.2	7.3-21.1	92	54.4	43.8-65.0			
\$25,000- 34,999	108	50,487	8	22.4	6.7-38.1	15	22.7	11.1-34.3	15	13.3	5.5-21.1	69	41.2	28.9-53.5	1	0.4	0.0- 1.2
\$35,000- 49,999	131	72,769	8	12.2	3.0-21.4	18	19.5	10.1-28.9	17	15.6	7.4-23.8	88	52.8	41.4-64.2			
\$50,000- 74,999	128	72,674	8	8.4	1.9-14.9	21	17.5	8.7-26.3	13	17.6	6.8-28.4	86	56.4	44.6-68.2			
\$75,000+	166	96,666	10	7.0	2.3-11.7	19	14.7	6.5-22.9	16	11.0	4.7-17.3	121	67.2	57.4-77.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7309	4,937,305	140	2.8	2.2- 3.4	83	1.5	1.1- 1.9	7086	95.7	95.1-96.3
Male	3100	2,404,514	123	5.1	4.1- 6.1	65	2.5	1.7- 3.3	2912	92.4	91.2-93.6
Female	4209	2,532,791	17	0.6	0.2- 1.0	18	0.6	0.2- 1.0	4174	98.8	98.2-99.4
White/Non-Hisp	6063	3,977,416	125	3.2	2.6- 3.8	68	1.4	1.0- 1.8	5870	95.4	94.6-96.2
Black or Afr. Am./Non-Hisp	546	419,153	1	0.3	0.0- 0.9	1	0.0	0.0- 0.0	544	99.7	99.1- 100
Oth. Race/Non-Hisp.	188	128,450	2	0.2	0.0- 0.4	4	6.5	0.0-13.6	182	93.3	86.2- 100
MultiRacial/Non-Hisp.	130	43,756	7	7.0	0.7-13.3	2	2.4	0.0- 5.9	121	90.7	83.6-97.8
Hispanic	245	284,407	2	1.6	0.0- 3.8	6	2.9	0.4- 5.4	237	95.6	92.3-98.9
18-24	356	664,414	10	3.2	1.0- 5.4	6	1.8	0.2- 3.4	340	95.0	92.5-97.5
25-34	608	814,100	17	2.5	1.1- 3.9	14	2.2	0.8- 3.6	577	95.3	93.5-97.1
35-44	709	792,259	29	4.9	2.9- 6.9	11	1.9	0.7- 3.1	669	93.2	91.0-95.4
45-54	1151	803,519	38	4.0	2.6- 5.4	19	1.8	1.0- 2.6	1094	94.2	92.6-95.8
55-64	1549	833,194	21	1.4	0.8- 2.0	12	0.8	0.2- 1.4	1516	97.7	96.9-98.5
65+	2936	1,029,820	25	1.2	0.6- 1.8	21	0.9	0.3- 1.5	2890	97.9	97.1-98.7
Less Than H.S.	576	599,895	24	5.1	2.7- 7.5	12	1.8	0.6- 3.0	540	93.1	90.4-95.8
H.S. or G.E.D.	2460	1,645,020	61	3.3	2.3- 4.3	28	1.8	1.0- 2.6	2371	94.9	93.7-96.1
Some Post-H.S.	1888	1,532,012	34	2.3	1.3- 3.3	21	1.2	0.6- 1.8	1833	96.5	95.3-97.7
College Graduate	2354	1,136,887	21	1.4	0.6- 2.2	21	1.3	0.7- 1.9	2312	97.3	96.3-98.3
Less than \$15,000	511	349,899	13	3.7	1.2- 6.2	13	2.6	0.8- 4.4	485	93.7	90.6-96.8
\$15,000- 24,999	1009	626,738	15	1.8	0.8- 2.8	8	1.1	0.1- 2.1	986	97.2	95.8-98.6
\$25,000- 34,999	700	454,791	7	1.0	0.2- 1.8	16	3.2	1.4- 5.0	677	95.8	93.8-97.8
\$35,000- 49,999	887	613,293	21	3.9	1.9- 5.9	8	1.1	0.1- 2.1	858	94.9	92.7-97.1
\$50,000- 74,999	996	732,326	29	3.9	2.3- 5.5	11	1.4	0.4- 2.4	956	94.7	92.9-96.5
\$75,000+	1694	1,278,690	35	3.3	2.1- 4.5	15	1.0	0.4- 1.6	1644	95.8	94.4-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3100	2,404,514	123	5.1	4.1- 6.1	65	2.5	1.7- 3.3	2912	92.4	91.2-93.6
White/Non-Hisp	2529	1,922,383	109	5.9	4.7- 7.1	55	2.6	1.8- 3.4	2365	91.6	90.2-93.0
Black or Afr. Am./Non-Hisp	213	198,708	1	0.6	0.0- 1.8				212	99.4	98.2- 100
Oth. Race/Non-Hisp.	97	69,373	2	0.4	0.0- 1.0	2	4.3	0.0-11.9	93	95.3	87.7- 100
MultiRacial/Non-Hisp.	66	24,257	6	12.4	1.6-23.2	2	4.2	0.0-10.5	58	83.4	71.4-95.4
Hispanic	123	139,705	2	3.2	0.0- 7.7	5	4.0	0.3- 7.7	116	92.8	87.1-98.5
18-24	181	351,235	8	5.2	1.5- 8.9	4	1.8	0.0- 3.6	169	93.0	88.9-97.1
25-34	302	406,279	17	4.9	2.4- 7.4	10	2.9	0.9- 4.9	275	92.1	89.0-95.2
35-44	322	392,558	27	9.3	5.8-12.8	11	3.8	1.4- 6.2	284	87.0	82.9-91.1
45-54	525	399,685	33	7.1	4.6- 9.6	15	3.2	1.4- 5.0	477	89.7	86.6-92.8
55-64	669	405,208	15	2.1	0.9- 3.3	10	1.6	0.6- 2.6	644	96.4	94.8-98.0
65+	1101	449,550	23	2.5	1.3- 3.7	15	1.6	0.4- 2.8	1063	95.9	94.3-97.5
Less Than H.S.	248	308,274	20	8.5	4.2-12.8	8	3.1	0.7- 5.5	220	88.4	83.5-93.3
H.S. or G.E.D.	1036	834,119	53	5.9	4.1- 7.7	22	2.9	1.5- 4.3	961	91.2	89.0-93.4
Some Post-H.S.	782	712,707	31	4.6	2.6- 6.6	16	1.6	0.8- 2.4	735	93.9	91.9-95.9
College Graduate	1017	536,065	19	2.7	1.3- 4.1	18	2.4	1.2- 3.6	980	94.8	92.8-96.8
Less than \$15,000	195	167,078	7	4.6	0.3- 8.9	6	4.2	0.7- 7.7	182	91.2	85.7-96.7
\$15,000- 24,999	372	244,252	13	4.0	1.5- 6.5	6	1.7	0.0- 3.5	353	94.3	91.4-97.2
\$25,000- 34,999	294	215,465	7	2.1	0.3- 3.9	14	6.6	2.9-10.3	273	91.4	87.3-95.5
\$35,000- 49,999	388	304,069	19	7.4	3.7-11.1	8	2.3	0.3- 4.3	361	90.3	86.2-94.4
\$50,000- 74,999	482	395,322	27	6.5	3.8- 9.2	11	2.6	0.6- 4.6	444	90.8	87.7-93.9
\$75,000+	855	698,613	34	5.9	3.5- 8.3	11	1.4	0.6- 2.2	810	92.8	90.4-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4209	2,532,791	17	0.6	0.2- 1.0	18	0.6	0.2- 1.0	4174	98.8	98.2-99.4
White/Non-Hisp	3534	2,055,033	16	0.7	0.3- 1.1	13	0.4	0.2- 0.6	3505	99.0	98.6-99.4
Black or Afr. Am./Non-Hisp	333	220,445				1	0.0	0.0- 0.0	332	100.0	100.0- 100
Oth. Race/Non-Hisp.	91	59,077				2	9.0	0.0-21.0	89	91.0	79.0- 100
MultiRacial/Non-Hisp.	64	19,499	1	0.2	0.0- 0.6				63	99.8	99.4- 100
Hispanic	122	144,702				1	1.8	0.0- 5.3	121	98.2	94.7- 100
18-24	175	313,180	2	1.1	0.0- 2.7	2	1.7	0.0- 4.1	171	97.2	94.3- 100
25-34	306	407,821				4	1.5	0.0- 3.3	302	98.5	96.7- 100
35-44	387	399,701	2	0.6	0.0- 1.6				385	99.4	98.4- 100
45-54	626	403,834	5	0.9	0.1- 1.7	4	0.5	0.0- 1.1	617	98.6	97.6-99.6
55-64	880	427,986	6	0.8	0.0- 1.6	2	0.1	0.0- 0.3	872	99.0	98.2-99.8
65+	1835	580,269	2	0.2	0.0- 0.4	6	0.3	0.1- 0.5	1827	99.5	99.1-99.9
Less Than H.S.	328	291,621	4	1.5	0.0- 3.3	4	0.4	0.0- 0.8	320	98.0	96.2-99.8
H.S. or G.E.D.	1424	810,901	8	0.7	0.1- 1.3	6	0.7	0.0- 1.5	1410	98.6	97.6-99.6
Some Post-H.S.	1106	819,305	3	0.3	0.0- 0.7	5	0.9	0.1- 1.7	1098	98.8	97.8-99.8
College Graduate	1337	600,822	2	0.2	0.0- 0.4	3	0.3	0.0- 0.9	1332	99.5	98.7- 100
Less than \$15,000	316	182,821	6	2.9	0.0- 5.8	7	1.2	0.2- 2.2	303	96.0	92.9-99.1
\$15,000- 24,999	637	382,486	2	0.4	0.0- 1.0	2	0.7	0.0- 1.7	633	99.0	97.8- 100
\$25,000- 34,999	406	239,326				2	0.1	0.0- 0.3	404	99.9	99.7- 100
\$35,000- 49,999	499	309,224	2	0.5	0.0- 1.1				497	99.5	98.9- 100
\$50,000- 74,999	514	337,004	2	0.7	0.0- 1.9				512	99.3	98.1- 100
\$75,000+	839	580,077	1	0.1	0.0- 0.3	4	0.5	0.1- 0.9	834	99.4	98.8- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	180
2 MALES ONLY	181
3 FEMALES ONLY	182
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	183
5 MALES ONLY	184
6 FEMALES ONLY	185
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	186
8 MALES ONLY	187
9 FEMALES ONLY	188
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	189
11 MALES ONLY	190
12 FEMALES ONLY	191

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7204	4,867,844	826	12.5	11.5-13.5	109	1.3	0.9- 1.7	1838	29.1	27.7-30.5	530	8.2	7.2- 9.2	3901	48.9	47.3-50.5
Male	3055	2,367,300	413	14.3	12.7-15.9	75	2.0	1.4- 2.6	778	28.0	25.8-30.2	368	12.4	10.8-14.0	1421	43.3	40.9-45.7
Female	4149	2,500,544	413	10.9	9.5-12.3	34	0.6	0.4- 0.8	1060	30.1	28.1-32.1	162	4.2	3.4- 5.0	2480	54.2	52.2-56.2
White/Non-Hisp	5989	3,933,465	679	12.3	11.1-13.5	97	1.5	1.1- 1.9	1538	29.2	27.6-30.8	461	8.6	7.6- 9.6	3214	48.5	46.9-50.1
Black or Afr. Am./Non-Hisp	534	411,620	71	16.5	12.4-20.6	1	0.2	0.0- 0.6	125	27.2	22.3-32.1	18	4.9	2.0- 7.8	319	51.2	45.7-56.7
Oth. Race/Non-Hisp.	184	123,045	23	13.9	5.5-22.3	2	0.2	0.0- 0.6	41	30.2	18.8-41.6	13	4.8	0.0-10.1	105	50.9	38.9-62.9
MultiRacial/Non-Hisp.	128	42,911	10	7.5	0.8-14.2	5	5.0	0.0-10.3	28	24.5	14.7-34.3	9	9.8	2.5-17.1	76	53.2	42.0-64.4
Hispanic	243	280,235	33	12.6	7.3-17.9	1	0.3	0.0- 0.9	75	30.0	23.1-36.9	15	6.6	2.7-10.5	119	50.5	42.7-58.3
18-24	350	650,953	43	12.8	8.7-16.9	3	0.6	0.0- 1.4	115	33.0	27.5-38.5	24	7.7	4.2-11.2	165	45.9	40.0-51.8
25-34	602	806,765	87	12.6	9.9-15.3	8	1.0	0.2- 1.8	223	37.2	32.9-41.5	61	10.2	7.5-12.9	223	38.9	34.6-43.2
35-44	701	784,297	120	17.1	14.0-20.2	5	0.7	0.1- 1.3	235	33.1	29.2-37.0	54	8.2	5.8-10.6	287	41.0	36.9-45.1
45-54	1128	786,449	162	14.4	12.0-16.8	17	1.6	0.8- 2.4	364	32.8	29.7-35.9	104	9.3	7.3-11.3	481	41.8	38.5-45.1
55-64	1531	824,407	162	10.7	8.9-12.5	26	1.7	0.9- 2.5	389	25.2	22.7-27.7	115	8.2	6.6- 9.8	839	54.1	51.2-57.0
65+	2892	1,014,974	252	8.9	7.5-10.3	50	1.9	1.3- 2.5	512	17.2	15.6-18.8	172	5.8	4.8- 6.8	1906	66.2	64.0-68.4
Less Than H.S.	566	590,338	35	8.0	4.7-11.3	7	1.2	0.2- 2.2	91	20.8	16.1-25.5	22	4.9	2.4- 7.4	411	65.2	59.9-70.5
H.S. or G.E.D.	2426	1,616,442	216	9.7	8.1-11.3	34	1.2	0.8- 1.6	503	25.3	22.9-27.7	134	6.5	5.3- 7.7	1539	57.3	54.8-59.8
Some Post-H.S.	1865	1,518,475	210	13.0	10.8-15.2	30	1.3	0.7- 1.9	513	32.3	29.6-35.0	122	8.4	6.4-10.4	990	45.0	42.1-47.9
College Graduate	2319	1,121,349	364	18.6	16.4-20.8	38	1.5	0.9- 2.1	727	34.8	32.3-37.3	250	11.7	9.9-13.5	940	33.4	31.0-35.8
Less than \$15,000	504	347,741	34	8.2	4.7-11.7	7	1.2	0.2- 2.2	85	21.9	16.8-27.0	17	4.2	1.8- 6.6	361	64.5	58.8-70.2
\$15,000- 24,999	997	620,519	77	9.9	7.2-12.6	8	0.8	0.2- 1.4	192	21.3	17.8-24.8	33	3.3	1.9- 4.7	687	64.8	60.7-68.9
\$25,000- 34,999	694	446,879	74	10.8	7.7-13.9	14	1.4	0.6- 2.2	158	26.1	21.6-30.6	38	6.8	3.9- 9.7	410	54.9	49.8-60.0
\$35,000- 49,999	878	602,225	107	12.3	9.4-15.2	15	1.5	0.3- 2.7	234	30.3	26.0-34.6	62	8.3	5.6-11.0	460	47.6	43.3-51.9
\$50,000- 74,999	983	724,170	124	11.9	9.4-14.4	16	1.4	0.6- 2.2	304	35.1	31.2-39.0	82	9.8	7.3-12.3	457	41.9	38.0-45.8
\$75,000+	1677	1,267,580	274	17.7	15.3-20.1	33	1.7	0.9- 2.5	572	35.7	32.8-38.6	222	12.7	10.7-14.7	576	32.3	29.4-35.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3055	2,367,300	413	14.3	12.7-15.9	75	2.0	1.4- 2.6	778	28.0	25.8-30.2	368	12.4	10.8-14.0	1421	43.3	40.9-45.7
White/Non-Hisp	2499	1,900,484	335	13.7	11.9-15.5	65	2.3	1.5- 3.1	630	27.6	25.2-30.0	319	13.1	11.3-14.9	1150	43.3	40.8-45.8
Black or Afr. Am./Non-Hisp	205	192,763	34	20.3	13.2-27.4	1	0.3	0.0- 0.9	51	26.6	19.2-34.0	12	6.9	1.2-12.6	107	45.8	37.6-54.0
Oth. Race/Non-Hisp.	95	65,238	12	14.3	3.7-24.9	1	0.1	0.0- 0.3	25	31.7	16.6-46.8	10	8.2	0.0-18.0	47	45.8	29.7-61.9
MultiRacial/Non-Hisp.	65	23,583	6	7.2	0.5-13.9	4	7.4	0.0-16.2	12	20.5	8.5-32.5	6	14.6	2.6-26.6	37	50.4	35.7-65.1
Hispanic	123	139,971	19	17.3	8.7-25.9	1	0.6	0.0- 1.8	43	32.0	22.6-41.4	12	10.1	3.6-16.6	48	40.1	29.5-50.7
18-24	177	341,977	22	13.6	7.7-19.5	3	1.2	0.0- 2.8	47	27.2	19.8-34.6	16	10.4	4.7-16.1	89	47.6	39.2-56.0
25-34	299	403,694	48	13.9	9.8-18.0	6	1.8	0.2- 3.4	105	36.4	30.1-42.7	48	16.6	11.7-21.5	92	31.2	25.1-37.3
35-44	318	387,791	59	19.1	14.2-24.0	3	0.8	0.0- 1.8	109	33.7	27.8-39.6	33	11.0	7.1-14.9	114	35.4	29.5-41.3
45-54	512	389,911	80	16.5	12.8-20.2	11	2.3	0.7- 3.9	150	28.6	24.1-33.1	78	14.4	11.1-17.7	193	38.2	33.5-42.9
55-64	659	399,159	75	11.0	8.3-13.7	20	2.8	1.4- 4.2	163	24.5	20.8-28.2	77	12.2	9.3-15.1	324	49.5	45.2-53.8
65+	1090	444,768	129	12.1	9.7-14.5	32	3.0	1.8- 4.2	204	18.4	15.7-21.1	116	9.6	7.6-11.6	609	56.9	53.4-60.4
Less Than H.S.	246	304,575	22	11.3	5.6-17.0	4	1.6	0.0- 3.4	47	22.5	15.6-29.4	16	7.9	3.2-12.6	157	56.7	48.7-64.7
H.S. or G.E.D.	1023	817,053	122	12.0	9.6-14.4	28	2.1	1.1- 3.1	233	26.2	22.7-29.7	105	10.7	8.3-13.1	535	49.0	45.3-52.7
Some Post-H.S.	773	706,762	99	14.5	11.4-17.6	19	2.2	1.0- 3.4	204	29.8	25.7-33.9	80	12.5	9.2-15.8	371	41.0	36.7-45.3
College Graduate	997	526,049	169	19.6	16.5-22.7	24	1.9	0.9- 2.9	292	31.8	28.3-35.3	165	16.8	13.9-19.7	347	29.9	26.6-33.2
Less than \$15,000	192	165,985	20	9.6	4.1-15.1	4	1.7	0.0- 3.7	40	26.3	17.9-34.7	10	5.9	1.8-10.0	118	56.5	47.3-65.7
\$15,000- 24,999	369	242,973	41	14.1	9.4-18.8	5	1.2	0.0- 2.4	65	18.0	13.1-22.9	25	6.1	3.4- 8.8	233	60.6	54.3-66.9
\$25,000- 34,999	294	211,469	42	13.9	9.0-18.8	11	2.5	0.7- 4.3	63	20.8	15.1-26.5	24	11.4	5.9-16.9	154	51.3	44.0-58.6
\$35,000- 49,999	385	298,162	50	14.1	9.6-18.6	10	2.4	0.2- 4.6	106	30.7	24.4-37.0	45	12.7	7.6-17.8	174	40.0	33.7-46.3
\$50,000- 74,999	478	392,288	60	12.2	8.5-15.9	13	2.1	0.7- 3.5	150	34.5	29.0-40.0	60	12.7	9.0-16.4	195	38.6	33.1-44.1
\$75,000+	841	689,802	134	17.3	13.8-20.8	25	2.6	1.4- 3.8	253	32.1	28.0-36.2	157	17.5	14.4-20.6	272	30.5	26.6-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4149	2,500,544	413	10.9	9.5-12.3	34	0.6	0.4- 0.8	1060	30.1	28.1-32.1	162	4.2	3.4- 5.0	2480	54.2	52.2-56.2
White/Non-Hisp	3490	2,032,982	344	10.9	9.5-12.3	32	0.7	0.3- 1.1	908	30.7	28.5-32.9	142	4.3	3.3- 5.3	2064	53.3	51.1-55.5
Black or Afr. Am./Non-Hisp	329	218,857	37	13.1	8.4-17.8				74	27.8	21.5-34.1	6	3.1	0.6- 5.6	212	56.0	49.1-62.9
Oth. Race/Non-Hisp.	89	57,807	11	13.6	0.5-26.7	1	0.4	0.0- 1.2	16	28.5	11.1-45.9	3	0.8	0.0- 2.2	58	56.7	38.7-74.7
MultiRacial/Non-Hisp.	63	19,328	4	7.9	0.0-20.1	1	1.9	0.0- 5.6	16	29.4	13.7-45.1	3	4.0	0.0- 9.3	39	56.7	39.5-73.9
Hispanic	120	140,264	14	7.9	2.2-13.6				32	28.1	18.1-38.1	3	3.1	0.0- 7.0	71	60.9	49.9-71.9
18-24	173	308,976	21	11.8	6.5-17.1				68	39.5	31.5-47.5	8	4.7	1.0- 8.4	76	44.0	35.8-52.2
25-34	303	403,070	39	11.3	7.6-15.0	2	0.2	0.0- 0.6	118	38.0	31.9-44.1	13	3.9	1.5- 6.3	131	46.6	40.3-52.9
35-44	383	396,505	61	15.2	11.3-19.1	2	0.6	0.0- 1.4	126	32.5	27.2-37.8	21	5.4	2.9- 7.9	173	46.4	40.7-52.1
45-54	616	396,538	82	12.4	9.5-15.3	6	1.0	0.2- 1.8	214	37.0	32.5-41.5	26	4.3	2.5- 6.1	288	45.3	40.8-49.8
55-64	872	425,248	87	10.4	8.0-12.8	6	0.7	0.1- 1.3	226	25.9	22.6-29.2	38	4.5	2.9- 6.1	515	58.5	54.8-62.2
65+	1802	570,207	123	6.4	5.0- 7.8	18	0.9	0.3- 1.5	308	16.2	14.2-18.2	56	2.9	2.1- 3.7	1297	73.6	71.2-76.0
Less Than H.S.	320	285,763	13	4.4	1.5- 7.3	3	0.7	0.0- 1.7	44	18.9	12.6-25.2	6	1.7	0.1- 3.3	254	74.3	67.6-81.0
H.S. or G.E.D.	1403	799,389	94	7.4	5.6- 9.2	6	0.3	0.1- 0.5	270	24.3	21.0-27.6	29	2.2	1.2- 3.2	1004	65.8	62.3-69.3
Some Post-H.S.	1092	811,713	111	11.7	9.0-14.4	11	0.5	0.1- 0.9	309	34.5	30.8-38.2	42	4.8	2.8- 6.8	619	48.4	44.5-52.3
College Graduate	1322	595,300	195	17.7	15.0-20.4	14	1.1	0.3- 1.9	435	37.4	33.9-40.9	85	7.2	5.4- 9.0	593	36.5	33.2-39.8
Less than \$15,000	312	181,756	14	6.9	2.4-11.4	3	0.7	0.0- 1.5	45	17.9	12.0-23.8	7	2.6	0.2- 5.0	243	71.9	64.8-79.0
\$15,000- 24,999	628	377,546	36	7.2	4.1-10.3	3	0.5	0.0- 1.1	127	23.4	18.5-28.3	8	1.5	0.3- 2.7	454	67.4	62.1-72.7
\$25,000- 34,999	400	235,410	32	8.0	3.9-12.1	3	0.3	0.0- 0.7	95	31.0	24.3-37.7	14	2.7	0.9- 4.5	256	58.0	51.1-64.9
\$35,000- 49,999	493	304,062	57	10.6	7.3-13.9	5	0.7	0.1- 1.3	128	29.8	24.1-35.5	17	3.9	1.7- 6.1	286	55.0	49.1-60.9
\$50,000- 74,999	505	331,882	64	11.6	8.3-14.9	3	0.6	0.0- 1.4	154	35.7	30.2-41.2	22	6.4	2.9- 9.9	262	45.7	40.0-51.4
\$75,000+	836	577,778	140	18.1	14.8-21.4	8	0.6	0.0- 1.2	319	39.9	35.6-44.2	65	7.0	4.8- 9.2	304	34.4	30.1-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3218	2,421,410	1520	38.3	36.1-40.5	897	30.2	28.0-32.4	375	13.7	12.1-15.3	159	6.8	5.6- 8.0	267	11.0	9.4-12.6
Male	1585	1,299,451	563	28.0	25.3-30.7	460	30.4	27.5-33.3	244	16.4	14.0-18.8	110	8.7	6.7-10.7	208	16.5	14.0-19.0
Female	1633	1,121,958	957	50.1	47.0-53.2	437	30.0	27.1-32.9	131	10.7	8.5-12.9	49	4.5	3.1- 5.9	59	4.7	3.3- 6.1
White/Non-Hisp	2705	1,974,687	1312	39.3	36.9-41.7	771	31.1	28.7-33.5	291	12.6	11.0-14.2	127	6.8	5.4- 8.2	204	10.2	8.4-12.0
Black or Afr. Am./Non-Hisp	211	198,986	96	40.0	32.2-47.8	53	23.7	17.2-30.2	37	19.2	12.7-25.7	9	5.2	0.9- 9.5	16	11.9	5.2-18.6
Oth. Race/Non-Hisp.	77	56,527	28	31.4	13.4-49.4	26	37.5	20.3-54.7	10	21.4	6.1-36.7	5	5.4	0.0-11.3	8	4.3	0.6- 8.0
Hispanic	120	134,226	38	28.0	18.4-37.6	30	26.3	15.9-36.7	20	18.9	10.5-27.3	10	7.8	2.7-12.9	22	19.1	10.9-27.3
18-24	178	336,538	39	22.0	15.1-28.9	62	34.0	26.2-41.8	30	16.8	10.7-22.9	23	11.3	6.0-16.6	24	15.9	9.4-22.4
25-34	369	477,863	116	30.8	25.5-36.1	120	32.9	27.6-38.2	50	13.0	9.3-16.7	28	8.1	5.0-11.2	55	15.1	10.8-19.4
35-44	408	455,366	140	32.9	27.8-38.0	130	31.9	26.8-37.0	66	16.2	12.1-20.3	27	7.3	4.2-10.4	45	11.7	8.2-15.2
45-54	635	448,905	259	37.9	33.6-42.2	198	31.4	27.3-35.5	84	14.0	10.9-17.1	29	6.0	3.8- 8.2	65	10.6	7.9-13.3
55-64	676	372,012	327	46.5	42.2-50.8	187	27.3	23.6-31.0	81	13.0	10.1-15.9	33	5.2	3.2- 7.2	48	8.0	5.5-10.5
65+	952	330,726	639	64.1	60.2-68.0	200	21.5	18.4-24.6	64	8.9	6.2-11.6	19	2.3	1.1- 3.5	30	3.2	1.8- 4.6
Less Than H.S.	147	195,344	48	24.1	16.3-31.9	43	28.3	19.3-37.3	21	16.2	8.9-23.5	9	10.7	3.3-18.1	26	20.7	12.1-29.3
H.S. or G.E.D.	858	661,699	376	36.0	32.1-39.9	223	27.6	23.7-31.5	111	15.6	12.5-18.7	56	7.6	5.2-10.0	92	13.2	10.3-16.1
Some Post-H.S.	851	819,015	381	37.3	33.2-41.4	231	30.2	26.3-34.1	100	12.7	10.0-15.4	59	8.0	5.6-10.4	80	11.8	8.7-14.9
College Graduate	1355	736,961	711	45.2	41.9-48.5	399	33.0	29.9-36.1	142	12.6	10.2-15.0	34	3.5	2.3- 4.7	69	5.7	4.1- 7.3
Less than \$15,000	137	119,053	46	26.2	17.8-34.6	38	30.9	20.7-41.1	21	20.2	11.0-29.4	15	12.2	4.8-19.6	17	10.4	4.9-15.9
\$15,000- 24,999	301	213,061	149	39.9	32.8-47.0	67	27.1	20.0-34.2	42	18.2	12.1-24.3	13	5.2	1.9- 8.5	30	9.6	5.5-13.7
\$25,000- 34,999	278	194,412	136	38.4	31.1-45.7	64	28.1	20.8-35.4	36	14.3	8.4-20.2	19	8.5	4.0-13.0	23	10.6	5.9-15.3
\$35,000- 49,999	407	310,262	185	35.0	28.9-41.1	117	28.3	22.6-34.0	47	14.6	9.9-19.3	28	10.1	5.6-14.6	30	12.0	6.9-17.1
\$50,000- 74,999	516	411,638	241	39.3	34.2-44.4	145	29.2	24.3-34.1	62	13.9	10.2-17.6	21	5.4	2.5- 8.3	47	12.3	8.2-16.4
\$75,000+	1085	844,401	480	37.7	34.2-41.2	347	33.9	30.4-37.4	124	12.1	9.6-14.6	48	5.8	4.0- 7.6	86	10.6	8.1-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1585	1,299,451	563	28.0	25.3-30.7	460	30.4	27.5-33.3	244	16.4	14.0-18.8	110	8.7	6.7-10.7	208	16.5	14.0-19.0
White/Non-Hisp	1310	1,042,886	485	29.2	26.3-32.1	386	30.9	27.8-34.0	194	15.6	13.1-18.1	88	9.0	6.8-11.2	157	15.2	12.5-17.9
Black or Afr. Am./Non-Hisp	95	102,743	28	29.5	18.5-40.5	28	25.2	15.4-35.0	21	18.7	9.9-27.5	6	7.1	0.0-14.5	12	19.5	7.9-31.1
Hispanic	72	80,211	15	18.9	8.1-29.7	18	23.6	11.3-35.9	14	22.0	10.6-33.4	6	6.9	1.0-12.8	19	28.6	16.1-41.1
18-24	86	172,031	12	13.2	5.8-20.6	29	33.2	22.0-44.4	17	17.3	8.9-25.7	12	13.6	5.0-22.2	16	22.7	11.7-33.7
25-34	199	265,284	45	24.1	17.0-31.2	59	28.9	21.8-36.0	27	12.7	7.8-17.6	22	11.0	6.1-15.9	46	23.3	16.4-30.2
35-44	200	245,389	46	19.8	13.9-25.7	62	33.4	26.1-40.7	44	21.6	15.3-27.9	14	7.6	3.1-12.1	34	17.6	11.7-23.5
45-54	309	233,504	86	26.7	21.0-32.4	96	31.6	25.7-37.5	55	17.0	12.3-21.7	21	8.8	5.1-12.5	51	16.0	11.3-20.7
55-64	329	198,796	125	34.7	28.8-40.6	90	28.4	22.7-34.1	53	16.9	12.2-21.6	24	7.6	4.3-10.9	37	12.4	8.1-16.7
65+	462	184,447	249	52.7	47.2-58.2	124	26.4	21.7-31.1	48	12.5	8.2-16.8	17	3.7	1.7- 5.7	24	4.7	2.3- 7.1
Less Than H.S.	82	122,090	18	17.1	8.1-26.1	23	21.6	12.0-31.2	11	14.6	5.2-24.0	8	16.1	4.7-27.5	22	30.6	18.1-43.1
H.S. or G.E.D.	471	399,530	149	25.0	20.5-29.5	128	29.4	24.3-34.5	76	17.5	13.2-21.8	42	9.9	6.6-13.2	76	18.2	13.9-22.5
Some Post-H.S.	393	410,010	122	25.9	20.6-31.2	118	32.8	26.9-38.7	60	14.9	10.8-19.0	33	8.3	5.0-11.6	60	18.1	12.8-23.4
College Graduate	634	360,691	272	37.6	33.1-42.1	190	31.5	27.0-36.0	96	17.3	13.6-21.0	26	5.1	2.9- 7.3	50	8.5	6.0-11.0
Less than \$15,000	71	68,302	22	24.8	13.0-36.6	17	27.9	14.2-41.6	12	19.6	7.4-31.8	10	16.2	4.6-27.8	10	11.5	3.3-19.7
\$15,000- 24,999	133	93,391	44	24.8	16.4-33.2	36	32.1	22.1-42.1	22	19.1	10.7-27.5	10	7.4	2.1-12.7	21	16.6	8.8-24.4
\$25,000- 34,999	135	95,723	48	23.9	16.1-31.7	28	26.4	16.4-36.4	27	19.6	11.0-28.2	11	10.8	3.2-18.4	21	19.2	10.6-27.8
\$35,000- 49,999	203	174,609	74	31.4	23.0-39.8	60	23.2	16.1-30.3	32	19.1	12.0-26.2	15	9.6	3.3-15.9	22	16.7	8.9-24.5
\$50,000- 74,999	275	234,340	97	27.4	21.3-33.5	79	29.6	22.7-36.5	43	17.3	11.8-22.8	16	7.5	2.8-12.2	40	18.2	11.9-24.5
\$75,000+	561	470,357	192	27.4	23.1-31.7	179	35.3	30.2-40.4	84	14.4	10.9-17.9	36	7.3	4.8- 9.8	70	15.6	11.7-19.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1633	1,121,958	957	50.1	47.0-53.2	437	30.0	27.1-32.9	131	10.7	8.5-12.9	49	4.5	3.1- 5.9	59	4.7	3.3- 6.1
White/Non-Hisp	1395	931,801	827	50.6	47.3-53.9	385	31.3	28.2-34.4	97	9.1	6.9-11.3	39	4.4	2.8- 6.0	47	4.6	3.0- 6.2
Black or Afr. Am./Non-Hisp	116	96,243	68	51.2	40.4-62.0	25	22.0	13.4-30.6	16	19.8	10.2-29.4	3	3.1	0.0- 6.8	4	3.8	0.0- 7.7
18-24	92	164,507	27	31.2	20.4-42.0	33	34.9	24.1-45.7	13	16.2	7.8-24.6	11	9.0	3.3-14.7	8	8.7	2.4-15.0
25-34	170	212,579	71	39.3	31.3-47.3	61	38.0	30.0-46.0	23	13.4	7.7-19.1	6	4.5	0.8- 8.2	9	4.9	1.2- 8.6
35-44	208	209,977	94	48.2	40.6-55.8	68	30.2	23.3-37.1	22	9.9	5.4-14.4	13	6.9	2.8-11.0	11	4.8	1.9- 7.7
45-54	326	215,401	173	50.1	43.8-56.4	102	31.3	25.4-37.2	29	10.7	6.8-14.6	8	3.0	0.6- 5.4	14	4.9	2.2- 7.6
55-64	347	173,216	202	60.1	54.2-66.0	97	26.0	20.9-31.1	28	8.5	5.2-11.8	9	2.5	0.5- 4.5	11	2.9	0.9- 4.9
65+	490	146,279	390	78.4	74.1-82.7	76	15.4	11.7-19.1	16	4.3	1.8- 6.8	2	0.5	0.0- 1.5	6	1.3	0.1- 2.5
Less Than H.S.	65	73,255	30	35.7	22.2-49.2	20	39.5	24.0-55.0	10	18.9	7.1-30.7	1	1.6	0.0- 4.7	4	4.2	0.0- 8.5
H.S. or G.E.D.	387	262,169	227	52.7	46.2-59.2	95	25.0	19.5-30.5	35	12.6	7.9-17.3	14	4.1	1.6- 6.6	16	5.7	2.2- 9.2
Some Post-H.S.	458	409,005	259	48.7	42.8-54.6	113	27.5	22.2-32.8	40	10.5	6.8-14.2	26	7.7	4.4-11.0	20	5.6	2.7- 8.5
College Graduate	721	376,270	439	52.6	48.1-57.1	209	34.4	29.9-38.9	46	8.0	5.3-10.7	8	1.9	0.5- 3.3	19	3.1	1.5- 4.7
Less than \$15,000	66	50,750	24	28.1	15.8-40.4	21	35.0	19.9-50.1	9	21.1	6.8-35.4	5	6.9	0.0-13.8	7	8.9	2.0-15.8
\$15,000- 24,999	168	119,671	105	51.7	41.1-62.3	31	23.2	13.4-33.0	20	17.5	9.1-25.9	3	3.5	0.0- 7.8	9	4.1	0.8- 7.4
\$25,000- 34,999	143	98,689	88	52.5	41.3-63.7	36	29.8	19.4-40.2	9	9.1	1.1-17.1	8	6.2	1.1-11.3	2	2.3	0.0- 5.6
\$35,000- 49,999	204	135,653	111	39.7	30.9-48.5	57	34.9	26.1-43.7	15	8.7	3.4-14.0	13	10.7	4.0-17.4	8	6.1	0.6-11.6
\$50,000- 74,999	241	177,298	144	55.0	47.0-63.0	66	28.6	21.3-35.9	19	9.3	4.8-13.8	5	2.6	0.1- 5.1	7	4.6	0.5- 8.7
\$75,000+	524	374,044	288	50.6	45.1-56.1	168	32.0	26.9-37.1	40	9.3	6.0-12.6	12	3.8	1.4- 6.2	16	4.3	1.9- 6.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3236	2,435,832	276	11.1	9.5-12.7	177	6.7	5.5- 7.9	67	2.7	1.9- 3.5	66	3.0	2.0- 4.0	230	8.6	7.2-10.0	2420	68.0	65.8-70.2
Male	1598	1,314,502	147	11.0	9.0-13.0	109	7.7	6.1- 9.3	37	2.9	1.9- 3.9	43	3.9	2.5- 5.3	174	12.4	10.2-14.6	1088	62.2	59.1-65.3
Female	1638	1,121,330	129	11.2	9.0-13.4	68	5.4	3.8- 7.0	30	2.5	1.3- 3.7	23	1.9	0.9- 2.9	56	4.1	2.9- 5.3	1332	74.8	71.9-77.7
White/Non-Hisp	2723	1,989,348	226	11.2	9.6-12.8	142	6.8	5.4- 8.2	52	2.5	1.7- 3.3	49	2.9	1.9- 3.9	188	8.8	7.2-10.4	2066	67.8	65.4-70.2
Black or Afr. Am./Non-Hisp	212	197,928	15	6.1	2.4- 9.8	13	6.9	2.8-11.0	12	7.2	2.9-11.5	9	5.1	1.8- 8.4	8	3.7	0.8- 6.6	155	71.0	63.6-78.4
Oth. Race/Non-Hisp.	77	57,008	8	8.7	0.5-16.9	5	1.5	0.0- 3.3	2	1.7	0.0- 4.2	2	1.1	0.0- 3.1	4	1.5	0.0- 3.1	56	85.6	76.2-95.0
MultiRacial/Non-Hisp.	50	19,053	2	3.8	0.0- 9.1	5	16.5	1.6-31.4							11	27.8	11.3-44.3	32	51.9	34.1-69.7
Hispanic	119	133,183	17	14.3	7.2-21.4	11	7.7	2.8-12.6	1	0.6	0.0- 1.8	5	2.5	0.1- 4.9	10	10.4	3.3-17.5	75	64.5	54.5-74.5
18-24	177	335,716	28	15.7	9.8-21.6	19	9.4	4.9-13.9	7	2.5	0.5- 4.5	8	4.8	0.7- 8.9	19	10.7	5.4-16.0	96	56.9	48.7-65.1
25-34	374	487,995	60	15.3	11.4-19.2	43	10.4	7.3-13.5	12	3.6	1.4- 5.8	15	4.0	1.6- 6.4	41	10.6	7.1-14.1	203	56.2	50.5-61.9
35-44	407	454,723	57	13.8	10.1-17.5	30	6.5	4.0- 9.0	11	3.2	1.2- 5.2	9	2.6	0.8- 4.4	30	7.3	4.4-10.2	270	66.7	61.6-71.8
45-54	638	450,081	59	9.7	7.0-12.4	32	5.6	3.4- 7.8	18	3.2	1.6- 4.8	12	2.6	1.0- 4.2	61	9.4	6.9-11.9	456	69.5	65.4-73.6
55-64	681	372,329	46	7.3	5.1- 9.5	32	4.4	2.6- 6.2	14	1.9	0.9- 2.9	7	1.7	0.1- 3.3	48	8.3	5.8-10.8	534	76.4	72.7-80.1
65+	959	334,989	26	2.8	1.4- 4.2	21	2.6	1.2- 4.0	5	1.2	0.0- 2.4	15	2.1	0.9- 3.3	31	4.5	2.7- 6.3	861	86.8	83.9-89.7
Less Than H.S.	148	197,061	24	19.7	11.3-28.1	7	3.7	0.8- 6.6	4	2.9	0.0- 6.0	8	6.7	0.6-12.8	18	14.3	6.9-21.7	87	52.8	42.6-63.0
H.S. or G.E.D.	866	672,537	80	10.7	8.2-13.2	42	5.9	3.7- 8.1	22	3.6	2.0- 5.2	11	1.4	0.4- 2.4	85	10.7	8.2-13.2	626	67.6	63.7-71.5
Some Post-H.S.	856	822,497	59	8.6	6.2-11.0	49	7.6	5.2-10.0	17	2.2	1.0- 3.4	28	4.4	2.6- 6.2	65	8.5	6.0-11.0	638	68.8	64.7-72.9
College Graduate	1360	736,913	113	12.0	9.6-14.4	79	7.2	5.4- 9.0	24	2.4	1.4- 3.4	19	1.8	0.8- 2.8	62	5.3	3.7- 6.9	1063	71.2	68.1-74.3
Less than \$15,000	141	122,817	13	11.5	4.8-18.2	13	9.9	3.6-16.2	6	6.8	0.9-12.7	5	2.6	0.2- 5.0	14	9.9	3.2-16.6	90	59.1	48.7-69.5
\$15,000- 24,999	299	213,359	25	11.2	6.3-16.1	18	8.0	3.7-12.3	8	3.6	0.9- 6.3	5	1.9	0.1- 3.7	22	7.6	3.9-11.3	221	67.8	60.7-74.9
\$25,000- 34,999	274	195,015	20	9.8	5.3-14.3	17	10.9	5.2-16.6	6	2.3	0.0- 4.8	8	5.7	1.4-10.0	20	7.3	3.6-11.0	203	64.0	56.2-71.8
\$35,000- 49,999	411	310,948	39	14.6	9.3-19.9	21	6.8	3.5-10.1	10	2.7	0.9- 4.5	7	2.1	0.3- 3.9	31	8.4	4.9-11.9	303	65.4	58.9-71.9
\$50,000- 74,999	520	414,275	41	8.0	5.1-10.9	24	5.2	2.7- 7.7	12	3.5	1.1- 5.9	8	1.6	0.4- 2.8	42	10.9	7.2-14.6	393	70.8	65.7-75.9
\$75,000+	1088	847,959	104	10.9	8.5-13.3	63	6.4	4.6- 8.2	19	2.1	1.1- 3.1	27	4.2	2.2- 6.2	81	8.6	6.4-10.8	794	67.9	64.4-71.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1598	1,314,502	147	11.0	9.0-13.0	109	7.7	6.1- 9.3	37	2.9	1.9- 3.9	43	3.9	2.5- 5.3	174	12.4	10.2-14.6	1088	62.2	59.1-65.3
White/Non-Hisp	1321	1,055,618	114	10.7	8.5-12.9	92	8.1	6.1-10.1	31	3.0	1.8- 4.2	33	4.0	2.2- 5.8	141	13.0	10.5-15.5	910	61.2	57.7-64.7
Black or Afr. Am./Non-Hisp	97	104,044	7	4.2	0.3- 8.1	8	9.2	2.3-16.1	3	3.7	0.0- 8.0	5	6.1	0.6-11.6	7	6.2	0.9-11.5	67	70.6	60.0-81.2
Hispanic	72	80,417	14	19.1	8.9-29.3	5	5.5	0.6-10.4	1	1.0	0.0- 3.0	3	2.4	0.0- 5.3	8	12.3	2.9-21.7	41	59.7	46.6-72.8
18-24	85	171,224	12	15.3	6.5-24.1	10	8.4	2.5-14.3	4	2.4	0.0- 5.1	4	5.6	0.0-12.3	13	16.0	6.6-25.4	42	52.3	40.1-64.5
25-34	204	275,299	27	12.1	7.2-17.0	32	13.6	8.7-18.5	8	4.1	1.0- 7.2	9	5.2	1.5- 8.9	33	15.1	9.6-20.6	95	49.9	42.1-57.7
35-44	199	243,484	28	14.0	8.7-19.3	17	7.7	3.8-11.6	5	2.6	0.2- 5.0	6	3.2	0.5- 5.9	19	9.6	4.9-14.3	124	62.9	55.5-70.3
45-54	315	238,225	36	11.0	7.1-14.9	17	5.6	2.7- 8.5	11	4.2	1.7- 6.7	9	3.8	1.3- 6.3	45	13.8	9.5-18.1	197	61.6	55.5-67.7
55-64	329	198,953	27	8.8	5.3-12.3	20	6.0	3.1- 8.9	5	1.2	0.0- 2.4	5	2.5	0.0- 5.2	37	12.7	8.4-17.0	235	68.8	62.9-74.7
65+	466	187,318	17	3.6	1.4- 5.8	13	3.0	1.0- 5.0	4	1.8	0.0- 3.6	10	2.8	0.8- 4.8	27	6.7	3.8- 9.6	395	82.1	77.6-86.6
Less Than H.S.	85	126,523	18	24.3	12.7-35.9	2	1.9	0.0- 4.6	2	1.9	0.0- 4.6	5	8.2	0.0-17.4	14	20.2	9.2-31.2	44	43.4	30.5-56.3
H.S. or G.E.D.	474	404,722	49	10.7	7.4-14.0	26	6.5	3.8- 9.2	14	4.4	2.0- 6.8	8	1.9	0.5- 3.3	71	14.9	11.2-18.6	306	61.7	56.4-67.0
Some Post-H.S.	399	415,845	31	8.4	4.9-11.9	30	8.9	5.4-12.4	9	2.2	0.6- 3.8	20	6.1	3.0- 9.2	44	11.7	7.4-16.0	265	62.7	56.6-68.8
College Graduate	636	361,848	49	9.7	6.8-12.6	51	9.9	7.0-12.8	12	2.3	0.9- 3.7	10	2.0	0.6- 3.4	45	8.0	5.3-10.7	469	68.1	63.6-72.6
Less than \$15,000	73	72,116	6	8.9	1.3-16.5	6	10.0	1.2-18.8	2	3.5	0.0- 9.0	3	2.3	0.0- 5.0	8	13.1	2.3-23.9	48	62.2	48.3-76.1
\$15,000- 24,999	132	93,592	17	14.3	7.0-21.6	12	10.8	4.3-17.3	4	5.0	0.1- 9.9	2	1.5	0.0- 3.7	16	13.1	5.8-20.4	81	55.3	44.9-65.7
\$25,000- 34,999	137	100,108	10	9.4	3.3-15.5	9	11.7	3.9-19.5	4	3.8	0.0- 8.7	6	9.2	1.4-17.0	17	12.0	5.5-18.5	91	53.9	42.9-64.9
\$35,000- 49,999	206	174,455	17	12.7	5.6-19.8	10	5.3	1.6- 9.0	4	1.9	0.0- 3.9	3	1.9	0.0- 4.3	25	13.0	7.1-18.9	147	65.2	56.4-74.0
\$50,000- 74,999	280	237,747	20	6.8	3.1-10.5	20	7.5	3.4-11.6	7	3.3	0.6- 6.0	8	2.8	0.8- 4.8	32	14.6	8.7-20.5	193	65.0	57.7-72.3
\$75,000+	559	471,538	57	10.3	7.4-13.2	38	7.4	4.9- 9.9	13	2.8	1.2- 4.4	20	5.8	2.5- 9.1	60	11.4	8.3-14.5	371	62.3	57.2-67.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1638	1,121,330	129	11.2	9.0-13.4	68	5.4	3.8- 7.0	30	2.5	1.3- 3.7	23	1.9	0.9- 2.9	56	4.1	2.9- 5.3	1332	74.8	71.9-77.7
White/Non-Hisp	1402	933,730	112	11.7	9.3-14.1	50	5.2	3.4- 7.0	21	1.9	0.9- 2.9	16	1.7	0.7- 2.7	47	4.1	2.7- 5.5	1156	75.3	72.2-78.4
Black or Afr. Am./Non-Hisp	115	93,883	8	8.2	1.7-14.7	5	4.3	0.0- 8.8	9	11.1	3.5-18.7	4	3.9	0.0- 7.8	1	1.0	0.0- 3.0	88	71.6	61.2-82.0
18-24	92	164,492	16	16.0	8.0-24.0	9	10.4	3.5-17.3	3	2.6	0.0- 5.5	4	4.0	0.0- 8.3	6	5.3	1.0- 9.6	54	61.7	50.9-72.5
25-34	170	212,696	33	19.4	12.9-25.9	11	6.3	2.6-10.0	4	2.9	0.0- 6.2	6	2.3	0.3- 4.3	8	4.7	1.0- 8.4	108	64.3	56.3-72.3
35-44	208	211,238	29	13.5	8.4-18.6	13	5.1	1.8- 8.4	6	3.9	0.8- 7.0	3	1.9	0.0- 4.1	11	4.6	1.7- 7.5	146	71.0	64.1-77.9
45-54	323	211,857	23	8.2	4.5-11.9	15	5.6	2.5- 8.7	7	2.1	0.3- 3.9	3	1.3	0.0- 2.9	16	4.5	2.0- 7.0	259	78.3	73.0-83.6
55-64	352	173,376	19	5.6	2.9- 8.3	12	2.7	0.9- 4.5	9	2.7	0.7- 4.7	2	0.8	0.0- 2.0	11	3.3	1.1- 5.5	299	85.0	80.9-89.1
65+	493	147,671	9	1.8	0.4- 3.2	8	2.2	0.4- 4.0	1	0.4	0.0- 1.2	5	1.1	0.0- 2.3	4	1.7	0.0- 3.7	466	92.7	89.6-95.8
Less Than H.S.	63	70,538	6	11.3	1.3-21.3	5	6.9	0.4-13.4	2	4.7	0.0-11.8	3	4.0	0.0- 8.7	4	3.5	0.0- 7.4	43	69.5	56.0-83.0
H.S. or G.E.D.	392	267,815	31	10.7	6.4-15.0	16	5.0	1.9- 8.1	8	2.6	0.6- 4.6	3	0.8	0.0- 1.6	14	4.4	1.9- 6.9	320	76.5	70.8-82.2
Some Post-H.S.	457	406,652	28	8.7	5.2-12.2	19	6.3	3.2- 9.4	8	2.1	0.1- 4.1	8	2.6	0.4- 4.8	21	5.3	2.6- 8.0	373	75.1	69.8-80.4
College Graduate	724	375,065	64	14.3	10.8-17.8	28	4.6	2.6- 6.6	12	2.5	0.9- 4.1	9	1.7	0.5- 2.9	17	2.8	1.4- 4.2	594	74.1	69.8-78.4
Less than \$15,000	68	50,701	7	15.3	3.3-27.3	7	9.8	1.4-18.2	4	11.6	0.0-23.2	2	3.2	0.0- 7.7	6	5.4	0.3-10.5	42	54.7	39.4-70.0
\$15,000- 24,999	167	119,766	8	8.7	2.2-15.2	6	5.9	0.0-11.8	4	2.4	0.0- 5.1	3	2.2	0.0- 4.7	6	3.2	0.1- 6.3	140	77.5	68.5-86.5
\$25,000- 34,999	137	94,907	10	10.3	3.8-16.8	8	10.0	1.6-18.4	2	0.7	0.0- 1.7	2	2.0	0.0- 4.9	3	2.3	0.0- 5.4	112	74.7	64.3-85.1
\$35,000- 49,999	205	136,493	22	17.0	9.2-24.8	11	8.8	2.9-14.7	6	3.8	0.9- 6.7	4	2.4	0.0- 4.8	6	2.4	0.0- 4.8	156	65.5	56.3-74.7
\$50,000- 74,999	240	176,528	21	9.6	4.9-14.3	4	2.0	0.0- 4.2	5	3.8	0.0- 7.9				10	5.9	2.2- 9.6	200	78.6	71.7-85.5
\$75,000+	529	376,422	47	11.7	8.2-15.2	25	5.1	2.7- 7.5	6	1.3	0.1- 2.5	7	2.1	0.1- 4.1	21	5.0	2.5- 7.5	423	74.9	70.0-79.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3150	2,376,915	976	24.0	22.2-25.8	840	24.3	22.3-26.3	459	16.0	14.2-17.8	243	8.9	7.5-10.3	632	26.8	24.6-29.0
Male	1554	1,285,521	318	15.1	12.9-17.3	368	21.5	19.0-24.0	275	18.1	15.6-20.6	119	8.2	6.4-10.0	474	37.1	34.0-40.2
Female	1596	1,091,394	658	34.5	31.6-37.4	472	27.6	24.9-30.3	184	13.5	11.1-15.9	124	9.7	7.7-11.7	158	14.8	12.3-17.3
White/Non-Hisp	2663	1,953,368	845	24.8	22.8-26.8	727	24.9	22.7-27.1	375	14.3	12.5-16.1	202	8.8	7.4-10.2	514	27.2	24.8-29.6
Black or Afr. Am./Non-Hisp	201	186,445	60	24.8	17.7-31.9	50	21.0	14.7-27.3	38	24.6	16.8-32.4	16	9.3	3.8-14.8	37	20.3	13.4-27.2
Oth. Race/Non-Hisp.	73	53,137	20	13.4	0.7-26.1	14	27.6	9.6-45.6	14	32.3	14.7-49.9	7	16.3	2.4-30.2	18	10.5	3.2-17.8
Hispanic	115	129,486	23	16.9	8.9-24.9	29	24.1	14.1-34.1	19	19.3	9.9-28.7	9	8.2	2.7-13.7	35	31.5	21.5-41.5
18-24	172	329,349	17	10.8	5.3-16.3	39	23.2	16.1-30.3	30	18.2	11.5-24.9	18	10.2	5.3-15.1	68	37.6	29.4-45.8
25-34	366	479,192	76	19.9	15.4-24.4	58	16.7	12.2-21.2	50	14.8	10.7-18.9	33	9.1	6.0-12.2	149	39.4	33.7-45.1
35-44	394	442,398	80	19.5	15.2-23.8	106	25.7	20.8-30.6	67	17.5	13.4-21.6	41	11.1	7.4-14.8	100	26.2	21.3-31.1
45-54	625	440,066	168	25.9	22.0-29.8	168	23.5	20.0-27.0	101	18.0	14.5-21.5	43	7.0	4.8- 9.2	145	25.7	21.6-29.8
55-64	663	362,895	194	27.2	23.5-30.9	202	29.4	25.5-33.3	106	16.2	12.9-19.5	55	8.7	6.2-11.2	106	18.5	15.0-22.0
65+	930	323,014	441	43.7	39.8-47.6	267	29.8	26.1-33.5	105	10.6	8.2-13.0	53	6.9	4.7- 9.1	64	9.1	6.6-11.6
Less Than H.S.	144	194,969	32	14.0	8.3-19.7	33	23.9	14.9-32.9	14	7.9	3.0-12.8	17	12.1	5.0-19.2	48	42.0	31.6-52.4
H.S. or G.E.D.	834	645,707	276	27.0	23.3-30.7	191	19.5	16.4-22.6	121	17.9	14.4-21.4	61	8.8	6.1-11.5	185	26.9	23.0-30.8
Some Post-H.S.	831	805,621	240	23.6	20.1-27.1	229	25.7	22.0-29.4	119	15.7	12.6-18.8	61	7.4	5.2- 9.6	182	27.6	23.7-31.5
College Graduate	1335	723,793	424	24.4	21.7-27.1	387	27.3	24.4-30.2	203	16.4	13.9-18.9	104	9.8	7.6-12.0	217	22.1	19.2-25.0
Less than \$15,000	130	110,059	33	18.9	11.5-26.3	30	25.5	15.3-35.7	19	13.7	6.1-21.3	16	14.1	6.3-21.9	32	27.7	17.5-37.9
\$15,000- 24,999	294	209,041	104	26.1	20.0-32.2	74	26.6	19.5-33.7	33	14.3	8.6-20.0	20	9.3	4.2-14.4	63	23.7	17.6-29.8
\$25,000- 34,999	270	189,483	97	28.4	21.5-35.3	57	21.0	14.3-27.7	39	14.1	8.6-19.6	17	4.6	2.1- 7.1	60	31.9	24.3-39.5
\$35,000- 49,999	398	303,745	129	22.2	17.1-27.3	102	25.5	19.8-31.2	53	14.7	9.6-19.8	32	8.8	5.3-12.3	82	28.7	22.4-35.0
\$50,000- 74,999	509	409,784	164	27.1	22.4-31.8	128	20.9	16.8-25.0	76	17.6	13.5-21.7	37	8.1	4.8-11.4	104	26.3	21.2-31.4
\$75,000+	1069	839,080	269	20.7	17.8-23.6	301	24.9	21.8-28.0	175	17.0	14.1-19.9	89	9.2	7.0-11.4	235	28.1	24.6-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1554	1,285,521	318	15.1	12.9-17.3	368	21.5	19.0-24.0	275	18.1	15.6-20.6	119	8.2	6.4-10.0	474	37.1	34.0-40.2
White/Non-Hisp	1292	1,038,946	267	14.7	12.5-16.9	322	22.9	20.0-25.8	221	16.4	13.9-18.9	97	8.0	6.0-10.0	385	38.0	34.5-41.5
Black or Afr. Am./Non-Hisp	92	99,394	18	20.9	10.7-31.1	16	14.1	6.3-21.9	25	29.2	17.4-41.0	7	7.7	0.1-15.3	26	28.1	17.3-38.9
Hispanic	67	75,482	10	16.3	5.5-27.1	11	13.5	3.7-23.3	11	18.6	6.1-31.1	5	7.6	0.5-14.7	30	44.1	30.0-58.2
18-24	84	173,871	3	3.8	0.0- 8.1	15	19.0	9.6-28.4	15	19.1	9.3-28.9	8	9.0	2.3-15.7	43	49.1	36.9-61.3
25-34	199	269,622	27	13.6	8.1-19.1	22	12.9	7.0-18.8	27	14.3	8.8-19.8	16	8.3	4.0-12.6	107	50.9	43.1-58.7
35-44	192	237,530	22	9.5	5.0-14.0	43	22.6	15.9-29.3	44	23.1	16.6-29.6	15	8.8	3.7-13.9	68	36.0	28.6-43.4
45-54	307	231,302	46	15.8	10.9-20.7	76	22.6	17.5-27.7	57	19.1	14.2-24.0	19	6.2	3.1- 9.3	109	36.4	30.1-42.7
55-64	319	192,221	64	18.1	13.4-22.8	81	24.3	19.0-29.6	60	19.0	14.1-23.9	24	8.1	4.6-11.6	90	30.6	24.7-36.5
65+	453	180,974	156	31.9	26.8-37.0	131	30.8	25.5-36.1	72	14.3	10.6-18.0	37	9.0	5.7-12.3	57	14.0	9.9-18.1
Less Than H.S.	82	125,394	11	8.7	3.2-14.2	17	16.8	7.4-26.2	8	7.2	1.3-13.1	11	12.5	3.1-21.9	35	54.8	41.5-68.1
H.S. or G.E.D.	455	387,881	98	16.8	12.9-20.7	94	18.0	13.9-22.1	77	19.2	14.5-23.9	34	9.2	5.5-12.9	152	36.8	31.3-42.3
Some Post-H.S.	390	410,646	69	14.2	10.1-18.3	94	23.9	18.4-29.4	66	17.7	12.8-22.6	30	6.6	4.1- 9.1	131	37.6	31.5-43.7
College Graduate	623	356,036	138	16.6	13.5-19.7	163	24.5	20.6-28.4	122	20.3	16.4-24.2	44	7.5	5.0-10.0	156	31.0	26.5-35.5
Less than \$15,000	67	64,433	15	16.2	7.0-25.4	9	16.7	4.0-29.4	13	20.0	7.8-32.2	8	10.0	2.4-17.6	22	37.0	21.9-52.1
\$15,000- 24,999	133	93,624	27	17.0	9.4-24.6	35	23.8	14.8-32.8	15	13.5	6.1-20.9	8	5.0	0.9- 9.1	48	40.8	30.6-51.0
\$25,000- 34,999	133	97,704	34	15.5	9.2-21.8	21	14.3	6.7-21.9	23	20.0	10.8-29.2	10	3.8	1.1- 6.5	45	46.4	35.2-57.6
\$35,000- 49,999	200	171,924	52	20.2	13.1-27.3	48	24.2	16.2-32.2	30	15.1	7.8-22.4	11	4.8	1.3- 8.3	59	35.7	26.7-44.7
\$50,000- 74,999	274	236,405	59	16.3	11.2-21.4	63	19.8	14.1-25.5	50	19.4	13.7-25.1	23	10.1	5.0-15.2	79	34.3	27.0-41.6
\$75,000+	549	467,802	82	11.3	8.4-14.2	132	21.9	17.6-26.2	108	18.9	14.6-23.2	47	9.6	6.5-12.7	180	38.3	33.0-43.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	1596	1,091,394	658	34.5	31.6-37.4	472	27.6	24.9-30.3	184	13.5	11.1-15.9	124	9.7	7.7-11.7	158	14.8	12.3-17.3	
White/Non-Hisp	1371	914,422	578	36.3	33.0-39.6	405	27.2	24.3-30.1	154	12.0	9.6-14.4	105	9.6	7.4-11.8	129	14.9	12.2-17.6	
Black or Afr. Am./Non-Hisp	109	87,051	42	29.4	20.0-38.8	34	28.8	18.8-38.8	13	19.3	9.3-29.3	9	11.2	3.6-18.8	11	11.4	3.8-19.0	
18-24	88	155,478	14	18.7	8.9-28.5	24	28.0	17.6-38.4	15	17.1	8.3-25.9	10	11.6	4.3-18.9	25	24.7	15.3-34.1	
25-34	167	209,569	49	28.0	20.6-35.4	36	21.7	14.8-28.6	23	15.5	9.2-21.8	17	10.1	5.2-15.0	42	24.6	17.3-31.9	
35-44	202	204,868	58	31.0	23.6-38.4	63	29.4	22.3-36.5	23	11.0	6.3-15.7	26	13.7	8.2-19.2	32	14.9	9.6-20.2	
45-54	318	208,764	122	37.1	30.8-43.4	92	24.5	19.4-29.6	44	16.9	11.6-22.2	24	7.8	4.5-11.1	36	13.7	9.0-18.4	
55-64	344	170,674	130	37.6	31.7-43.5	121	35.2	29.3-41.1	46	13.0	9.1-16.9	31	9.3	5.8-12.8	16	4.9	2.2- 7.6	
65+	477	142,040	285	58.7	53.4-64.0	136	28.5	23.6-33.4	33	5.8	3.4- 8.2	16	4.2	1.8- 6.6	7	2.7	0.3- 5.1	
Less Than H.S.	62	69,575	21	23.5	11.9-35.1	16	36.8	19.9-53.7	6	9.2	0.2-18.2	6	11.4	1.2-21.6	13	19.0	8.0-30.0	
H.S. or G.E.D.	379	257,826	178	42.4	36.1-48.7	97	21.7	16.8-26.6	44	15.8	10.5-21.1	27	8.2	4.7-11.7	33	11.9	7.4-16.4	
Some Post-H.S.	441	394,975	171	33.4	27.9-38.9	135	27.5	22.4-32.6	53	13.7	9.4-18.0	31	8.2	4.9-11.5	51	17.2	12.5-21.9	
College Graduate	712	367,757	286	32.0	27.9-36.1	224	30.1	26.0-34.2	81	12.5	9.6-15.4	60	12.0	8.9-15.1	61	13.4	9.9-16.9	
Less than \$15,000	63	45,625	18	22.7	10.7-34.7	21	37.9	22.0-53.8	6	4.8	0.0-10.3	8	20.0	5.3-34.7	10	14.6	5.0-24.2	
\$15,000- 24,999	161	115,417	77	33.5	24.5-42.5	39	29.0	18.8-39.2	18	14.9	6.5-23.3	12	12.7	4.5-20.9	15	9.9	4.4-15.4	
\$25,000- 34,999	137	91,779	63	42.1	30.9-53.3	36	28.0	17.2-38.8	16	7.8	2.9-12.7	7	5.5	1.0-10.0	15	16.5	8.3-24.7	
\$35,000- 49,999	198	131,821	77	24.8	17.5-32.1	54	27.2	19.0-35.4	23	14.2	7.1-21.3	21	14.2	7.7-20.7	23	19.6	11.2-28.0	
\$50,000- 74,999	235	173,379	105	41.8	33.8-49.8	65	22.4	16.3-28.5	26	15.1	9.0-21.2	14	5.3	2.0- 8.6	25	15.4	8.9-21.9	
\$75,000+	520	371,278	187	32.6	27.5-37.7	169	28.7	23.8-33.6	67	14.6	10.7-18.5	42	8.8	5.9-11.7	55	15.4	11.1-19.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1	MALES AND FEMALES	193
2	MALES ONLY	194
3	FEMALES ONLY	195
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4	MALES AND FEMALES	196
5	MALES ONLY	197
6	FEMALES ONLY	198
	AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)	
7	MALES AND FEMALES	199
8	MALES ONLY	200
9	FEMALES ONLY	201
	HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10	MALES AND FEMALES	202
11	MALES ONLY	203
12	FEMALES ONLY	204

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7205	4,860,231	2573	28.5	27.1-29.9	4632	71.5	70.1-72.9
Male	3059	2,365,091	984	25.1	23.3-26.9	2075	74.9	73.1-76.7
Female	4146	2,495,139	1589	31.7	29.9-33.5	2557	68.3	66.5-70.1
White/Non-Hisp	5982	3,919,410	2214	29.3	27.9-30.7	3768	70.7	69.3-72.1
Black or Afr. Am./Non-Hisp	537	409,828	140	20.6	16.5-24.7	397	79.4	75.3-83.5
Oth. Race/Non-Hisp.	187	128,921	73	37.1	25.5-48.7	114	62.9	51.3-74.5
MultiRacial/Non-Hisp.	127	42,878	36	26.5	16.5-36.5	91	73.5	63.5-83.5
Hispanic	243	280,347	64	24.3	17.6-31.0	179	75.7	69.0-82.4
18-24	347	644,516	63	16.4	12.3-20.5	284	83.6	79.5-87.7
25-34	600	800,603	126	21.3	17.6-25.0	474	78.7	75.0-82.4
35-44	701	785,939	165	22.7	19.2-26.2	536	77.3	73.8-80.8
45-54	1128	785,544	289	23.2	20.5-25.9	839	76.8	74.1-79.5
55-64	1537	826,780	535	32.5	29.8-35.2	1002	67.5	64.8-70.2
65+	2892	1,016,848	1395	47.0	44.8-49.2	1497	53.0	50.8-55.2
Less Than H.S.	563	584,059	180	23.4	19.3-27.5	383	76.6	72.5-80.7
H.S. or G.E.D.	2423	1,617,821	803	25.7	23.5-27.9	1620	74.3	72.1-76.5
Some Post-H.S.	1865	1,512,118	612	26.8	24.3-29.3	1253	73.2	70.7-75.7
College Graduate	2323	1,122,741	968	37.1	34.6-39.6	1355	62.9	60.4-65.4
Less than \$15,000	507	348,555	158	27.0	21.7-32.3	349	73.0	67.7-78.3
\$15,000- 24,999	994	618,334	351	28.4	24.7-32.1	643	71.6	67.9-75.3
\$25,000- 34,999	686	445,811	225	23.9	20.0-27.8	461	76.1	72.2-80.0
\$35,000- 49,999	872	600,920	308	25.0	21.5-28.5	564	75.0	71.5-78.5
\$50,000- 74,999	984	721,469	331	28.2	24.7-31.7	653	71.8	68.3-75.3
\$75,000+	1679	1,267,860	626	30.9	28.2-33.6	1053	69.1	66.4-71.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3059	2,365,091	984	25.1	23.3-26.9	2075	74.9	73.1-76.7
White/Non-Hisp	2496	1,893,304	836	26.0	24.0-28.0	1660	74.0	72.0-76.0
Black or Afr. Am./Non-Hisp	210	194,180	57	20.3	14.2-26.4	153	79.7	73.6-85.8
Oth. Race/Non-Hisp.	97	69,379	33	36.5	20.4-52.6	64	63.5	47.4-79.6
MultiRacial/Non-Hisp.	64	23,550	15	22.0	9.8-34.2	49	78.0	65.8-90.2
Hispanic	122	138,895	21	13.2	6.3-20.1	101	86.8	79.9-93.7
18-24	177	338,352	35	16.9	11.0-22.8	142	83.1	77.2-89.0
25-34	300	403,387	50	16.7	11.8-21.6	250	83.3	78.4-88.2
35-44	317	388,481	58	17.7	13.0-22.4	259	82.3	77.6-87.0
45-54	510	387,726	115	20.0	16.3-23.7	395	80.0	76.3-83.7
55-64	665	402,655	205	29.1	25.2-33.0	460	70.9	67.0-74.8
65+	1090	444,489	521	46.2	42.7-49.7	569	53.8	50.3-57.3
Less Than H.S.	243	300,101	67	17.8	12.5-23.1	176	82.2	76.9-87.5
H.S. or G.E.D.	1024	820,989	290	23.2	20.1-26.3	734	76.8	73.7-79.9
Some Post-H.S.	774	702,819	230	24.3	20.6-28.0	544	75.7	72.0-79.4
College Graduate	1001	527,832	392	32.8	29.3-36.3	609	67.2	63.7-70.7
Less than \$15,000	195	167,161	60	31.5	22.7-40.3	135	68.5	59.7-77.3
\$15,000- 24,999	367	240,783	126	27.0	21.5-32.5	241	73.0	67.5-78.5
\$25,000- 34,999	291	212,318	84	18.7	14.0-23.4	207	81.3	76.6-86.0
\$35,000- 49,999	381	299,267	126	23.8	18.7-28.9	255	76.2	71.1-81.3
\$50,000- 74,999	477	392,251	153	26.0	21.3-30.7	324	74.0	69.3-78.7
\$75,000+	844	690,541	269	25.2	21.7-28.7	575	74.8	71.3-78.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4146	2,495,139	1589	31.7	29.9-33.5	2557	68.3	66.5-70.1
White/Non-Hisp	3486	2,026,107	1378	32.3	30.3-34.3	2108	67.7	65.7-69.7
Black or Afr. Am./Non-Hisp	327	215,649	83	20.9	15.4-26.4	244	79.1	73.6-84.6
Oth. Race/Non-Hisp.	90	59,543	40	37.8	21.1-54.5	50	62.2	45.5-78.9
MultiRacial/Non-Hisp.	63	19,328	21	32.0	15.9-48.1	42	68.0	51.9-84.1
Hispanic	121	141,451	43	35.3	24.5-46.1	78	64.7	53.9-75.5
18-24	170	306,164	28	15.8	9.7-21.9	142	84.2	78.1-90.3
25-34	300	397,217	76	25.9	20.4-31.4	224	74.1	68.6-79.6
35-44	384	397,459	107	27.5	22.2-32.8	277	72.5	67.2-77.8
45-54	618	397,817	174	26.3	22.2-30.4	444	73.7	69.6-77.8
55-64	872	424,124	330	35.8	32.1-39.5	542	64.2	60.5-67.9
65+	1802	572,359	874	47.6	44.9-50.3	928	52.4	49.7-55.1
Less Than H.S.	320	283,958	113	29.4	22.9-35.9	207	70.6	64.1-77.1
H.S. or G.E.D.	1399	796,832	513	28.2	25.3-31.1	886	71.8	68.9-74.7
Some Post-H.S.	1091	809,298	382	29.1	25.6-32.6	709	70.9	67.4-74.4
College Graduate	1322	594,909	576	40.9	37.6-44.2	746	59.1	55.8-62.4
Less than \$15,000	312	181,393	98	22.9	17.2-28.6	214	77.1	71.4-82.8
\$15,000- 24,999	627	377,552	225	29.3	24.2-34.4	402	70.7	65.6-75.8
\$25,000- 34,999	395	233,493	141	28.6	22.5-34.7	254	71.4	65.3-77.5
\$35,000- 49,999	491	301,653	182	26.2	21.7-30.7	309	73.8	69.3-78.3
\$50,000- 74,999	507	329,218	178	30.7	25.6-35.8	329	69.3	64.2-74.4
\$75,000+	835	577,319	357	37.7	33.6-41.8	478	62.3	58.2-66.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017			Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2381	1,271,026	4	0.3	0.0- 0.7	39	2.3	1.3- 3.3	1395	61.4	58.9-63.9	193	9.0	7.4-10.6	59	2.4	1.4- 3.4	691	24.5	22.3-26.7
Male	904	530,689	3	0.7	0.0- 1.5	19	2.7	1.1- 4.3	509	57.4	53.1-61.7	83	10.4	7.7-13.1	28	2.7	1.1- 4.3	262	26.0	22.5-29.5
Female	1477	740,338	1	0.1	0.0- 0.3	20	1.9	0.5- 3.3	886	64.3	61.0-67.6	110	8.1	6.1-10.1	31	2.2	1.2- 3.2	429	23.5	20.8-26.2
White/Non-Hisp	2067	1,065,676	3	0.3	0.0- 0.7	27	1.6	0.8- 2.4	1216	61.4	58.7-64.1	151	8.7	6.9-10.5	47	2.2	1.2- 3.2	623	25.9	23.5-28.3
Black or Afr. Am./Non-Hisp	118	72,581				3	1.8	0.0- 4.0	62	56.2	44.4-68.0	23	18.4	9.4-27.4	3	0.9	0.0- 1.9	27	22.7	12.7-32.7
Oth. Race/Non-Hisp.	62	38,974	1	3.0	0.0- 8.9	2	1.8	0.0- 4.5	36	73.0	57.1-88.9	6	4.2	0.0- 8.9				17	18.0	4.9-31.1
Hispanic	59	61,934				4	11.2	0.0-24.3	36	57.2	40.3-74.1	5	8.7	0.3-17.1	5	8.2	0.0-16.8	9	14.7	2.7-26.7
18-24	52	89,128	1	1.6	0.0- 4.7	5	5.8	0.0-12.5	24	51.6	36.5-66.7	8	15.2	4.6-25.8	2	3.5	0.0- 8.4	12	22.2	9.9-34.5
25-34	122	164,765	1	0.7	0.0- 2.1	4	2.4	0.0- 4.9	78	67.4	58.2-76.6	12	11.0	4.7-17.3	7	6.2	0.9-11.5	20	12.3	6.2-18.4
35-44	146	155,129				3	3.9	0.0- 9.4	93	66.7	57.7-75.7	14	9.0	4.1-13.9	2	0.4	0.0- 1.0	34	20.0	12.9-27.1
45-54	271	170,277				2	0.3	0.0- 0.9	165	63.2	56.5-69.9	26	9.1	5.2-13.0	2	0.7	0.0- 1.7	76	26.6	20.5-32.7
55-64	499	249,153	2	0.6	0.0- 1.4	7	1.9	0.1- 3.7	305	61.5	56.4-66.6	41	8.3	5.6-11.0	13	2.5	0.9- 4.1	131	25.0	20.5-29.5
65+	1291	442,573				18	1.8	0.8- 2.8	730	58.5	55.2-61.8	92	7.5	5.7- 9.3	33	2.1	1.3- 2.9	418	30.1	27.2-33.0
Less Than H.S.	158	124,622				5	5.8	0.0-12.7	89	58.5	48.3-68.7	16	8.8	3.5-14.1	9	5.4	0.9- 9.9	39	21.5	14.1-28.9
H.S. or G.E.D.	718	358,789	2	0.6	0.0- 1.4	9	1.6	0.4- 2.8	380	56.3	51.6-61.0	81	12.1	9.0-15.2	23	2.8	1.4- 4.2	223	26.5	22.6-30.4
Some Post-H.S.	571	381,410	1	0.2	0.0- 0.6	11	2.9	0.9- 4.9	326	60.2	54.7-65.7	45	9.3	6.0-12.6	15	2.8	0.6- 5.0	173	24.6	20.1-29.1
College Graduate	925	397,908	1	0.3	0.0- 0.9	14	1.2	0.4- 2.0	593	67.3	63.4-71.2	51	6.3	4.1- 8.5	12	0.8	0.2- 1.4	254	24.1	20.8-27.4
Less than \$15,000	136	77,823				6	7.1	0.0-14.5	58	45.6	32.9-58.3	24	16.8	8.6-25.0	6	5.9	0.0-11.8	42	24.6	15.0-34.2
\$15,000- 24,999	326	160,561	1	0.7	0.0- 2.1	8	5.1	0.0-10.6	178	57.6	49.8-65.4	32	10.3	6.2-14.4	13	3.7	0.8- 6.6	94	22.5	16.8-28.2
\$25,000- 34,999	214	101,441				4	3.4	0.0- 7.3	123	56.2	47.0-65.4	23	11.7	5.2-18.2	6	2.0	0.2- 3.8	58	26.7	19.1-34.3
\$35,000- 49,999	289	142,846	2	1.5	0.0- 3.7	6	1.7	0.0- 3.5	168	62.2	54.8-69.6	20	8.2	3.7-12.7	9	2.2	0.4- 4.0	84	24.2	17.7-30.7
\$50,000- 74,999	312	189,268	1	0.4	0.0- 1.2	4	0.8	0.0- 1.6	199	66.6	60.1-73.1	21	7.0	3.1-10.9	5	1.2	0.0- 2.4	82	24.0	18.3-29.7
\$75,000+	604	375,206				8	1.6	0.4- 2.8	394	66.8	61.9-71.7	40	8.4	5.3-11.5	7	1.7	0.0- 3.7	155	21.5	17.4-25.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017			Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	904	530,689	3	0.7	0.0- 1.5	19	2.7	1.1- 4.3	509	57.4	53.1-61.7	83	10.4	7.9-12.9	28	2.7	1.1- 4.3	262	26.0	22.5-29.5
White/Non-Hisp	775	446,929	2	0.5	0.0- 1.3	17	3.1	1.3- 4.9	442	57.1	52.6-61.6	60	9.0	6.3-11.7	21	2.6	0.8- 4.4	233	27.6	23.7-31.5
Black or Afr. Am./Non-Hisp	50	34,143							21	45.2	27.8-62.6	14	26.8	11.3-42.3	2	1.0	0.0- 2.4	13	27.0	11.7-42.3
35-44	51	56,677				1	2.0	0.0- 5.9	28	59.4	44.1-74.7	6	13.9	3.1-24.7	1	0.5	0.0- 1.5	15	24.1	10.8-37.4
45-54	107	71,601				1	0.2	0.0- 0.6	56	55.1	44.5-65.7	13	9.4	3.7-15.1	1	1.1	0.0- 3.3	36	34.1	23.9-44.3
55-64	189	105,861	1	0.8	0.0- 2.4	4	3.9	0.0- 7.8	110	58.3	50.1-66.5	15	9.0	4.3-13.7	5	1.8	0.2- 3.4	54	26.2	18.9-33.5
65+	483	188,989				8	2.3	0.3- 4.3	275	57.7	52.4-63.0	38	8.0	4.9-11.1	17	2.6	1.0- 4.2	145	29.4	24.5-34.3
Less Than H.S.	57	47,013				1	3.0	0.0- 8.9	37	64.3	48.8-79.8	10	18.2	6.0-30.4	2	1.9	0.0- 4.6	7	12.5	2.1-22.9
H.S. or G.E.D.	251	152,205	1	1.0	0.0- 2.8	4	1.9	0.0- 4.1	128	51.6	43.8-59.4	33	14.0	8.5-19.5	10	3.3	0.8- 5.8	75	28.2	21.3-35.1
Some Post-H.S.	219	161,674	1	0.5	0.0- 1.5	7	4.9	0.8- 9.0	119	54.5	45.7-63.3	16	8.1	3.4-12.8	10	4.4	0.0- 8.9	66	27.6	20.2-35.0
College Graduate	373	164,764	1	0.7	0.0- 2.1	7	1.4	0.2- 2.6	221	62.5	56.4-68.6	24	7.3	3.6-11.0	6	0.9	0.1- 1.7	114	27.1	21.8-32.4
Less than \$15,000	50	43,811				4	10.5	0.0-23.2	20	47.1	27.7-66.5	11	16.9	5.5-28.3	2	2.0	0.0- 5.5	13	23.5	9.2-37.8
\$15,000- 24,999	119	57,785	1	2.1	0.0- 6.0	5	5.9	0.0-12.0	65	52.4	40.8-64.0	14	15.1	7.1-23.1	7	3.2	0.5- 5.9	27	21.4	12.2-30.6
\$25,000- 34,999	80	37,403				2	4.1	0.0-10.8	46	53.7	40.2-67.2	11	11.1	2.5-19.7	3	1.7	0.0- 3.9	18	29.4	16.9-41.9
\$35,000- 49,999	117	67,216	1	2.2	0.0- 6.3	1	0.7	0.0- 2.1	65	59.3	47.1-71.5	8	9.3	1.5-17.1	6	3.9	0.2- 7.6	36	24.7	14.1-35.3
\$50,000- 74,999	140	90,263	1	0.9	0.0- 2.7	3	1.1	0.0- 2.3	77	56.3	45.9-66.7	13	12.0	4.2-19.8	2	0.9	0.0- 2.1	44	28.9	19.7-38.1
\$75,000+	259	164,981				4	2.2	0.0- 4.4	158	64.0	56.6-71.4	16	7.0	2.7-11.3	3	3.1	0.0- 7.4	78	23.7	17.6-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2017			May-Aug 2017			Sep-Dec 2017			Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1477	740,338	1	0.1	0.0- 0.3	20	1.9	0.5- 3.3	886	64.3	61.0-67.6	110	8.1	6.1-10.1	31	2.2	1.2- 3.2	429	23.5	20.8-26.2
White/Non-Hisp	1292	618,748	1	0.1	0.0- 0.3	10	0.5	0.1- 0.9	774	64.5	61.2-67.8	91	8.4	6.2-10.6	26	1.8	1.0- 2.6	390	24.6	21.9-27.3
Black or Afr. Am./Non-Hisp	68	38,438				3	3.5	0.0- 7.4	41	65.9	51.0-80.8	9	10.9	1.9-19.9	1	0.8	0.0- 2.4	14	18.9	6.0-31.8
25-34	74	99,894				3	3.2	0.0- 6.9	46	67.4	55.8-79.0	7	11.3	2.7-19.9	4	5.0	0.0-10.1	14	13.2	5.8-20.6
35-44	95	98,451				2	4.9	0.0-13.1	65	71.0	59.8-82.2	8	6.1	1.6-10.6	1	0.4	0.0- 1.2	19	17.6	9.4-25.8
45-54	164	98,677				1	0.4	0.0- 1.2	109	69.1	60.7-77.5	13	8.9	3.4-14.4	1	0.5	0.0- 1.5	40	21.1	13.7-28.5
55-64	310	143,293	1	0.5	0.0- 1.5	3	0.5	0.0- 1.1	195	64.0	57.7-70.3	26	7.8	4.3-11.3	8	3.0	0.6- 5.4	77	24.2	18.7-29.7
65+	808	253,584				10	1.5	0.5- 2.5	455	59.2	55.1-63.3	54	7.0	4.8- 9.2	16	1.7	0.7- 2.7	273	30.6	26.9-34.3
Less Than H.S.	101	77,609				4	7.5	0.0-17.9	52	55.1	42.0-68.2	6	3.0	0.0- 6.1	7	7.5	0.6-14.4	32	26.9	16.5-37.3
H.S. or G.E.D.	467	206,583	1	0.3	0.0- 0.9	5	1.3	0.0- 2.7	252	59.9	54.2-65.6	48	10.7	7.2-14.2	13	2.5	0.7- 4.3	148	25.3	20.8-29.8
Some Post-H.S.	352	219,736				4	1.4	0.0- 3.0	207	64.4	57.7-71.1	29	10.1	5.4-14.8	5	1.6	0.0- 3.2	107	22.4	16.9-27.9
College Graduate	552	233,144				7	1.0	0.0- 2.0	372	70.7	65.8-75.6	27	5.6	2.9- 8.3	6	0.8	0.0- 1.6	140	21.9	17.4-26.4
Less than \$15,000	86	34,012				2	2.7	0.0- 6.4	38	43.6	29.3-57.9	13	16.8	4.8-28.8	4	10.9	0.0-23.1	29	25.9	13.9-37.9
\$15,000- 24,999	207	102,777				3	4.7	0.0-12.5	113	60.6	50.4-70.8	18	7.7	3.2-12.2	6	4.1	0.0- 8.6	67	23.1	15.8-30.4
\$25,000- 34,999	134	64,038				2	3.1	0.0- 7.8	77	57.7	45.7-69.7	12	12.0	3.2-20.8	3	2.1	0.0- 4.6	40	25.2	16.0-34.4
\$35,000- 49,999	172	75,630	1	0.9	0.0- 2.7	5	2.6	0.0- 5.7	103	64.8	55.8-73.8	12	7.2	2.3-12.1	3	0.8	0.0- 1.8	48	23.7	16.1-31.3
\$50,000- 74,999	172	99,006				1	0.6	0.0- 1.8	122	76.0	68.6-83.4	8	2.4	0.2- 4.6	3	1.5	0.0- 3.5	38	19.5	12.6-26.4
\$75,000+	345	210,225				4	1.1	0.0- 2.5	236	69.0	62.3-75.7	24	9.5	4.8-14.2	4	0.7	0.0- 1.5	77	19.8	14.1-25.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

**TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2553	1,370,857	1208	46.6	44.1-49.1	168	7.4	6.0- 8.8	17	0.4	0.2- 0.6	761	24.4	22.2-26.6	398	21.2	18.8-23.6	1	0.0	0.0- 0.0
Male	977	586,706	446	45.8	41.7-49.9	79	8.5	6.1-10.9	7	0.4	0.0- 0.8	283	24.1	20.8-27.4	162	21.2	17.7-24.7			
Female	1576	784,151	762	47.1	43.8-50.4	89	6.6	4.8- 8.4	10	0.4	0.2- 0.6	478	24.7	22.0-27.4	236	21.2	18.3-24.1	1	0.0	0.0- 0.0
White/Non-Hisp	2201	1,139,525	1028	46.4	43.7-49.1	132	6.9	5.5- 8.3	14	0.3	0.1- 0.5	686	25.8	23.6-28.0	340	20.5	18.1-22.9	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	137	82,474	76	54.5	43.5-65.5	15	9.8	4.1-15.5	2	1.1	0.0- 3.1	25	15.4	7.8-23.0	19	19.2	9.8-28.6			
Oth. Race/Non-Hisp.	72	47,725	40	47.8	27.8-67.8	7	8.0	0.0-16.2				10	9.8	1.4-18.2	15	34.4	14.2-54.6			
Hispanic	63	67,343	25	40.1	24.4-55.8	9	15.4	3.8-27.0				17	22.8	9.9-35.7	12	21.7	7.2-36.2			
18-24	62	103,955	27	41.4	27.9-54.9	6	10.7	1.9-19.5				13	21.2	9.6-32.8	16	26.7	14.0-39.4			
25-34	125	169,071	57	50.4	40.6-60.2	9	7.9	2.6-13.2				24	14.7	8.4-21.0	35	27.0	18.4-35.6			
35-44	163	174,774	68	42.4	33.4-51.4	18	10.1	5.2-15.0	1	0.5	0.0- 1.5	21	8.2	4.3-12.1	55	38.9	29.9-47.9			
45-54	287	180,743	110	40.1	33.2-47.0	21	6.6	3.3- 9.9				53	19.3	13.8-24.8	103	34.1	27.8-40.4			
55-64	531	266,694	234	43.1	38.2-48.0	48	9.1	6.2-12.0	2	0.2	0.0- 0.6	132	24.4	20.1-28.7	115	23.2	18.9-27.5			
65+	1385	475,620	712	52.3	49.2-55.4	66	4.9	3.5- 6.3	14	0.8	0.4- 1.2	518	36.6	33.5-39.7	74	5.4	3.8- 7.0	1	0.1	0.0- 0.3
Less Than H.S.	179	135,929	104	59.3	49.7-68.9	13	8.1	3.2-13.0	3	0.8	0.0- 1.6	48	21.5	14.4-28.6	11	10.3	2.9-17.7			
H.S. or G.E.D.	792	408,210	433	53.5	49.0-58.0	47	5.6	3.8- 7.4	7	0.3	0.1- 0.5	234	25.8	22.1-29.5	71	14.7	10.8-18.6			
Some Post-H.S.	607	403,564	288	44.4	39.1-49.7	40	8.3	5.2-11.4	4	0.5	0.0- 1.1	179	24.0	19.7-28.3	96	22.8	17.9-27.7			
College Graduate	965	414,165	381	38.2	34.3-42.1	66	7.9	5.5-10.3	3	0.1	0.0- 0.3	297	24.8	21.5-28.1	217	29.0	25.3-32.7	1	0.1	0.0- 0.3
Less than \$15,000	157	93,806	84	60.1	49.1-71.1	16	9.8	3.5-16.1	3	1.5	0.0- 3.5	48	20.9	13.3-28.5	6	7.7	0.0-15.9			
\$15,000- 24,999	348	175,523	196	54.8	47.2-62.4	25	8.1	4.2-12.0	3	0.5	0.0- 1.1	103	24.1	18.4-29.8	21	12.5	5.2-19.8			
\$25,000- 34,999	225	106,380	122	53.8	44.8-62.8	15	9.0	3.1-14.9	2	0.6	0.0- 1.4	67	22.8	16.3-29.3	19	13.8	6.4-21.2			
\$35,000- 49,999	306	149,717	160	53.4	46.0-60.8	16	7.1	2.2-12.0	3	0.7	0.0- 1.5	93	26.4	20.3-32.5	34	12.4	7.5-17.3			
\$50,000- 74,999	328	199,673	142	42.7	35.8-49.6	20	5.3	2.6- 8.0	1	0.0	0.0- 0.0	93	24.4	18.5-30.3	72	27.5	21.0-34.0			
\$75,000+	623	390,185	242	38.7	33.6-43.8	49	8.7	5.8-11.6				145	18.3	14.6-22.0	186	34.3	29.4-39.2	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	977	586,706	446	45.8	41.7-49.9	79	8.5	6.1-10.9	7	0.4	0.0- 0.8	283	24.1	20.8-27.4	162	21.2	17.7-24.7
White/Non-Hisp	832	489,204	375	45.3	41.0-49.6	63	7.8	5.6-10.0	6	0.4	0.0- 0.8	255	26.0	22.3-29.7	133	20.5	16.8-24.2
Black or Afr. Am./Non-Hisp	56	37,799	32	59.1	43.2-75.0	7	9.9	1.9-17.9				9	17.8	4.7-30.9	8	13.3	3.1-23.5
25-34	50	67,339	21	50.9	34.8-67.0	3	6.1	0.0-13.0				11	19.3	7.5-31.1	15	23.8	11.1-36.5
35-44	57	66,577	26	45.4	30.5-60.3	8	14.1	4.3-23.9				5	5.6	0.0-11.7	18	34.9	20.4-49.4
45-54	113	75,931	41	36.4	26.4-46.4	9	6.4	1.7-11.1				21	19.7	11.1-28.3	42	37.4	27.4-47.4
55-64	204	116,434	94	44.6	36.8-52.4	24	12.1	6.8-17.4	1	0.3	0.0- 0.9	47	22.2	15.3-29.1	38	20.8	14.1-27.5
65+	519	204,951	249	49.1	43.8-54.4	33	6.4	4.0- 8.8	6	0.8	0.0- 1.6	193	36.3	31.4-41.2	38	7.3	4.6-10.0
Less Than H.S.	66	52,527	36	55.3	40.0-70.6	5	9.8	1.2-18.4	2	1.4	0.0- 3.4	16	19.9	8.7-31.1	7	13.7	2.5-24.9
H.S. or G.E.D.	288	186,352	150	51.3	44.0-58.6	21	5.4	2.7- 8.1				83	25.5	19.4-31.6	34	17.8	11.3-24.3
Some Post-H.S.	228	169,935	107	44.4	36.0-52.8	19	9.5	4.2-14.8	3	0.8	0.0- 1.8	62	23.4	16.5-30.3	37	21.9	14.5-29.3
College Graduate	390	172,169	152	39.7	33.6-45.8	33	9.9	6.0-13.8	2	0.0	0.0- 0.0	121	24.9	19.8-30.0	82	25.5	20.0-31.0
Less than \$15,000	60	52,628	31	60.0	43.3-76.7	9	9.8	1.4-18.2				15	17.3	6.7-27.9	5	12.9	0.0-26.8
\$15,000- 24,999	125	65,033	66	51.7	40.3-63.1	14	12.7	5.4-20.0	1	0.6	0.0- 1.8	38	29.5	19.5-39.5	6	5.5	0.0-11.2
\$25,000- 34,999	84	39,654	44	49.4	36.5-62.3	6	9.5	1.1-17.9	1	0.9	0.0- 2.7	26	27.8	16.0-39.6	7	12.4	2.4-22.4
\$35,000- 49,999	126	71,359	69	56.0	44.2-67.8	5	7.0	0.0-15.2	2	1.0	0.0- 2.4	41	28.5	18.7-38.3	9	7.5	1.6-13.4
\$50,000- 74,999	151	99,740	67	39.0	29.4-48.6	12	7.6	2.7-12.5	1	0.0	0.0- 0.2	39	24.8	15.8-33.8	32	28.6	18.6-38.6
\$75,000+	268	173,617	108	42.0	34.4-49.6	24	9.3	5.0-13.6				61	15.0	10.5-19.5	75	33.7	26.1-41.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1576	784,151	762	47.1	43.8-50.4	89	6.6	4.8- 8.4	10	0.4	0.2- 0.6	478	24.7	22.0-27.4	236	21.2	18.3-24.1	1	0.0	0.0- 0.0
White/Non-Hisp	1369	650,322	653	47.2	43.7-50.7	69	6.2	4.2- 8.2	8	0.3	0.1- 0.5	431	25.7	23.0-28.4	207	20.5	17.6-23.4	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	81	44,675	44	50.6	35.7-65.5	8	9.8	1.8-17.8	2	2.1	0.0- 5.8	16	13.4	4.8-22.0	11	24.2	9.7-38.7			
25-34	75	101,732	36	50.1	37.6-62.6	6	9.1	1.7-16.5				13	11.7	5.0-18.4	20	29.1	17.5-40.7			
35-44	106	108,196	42	40.6	29.4-51.8	10	7.6	2.7-12.5	1	0.8	0.0- 2.4	16	9.8	4.7-14.9	37	41.3	29.9-52.7			
45-54	174	104,812	69	42.8	33.6-52.0	12	6.7	2.2-11.2				32	18.9	11.8-26.0	61	31.6	23.6-39.6			
55-64	327	150,260	140	41.9	35.6-48.2	24	6.9	3.8-10.0	1	0.1	0.0- 0.3	85	26.1	20.4-31.8	77	25.1	19.6-30.6			
65+	866	270,669	463	54.7	50.8-58.6	33	3.8	2.2- 5.4	8	0.7	0.1- 1.3	325	36.8	32.9-40.7	36	3.9	2.3- 5.5	1	0.1	0.0- 0.3
Less Than H.S.	113	83,402	68	61.9	49.6-74.2	8	7.0	1.1-12.9	1	0.4	0.0- 1.2	32	22.5	13.5-31.5	4	8.1	0.0-18.3			
H.S. or G.E.D.	504	221,858	283	55.4	49.7-61.1	26	5.8	3.3- 8.3	7	0.6	0.0- 1.2	151	26.1	21.4-30.8	37	12.2	7.5-16.9			
Some Post-H.S.	379	233,629	181	44.4	37.5-51.3	21	7.3	3.2-11.4	1	0.4	0.0- 1.2	117	24.4	19.1-29.7	59	23.5	17.0-30.0			
College Graduate	575	241,996	229	37.2	31.9-42.5	33	6.4	3.7- 9.1	1	0.1	0.0- 0.3	176	24.7	20.4-29.0	135	31.5	26.4-36.6	1	0.1	0.0- 0.3
Less than \$15,000	97	41,178	53	60.3	47.2-73.4	7	9.7	0.1-19.3	3	3.4	0.0- 7.7	33	25.6	15.0-36.2	1	1.0	0.0- 3.0			
\$15,000- 24,999	223	110,490	130	56.6	46.2-67.0	11	5.4	1.1- 9.7	2	0.4	0.0- 1.0	65	20.9	14.2-27.6	15	16.7	6.1-27.3			
\$25,000- 34,999	141	66,727	78	56.3	44.1-68.5	9	8.7	0.9-16.5	1	0.5	0.0- 1.5	41	19.8	12.5-27.1	12	14.7	4.5-24.9			
\$35,000- 49,999	180	78,358	91	51.1	41.7-60.5	11	7.1	1.4-12.8	1	0.4	0.0- 1.2	52	24.6	17.2-32.0	25	16.9	9.5-24.3			
\$50,000- 74,999	177	99,933	75	46.3	36.9-55.7	8	3.1	0.6- 5.6				54	24.1	16.7-31.5	40	26.4	18.0-34.8			
\$75,000+	355	216,568	134	36.0	29.3-42.7	25	8.3	4.2-12.4				84	20.9	15.2-26.6	111	34.7	28.2-41.2	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6805	4,440,998	3100	34.2	32.8-35.6	3705	65.8	64.4-67.2
Male	2848	2,141,127	1159	30.7	28.5-32.9	1689	69.3	67.1-71.5
Female	3957	2,299,871	1941	37.5	35.5-39.5	2016	62.5	60.5-64.5
White/Non-Hisp	5660	3,576,526	2665	36.4	34.8-38.0	2995	63.6	62.0-65.2
Black or Afr. Am./Non-Hisp	520	395,473	199	27.2	22.7-31.7	321	72.8	68.3-77.3
Oth. Race/Non-Hisp.	163	107,071	72	21.0	11.4-30.6	91	79.0	69.4-88.6
MultiRacial/Non-Hisp.	119	39,099	58	43.8	32.2-55.4	61	56.2	44.6-67.8
Hispanic	224	247,867	53	19.0	13.1-24.9	171	81.0	75.1-86.9
18-24	262	490,601	85	32.7	26.2-39.2	177	67.3	60.8-73.8
25-34	515	694,190	90	18.3	14.6-22.0	425	81.7	78.0-85.4
35-44	639	717,394	99	13.7	10.8-16.6	540	86.3	83.4-89.2
45-54	1066	739,422	239	21.6	18.9-24.3	827	78.4	75.7-81.1
55-64	1491	800,902	510	32.2	29.5-34.9	981	67.8	65.1-70.5
65+	2832	998,488	2077	71.8	69.8-73.8	755	28.2	26.2-30.2
Less Than H.S.	534	542,501	252	33.2	28.3-38.1	282	66.8	61.9-71.7
H.S. or G.E.D.	2311	1,506,932	1089	35.5	33.1-37.9	1222	64.5	62.1-66.9
Some Post-H.S.	1759	1,365,895	825	35.4	32.7-38.1	934	64.6	61.9-67.3
College Graduate	2172	1,003,092	921	31.3	28.9-33.7	1251	68.7	66.3-71.1
Less than \$15,000	478	322,646	246	42.9	37.0-48.8	232	57.1	51.2-63.0
\$15,000- 24,999	957	574,165	532	41.7	37.6-45.8	425	58.3	54.2-62.4
\$25,000- 34,999	655	409,195	339	36.3	31.6-41.0	316	63.7	59.0-68.4
\$35,000- 49,999	838	555,915	400	35.3	31.2-39.4	438	64.7	60.6-68.8
\$50,000- 74,999	934	678,321	379	32.4	28.7-36.1	555	67.6	63.9-71.3
\$75,000+	1566	1,142,706	513	25.6	22.9-28.3	1053	74.4	71.7-77.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

**TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with a do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2848	2,141,127	1159	30.7	28.5-32.9	1689	69.3	67.1-71.5
White/Non-Hisp	2325	1,708,889	979	32.9	30.5-35.3	1346	67.1	64.7-69.5
Black or Afr. Am./Non-Hisp	203	185,633	70	25.2	18.1-32.3	133	74.8	67.7-81.9
Oth. Race/Non-Hisp.	86	63,692	33	17.0	5.6-28.4	53	83.0	71.6-94.4
MultiRacial/Non-Hisp.	61	21,806	28	41.2	26.3-56.1	33	58.8	43.9-73.7
Hispanic	111	118,207	24	16.9	8.9-24.9	87	83.1	75.1-91.1
18-24	131	256,557	40	30.0	21.2-38.8	91	70.0	61.2-78.8
25-34	256	352,153	43	15.7	10.8-20.6	213	84.3	79.4-89.2
35-44	287	353,788	34	11.5	7.4-15.6	253	88.5	84.4-92.6
45-54	472	356,212	97	21.0	16.9-25.1	375	79.0	74.9-83.1
55-64	637	386,368	209	30.8	26.7-34.9	428	69.2	65.1-73.3
65+	1065	436,049	736	66.9	63.4-70.4	329	33.1	29.6-36.6
Less Than H.S.	226	273,462	90	29.7	22.3-37.1	136	70.3	62.9-77.7
H.S. or G.E.D.	964	753,822	365	29.2	25.9-32.5	599	70.8	67.5-74.1
Some Post-H.S.	723	632,163	299	31.6	27.5-35.7	424	68.4	64.3-72.5
College Graduate	920	469,243	399	32.7	29.2-36.2	521	67.3	63.8-70.8
Less than \$15,000	180	150,140	84	42.3	32.9-51.7	96	57.7	48.3-67.1
\$15,000- 24,999	353	224,886	166	34.6	28.5-40.7	187	65.4	59.3-71.5
\$25,000- 34,999	272	191,909	121	29.8	23.5-36.1	151	70.2	63.9-76.5
\$35,000- 49,999	359	276,132	152	30.7	24.8-36.6	207	69.3	63.4-75.2
\$50,000- 74,999	449	365,799	173	30.6	25.5-35.7	276	69.4	64.3-74.5
\$75,000+	786	625,462	260	25.7	21.8-29.6	526	74.3	70.4-78.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3957	2,299,871	1941	37.5	35.5-39.5	2016	62.5	60.5-64.5
White/Non-Hisp	3335	1,867,637	1686	39.6	37.4-41.8	1649	60.4	58.2-62.6
Black or Afr. Am./Non-Hisp	317	209,840	129	29.0	23.1-34.9	188	71.0	65.1-76.9
Oth. Race/Non-Hisp.	77	43,379	39	26.8	10.3-43.3	38	73.2	56.7-89.7
MultiRacial/Non-Hisp.	58	17,293	30	47.1	29.1-65.1	28	52.9	34.9-70.9
Hispanic	113	129,660	29	20.9	12.3-29.5	84	79.1	70.5-87.7
18-24	131	234,045	45	35.6	26.2-45.0	86	64.4	55.0-73.8
25-34	259	342,036	47	21.0	15.3-26.7	212	79.0	73.3-84.7
35-44	352	363,606	65	15.8	11.9-19.7	287	84.2	80.3-88.1
45-54	594	383,210	142	22.2	18.5-25.9	452	77.8	74.1-81.5
55-64	854	414,533	301	33.5	29.8-37.2	553	66.5	62.8-70.2
65+	1767	562,440	1341	75.7	73.3-78.1	426	24.3	21.9-26.7
Less Than H.S.	308	269,039	162	36.7	30.0-43.4	146	63.3	56.6-70.0
H.S. or G.E.D.	1347	753,109	724	41.8	38.5-45.1	623	58.2	54.9-61.5
Some Post-H.S.	1036	733,732	526	38.8	35.1-42.5	510	61.2	57.5-64.9
College Graduate	1252	533,849	522	30.0	26.9-33.1	730	70.0	66.9-73.1
Less than \$15,000	298	172,507	162	43.4	36.1-50.7	136	56.6	49.3-63.9
\$15,000- 24,999	604	349,280	366	46.3	40.8-51.8	238	53.7	48.2-59.2
\$25,000- 34,999	383	217,287	218	42.1	35.4-48.8	165	57.9	51.2-64.6
\$35,000- 49,999	479	279,783	248	39.9	34.2-45.6	231	60.1	54.4-65.8
\$50,000- 74,999	485	312,522	206	34.4	28.9-39.9	279	65.6	60.1-71.1
\$75,000+	780	517,244	253	25.4	21.7-29.1	527	74.6	70.9-78.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 12: FALLS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	206
2	MALES ONLY	207
3	FEMALES ONLY	208
	DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)	
4	MALES AND FEMALES	209
5	MALES ONLY	210
6	FEMALES ONLY	211

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5506	2,606,197	707	12.3	11.3-13.3	383	7.1	6.3-7.9	186	3.3	2.7-3.9	75	1.3	0.9-1.7	224	4.5	3.7-5.3	3931	71.5	70.1-72.9
Male	2236	1,222,749	229	9.9	8.5-11.3	141	6.0	4.8-7.2	72	3.5	2.5-4.5	31	1.3	0.7-1.9	90	4.7	3.5-5.9	1673	74.5	72.3-76.7
Female	3270	1,383,448	478	14.4	12.8-16.0	242	8.0	6.8-9.2	114	3.1	2.5-3.7	44	1.2	0.8-1.6	134	4.3	3.3-5.3	2258	68.9	66.9-70.9
White/Non-Hisp	4751	2,245,834	618	12.3	11.1-13.5	325	7.0	6.0-8.0	154	3.2	2.6-3.8	62	1.2	0.8-1.6	193	4.6	3.8-5.4	3399	71.7	70.1-73.3
Black or Afr. Am./Non-Hisp	361	196,210	45	11.1	7.4-14.8	28	8.3	4.8-11.8	17	4.2	1.8-6.6	6	2.0	0.0-4.0	11	3.0	0.8-5.2	254	71.4	65.7-77.1
Oth. Race/Non-Hisp.	121	45,257	15	18.1	2.8-33.4	14	8.7	2.0-15.4	2	0.3	0.0-0.9	1	0.1	0.0-0.3	8	5.4	0.0-11.3	81	67.4	51.7-83.1
MultiRacial/Non-Hisp.	79	16,015	9	12.2	3.2-21.2	6	12.3	1.5-23.1	4	5.5	0.0-11.4	3	3.2	0.0-6.9	8	9.7	2.1-17.3	49	57.2	43.7-70.7
Hispanic	92	56,583	10	12.0	2.6-21.4	7	9.0	1.9-16.1	6	6.8	0.5-13.1	2	2.2	0.0-5.1				67	70.1	58.1-82.1
45-54	1118	775,630	116	9.9	7.7-12.1	78	7.6	5.8-9.4	31	2.8	1.6-4.0	14	1.4	0.6-2.2	45	4.1	2.7-5.5	834	74.2	71.3-77.1
55-64	1516	815,619	203	13.5	11.5-15.5	109	7.4	5.8-9.0	50	3.3	2.3-4.3	28	1.4	0.8-2.0	80	6.4	4.8-8.0	1046	68.0	65.3-70.7
65+	2864	1,006,201	386	13.1	11.5-14.7	195	6.5	5.3-7.7	105	3.7	2.9-4.5	33	1.1	0.7-1.5	99	3.3	2.5-4.1	2046	72.4	70.4-74.4
Less Than H.S.	415	292,277	42	9.4	6.1-12.7	33	8.9	5.4-12.4	25	6.5	3.8-9.2	6	1.4	0.2-2.6	32	7.9	4.8-11.0	277	65.9	60.4-71.4
H.S. or G.E.D.	1947	954,298	262	12.6	10.8-14.4	143	7.1	5.7-8.5	61	2.8	2.0-3.6	32	1.4	0.8-2.0	74	4.4	3.2-5.6	1375	71.8	69.4-74.2
Some Post-H.S.	1366	748,094	179	13.8	11.4-16.2	92	7.2	5.4-9.0	52	3.2	2.2-4.2	20	1.4	0.6-2.2	62	4.5	3.1-5.9	961	69.8	66.9-72.7
College Graduate	1752	596,257	221	11.3	9.5-13.1	111	5.7	4.5-6.9	46	2.7	1.7-3.7	17	0.9	0.5-1.3	56	3.1	2.1-4.1	1301	76.3	73.9-78.7
Less than \$15,000	383	187,392	49	13.0	8.9-17.1	43	12.9	8.6-17.2	26	7.4	4.1-10.7	14	4.0	1.5-6.5	41	9.7	6.0-13.4	210	52.9	46.4-59.4
\$15,000- 24,999	776	339,213	107	12.6	9.9-15.3	65	8.2	5.8-10.6	40	6.2	4.0-8.4	17	2.2	1.0-3.4	46	7.0	4.5-9.5	501	63.8	59.7-67.9
\$25,000- 34,999	539	240,128	69	11.5	8.4-14.6	44	8.8	5.7-11.9	18	2.4	1.0-3.8	8	1.0	0.2-1.8	27	6.0	3.3-8.7	373	70.2	65.5-74.9
\$35,000- 49,999	675	325,151	84	13.0	9.9-16.1	43	5.6	3.4-7.8	24	3.4	1.8-5.0	5	0.6	0.0-1.2	25	4.4	2.4-6.4	494	73.0	68.9-77.1
\$50,000- 74,999	724	372,947	104	13.3	10.4-16.2	48	6.3	4.1-8.5	20	3.2	1.6-4.8	5	0.9	0.0-1.9	18	2.9	1.3-4.5	529	73.4	69.5-77.3
\$75,000+	1211	642,824	132	10.2	8.0-12.4	67	6.2	4.4-8.0	26	1.6	0.8-2.4	14	0.8	0.4-1.2	28	2.4	1.4-3.4	944	78.8	76.1-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2236	1,222,749	229	9.9	8.5-11.3	141	6.0	4.8- 7.2	72	3.5	2.5- 4.5	31	1.3	0.7- 1.9	90	4.7	3.5- 5.9	1673	74.5	72.3-76.7
White/Non-Hisp	1911	1,053,470	202	10.5	8.9-12.1	118	5.8	4.6- 7.0	60	3.5	2.5- 4.5	26	1.2	0.6- 1.8	76	4.9	3.7- 6.1	1429	74.1	71.7-76.5
Black or Afr. Am./Non-Hisp	139	95,415	9	4.6	1.3- 7.9	10	7.7	2.4-13.0	5	3.2	0.0- 6.7	3	2.5	0.0- 5.8	6	4.2	0.3- 8.1	106	77.8	69.8-85.8
Oth. Race/Non-Hisp.	58	18,508	6	15.2	0.0-32.6	6	10.9	0.0-23.8	2	0.8	0.0- 2.2				3	1.3	0.0- 2.9	41	71.8	52.0-91.6
45-54	507	385,180	46	8.0	5.5-10.5	27	5.3	3.1- 7.5	18	3.9	1.9- 5.9	8	1.8	0.4- 3.2	21	3.7	1.9- 5.5	387	77.2	73.3-81.1
55-64	653	395,888	71	11.6	8.7-14.5	39	6.4	4.0- 8.8	19	3.5	1.7- 5.3	10	1.0	0.2- 1.8	36	7.3	4.8- 9.8	478	70.3	66.2-74.4
65+	1071	436,357	111	10.1	7.9-12.3	75	6.4	4.6- 8.2	35	3.3	2.1- 4.5	13	1.1	0.3- 1.9	33	3.2	1.8- 4.6	804	75.8	72.7-78.9
Less Than H.S.	166	137,220	16	8.5	3.8-13.2	12	7.2	2.3-12.1	9	7.4	2.7-12.1	3	1.5	0.0- 3.5	13	8.7	3.6-13.8	113	66.7	58.3-75.1
H.S. or G.E.D.	764	446,369	74	9.7	7.3-12.1	48	6.2	4.2- 8.2	24	2.6	1.4- 3.8	16	1.6	0.6- 2.6	23	4.0	2.2- 5.8	579	76.0	72.5-79.5
Some Post-H.S.	552	345,867	59	11.2	8.1-14.3	35	6.4	4.0- 8.8	19	3.8	2.0- 5.6	6	1.3	0.1- 2.5	29	5.1	2.9- 7.3	404	72.1	67.8-76.4
College Graduate	740	285,656	79	9.6	7.2-12.0	46	5.0	3.2- 6.8	19	3.0	1.6- 4.4	6	0.8	0.2- 1.4	25	3.3	1.7- 4.9	565	78.4	75.1-81.7
Less than \$15,000	141	84,898	16	9.8	4.1-15.5	18	12.1	5.8-18.4	9	7.3	1.8-12.8	7	5.8	0.9-10.7	12	9.0	3.1-14.9	79	56.0	46.0-66.0
\$15,000- 24,999	280	141,248	30	10.6	6.3-14.9	24	7.6	4.1-11.1	13	6.8	2.7-10.9	4	1.3	0.0- 2.7	18	9.3	4.4-14.2	191	64.4	57.3-71.5
\$25,000- 34,999	219	112,760	19	6.4	3.3- 9.5	20	9.3	4.8-13.8	4	0.9	0.0- 1.9	5	1.1	0.1- 2.1	15	8.2	3.3-13.1	156	74.1	67.2-81.0
\$35,000- 49,999	289	157,191	25	10.2	5.7-14.7	15	4.8	1.9- 7.7	11	4.6	1.9- 7.3	2	0.5	0.0- 1.3	12	4.6	1.7- 7.5	224	75.2	69.1-81.3
\$50,000- 74,999	343	199,317	43	11.9	8.0-15.8	18	4.5	2.0- 7.0	11	4.2	1.5- 6.9	4	1.5	0.0- 3.3	7	1.8	0.2- 3.4	260	76.2	70.9-81.5
\$75,000+	609	356,868	62	9.3	6.8-11.8	30	5.5	3.1- 7.9	12	1.5	0.5- 2.5	5	0.6	0.0- 1.2	16	2.9	1.3- 4.5	484	80.1	76.4-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3270	1,383,448	478	14.4	12.8-16.0	242	8.0	6.8-9.2	114	3.1	2.5-3.7	44	1.2	0.8-1.6	134	4.3	3.3-5.3	2258	68.9	66.9-70.9
White/Non-Hisp	2840	1,192,364	416	13.9	12.3-15.5	207	8.1	6.7-9.5	94	2.9	2.3-3.5	36	1.2	0.8-1.6	117	4.4	3.4-5.4	1970	69.6	67.6-71.6
Black or Afr. Am./Non-Hisp	222	100,795	36	17.3	11.0-23.6	18	8.8	3.9-13.7	12	5.2	1.7-8.7	3	1.5	0.0-3.7	5	1.8	0.0-3.8	148	65.4	57.4-73.4
Oth. Race/Non-Hisp.	63	26,750	9	20.1	0.0-42.6	8	7.1	0.6-13.6				1	0.2	0.0-0.6	5	8.2	0.0-18.0	40	64.3	41.8-86.8
Hispanic	52	31,918	7	18.0	2.7-33.3	4	7.2	0.0-14.6	4	7.1	0.0-15.9	1	2.3	0.0-6.6				36	65.5	48.8-82.2
45-54	611	390,450	70	11.7	8.4-15.0	51	9.9	7.0-12.8	13	1.8	0.6-3.0	6	1.0	0.2-1.8	24	4.4	2.4-6.4	447	71.3	67.0-75.6
55-64	863	419,731	132	15.2	12.5-17.9	70	8.4	6.2-10.6	31	3.2	1.8-4.6	18	1.8	0.8-2.8	44	5.5	3.5-7.5	568	65.8	62.1-69.5
65+	1793	569,845	275	15.4	13.4-17.4	120	6.5	5.1-7.9	70	3.9	2.9-4.9	20	1.0	0.4-1.6	66	3.4	2.4-4.4	1242	69.7	67.2-72.2
Less Than H.S.	249	155,057	26	10.2	5.3-15.1	21	10.4	5.5-15.3	16	5.8	2.7-8.9	3	1.3	0.0-2.9	19	7.1	3.2-11.0	164	65.2	57.9-72.5
H.S. or G.E.D.	1183	507,928	188	15.1	12.7-17.5	95	7.9	6.1-9.7	37	3.0	1.8-4.2	16	1.2	0.4-2.0	51	4.7	3.1-6.3	796	68.1	65.0-71.2
Some Post-H.S.	814	402,226	120	16.1	12.8-19.4	57	7.9	5.5-10.3	33	2.7	1.7-3.7	14	1.5	0.5-2.5	33	4.0	2.4-5.6	557	67.8	63.9-71.7
College Graduate	1012	310,602	142	13.0	10.6-15.4	65	6.3	4.5-8.1	27	2.5	1.5-3.5	11	1.0	0.4-1.6	31	2.9	1.7-4.1	736	74.4	71.3-77.5
Less than \$15,000	242	102,494	33	15.7	9.8-21.6	25	13.6	7.7-19.5	17	7.5	3.4-11.6	7	2.6	0.2-5.0	29	10.3	5.6-15.0	131	50.4	42.4-58.4
\$15,000- 24,999	496	197,965	77	14.1	10.6-17.6	41	8.5	5.4-11.6	27	5.8	3.3-8.3	13	2.9	1.1-4.7	28	5.4	2.9-7.9	310	63.3	58.0-68.6
\$25,000- 34,999	320	127,368	50	16.0	11.1-20.9	24	8.4	4.3-12.5	14	3.8	1.6-6.0	3	0.9	0.0-2.1	12	4.1	1.6-6.6	217	66.7	60.2-73.2
\$35,000- 49,999	386	167,960	59	15.6	11.1-20.1	28	6.3	3.4-9.2	13	2.3	0.9-3.7	3	0.7	0.0-1.5	13	4.2	1.5-6.9	270	70.9	65.2-76.6
\$50,000- 74,999	381	173,629	61	15.0	10.7-19.3	30	8.2	4.9-11.5	9	2.1	0.5-3.7	1	0.2	0.0-0.6	11	4.2	1.5-6.9	269	70.2	64.7-75.7
\$75,000+	602	285,956	70	11.2	7.9-14.5	37	7.1	4.6-9.6	14	1.8	0.8-2.8	9	1.1	0.3-1.9	12	1.8	0.6-3.0	460	77.1	73.0-81.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

TABLE 4: DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1565	738,158	420	26.1	23.4-28.8	101	6.6	5.0- 8.2	39	2.6	1.6- 3.6	16	1.0	0.4- 1.6	36	2.7	1.5- 3.9	953	60.9	58.0-63.8
Male	559	309,657	121	22.0	17.9-26.1	33	5.5	3.3- 7.7	12	2.8	1.0- 4.6	3	0.6	0.0- 1.4	16	2.7	1.1- 4.3	374	66.4	61.7-71.1
Female	1006	428,500	299	29.1	25.6-32.6	68	7.4	5.2- 9.6	27	2.5	1.3- 3.7	13	1.3	0.5- 2.1	20	2.7	1.3- 4.1	579	56.9	53.0-60.8
White/Non-Hisp	1344	632,998	359	25.5	22.8-28.2	85	6.6	5.0- 8.2	34	2.8	1.6- 4.0	13	1.1	0.5- 1.7	28	2.6	1.6- 3.6	825	61.5	58.4-64.6
Black or Afr. Am./Non-Hisp	107	56,124	33	31.5	20.7-42.3	9	7.7	1.8-13.6	3	2.2	0.0- 4.7				2	1.9	0.0- 5.2	60	56.8	45.4-68.2
45-54	283	199,374	77	27.1	20.8-33.4	19	6.8	3.5-10.1	6	1.7	0.0- 3.5	4	1.3	0.0- 2.7	11	4.0	1.5- 6.5	166	59.2	52.5-65.9
55-64	466	259,217	130	27.4	22.7-32.1	40	8.1	5.2-11.0	14	3.4	1.4- 5.4	7	0.9	0.1- 1.7	16	3.5	1.3- 5.7	259	56.8	51.5-62.1
65+	813	276,984	212	24.4	20.9-27.9	42	5.2	3.2- 7.2	19	2.6	1.2- 4.0	5	0.8	0.0- 1.6	9	1.1	0.3- 1.9	526	65.9	62.0-69.8
Less Than H.S.	138	99,597	28	18.7	11.1-26.3	14	10.6	4.5-16.7	6	5.3	0.8- 9.8	1	0.4	0.0- 1.2	6	3.4	0.3- 6.5	83	61.6	52.0-71.2
H.S. or G.E.D.	569	267,910	151	24.6	20.5-28.7	39	6.1	3.9- 8.3	11	2.2	0.6- 3.8	6	1.0	0.0- 2.0	11	3.4	1.2- 5.6	351	62.8	58.1-67.5
Some Post-H.S.	401	224,329	117	30.7	25.0-36.4	26	6.6	3.7- 9.5	12	2.6	1.0- 4.2	3	0.7	0.0- 1.5	11	1.9	0.5- 3.3	232	57.5	51.6-63.4
College Graduate	449	140,557	119	25.2	20.5-29.9	22	5.0	2.6- 7.4	10	1.8	0.4- 3.2	6	2.0	0.2- 3.8	8	2.4	0.2- 4.6	284	63.6	58.3-68.9
Less than \$15,000	172	87,656	53	28.1	20.1-36.1	20	12.2	6.1-18.3	6	3.2	0.3- 6.1	2	0.9	0.0- 2.5	11	6.8	2.1-11.5	80	48.8	39.4-58.2
\$15,000- 24,999	273	122,547	66	23.8	17.5-30.1	20	8.3	4.0-12.6	13	5.6	1.7- 9.5	6	2.8	0.4- 5.2	11	4.6	1.5- 7.7	157	54.9	47.5-62.3
\$25,000- 34,999	165	71,071	45	24.7	16.7-32.7	17	13.9	6.6-21.2	5	3.2	0.3- 6.1	4	2.9	0.0- 6.0	2	0.6	0.0- 1.6	92	54.8	45.4-64.2
\$35,000- 49,999	181	87,794	56	25.1	17.7-32.5	11	5.6	2.1- 9.1	4	2.6	0.0- 5.9				4	3.5	0.0- 7.0	106	63.2	54.8-71.6
\$50,000- 74,999	194	98,664	52	27.8	20.2-35.4	4	1.3	0.0- 2.7	2	0.5	0.0- 1.1	1	0.4	0.0- 1.2	3	2.1	0.0- 4.5	132	67.9	59.9-75.9
\$75,000+	264	135,200	61	25.7	18.6-32.8	10	4.1	1.4- 6.8	5	1.7	0.1- 3.3	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	185	68.2	60.9-75.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

TABLE 5: DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	559	309,657	121	22.0	17.9-26.1	33	5.5	3.3- 7.7	12	2.8	1.2- 4.4	3	0.6	0.0- 1.4	16	2.7	1.1- 4.3	374	66.4	61.7-71.1
White/Non-Hisp	478	271,001	102	21.5	17.0-26.0	25	4.9	2.5- 7.3	12	3.2	1.4- 5.0	3	0.7	0.0- 1.5	11	2.6	0.8- 4.4	325	67.2	62.1-72.3
45-54	119	87,237	23	20.7	12.3-29.1	6	5.7	1.2-10.2	1	0.4	0.0- 1.2	1	0.6	0.0- 1.8	4	3.5	0.0- 7.0	84	69.1	59.9-78.3
55-64	173	116,408	41	25.4	17.8-33.0	14	6.3	2.4-10.2	7	4.7	1.8- 7.6	2	1.1	0.0- 2.7	7	3.2	0.5- 5.9	102	59.4	51.0-67.8
65+	266	105,523	56	18.9	13.4-24.4	13	4.6	1.9- 7.3	4	2.6	0.0- 5.3				5	1.6	0.0- 3.6	188	72.3	66.0-78.6
Less Than H.S.	53	45,704	8	14.3	3.3-25.3	5	9.1	0.3-17.9	3	5.5	0.0-11.6				2	2.7	0.0- 6.6	35	68.4	54.1-82.7
H.S. or G.E.D.	184	106,557	36	19.9	13.2-26.6	10	4.8	1.7- 7.9	3	2.4	0.0- 5.3	1	0.3	0.0- 0.9	4	2.9	0.0- 5.8	130	69.7	61.9-77.5
Some Post-H.S.	147	95,741	39	29.3	20.5-38.1	8	4.9	1.2- 8.6	3	2.3	0.9- 3.7	1	0.5	0.0- 1.5	7	3.0	0.1- 5.9	89	60.0	51.0-69.0
College Graduate	174	61,167	37	19.2	12.5-25.9	10	5.2	1.5- 8.9	3	2.0	0.0- 4.4	1	1.5	0.0- 4.4	3	2.1	0.0- 5.2	120	69.9	61.9-77.9
Less than \$15,000	61	36,791	19	25.1	12.9-37.3	7	9.3	0.9-17.7	2	2.6	0.0- 6.3				1	2.0	0.0- 5.9	32	60.9	46.4-75.4
\$15,000- 24,999	89	50,258	19	22.5	11.5-33.5	6	7.9	0.8-15.0	4	6.7	0.0-13.4				7	7.7	0.8-14.6	53	55.2	42.7-67.7
\$25,000- 34,999	63	29,231	11	19.3	5.8-32.8	6	11.3	1.3-21.3	1	1.4	0.0- 4.1	2	4.8	0.0-11.7	2	1.4	0.0- 3.8	41	61.8	46.5-77.1
\$35,000- 49,999	65	38,949	16	22.4	10.2-34.6	5	6.4	0.5-12.3	1	3.3	2.5- 4.1				3	5.6	0.0-12.3	40	62.3	49.0-75.6
\$50,000- 74,999	83	47,438	20	25.4	13.8-37.0	1	0.3	0.0- 0.9							1	1.0	0.0- 3.0	61	73.3	61.7-84.9
\$75,000+	123	69,785	23	21.6	13.0-30.2	4	3.4	0.1- 6.7	2	1.2	0.0- 3.0							94	73.7	64.5-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 12: FALLS**

TABLE 6: DID THIS FALL CAUSE AN INJURY? HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1006	428,500	299	29.1	25.6-32.6	68	7.4	5.2-9.6	27	2.5	1.3-3.7	13	1.3	0.5-2.1	20	2.7	1.1-4.3	579	56.9	53.0-60.8
White/Non-Hisp	866	361,998	257	28.5	25.0-32.0	60	7.9	5.5-10.3	22	2.5	1.1-3.9	10	1.4	0.4-2.4	17	2.6	1.2-4.0	500	57.2	53.3-61.1
Black or Afr. Am./Non-Hisp	74	34,899	21	27.6	15.1-40.1	5	7.6	0.0-15.2	3	3.5	0.0-7.6				1	0.3	0.0-0.9	44	60.9	47.4-74.4
45-54	164	112,137	54	32.0	23.2-40.8	13	7.6	3.1-12.1	5	2.7	0.0-5.6	3	1.9	0.0-4.1	7	4.4	0.9-7.9	82	51.4	42.2-60.6
55-64	293	142,809	89	29.0	22.9-35.1	26	9.5	5.4-13.6	7	2.3	0.3-4.3	5	0.8	0.0-1.6	9	3.7	0.4-7.0	157	54.6	47.9-61.3
65+	547	171,461	156	27.7	23.2-32.2	29	5.6	3.1-8.1	15	2.6	1.0-4.2	5	1.4	0.2-2.6	4	0.8	0.0-1.6	338	61.9	57.0-66.8
Less Than H.S.	85	53,893	20	22.4	11.8-33.0	9	11.9	3.5-20.3	3	5.1	0.0-11.4	1	0.7	0.0-2.1	4	4.0	0.0-8.7	48	55.8	42.9-68.7
H.S. or G.E.D.	385	161,353	115	27.7	22.6-32.8	29	7.0	4.1-9.9	8	2.0	0.4-3.6	5	1.4	0.0-2.8	7	3.7	0.6-6.8	221	58.3	52.4-64.2
Some Post-H.S.	254	128,589	78	31.7	24.3-39.1	18	7.9	3.8-12.0	9	2.7	0.9-4.5	2	0.9	0.0-2.1	4	1.0	0.0-2.0	143	55.7	48.1-63.3
College Graduate	275	79,390	82	29.7	23.2-36.2	12	4.9	1.8-8.0	7	1.6	0.0-3.2	5	2.4	0.0-4.8	5	2.7	0.0-5.6	164	58.8	51.7-65.9
Less than \$15,000	111	50,865	34	30.2	19.6-40.8	13	14.3	5.7-22.9	4	3.6	0.0-7.9	2	1.6	0.0-4.1	10	10.2	2.8-17.6	48	40.0	28.8-51.2
\$15,000- 24,999	184	72,289	47	24.8	17.4-32.2	14	8.6	3.3-13.9	9	4.9	0.4-9.4	6	4.7	0.8-8.6	4	2.4	0.0-4.9	104	54.6	45.8-63.4
\$25,000- 34,999	102	41,839	34	28.4	18.6-38.2	11	15.6	5.6-25.6	4	4.5	0.0-9.0	2	1.5	0.0-3.7				51	49.9	38.1-61.7
\$35,000- 49,999	116	48,846	40	27.3	17.9-36.7	6	5.1	0.8-9.4	3	2.0	0.0-4.9				1	1.7	0.0-5.0	66	63.9	53.5-74.3
\$50,000- 74,999	111	51,227	32	30.0	19.6-40.4	3	2.3	0.0-5.0	2	0.9	0.0-2.1	1	0.8	0.0-2.4	2	3.1	0.0-7.2	71	62.9	52.1-73.7
\$75,000+	141	65,415	38	30.0	19.2-40.8	6	4.8	0.3-9.3	3	2.2	0.0-4.6	2	0.6	0.0-1.4	1	0.2	0.0-0.6	91	62.3	51.3-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 13: SEATBELT USE AND DRINKING AND DRIVING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY- (SEATBELT)	
1	MALES AND FEMALES	213
2	MALES ONLY	214
3	FEMALES ONLY	215
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
4	MALES AND FEMALES	216
5	MALES ONLY	217
6	FEMALES ONLY	218

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING
TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7186	4,845,886	6232	84.3	83.1-85.5	531	8.3	7.3- 9.3	208	3.8	3.2- 4.4	54	0.9	0.7- 1.1	153	2.6	2.0- 3.2	8	0.1	0.1- 0.1
Male	3047	2,360,747	2530	80.1	78.1-82.1	270	9.8	8.4-11.2	126	5.4	4.2- 6.6	32	1.1	0.7- 1.5	87	3.5	2.5- 4.5	2	0.1	0.0- 0.3
Female	4139	2,485,139	3702	88.2	86.8-89.6	261	6.9	5.7- 8.1	82	2.3	1.7- 2.9	22	0.7	0.3- 1.1	66	1.8	1.2- 2.4	6	0.1	0.0- 0.3
White/Non-Hisp	5974	3,910,069	5221	85.0	83.6-86.4	427	8.1	7.1- 9.1	172	3.8	3.0- 4.6	46	0.9	0.5- 1.3	105	2.1	1.5- 2.7	3	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	529	404,697	438	78.1	73.4-82.8	51	12.1	8.2-16.0	22	5.2	2.8- 7.6	5	1.1	0.0- 2.3	12	3.4	1.2- 5.6	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	183	127,266	152	82.1	73.1-91.1	18	4.4	1.5- 7.3	4	5.0	0.0-11.7	1	0.4	0.0- 1.2	7	7.1	1.0-13.2	1	1.0	0.0- 3.0
MultiRacial/Non-Hisp.	128	43,154	103	77.9	68.1-87.7	13	10.8	3.5-18.1	4	3.0	0.0- 6.9	1	1.7	0.0- 4.8	7	6.6	0.3-12.9			
Hispanic	244	281,422	210	84.2	78.3-90.1	12	6.8	2.5-11.1	5	2.1	0.0- 4.5	1	0.2	0.0- 0.6	14	5.9	2.2- 9.6	2	0.7	0.0- 1.7
18-24	348	652,539	261	75.6	70.5-80.7	46	12.0	8.3-15.7	21	6.0	3.1- 8.9	2	0.5	0.0- 1.3	18	6.0	3.1- 8.9			
25-34	596	796,207	485	80.8	77.3-84.3	54	9.4	6.7-12.1	34	6.6	4.2- 9.0	13	1.7	0.7- 2.7	9	1.4	0.4- 2.4	1	0.2	0.0- 0.6
35-44	697	778,049	601	84.6	81.5-87.7	60	9.3	6.8-11.8	13	2.1	0.9- 3.3	6	0.9	0.1- 1.7	17	3.1	1.5- 4.7			
45-54	1124	781,193	971	86.3	83.9-88.7	89	7.8	6.0- 9.6	28	2.6	1.6- 3.6	7	0.6	0.0- 1.2	28	2.5	1.5- 3.5	1	0.2	0.0- 0.6
55-64	1530	821,451	1356	87.9	85.9-89.9	98	6.2	4.8- 7.6	41	3.2	2.0- 4.4	10	0.8	0.2- 1.4	24	1.8	1.0- 2.6	1	0.1	0.0- 0.3
65+	2891	1,016,447	2558	87.8	86.2-89.4	184	6.5	5.3- 7.7	71	3.0	2.2- 3.8	16	0.7	0.3- 1.1	57	1.9	1.3- 2.5	5	0.1	0.0- 0.3
Less Than H.S.	564	587,841	471	80.6	76.1-85.1	34	7.4	4.3-10.5	22	3.4	1.4- 5.4	4	0.8	0.0- 1.6	30	7.3	4.0-10.6	3	0.5	0.0- 1.1
H.S. or G.E.D.	2409	1,607,693	2070	83.7	81.7-85.7	159	7.3	5.9- 8.7	93	5.2	4.0- 6.4	17	0.9	0.3- 1.5	68	2.9	2.1- 3.7	2	0.0	0.0- 0.0
Some Post-H.S.	1859	1,507,297	1585	82.5	80.1-84.9	159	10.5	8.5-12.5	61	4.2	2.8- 5.6	16	0.9	0.3- 1.5	37	1.9	1.1- 2.7	1	0.0	0.0- 0.0
College Graduate	2325	1,120,964	2080	89.2	87.6-90.8	177	7.3	5.9- 8.7	31	1.7	0.9- 2.5	17	0.8	0.4- 1.2	18	0.9	0.3- 1.5	2	0.0	0.0- 0.0
Less than \$15,000	505	348,361	425	81.4	76.3-86.5	27	5.1	2.6- 7.6	19	5.1	2.2- 8.0	4	0.5	0.0- 1.1	29	7.8	4.1-11.5	1	0.0	0.0- 0.0
\$15,000- 24,999	993	616,420	834	81.8	78.5-85.1	77	8.6	6.1-11.1	39	4.2	2.6- 5.8	12	1.9	0.7- 3.1	30	3.5	1.7- 5.3	1	0.1	0.0- 0.3
\$25,000- 34,999	686	441,770	590	82.5	78.2-86.8	45	6.9	4.2- 9.6	26	5.7	3.0- 8.4	9	1.4	0.2- 2.6	16	3.6	1.4- 5.8			
\$35,000- 49,999	874	602,080	753	82.7	79.2-86.2	78	10.7	7.8-13.6	29	5.0	2.8- 7.2	2	0.1	0.0- 0.3	11	1.5	0.5- 2.5	1	0.0	0.0- 0.0
\$50,000- 74,999	981	719,481	845	85.2	82.3-88.1	76	8.0	5.8-10.2	34	4.3	2.7- 5.9	9	0.9	0.1- 1.7	17	1.7	0.7- 2.7			
\$75,000+	1672	1,264,274	1474	86.1	83.7-88.5	142	9.5	7.7-11.3	27	2.0	1.0- 3.0	10	0.9	0.3- 1.5	19	1.6	0.4- 2.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3047	2,360,747	2530	80.1	78.1-82.1	270	9.8	8.4-11.2	126	5.4	4.2- 6.6	32	1.1	0.7- 1.5	87	3.5	2.5- 4.5	2	0.1	0.0- 0.3
White/Non-Hisp	2488	1,888,862	2079	81.1	78.9-83.3	213	9.3	7.7-10.9	109	5.6	4.2- 7.0	29	1.2	0.6- 1.8	58	2.8	1.8- 3.8			
Black or Afr. Am./Non-Hisp	209	194,082	164	72.7	64.7-80.7	22	14.5	7.6-21.4	11	5.5	2.0- 9.0	1	0.7	0.0- 2.1	10	6.4	2.1-10.7	1	0.2	0.0- 0.6
Oth. Race/Non-Hisp.	94	67,830	79	82.5	69.4-95.6	11	6.1	1.0-11.2	1	6.1	0.0-17.5	1	0.7	0.0- 2.1	2	4.6	0.0-10.9			
MultiRacial/Non-Hisp.	65	23,826	49	72.6	58.9-86.3	8	9.8	2.5-17.1	1	3.3	0.0- 9.6	1	3.0	0.0- 8.7	6	11.4	0.6-22.2			
Hispanic	123	139,971	105	78.2	68.4-88.0	8	10.6	3.0-18.2	3	3.4	0.0- 7.9				6	6.8	0.5-13.1	1	1.0	0.0- 3.0
18-24	178	346,375	130	72.1	64.5-79.7	20	11.6	6.3-16.9	15	8.2	3.5-12.9	2	0.9	0.0- 2.3	11	7.1	2.4-11.8			
25-34	298	400,583	239	78.5	73.0-84.0	27	9.5	5.6-13.4	20	8.8	4.9-12.7	4	1.1	0.1- 2.1	7	1.8	0.2- 3.4	1	0.3	0.0- 0.9
35-44	316	386,029	261	80.2	75.1-85.3	33	10.7	6.8-14.6	10	3.5	1.1- 5.9	3	1.4	0.0- 3.0	9	4.1	1.4- 6.8			
45-54	508	385,412	413	81.5	77.8-85.2	49	10.3	7.2-13.4	19	3.4	1.6- 5.2	6	1.1	0.1- 2.1	21	3.6	1.8- 5.4			
55-64	659	398,102	552	82.6	79.3-85.9	55	8.3	5.9-10.7	28	5.1	3.1- 7.1	6	0.8	0.0- 1.6	17	3.0	1.2- 4.8	1	0.1	0.0- 0.3
65+	1088	444,247	935	84.3	81.6-87.0	86	8.7	6.5-10.9	34	3.6	2.2- 5.0	11	1.2	0.4- 2.0	22	2.1	0.9- 3.3			
Less Than H.S.	245	305,233	197	74.5	67.1-81.9	19	10.1	4.8-15.4	9	4.3	0.8- 7.8	2	0.8	0.0- 2.0	17	9.9	4.4-15.4	1	0.5	0.0- 1.5
H.S. or G.E.D.	1013	809,607	817	78.7	75.6-81.8	89	8.7	6.5-10.9	60	7.7	5.5- 9.9	11	1.3	0.3- 2.3	35	3.5	2.1- 4.9	1	0.1	0.0- 0.3
Some Post-H.S.	775	708,166	624	78.2	74.3-82.1	85	12.6	9.5-15.7	37	5.6	3.2- 8.0	7	1.0	0.2- 1.8	22	2.6	1.2- 4.0			
College Graduate	998	525,222	876	87.7	85.2-90.2	77	7.8	5.8- 9.8	20	2.3	1.1- 3.5	12	1.1	0.3- 1.9	13	1.1	0.3- 1.9			
Less than \$15,000	195	167,434	163	80.5	72.3-88.7	10	4.1	0.6- 7.6	6	5.2	0.0-10.5	3	0.7	0.0- 1.5	13	9.5	3.0-16.0			
\$15,000- 24,999	367	241,052	295	77.7	72.0-83.4	31	9.7	5.6-13.8	17	4.9	2.2- 7.6	6	2.2	0.2- 4.2	18	5.5	2.2- 8.8			
\$25,000- 34,999	292	212,002	240	78.9	72.6-85.2	22	6.1	2.8- 9.4	17	8.2	3.9-12.5	3	1.3	0.0- 3.3	10	5.5	1.6- 9.4			
\$35,000- 49,999	381	299,491	316	80.6	75.1-86.1	36	10.2	5.7-14.7	21	7.2	3.5-10.9	2	0.3	0.0- 0.7	6	1.8	0.2- 3.4			
\$50,000- 74,999	474	388,299	385	80.1	75.6-84.6	46	10.6	7.1-14.1	26	6.2	3.5- 8.9	7	1.5	0.3- 2.7	10	1.6	0.4- 2.8			
\$75,000+	841	689,476	707	81.2	77.7-84.7	91	12.0	9.3-14.7	19	2.8	1.2- 4.4	7	1.2	0.2- 2.2	17	2.9	0.9- 4.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 13: SEATBELT USE AND DRINKING AND DRIVING

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4139	2,485,139	3702	88.2	86.8-89.6	261	6.9	5.7- 8.1	82	2.3	1.7- 2.9	22	0.7	0.3- 1.1	66	1.8	1.2- 2.4	6	0.1	0.0- 0.3
White/Non-Hisp	3486	2,021,207	3142	88.7	87.1-90.3	214	7.0	5.8- 8.2	63	2.2	1.4- 3.0	17	0.6	0.2- 1.0	47	1.5	0.9- 2.1	3	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	320	210,615	274	83.0	77.7-88.3	29	9.9	5.8-14.0	11	5.0	1.9- 8.1	4	1.5	0.0- 3.3	2	0.7	0.0- 1.9			
Oth. Race/Non-Hisp.	89	59,436	73	81.7	69.4-94.0	7	2.5	0.0- 5.0	3	3.6	0.0- 8.5				5	10.1	0.0-20.7	1	2.1	0.0- 6.2
MultiRacial/Non-Hisp.	63	19,328	54	84.4	70.5-98.3	5	12.1	0.0-25.6	3	2.7	0.0- 6.6				1	0.7	0.0- 2.3			
Hispanic	121	141,451	105	90.2	84.9-95.5	4	3.2	0.0- 6.5	2	0.9	0.0- 2.3	1	0.4	0.0- 1.2	8	5.0	1.1- 8.9	1	0.3	0.0- 0.9
18-24	170	306,164	131	79.5	73.0-86.0	26	12.4	7.5-17.3	6	3.5	0.4- 6.6				7	4.7	1.2- 8.2			
25-34	298	395,624	246	83.1	78.4-87.8	27	9.2	5.5-12.9	14	4.3	1.9- 6.7	9	2.4	0.8- 4.0	2	1.0	0.0- 2.6			
35-44	381	392,021	340	88.9	85.4-92.4	27	7.9	4.8-11.0	3	0.7	0.0- 1.5	3	0.5	0.0- 1.1	8	2.0	0.4- 3.6			
45-54	616	395,781	558	90.9	88.4-93.4	40	5.4	3.4- 7.4	9	1.8	0.6- 3.0	1	0.2	0.0- 0.6	7	1.4	0.2- 2.6	1	0.3	0.0- 0.9
55-64	871	423,349	804	92.9	90.9-94.9	43	4.2	2.6- 5.8	13	1.5	0.5- 2.5	4	0.7	0.0- 1.5	7	0.6	0.0- 1.2			
65+	1803	572,200	1623	90.5	88.9-92.1	98	4.7	3.5- 5.9	37	2.5	1.5- 3.5	5	0.3	0.1- 0.5	35	1.9	1.1- 2.7	5	0.2	0.0- 0.4
Less Than H.S.	319	282,608	274	87.2	82.7-91.7	15	4.5	1.8- 7.2	13	2.4	0.8- 4.0	2	0.8	0.0- 2.0	13	4.5	1.4- 7.6	2	0.6	0.0- 1.6
H.S. or G.E.D.	1396	798,086	1253	88.7	86.3-91.1	70	5.9	4.1- 7.7	33	2.6	1.4- 3.8	6	0.6	0.0- 1.2	33	2.2	1.2- 3.2	1	0.0	0.0- 0.0
Some Post-H.S.	1084	799,131	961	86.4	83.5-89.3	74	8.7	6.3-11.1	24	2.9	1.5- 4.3	9	0.8	0.2- 1.4	15	1.3	0.3- 2.3	1	0.0	0.0- 0.0
College Graduate	1327	595,742	1204	90.5	88.3-92.7	100	6.9	5.1- 8.7	11	1.2	0.4- 2.0	5	0.6	0.0- 1.2	5	0.8	0.0- 1.8	2	0.0	0.0- 0.0
Less than \$15,000	310	180,928	262	82.3	76.4-88.2	17	6.0	2.3- 9.7	13	5.1	2.0- 8.2	1	0.3	0.0- 0.9	16	6.2	2.1-10.3	1	0.0	0.0- 0.0
\$15,000- 24,999	626	375,368	539	84.5	80.4-88.6	46	7.8	4.7-10.9	22	3.7	1.7- 5.7	6	1.7	0.3- 3.1	12	2.2	0.4- 4.0	1	0.1	0.0- 0.3
\$25,000- 34,999	394	229,768	350	85.8	80.1-91.5	23	7.6	3.3-11.9	9	3.3	0.2- 6.4	6	1.5	0.1- 2.9	6	1.8	0.0- 4.2			
\$35,000- 49,999	493	302,589	437	84.8	80.1-89.5	42	11.1	7.0-15.2	8	2.8	0.4- 5.2				5	1.2	0.0- 2.4	1	0.0	0.0- 0.0
\$50,000- 74,999	507	331,182	460	91.2	87.9-94.5	30	4.9	2.5- 7.3	8	2.0	0.4- 3.6	2	0.3	0.0- 0.7	7	1.7	0.0- 3.5			
\$75,000+	831	574,799	767	91.9	89.5-94.3	51	6.4	4.2- 8.6	8	0.9	0.1- 1.7	3	0.5	0.0- 1.1	2	0.2	0.0- 0.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3319	2,489,653	42	1.3	0.7- 1.9	22	0.9	0.3- 1.5	5	0.2	0.0- 0.4	3	0.1	0.0- 0.3	12	0.3	0.1- 0.5	3235	97.2	96.4-98.0
Male	1629	1,342,495	26	1.5	0.7- 2.3	20	1.7	0.5- 2.9	5	0.3	0.0- 0.7	3	0.2	0.0- 0.4	12	0.5	0.1- 0.9	1563	95.7	94.3-97.1
Female	1690	1,147,158	16	1.1	0.5- 1.7	2	0.0	0.0- 0.0										1672	98.9	98.3-99.5
White/Non-Hisp	2786	2,022,862	36	1.4	0.8- 2.0	17	1.0	0.2- 1.8	4	0.2	0.0- 0.4	3	0.1	0.0- 0.3	7	0.2	0.0- 0.4	2719	97.1	96.1-98.1
Black or Afr. Am./Non-Hisp	217	198,467	2	1.9	0.0- 4.6	1	0.4	0.0- 1.2							1	1.1	0.0- 3.3	213	96.6	93.1- 100
Oth. Race/Non-Hisp.	79	65,138	2	0.3	0.0- 0.9										1	0.2	0.0- 0.6	76	99.5	98.7- 100
MultiRacial/Non-Hisp.	52	20,311	1	1.9	0.0- 5.6				1	3.3	0.0- 9.6				2	3.6	0.0- 9.5	48	91.2	82.0- 100
Hispanic	123	137,303	1	0.4	0.0- 1.2	4	1.8	0.0- 3.8										118	97.9	95.9-99.9
18-24	185	355,790	5	2.4	0.2- 4.6	2	2.6	0.0- 6.1							1	0.2	0.0- 0.6	177	94.9	90.8-99.0
25-34	376	489,763	4	0.7	0.0- 1.5	2	0.7	0.0- 1.9	1	0.1	0.0- 0.3							369	98.5	97.1-99.9
35-44	412	460,285	4	1.0	0.0- 2.0	4	0.7	0.0- 1.5	1	0.6	0.0- 1.8				1	0.5	0.0- 1.5	402	97.2	95.2-99.2
45-54	650	457,734	12	1.6	0.6- 2.6	6	0.9	0.1- 1.7							5	0.7	0.0- 1.5	627	96.8	95.2-98.4
55-64	696	377,183	11	1.8	0.6- 3.0	1	0.3	0.0- 0.9	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	680	97.6	96.2-99.0
65+	1000	348,898	6	0.8	0.0- 1.6	7	0.7	0.1- 1.3	1	0.2	0.0- 0.6	2	0.5	0.0- 1.1	4	0.2	0.0- 0.4	980	97.6	96.2-99.0
Less Than H.S.	157	205,418	1	0.6	0.0- 1.8	2	4.4	0.0-10.5	1	1.4	0.0- 3.9				1	0.4	0.0- 1.2	152	93.2	86.5-99.9
H.S. or G.E.D.	894	699,280	8	0.6	0.2- 1.0	6	0.7	0.1- 1.3				1	0.1	0.0- 0.3	4	0.3	0.0- 0.7	875	98.4	97.6-99.2
Some Post-H.S.	875	830,269	14	2.1	0.9- 3.3	4	0.6	0.0- 1.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	3	0.4	0.0- 1.0	852	96.7	95.1-98.3
College Graduate	1384	745,611	19	1.4	0.6- 2.2	10	0.6	0.2- 1.0	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	4	0.1	0.0- 0.3	1347	97.7	96.7-98.7
Less than \$15,000	148	125,054				1	2.9	0.0- 8.4										147	97.1	91.6- 100
\$15,000- 24,999	312	218,919	4	1.6	0.0- 3.4	1	0.4	0.0- 1.2							3	0.6	0.0- 1.4	304	97.4	95.2-99.6
\$25,000- 34,999	277	197,757	4	1.6	0.0- 3.4	1	0.1	0.0- 0.3							1	0.1	0.0- 0.3	271	98.3	96.5- 100
\$35,000- 49,999	416	317,219	6	1.1	0.1- 2.1	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6				406	98.3	97.1-99.5
\$50,000- 74,999	525	419,179	3	0.8	0.0- 2.0	5	0.7	0.0- 1.5	3	0.9	0.0- 2.3	1	0.1	0.0- 0.3	2	0.7	0.0- 1.9	511	96.7	94.3-99.1
\$75,000+	1098	856,627	22	2.3	1.1- 3.5	10	1.6	0.0- 3.2	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	5	0.2	0.0- 0.6	1059	95.7	93.9-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1629	1,342,495	26	1.5	0.7- 2.3	20	1.7	0.5- 2.9	5	0.3	0.0- 0.7	3	0.2	0.0- 0.4	12	0.5	0.1- 0.9	1563	95.7	94.3-97.1
White/Non-Hisp	1341	1,071,361	21	1.6	0.8- 2.4	15	1.9	0.5- 3.3	4	0.4	0.0- 1.0	3	0.2	0.0- 0.4	7	0.3	0.0- 0.7	1291	95.7	93.9-97.5
Black or Afr. Am./Non-Hisp	103	107,287	1	2.5	0.0- 7.4	1	0.7	0.0- 2.1							1	2.1	0.0- 6.0	100	94.8	88.5- 100
Hispanic	73	81,316	1	0.6	0.0- 1.8	4	3.0	0.0- 6.1										68	96.4	93.1-99.7
18-24	90	185,056	1	1.5	0.0- 4.2	2	4.9	0.0-11.6							1	0.3	0.0- 0.9	86	93.3	86.0- 100
25-34	206	277,343	3	1.0	0.0- 2.2	2	1.2	0.0- 3.2	1	0.2	0.0- 0.6							200	97.6	95.2- 100
35-44	202	248,984	4	1.8	0.0- 3.8	4	1.4	0.0- 2.8	1	1.1	0.0- 3.3				1	0.9	0.0- 2.7	192	94.9	91.4-98.4
45-54	318	239,363	7	2.0	0.4- 3.6	6	1.8	0.2- 3.4							5	1.3	0.0- 2.7	300	94.9	92.4-97.4
55-64	335	200,349	7	2.1	0.1- 4.1	1	0.5	0.0- 1.5	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	323	96.6	94.2-99.0
65+	478	191,399	4	0.8	0.0- 2.0	5	1.1	0.0- 2.3	1	0.3	0.0- 0.9	2	0.8	0.0- 2.0	4	0.4	0.0- 0.8	462	96.5	94.3-98.7
Less Than H.S.	89	132,842				2	6.9	0.0-16.1	1	2.1	0.0- 6.2				1	0.7	0.0- 2.1	85	90.4	80.6- 100
H.S. or G.E.D.	486	421,074	5	0.6	0.0- 1.2	6	1.2	0.2- 2.2				1	0.1	0.0- 0.3	4	0.4	0.0- 1.0	470	97.6	96.2-99.0
Some Post-H.S.	403	416,762	10	2.8	0.8- 4.8	4	1.2	0.0- 2.6	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	3	0.9	0.0- 2.1	384	94.7	92.0-97.4
College Graduate	646	365,765	11	1.6	0.4- 2.8	8	1.1	0.1- 2.1	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	4	0.2	0.0- 0.4	619	96.5	94.9-98.1
Less than \$15,000	78	73,879				1	4.9	0.0-14.1										77	95.1	85.9- 100
\$15,000- 24,999	135	94,611	2	1.0	0.0- 2.6	1	0.9	0.0- 2.7							3	1.3	0.0- 3.3	129	96.8	93.7-99.9
\$25,000- 34,999	137	102,279	1	0.6	0.0- 1.8										1	0.2	0.0- 0.6	135	99.2	98.0- 100
\$35,000- 49,999	208	181,301	3	0.8	0.0- 1.8	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9				201	98.2	96.8-99.6
\$50,000- 74,999	279	238,599	2	1.3	0.0- 3.5	5	1.3	0.0- 2.7	3	1.6	0.0- 4.0	1	0.2	0.0- 0.6	2	1.3	0.0- 3.3	266	94.3	90.4-98.2
\$75,000+	566	477,862	16	3.0	1.4- 4.6	9	2.8	0.3- 5.3	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	5	0.4	0.0- 1.0	534	93.4	90.3-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 13: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 6: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1690	1,147,158	16	1.1	0.5- 1.7	2	0.0	0.0- 0.0	1672	98.9	98.3-99.5
White/Non-Hisp	1445	951,501	15	1.2	0.4- 2.0	2	0.0	0.0- 0.0	1428	98.7	97.9-99.5
Black or Afr. Am./Non-Hisp	114	91,180	1	1.2	0.0- 3.6				113	98.8	96.4- 100
Hispanic	50	55,986							50	100.0	100.0- 100
18-24	95	170,734	4	3.4	0.0- 6.9				91	96.6	93.1- 100
25-34	170	212,420	1	0.5	0.0- 1.5				169	99.5	98.5- 100
35-44	210	211,300							210	100.0	100.0- 100
45-54	332	218,371	5	1.1	0.0- 2.5				327	98.9	97.5- 100
55-64	361	176,835	4	1.3	0.0- 2.9				357	98.7	97.1- 100
65+	522	157,499	2	0.8	0.0- 2.2	2	0.2	0.0- 0.4	518	99.0	97.6- 100
Less Than H.S.	68	72,576	1	1.7	0.0- 5.0				67	98.3	95.0- 100
H.S. or G.E.D.	408	278,207	3	0.6	0.0- 1.4				405	99.4	98.6- 100
Some Post-H.S.	472	413,507	4	1.4	0.0- 2.8				468	98.6	97.2- 100
College Graduate	738	379,846	8	1.1	0.1- 2.1	2	0.1	0.1- 0.1	728	98.8	97.8-99.8
Less than \$15,000	70	51,175							70	100.0	100.0- 100
\$15,000- 24,999	177	124,307	2	2.1	0.0- 5.0				175	97.9	95.0- 100
\$25,000- 34,999	140	95,477	3	2.6	0.0- 5.7	1	0.1	0.0- 0.3	136	97.3	94.2- 100
\$35,000- 49,999	208	135,919	3	1.6	0.0- 3.6				205	98.4	96.4- 100
\$50,000- 74,999	246	180,580	1	0.2	0.0- 0.6				245	99.8	99.4- 100
\$75,000+	532	378,765	6	1.4	0.0- 2.8	1	0.0	0.0- 0.0	525	98.6	97.2- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018

SECTION 14: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)	
1	FEMALES ONLY	220
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)	
2	FEMALES ONLY	221
	HAVE YOU EVER HAD A PAP TEST? (HADPAP2)	
3	FEMALES ONLY	222
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)	
4	FEMALES ONLY	223
	AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)	
5	FEMALES ONLY	224
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)	
6	FEMALES ONLY	225
	HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)	
7	FEMALES ONLY	226

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING
TABLE 1: HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4101	2,461,273	3409	66.6	64.4-68.8	692	33.4	31.2-35.6
White/Non-Hisp	3461	2,007,164	2929	68.7	66.3-71.1	532	31.3	28.9-33.7
Black or Afr. Am./Non-Hisp	320	211,016	253	65.6	58.5-72.7	67	34.4	27.3-41.5
Oth. Race/Non-Hisp.	86	55,961	66	46.8	29.4-64.2	20	53.2	35.8-70.6
MultiRacial/Non-Hisp.	61	18,488	45	52.2	34.4-70.0	16	47.8	30.0-65.6
Hispanic	117	137,470	68	45.6	34.2-57.0	49	54.4	43.0-65.8
18-24	165	299,515	21	12.5	7.0-18.0	144	87.5	82.0-93.0
25-34	296	394,164	60	21.0	15.7-26.3	236	79.0	73.7-84.3
35-44	379	390,791	195	52.7	47.0-58.4	184	47.3	41.6-53.0
45-54	610	390,460	565	92.0	89.5-94.5	45	8.0	5.5-10.5
55-64	867	421,070	841	97.0	95.8-98.2	26	3.0	1.8- 4.2
65+	1784	565,273	1727	96.5	95.5-97.5	57	3.5	2.5- 4.5
Less Than H.S.	317	280,055	259	69.0	61.7-76.3	58	31.0	23.7-38.3
H.S. or G.E.D.	1376	782,910	1193	71.5	67.8-75.2	183	28.5	24.8-32.2
Some Post-H.S.	1077	796,007	865	62.1	58.0-66.2	212	37.9	33.8-42.0
College Graduate	1318	592,447	1083	65.2	61.5-68.9	235	34.8	31.1-38.5
Less than \$15,000	308	178,851	254	69.1	61.5-76.7	54	30.9	23.3-38.5
\$15,000- 24,999	621	371,253	514	63.7	58.0-69.4	107	36.3	30.6-42.0
\$25,000- 34,999	390	227,556	328	67.6	60.3-74.9	62	32.4	25.1-39.7
\$35,000- 49,999	488	299,269	401	65.3	59.0-71.6	87	34.7	28.4-41.0
\$50,000- 74,999	503	328,541	409	65.0	58.9-71.1	94	35.0	28.9-41.1
\$75,000+	826	571,163	666	64.2	59.5-68.9	160	35.8	31.1-40.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3323	1,605,542	1881	55.6	53.4-57.8	594	18.1	16.3-19.9	277	9.4	8.0-10.8	185	6.1	4.9- 7.3	386	10.8	9.4-12.2
White/Non-Hisp	2854	1,350,669	1615	55.6	53.2-58.0	515	18.1	16.3-19.9	231	9.3	7.9-10.7	159	5.8	4.6- 7.0	334	11.1	9.5-12.7
Black or Afr. Am./Non-Hisp	249	135,728	138	55.2	47.2-63.2	41	18.3	12.0-24.6	29	10.6	5.7-15.5	13	7.2	2.7-11.7	28	8.7	4.8-12.6
Oth. Race/Non-Hisp.	64	25,189	36	64.0	44.4-83.6	11	14.6	3.2-26.0	6	11.1	0.0-25.6	2	2.6	0.0- 6.7	9	7.7	1.0-14.4
Hispanic	67	61,955	36	51.1	34.4-67.8	13	20.3	6.4-34.2	5	7.5	0.0-16.1	5	12.3	0.0-24.8	8	8.9	1.3-16.5
25-34	60	82,786	19	31.2	18.3-44.1	11	20.5	8.9-32.1	8	11.3	2.9-19.7	10	17.4	7.4-27.4	12	19.7	8.1-31.3
35-44	193	204,002	107	56.5	48.1-64.9	29	14.9	8.4-21.4	21	9.6	4.9-14.3	12	6.3	1.8-10.8	24	12.8	7.5-18.1
45-54	554	352,140	332	60.1	55.4-64.8	102	17.6	14.1-21.1	44	8.9	6.2-11.6	34	6.0	3.8- 8.2	42	7.4	4.9- 9.9
55-64	833	404,940	517	61.1	57.2-65.0	145	17.6	14.7-20.5	65	8.7	6.3-11.1	30	3.8	2.2- 5.4	76	8.9	6.5-11.3
65+	1663	526,137	901	54.0	51.1-56.9	303	19.6	17.2-22.0	133	8.2	6.6- 9.8	95	5.4	4.0- 6.8	231	12.8	10.8-14.8
Less Than H.S.	251	189,774	111	46.4	38.2-54.6	49	20.4	13.5-27.3	29	11.2	6.7-15.7	13	7.2	1.7-12.7	49	14.8	9.9-19.7
H.S. or G.E.D.	1149	540,148	616	53.7	50.2-57.2	203	18.0	15.3-20.7	101	9.7	7.3-12.1	75	7.2	5.2- 9.2	154	11.4	9.2-13.6
Some Post-H.S.	849	489,422	483	56.4	52.1-60.7	157	18.4	15.1-21.7	69	8.9	6.4-11.4	54	6.0	4.0- 8.0	86	10.4	7.5-13.3
College Graduate	1066	380,933	668	62.3	58.6-66.0	183	16.8	14.1-19.5	76	8.4	5.9-10.9	43	4.3	2.7- 5.9	96	8.2	6.2-10.2
Less than \$15,000	247	119,945	110	50.0	41.8-58.2	43	14.8	9.3-20.3	27	12.7	7.4-18.0	15	7.2	2.5-11.9	52	15.2	10.1-20.3
\$15,000- 24,999	504	233,165	261	47.4	41.3-53.5	97	21.1	15.8-26.4	41	9.8	6.1-13.5	31	7.9	4.0-11.8	74	13.8	10.1-17.5
\$25,000- 34,999	324	152,092	164	44.9	37.5-52.3	64	20.6	14.9-26.3	29	10.7	5.0-16.4	23	8.9	3.4-14.4	44	14.9	9.4-20.4
\$35,000- 49,999	398	194,988	227	55.7	49.2-62.2	67	17.1	12.0-22.2	41	9.8	6.1-13.5	28	7.9	4.2-11.6	35	9.5	5.8-13.2
\$50,000- 74,999	406	212,908	250	58.5	52.4-64.6	62	15.5	11.2-19.8	36	11.4	7.1-15.7	20	6.4	3.3- 9.5	38	8.1	5.0-11.2
\$75,000+	660	363,442	421	62.3	57.6-67.0	125	17.5	14.2-20.8	48	8.6	5.7-11.5	23	3.5	1.9- 5.1	43	8.1	5.2-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING
TABLE 3: HAVE YOU EVER HAD A PAP TEST? (HADPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4058	2,446,313	3852	90.6	89.0-92.2	206	9.4	7.8-11.0
White/Non-Hisp	3421	1,994,859	3270	92.0	90.4-93.6	151	8.0	6.4- 9.6
Black or Afr. Am./Non-Hisp	318	209,492	298	88.5	82.8-94.2	20	11.5	5.8-17.2
Oth. Race/Non-Hisp.	85	55,736	70	61.9	43.5-80.3	15	38.1	19.7-56.5
MultiRacial/Non-Hisp.	62	18,884	60	97.9	94.2- 100	2	2.1	0.0- 5.8
Hispanic	118	138,245	102	83.1	73.9-92.3	16	16.9	7.7-26.1
18-24	167	302,469	86	45.5	37.3-53.7	81	54.5	46.3-62.7
25-34	295	393,244	282	96.2	94.0-98.4	13	3.8	1.6- 6.0
35-44	379	390,139	371	97.9	96.3-99.5	8	2.1	0.5- 3.7
45-54	601	384,282	590	97.8	96.4-99.2	11	2.2	0.8- 3.6
55-64	862	417,314	844	97.8	96.6-99.0	18	2.2	1.0- 3.4
65+	1754	558,866	1679	95.5	94.3-96.7	75	4.5	3.3- 5.7
Less Than H.S.	312	280,063	283	89.8	85.1-94.5	29	10.2	5.5-14.9
H.S. or G.E.D.	1361	776,812	1268	87.7	84.6-90.8	93	12.3	9.2-15.4
Some Post-H.S.	1069	791,972	1011	88.4	85.1-91.7	58	11.6	8.3-14.9
College Graduate	1305	588,269	1280	97.6	96.4-98.8	25	2.4	1.2- 3.6
Less than \$15,000	304	179,279	275	87.0	81.1-92.9	29	13.0	7.1-18.9
\$15,000- 24,999	620	370,906	578	88.1	83.8-92.4	42	11.9	7.6-16.2
\$25,000- 34,999	385	225,962	361	89.3	84.0-94.6	24	10.7	5.4-16.0
\$35,000- 49,999	486	298,814	471	92.6	88.3-96.9	15	7.4	3.1-11.7
\$50,000- 74,999	500	327,642	486	93.4	89.1-97.7	14	6.6	2.3-10.9
\$75,000+	822	568,042	800	92.4	88.9-95.9	22	7.6	4.1-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3662	2,134,787	1202	41.0	38.8-43.2	595	19.1	17.3-20.9	375	10.2	8.8-11.6	350	8.7	7.5- 9.9	1140	21.1	19.5-22.7
White/Non-Hisp	3111	1,771,494	975	39.0	36.6-41.4	509	19.5	17.5-21.5	328	10.4	9.0-11.8	295	8.4	7.2- 9.6	1004	22.6	21.0-24.2
Black or Afr. Am./Non-Hisp	282	177,744	119	51.4	44.1-58.7	45	17.1	11.4-22.8	26	8.5	4.4-12.6	22	7.3	3.8-10.8	70	15.7	11.2-20.2
Oth. Race/Non-Hisp.	64	29,964	17	28.5	10.3-46.7	12	41.2	19.1-63.3	6	3.1	0.0- 6.2	8	9.5	0.0-21.8	21	17.6	6.4-28.8
MultiRacial/Non-Hisp.	59	18,444	26	54.8	37.4-72.2	11	25.1	8.0-42.2	2	1.8	0.0- 4.5	4	4.5	0.0- 9.8	16	13.8	5.4-22.2
Hispanic	99	112,059	51	58.1	45.9-70.3	12	9.1	2.4-15.8	8	12.1	2.3-21.9	13	12.3	4.9-19.7	15	8.5	3.2-13.8
18-24	85	134,998	56	65.4	54.2-76.6	21	25.5	15.1-35.9	6	7.5	1.2-13.8	1	0.5	0.0- 1.5	1	1.1	0.0- 3.1
25-34	278	370,717	166	60.1	53.8-66.4	56	21.7	16.2-27.2	25	7.6	4.3-10.9	21	7.7	4.4-11.0	10	2.8	0.8- 4.8
35-44	367	377,889	181	48.7	42.8-54.6	78	20.0	15.5-24.5	40	11.8	7.7-15.9	28	8.5	5.2-11.8	40	11.0	7.5-14.5
45-54	582	369,239	264	43.3	38.6-48.0	130	24.3	20.2-28.4	56	9.6	6.9-12.3	45	7.0	4.8- 9.2	87	15.8	12.5-19.1
55-64	823	397,422	307	37.1	33.2-41.0	144	18.0	14.9-21.1	83	11.2	8.7-13.7	82	9.7	7.3-12.1	207	24.0	20.5-27.5
65+	1527	484,523	228	14.9	12.7-17.1	166	11.4	9.4-13.4	165	11.2	9.2-13.2	173	12.2	10.0-14.4	795	50.3	47.4-53.2
Less Than H.S.	266	239,509	75	38.5	30.7-46.3	41	20.2	13.5-26.9	28	10.3	5.2-15.4	23	8.2	4.1-12.3	99	22.8	17.3-28.3
H.S. or G.E.D.	1182	648,070	328	35.2	31.5-38.9	162	18.1	15.2-21.0	124	10.5	8.3-12.7	113	9.3	7.3-11.3	455	26.9	24.2-29.6
Some Post-H.S.	967	682,729	307	41.9	37.8-46.0	167	18.2	14.9-21.5	88	9.0	6.8-11.2	90	8.5	6.3-10.7	315	22.4	19.5-25.3
College Graduate	1240	558,596	490	47.5	44.0-51.0	224	20.9	18.0-23.8	134	11.1	8.7-13.5	123	8.4	6.6-10.2	269	12.2	10.4-14.0
Less than \$15,000	265	150,880	78	41.1	32.9-49.3	37	15.9	10.2-21.6	26	9.8	5.3-14.3	14	4.8	1.9- 7.7	110	28.4	21.9-34.9
\$15,000- 24,999	541	307,643	142	36.0	29.9-42.1	69	14.3	10.2-18.4	52	10.5	6.4-14.6	60	10.8	7.5-14.1	218	28.3	23.6-33.0
\$25,000- 34,999	346	197,047	86	36.2	28.6-43.8	55	21.2	14.7-27.7	36	8.9	5.4-12.4	36	9.5	5.8-13.2	133	24.1	19.0-29.2
\$35,000- 49,999	456	269,786	149	38.8	32.9-44.7	75	18.1	13.4-22.8	47	12.6	8.1-17.1	44	9.3	6.0-12.6	141	21.2	16.9-25.5
\$50,000- 74,999	480	304,171	177	42.4	36.7-48.1	88	22.4	17.5-27.3	54	11.1	7.6-14.6	49	8.6	5.7-11.5	112	15.6	12.1-19.1
\$75,000+	788	516,671	335	47.9	43.4-52.4	156	21.5	17.8-25.2	89	10.6	8.1-13.1	72	7.7	5.5- 9.9	136	12.2	9.7-14.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 5: AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3025	1,858,157	1130	47.2	44.8-49.6	1895	52.8	50.4-55.2
White/Non-Hisp	2488	1,471,480	880	46.6	44.1-49.1	1608	53.4	50.9-55.9
Black or Afr. Am./Non-Hisp	273	177,530	119	49.0	41.4-56.6	154	51.0	43.4-58.6
Oth. Race/Non-Hisp.	66	41,816	29	43.4	22.8-64.0	37	56.6	36.0-77.2
MultiRacial/Non-Hisp.	52	17,037	35	82.9	72.7-93.1	17	17.1	6.9-27.3
Hispanic	104	127,867	55	51.2	39.0-63.4	49	48.8	36.6-61.0
18-24	153	270,488	63	37.4	29.0-45.8	90	62.6	54.2-71.0
25-34	238	310,646	177	73.5	67.2-79.8	61	26.5	20.2-32.8
35-44	292	296,314	212	72.8	66.7-78.9	80	27.2	21.1-33.3
45-54	435	281,329	245	56.0	50.5-61.5	190	44.0	38.5-49.5
55-64	619	290,530	229	37.2	32.7-41.7	390	62.8	58.3-67.3
65+	1288	408,849	204	16.2	13.7-18.7	1084	83.8	81.3-86.3
Less Than H.S.	243	214,657	83	44.2	35.8-52.6	160	55.8	47.4-64.2
H.S. or G.E.D.	1011	587,514	278	37.4	33.3-41.5	733	62.6	58.5-66.7
Some Post-H.S.	798	611,092	322	49.1	44.4-53.8	476	50.9	46.2-55.6
College Graduate	966	438,191	447	60.0	56.3-63.7	519	40.0	36.3-43.7
Less than \$15,000	239	138,373	79	37.1	28.9-45.3	160	62.9	54.7-71.1
\$15,000- 24,999	490	307,107	162	41.9	35.6-48.2	328	58.1	51.8-64.4
\$25,000- 34,999	301	179,167	91	43.5	35.5-51.5	210	56.5	48.5-64.5
\$35,000- 49,999	367	225,198	143	51.1	44.2-58.0	224	48.9	42.0-55.8
\$50,000- 74,999	370	247,823	162	52.5	45.8-59.2	208	47.5	40.8-54.2
\$75,000+	592	419,200	313	56.6	51.3-61.9	279	43.4	38.1-48.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1051	830,168	397	40.7	37.0-44.4	175	19.1	16.0-22.2	122	11.9	9.4-14.4	101	8.5	6.5-10.5	256	19.7	16.8-22.6
White/Non-Hisp	818	649,540	285	37.7	33.6-41.8	141	19.8	16.3-23.3	103	12.5	9.6-15.4	79	8.1	5.9-10.3	210	21.9	18.6-25.2
Black or Afr. Am./Non-Hisp	109	80,282	60	59.2	48.4-70.0	18	17.3	8.7-25.9	10	8.8	2.5-15.1	9	8.2	2.3-14.1	12	6.6	2.3-10.9
Hispanic	52	63,140	25	49.3	33.0-65.6	4	5.9	0.0-12.8	6	14.7	0.4-29.0	5	10.4	1.0-19.8	12	19.7	7.0-32.4
18-24	62	99,957	36	54.8	40.7-68.9	14	24.4	11.9-36.9	7	14.1	3.5-24.7	2	1.4	0.0-3.4	3	5.3	0.0-11.4
25-34	168	217,054	80	47.9	39.5-56.3	27	17.9	11.2-24.6	20	10.3	5.6-15.0	17	9.8	5.1-14.5	24	14.1	8.0-20.2
35-44	201	203,241	81	38.6	31.0-46.2	36	17.4	11.5-23.3	22	12.5	6.6-18.4	17	6.5	3.2-9.8	45	25.0	17.9-32.1
45-54	226	147,034	80	31.7	24.6-38.8	44	23.3	16.2-30.4	29	13.2	8.1-18.3	19	9.4	4.7-14.1	54	22.5	16.4-28.6
55-64	213	103,704	85	40.3	32.7-47.9	28	15.3	9.2-21.4	20	10.1	5.4-14.8	26	14.2	8.3-20.1	54	20.1	14.2-26.0
65+	181	59,178	35	21.0	13.7-28.3	26	16.6	9.9-23.3	24	12.6	6.7-18.5	20	10.5	5.0-16.0	76	39.2	30.6-47.8
Less Than H.S.	78	91,299	28	34.2	21.9-46.5	11	19.0	7.2-30.8	11	13.6	3.6-23.6	8	10.8	3.0-18.6	20	22.5	11.5-33.5
H.S. or G.E.D.	259	206,734	88	38.0	30.6-45.4	41	20.0	13.5-26.5	33	13.2	7.7-18.7	23	8.5	4.6-12.4	74	20.4	14.9-25.9
Some Post-H.S.	305	287,282	118	41.7	34.8-48.6	59	20.6	14.9-26.3	22	8.8	4.7-12.9	30	7.8	4.7-10.9	76	21.1	15.6-26.6
College Graduate	409	244,853	163	44.2	38.3-50.1	64	16.6	12.1-21.1	56	13.9	9.6-18.2	40	8.7	5.6-11.8	86	16.6	12.7-20.5
Less than \$15,000	73	48,295	26	42.1	27.4-56.8	10	11.2	3.2-19.2	9	11.6	2.4-20.8	6	13.3	2.5-24.1	22	21.8	10.4-33.2
\$15,000- 24,999	155	125,222	58	45.2	34.8-55.6	24	13.8	7.9-19.7	14	9.1	2.0-16.2	12	8.0	2.5-13.5	47	23.9	15.9-31.9
\$25,000- 34,999	86	73,096	28	32.4	19.9-44.9	24	34.1	20.4-47.8	9	7.7	1.8-13.6	9	11.2	3.2-19.2	16	14.6	5.8-23.4
\$35,000- 49,999	138	111,360	55	43.3	33.1-53.5	20	19.2	10.2-28.2	17	13.2	5.9-20.5	14	7.4	2.7-12.1	32	16.9	9.8-24.0
\$50,000- 74,999	150	121,882	49	31.0	22.4-39.6	23	17.2	9.9-24.5	27	19.6	11.8-27.4	15	8.8	3.9-13.7	36	23.4	15.0-31.8
\$75,000+	291	225,243	111	40.8	33.7-47.9	50	19.5	13.6-25.4	36	13.1	8.0-18.2	29	7.8	4.5-11.1	65	18.8	13.3-24.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4035	2,403,452	1350	24.2	22.6-25.8	2685	75.8	74.2-77.4
White/Non-Hisp	3413	1,966,445	1157	25.3	23.5-27.1	2256	74.7	72.9-76.5
Black or Afr. Am./Non-Hisp	312	204,103	106	22.9	17.6-28.2	206	77.1	71.8-82.4
Oth. Race/Non-Hisp.	83	52,402	29	16.9	6.9-26.9	54	83.1	73.1-93.1
MultiRacial/Non-Hisp.	59	17,553	18	21.3	8.2-34.4	41	78.7	65.6-91.8
Hispanic	115	134,903	20	10.4	4.7-16.1	95	89.6	83.9-95.3
18-24	158	284,957				158	100.0	100.0- 100
25-34	285	378,512	7	2.4	0.2- 4.6	278	97.6	95.4-99.8
35-44	367	380,277	47	14.8	10.5-19.1	320	85.2	80.9-89.5
45-54	596	380,750	166	27.4	23.3-31.5	430	72.6	68.5-76.7
55-64	861	418,258	307	35.5	31.8-39.2	554	64.5	60.8-68.2
65+	1768	560,698	823	46.9	44.2-49.6	945	53.1	50.4-55.8
Less Than H.S.	312	278,101	135	29.1	23.2-35.0	177	70.9	65.0-76.8
H.S. or G.E.D.	1359	769,275	524	28.4	25.7-31.1	835	71.6	68.9-74.3
Some Post-H.S.	1057	774,383	359	22.5	19.6-25.4	698	77.5	74.6-80.4
College Graduate	1295	573,264	329	18.4	16.0-20.8	966	81.6	79.2-84.0
Less than \$15,000	302	174,666	130	32.0	25.5-38.5	172	68.0	61.5-74.5
\$15,000- 24,999	615	360,943	236	26.1	22.0-30.2	379	73.9	69.8-78.0
\$25,000- 34,999	387	225,158	127	21.1	16.4-25.8	260	78.9	74.2-83.6
\$35,000- 49,999	481	292,163	159	21.7	17.6-25.8	322	78.3	74.2-82.4
\$50,000- 74,999	499	325,631	132	18.9	15.2-22.6	367	81.1	77.4-84.8
\$75,000+	809	553,774	203	18.8	15.9-21.7	606	81.2	78.3-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 15: PROSTATE CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
1	228
2	229
3	230
4	231
5	232
6	233

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST?
(PCPSAAD3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2311	1,373,114	1111	40.3	37.9-42.7	1200	59.7	57.3-62.1
White/Non-Hisp	1960	1,165,663	965	41.6	39.1-44.1	995	58.4	55.9-60.9
Black or Afr. Am./Non-Hisp	152	111,532	72	38.4	29.2-47.6	80	61.6	52.4-70.8
Oth. Race/Non-Hisp.	57	23,972	28	29.4	10.6-48.2	29	70.6	51.8-89.4
Hispanic	57	43,176	13	15.6	4.6-26.6	44	84.4	73.4-95.4
35-44	157	193,164	23	11.2	6.3-16.1	134	88.8	83.9-93.7
45-54	491	373,017	142	26.7	22.4-31.0	349	73.3	69.0-77.6
55-64	630	381,273	344	51.5	47.0-56.0	286	48.5	44.0-53.0
65+	1033	425,660	602	55.2	51.5-58.9	431	44.8	41.1-48.5
Less Than H.S.	175	154,104	46	24.8	17.5-32.1	129	75.2	67.9-82.5
H.S. or G.E.D.	778	488,842	310	34.0	30.3-37.7	468	66.0	62.3-69.7
Some Post-H.S.	574	397,140	280	42.1	37.4-46.8	294	57.9	53.2-62.6
College Graduate	773	327,147	471	55.1	50.8-59.4	302	44.9	40.6-49.2
Less than \$15,000	137	86,470	43	32.9	23.1-42.7	94	67.1	57.3-76.9
\$15,000- 24,999	278	147,261	114	33.1	26.6-39.6	164	66.9	60.4-73.4
\$25,000- 34,999	227	126,168	96	35.0	27.6-42.4	131	65.0	57.6-72.4
\$35,000- 49,999	301	175,860	154	39.6	33.1-46.1	147	60.4	53.9-66.9
\$50,000- 74,999	357	224,053	191	44.8	38.7-50.9	166	55.2	49.1-61.3
\$75,000+	657	432,563	337	42.8	38.3-47.3	320	57.2	52.7-61.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2301	1,361,823	429	16.9	15.1-18.7	1872	83.1	81.3-84.9
White/Non-Hisp	1961	1,165,140	373	17.0	15.0-19.0	1588	83.0	81.0-85.0
Black or Afr. Am./Non-Hisp	146	103,230	29	19.1	11.8-26.4	117	80.9	73.6-88.2
Oth. Race/Non-Hisp.	56	23,004	12	18.6	3.1-34.1	44	81.4	65.9-96.9
Hispanic	57	43,176	5	8.3	0.0-18.3	52	91.7	81.7- 100
35-44	156	190,662	10	4.7	1.6- 7.8	146	95.3	92.2-98.4
45-54	488	369,096	64	12.1	9.0-15.2	424	87.9	84.8-91.0
55-64	625	380,790	148	23.7	20.0-27.4	477	76.3	72.6-80.0
65+	1032	421,276	207	20.3	17.4-23.2	825	79.7	76.8-82.6
Less Than H.S.	174	152,257	18	11.1	5.6-16.6	156	88.9	83.4-94.4
H.S. or G.E.D.	777	488,759	112	14.1	11.4-16.8	665	85.9	83.2-88.6
Some Post-H.S.	572	390,742	107	16.7	13.4-20.0	465	83.3	80.0-86.6
College Graduate	767	324,184	191	24.1	20.6-27.6	576	75.9	72.4-79.4
Less than \$15,000	136	85,575	19	15.6	7.6-23.6	117	84.4	76.4-92.4
\$15,000- 24,999	274	144,601	44	14.5	9.6-19.4	230	85.5	80.6-90.4
\$25,000- 34,999	224	124,212	30	12.6	7.7-17.5	194	87.4	82.5-92.3
\$35,000- 49,999	301	177,017	56	18.3	13.2-23.4	245	81.7	76.6-86.8
\$50,000- 74,999	353	217,884	80	20.4	15.7-25.1	273	79.6	74.9-84.3
\$75,000+	654	429,537	134	17.4	14.3-20.5	520	82.6	79.5-85.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A P.S.A. TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2270	1,347,860	1024	38.4	36.0-40.8	1246	61.6	59.2-64.0
White/Non-Hisp	1930	1,147,744	894	39.9	37.4-42.4	1036	60.1	57.6-62.6
Black or Afr. Am./Non-Hisp	146	106,066	62	33.5	24.5-42.5	84	66.5	57.5-75.5
Oth. Race/Non-Hisp.	57	25,469	24	26.3	9.2-43.4	33	73.7	56.6-90.8
Hispanic	53	39,351	12	16.5	4.5-28.5	41	83.5	71.5-95.5
35-44	153	188,310	17	10.0	4.9-15.1	136	90.0	84.9-95.1
45-54	481	366,061	124	24.6	20.3-28.9	357	75.4	71.1-79.7
55-64	619	376,712	321	49.4	44.9-53.9	298	50.6	46.1-55.1
65+	1017	416,777	562	53.5	49.8-57.2	455	46.5	42.8-50.2
Less Than H.S.	173	153,126	44	26.6	19.0-34.2	129	73.4	65.8-81.0
H.S. or G.E.D.	765	481,455	292	33.7	30.0-37.4	473	66.3	62.6-70.0
Some Post-H.S.	558	386,027	256	39.6	34.9-44.3	302	60.4	55.7-65.1
College Graduate	762	321,251	428	50.1	45.8-54.4	334	49.9	45.6-54.2
Less than \$15,000	127	81,580	41	32.8	22.8-42.8	86	67.2	57.2-77.2
\$15,000- 24,999	283	150,611	105	31.9	25.4-38.4	178	68.1	61.6-74.6
\$25,000- 34,999	222	125,030	86	33.8	26.4-41.2	136	66.2	58.8-73.6
\$35,000- 49,999	290	169,470	143	41.9	35.0-48.8	147	58.1	51.2-65.0
\$50,000- 74,999	353	221,405	181	42.8	36.7-48.9	172	57.2	51.1-63.3
\$75,000+	649	424,104	319	40.1	35.8-44.4	330	59.9	55.6-64.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1013	512,808	940	89.5	86.8-92.2	73	10.5	7.8-13.2
White/Non-Hisp	886	453,283	830	90.7	88.2-93.2	56	9.3	6.8-11.8
Black or Afr. Am./Non-Hisp	61	35,199	51	79.5	65.4-93.6	10	20.5	6.4-34.6
45-54	123	89,562	101	78.2	69.4-87.0	22	21.8	13.0-30.6
55-64	318	184,450	290	89.3	85.0-93.6	28	10.7	6.4-15.0
65+	555	219,957	539	97.4	95.6-99.2	16	2.6	0.8- 4.4
H.S. or G.E.D.	284	158,135	254	89.0	84.7-93.3	30	11.0	6.7-15.3
Some Post-H.S.	256	152,694	242	91.6	86.9-96.3	14	8.4	3.7-13.1
College Graduate	426	160,354	411	95.3	92.6-98.0	15	4.7	2.0- 7.4
\$15,000- 24,999	101	45,875	91	82.2	71.6-92.8	10	17.8	7.2-28.4
\$25,000- 34,999	84	40,897	79	93.2	85.9- 100	5	6.8	0.0-14.1
\$35,000- 49,999	142	70,746	134	94.9	90.8-99.0	8	5.1	1.0- 9.2
\$50,000- 74,999	180	94,275	167	91.0	85.7-96.3	13	9.0	3.7-14.3
\$75,000+	318	169,616	303	92.5	88.4-96.6	15	7.5	3.4-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST P.S.A. TEST? (PSATIME)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1119	551,230	637	57.3	54.0-60.6	185	16.5	14.0-19.0	96	8.5	6.5-10.5	80	7.1	5.3- 8.9	121	10.7	8.5-12.9
White/Non-Hisp	982	491,675	566	57.5	54.0-61.0	158	16.0	13.5-18.5	89	9.0	6.8-11.2	68	6.8	5.0- 8.6	101	10.7	8.3-13.1
Black or Afr. Am./Non-Hisp	60	35,386	32	54.4	38.9-69.9	14	25.6	11.5-39.7	3	2.0	0.0- 4.9	4	7.1	0.0-15.1	7	10.9	2.5-19.3
45-54	129	86,575	70	55.3	45.5-65.1	27	20.4	12.4-28.4	15	8.8	3.7-13.9	6	4.7	0.6- 8.8	11	10.8	4.1-17.5
55-64	333	193,199	190	57.6	51.7-63.5	52	15.7	11.4-20.0	28	8.8	5.3-12.3	31	7.8	4.7-10.9	32	10.0	6.3-13.7
65+	643	257,488	371	58.2	53.7-62.7	103	16.0	12.7-19.3	52	7.7	5.3-10.1	40	6.9	4.4- 9.4	77	11.3	8.4-14.2
H.S. or G.E.D.	324	177,905	183	57.7	51.4-64.0	55	17.3	12.4-22.2	27	7.0	4.1- 9.9	22	5.6	2.9- 8.3	37	12.5	8.2-16.8
Some Post-H.S.	290	169,701	153	53.3	46.6-60.0	49	16.3	11.6-21.0	27	9.7	5.8-13.6	25	9.4	5.5-13.3	36	11.2	7.3-15.1
College Graduate	456	169,808	277	62.6	57.3-67.9	70	15.2	11.3-19.1	38	8.4	5.3-11.5	31	6.6	4.1- 9.1	40	7.2	4.5- 9.9
\$15,000- 24,999	111	47,923	65	59.1	47.9-70.3	13	10.7	4.2-17.2	8	8.2	1.5-14.9	13	11.2	4.1-18.3	12	10.8	3.5-18.1
\$25,000- 34,999	99	46,603	55	52.5	40.7-64.3	19	18.3	9.3-27.3	6	8.0	0.6-15.4	6	8.1	1.0-15.2	13	13.0	5.2-20.8
\$35,000- 49,999	149	73,296	85	58.6	49.0-68.2	23	14.8	8.3-21.3	21	15.7	7.9-23.5	7	3.9	0.8- 7.0	13	7.0	2.9-11.1
\$50,000- 74,999	193	100,149	109	55.3	47.3-63.3	35	19.6	12.9-26.3	12	5.1	2.0- 8.2	19	10.1	5.0-15.2	18	9.9	4.8-15.0
\$75,000+	345	182,424	211	63.3	57.4-69.2	52	13.4	9.5-17.3	27	7.4	4.3-10.5	20	5.3	2.8- 7.8	35	10.5	6.6-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 15: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST – WAS IT ...? (PCPSARS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1141	560,974	781	67.0	63.7-70.3	91	8.1	6.1-10.1	54	5.6	4.0- 7.2	52	3.5	2.3- 4.7	163	15.8	13.3-18.3
White/Non-Hisp	999	499,286	690	67.0	63.5-70.5	79	8.1	6.1-10.1	49	6.0	4.2- 7.8	43	3.5	2.3- 4.7	138	15.5	12.8-18.2
Black or Afr. Am./Non-Hisp	64	37,350	44	72.2	59.3-85.1	3	4.1	0.0- 9.4	2	2.8	0.0- 6.5	6	4.8	0.7- 8.9	9	16.1	4.7-27.5
45-54	130	87,445	86	67.0	57.6-76.4	8	6.6	1.3-11.9	9	5.7	1.6- 9.8				27	20.7	12.7-28.7
55-64	344	197,811	234	67.4	61.9-72.9	19	5.5	2.8- 8.2	26	7.5	4.4-10.6	9	2.3	0.5- 4.1	56	17.2	12.7-21.7
65+	653	261,749	455	68.4	64.1-72.7	63	10.9	8.0-13.8	16	3.0	1.4- 4.6	43	5.8	3.8- 7.8	76	12.0	8.9-15.1
H.S. or G.E.D.	329	181,705	216	66.6	60.7-72.5	28	8.6	4.9-12.3	14	5.2	2.3- 8.1	16	2.6	1.0- 4.2	55	17.1	12.4-21.8
Some Post-H.S.	294	171,131	203	67.4	61.3-73.5	22	6.9	3.8-10.0	14	5.1	2.0- 8.2	15	5.3	2.4- 8.2	40	15.2	10.3-20.1
College Graduate	469	174,146	336	71.1	66.2-76.0	32	7.1	4.6- 9.6	25	7.1	4.2-10.0	19	2.9	1.5- 4.3	57	11.8	8.3-15.3
\$15,000- 24,999	111	48,000	68	61.9	50.9-72.9	16	16.0	7.4-24.6	5	4.0	0.0- 8.3	8	6.3	1.0-11.6	14	11.9	4.6-19.2
\$25,000- 34,999	99	46,528	60	61.4	49.8-73.0	9	7.1	1.6-12.6	5	7.3	0.6-14.0	9	6.9	1.8-12.0	16	17.4	8.0-26.8
\$35,000- 49,999	153	76,037	103	64.5	55.3-73.7	12	8.3	3.2-13.4	7	4.2	0.9- 7.5	5	3.0	0.1- 5.9	26	20.0	11.6-28.4
\$50,000- 74,999	197	101,055	131	63.4	55.6-71.2	13	8.0	3.5-12.5	11	7.3	2.8-11.8	10	3.5	0.8- 6.2	32	17.8	11.5-24.1
\$75,000+	350	185,259	257	71.8	66.1-77.5	23	6.8	3.7- 9.9	21	7.3	4.0-10.6	10	2.0	0.4- 3.6	39	12.1	8.0-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 16: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	235
2	MALES ONLY	236
3	FEMALES ONLY	237
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	238
5	MALES ONLY	239
6	FEMALES ONLY	240
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	241
8	MALES ONLY	242
9	FEMALES ONLY	243
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10	MALES AND FEMALES	244
11	MALES ONLY	245
12	FEMALES ONLY	246
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	247
14	MALES ONLY	248
15	FEMALES ONLY	249

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4959	2,243,737	1538	28.3	26.7-29.9	3421	71.7	70.1-73.3
Male	1988	1,041,470	576	25.8	23.6-28.0	1412	74.2	72.0-76.4
Female	2971	1,202,267	962	30.4	28.4-32.4	2009	69.6	67.6-71.6
White/Non-Hisp	4302	1,949,352	1348	28.5	26.9-30.1	2954	71.5	69.9-73.1
Black or Afr. Am./Non-Hisp	317	160,190	102	27.5	21.4-33.6	215	72.5	66.4-78.6
Oth. Race/Non-Hisp.	108	37,836	30	32.7	14.7-50.7	78	67.3	49.3-85.3
MultiRacial/Non-Hisp.	71	13,457	25	33.4	19.9-46.9	46	66.6	53.1-80.1
Hispanic	74	44,832	10	12.9	3.7-22.1	64	87.1	77.9-96.3
45-54	626	437,686	92	14.7	11.4-18.0	534	85.3	82.0-88.6
55-64	1509	811,653	397	25.6	23.1-28.1	1112	74.4	71.9-76.9
65+	2824	994,398	1049	36.4	34.2-38.6	1775	63.6	61.4-65.8
Less Than H.S.	389	268,083	100	24.7	19.6-29.8	289	75.3	70.2-80.4
H.S. or G.E.D.	1800	845,810	542	27.3	24.9-29.7	1258	72.7	70.3-75.1
Some Post-H.S.	1224	630,849	384	29.3	26.2-32.4	840	70.7	67.6-73.8
College Graduate	1527	489,086	506	30.6	27.9-33.3	1021	69.4	66.7-72.1
Less than \$15,000	350	167,706	98	25.6	19.9-31.3	252	74.4	68.7-80.1
\$15,000- 24,999	738	312,960	255	32.4	28.3-36.5	483	67.6	63.5-71.7
\$25,000- 34,999	497	212,299	146	25.1	20.6-29.6	351	74.9	70.4-79.4
\$35,000- 49,999	624	287,741	207	29.4	25.3-33.5	417	70.6	66.5-74.7
\$50,000- 74,999	642	312,810	190	26.2	22.3-30.1	452	73.8	69.9-77.7
\$75,000+	999	511,432	278	25.7	22.4-29.0	721	74.3	71.0-77.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1988	1,041,470	576	25.8	23.6-28.0	1412	74.2	72.0-76.4
White/Non-Hisp	1714	910,134	496	26.1	23.7-28.5	1218	73.9	71.5-76.3
Black or Afr. Am./Non-Hisp	121	77,270	37	25.3	16.3-34.3	84	74.7	65.7-83.7
Oth. Race/Non-Hisp.	52	14,216	15	22.2	7.1-37.3	37	77.8	62.7-92.9
45-54	282	214,228	34	10.4	6.5-14.3	248	89.6	85.7-93.5
55-64	647	392,905	170	24.9	21.2-28.6	477	75.1	71.4-78.8
65+	1059	434,336	372	34.1	30.8-37.4	687	65.9	62.6-69.2
Less Than H.S.	155	126,621	36	23.4	15.8-31.0	119	76.6	69.0-84.2
H.S. or G.E.D.	685	383,290	188	24.7	21.2-28.2	497	75.3	71.8-78.8
Some Post-H.S.	487	286,692	128	24.3	20.0-28.6	359	75.7	71.4-80.0
College Graduate	653	241,495	221	30.4	26.5-34.3	432	69.6	65.7-73.5
Less than \$15,000	123	73,795	27	20.3	11.5-29.1	96	79.7	70.9-88.5
\$15,000- 24,999	261	126,794	85	32.9	25.8-40.0	176	67.1	60.0-74.2
\$25,000- 34,999	202	100,706	62	26.6	19.5-33.7	140	73.4	66.3-80.5
\$35,000- 49,999	270	142,097	73	23.7	18.2-29.2	197	76.3	70.8-81.8
\$50,000- 74,999	305	169,291	84	23.7	18.4-29.0	221	76.3	71.0-81.6
\$75,000+	509	288,242	143	23.7	19.6-27.8	366	76.3	72.2-80.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2971	1,202,267	962	30.4	28.4-32.4	2009	69.6	67.6-71.6
White/Non-Hisp	2588	1,039,217	852	30.5	28.3-32.7	1736	69.5	67.3-71.7
Black or Afr. Am./Non-Hisp	196	82,921	65	29.5	21.5-37.5	131	70.5	62.5-78.5
Oth. Race/Non-Hisp.	56	23,620	15	38.9	12.8-65.0	41	61.1	35.0-87.2
45-54	344	223,458	58	18.9	13.6-24.2	286	81.1	75.8-86.4
55-64	862	418,748	227	26.1	22.6-29.6	635	73.9	70.4-77.4
65+	1765	560,062	677	38.2	35.5-40.9	1088	61.8	59.1-64.5
Less Than H.S.	234	141,462	64	25.8	19.1-32.5	170	74.2	67.5-80.9
H.S. or G.E.D.	1115	462,520	354	29.4	26.3-32.5	761	70.6	67.5-73.7
Some Post-H.S.	737	344,157	256	33.5	29.4-37.6	481	66.5	62.4-70.6
College Graduate	874	247,591	285	30.7	27.0-34.4	589	69.3	65.6-73.0
Less than \$15,000	227	93,910	71	29.8	22.4-37.2	156	70.2	62.8-77.6
\$15,000- 24,999	477	186,165	170	32.0	26.9-37.1	307	68.0	62.9-73.1
\$25,000- 34,999	295	111,593	84	23.7	18.2-29.2	211	76.3	70.8-81.8
\$35,000- 49,999	354	145,643	134	34.9	28.8-41.0	220	65.1	59.0-71.2
\$50,000- 74,999	337	143,519	106	29.2	23.5-34.9	231	70.8	65.1-76.5
\$75,000+	490	223,190	135	28.4	23.3-33.5	355	71.6	66.5-76.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1451	602,675	459	32.5	29.6-35.4	228	15.2	13.0-17.4	146	11.0	8.8-13.2	156	11.8	9.8-13.8	462	29.5	26.8-32.2
Male	555	262,215	181	34.1	29.2-39.0	88	15.0	11.5-18.5	55	10.5	7.4-13.6	66	12.5	9.2-15.8	165	27.9	23.4-32.4
Female	896	340,460	278	31.3	27.6-35.0	140	15.4	12.5-18.3	91	11.4	8.3-14.5	90	11.2	8.7-13.7	297	30.7	27.0-34.4
White/Non-Hisp	1272	528,769	399	32.7	29.6-35.8	193	14.1	11.9-16.3	126	10.2	8.2-12.2	137	12.0	9.8-14.2	417	31.1	28.2-34.0
Black or Afr. Am./Non-Hisp	97	42,593	36	36.7	24.4-49.0	17	21.6	10.4-32.8	11	14.8	4.8-24.8	11	10.5	3.1-17.9	22	16.3	7.7-24.9
45-54	90	63,290	39	43.0	30.5-55.5	15	12.4	5.7-19.1	9	16.7	4.7-28.7	4	4.6	0.0-9.3	23	23.3	13.3-33.3
55-64	383	198,389	134	34.9	29.4-40.4	51	13.1	9.2-17.0	45	11.5	7.8-15.2	48	13.0	9.1-16.9	105	27.6	22.3-32.9
65+	978	340,995	286	29.2	25.7-32.7	162	16.9	14.0-19.8	92	9.7	7.3-12.1	104	12.4	9.9-14.9	334	31.8	28.3-35.3
Less Than H.S.	94	62,320	31	42.3	30.1-54.5	21	17.9	9.3-26.5	9	6.4	1.5-11.3	10	9.8	2.5-17.1	23	23.6	13.6-33.6
H.S. or G.E.D.	508	218,185	169	32.1	27.4-36.8	86	16.7	13.0-20.4	56	12.4	8.9-15.9	50	10.7	7.6-13.8	147	28.1	23.6-32.6
Some Post-H.S.	364	176,465	125	32.8	26.9-38.7	53	14.0	9.7-18.3	29	10.9	5.8-16.0	45	13.9	9.6-18.2	112	28.3	22.8-33.8
College Graduate	479	142,810	131	28.0	23.3-32.7	68	13.5	10.0-17.0	50	10.4	7.3-13.5	51	11.8	8.3-15.3	179	36.3	31.0-41.6
Less than \$15,000	94	41,969	29	31.7	19.4-44.0	18	17.9	8.7-27.1	5	9.1	0.7-17.5	7	10.2	0.2-20.2	35	31.2	19.8-42.6
\$15,000- 24,999	244	96,608	103	46.4	38.4-54.4	40	15.7	9.6-21.8	26	10.7	5.8-15.6	21	9.0	4.7-13.3	54	18.2	12.7-23.7
\$25,000- 34,999	136	50,366	38	26.5	17.9-35.1	22	17.4	9.0-25.8	15	11.8	4.9-18.7	15	11.6	5.1-18.1	46	32.7	22.7-42.7
\$35,000- 49,999	199	81,755	70	35.1	27.3-42.9	40	20.5	13.8-27.2	16	9.1	4.2-14.0	21	11.5	6.4-16.6	52	23.7	16.8-30.6
\$50,000- 74,999	181	79,776	52	32.0	23.6-40.4	25	12.9	7.4-18.4	11	5.6	2.1-9.1	31	17.6	11.1-24.1	62	31.9	23.5-40.3
\$75,000+	271	129,022	69	25.7	19.4-32.0	36	12.1	7.8-16.4	32	14.2	7.7-20.7	33	12.7	7.8-17.6	101	35.3	28.4-42.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	555	262,215	181	34.1	29.2-39.0	88	15.0	11.5-18.5	55	10.5	7.4-13.6	66	12.5	9.2-15.8	165	27.9	23.6-32.2
White/Non-Hisp	475	231,379	156	34.8	29.5-40.1	72	13.9	10.6-17.2	43	9.4	6.3-12.5	61	13.3	9.8-16.8	143	28.6	23.9-33.3
55-64	167	96,574	61	36.9	28.5-45.3	20	11.3	5.6-17.0	19	9.9	4.8-15.0	22	14.1	7.8-20.4	45	27.8	20.0-35.6
65+	355	143,515	105	30.3	24.4-36.2	62	18.2	13.3-23.1	33	10.3	6.4-14.2	42	11.9	8.0-15.8	113	29.3	23.6-35.0
H.S. or G.E.D.	180	92,738	68	37.2	29.2-45.2	31	16.0	10.3-21.7	19	11.8	6.1-17.5	17	10.4	5.3-15.5	45	24.6	17.5-31.7
Some Post-H.S.	121	67,682	35	26.9	17.9-35.9	19	14.6	7.3-21.9	13	11.7	4.4-19.0	23	19.6	11.2-28.0	31	27.2	17.8-36.6
College Graduate	215	71,223	60	27.8	20.7-34.9	30	14.0	8.5-19.5	20	9.7	5.2-14.2	25	13.2	7.9-18.5	80	35.3	27.9-42.7
\$15,000- 24,999	84	41,531	38	55.5	42.6-68.4	13	13.0	3.4-22.6	11	11.0	3.7-18.3	6	5.0	0.5- 9.5	16	15.5	6.9-24.1
\$25,000- 34,999	58	25,947	17	25.4	13.1-37.7	12	22.2	8.1-36.3	6	11.9	0.9-22.9	9	15.4	4.6-26.2	14	25.1	11.6-38.6
\$35,000- 49,999	72	33,052	26	39.6	26.5-52.7	16	21.3	10.7-31.9	4	5.2	0.0-10.9	9	14.0	4.8-23.2	17	19.8	10.0-29.6
\$50,000- 74,999	82	39,635	21	30.0	17.8-42.2	11	12.5	4.9-20.1	4	4.9	0.0- 9.8	16	16.3	8.1-24.5	30	36.4	23.7-49.1
\$75,000+	140	66,672	33	22.9	14.7-31.1	18	13.1	6.6-19.6	18	13.3	6.2-20.4	20	17.3	9.3-25.3	51	33.5	24.3-42.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	896	340,460	278	31.3	27.6-35.0	140	15.4	12.5-18.3	91	11.4	8.3-14.5	90	11.2	8.7-13.7	297	30.7	27.0-34.4
White/Non-Hisp	797	297,390	243	31.1	27.2-35.0	121	14.2	11.5-16.9	83	10.8	8.3-13.3	76	10.9	8.4-13.4	274	32.9	29.0-36.8
Black or Afr. Am./Non-Hisp	60	23,067	23	44.9	28.2-61.6	10	18.3	6.3-30.3	6	11.8	0.0-24.1	8	12.6	1.8-23.4	13	12.5	4.5-20.5
45-54	57	41,165	24	41.1	25.4-56.8	9	13.3	4.3-22.3	6	17.9	1.4-34.4	2	2.2	0.0- 5.5	16	25.5	12.6-38.4
55-64	216	101,815	73	33.0	25.7-40.3	31	14.9	9.2-20.6	26	12.9	7.6-18.2	26	11.9	7.0-16.8	60	27.3	20.4-34.2
65+	623	197,481	181	28.4	24.3-32.5	100	16.0	12.5-19.5	59	9.2	6.5-11.9	62	12.8	9.3-16.3	221	33.6	29.1-38.1
Less Than H.S.	58	32,638	15	29.8	15.7-43.9	13	20.2	8.6-31.8	7	8.5	1.2-15.8	9	17.3	4.6-30.0	14	24.1	11.2-37.0
H.S. or G.E.D.	328	125,446	101	28.4	22.7-34.1	55	17.2	12.3-22.1	37	12.8	8.1-17.5	33	11.0	7.1-14.9	102	30.6	24.9-36.3
Some Post-H.S.	243	108,783	90	36.4	28.8-44.0	34	13.7	8.4-19.0	16	10.4	3.3-17.5	22	10.4	5.7-15.1	81	29.1	22.2-36.0
College Graduate	264	71,587	71	28.3	21.8-34.8	38	12.9	8.4-17.4	30	11.1	6.8-15.4	26	10.5	6.2-14.8	99	37.3	30.0-44.6
Less than \$15,000	69	27,746	17	20.8	10.0-31.6	14	20.8	9.0-32.6	5	13.7	1.5-25.9	7	15.4	1.3-29.5	26	29.3	17.1-41.5
\$15,000- 24,999	160	55,077	65	39.6	30.2-49.0	27	17.7	10.1-25.3	15	10.4	3.7-17.1	15	12.0	5.3-18.7	38	20.3	13.4-27.2
\$25,000- 34,999	78	24,419	21	27.7	15.9-39.5	10	12.4	4.4-20.4	9	11.7	3.7-19.7	6	7.5	1.2-13.8	32	40.7	26.8-54.6
\$35,000- 49,999	127	48,703	44	32.1	22.5-41.7	24	20.0	11.6-28.4	12	11.8	4.7-18.9	12	9.8	4.1-15.5	35	26.3	17.3-35.3
\$50,000- 74,999	99	40,140	31	34.0	22.8-45.2	14	13.3	5.1-21.5	7	6.2	1.3-11.1	15	19.0	9.4-28.6	32	27.5	16.5-38.5
\$75,000+	131	62,350	36	28.8	19.4-38.2	18	11.0	5.1-16.9	14	15.2	4.0-26.4	13	7.7	3.2-12.2	50	37.2	26.8-47.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4946	2,236,571	3598	70.3	68.7-71.9	1348	29.7	28.1-31.3
Male	1989	1,037,587	1422	68.8	66.3-71.3	567	31.2	28.7-33.7
Female	2957	1,198,984	2176	71.6	69.4-73.8	781	28.4	26.2-30.6
White/Non-Hisp	4291	1,945,620	3161	71.4	69.8-73.0	1130	28.6	27.0-30.2
Black or Afr. Am./Non-Hisp	316	159,572	227	70.9	64.6-77.2	89	29.1	22.8-35.4
Oth. Race/Non-Hisp.	109	37,960	63	45.9	28.5-63.3	46	54.1	36.7-71.5
MultiRacial/Non-Hisp.	70	13,427	45	55.9	41.4-70.4	25	44.1	29.6-58.6
Hispanic	73	42,684	42	45.7	32.0-59.4	31	54.3	40.6-68.0
45-54	621	433,070	323	51.1	46.6-55.6	298	48.9	44.4-53.4
55-64	1504	810,368	1083	70.8	68.1-73.5	421	29.2	26.5-31.9
65+	2821	993,133	2192	78.3	76.5-80.1	629	21.7	19.9-23.5
Less Than H.S.	387	264,744	225	55.9	49.8-62.0	162	44.1	38.0-50.2
H.S. or G.E.D.	1788	843,427	1260	69.2	66.7-71.7	528	30.8	28.3-33.3
Some Post-H.S.	1225	630,674	910	72.9	69.8-76.0	315	27.1	24.0-30.2
College Graduate	1527	487,817	1194	77.1	74.6-79.6	333	22.9	20.4-25.4
Less than \$15,000	349	166,135	224	61.9	55.4-68.4	125	38.1	31.6-44.6
\$15,000- 24,999	737	311,327	488	63.2	58.9-67.5	249	36.8	32.5-41.1
\$25,000- 34,999	498	212,528	361	69.5	64.2-74.8	137	30.5	25.2-35.8
\$35,000- 49,999	626	288,192	476	74.3	70.0-78.6	150	25.7	21.4-30.0
\$50,000- 74,999	644	314,952	488	71.4	67.1-75.7	156	28.6	24.3-32.9
\$75,000+	997	509,243	759	73.0	69.5-76.5	238	27.0	23.5-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1989	1,037,587	1422	68.8	66.3-71.3	567	31.2	28.7-33.7
White/Non-Hisp	1713	908,431	1245	69.4	66.9-71.9	468	30.6	28.1-33.1
Black or Afr. Am./Non-Hisp	121	76,895	84	70.8	61.2-80.4	37	29.2	19.6-38.8
Oth. Race/Non-Hisp.	53	14,339	27	45.1	22.6-67.6	26	54.9	32.4-77.4
45-54	276	208,419	128	46.6	39.9-53.3	148	53.4	46.7-60.1
55-64	647	392,661	445	67.6	63.5-71.7	202	32.4	28.3-36.5
65+	1066	436,507	849	80.5	77.8-83.2	217	19.5	16.8-22.2
Less Than H.S.	154	123,903	90	56.4	47.0-65.8	64	43.6	34.2-53.0
H.S. or G.E.D.	688	384,053	465	66.9	62.8-71.0	223	33.1	29.0-37.2
Some Post-H.S.	488	287,302	345	70.4	65.7-75.1	143	29.6	24.9-34.3
College Graduate	651	238,957	517	76.6	72.7-80.5	134	23.4	19.5-27.3
Less than \$15,000	124	72,710	72	55.8	45.0-66.6	52	44.2	33.4-55.0
\$15,000- 24,999	259	125,129	166	61.1	53.7-68.5	93	38.9	31.5-46.3
\$25,000- 34,999	203	101,126	138	66.8	58.6-75.0	65	33.2	25.0-41.4
\$35,000- 49,999	272	142,917	206	72.7	66.0-79.4	66	27.3	20.6-34.0
\$50,000- 74,999	306	169,723	220	66.8	60.5-73.1	86	33.2	26.9-39.5
\$75,000+	505	285,228	382	71.8	67.1-76.5	123	28.2	23.5-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2957	1,198,984	2176	71.6	69.4-73.8	781	28.4	26.2-30.6
White/Non-Hisp	2578	1,037,189	1916	73.2	71.0-75.4	662	26.8	24.6-29.0
Black or Afr. Am./Non-Hisp	195	82,677	143	71.0	62.8-79.2	52	29.0	20.8-37.2
Oth. Race/Non-Hisp.	56	23,620	36	46.5	22.0-71.0	20	53.5	29.0-78.0
45-54	345	224,650	195	55.2	48.9-61.5	150	44.8	38.5-51.1
55-64	857	417,708	638	73.8	70.3-77.3	219	26.2	22.7-29.7
65+	1755	556,626	1343	76.6	74.2-79.0	412	23.4	21.0-25.8
Less Than H.S.	233	140,840	135	55.4	47.8-63.0	98	44.6	37.0-52.2
H.S. or G.E.D.	1100	459,374	795	71.1	67.8-74.4	305	28.9	25.6-32.2
Some Post-H.S.	737	343,372	565	75.1	71.0-79.2	172	24.9	20.8-29.0
College Graduate	876	248,860	677	77.5	74.2-80.8	199	22.5	19.2-25.8
Less than \$15,000	225	93,425	152	66.6	58.6-74.6	73	33.4	25.4-41.4
\$15,000- 24,999	478	186,199	322	64.7	59.4-70.0	156	35.3	30.0-40.6
\$25,000- 34,999	295	111,402	223	72.0	65.3-78.7	72	28.0	21.3-34.7
\$35,000- 49,999	354	145,275	270	75.9	70.4-81.4	84	24.1	18.6-29.6
\$50,000- 74,999	338	145,229	268	76.7	71.2-82.2	70	23.3	17.8-28.8
\$75,000+	492	224,016	377	74.7	69.6-79.8	115	25.3	20.2-30.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3485	1,525,967	104	2.8	2.2- 3.4	3381	97.2	96.6-97.8
Male	1369	686,812	44	2.8	1.8- 3.8	1325	97.2	96.2-98.2
Female	2116	839,154	60	2.8	2.0- 3.6	2056	97.2	96.4-98.0
White/Non-Hisp	3076	1,356,498	93	2.9	2.1- 3.7	2983	97.1	96.3-97.9
Black or Afr. Am./Non-Hisp	215	106,723	4	1.6	0.0- 3.4	211	98.4	96.6- 100
Oth. Race/Non-Hisp.	60	16,872	2	4.0	0.0-10.7	58	96.0	89.3- 100
45-54	316	213,540	9	2.2	0.4- 4.0	307	97.8	96.0-99.6
55-64	1068	565,428	27	2.7	1.5- 3.9	1041	97.3	96.1-98.5
65+	2101	746,999	68	3.1	2.3- 3.9	2033	96.9	96.1-97.7
Less Than H.S.	214	141,022	7	3.5	0.8- 6.2	207	96.5	93.8-99.2
H.S. or G.E.D.	1218	562,887	29	2.3	1.3- 3.3	1189	97.7	96.7-98.7
Some Post-H.S.	876	447,230	34	3.5	2.1- 4.9	842	96.5	95.1-97.9
College Graduate	1168	369,988	34	2.4	1.4- 3.4	1134	97.6	96.6-98.6
Less than \$15,000	211	95,981	2	0.1	0.0- 0.3	209	99.9	99.7- 100
\$15,000- 24,999	472	189,871	17	3.2	1.4- 5.0	455	96.8	95.0-98.6
\$25,000- 34,999	343	141,217	13	4.4	1.5- 7.3	330	95.6	92.7-98.5
\$35,000- 49,999	462	209,086	21	3.8	1.8- 5.8	441	96.2	94.2-98.2
\$50,000- 74,999	477	220,573	15	3.1	1.1- 5.1	462	96.9	94.9-98.9
\$75,000+	748	364,397	18	2.5	1.1- 3.9	730	97.5	96.1-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1369	686,812	44	2.8	1.8- 3.8	1325	97.2	96.2-98.2
White/Non-Hisp	1206	610,484	39	2.9	1.9- 3.9	1167	97.1	96.1-98.1
Black or Afr. Am./Non-Hisp	79	50,247				79	100.0	100.0- 100
45-54	123	91,357	1	0.5	0.0- 1.5	122	99.5	98.5- 100
55-64	438	261,046	13	3.0	1.2- 4.8	425	97.0	95.2-98.8
65+	808	334,409	30	3.2	1.8- 4.6	778	96.8	95.4-98.2
Less Than H.S.	83	65,008	3	3.6	0.0- 7.7	80	96.4	92.3- 100
H.S. or G.E.D.	445	244,786	16	3.5	1.5- 5.5	429	96.5	94.5-98.5
Some Post-H.S.	328	194,344	10	2.0	0.4- 3.6	318	98.0	96.4-99.6
College Graduate	508	180,777	15	2.4	1.0- 3.8	493	97.6	96.2-99.0
Less than \$15,000	65	36,301				65	100.0	100.0- 100
\$15,000- 24,999	157	71,566	7	3.3	0.2- 6.4	150	96.7	93.6-99.8
\$25,000- 34,999	129	63,271	8	8.0	1.9-14.1	121	92.0	85.9-98.1
\$35,000- 49,999	201	101,645	7	1.8	0.2- 3.4	194	98.2	96.6-99.8
\$50,000- 74,999	212	109,867	8	3.7	1.0- 6.4	204	96.3	93.6-99.0
\$75,000+	375	199,236	8	1.8	0.2- 3.4	367	98.2	96.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2116	839,154	60	2.8	2.0- 3.6	2056	97.2	96.4-98.0
White/Non-Hisp	1870	746,014	54	2.9	1.9- 3.9	1816	97.1	96.1-98.1
Black or Afr. Am./Non-Hisp	136	56,476	4	3.0	0.0- 6.1	132	97.0	93.9- 100
45-54	193	122,183	8	3.4	0.7- 6.1	185	96.6	93.9-99.3
55-64	630	304,382	14	2.4	0.8- 4.0	616	97.6	96.0-99.2
65+	1293	412,590	38	3.0	1.8- 4.2	1255	97.0	95.8-98.2
Less Than H.S.	131	76,014	4	3.4	0.0- 7.1	127	96.6	92.9- 100
H.S. or G.E.D.	773	318,101	13	1.5	0.7- 2.3	760	98.5	97.7-99.3
Some Post-H.S.	548	252,886	24	4.7	2.5- 6.9	524	95.3	93.1-97.5
College Graduate	660	189,211	19	2.5	1.1- 3.9	641	97.5	96.1-98.9
Less than \$15,000	146	59,680	2	0.2	0.0- 0.6	144	99.8	99.4- 100
\$15,000- 24,999	315	118,305	10	3.1	0.7- 5.5	305	96.9	94.5-99.3
\$25,000- 34,999	214	77,947	5	1.5	0.0- 3.1	209	98.5	96.9- 100
\$35,000- 49,999	261	107,441	14	5.7	2.4- 9.0	247	94.3	91.0-97.6
\$50,000- 74,999	265	110,706	7	2.5	0.0- 5.0	258	97.5	95.0- 100
\$75,000+	373	165,161	10	3.4	1.2- 5.6	363	96.6	94.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3508	1,537,706	731	22.2	20.4-24.0	560	17.5	15.9-19.1	503	13.5	12.1-14.9	721	20.4	18.8-22.0	662	17.8	16.2-19.4	331	8.6	7.4-9.8
Male	1396	702,509	311	23.3	20.6-26.0	232	18.7	16.2-21.2	203	12.9	10.9-14.9	277	19.6	17.1-22.1	240	16.8	14.4-19.2	133	8.6	6.8-10.4
Female	2112	835,197	420	21.2	19.0-23.4	328	16.4	14.4-18.4	300	14.0	12.2-15.8	444	21.2	19.0-23.4	422	18.5	16.5-20.5	198	8.6	7.2-10.0
White/Non-Hisp	3084	1,363,818	616	21.4	19.6-23.2	491	17.2	15.6-18.8	445	13.9	12.5-15.3	637	20.5	18.7-22.3	601	18.2	16.6-19.8	294	8.8	7.6-10.0
Black or Afr. Am./Non-Hisp	221	109,803	59	28.0	20.6-35.4	44	22.5	14.9-30.1	30	10.0	5.7-14.3	39	17.1	10.4-23.8	32	15.2	9.3-21.1	17	7.1	3.2-11.0
Oth. Race/Non-Hisp.	61	15,421	14	23.4	6.3-40.5	6	5.4	0.0-11.7	10	16.8	2.5-31.1	16	34.8	12.5-57.1	10	15.4	0.0-33.4	5	4.2	0.0-10.1
45-54	320	218,103	108	34.5	28.6-40.4	59	20.6	15.3-25.9	45	11.6	7.9-15.3	58	18.1	13.2-23.0	27	7.1	4.0-10.2	23	8.1	4.6-11.6
55-64	1072	567,362	246	22.8	19.9-25.7	175	17.3	14.6-20.0	135	11.9	9.7-14.1	202	18.8	16.1-21.5	238	22.3	19.4-25.2	76	6.9	5.1-8.7
65+	2116	752,241	377	18.1	16.1-20.1	326	16.7	14.7-18.7	323	15.3	13.5-17.1	461	22.4	20.2-24.6	397	17.4	15.4-19.4	232	10.1	8.5-11.7
Less Than H.S.	216	141,960	48	22.3	15.4-29.2	39	19.3	12.8-25.8	28	14.7	8.8-20.6	45	19.5	13.0-26.0	32	13.9	8.4-19.4	24	10.2	5.7-14.7
H.S. or G.E.D.	1215	565,901	242	20.7	18.0-23.4	204	18.5	15.8-21.2	171	13.2	11.0-15.4	246	19.6	17.1-22.1	221	17.6	15.1-20.1	131	10.6	8.6-12.6
Some Post-H.S.	895	455,779	198	24.3	21.0-27.6	142	17.2	14.3-20.1	127	13.3	10.8-15.8	179	19.6	16.5-22.7	179	19.2	16.3-22.1	70	6.5	4.7-8.3
College Graduate	1173	369,225	240	21.6	18.7-24.5	172	15.4	12.9-17.9	176	14.0	11.6-16.4	251	23.5	20.6-26.4	228	17.7	15.2-20.2	106	7.8	6.0-9.6
Less than \$15,000	218	100,478	58	26.3	19.0-33.6	39	19.9	12.8-27.0	37	17.2	10.9-23.5	32	15.4	9.1-21.7	31	12.5	7.2-17.8	21	8.6	4.1-13.1
\$15,000- 24,999	473	190,829	109	23.3	18.6-28.0	81	21.2	16.3-26.1	54	11.5	7.8-15.2	93	17.0	13.3-20.7	89	18.1	14.0-22.2	47	8.9	6.0-11.8
\$25,000- 34,999	351	144,088	73	23.2	17.5-28.9	60	16.7	11.8-21.6	57	15.6	11.1-20.1	79	22.0	16.7-27.3	53	15.9	11.0-20.8	29	6.5	3.6-9.4
\$35,000- 49,999	467	211,290	89	18.8	14.5-23.1	87	18.9	14.6-23.2	74	15.3	11.4-19.2	81	18.5	14.0-23.0	90	19.2	14.9-23.5	46	9.2	6.1-12.3
\$50,000- 74,999	484	223,304	95	19.6	15.5-23.7	69	15.8	11.5-20.1	73	14.2	10.7-17.7	102	21.9	17.4-26.4	100	19.6	15.5-23.7	45	8.9	6.0-11.8
\$75,000+	750	367,662	149	22.8	19.1-26.5	123	17.9	14.6-21.2	107	13.3	10.6-16.0	171	22.1	18.6-25.6	147	17.2	14.3-20.1	53	6.7	4.5-8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1396	702,509	311	23.3	20.6-26.0	232	18.7	16.2-21.2	203	12.9	10.9-14.9	277	19.6	17.2-22.0	240	16.8	14.4-19.2	133	8.6	6.8-10.4
White/Non-Hisp	1224	622,235	265	22.5	19.8-25.2	202	18.0	15.5-20.5	178	13.4	11.2-15.6	244	20.0	17.5-22.5	218	17.3	14.8-19.8	117	8.8	7.0-10.6
Black or Afr. Am./Non-Hisp	82	52,977	25	29.8	18.2-41.4	19	29.8	16.9-42.7	11	8.2	2.5-13.9	12	13.1	6.0-20.2	11	13.3	4.9-21.7	4	5.7	0.0-12.0
45-54	126	95,706	44	33.5	24.5-42.5	27	26.3	17.1-35.5	13	8.6	3.5-13.7	25	16.5	9.6-23.4	6	4.4	0.3- 8.5	11	10.7	4.2-17.2
55-64	440	263,233	88	21.4	16.7-26.1	79	19.5	15.2-23.8	57	11.2	7.9-14.5	88	19.6	15.3-23.9	97	22.2	17.7-26.7	31	6.1	3.7- 8.5
65+	830	343,570	179	22.0	18.7-25.3	126	16.1	13.0-19.2	133	15.4	12.5-18.3	164	20.4	17.1-23.7	137	16.2	13.3-19.1	91	10.0	7.6-12.4
Less Than H.S.	86	67,165	25	30.3	18.7-41.9	16	20.8	10.6-31.0	10	12.1	4.3-19.9	14	14.3	6.1-22.5	14	14.6	6.4-22.8	7	7.9	1.2-14.6
H.S. or G.E.D.	453	251,033	83	18.6	14.5-22.7	84	20.7	16.2-25.2	63	12.5	9.2-15.8	82	17.6	13.7-21.5	90	18.9	14.8-23.0	51	11.7	8.2-15.2
Some Post-H.S.	340	200,515	88	26.9	21.4-32.4	56	18.7	13.6-23.8	51	12.7	9.0-16.4	69	20.1	15.2-25.0	55	16.8	12.1-21.5	21	4.8	2.4- 7.2
College Graduate	512	181,900	114	23.5	19.2-27.8	74	15.3	11.6-19.0	78	13.9	10.6-17.2	112	23.7	19.4-28.0	80	14.7	11.0-18.4	54	8.9	6.2-11.6
Less than \$15,000	69	38,849	21	32.3	19.2-45.4	15	24.9	12.0-37.8	16	18.7	7.9-29.5	7	9.7	1.7-17.7	7	10.9	1.5-20.3	3	3.5	0.0- 8.0
\$15,000- 24,999	161	73,664	47	28.1	19.5-36.7	25	22.9	14.1-31.7	15	9.0	3.9-14.1	26	11.6	6.5-16.7	28	17.9	10.5-25.3	20	10.5	4.8-16.2
\$25,000- 34,999	133	65,338	31	26.1	16.9-35.3	20	14.1	6.7-21.5	20	12.9	6.8-19.0	26	20.2	11.8-28.6	22	18.9	10.9-26.9	14	7.9	2.8-13.0
\$35,000- 49,999	203	102,384	39	19.2	12.7-25.7	42	22.1	15.2-29.0	28	13.0	7.7-18.3	42	20.4	13.9-26.9	34	15.5	9.8-21.2	18	9.8	4.9-14.7
\$50,000- 74,999	218	112,901	44	20.8	14.5-27.1	32	17.9	11.2-24.6	34	12.7	8.0-17.4	46	21.4	15.1-27.7	41	19.7	13.6-25.8	21	7.5	3.8-11.2
\$75,000+	380	203,871	74	21.7	16.6-26.8	70	19.6	14.7-24.5	52	13.5	9.6-17.4	84	21.8	16.9-26.7	69	15.5	11.4-19.6	31	7.8	4.7-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2112	835,197	420	21.2	19.0-23.4	328	16.4	14.4-18.4	300	14.0	12.2-15.8	444	21.2	19.0-23.4	422	18.5	16.5-20.5	198	8.6	7.2-10.0
White/Non-Hisp	1860	741,583	351	20.4	18.0-22.8	289	16.6	14.4-18.8	267	14.4	12.4-16.4	393	21.0	18.8-23.2	383	18.9	16.7-21.1	177	8.7	7.1-10.3
Black or Afr. Am./Non-Hisp	139	56,827	34	26.3	16.7-35.9	25	15.7	8.4-23.0	19	11.7	5.6-17.8	27	20.9	11.1-30.7	21	16.9	8.7-25.1	13	8.4	3.3-13.5
45-54	194	122,397	64	35.2	27.4-43.0	32	16.2	10.5-21.9	32	13.9	8.6-19.2	33	19.3	12.6-26.0	21	9.2	4.9-13.5	12	6.0	2.3-9.7
55-64	632	304,130	158	24.1	20.2-28.0	96	15.4	12.1-18.7	78	12.5	9.4-15.6	114	18.1	14.6-21.6	141	22.3	18.4-26.2	45	7.6	5.2-10.0
65+	1286	408,671	198	14.9	12.5-17.3	200	17.2	14.7-19.7	190	15.2	12.8-17.6	297	24.1	21.2-27.0	260	18.5	16.0-21.0	141	10.1	8.1-12.1
Less Than H.S.	130	74,796	23	15.2	7.9-22.5	23	18.0	10.0-26.0	18	17.1	8.3-25.9	31	24.2	14.6-33.8	18	13.3	5.9-20.7	17	12.3	6.0-18.6
H.S. or G.E.D.	762	314,868	159	22.3	18.8-25.8	120	16.7	13.6-19.8	108	13.7	11.0-16.4	164	21.1	17.8-24.4	131	16.5	13.4-19.6	80	9.7	7.3-12.1
Some Post-H.S.	555	255,265	110	22.2	17.9-26.5	86	16.0	12.5-19.5	76	13.7	10.4-17.0	110	19.2	15.3-23.1	124	21.1	17.2-25.0	49	7.7	5.2-10.2
College Graduate	661	187,325	126	19.8	16.1-23.5	98	15.6	12.3-18.9	98	14.0	11.1-16.9	139	23.2	19.3-27.1	148	20.7	17.2-24.2	52	6.7	4.5-8.9
Less than \$15,000	149	61,629	37	22.6	14.2-31.0	24	16.8	9.0-24.6	21	16.2	8.6-23.8	25	19.0	10.4-27.6	24	13.6	7.1-20.1	18	11.9	5.4-18.4
\$15,000- 24,999	312	117,164	62	20.3	14.6-26.0	56	20.2	14.5-25.9	39	13.0	7.9-18.1	67	20.4	15.1-25.7	61	18.2	13.1-23.3	27	7.9	4.6-11.2
\$25,000- 34,999	218	78,750	42	20.8	13.7-27.9	40	19.0	12.7-25.3	37	17.9	11.6-24.2	53	23.6	16.9-30.3	31	13.4	7.7-19.1	15	5.4	2.1-8.7
\$35,000- 49,999	264	108,906	50	18.5	12.8-24.2	45	15.9	10.6-21.2	46	17.5	11.8-23.2	39	16.7	10.6-22.8	56	22.8	16.3-29.3	28	8.6	4.9-12.3
\$50,000- 74,999	266	110,402	51	18.3	12.8-23.8	37	13.7	8.6-18.8	39	15.7	10.4-21.0	56	22.5	16.4-28.6	59	19.6	14.1-25.1	24	10.2	5.9-14.5
\$75,000+	370	163,791	75	24.2	18.7-29.7	53	15.6	11.1-20.1	55	13.1	9.2-17.0	87	22.5	17.4-27.6	78	19.2	14.7-23.7	22	5.4	2.9-7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

SECTION 17: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	251
2	MALES ONLY	252
3	FEMALES ONLY	253
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4	MALES AND FEMALES	254
5	MALES ONLY	255
6	FEMALES ONLY	256
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7	MALES AND FEMALES	257
8	MALES ONLY	258
9	FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6637	4,543,981	2022	36.0	34.4-37.6	4615	64.0	62.4-65.6
Male	2837	2,238,722	850	32.7	30.5-34.9	1987	67.3	65.1-69.5
Female	3800	2,305,259	1172	39.2	37.0-41.4	2628	60.8	58.6-63.0
White/Non-Hisp	5508	3,662,457	1468	32.0	30.4-33.6	4040	68.0	66.4-69.6
Black or Afr. Am./Non-Hisp	498	384,805	283	62.7	57.2-68.2	215	37.3	31.8-42.8
Oth. Race/Non-Hisp.	171	118,839	64	37.4	25.6-49.2	107	62.6	50.8-74.4
MultiRacial/Non-Hisp.	118	39,708	60	58.4	47.0-69.8	58	41.6	30.2-53.0
Hispanic	231	265,130	104	47.1	39.1-55.1	127	52.9	44.9-60.9
18-24	339	637,210	98	25.6	20.5-30.7	241	74.4	69.3-79.5
25-34	560	753,221	299	52.3	47.6-57.0	261	47.7	43.0-52.4
35-44	668	748,028	378	54.4	50.1-58.7	290	45.6	41.3-49.9
45-54	1029	717,760	430	43.1	39.6-46.6	599	56.9	53.4-60.4
55-64	1416	763,146	448	30.1	27.4-32.8	968	69.9	67.2-72.6
65+	2625	924,615	369	14.3	12.7-15.9	2256	85.7	84.1-87.3
Less Than H.S.	526	557,938	176	37.3	31.8-42.8	350	62.7	57.2-68.2
H.S. or G.E.D.	2214	1,506,401	566	31.9	29.4-34.4	1648	68.1	65.6-70.6
Some Post-H.S.	1723	1,413,551	576	37.2	34.3-40.1	1147	62.8	59.9-65.7
College Graduate	2147	1,044,049	693	39.2	36.5-41.9	1454	60.8	58.1-63.5
Less than \$15,000	469	324,115	201	48.5	42.4-54.6	268	51.5	45.4-57.6
\$15,000- 24,999	928	579,050	302	38.9	34.6-43.2	626	61.1	56.8-65.4
\$25,000- 34,999	634	417,546	182	36.9	31.6-42.2	452	63.1	57.8-68.4
\$35,000- 49,999	805	561,920	234	33.5	29.2-37.8	571	66.5	62.2-70.8
\$50,000- 74,999	912	680,125	282	37.0	32.9-41.1	630	63.0	58.9-67.1
\$75,000+	1570	1,193,845	507	35.0	31.9-38.1	1063	65.0	61.9-68.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2837	2,238,722	850	32.7	30.5-34.9	1987	67.3	65.1-69.5
White/Non-Hisp	2315	1,789,677	607	28.7	26.3-31.1	1708	71.3	68.9-73.7
Black or Afr. Am./Non-Hisp	195	183,046	110	57.5	48.9-66.1	85	42.5	33.9-51.1
Oth. Race/Non-Hisp.	89	64,973	34	41.2	24.7-57.7	55	58.8	42.3-75.3
MultiRacial/Non-Hisp.	60	21,611	29	47.6	32.5-62.7	31	52.4	37.3-67.5
Hispanic	117	132,716	49	43.8	32.8-54.8	68	56.2	45.2-67.2
18-24	176	344,004	37	18.5	12.0-25.0	139	81.5	75.0-88.0
25-34	282	383,985	136	47.3	40.6-54.0	146	52.7	46.0-59.4
35-44	302	369,836	138	45.7	39.4-52.0	164	54.3	48.0-60.6
45-54	476	364,031	185	40.3	35.2-45.4	291	59.7	54.6-64.8
55-64	606	369,355	193	29.5	25.4-33.6	413	70.5	66.4-74.6
65+	995	407,509	161	15.2	12.7-17.7	834	84.8	82.3-87.3
Less Than H.S.	235	296,638	74	32.1	24.7-39.5	161	67.9	60.5-75.3
H.S. or G.E.D.	943	769,687	268	31.2	27.5-34.9	675	68.8	65.1-72.5
Some Post-H.S.	719	665,192	226	32.3	28.0-36.6	493	67.7	63.4-72.0
College Graduate	925	494,769	275	35.2	31.3-39.1	650	64.8	60.9-68.7
Less than \$15,000	182	157,973	76	42.0	32.6-51.4	106	58.0	48.6-67.4
\$15,000- 24,999	340	229,517	104	33.1	26.8-39.4	236	66.9	60.6-73.2
\$25,000- 34,999	277	204,055	71	27.7	21.0-34.4	206	72.3	65.6-79.0
\$35,000- 49,999	353	283,231	94	27.9	21.8-34.0	259	72.1	66.0-78.2
\$50,000- 74,999	445	371,450	139	37.3	31.4-43.2	306	62.7	56.8-68.6
\$75,000+	790	650,246	237	32.4	28.3-36.5	553	67.6	63.5-71.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3800	2,305,259	1172	39.2	37.0-41.4	2628	60.8	58.6-63.0
White/Non-Hisp	3193	1,872,780	861	35.1	32.7-37.5	2332	64.9	62.5-67.3
Black or Afr. Am./Non-Hisp	303	201,759	173	67.5	60.8-74.2	130	32.5	25.8-39.2
Oth. Race/Non-Hisp.	82	53,866	30	32.7	16.2-49.2	52	67.3	50.8-83.8
MultiRacial/Non-Hisp.	58	18,097	31	71.3	56.8-85.8	27	28.7	14.2-43.2
Hispanic	114	132,414	55	50.4	38.6-62.2	59	49.6	37.8-61.4
18-24	163	293,206	61	33.9	26.1-41.7	102	66.1	58.3-73.9
25-34	278	369,235	163	57.5	51.0-64.0	115	42.5	36.0-49.0
35-44	366	378,192	240	63.0	57.1-68.9	126	37.0	31.1-42.9
45-54	553	353,729	245	45.9	41.0-50.8	308	54.1	49.2-59.0
55-64	810	393,791	255	30.7	27.0-34.4	555	69.3	65.6-73.0
65+	1630	517,106	208	13.6	11.4-15.8	1422	86.4	84.2-88.6
Less Than H.S.	291	261,300	102	43.2	35.6-50.8	189	56.8	49.2-64.4
H.S. or G.E.D.	1271	736,714	298	32.7	29.2-36.2	973	67.3	63.8-70.8
Some Post-H.S.	1004	748,360	350	41.5	37.4-45.6	654	58.5	54.4-62.6
College Graduate	1222	549,280	418	42.7	39.0-46.4	804	57.3	53.6-61.0
Less than \$15,000	287	166,143	125	54.6	47.0-62.2	162	45.4	37.8-53.0
\$15,000- 24,999	588	349,533	198	42.7	37.0-48.4	390	57.3	51.6-63.0
\$25,000- 34,999	357	213,491	111	45.7	38.3-53.1	246	54.3	46.9-61.7
\$35,000- 49,999	452	278,689	140	39.2	33.1-45.3	312	60.8	54.7-66.9
\$50,000- 74,999	467	308,675	143	36.6	30.7-42.5	324	63.4	57.5-69.3
\$75,000+	780	543,599	270	38.1	33.6-42.6	510	61.9	57.4-66.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1554	1,319,769	66	2.8	2.0- 3.6	112	5.0	3.8- 6.2	193	10.8	9.0-12.6	220	13.7	11.5-15.9	731	52.3	49.2-55.4	232	15.4	13.2-17.6
Male	663	602,234	33	2.5	1.5- 3.5	42	4.9	3.1- 6.7	71	10.3	7.4-13.2	81	14.4	10.9-17.9	313	50.9	46.2-55.6	123	16.9	13.6-20.2
Female	891	717,535	33	3.0	1.6- 4.4	70	5.2	3.8- 6.6	122	11.1	8.7-13.5	139	13.1	10.6-15.6	418	53.5	49.4-57.6	109	14.1	11.0-17.2
White/Non-Hisp	1112	934,081	58	3.5	2.3- 4.7	93	6.0	4.6- 7.4	165	13.1	10.7-15.5	163	14.0	11.5-16.5	496	51.1	47.6-54.6	137	12.2	9.8-14.6
Black or Afr. Am./Non-Hisp	224	204,690	3	1.1	0.0- 2.5	5	2.0	0.0- 4.0	8	3.5	0.0- 7.2	27	9.4	5.3-13.5	123	56.7	48.9-64.5	58	27.3	20.2-34.4
Oth. Race/Non-Hisp.	54	40,209	3	2.0	0.0- 4.5	5	7.4	0.0-16.6	8	13.1	0.0-29.4	8	26.5	5.9-47.1	21	33.1	15.9-50.3	9	17.9	3.4-32.4
Hispanic	88	103,330	1	0.4	0.0- 1.2	3	0.9	0.0- 2.1	6	4.3	0.0- 8.6	11	15.9	6.1-25.7	53	62.0	49.7-74.3	14	16.4	7.4-25.4
18-24	86	138,348													65	81.6	73.2-90.0	21	18.4	10.0-26.8
25-34	260	343,261	1	0.7	0.0- 2.1				6	3.1	0.6- 5.6	37	14.5	9.4-19.6	167	63.5	56.8-70.2	49	18.2	13.1-23.3
35-44	323	350,347	1	0.3	0.0- 0.9	13	3.0	1.2- 4.8	50	16.2	11.5-20.9	62	18.7	13.8-23.6	154	47.7	41.4-54.0	43	14.0	9.5-18.5
45-54	340	243,490	16	5.1	2.4- 7.8	41	12.5	8.4-16.6	59	16.9	12.0-21.8	47	13.6	9.5-17.7	132	37.8	31.9-43.7	45	14.0	9.7-18.3
55-64	326	166,251	24	7.4	3.9-10.9	31	9.5	5.6-13.4	49	14.3	10.0-18.6	42	13.0	8.7-17.3	133	41.6	35.3-47.9	47	14.3	9.8-18.8
65+	219	78,071	24	10.9	5.8-16.0	27	12.4	7.1-17.7	29	12.2	6.9-17.5	32	13.5	8.2-18.8	80	40.0	32.0-48.0	27	11.0	6.1-15.9
Less Than H.S.	127	159,524	1	0.4	0.0- 1.2	4	2.9	0.0- 6.2	10	6.4	0.9-11.9	17	16.6	7.6-25.6	74	58.3	47.7-68.9	21	15.4	8.3-22.5
H.S. or G.E.D.	428	390,748	22	4.0	2.0- 6.0	19	3.4	1.6- 5.2	48	10.5	7.0-14.0	51	10.4	7.1-13.7	218	56.0	50.5-61.5	70	15.7	11.6-19.8
Some Post-H.S.	440	426,746	12	2.2	0.8- 3.6	38	6.2	3.8- 8.6	53	10.5	7.2-13.8	64	14.1	10.2-18.0	194	48.5	42.6-54.4	79	18.5	14.0-23.0
College Graduate	551	333,951	30	3.0	1.8- 4.2	50	6.5	4.3- 8.7	81	13.6	10.3-16.9	88	16.0	12.3-19.7	240	49.4	44.3-54.5	62	11.6	8.3-14.9
Less than \$15,000	154	132,148	4	1.9	0.0- 4.3	11	6.5	1.6-11.4	6	2.2	0.0- 4.7	16	12.0	4.6-19.4	82	53.9	43.9-63.9	35	23.4	15.4-31.4
\$15,000- 24,999	239	187,272	11	2.9	0.2- 5.6	8	2.5	0.7- 4.3	18	5.5	2.4- 8.6	33	10.9	5.8-16.0	124	58.8	51.2-66.4	45	19.5	13.4-25.6
\$25,000- 34,999	129	116,619	2	1.2	0.0- 3.0	2	0.3	0.0- 0.7	9	6.6	1.7-11.5	16	9.2	3.9-14.5	74	63.3	53.3-73.3	26	19.5	10.9-28.1
\$35,000- 49,999	190	161,588	10	3.7	1.0- 6.4	22	6.0	2.9- 9.1	24	10.4	5.7-15.1	23	11.0	6.1-15.9	80	53.6	45.0-62.2	31	15.4	8.9-21.9
\$50,000- 74,999	221	206,855	14	4.0	1.5- 6.5	13	3.8	1.4- 6.2	23	10.2	4.9-15.5	34	14.8	8.5-21.1	107	50.5	42.3-58.7	30	16.8	10.1-23.5
\$75,000+	407	339,660	19	2.9	1.5- 4.3	45	8.7	5.8-11.6	85	20.6	15.9-25.3	71	18.7	14.0-23.4	155	41.2	35.3-47.1	32	7.9	4.8-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	663	602,234	33	2.5	1.5- 3.5	42	4.9	3.1- 6.7	71	10.3	7.4-13.2	81	14.4	10.9-17.9	313	50.9	46.2-55.6	123	16.9	13.6-20.2
White/Non-Hisp	469	419,136	26	3.0	1.6- 4.4	36	5.9	3.7- 8.1	58	12.3	8.8-15.8	56	14.3	10.2-18.4	219	51.6	46.1-57.1	74	12.9	9.6-16.2
Black or Afr. Am./Non-Hisp	90	90,997	2	1.2	0.0- 2.8	2	2.3	0.0- 5.4	5	7.1	0.0-15.3	13	13.5	5.5-21.5	39	42.8	30.6-55.0	29	33.1	21.7-44.5
25-34	121	166,020							3	3.8	0.0- 8.1	21	19.6	11.0-28.2	76	61.7	51.9-71.5	21	14.9	8.4-21.4
35-44	114	143,202				5	2.8	0.1- 5.5	20	19.0	10.4-27.6	22	20.7	12.5-28.9	48	41.2	31.2-51.2	19	16.2	8.6-23.8
45-54	150	117,878	11	6.4	2.5-10.3	19	13.8	7.5-20.1	20	13.4	7.3-19.5	17	10.6	5.5-15.7	56	36.4	28.0-44.8	27	19.4	12.1-26.7
55-64	148	84,997	9	3.6	0.7- 6.5	10	8.1	2.4-13.8	19	12.2	6.5-17.9	13	10.1	3.8-16.4	67	46.8	37.4-56.2	30	19.2	11.9-26.5
65+	98	35,648	13	12.4	5.1-19.7	8	6.6	1.3-11.9	9	6.7	1.4-12.0	8	10.4	2.2-18.6	43	49.4	37.4-61.4	17	14.5	6.9-22.1
Less Than H.S.	52	73,019	1	0.9	0.0- 2.7	2	5.2	0.0-12.3	4	6.8	0.0-16.6	9	23.5	8.0-39.0	27	51.5	34.8-68.2	9	12.2	3.6-20.8
H.S. or G.E.D.	211	200,389	12	3.3	0.9- 5.7	10	3.4	1.2- 5.6	19	10.5	5.2-15.8	26	12.5	7.2-17.8	102	52.0	44.0-60.0	42	18.3	12.4-24.2
Some Post-H.S.	177	179,865	5	1.6	0.2- 3.0	11	5.2	1.9- 8.5	19	9.7	4.8-14.6	20	13.1	7.2-19.0	78	48.7	39.5-57.9	44	21.8	14.5-29.1
College Graduate	217	142,010	15	3.6	1.4- 5.8	19	6.7	3.4-10.0	28	12.7	7.6-17.8	26	14.8	8.7-20.9	101	50.0	42.0-58.0	28	12.2	6.9-17.5
Less than \$15,000	60	58,406	1	2.1	0.0- 6.2	2	6.4	0.0-15.0	3	0.9	0.0- 2.3	8	21.5	6.4-36.6	28	44.7	28.4-61.0	18	24.3	12.0-36.6
\$15,000- 24,999	85	64,523	7	3.3	0.4- 6.2	3	2.7	0.0- 5.6	1	1.6	0.0- 4.7	11	11.9	3.9-19.9	39	49.5	37.0-62.0	24	31.1	19.5-42.7
\$25,000- 34,999	54	47,525	1	1.3	0.0- 3.8	1	0.5	0.0- 1.5	4	5.8	0.0-12.1	6	13.6	2.8-24.4	27	56.9	41.6-72.2	15	21.9	9.7-34.1
\$35,000- 49,999	75	66,362	3	1.7	0.0- 4.4	6	3.6	0.0- 7.9	14	15.8	6.4-25.2	7	10.1	2.3-17.9	32	53.0	38.7-67.3	13	15.8	4.8-26.8
\$50,000- 74,999	100	108,138	6	2.6	0.2- 5.0	6	4.2	0.5- 7.9	6	7.8	0.0-16.0	12	15.3	5.3-25.3	54	52.6	40.4-64.8	16	17.4	8.6-26.2
\$75,000+	198	178,183	13	3.5	1.3- 5.7	21	8.4	4.7-12.1	36	19.1	12.4-25.8	26	15.6	9.5-21.7	86	46.3	37.9-54.7	16	7.2	3.1-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1997			1998-2004			2005-2009			2010-2016			2017		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	891	717,535	33	3.0	1.6- 4.4	70	5.2	3.8- 6.6	122	11.1	8.7-13.5	139	13.1	10.6-15.6	418	53.5	49.6-57.4	109	14.1	11.0-17.2
White/Non-Hisp	643	514,945	32	4.0	2.2- 5.8	57	6.1	4.1- 8.1	107	13.8	10.9-16.7	107	13.8	10.9-16.7	277	50.6	45.9-55.3	63	11.7	8.2-15.2
Black or Afr. Am./Non-Hisp	134	113,693	1	1.0	0.0- 3.0	3	1.8	0.0- 4.2	3	0.6	0.0- 1.4	14	6.1	2.4- 9.8	84	67.9	58.7-77.1	29	22.6	14.0-31.2
18-24	54	83,859							3	2.4	0.0- 5.1	16	9.8	4.3-15.3	42	81.0	70.0-92.0	12	19.0	8.0-30.0
25-34	139	177,241	1	1.4	0.0- 4.1										91	65.2	56.2-74.2	28	21.2	13.4-29.0
35-44	209	207,145	1	0.4	0.0- 1.2	8	3.2	0.8- 5.6	30	14.2	9.1-19.3	40	17.4	11.3-23.5	106	52.2	44.6-59.8	24	12.5	7.0-18.0
45-54	190	125,612	5	3.9	0.4- 7.4	22	11.3	6.0-16.6	39	20.2	12.9-27.5	30	16.5	10.2-22.8	76	39.1	31.1-47.1	18	8.9	4.6-13.2
55-64	178	81,254	15	11.3	5.0-17.6	21	10.9	5.6-16.2	30	16.6	10.1-23.1	29	16.0	9.9-22.1	66	36.0	27.8-44.2	17	9.2	4.5-13.9
65+	121	42,423	11	9.6	2.5-16.7	19	17.3	8.9-25.7	20	16.9	9.1-24.7	24	16.1	9.0-23.2	37	32.2	21.8-42.6	10	8.0	1.5-14.5
Less Than H.S.	75	86,505				2	1.1	0.0- 2.9	6	6.1	0.2-12.0	8	10.7	1.3-20.1	47	64.1	51.0-77.2	12	18.0	7.2-28.8
H.S. or G.E.D.	217	190,358	10	4.7	1.2- 8.2	9	3.3	0.9- 5.7	29	10.6	6.3-14.9	25	8.2	4.7-11.7	116	60.3	52.9-67.7	28	12.9	7.4-18.4
Some Post-H.S.	263	246,881	7	2.7	0.5- 4.9	27	6.9	4.0- 9.8	34	11.0	6.7-15.3	44	14.9	9.8-20.0	116	48.3	40.9-55.7	35	16.2	10.3-22.1
College Graduate	334	191,941	15	2.6	1.0- 4.2	31	6.3	3.6- 9.0	53	14.2	9.9-18.5	62	16.9	12.4-21.4	139	49.1	42.6-55.6	34	11.1	6.8-15.4
Less than \$15,000	94	73,742	3	1.8	0.0- 4.3	9	6.6	0.9-12.3	3	3.3	0.0- 7.6	8	4.4	1.1- 7.7	54	61.2	49.2-73.2	17	22.7	12.1-33.3
\$15,000- 24,999	154	122,748	4	2.7	0.0- 6.6	5	2.3	0.1- 4.5	17	7.5	2.8-12.2	22	10.3	3.8-16.8	85	63.7	54.1-73.3	21	13.4	6.9-19.9
\$25,000- 34,999	75	69,094	1	1.2	0.0- 3.6	1	0.1	0.0- 0.3	5	7.2	0.3-14.1	10	6.2	1.5-10.9	47	67.6	54.3-80.9	11	17.8	5.8-29.8
\$35,000- 49,999	115	95,226	7	5.0	0.7- 9.3	16	7.6	3.3-11.9	10	6.6	2.3-10.9	16	11.7	5.4-18.0	48	53.9	43.1-64.7	18	15.1	7.3-22.9
\$50,000- 74,999	121	98,717	8	5.4	0.7-10.1	7	3.3	0.6- 6.0	17	12.8	6.3-19.3	22	14.4	7.5-21.3	53	48.1	36.9-59.3	14	16.0	6.2-25.8
\$75,000+	209	161,476	6	2.2	0.2- 4.2	24	9.1	5.0-13.2	49	22.3	15.4-29.2	45	22.2	15.3-29.1	69	35.7	27.7-43.7	16	8.6	3.5-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6932	4,683,521	258	6.0	5.0- 7.0	6674	94.0	93.0-95.0
Male	2926	2,274,922	138	6.9	5.5- 8.3	2788	93.1	91.7-94.5
Female	4006	2,408,599	120	5.1	4.1- 6.1	3886	94.9	93.9-95.9
White/Non-Hisp	5780	3,795,507	182	5.4	4.4- 6.4	5598	94.6	93.6-95.6
Black or Afr. Am./Non-Hisp	511	391,119	37	10.8	6.7-14.9	474	89.2	85.1-93.3
Oth. Race/Non-Hisp.	175	121,021	11	5.4	1.5- 9.3	164	94.6	90.7-98.5
MultiRacial/Non-Hisp.	116	38,590	12	14.3	6.1-22.5	104	85.7	77.5-93.9
Hispanic	232	263,138	10	6.0	1.9-10.1	222	94.0	89.9-98.1
18-24	339	634,997	58	17.3	12.6-22.0	281	82.7	78.0-87.4
25-34	570	762,065	72	10.8	8.1-13.5	498	89.2	86.5-91.9
35-44	680	764,030	44	5.7	3.9- 7.5	636	94.3	92.5-96.1
45-54	1074	744,836	35	3.0	1.8- 4.2	1039	97.0	95.8-98.2
55-64	1481	795,388	29	2.2	1.2- 3.2	1452	97.8	96.8-98.8
65+	2788	982,205	20	0.6	0.4- 0.8	2768	99.4	99.2-99.6
Less Than H.S.	544	567,212	30	9.2	5.3-13.1	514	90.8	86.9-94.7
H.S. or G.E.D.	2314	1,558,992	75	5.1	3.7- 6.5	2239	94.9	93.5-96.3
Some Post-H.S.	1805	1,458,106	75	6.6	4.8- 8.4	1730	93.4	91.6-95.2
College Graduate	2245	1,080,017	78	5.0	3.6- 6.4	2167	95.0	93.6-96.4
Less than \$15,000	487	338,107	23	8.1	4.4-11.8	464	91.9	88.2-95.6
\$15,000- 24,999	957	587,631	45	7.2	4.8- 9.6	912	92.8	90.4-95.2
\$25,000- 34,999	666	431,320	32	6.7	4.0- 9.4	634	93.3	90.6-96.0
\$35,000- 49,999	845	584,765	33	7.5	4.4-10.6	812	92.5	89.4-95.6
\$50,000- 74,999	958	704,795	27	3.9	2.1- 5.7	931	96.1	94.3-97.9
\$75,000+	1618	1,221,490	49	3.9	2.5- 5.3	1569	96.1	94.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2926	2,274,922	138	6.9	5.5- 8.3	2788	93.1	91.7-94.5
White/Non-Hisp	2402	1,832,601	98	6.3	4.7- 7.9	2304	93.7	92.1-95.3
Black or Afr. Am./Non-Hisp	199	183,870	17	11.6	4.9-18.3	182	88.4	81.7-95.1
Oth. Race/Non-Hisp.	90	64,514	7	5.2	0.9- 9.5	83	94.8	90.5-99.1
MultiRacial/Non-Hisp.	57	20,365	6	13.3	2.5-24.1	51	86.7	75.9-97.5
Hispanic	115	127,210	5	6.7	0.4-13.0	110	93.3	87.0-99.6
18-24	173	336,075	28	19.0	11.7-26.3	145	81.0	73.7-88.3
25-34	283	381,403	38	10.6	6.9-14.3	245	89.4	85.7-93.1
35-44	305	376,253	23	7.1	4.0-10.2	282	92.9	89.8-96.0
45-54	484	368,059	20	3.6	1.8- 5.4	464	96.4	94.6-98.2
55-64	631	383,446	14	2.3	0.9- 3.7	617	97.7	96.3-99.1
65+	1050	429,687	15	1.0	0.4- 1.6	1035	99.0	98.4-99.6
Less Than H.S.	236	291,407	17	12.0	5.5-18.5	219	88.0	81.5-94.5
H.S. or G.E.D.	973	786,491	47	6.2	4.2- 8.2	926	93.8	91.8-95.8
Some Post-H.S.	750	682,621	33	6.5	3.8- 9.2	717	93.5	90.8-96.2
College Graduate	956	505,063	41	5.8	3.6- 8.0	915	94.2	92.0-96.4
Less than \$15,000	186	160,092	9	7.2	1.5-12.9	177	92.8	87.1-98.5
\$15,000- 24,999	348	227,506	21	7.4	4.1-10.7	327	92.6	89.3-95.9
\$25,000- 34,999	283	207,948	17	7.4	3.5-11.3	266	92.6	88.7-96.5
\$35,000- 49,999	367	291,695	15	7.3	2.6-12.0	352	92.7	88.0-97.4
\$50,000- 74,999	461	379,612	18	5.2	2.5- 7.9	443	94.8	92.1-97.5
\$75,000+	814	666,089	34	5.4	3.0- 7.8	780	94.6	92.2-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4006	2,408,599	120	5.1	4.1- 6.1	3886	94.9	93.9-95.9
White/Non-Hisp	3378	1,962,906	84	4.5	3.3- 5.7	3294	95.5	94.3-96.7
Black or Afr. Am./Non-Hisp	312	207,249	20	10.1	5.2-15.0	292	89.9	85.0-94.8
Oth. Race/Non-Hisp.	85	56,507	4	5.5	0.0-12.2	81	94.5	87.8- 100
MultiRacial/Non-Hisp.	59	18,224	6	15.4	2.5-28.3	53	84.6	71.7-97.5
Hispanic	117	135,928	5	5.4	0.3-10.5	112	94.6	89.5-99.7
18-24	166	298,922	30	15.4	9.7-21.1	136	84.6	78.9-90.3
25-34	287	380,662	34	11.0	7.1-14.9	253	89.0	85.1-92.9
35-44	375	387,777	21	4.3	2.1- 6.5	354	95.7	93.5-97.9
45-54	590	376,778	15	2.4	0.8- 4.0	575	97.6	96.0-99.2
55-64	850	411,942	15	2.1	0.9- 3.3	835	97.9	96.7-99.1
65+	1738	552,518	5	0.2	0.0- 0.4	1733	99.8	99.6- 100
Less Than H.S.	308	275,805	13	6.2	2.3-10.1	295	93.8	89.9-97.7
H.S. or G.E.D.	1341	772,501	28	3.9	2.1- 5.7	1313	96.1	94.3-97.9
Some Post-H.S.	1055	775,485	42	6.6	4.4- 8.8	1013	93.4	91.2-95.6
College Graduate	1289	574,954	37	4.3	2.7- 5.9	1252	95.7	94.1-97.3
Less than \$15,000	301	178,015	14	9.0	3.9-14.1	287	91.0	85.9-96.1
\$15,000- 24,999	609	360,125	24	7.1	3.8-10.4	585	92.9	89.6-96.2
\$25,000- 34,999	383	223,373	15	6.0	2.3- 9.7	368	94.0	90.3-97.7
\$35,000- 49,999	478	293,070	18	7.7	3.8-11.6	460	92.3	88.4-96.2
\$50,000- 74,999	497	325,183	9	2.5	0.5- 4.5	488	97.5	95.5-99.5
\$75,000+	804	555,401	15	2.2	1.0- 3.4	789	97.8	96.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2018**

End of Core Data Report