


INDIANA

2020 Core Variables Report

Behavioral Risk Factor Surveillance System

July 6, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8456	5,198,319	1457	20.0	18.8-21.2	2807	33.5	32.3-34.7	2670	30.5	29.3-31.7	1106	11.9	11.1-12.7	416	4.1	3.7- 4.5
Male	3827	2,534,780	703	21.4	19.8-23.0	1258	33.1	31.3-34.9	1239	31.2	29.4-33.0	459	10.7	9.5-11.9	168	3.6	3.0- 4.2
Female	4629	2,663,538	754	18.7	17.3-20.1	1549	33.9	32.1-35.7	1431	29.8	28.2-31.4	647	13.0	11.8-14.2	248	4.5	3.9- 5.1
White/Non-Hisp	6843	4,097,411	1175	19.4	18.2-20.6	2390	35.2	33.8-36.6	2104	30.0	28.6-31.4	853	11.4	10.6-12.2	321	4.0	3.4- 4.6
Black or Afr. Am./Non-Hisp	720	460,719	95	17.6	13.7-21.5	183	26.3	22.2-30.4	277	36.6	32.1-41.1	120	14.6	11.5-17.7	45	5.0	3.0- 7.0
Oth. Race/Non-Hisp.	217	162,867	48	31.0	22.2-39.8	65	33.1	24.7-41.5	63	23.0	15.6-30.4	28	9.5	5.4-13.6	13	3.3	1.1- 5.5
MultiRacial/Non-Hisp.	125	50,503	22	23.6	12.8-34.4	34	29.8	19.8-39.8	33	24.7	15.7-33.7	22	13.8	6.9-20.7	14	8.1	3.2-13.0
Hispanic	376	323,516	87	24.8	19.5-30.1	95	26.8	21.3-32.3	125	32.1	26.6-37.6	58	13.9	10.0-17.8	11	2.5	0.9- 4.1
18-24	500	683,954	153	31.2	26.7-35.7	196	38.9	34.2-43.6	114	22.8	18.7-26.9	32	6.3	3.9- 8.7	5	0.8	0.0- 1.6
25-34	833	869,025	209	26.8	23.5-30.1	288	33.8	30.3-37.3	266	31.7	28.2-35.2	59	6.3	4.5- 8.1	11	1.4	0.4- 2.4
35-44	1031	829,696	250	24.1	21.2-27.0	373	36.3	33.2-39.4	279	27.8	24.7-30.9	99	9.6	7.6-11.6	30	2.3	1.3- 3.3
45-54	1389	821,026	289	19.7	17.5-21.9	481	34.1	31.4-36.8	394	29.2	26.5-31.9	161	12.5	10.5-14.5	64	4.5	3.3- 5.7
55-64	1707	859,431	236	13.4	11.6-15.2	545	31.8	29.3-34.3	557	32.8	30.3-35.3	253	15.0	13.0-17.0	116	7.0	5.6- 8.4
65+	2996	1,135,187	320	10.4	9.2-11.6	924	29.0	27.0-31.0	1060	35.5	33.5-37.5	502	18.3	16.5-20.1	190	6.7	5.5- 7.9
Less Than H.S.	606	612,514	69	13.9	10.6-17.2	100	20.1	16.2-24.0	204	34.5	30.0-39.0	161	23.4	19.7-27.1	72	8.0	5.8-10.2
H.S. or G.E.D.	2756	1,741,646	350	16.3	14.5-18.1	816	32.3	30.1-34.5	955	32.7	30.5-34.9	458	13.8	12.4-15.2	177	4.9	4.1- 5.7
Some Post-H.S.	2221	1,581,796	368	20.3	18.1-22.5	715	33.9	31.5-36.3	746	31.4	29.2-33.6	285	10.7	9.3-12.1	107	3.7	2.9- 4.5
College Graduate	2847	1,249,411	667	27.8	25.8-29.8	1167	41.3	39.1-43.5	756	24.5	22.7-26.3	197	4.9	4.1- 5.7	60	1.4	1.0- 1.8
Less than \$15,000	543	345,049	51	11.8	8.1-15.5	97	21.3	16.8-25.8	170	29.4	24.7-34.1	139	24.8	20.5-29.1	86	12.6	9.7-15.5
\$15,000- 24,999	1071	665,071	115	14.2	11.5-16.9	227	22.5	19.2-25.8	388	34.6	31.1-38.1	231	20.1	17.2-23.0	110	8.4	6.4-10.4
\$25,000- 34,999	726	415,343	83	12.6	9.5-15.7	214	31.6	27.3-35.9	272	35.9	31.6-40.2	119	15.8	12.7-18.9	38	4.1	2.7- 5.5
\$35,000- 49,999	1012	606,661	152	17.0	14.1-19.9	304	29.9	26.4-33.4	393	38.3	34.6-42.0	126	11.2	8.8-13.6	37	3.6	2.2- 5.0
\$50,000- 74,999	1113	698,770	206	20.1	17.2-23.0	439	39.3	35.8-42.8	324	28.8	25.7-31.9	116	9.7	7.5-11.9	28	2.1	1.1- 3.1
\$75,000+	2141	1,373,169	564	28.9	26.5-31.3	936	42.5	40.0-45.0	520	24.1	21.9-26.3	107	4.1	3.3- 4.9	14	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3827	2,534,780	703	21.4	19.8-23.0	1258	33.1	31.3-34.9	1239	31.2	29.4-33.0	459	10.7	9.5-11.9	168	3.6	3.0- 4.2
White/Non-Hisp	3088	1,977,373	558	20.5	18.7-22.3	1074	35.2	33.2-37.2	981	30.7	28.7-32.7	345	10.1	8.9-11.3	130	3.6	2.8- 4.4
Black or Afr. Am./Non-Hisp	282	217,988	40	18.8	12.7-24.9	70	24.4	18.5-30.3	105	36.3	29.4-43.2	51	15.8	10.9-20.7	16	4.6	1.3- 7.9
Oth. Race/Non-Hisp.	114	95,328	27	28.3	17.1-39.5	33	32.7	21.1-44.3	35	28.9	17.9-39.9	13	7.7	2.8-12.6	6	2.4	0.0- 4.9
MultiRacial/Non-Hisp.	58	25,911	14	33.4	16.0-50.8	17	31.2	16.3-46.1	13	20.8	8.8-32.8	9	8.5	1.8-15.2	5	6.1	0.0-12.8
Hispanic	186	154,551	44	29.0	21.0-37.0	46	26.1	18.7-33.5	62	29.7	22.4-37.0	29	13.1	8.0-18.2	5	2.2	0.2- 4.2
18-24	273	352,133	92	35.3	29.0-41.6	104	37.3	31.0-43.6	57	20.2	15.1-25.3	18	6.6	3.5- 9.7	2	0.6	0.0- 1.4
25-34	414	437,919	104	28.0	23.1-32.9	145	33.2	28.3-38.1	135	31.1	26.2-36.0	24	5.8	3.4- 8.2	6	1.8	0.0- 3.6
35-44	485	414,528	122	24.9	20.8-29.0	171	36.1	31.4-40.8	141	30.2	25.7-34.7	37	6.7	4.3- 9.1	14	2.1	0.9- 3.3
45-54	642	408,300	133	19.1	16.0-22.2	228	35.1	31.0-39.2	198	31.5	27.4-35.6	61	10.7	8.0-13.4	22	3.6	2.0- 5.2
55-64	791	419,464	123	14.9	12.2-17.6	268	33.0	29.3-36.7	246	32.9	29.2-36.6	110	13.7	11.0-16.4	44	5.5	3.5- 7.5
65+	1222	502,436	129	10.2	8.2-12.2	342	26.3	23.6-29.0	462	38.4	35.3-41.5	209	18.5	15.8-21.2	80	6.6	5.0- 8.2
Less Than H.S.	284	302,733	38	16.3	11.0-21.6	51	20.8	15.1-26.5	96	34.1	27.8-40.4	70	21.8	16.7-26.9	29	7.0	4.3- 9.7
H.S. or G.E.D.	1290	901,609	208	19.4	16.7-22.1	368	31.8	28.7-34.9	454	32.9	30.0-35.8	188	11.9	9.9-13.9	72	4.0	3.0- 5.0
Some Post-H.S.	979	752,900	168	21.3	18.0-24.6	321	34.2	30.7-37.7	332	31.7	28.4-35.0	115	9.2	7.2-11.2	43	3.6	2.2- 5.0
College Graduate	1265	574,629	288	27.2	24.3-30.1	516	40.5	37.4-43.6	353	26.4	23.7-29.1	84	4.7	3.5- 5.9	24	1.1	0.5- 1.7
Less than \$15,000	200	133,864	22	12.9	6.8-19.0	38	22.9	15.1-30.7	63	28.9	21.6-36.2	46	23.6	16.5-30.7	31	11.7	7.2-16.2
\$15,000- 24,999	432	288,228	50	13.9	9.8-18.0	85	20.8	16.1-25.5	151	35.3	29.8-40.8	97	20.1	15.8-24.4	49	9.9	6.6-13.2
\$25,000- 34,999	311	194,083	36	12.2	7.9-16.5	92	31.7	25.6-37.8	114	34.5	28.4-40.6	50	17.5	12.4-22.6	19	4.0	2.0- 6.0
\$35,000- 49,999	471	295,362	73	17.3	13.2-21.4	126	27.4	22.5-32.3	193	40.9	35.6-46.2	64	11.3	8.2-14.4	15	3.1	1.3- 4.9
\$50,000- 74,999	523	354,832	103	22.3	17.6-27.0	198	38.5	33.6-43.4	164	29.6	25.1-34.1	46	7.7	5.2-10.2	12	1.9	0.7- 3.1
\$75,000+	1159	782,370	297	28.9	25.6-32.2	497	41.3	38.0-44.6	302	25.7	22.8-28.6	56	3.8	2.6- 5.0	7	0.3	0.1- 0.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4629	2,663,538	754	18.7	17.3-20.1	1549	33.9	32.1-35.7	1431	29.8	28.2-31.4	647	13.0	11.8-14.2	248	4.5	3.9- 5.1
White/Non-Hisp	3755	2,120,038	617	18.3	16.7-19.9	1316	35.2	33.2-37.2	1123	29.3	27.5-31.1	508	12.7	11.5-13.9	191	4.5	3.7- 5.3
Black or Afr. Am./Non-Hisp	438	242,731	55	16.5	11.6-21.4	113	28.0	22.3-33.7	172	36.8	30.7-42.9	69	13.5	9.4-17.6	29	5.2	2.8- 7.6
Oth. Race/Non-Hisp.	103	67,539	21	34.9	21.2-48.6	32	33.7	21.5-45.9	28	14.7	6.9-22.5	15	12.1	4.8-19.4	7	4.5	0.6- 8.4
MultiRacial/Non-Hisp.	67	24,592	8	13.3	3.7-22.9	17	28.4	15.1-41.7	20	28.8	15.5-42.1	13	19.4	7.6-31.2	9	10.1	2.7-17.5
Hispanic	190	168,964	43	20.9	14.4-27.4	49	27.4	19.4-35.4	63	34.3	26.1-42.5	29	14.7	8.8-20.6	6	2.7	0.3- 5.1
18-24	227	331,821	61	26.7	20.4-33.0	92	40.6	33.3-47.9	57	25.6	19.1-32.1	14	6.1	2.8- 9.4	3	0.9	0.0- 2.1
25-34	419	431,106	105	25.5	21.0-30.0	143	34.4	29.3-39.5	131	32.2	27.1-37.3	35	6.9	4.5- 9.3	5	1.1	0.1- 2.1
35-44	546	415,168	128	23.2	19.3-27.1	202	36.5	32.0-41.0	138	25.4	21.3-29.5	62	12.4	9.3-15.5	16	2.5	1.1- 3.9
45-54	747	412,725	156	20.4	17.3-23.5	253	33.1	29.4-36.8	196	26.9	23.2-30.6	100	14.2	11.3-17.1	42	5.4	3.6- 7.2
55-64	916	439,967	113	12.0	9.6-14.4	277	30.7	27.4-34.0	311	32.8	29.3-36.3	143	16.2	13.5-18.9	72	8.4	6.2-10.6
65+	1774	632,752	191	10.6	9.0-12.2	582	31.1	28.6-33.6	598	33.3	30.6-36.0	293	18.2	15.8-20.6	110	6.8	5.2- 8.4
Less Than H.S.	322	309,781	31	11.6	7.1-16.1	49	19.4	13.7-25.1	108	34.9	28.4-41.4	91	25.0	19.7-30.3	43	9.0	5.9-12.1
H.S. or G.E.D.	1466	840,036	142	13.0	10.6-15.4	448	32.8	29.7-35.9	501	32.5	29.6-35.4	270	15.9	13.7-18.1	105	5.8	4.6- 7.0
Some Post-H.S.	1242	828,897	200	19.4	16.7-22.1	394	33.7	30.4-37.0	414	31.0	27.9-34.1	170	12.0	10.0-14.0	64	3.9	2.7- 5.1
College Graduate	1582	674,781	379	28.3	25.6-31.0	651	42.0	39.1-44.9	403	22.9	20.5-25.3	113	5.1	3.9- 6.3	36	1.7	1.1- 2.3
Less than \$15,000	343	211,184	29	11.1	6.6-15.6	59	20.3	14.8-25.8	107	29.8	23.7-35.9	93	25.6	20.1-31.1	55	13.2	9.3-17.1
\$15,000- 24,999	639	376,843	65	14.5	10.8-18.2	142	23.8	19.3-28.3	237	34.2	29.5-38.9	134	20.1	16.4-23.8	61	7.3	5.1- 9.5
\$25,000- 34,999	415	221,260	47	12.8	8.3-17.3	122	31.5	25.6-37.4	158	37.1	31.2-43.0	69	14.4	10.7-18.1	19	4.2	2.0- 6.4
\$35,000- 49,999	541	311,299	79	16.8	12.7-20.9	178	32.3	27.4-37.2	200	35.9	30.8-41.0	62	11.0	7.7-14.3	22	4.0	2.0- 6.0
\$50,000- 74,999	590	343,938	103	17.8	14.1-21.5	241	40.2	35.5-44.9	160	27.9	23.6-32.2	70	11.7	8.6-14.8	16	2.4	1.0- 3.8
\$75,000+	982	590,799	267	29.0	25.5-32.5	439	44.0	40.3-47.7	218	22.0	18.9-25.1	51	4.4	3.0- 5.8	7	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8240	5,087,801	5681	70.3	69.1-71.5	627	7.7	6.9- 8.5	693	8.7	7.9- 9.5	639	7.2	6.6- 7.8	600	6.1	5.5- 6.7
Male	3751	2,491,516	2696	73.8	72.2-75.4	253	6.5	5.5- 7.5	299	8.1	7.1- 9.1	256	6.1	5.1- 7.1	247	5.5	4.7- 6.3
Female	4489	2,596,285	2985	66.9	65.1-68.7	374	8.8	7.6-10.0	394	9.3	8.1-10.5	383	8.3	7.3- 9.3	353	6.6	5.8- 7.4
White/Non-Hisp	6679	4,018,137	4613	70.2	68.8-71.6	528	8.1	7.3- 8.9	556	8.5	7.7- 9.3	503	7.1	6.3- 7.9	479	6.1	5.5- 6.7
Black or Afr. Am./Non-Hisp	700	448,770	465	68.3	63.8-72.8	48	6.2	3.8- 8.6	68	11.1	8.0-14.2	68	8.2	5.7-10.7	51	6.1	3.9- 8.3
Oth. Race/Non-Hisp.	211	160,222	138	69.7	61.7-77.7	15	8.2	3.5-12.9	23	12.3	6.0-18.6	15	3.9	1.5- 6.3	20	5.9	3.0- 8.8
MultiRacial/Non-Hisp.	119	49,167	80	69.9	59.9-79.9	3	1.4	0.0- 3.0	14	14.5	6.1-22.9	8	7.2	1.7-12.7	14	7.1	2.8-11.4
Hispanic	363	312,976	264	72.3	66.6-78.0	23	7.0	3.3-10.7	22	6.7	3.8- 9.6	33	9.0	5.5-12.5	21	5.1	2.7- 7.5
18-24	494	674,844	366	73.9	69.6-78.2	46	8.9	6.2-11.6	62	13.5	10.2-16.8	16	2.9	1.3- 4.5	4	0.8	0.0- 1.6
25-34	823	861,834	602	74.6	71.3-77.9	78	8.9	6.7-11.1	72	7.7	5.7- 9.7	48	5.9	4.1- 7.7	23	2.8	1.6- 4.0
35-44	1014	815,895	751	74.7	71.8-77.6	85	8.0	6.2- 9.8	80	7.7	5.9- 9.5	59	5.6	4.0- 7.2	39	4.0	2.6- 5.4
45-54	1361	805,185	942	69.0	66.3-71.7	104	7.1	5.7- 8.5	110	8.1	6.5- 9.7	104	8.3	6.5-10.1	101	7.5	5.9- 9.1
55-64	1673	843,824	1092	64.4	61.9-66.9	125	7.5	6.1- 8.9	128	7.4	6.0- 8.8	179	11.3	9.5-13.1	149	9.4	7.8-11.0
65+	2875	1,086,219	1928	66.6	64.4-68.8	189	6.5	5.3- 7.7	241	8.8	7.6-10.0	233	8.3	7.1- 9.5	284	9.8	8.4-11.2
Less Than H.S.	574	591,549	320	59.5	54.8-64.2	32	6.3	3.8- 8.8	60	9.8	7.1-12.5	80	13.8	10.7-16.9	82	10.7	8.2-13.2
H.S. or G.E.D.	2660	1,693,173	1808	71.4	69.4-73.4	172	6.5	5.3- 7.7	215	8.3	6.9- 9.7	213	6.7	5.7- 7.7	252	7.1	6.1- 8.1
Some Post-H.S.	2176	1,557,063	1451	68.5	66.1-70.9	176	8.5	7.1- 9.9	198	9.6	8.0-11.2	187	7.5	6.3- 8.7	164	5.9	4.9- 6.9
College Graduate	2805	1,233,516	2086	76.3	74.5-78.1	243	9.0	7.8-10.2	218	7.7	6.5- 8.9	158	4.5	3.7- 5.3	100	2.6	2.0- 3.2
Less than \$15,000	516	331,195	261	57.0	51.9-62.1	35	5.5	3.3- 7.7	62	12.3	8.8-15.8	66	11.4	8.3-14.5	92	13.9	10.8-17.0
\$15,000- 24,999	1028	643,870	573	57.4	53.7-61.1	67	7.6	5.4- 9.8	99	10.1	7.7-12.5	142	12.8	10.4-15.2	147	12.1	9.9-14.3
\$25,000- 34,999	707	405,634	461	63.6	59.3-67.9	48	8.8	5.9-11.7	73	11.8	8.9-14.7	66	9.3	6.8-11.8	59	6.5	4.5- 8.5
\$35,000- 49,999	999	600,718	676	69.1	65.6-72.6	93	8.6	6.6-10.6	94	8.8	6.6-11.0	82	8.3	6.1-10.5	54	5.3	3.7- 6.9
\$50,000- 74,999	1104	694,065	770	71.1	68.0-74.2	101	8.6	6.6-10.6	97	9.0	6.8-11.2	74	6.1	4.5- 7.7	62	5.1	3.5- 6.7
\$75,000+	2118	1,358,803	1684	80.9	78.9-82.9	165	7.7	6.3- 9.1	143	7.0	5.6- 8.4	79	3.0	2.2- 3.8	47	1.5	0.9- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	3751	2,491,516	2696	73.8	72.2-75.4	253	6.5	5.5- 7.5	299	8.1	7.1- 9.1	256	6.1	5.1- 7.1	247	5.5	4.7- 6.3
White/Non-Hisp	3029	1,947,182	2176	73.3	71.5-75.1	218	7.3	6.1- 8.5	245	8.1	6.9- 9.3	198	5.8	4.8- 6.8	192	5.5	4.5- 6.5
Black or Afr. Am./Non-Hisp	276	212,179	190	72.4	65.9-78.9	12	3.1	0.9- 5.3	24	8.3	4.2-12.4	29	10.4	5.7-15.1	21	5.8	2.7- 8.9
Oth. Race/Non-Hisp.	113	94,720	79	74.9	64.9-84.9	9	6.9	1.4-12.4	11	12.8	4.2-21.4	5	1.8	0.0- 3.6	9	3.5	0.8- 6.2
MultiRacial/Non-Hisp.	57	25,850	43	79.8	67.6-92.0				8	16.3	4.5-28.1	2	1.5	0.0- 3.9	4	2.4	0.0- 4.9
Hispanic	179	149,403	138	78.9	72.0-85.8	8	3.3	0.6- 6.0	6	4.6	0.3- 8.9	15	7.1	3.0-11.2	12	6.2	2.5- 9.9
18-24	270	347,883	208	76.8	71.3-82.3	23	7.5	4.2-10.8	31	12.6	8.1-17.1	7	2.7	0.5- 4.9	1	0.4	0.0- 1.2
25-34	411	436,101	311	76.9	72.4-81.4	35	7.5	4.8-10.2	35	7.8	4.9-10.7	17	4.3	1.9- 6.7	13	3.6	1.6- 5.6
35-44	478	409,255	385	81.8	78.1-85.5	34	6.8	4.4- 9.2	24	5.1	2.9- 7.3	16	2.6	1.2- 4.0	19	3.7	1.9- 5.5
45-54	628	399,821	466	73.6	69.7-77.5	40	5.8	3.8- 7.8	47	7.1	4.9- 9.3	38	6.4	4.2- 8.6	37	7.1	4.6- 9.6
55-64	775	410,882	524	67.0	63.3-70.7	53	6.5	4.5- 8.5	58	7.7	5.7- 9.7	77	10.3	7.8-12.8	63	8.5	6.3-10.7
65+	1189	487,575	802	67.8	64.7-70.9	68	5.4	4.0- 6.8	104	9.0	7.0-11.0	101	9.3	7.3-11.3	114	8.5	6.7-10.3
Less Than H.S.	274	294,648	162	65.0	58.9-71.1	9	3.4	1.0- 5.8	27	8.1	4.8-11.4	35	12.1	8.0-16.2	41	11.3	7.6-15.0
H.S. or G.E.D.	1258	882,717	918	76.0	73.3-78.7	69	5.2	3.8- 6.6	93	7.9	6.1- 9.7	84	5.5	4.1- 6.9	94	5.4	4.2- 6.6
Some Post-H.S.	963	743,169	663	70.6	67.3-73.9	79	8.5	6.5-10.5	81	9.0	6.8-11.2	73	6.2	4.4- 8.0	67	5.7	4.1- 7.3
College Graduate	1247	568,073	946	78.8	76.3-81.3	95	7.7	6.1- 9.3	98	7.4	5.8- 9.0	64	3.9	2.9- 4.9	44	2.3	1.5- 3.1
Less than \$15,000	191	127,707	105	60.4	52.0-68.8	9	4.4	0.9- 7.9	19	11.3	5.0-17.6	27	10.7	6.2-15.2	31	13.2	7.9-18.5
\$15,000- 24,999	415	277,786	229	57.4	51.7-63.1	24	5.9	3.4- 8.4	37	8.7	5.6-11.8	58	13.8	9.7-17.9	67	14.2	10.5-17.9
\$25,000- 34,999	302	188,606	204	66.0	59.5-72.5	19	7.1	3.6-10.6	32	12.3	7.8-16.8	21	7.5	3.6-11.4	26	7.2	4.1-10.3
\$35,000- 49,999	468	294,141	324	71.7	67.0-76.4	38	7.7	4.8-10.6	44	7.6	5.1-10.1	35	7.0	4.3- 9.7	27	5.9	3.4- 8.4
\$50,000- 74,999	519	351,899	382	75.7	71.4-80.0	43	7.0	4.6- 9.4	44	8.5	5.6-11.4	27	4.5	2.5- 6.5	23	4.4	2.0- 6.8
\$75,000+	1149	776,907	939	82.7	80.2-85.2	80	7.4	5.6- 9.2	70	6.5	4.7- 8.3	35	2.0	1.2- 2.8	25	1.3	0.7- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4489	2,596,285	2985	66.9	65.1-68.7	374	8.8	7.6-10.0	394	9.3	8.1-10.5	383	8.3	7.3- 9.3	353	6.6	5.8- 7.4
White/Non-Hisp	3650	2,070,955	2437	67.3	65.3-69.3	310	8.8	7.6-10.0	311	8.9	7.7-10.1	305	8.4	7.4- 9.4	287	6.7	5.7- 7.7
Black or Afr. Am./Non-Hisp	424	236,592	275	64.7	58.6-70.8	36	9.0	5.1-12.9	44	13.7	9.0-18.4	39	6.2	3.7- 8.7	30	6.4	3.3- 9.5
Oth. Race/Non-Hisp.	98	65,502	59	62.2	49.7-74.7	6	10.1	1.7-18.5	12	11.5	2.5-20.5	10	6.9	2.0-11.8	11	9.3	3.2-15.4
MultiRacial/Non-Hisp.	62	23,317	37	58.9	44.0-73.8	3	3.0	0.0- 6.5	6	12.5	0.5-24.5	6	13.4	2.8-24.0	10	12.3	3.9-20.7
Hispanic	184	163,574	126	66.2	57.8-74.6	15	10.4	3.9-16.9	16	8.6	4.3-12.9	18	10.7	5.0-16.4	9	4.0	1.1- 6.9
18-24	224	326,961	158	70.9	64.4-77.4	23	10.4	5.9-14.9	31	14.5	9.4-19.6	9	3.1	0.9- 5.3	3	1.1	0.0- 2.5
25-34	412	425,733	291	72.4	67.7-77.1	43	10.4	7.1-13.7	37	7.6	5.1-10.1	31	7.6	4.7-10.5	10	2.0	0.6- 3.4
35-44	536	406,641	366	67.6	63.3-71.9	51	9.1	6.6-11.6	56	10.4	7.7-13.1	43	8.5	5.8-11.2	20	4.4	2.4- 6.4
45-54	733	405,364	476	64.5	60.6-68.4	64	8.3	6.1-10.5	63	9.2	6.8-11.6	66	10.1	7.6-12.6	64	7.9	5.7-10.1
55-64	898	432,943	568	61.9	58.2-65.6	72	8.4	6.2-10.6	70	7.2	5.2- 9.2	102	12.1	9.6-14.6	86	10.3	7.9-12.7
65+	1686	598,644	1126	65.7	63.0-68.4	121	7.4	5.8- 9.0	137	8.7	6.9-10.5	132	7.4	5.8- 9.0	170	10.8	8.8-12.8
Less Than H.S.	300	296,901	158	53.9	47.0-60.8	23	9.1	4.8-13.4	33	11.5	7.2-15.8	45	15.4	10.5-20.3	41	10.0	6.7-13.3
H.S. or G.E.D.	1402	810,456	890	66.4	63.5-69.3	103	7.9	6.1- 9.7	122	8.8	7.0-10.6	129	8.0	6.4- 9.6	158	9.0	7.4-10.6
Some Post-H.S.	1213	813,894	788	66.5	63.4-69.6	97	8.4	6.4-10.4	117	10.3	8.1-12.5	114	8.7	6.9-10.5	97	6.1	4.7- 7.5
College Graduate	1558	665,444	1140	74.1	71.6-76.6	148	10.2	8.4-12.0	120	7.9	6.3- 9.5	94	5.0	3.8- 6.2	56	2.9	2.1- 3.7
Less than \$15,000	325	203,488	156	54.9	48.2-61.6	26	6.1	3.4- 8.8	43	12.8	8.5-17.1	39	11.8	7.7-15.9	61	14.4	10.5-18.3
\$15,000- 24,999	613	366,084	344	57.3	52.4-62.2	43	8.9	5.8-12.0	62	11.1	8.0-14.2	84	12.0	9.1-14.9	80	10.6	7.9-13.3
\$25,000- 34,999	405	217,028	257	61.6	55.5-67.7	29	10.2	5.7-14.7	41	11.3	7.6-15.0	45	11.0	7.5-14.5	33	5.9	3.5- 8.3
\$35,000- 49,999	531	306,577	352	66.5	61.6-71.4	55	9.5	6.6-12.4	50	9.9	6.6-13.2	47	9.4	6.3-12.5	27	4.6	2.6- 6.6
\$50,000- 74,999	585	342,166	388	66.4	61.9-70.9	58	10.4	7.5-13.3	53	9.5	6.6-12.4	47	7.9	5.4-10.4	39	5.9	3.7- 8.1
\$75,000+	969	581,897	745	78.4	75.5-81.3	85	8.0	6.0-10.0	73	7.5	5.5- 9.5	44	4.2	2.8- 5.6	22	1.8	0.8- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8295	5,104,791	5298	60.0	58.6-61.4	606	7.5	6.7- 8.3	937	12.4	11.4-13.4	957	13.1	12.1-14.1	497	6.9	6.1- 7.7
Male	3766	2,493,683	2656	67.2	65.4-69.0	246	7.2	6.2- 8.2	354	10.6	9.4-11.8	333	9.9	8.7-11.1	177	5.2	4.2- 6.2
Female	4529	2,611,108	2642	53.1	51.3-54.9	360	7.9	6.9- 8.9	583	14.2	12.8-15.6	624	16.3	14.9-17.7	320	8.5	7.3- 9.7
White/Non-Hisp	6716	4,030,427	4257	59.3	57.9-60.7	518	7.8	7.0- 8.6	776	12.9	11.9-13.9	773	13.1	12.1-14.1	392	7.0	6.2- 7.8
Black or Afr. Am./Non-Hisp	706	448,232	483	64.7	60.0-69.4	35	5.2	3.2- 7.2	69	9.7	7.0-12.4	86	14.0	10.5-17.5	33	6.4	3.9- 8.9
Oth. Race/Non-Hisp.	217	162,929	135	59.9	51.1-68.7	16	10.0	3.9-16.1	20	10.4	5.1-15.7	24	12.5	6.4-18.6	22	7.2	3.7-10.7
MultiRacial/Non-Hisp.	123	50,391	71	57.1	46.1-68.1	4	3.0	0.0- 6.3	16	17.3	8.5-26.1	17	12.6	5.5-19.7	15	10.0	3.9-16.1
Hispanic	362	310,425	235	60.9	54.8-67.0	24	7.5	4.2-10.8	36	11.1	7.2-15.0	43	14.3	9.6-19.0	24	6.1	3.6- 8.6
18-24	488	665,931	208	43.0	38.1-47.9	44	9.2	6.3-12.1	104	20.3	16.4-24.2	91	18.9	15.2-22.6	41	8.6	5.7-11.5
25-34	823	860,701	374	47.2	43.5-50.9	67	7.8	5.8- 9.8	149	16.7	14.0-19.4	167	19.5	16.6-22.4	66	8.8	6.4-11.2
35-44	1019	820,835	545	55.7	52.4-59.0	86	8.5	6.5-10.5	159	14.2	12.0-16.4	143	13.6	11.2-16.0	86	8.0	6.2- 9.8
45-54	1362	807,504	854	63.4	60.5-66.3	102	6.9	5.5- 8.3	156	11.0	9.2-12.8	155	11.6	9.6-13.6	95	7.1	5.5- 8.7
55-64	1691	851,900	1116	65.9	63.4-68.4	135	8.3	6.7- 9.9	149	8.5	6.9-10.1	193	11.5	9.7-13.3	98	5.8	4.4- 7.2
65+	2912	1,097,920	2201	76.5	74.7-78.3	172	5.4	4.4- 6.4	220	7.1	5.9- 8.3	208	6.7	5.7- 7.7	111	4.3	3.3- 5.3
Less Than H.S.	580	590,103	344	56.9	52.2-61.6	38	6.3	3.9- 8.7	38	7.2	4.5- 9.9	80	14.4	11.1-17.7	80	15.2	11.5-18.9
H.S. or G.E.D.	2690	1,708,514	1781	63.0	60.6-65.4	158	6.3	5.1- 7.5	250	10.4	8.8-12.0	307	12.9	11.3-14.5	194	7.4	6.2- 8.6
Some Post-H.S.	2182	1,555,798	1340	57.0	54.5-59.5	163	8.2	6.8- 9.6	250	13.5	11.7-15.3	302	15.1	13.1-17.1	127	6.2	5.0- 7.4
College Graduate	2821	1,238,809	1818	61.1	58.9-63.3	247	9.1	7.9-10.3	395	16.2	14.6-17.8	267	10.4	9.0-11.8	94	3.2	2.4- 4.0
Less than \$15,000	523	331,996	255	48.3	43.0-53.6	35	6.7	4.2- 9.2	40	6.8	4.3- 9.3	100	18.0	14.1-21.9	93	20.2	15.7-24.7
\$15,000- 24,999	1045	650,084	597	53.9	50.2-57.6	67	6.5	4.5- 8.5	118	11.6	9.1-14.1	172	18.6	15.5-21.7	91	9.3	7.1-11.5
\$25,000- 34,999	711	405,140	462	59.8	55.3-64.3	42	5.7	3.7- 7.7	67	10.8	8.1-13.5	94	16.6	13.1-20.1	46	7.2	4.8- 9.6
\$35,000- 49,999	1001	596,236	594	55.1	51.4-58.8	89	8.8	6.6-11.0	131	13.8	11.3-16.3	136	15.6	12.9-18.3	51	6.7	4.5- 8.9
\$50,000- 74,999	1103	695,136	711	60.2	56.7-63.7	69	7.3	5.3- 9.3	141	13.9	11.4-16.4	134	13.6	11.1-16.1	48	4.9	3.3- 6.5
\$75,000+	2128	1,368,048	1425	63.2	60.7-65.7	188	8.8	7.4-10.2	291	15.8	13.8-17.8	171	9.3	7.7-10.9	53	2.8	1.8- 3.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3766	2,493,683	2656	67.2	65.4-69.0	246	7.2	6.2- 8.2	354	10.6	9.4-11.8	333	9.9	8.7-11.1	177	5.2	4.2- 6.2
White/Non-Hisp	3043	1,950,310	2141	66.7	64.7-68.7	202	7.0	5.8- 8.2	293	11.0	9.6-12.4	270	10.1	8.7-11.5	137	5.3	4.3- 6.3
Black or Afr. Am./Non-Hisp	274	209,316	195	68.4	61.5-75.3	16	6.3	3.0- 9.6	25	8.5	4.6-12.4	27	11.4	6.3-16.5	11	5.4	1.9- 8.9
Oth. Race/Non-Hisp.	115	95,464	81	69.6	58.4-80.8	10	11.1	3.3-18.9	7	7.8	0.9-14.7	7	6.6	0.0-13.3	10	5.0	1.3- 8.7
MultiRacial/Non-Hisp.	58	25,911	38	67.1	51.8-82.4	1	2.0	0.0- 5.9	7	16.4	3.9-28.9	8	9.3	0.1-18.5	4	5.2	0.0-11.1
Hispanic	182	151,088	131	68.5	60.5-76.5	13	8.9	3.8-14.0	15	11.2	5.1-17.3	13	7.1	3.0-11.2	10	4.4	1.7- 7.1
18-24	265	343,536	133	50.4	43.7-57.1	31	11.8	7.5-16.1	50	19.0	13.9-24.1	35	13.7	9.2-18.2	16	5.1	2.6- 7.6
25-34	409	433,836	215	54.9	49.6-60.2	31	6.8	4.3- 9.3	61	13.6	10.1-17.1	74	17.1	13.2-21.0	28	7.7	4.6-10.8
35-44	480	410,654	298	64.6	59.9-69.3	31	7.1	4.4- 9.8	66	11.8	8.9-14.7	53	10.1	7.2-13.0	32	6.3	3.9- 8.7
45-54	628	400,430	445	71.0	67.1-74.9	51	7.0	4.8- 9.2	54	9.0	6.5-11.5	43	6.8	4.6- 9.0	35	6.2	4.0- 8.4
55-64	783	413,780	581	74.2	70.7-77.7	52	7.6	5.4- 9.8	49	6.0	4.0- 8.0	67	8.1	5.9-10.3	34	4.0	2.4- 5.6
65+	1201	491,447	984	83.0	80.6-85.4	50	3.9	2.7- 5.1	74	6.0	4.4- 7.6	61	4.5	3.1- 5.9	32	2.6	1.6- 3.6
Less Than H.S.	275	294,098	180	63.2	56.5-69.9	18	7.7	3.8-11.6	16	6.9	3.4-10.4	26	9.4	5.7-13.1	35	12.9	8.2-17.6
H.S. or G.E.D.	1266	886,390	904	68.3	65.2-71.4	72	6.2	4.6- 7.8	97	9.1	7.1-11.1	120	10.8	8.6-13.0	73	5.6	4.2- 7.0
Some Post-H.S.	962	740,410	651	64.2	60.7-67.7	63	7.8	5.6-10.0	102	12.1	9.6-14.6	107	11.7	9.3-14.1	39	4.2	2.8- 5.6
College Graduate	1257	570,353	916	71.3	68.4-74.2	93	7.6	5.8- 9.4	138	12.7	10.5-14.9	80	6.3	4.7- 7.9	30	2.0	1.2- 2.8
Less than \$15,000	192	127,161	92	46.3	37.9-54.7	17	10.6	4.9-16.3	15	9.4	4.3-14.5	31	14.5	8.8-20.2	37	19.3	12.4-26.2
\$15,000- 24,999	422	281,452	262	58.9	53.2-64.6	23	6.3	3.4- 9.2	40	9.1	6.0-12.2	64	18.0	13.1-22.9	33	7.7	4.8-10.6
\$25,000- 34,999	309	192,209	222	68.2	61.9-74.5	10	3.3	0.9- 5.7	26	9.0	5.3-12.7	37	15.0	9.9-20.1	14	4.5	1.8- 7.2
\$35,000- 49,999	463	289,066	313	62.7	57.2-68.2	34	8.1	5.2-11.0	48	10.6	7.3-13.9	51	12.9	9.2-16.6	17	5.8	2.7- 8.9
\$50,000- 74,999	517	351,633	380	69.1	64.2-74.0	32	8.0	4.9-11.1	52	10.5	7.4-13.6	38	8.7	5.8-11.6	15	3.7	1.5- 5.9
\$75,000+	1154	779,365	859	70.6	67.3-73.9	91	8.1	6.1-10.1	121	13.1	10.6-15.6	64	6.0	4.2- 7.8	19	2.2	1.0- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	4529	2,611,108	2642	53.1	51.3-54.9	360	7.9	6.9- 8.9	583	14.2	12.8-15.6	624	16.3	14.9-17.7	320	8.5	7.3- 9.7			
White/Non-Hisp	3673	2,080,117	2116	52.3	50.3-54.3	316	8.5	7.3- 9.7	483	14.7	13.3-16.1	503	15.9	14.3-17.5	255	8.6	7.4- 9.8			
Black or Afr. Am./Non-Hisp	432	238,916	288	61.4	55.1-67.7	19	4.2	1.8- 6.6	44	10.9	7.0-14.8	59	16.3	11.6-21.0	22	7.2	3.5-10.9			
Oth. Race/Non-Hisp.	102	67,465	54	46.3	33.2-59.4	6	8.4	0.0-18.0	13	14.2	5.8-22.6	17	20.9	9.7-32.1	12	10.2	3.7-16.7			
MultiRacial/Non-Hisp.	65	24,480	33	46.6	32.1-61.1	3	4.0	0.0- 9.5	9	18.3	5.6-31.0	9	16.1	5.3-26.9	11	15.0	4.6-25.4			
Hispanic	180	159,337	104	53.8	45.0-62.6	11	6.2	2.1-10.3	21	11.1	5.8-16.4	30	21.2	13.2-29.2	14	7.8	3.5-12.1			
18-24	223	322,396	75	35.2	28.1-42.3	13	6.5	2.6-10.4	54	21.6	15.7-27.5	56	24.3	18.2-30.4	25	12.4	7.3-17.5			
25-34	414	426,865	159	39.5	34.2-44.8	36	8.9	5.8-12.0	88	19.8	15.7-23.9	93	21.9	17.4-26.4	38	9.9	6.6-13.2			
35-44	539	410,181	247	46.8	42.1-51.5	55	9.8	7.1-12.5	93	16.6	13.3-19.9	90	17.1	13.6-20.6	54	9.7	7.0-12.4			
45-54	734	407,074	409	55.8	51.7-59.9	51	6.8	4.8- 8.8	102	12.9	10.2-15.6	112	16.4	13.3-19.5	60	8.1	5.9-10.3			
55-64	908	438,120	535	58.0	54.3-61.7	83	8.9	6.7-11.1	100	10.9	8.5-13.3	126	14.7	12.0-17.4	64	7.5	5.3- 9.7			
65+	1711	606,473	1217	71.2	68.7-73.7	122	6.7	5.3- 8.1	146	7.9	6.3- 9.5	147	8.4	6.8-10.0	79	5.8	4.4- 7.2			
Less Than H.S.	305	296,005	164	50.6	43.7-57.5	20	4.9	2.4- 7.4	22	7.6	3.7-11.5	54	19.4	14.1-24.7	45	17.5	11.8-23.2			
H.S. or G.E.D.	1424	822,124	877	57.3	54.0-60.6	86	6.4	4.6- 8.2	153	11.9	9.7-14.1	187	15.2	12.8-17.6	121	9.3	7.3-11.3			
Some Post-H.S.	1220	815,388	689	50.5	47.2-53.8	100	8.6	6.6-10.6	148	14.7	12.2-17.2	195	18.2	15.5-20.9	88	8.0	6.0-10.0			
College Graduate	1564	668,455	902	52.3	49.4-55.2	154	10.4	8.6-12.2	257	19.1	16.7-21.5	187	13.9	11.7-16.1	64	4.2	3.0- 5.4			
Less than \$15,000	331	204,835	163	49.5	42.8-56.2	18	4.2	1.8- 6.6	25	5.2	2.8- 7.6	69	20.2	14.9-25.5	56	20.9	15.0-26.8			
\$15,000- 24,999	623	368,632	335	50.1	45.0-55.2	44	6.7	4.3- 9.1	78	13.6	9.9-17.3	108	19.1	15.0-23.2	58	10.5	7.4-13.6			
\$25,000- 34,999	402	212,931	240	52.2	46.1-58.3	32	7.9	5.0-10.8	41	12.4	8.1-16.7	57	18.0	13.1-22.9	32	9.6	5.7-13.5			
\$35,000- 49,999	538	307,170	281	47.9	42.6-53.2	55	9.5	6.6-12.4	83	16.9	13.0-20.8	85	18.0	13.9-22.1	34	7.6	4.7-10.5			
\$50,000- 74,999	586	343,503	331	51.1	46.2-56.0	37	6.7	4.3- 9.1	89	17.4	13.7-21.1	96	18.7	14.8-22.6	33	6.1	3.7- 8.5			
\$75,000+	974	588,683	566	53.6	49.9-57.3	97	9.8	7.6-12.0	170	19.3	16.2-22.4	107	13.6	10.7-16.5	34	3.6	2.2- 5.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4315	2,743,578	2434	55.8	54.0-57.6	376	9.1	7.9-10.3	499	12.5	11.3-13.7	648	15.2	13.8-16.6	358	7.4	6.4- 8.4
Male	1745	1,186,869	1008	58.6	55.9-61.3	163	10.2	8.4-12.0	190	11.0	9.2-12.8	229	12.2	10.4-14.0	155	8.0	6.6- 9.4
Female	2570	1,556,709	1426	53.6	51.2-56.0	213	8.3	6.9- 9.7	309	13.7	11.9-15.5	419	17.5	15.5-19.5	203	6.9	5.7- 8.1
White/Non-Hisp	3516	2,195,607	2027	57.0	55.0-59.0	310	9.2	8.0-10.4	394	12.0	10.6-13.4	509	14.6	13.2-16.0	276	7.2	6.2- 8.2
Black or Afr. Am./Non-Hisp	360	234,520	179	48.1	41.4-54.8	32	8.3	4.6-12.0	56	18.4	13.1-23.7	60	18.4	12.9-23.9	33	6.9	4.2- 9.6
Oth. Race/Non-Hisp.	116	83,915	60	54.3	42.1-66.5	9	12.9	3.5-22.3	14	10.9	3.6-18.2	24	16.3	7.3-25.3	9	5.5	1.6- 9.4
MultiRacial/Non-Hisp.	64	24,902	29	47.1	32.0-62.2	3	5.1	0.0-11.0	7	14.7	2.9-26.5	17	26.2	12.9-39.5	8	6.9	1.2-12.6
Hispanic	177	156,052	93	52.0	43.2-60.8	15	7.1	2.8-11.4	23	14.0	7.7-20.3	25	14.8	7.9-21.7	21	12.1	6.8-17.4
18-24	318	432,988	168	50.7	44.6-56.8	41	13.8	9.5-18.1	57	18.6	13.9-23.3	49	15.6	11.1-20.1	3	1.2	0.0- 2.6
25-34	509	516,454	289	58.1	53.2-63.0	53	9.2	6.7-11.7	70	12.6	9.5-15.7	75	15.0	11.5-18.5	22	5.0	2.6- 7.4
35-44	559	430,979	314	57.0	52.5-61.5	47	8.1	5.7-10.5	73	13.4	10.3-16.5	88	15.0	11.7-18.3	37	6.6	4.2- 9.0
45-54	707	412,230	388	54.5	50.4-58.6	68	9.2	6.8-11.6	71	9.2	6.8-11.6	102	15.2	12.3-18.1	78	11.8	9.1-14.5
55-64	859	440,272	447	51.3	47.6-55.0	69	7.5	5.5- 9.5	102	12.0	9.5-14.5	148	18.0	15.1-20.9	93	11.2	8.8-13.6
65+	1363	510,655	828	61.5	58.4-64.6	98	7.2	5.6- 8.8	126	9.7	7.7-11.7	186	12.8	10.6-15.0	125	8.8	7.0-10.6
Less Than H.S.	355	355,243	169	48.1	42.0-54.2	13	4.2	1.3- 7.1	41	11.1	7.4-14.8	72	21.7	16.6-26.8	60	14.9	10.8-19.0
H.S. or G.E.D.	1373	883,449	760	54.8	51.5-58.1	101	8.4	6.4-10.4	156	13.4	11.0-15.8	231	16.2	13.8-18.6	125	7.2	5.6- 8.8
Some Post-H.S.	1185	869,862	645	54.2	50.9-57.5	100	9.8	7.6-12.0	148	13.5	11.1-15.9	187	15.2	12.7-17.7	105	7.3	5.7- 8.9
College Graduate	1389	628,873	852	63.5	60.6-66.4	161	11.9	9.9-13.9	154	11.0	9.0-13.0	156	10.1	8.3-11.9	66	3.5	2.5- 4.5
Less than \$15,000	375	230,553	142	36.2	30.1-42.3	19	4.9	2.2- 7.6	42	11.5	7.6-15.4	105	29.8	23.7-35.9	67	17.7	13.2-22.2
\$15,000- 24,999	653	410,146	337	50.8	45.9-55.7	38	7.4	4.5-10.3	65	11.2	8.3-14.1	134	19.3	15.6-23.0	79	11.3	8.4-14.2
\$25,000- 34,999	376	234,531	196	49.5	43.4-55.6	28	8.3	4.6-12.0	54	15.1	10.6-19.6	65	18.6	13.5-23.7	33	8.6	5.1-12.1
\$35,000- 49,999	561	345,698	319	58.1	53.2-63.0	52	8.2	5.7-10.7	72	12.9	9.6-16.2	86	15.7	12.0-19.4	32	5.0	2.8- 7.2
\$50,000- 74,999	569	378,665	359	63.5	58.8-68.2	50	7.9	5.5-10.3	67	12.9	9.4-16.4	66	10.9	8.2-13.6	27	4.8	2.6- 7.0
\$75,000+	945	626,728	601	63.5	59.8-67.2	121	13.3	10.6-16.0	104	11.8	9.3-14.3	86	8.6	6.6-10.6	33	2.8	1.6- 4.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	1,186,869	1008	58.6	55.9-61.3	163	10.2	8.4-12.0	190	11.0	9.2-12.8	229	12.2	10.4-14.0	155	8.0	6.6-9.4
White/Non-Hisp	1414	939,063	832	59.7	56.8-62.6	130	9.4	7.6-11.2	152	11.0	9.0-13.0	181	11.8	9.8-13.8	119	8.2	6.6-9.8
Black or Afr. Am./Non-Hisp	134	101,143	69	53.4	42.8-64.0	13	12.1	4.8-19.4	22	14.2	7.5-20.9	15	13.5	5.3-21.7	15	6.7	2.8-10.6
Oth. Race/Non-Hisp.	52	41,356	29	53.1	34.9-71.3	7	25.5	8.4-42.6	3	4.4	0.0-9.9	10	14.6	1.1-28.1	3	2.4	0.0-5.3
Hispanic	78	66,783	42	56.9	44.0-69.8	7	8.5	0.9-16.1	9	12.3	3.3-21.3	10	11.4	3.2-19.6	10	10.9	4.2-17.6
18-24	159	204,406	94	57.1	48.7-65.5	26	17.8	11.1-24.5	20	13.5	7.6-19.4	18	10.8	5.7-15.9	1	0.8	0.0-2.4
25-34	233	237,809	137	60.5	53.4-67.6	24	8.8	5.1-12.5	32	12.9	8.2-17.6	28	12.4	7.3-17.5	12	5.4	2.1-8.7
35-44	219	176,646	128	60.6	53.5-67.7	23	9.9	5.8-14.0	26	12.7	7.8-17.6	22	8.1	4.4-11.8	20	8.7	4.6-12.8
45-54	277	177,587	175	62.4	56.1-68.7	21	8.1	4.6-11.6	21	6.0	3.3-8.7	28	10.7	6.8-14.6	32	12.8	8.3-17.3
55-64	345	183,167	171	49.5	43.6-55.4	30	8.6	5.3-11.9	44	12.0	8.3-15.7	59	16.9	12.2-21.6	41	13.0	8.9-17.1
65+	512	207,254	303	61.1	56.2-66.0	39	7.7	5.2-10.2	47	8.3	5.8-10.8	74	13.8	10.5-17.1	49	9.1	6.2-12.0
Less Than H.S.	151	159,033	78	53.2	44.2-62.2	7	5.4	1.1-9.7	16	8.9	4.2-13.6	24	16.1	9.2-23.0	26	16.4	10.1-22.7
H.S. or G.E.D.	572	407,922	321	57.1	52.2-62.0	47	9.6	6.5-12.7	72	14.0	10.5-17.5	75	11.5	8.6-14.4	57	7.8	5.6-10.0
Some Post-H.S.	479	374,154	279	59.4	54.3-64.5	44	10.6	7.3-13.9	46	9.7	6.6-12.8	68	12.9	9.6-16.2	42	7.4	4.9-9.9
College Graduate	538	244,340	326	63.3	58.8-67.8	65	13.6	10.3-16.9	56	9.3	6.8-11.8	62	9.8	7.3-12.3	29	4.0	2.4-5.6
Less than \$15,000	136	90,701	61	47.1	36.9-57.3	7	7.0	0.9-13.1	8	5.4	1.1-9.7	35	22.8	14.2-31.4	25	17.7	10.3-25.1
\$15,000- 24,999	257	172,904	127	48.7	41.4-56.0	13	5.8	2.3-9.3	28	12.3	7.2-17.4	49	18.3	12.2-24.4	40	14.9	10.0-19.8
\$25,000- 34,999	148	97,229	81	50.2	40.8-59.6	10	10.2	3.5-16.9	20	15.7	8.3-23.1	22	15.0	8.1-21.9	15	8.8	3.5-14.1
\$35,000- 49,999	243	156,450	135	58.0	50.6-65.4	27	9.9	6.0-13.8	32	12.3	7.4-17.2	34	14.3	9.0-19.6	15	5.5	2.6-8.4
\$50,000- 74,999	228	165,599	147	65.0	57.6-72.4	25	9.9	5.8-14.0	27	13.3	7.4-19.2	22	8.1	4.4-11.8	7	3.7	0.4-7.0
\$75,000+	431	305,055	283	67.6	62.3-72.9	55	13.4	9.5-17.3	45	9.6	6.5-12.7	29	5.7	3.3-8.1	19	3.7	1.5-5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2570	1,556,709	1426	53.6	51.2-56.0	213	8.3	6.9-9.7	309	13.7	11.9-15.5	419	17.5	15.5-19.5	203	6.9	5.7-8.1
White/Non-Hisp	2102	1,256,544	1195	54.9	52.2-57.6	180	9.2	7.6-10.8	242	12.8	11.0-14.6	328	16.8	14.8-18.8	157	6.4	5.2-7.6
Black or Afr. Am./Non-Hisp	226	133,377	110	44.1	35.7-52.5	19	5.4	2.1-8.7	34	21.5	13.9-29.1	45	22.1	14.7-29.5	18	6.9	3.0-10.8
Oth. Race/Non-Hisp.	64	42,559	31	55.5	39.4-71.6	2	0.8	0.0-2.0	11	17.3	4.8-29.8	14	17.9	6.1-29.7	6	8.5	1.4-15.6
Hispanic	99	89,269	51	48.4	36.4-60.4	8	6.0	0.9-11.1	14	15.2	6.4-24.0	15	17.4	7.2-27.6	11	12.9	5.1-20.7
18-24	159	228,581	74	45.0	36.4-53.6	15	10.3	4.6-16.0	37	23.2	15.9-30.5	31	19.9	12.8-27.0	2	1.6	0.0-3.8
25-34	276	278,644	152	56.0	49.5-62.5	29	9.6	5.9-13.3	38	12.4	8.3-16.5	47	17.2	12.1-22.3	10	4.7	1.6-7.8
35-44	340	254,333	186	54.5	48.6-60.4	24	6.7	3.8-9.6	47	13.8	9.7-17.9	66	19.8	15.1-24.5	17	5.1	2.4-7.8
45-54	430	234,644	213	48.4	43.1-53.7	47	10.1	7.0-13.2	50	11.7	8.4-15.0	74	18.7	14.4-23.0	46	11.1	7.6-14.6
55-64	514	257,106	276	52.6	47.7-57.5	39	6.7	4.3-9.1	58	12.1	8.8-15.4	89	18.7	14.8-22.6	52	9.9	7.0-12.8
65+	851	303,401	525	61.8	57.9-65.7	59	6.8	4.8-8.8	79	10.7	8.0-13.4	112	12.1	9.6-14.6	76	8.6	6.4-10.8
Less Than H.S.	204	196,210	91	43.9	35.7-52.1	6	3.2	0.0-7.3	25	12.9	7.2-18.6	48	26.3	18.9-33.7	34	13.7	8.4-19.0
H.S. or G.E.D.	801	475,527	439	52.8	48.5-57.1	54	7.4	4.9-9.9	84	12.9	9.8-16.0	156	20.2	16.7-23.7	68	6.8	4.8-8.8
Some Post-H.S.	706	495,707	366	50.2	45.7-54.7	56	9.2	6.7-11.7	102	16.3	13.0-19.6	119	17.0	13.5-20.5	63	7.2	5.0-9.4
College Graduate	851	384,533	526	63.7	60.0-67.4	96	10.8	8.3-13.3	98	12.1	9.6-14.6	94	10.2	7.8-12.6	37	3.2	2.0-4.4
Less than \$15,000	239	139,852	81	29.1	22.2-36.0	12	3.5	1.1-5.9	34	15.4	9.5-21.3	70	34.3	26.3-42.3	42	17.7	12.0-23.4
\$15,000- 24,999	396	237,242	210	52.4	45.9-58.9	25	8.5	4.2-12.8	37	10.4	6.7-14.1	85	20.0	15.3-24.7	39	8.7	5.2-12.2
\$25,000- 34,999	228	137,302	115	48.9	40.9-56.9	18	7.0	2.9-11.1	34	14.6	8.7-20.5	43	21.1	14.0-28.2	18	8.4	3.7-13.1
\$35,000- 49,999	318	189,248	184	58.2	51.5-64.9	25	6.8	3.7-9.9	40	13.5	9.0-18.0	52	16.9	11.6-22.2	17	4.6	1.7-7.5
\$50,000- 74,999	341	213,066	212	62.3	56.2-68.4	25	6.4	3.7-9.1	40	12.6	8.5-16.7	44	13.0	8.9-17.1	20	5.7	2.8-8.6
\$75,000+	514	321,673	318	59.7	54.6-64.8	66	13.1	9.6-16.6	59	13.9	10.0-17.8	57	11.3	8.0-14.6	14	2.0	0.6-3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8427	5,173,272	7723	88.8	87.8-89.8	704	11.2	10.2-12.2
Male	3816	2,520,843	3436	87.6	86.2-89.0	380	12.4	11.0-13.8
Female	4611	2,652,430	4287	90.0	88.8-91.2	324	10.0	8.8-11.2
White/Non-Hisp	6818	4,077,653	6363	91.0	90.0-92.0	455	9.0	8.0-10.0
Black or Afr. Am./Non-Hisp	719	459,302	635	84.1	80.4-87.8	84	15.9	12.2-19.6
Oth. Race/Non-Hisp.	218	163,241	200	92.1	87.8-96.4	18	7.9	3.6-12.2
MultiRacial/Non-Hisp.	125	50,503	109	85.0	77.2-92.8	16	15.0	7.2-22.8
Hispanic	371	318,319	259	67.1	61.4-72.8	112	32.9	27.2-38.6
18-24	484	661,179	404	84.1	80.6-87.6	80	15.9	12.4-19.4
25-34	833	870,183	705	83.2	80.3-86.1	128	16.8	13.9-19.7
35-44	1030	829,112	874	83.3	80.8-85.8	156	16.7	14.2-19.2
45-54	1385	818,176	1249	89.8	88.0-91.6	136	10.2	8.4-12.0
55-64	1710	864,047	1562	90.2	88.6-91.8	148	9.8	8.2-11.4
65+	2985	1,130,576	2929	98.2	97.6-98.8	56	1.8	1.2- 2.4
Less Than H.S.	607	616,226	474	74.3	70.2-78.4	133	25.7	21.6-29.8
H.S. or G.E.D.	2734	1,718,181	2453	87.4	85.8-89.0	281	12.6	11.0-14.2
Some Post-H.S.	2215	1,578,318	2039	90.6	89.0-92.2	176	9.4	7.8-11.0
College Graduate	2845	1,247,595	2733	95.6	94.6-96.6	112	4.4	3.4- 5.4
Less than \$15,000	545	346,103	491	87.0	83.3-90.7	54	13.0	9.3-16.7
\$15,000- 24,999	1070	663,827	910	79.8	76.5-83.1	160	20.2	16.9-23.5
\$25,000- 34,999	725	414,580	621	81.7	78.2-85.2	104	18.3	14.8-21.8
\$35,000- 49,999	1014	606,628	925	87.3	84.6-90.0	89	12.7	10.0-15.4
\$50,000- 74,999	1108	696,676	1039	91.4	89.2-93.6	69	8.6	6.4-10.8
\$75,000+	2140	1,371,371	2076	96.3	95.3-97.3	64	3.7	2.7- 4.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3816	2,520,843	3436	87.6	86.2-89.0	380	12.4	11.0-13.8
White/Non-Hisp	3080	1,969,282	2837	90.0	88.6-91.4	243	10.0	8.6-11.4
Black or Afr. Am./Non-Hisp	283	217,579	241	82.2	76.3-88.1	42	17.8	11.9-23.7
Oth. Race/Non-Hisp.	116	95,726	104	90.3	84.0-96.6	12	9.7	3.4-16.0
MultiRacial/Non-Hisp.	58	25,911	49	84.4	72.6-96.2	9	15.6	3.8-27.4
Hispanic	181	149,355	117	64.1	56.1-72.1	64	35.9	27.9-43.9
18-24	261	337,507	210	82.3	77.4-87.2	51	17.7	12.8-22.6
25-34	415	439,892	340	81.0	76.7-85.3	75	19.0	14.7-23.3
35-44	482	412,361	405	83.4	79.7-87.1	77	16.6	12.9-20.3
45-54	639	406,467	569	88.9	86.2-91.6	70	11.1	8.4-13.8
55-64	796	421,343	714	89.6	87.2-92.0	82	10.4	8.0-12.8
65+	1223	503,272	1198	97.9	96.9-98.9	25	2.1	1.1- 3.1
Less Than H.S.	284	303,982	208	70.9	64.8-77.0	76	29.1	23.0-35.2
H.S. or G.E.D.	1277	887,450	1124	86.7	84.5-88.9	153	13.3	11.1-15.5
Some Post-H.S.	980	752,127	887	89.7	87.3-92.1	93	10.3	7.9-12.7
College Graduate	1266	574,375	1208	95.2	93.8-96.6	58	4.8	3.4- 6.2
Less than \$15,000	201	133,922	174	83.6	76.9-90.3	27	16.4	9.7-23.1
\$15,000- 24,999	431	285,685	347	76.7	71.6-81.8	84	23.3	18.2-28.4
\$25,000- 34,999	310	193,321	257	79.1	73.4-84.8	53	20.9	15.2-26.6
\$35,000- 49,999	472	295,561	421	85.5	81.4-89.6	51	14.5	10.4-18.6
\$50,000- 74,999	520	354,118	481	89.5	86.0-93.0	39	10.5	7.0-14.0
\$75,000+	1160	782,632	1118	95.7	94.1-97.3	42	4.3	2.7- 5.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4611	2,652,430	4287	90.0	88.8-91.2	324	10.0	8.8-11.2
White/Non-Hisp	3738	2,108,371	3526	92.0	90.8-93.2	212	8.0	6.8- 9.2
Black or Afr. Am./Non-Hisp	436	241,723	394	85.9	81.4-90.4	42	14.1	9.6-18.6
Oth. Race/Non-Hisp.	102	67,515	96	94.6	89.5-99.7	6	5.4	0.3-10.5
MultiRacial/Non-Hisp.	67	24,592	60	85.6	75.4-95.8	7	14.4	4.2-24.6
Hispanic	190	168,964	142	69.8	61.6-78.0	48	30.2	22.0-38.4
18-24	223	323,672	194	86.0	80.9-91.1	29	14.0	8.9-19.1
25-34	418	430,291	365	85.4	81.5-89.3	53	14.6	10.7-18.5
35-44	548	416,751	469	83.3	79.6-87.0	79	16.7	13.0-20.4
45-54	746	411,708	680	90.6	88.2-93.0	66	9.4	7.0-11.8
55-64	914	442,704	848	90.9	88.5-93.3	66	9.1	6.7-11.5
65+	1762	627,304	1731	98.4	97.6-99.2	31	1.6	0.8- 2.4
Less Than H.S.	323	312,244	266	77.7	72.0-83.4	57	22.3	16.6-28.0
H.S. or G.E.D.	1457	830,731	1329	88.2	85.8-90.6	128	11.8	9.4-14.2
Some Post-H.S.	1235	826,192	1152	91.5	89.5-93.5	83	8.5	6.5-10.5
College Graduate	1579	673,220	1525	96.0	94.8-97.2	54	4.0	2.8- 5.2
Less than \$15,000	344	212,182	317	89.1	84.8-93.4	27	10.9	6.6-15.2
\$15,000- 24,999	639	378,142	563	82.2	77.9-86.5	76	17.8	13.5-22.1
\$25,000- 34,999	415	221,260	364	83.9	79.4-88.4	51	16.1	11.6-20.6
\$35,000- 49,999	542	311,066	504	89.0	85.3-92.7	38	11.0	7.3-14.7
\$50,000- 74,999	588	342,558	558	93.4	90.7-96.1	30	6.6	3.9- 9.3
\$75,000+	980	588,739	958	97.1	95.7-98.5	22	2.9	1.5- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8416	5,168,907	6556	73.2	72.0-74.4	541	5.8	5.2- 6.4	1319	20.9	19.7-22.1
Male	3802	2,514,540	2760	67.4	65.6-69.2	228	5.3	4.5- 6.1	814	27.3	25.5-29.1
Female	4614	2,654,366	3796	78.8	77.2-80.4	313	6.3	5.5- 7.1	505	14.9	13.5-16.3
White/Non-Hisp	6814	4,078,350	5447	75.6	74.2-77.0	412	5.5	4.9- 6.1	955	18.9	17.7-20.1
Black or Afr. Am./Non-Hisp	719	456,898	537	70.4	66.1-74.7	70	8.5	6.0-11.0	112	21.1	17.2-25.0
Oth. Race/Non-Hisp.	217	161,551	158	67.5	59.1-75.9	10	4.3	0.6- 8.0	49	28.2	20.0-36.4
MultiRacial/Non-Hisp.	123	49,668	84	62.5	51.3-73.7	9	10.6	1.6-19.6	30	26.9	17.3-36.5
Hispanic	370	319,336	200	51.8	45.7-57.9	25	5.5	3.0- 8.0	145	42.7	36.6-48.8
18-24	493	673,253	275	57.3	52.4-62.2	24	4.1	2.3- 5.9	194	38.6	33.9-43.3
25-34	831	867,225	484	57.2	53.5-60.9	38	5.1	3.3- 6.9	309	37.7	34.0-41.4
35-44	1028	827,805	707	68.7	65.6-71.8	53	5.1	3.5- 6.7	268	26.2	23.3-29.1
45-54	1379	814,042	1065	77.7	75.2-80.2	94	6.2	4.8- 7.6	220	16.1	13.9-18.3
55-64	1704	857,397	1424	83.7	81.7-85.7	115	6.6	5.2- 8.0	165	9.7	8.1-11.3
65+	2981	1,129,185	2601	87.3	85.9-88.7	217	7.0	6.0- 8.0	163	5.7	4.7- 6.7
Less Than H.S.	599	609,426	392	60.5	55.8-65.2	44	6.5	4.3- 8.7	163	33.0	28.5-37.5
H.S. or G.E.D.	2736	1,722,193	2083	71.0	68.8-73.2	171	5.5	4.5- 6.5	482	23.5	21.5-25.5
Some Post-H.S.	2211	1,576,783	1751	75.8	73.6-78.0	149	6.0	4.8- 7.2	311	18.2	16.0-20.4
College Graduate	2845	1,248,005	2314	79.4	77.6-81.2	174	5.6	4.6- 6.6	357	15.0	13.4-16.6
Less than \$15,000	542	342,491	400	69.3	64.2-74.4	43	6.8	4.4- 9.2	99	24.0	19.1-28.9
\$15,000- 24,999	1063	661,797	788	68.6	65.1-72.1	76	6.7	4.9- 8.5	199	24.7	21.2-28.2
\$25,000- 34,999	722	413,719	537	69.0	64.7-73.3	53	6.1	4.1- 8.1	132	24.9	20.8-29.0
\$35,000- 49,999	1011	605,626	772	70.3	66.6-74.0	60	5.5	3.7- 7.3	179	24.1	20.6-27.6
\$50,000- 74,999	1110	695,717	880	74.6	71.3-77.9	70	6.6	4.8- 8.4	160	18.8	15.9-21.7
\$75,000+	2139	1,370,909	1760	79.0	76.8-81.2	103	4.2	3.2- 5.2	276	16.8	14.6-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3802	2,514,540	2760	67.4	65.6-69.2	228	5.3	4.5- 6.1	814	27.3	25.5-29.1
White/Non-Hisp	3067	1,960,851	2308	70.1	68.1-72.1	175	5.0	4.2- 5.8	584	24.9	22.9-26.9
Black or Afr. Am./Non-Hisp	283	217,973	190	64.0	57.1-70.9	21	5.8	2.7- 8.9	72	30.2	23.5-36.9
Oth. Race/Non-Hisp.	116	95,726	76	60.0	48.0-72.0	8	6.8	0.5-13.1	32	33.2	21.8-44.6
MultiRacial/Non-Hisp.	57	25,382	35	56.4	39.3-73.5	3	11.7	0.0-27.4	19	31.8	16.9-46.7
Hispanic	183	152,445	84	44.8	36.6-53.0	12	4.8	1.9- 7.7	87	50.4	42.0-58.8
18-24	269	347,509	132	50.4	43.9-56.9	13	4.5	1.8- 7.2	124	45.1	38.6-51.6
25-34	413	437,568	196	46.7	41.4-52.0	14	3.6	1.4- 5.8	203	49.7	44.4-55.0
35-44	483	412,997	303	63.0	58.3-67.7	19	3.7	1.9- 5.5	161	33.3	28.6-38.0
45-54	635	402,803	453	72.9	69.0-76.8	35	4.6	2.8- 6.4	147	22.5	18.8-26.2
55-64	790	416,215	635	80.4	77.3-83.5	56	7.2	5.0- 9.4	99	12.4	9.9-14.9
65+	1212	497,449	1041	86.0	83.6-88.4	91	7.4	5.6- 9.2	80	6.6	5.0- 8.2
Less Than H.S.	280	299,868	164	54.4	47.7-61.1	14	5.2	2.1- 8.3	102	40.3	33.6-47.0
H.S. or G.E.D.	1275	889,184	873	63.0	59.9-66.1	75	5.2	3.8- 6.6	327	31.8	28.7-34.9
Some Post-H.S.	973	748,855	703	69.3	65.8-72.8	76	6.2	4.6- 7.8	194	24.5	21.2-27.8
College Graduate	1265	573,723	1014	78.8	76.3-81.3	62	4.1	2.9- 5.3	189	17.1	14.6-19.6
Less than \$15,000	198	132,209	130	59.5	50.9-68.1	15	6.4	2.3-10.5	53	34.1	25.7-42.5
\$15,000- 24,999	428	285,522	287	61.5	55.8-67.2	31	7.6	4.7-10.5	110	30.9	25.4-36.4
\$25,000- 34,999	310	193,485	204	58.4	51.7-65.1	21	5.5	2.8- 8.2	85	36.1	29.4-42.8
\$35,000- 49,999	470	294,809	330	63.8	58.5-69.1	32	5.3	3.3- 7.3	108	30.8	25.5-36.1
\$50,000- 74,999	520	351,404	389	68.9	64.0-73.8	31	6.0	3.5- 8.5	100	25.1	20.4-29.8
\$75,000+	1159	782,110	922	75.3	72.2-78.4	43	3.1	1.9- 4.3	194	21.7	18.6-24.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4614	2,654,366	3796	78.8	77.2-80.4	313	6.3	5.5- 7.1	505	14.9	13.5-16.3
White/Non-Hisp	3747	2,117,498	3139	80.7	78.9-82.5	237	5.9	4.9- 6.9	371	13.3	11.7-14.9
Black or Afr. Am./Non-Hisp	436	238,926	347	76.3	71.0-81.6	49	11.0	7.3-14.7	40	12.7	8.4-17.0
Oth. Race/Non-Hisp.	101	65,825	82	78.3	67.5-89.1	2	0.8	0.0- 2.2	17	21.0	10.2-31.8
MultiRacial/Non-Hisp.	66	24,286	49	68.7	55.0-82.4	6	9.5	0.9-18.1	11	21.8	9.5-34.1
Hispanic	187	166,891	116	58.2	49.6-66.8	13	6.1	2.0-10.2	58	35.7	27.3-44.1
18-24	224	325,744	143	64.7	57.8-71.6	11	3.6	1.4- 5.8	70	31.7	24.8-38.6
25-34	418	429,657	288	67.8	62.7-72.9	24	6.7	3.8- 9.6	106	25.4	20.7-30.1
35-44	545	414,808	404	74.4	70.3-78.5	34	6.5	4.1- 8.9	107	19.1	15.4-22.8
45-54	744	411,240	612	82.4	79.3-85.5	59	7.6	5.4- 9.8	73	9.9	7.4-12.4
55-64	914	441,182	789	86.8	84.3-89.3	59	6.1	4.1- 8.1	66	7.1	5.3- 8.9
65+	1769	631,736	1560	88.3	86.5-90.1	126	6.7	5.3- 8.1	83	5.0	3.8- 6.2
Less Than H.S.	319	309,558	228	66.4	59.9-72.9	30	7.6	4.7-10.5	61	25.9	19.6-32.2
H.S. or G.E.D.	1461	833,008	1210	79.6	76.9-82.3	96	5.8	4.4- 7.2	155	14.6	12.1-17.1
Some Post-H.S.	1238	827,928	1048	81.7	79.0-84.4	73	5.8	4.0- 7.6	117	12.4	10.0-14.8
College Graduate	1580	674,282	1300	79.9	77.4-82.4	112	7.0	5.4- 8.6	168	13.2	11.0-15.4
Less than \$15,000	344	210,282	270	75.4	69.3-81.5	28	7.0	4.1- 9.9	46	17.6	11.9-23.3
\$15,000- 24,999	635	376,275	501	73.9	69.2-78.6	45	6.0	3.8- 8.2	89	20.0	15.7-24.3
\$25,000- 34,999	412	220,233	333	78.3	73.2-83.4	32	6.7	4.0- 9.4	47	15.0	10.3-19.7
\$35,000- 49,999	541	310,818	442	76.5	71.6-81.4	28	5.7	3.0- 8.4	71	17.8	13.3-22.3
\$50,000- 74,999	590	344,313	491	80.6	76.5-84.7	39	7.1	4.6- 9.6	60	12.4	9.1-15.7
\$75,000+	980	588,800	838	83.9	81.0-86.8	60	5.8	4.0- 7.6	82	10.3	7.8-12.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8438	5,188,669	710	10.4	9.6-11.2	7728	89.6	88.8-90.4
Male	3814	2,526,313	292	9.3	8.1-10.5	3522	90.7	89.5-91.9
Female	4624	2,662,356	418	11.5	10.3-12.7	4206	88.5	87.3-89.7
White/Non-Hisp	6829	4,092,210	499	9.3	8.3-10.3	6330	90.7	89.7-91.7
Black or Afr. Am./Non-Hisp	723	461,296	75	12.5	9.2-15.8	648	87.5	84.2-90.8
Oth. Race/Non-Hisp.	217	162,912	24	10.2	5.1-15.3	193	89.8	84.7-94.9
MultiRacial/Non-Hisp.	125	50,503	23	18.8	10.4-27.2	102	81.2	72.8-89.6
Hispanic	371	318,684	75	20.9	16.0-25.8	296	79.1	74.2-84.0
18-24	498	681,838	67	13.0	9.9-16.1	431	87.0	83.9-90.1
25-34	829	868,171	142	17.2	14.3-20.1	687	82.8	79.9-85.7
35-44	1028	827,929	123	12.2	10.0-14.4	905	87.8	85.6-90.0
45-54	1388	821,043	144	10.8	9.0-12.6	1244	89.2	87.4-91.0
55-64	1704	860,091	138	8.3	6.7- 9.9	1566	91.7	90.1-93.3
65+	2991	1,129,597	96	3.6	2.8- 4.4	2895	96.4	95.6-97.2
Less Than H.S.	605	613,676	98	16.9	13.4-20.4	507	83.1	79.6-86.6
H.S. or G.E.D.	2743	1,734,698	242	9.9	8.5-11.3	2501	90.1	88.7-91.5
Some Post-H.S.	2219	1,579,470	211	11.4	9.6-13.2	2008	88.6	86.8-90.4
College Graduate	2846	1,248,780	156	6.5	5.3- 7.7	2690	93.5	92.3-94.7
Less than \$15,000	541	344,885	89	18.8	14.5-23.1	452	81.2	76.9-85.5
\$15,000- 24,999	1066	660,891	157	18.0	15.1-20.9	909	82.0	79.1-84.9
\$25,000- 34,999	726	415,343	87	14.7	11.6-17.8	639	85.3	82.2-88.4
\$35,000- 49,999	1013	605,741	105	13.5	10.8-16.2	908	86.5	83.8-89.2
\$50,000- 74,999	1113	699,369	86	9.6	7.4-11.8	1027	90.4	88.2-92.6
\$75,000+	2143	1,374,194	63	3.6	2.6- 4.6	2080	96.4	95.4-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3814	2,526,313	292	9.3	8.1-10.5	3522	90.7	89.5-91.9
White/Non-Hisp	3077	1,971,025	203	8.3	7.1- 9.5	2874	91.7	90.5-92.9
Black or Afr. Am./Non-Hisp	284	218,534	33	13.5	8.2-18.8	251	86.5	81.2-91.8
Oth. Race/Non-Hisp.	115	95,461	11	10.0	2.7-17.3	104	90.0	82.7-97.3
MultiRacial/Non-Hisp.	58	25,911	11	18.1	5.6-30.6	47	81.9	69.4-94.4
Hispanic	184	153,258	28	13.9	8.6-19.2	156	86.1	80.8-91.4
18-24	271	350,017	28	10.7	6.6-14.8	243	89.3	85.2-93.4
25-34	410	437,065	67	15.8	11.9-19.7	343	84.2	80.3-88.1
35-44	481	411,934	54	11.5	8.4-14.6	427	88.5	85.4-91.6
45-54	642	408,779	47	7.4	5.2- 9.6	595	92.6	90.4-94.8
55-64	791	419,058	56	7.7	5.5- 9.9	735	92.3	90.1-94.5
65+	1219	499,460	40	3.6	2.4- 4.8	1179	96.4	95.2-97.6
Less Than H.S.	282	303,044	42	15.9	11.0-20.8	240	84.1	79.2-89.0
H.S. or G.E.D.	1280	894,789	117	9.7	7.7-11.7	1163	90.3	88.3-92.3
Some Post-H.S.	980	752,035	83	9.8	7.4-12.2	897	90.2	87.8-92.6
College Graduate	1263	573,536	50	4.5	3.1- 5.9	1213	95.5	94.1-96.9
Less than \$15,000	196	131,941	34	19.1	12.2-26.0	162	80.9	74.0-87.8
\$15,000- 24,999	430	286,217	64	19.2	14.3-24.1	366	80.8	75.9-85.7
\$25,000- 34,999	311	194,083	36	13.5	8.8-18.2	275	86.5	81.8-91.2
\$35,000- 49,999	471	294,411	42	10.9	7.4-14.4	429	89.1	85.6-92.6
\$50,000- 74,999	524	355,754	32	8.1	5.0-11.2	492	91.9	88.8-95.0
\$75,000+	1160	782,632	32	3.8	2.4- 5.2	1128	96.2	94.8-97.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4624	2,662,356	418	11.5	10.3-12.7	4206	88.5	87.3-89.7
White/Non-Hisp	3752	2,121,185	296	10.2	8.8-11.6	3456	89.8	88.4-91.2
Black or Afr. Am./Non-Hisp	439	242,762	42	11.6	7.5-15.7	397	88.4	84.3-92.5
Oth. Race/Non-Hisp.	102	67,451	13	10.4	4.1-16.7	89	89.6	83.3-95.9
MultiRacial/Non-Hisp.	67	24,592	12	19.6	8.6-30.6	55	80.4	69.4-91.4
Hispanic	187	165,427	47	27.4	19.4-35.4	140	72.6	64.6-80.6
18-24	227	331,821	39	15.4	10.5-20.3	188	84.6	79.7-89.5
25-34	419	431,106	75	18.7	14.4-23.0	344	81.3	77.0-85.6
35-44	547	415,995	69	12.9	9.8-16.0	478	87.1	84.0-90.2
45-54	746	412,264	97	14.2	11.3-17.1	649	85.8	82.9-88.7
55-64	913	441,033	82	8.8	6.6-11.0	831	91.2	89.0-93.4
65+	1772	630,137	56	3.6	2.4- 4.8	1716	96.4	95.2-97.6
Less Than H.S.	323	310,633	56	17.9	12.8-23.0	267	82.1	77.0-87.2
H.S. or G.E.D.	1463	839,909	125	10.1	8.1-12.1	1338	89.9	87.9-91.9
Some Post-H.S.	1239	827,435	128	13.0	10.6-15.4	1111	87.0	84.6-89.4
College Graduate	1583	675,244	106	8.3	6.5-10.1	1477	91.7	89.9-93.5
Less than \$15,000	345	212,944	55	18.6	13.1-24.1	290	81.4	75.9-86.9
\$15,000- 24,999	636	374,674	93	17.1	13.4-20.8	543	82.9	79.2-86.6
\$25,000- 34,999	415	221,260	51	15.7	11.2-20.2	364	84.3	79.8-88.8
\$35,000- 49,999	542	311,329	63	15.9	11.6-20.2	479	84.1	79.8-88.4
\$50,000- 74,999	589	343,615	54	11.2	8.1-14.3	535	88.8	85.7-91.9
\$75,000+	983	591,562	31	3.4	2.0- 4.8	952	96.6	95.2-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8371	5,137,819	6671	75.7	74.5-76.9	868	11.7	10.7-12.7	404	6.2	5.4- 7.0	389	5.7	5.1- 6.3	39	0.7	0.5- 0.9
Male	3791	2,502,974	2872	71.2	69.4-73.0	383	11.6	10.4-12.8	241	7.9	6.7- 9.1	265	8.2	7.0- 9.4	30	1.2	0.8- 1.6
Female	4580	2,634,845	3799	80.0	78.4-81.6	485	11.9	10.7-13.1	163	4.6	3.8- 5.4	124	3.3	2.5- 4.1	9	0.2	0.0- 0.4
White/Non-Hisp	6772	4,046,144	5408	75.7	74.3-77.1	693	11.5	10.5-12.5	316	6.2	5.4- 7.0	333	6.3	5.5- 7.1	22	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	717	457,931	612	82.4	78.7-86.1	62	9.5	6.6-12.4	27	5.2	3.0- 7.4	12	1.8	0.6- 3.0	4	1.1	0.0- 2.3
Oth. Race/Non-Hisp.	214	162,078	171	79.0	71.7-86.3	22	9.7	4.6-14.8	7	3.0	0.3- 5.7	11	5.6	1.9- 9.3	3	2.8	0.0- 6.3
MultiRacial/Non-Hisp.	123	49,832	87	64.6	53.4-75.8	14	12.1	3.3-20.9	12	14.9	6.3-23.5	9	8.0	2.1-13.9	1	0.3	0.0- 0.9
Hispanic	374	322,523	258	67.2	61.5-72.9	57	18.2	13.1-23.3	35	8.7	5.6-11.8	16	3.1	1.3- 4.9	8	2.7	0.7- 4.7
18-24	488	668,851	317	68.1	63.6-72.6	89	16.4	12.9-19.9	60	11.1	8.2-14.0	18	3.6	1.6- 5.6	4	0.8	0.0- 1.8
25-34	825	856,866	495	59.5	55.8-63.2	136	17.1	14.2-20.0	93	11.2	8.8-13.6	90	11.0	8.6-13.4	11	1.2	0.4- 2.0
35-44	1021	823,671	699	68.6	65.5-71.7	143	13.9	11.5-16.3	83	7.4	5.6- 9.2	87	9.0	7.0-11.0	9	1.1	0.3- 1.9
45-54	1369	807,915	1042	76.7	74.2-79.2	172	11.7	9.9-13.5	71	5.3	3.9- 6.7	78	5.7	4.3- 7.1	6	0.5	0.1- 0.9
55-64	1699	854,991	1420	83.6	81.6-85.6	149	8.4	7.0- 9.8	60	3.6	2.6- 4.6	66	4.0	3.0- 5.0	4	0.3	0.0- 0.7
65+	2969	1,125,526	2698	91.0	89.8-92.2	179	5.9	4.9- 6.9	37	1.3	0.9- 1.7	50	1.7	1.1- 2.3	5	0.2	0.0- 0.4
Less Than H.S.	601	604,118	458	70.8	66.3-75.3	52	10.4	7.5-13.3	45	9.5	6.6-12.4	36	7.1	4.6- 9.6	10	2.2	0.8- 3.6
H.S. or G.E.D.	2717	1,711,368	2178	75.6	73.6-77.6	250	11.0	9.4-12.6	133	6.3	5.1- 7.5	145	6.6	5.4- 7.8	11	0.5	0.1- 0.9
Some Post-H.S.	2200	1,569,289	1771	76.7	74.5-78.9	227	12.1	10.3-13.9	96	5.5	4.3- 6.7	100	5.2	4.0- 6.4	6	0.5	0.1- 0.9
College Graduate	2827	1,240,092	2244	77.0	75.0-79.0	337	13.0	11.4-14.6	130	5.5	4.5- 6.5	105	4.2	3.2- 5.2	11	0.4	0.2- 0.6
Less than \$15,000	544	345,784	456	81.0	76.7-85.3	40	8.1	5.2-11.0	25	5.0	2.6- 7.4	21	5.3	2.6- 8.0	2	0.6	0.0- 1.4
\$15,000- 24,999	1063	663,123	850	75.0	71.7-78.3	93	10.8	8.3-13.3	58	7.2	5.0- 9.4	54	6.0	4.2- 7.8	8	0.9	0.1- 1.7
\$25,000- 34,999	714	407,482	573	76.1	72.2-80.0	62	9.2	6.7-11.7	40	8.7	6.0-11.4	35	5.4	3.4- 7.4	4	0.6	0.0- 1.2
\$35,000- 49,999	1005	600,367	769	70.0	66.3-73.7	128	16.4	13.3-19.5	49	6.1	4.1- 8.1	57	7.2	5.0- 9.4	2	0.4	0.0- 1.0
\$50,000- 74,999	1101	690,309	873	75.0	71.9-78.1	133	13.7	11.2-16.2	48	5.7	3.9- 7.5	46	5.4	3.8- 7.0	1	0.2	0.0- 0.6
\$75,000+	2130	1,362,358	1695	77.5	75.3-79.7	235	11.2	9.6-12.8	100	5.8	4.4- 7.2	97	5.3	4.1- 6.5	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1))

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3791	2,502,974	2872	71.2	69.4-73.0	383	11.6	10.4-12.8	241	7.9	6.7- 9.1	265	8.2	7.0- 9.4	30	1.2	0.8- 1.6
White/Non-Hisp	3053	1,948,312	2340	71.6	69.6-73.6	293	10.9	9.5-12.3	184	8.0	6.8- 9.2	221	8.9	7.5-10.3	15	0.6	0.2- 1.0
Black or Afr. Am./Non-Hisp	283	217,614	221	76.1	69.8-82.4	31	12.4	7.5-17.3	15	5.5	2.4- 8.6	12	3.7	1.2- 6.2	4	2.2	0.0- 4.6
Oth. Race/Non-Hisp.	116	95,726	92	76.3	66.1-86.5	12	10.5	3.1-17.9	2	1.4	0.0- 3.4	7	7.1	1.6-12.6	3	4.7	0.0-10.6
MultiRacial/Non-Hisp.	57	25,407	34	49.8	32.9-66.7	10	20.5	4.6-36.4	6	18.6	4.3-32.9	6	10.5	0.9-20.1	1	0.6	0.0- 1.8
Hispanic	186	154,551	115	61.7	53.7-69.7	26	16.4	9.7-23.1	27	12.9	7.8-18.0	12	4.6	1.9- 7.3	6	4.3	0.8- 7.8
18-24	264	341,978	155	61.6	55.3-67.9	51	17.6	12.9-22.3	41	14.7	10.0-19.4	13	4.4	1.7- 7.1	4	1.7	0.0- 3.5
25-34	410	431,100	210	52.3	47.0-57.6	63	15.0	11.3-18.7	57	13.1	9.6-16.6	71	17.5	13.4-21.6	9	2.1	0.7- 3.5
35-44	482	412,516	299	62.2	57.5-66.9	67	14.5	10.8-18.2	46	8.8	6.3-11.3	63	12.7	9.6-15.8	7	1.8	0.2- 3.4
45-54	627	399,116	442	72.0	68.1-75.9	80	11.7	9.0-14.4	47	7.6	5.2-10.0	53	7.9	5.5-10.3	5	0.9	0.1- 1.7
55-64	786	415,440	653	83.2	80.3-86.1	58	7.1	5.1- 9.1	31	4.0	2.4- 5.6	42	5.2	3.4- 7.0	2	0.5	0.0- 1.3
65+	1222	502,824	1113	90.7	88.7-92.7	64	5.6	4.0- 7.2	19	1.7	0.9- 2.5	23	1.7	0.9- 2.5	3	0.3	0.0- 0.7
Less Than H.S.	280	295,486	194	65.3	58.8-71.8	21	8.5	4.8-12.2	32	12.9	8.4-17.4	23	8.9	4.8-13.0	10	4.4	1.7- 7.1
H.S. or G.E.D.	1271	885,174	956	70.6	67.7-73.5	118	10.9	8.7-13.1	84	8.1	6.1-10.1	104	9.6	7.6-11.6	9	0.8	0.2- 1.4
Some Post-H.S.	973	748,545	743	71.8	68.3-75.3	108	13.5	10.8-16.2	52	6.2	4.4- 8.0	64	7.5	5.5- 9.5	6	1.0	0.0- 2.0
College Graduate	1258	570,860	972	74.4	71.7-77.1	136	11.6	9.6-13.6	73	7.4	5.6- 9.2	72	6.3	4.7- 7.9	5	0.3	0.0- 0.7
Less than \$15,000	199	132,918	156	74.8	67.2-82.4	16	9.9	4.6-15.2	13	6.9	3.0-10.8	12	6.9	2.0-11.8	2	1.5	0.0- 3.7
\$15,000- 24,999	431	287,573	319	71.2	66.1-76.3	33	8.0	5.1-10.9	35	9.0	5.9-12.1	36	9.7	6.2-13.2	8	2.1	0.5- 3.7
\$25,000- 34,999	306	190,264	226	68.1	61.6-74.6	31	12.1	7.6-16.6	24	11.0	6.3-15.7	23	8.1	4.4-11.8	2	0.6	0.0- 1.4
\$35,000- 49,999	467	291,649	333	62.0	56.5-67.5	61	17.9	13.4-22.4	32	8.6	5.5-11.7	39	10.8	7.1-14.5	2	0.8	0.0- 2.0
\$50,000- 74,999	515	348,188	400	73.2	68.5-77.9	59	12.7	9.0-16.4	25	6.5	3.8- 9.2	30	7.2	4.5- 9.9	1	0.3	0.0- 0.9
\$75,000+	1153	774,907	906	75.7	72.6-78.8	108	9.6	7.6-11.6	64	6.9	4.9- 8.9	74	7.5	5.5- 9.5	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4580	2,634,845	3799	80.0	78.4-81.6	485	11.9	10.7-13.1	163	4.6	3.8- 5.4	124	3.3	2.5- 4.1	9	0.2	0.0- 0.4
White/Non-Hisp	3719	2,097,831	3068	79.5	77.7-81.3	400	12.1	10.7-13.5	132	4.6	3.6- 5.6	112	3.8	3.0- 4.6	7	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	434	240,317	391	88.2	84.1-92.3	31	6.8	3.9- 9.7	12	4.9	2.0- 7.8						
Oth. Race/Non-Hisp.	98	66,352	79	83.0	73.8-92.2	10	8.5	2.0-15.0	5	5.2	0.0-10.9	4	3.4	0.0- 7.7			
MultiRacial/Non-Hisp.	66	24,425	53	80.1	69.1-91.1	4	3.4	0.0- 6.9	6	11.1	2.3-19.9	3	5.3	0.0-11.6			
Hispanic	188	167,972	143	72.4	64.4-80.4	31	19.9	12.3-27.5	8	4.8	1.3- 8.3	4	1.7	0.0- 3.7	2	1.3	0.0- 3.1
18-24	224	326,873	162	74.9	68.6-81.2	38	15.1	10.0-20.2	19	7.4	3.7-11.1	5	2.7	0.2- 5.2			
25-34	415	425,766	285	66.8	61.7-71.9	73	19.3	14.8-23.8	36	9.2	6.1-12.3	19	4.3	2.1- 6.5	2	0.4	0.0- 1.0
35-44	539	411,155	400	74.9	71.0-78.8	76	13.2	10.1-16.3	37	6.1	3.9- 8.3	24	5.3	3.1- 7.5	2	0.5	0.0- 1.3
45-54	742	408,799	600	81.4	78.3-84.5	92	11.8	9.3-14.3	24	3.2	1.8- 4.6	25	3.6	2.0- 5.2	1	0.1	0.0- 0.3
55-64	913	439,551	767	83.9	81.2-86.6	91	9.7	7.5-11.9	29	3.4	2.0- 4.8	24	2.9	1.7- 4.1	2	0.2	0.0- 0.4
65+	1747	622,701	1585	91.3	89.7-92.9	115	6.1	4.7- 7.5	18	0.9	0.3- 1.5	27	1.7	0.9- 2.5	2	0.1	0.0- 0.3
Less Than H.S.	321	308,632	264	76.2	70.1-82.3	31	12.3	7.8-16.8	13	6.3	2.6-10.0	13	5.3	2.0- 8.6			
H.S. or G.E.D.	1446	826,193	1222	80.9	78.2-83.6	132	11.1	8.9-13.3	49	4.4	3.0- 5.8	41	3.4	2.2- 4.6	2	0.2	0.0- 0.6
Some Post-H.S.	1227	820,744	1028	81.2	78.5-83.9	119	10.8	8.6-13.0	44	4.9	3.3- 6.5	36	3.0	1.8- 4.2			
College Graduate	1569	669,232	1272	79.2	76.7-81.7	201	14.2	12.0-16.4	57	3.9	2.7- 5.1	33	2.4	1.4- 3.4	6	0.4	0.0- 0.8
Less than \$15,000	345	212,865	300	84.8	79.7-89.9	24	7.0	3.7-10.3	12	3.9	1.2- 6.6	9	4.4	1.3- 7.5			
\$15,000- 24,999	632	375,551	531	78.0	73.5-82.5	60	13.0	9.3-16.7	23	5.7	2.8- 8.6	18	3.2	1.4- 5.0			
\$25,000- 34,999	408	217,218	347	83.1	78.6-87.6	31	6.6	3.9- 9.3	16	6.6	3.3- 9.9	12	3.1	1.1- 5.1	2	0.5	0.0- 1.3
\$35,000- 49,999	538	308,718	436	77.5	72.8-82.2	67	15.0	10.9-19.1	17	3.7	1.5- 5.9	18	3.7	1.5- 5.9			
\$50,000- 74,999	586	342,121	473	76.9	72.6-81.2	74	14.7	11.0-18.4	23	4.9	2.7- 7.1	16	3.5	1.7- 5.3			
\$75,000+	977	587,452	789	79.8	76.7-82.9	127	13.5	11.0-16.0	36	4.2	2.4- 6.0	23	2.4	1.2- 3.6	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8450	5,197,526	6104	73.7	72.5-74.9	2346	26.3	25.1-27.5
Male	3828	2,534,473	2868	76.5	74.9-78.1	960	23.5	21.9-25.1
Female	4622	2,663,053	3236	71.1	69.5-72.7	1386	28.9	27.3-30.5
White/Non-Hisp	6838	4,096,574	5034	74.7	73.5-75.9	1804	25.3	24.1-26.5
Black or Afr. Am./Non-Hisp	722	461,285	483	71.6	67.5-75.7	239	28.4	24.3-32.5
Oth. Race/Non-Hisp.	218	163,175	144	72.3	64.7-79.9	74	27.7	20.1-35.3
MultiRacial/Non-Hisp.	124	50,408	84	75.6	67.0-84.2	40	24.4	15.8-33.0
Hispanic	375	322,753	240	65.3	59.6-71.0	135	34.7	29.0-40.4
18-24	500	683,954	403	79.4	75.3-83.5	97	20.6	16.5-24.7
25-34	834	870,998	659	78.8	75.7-81.9	175	21.2	18.1-24.3
35-44	1031	829,656	802	78.1	75.4-80.8	229	21.9	19.2-24.6
45-54	1389	820,807	1050	74.4	71.9-76.9	339	25.6	23.1-28.1
55-64	1710	862,654	1182	68.8	66.3-71.3	528	31.2	28.7-33.7
65+	2986	1,129,457	2008	66.4	64.4-68.4	978	33.6	31.6-35.6
Less Than H.S.	606	615,428	317	56.0	51.3-60.7	289	44.0	39.3-48.7
H.S. or G.E.D.	2754	1,740,052	1749	67.5	65.3-69.7	1005	32.5	30.3-34.7
Some Post-H.S.	2219	1,580,173	1632	77.8	75.8-79.8	587	22.2	20.2-24.2
College Graduate	2846	1,249,011	2392	86.2	84.8-87.6	454	13.8	12.4-15.2
Less than \$15,000	546	346,648	295	54.9	49.8-60.0	251	45.1	40.0-50.2
\$15,000- 24,999	1072	666,524	638	62.5	59.0-66.0	434	37.5	34.0-41.0
\$25,000- 34,999	723	414,157	475	68.0	63.9-72.1	248	32.0	27.9-36.1
\$35,000- 49,999	1012	604,966	711	71.1	67.8-74.4	301	28.9	25.6-32.2
\$50,000- 74,999	1113	699,323	855	78.3	75.4-81.2	258	21.7	18.8-24.6
\$75,000+	2141	1,373,136	1849	87.0	85.2-88.8	292	13.0	11.2-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3828	2,534,473	2868	76.5	74.9-78.1	960	23.5	21.9-25.1
White/Non-Hisp	3087	1,977,316	2358	76.9	75.1-78.7	729	23.1	21.3-24.9
Black or Afr. Am./Non-Hisp	285	219,035	199	78.1	72.8-83.4	86	21.9	16.6-27.2
Oth. Race/Non-Hisp.	116	95,726	76	74.7	64.9-84.5	40	25.3	15.5-35.1
MultiRacial/Non-Hisp.	58	25,911	42	80.9	69.1-92.7	16	19.1	7.3-30.9
Hispanic	185	153,789	125	70.7	63.4-78.0	60	29.3	22.0-36.6
18-24	273	352,133	224	82.0	76.9-87.1	49	18.0	12.9-23.1
25-34	415	439,892	340	83.6	79.9-87.3	75	16.4	12.7-20.1
35-44	483	412,905	376	78.8	74.9-82.7	107	21.2	17.3-25.1
45-54	641	407,293	495	74.8	70.9-78.7	146	25.2	21.3-29.1
55-64	794	420,457	568	71.5	68.0-75.0	226	28.5	25.0-32.0
65+	1222	501,794	865	70.0	67.1-72.9	357	30.0	27.1-32.9
Less Than H.S.	284	303,371	162	61.6	55.3-67.9	122	38.4	32.1-44.7
H.S. or G.E.D.	1293	902,318	872	71.1	68.4-73.8	421	28.9	26.2-31.6
Some Post-H.S.	978	751,766	739	79.9	77.2-82.6	239	20.1	17.4-22.8
College Graduate	1265	574,198	1089	88.3	86.3-90.3	176	11.7	9.7-13.7
Less than \$15,000	201	133,922	107	55.1	46.9-63.3	94	44.9	36.7-53.1
\$15,000- 24,999	433	288,116	266	66.4	61.3-71.5	167	33.6	28.5-38.7
\$25,000- 34,999	308	192,897	218	72.7	66.8-78.6	90	27.3	21.4-33.2
\$35,000- 49,999	471	294,799	342	73.5	68.8-78.2	129	26.5	21.8-31.2
\$50,000- 74,999	522	354,614	404	78.0	73.9-82.1	118	22.0	17.9-26.1
\$75,000+	1159	781,994	1002	86.7	84.3-89.1	157	13.3	10.9-15.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4622	2,663,053	3236	71.1	69.5-72.7	1386	28.9	27.3-30.5
White/Non-Hisp	3751	2,119,258	2676	72.7	70.9-74.5	1075	27.3	25.5-29.1
Black or Afr. Am./Non-Hisp	437	242,250	284	65.7	59.6-71.8	153	34.3	28.2-40.4
Oth. Race/Non-Hisp.	102	67,449	68	69.0	56.8-81.2	34	31.0	18.8-43.2
MultiRacial/Non-Hisp.	66	24,498	42	70.0	57.5-82.5	24	30.0	17.5-42.5
Hispanic	190	168,964	115	60.4	52.0-68.8	75	39.6	31.2-48.0
18-24	227	331,821	179	76.6	70.1-83.1	48	23.4	16.9-29.9
25-34	419	431,106	319	74.0	69.3-78.7	100	26.0	21.3-30.7
35-44	548	416,751	426	77.5	73.6-81.4	122	22.5	18.6-26.4
45-54	748	413,514	555	74.0	70.3-77.7	193	26.0	22.3-29.7
55-64	916	442,198	614	66.3	62.8-69.8	302	33.7	30.2-37.2
65+	1764	627,663	1143	63.5	60.8-66.2	621	36.5	33.8-39.2
Less Than H.S.	322	312,057	155	50.5	43.8-57.2	167	49.5	42.8-56.2
H.S. or G.E.D.	1461	837,734	877	63.5	60.4-66.6	584	36.5	33.4-39.6
Some Post-H.S.	1241	828,407	893	75.9	73.2-78.6	348	24.1	21.4-26.8
College Graduate	1581	674,813	1303	84.5	82.3-86.7	278	15.5	13.3-17.7
Less than \$15,000	345	212,727	188	54.8	48.3-61.3	157	45.2	38.7-51.7
\$15,000- 24,999	639	378,408	372	59.5	54.6-64.4	267	40.5	35.6-45.4
\$25,000- 34,999	415	221,260	257	64.0	58.3-69.7	158	36.0	30.3-41.7
\$35,000- 49,999	541	310,167	369	68.8	63.9-73.7	172	31.2	26.3-36.1
\$50,000- 74,999	591	344,709	451	78.7	74.8-82.6	140	21.3	17.4-25.2
\$75,000+	982	591,142	847	87.3	84.8-89.8	135	12.7	10.2-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 5: INADEQUATE SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8379	5,159,652	2699	34.9	33.5-36.3	5327	61.3	59.9-62.7	353	3.8	3.4- 4.2
Male	3801	2,519,089	1236	35.5	33.5-37.5	2399	60.6	58.6-62.6	166	3.9	3.1- 4.7
Female	4578	2,640,563	1463	34.3	32.5-36.1	2928	62.0	60.2-63.8	187	3.8	3.2- 4.4
White/Non-Hisp	6788	4,072,635	2078	33.7	32.3-35.1	4436	62.6	61.2-64.0	274	3.7	3.1- 4.3
Black or Afr. Am./Non-Hisp	710	454,643	308	46.9	42.2-51.6	360	48.3	43.6-53.0	42	4.9	3.1- 6.7
Oth. Race/Non-Hisp.	218	163,175	79	32.8	24.6-41.0	125	63.6	55.2-72.0	14	3.7	1.3- 6.1
MultiRacial/Non-Hisp.	124	50,442	51	39.4	28.4-50.4	67	54.1	42.9-65.3	6	6.5	0.4-12.6
Hispanic	366	315,088	127	32.3	26.6-38.0	230	64.5	58.6-70.4	9	3.2	1.0- 5.4
18-24	497	680,884	168	35.2	30.5-39.9	307	60.9	56.2-65.6	22	3.9	2.1- 5.7
25-34	828	863,679	330	41.6	37.9-45.3	488	57.1	53.4-60.8	10	1.4	0.4- 2.4
35-44	1026	825,976	407	40.6	37.3-43.9	593	56.6	53.3-59.9	26	2.9	1.7- 4.1
45-54	1371	810,825	515	37.2	34.3-40.1	812	59.4	56.5-62.3	44	3.4	2.2- 4.6
55-64	1702	858,680	585	34.2	31.7-36.7	1054	62.1	59.6-64.6	63	3.7	2.7- 4.7
65+	2955	1,119,608	694	24.1	22.3-25.9	2073	69.0	67.0-71.0	188	6.8	5.6- 8.0
Less Than H.S.	598	610,023	258	45.5	40.8-50.2	293	47.6	42.9-52.3	47	6.9	4.7- 9.1
H.S. or G.E.D.	2726	1,724,868	953	36.2	34.0-38.4	1617	58.6	56.4-60.8	156	5.2	4.2- 6.2
Some Post-H.S.	2194	1,567,281	737	36.2	33.8-38.6	1371	60.8	58.3-63.3	86	3.0	2.2- 3.8
College Graduate	2835	1,244,528	745	26.3	24.3-28.3	2026	72.2	70.2-74.2	64	1.5	1.1- 1.9
Less than \$15,000	533	339,384	241	46.5	41.2-51.8	240	44.5	39.2-49.8	52	9.1	6.2-12.0
\$15,000- 24,999	1063	662,997	364	37.7	34.0-41.4	622	55.8	52.1-59.5	77	6.5	4.7- 8.3
\$25,000- 34,999	715	408,605	252	37.3	33.0-41.6	430	58.3	53.8-62.8	33	4.4	2.6- 6.2
\$35,000- 49,999	1006	603,839	317	34.2	30.5-37.9	643	60.9	57.2-64.6	46	4.9	3.1- 6.7
\$50,000- 74,999	1112	698,374	365	35.6	32.1-39.1	718	62.6	59.1-66.1	29	1.9	1.1- 2.7
\$75,000+	2139	1,371,677	627	32.1	29.6-34.6	1480	66.6	64.1-69.1	32	1.3	0.7- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 5: INADEQUATE SLEEP**

TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3801	2,519,089	1236	35.5	33.5-37.5	2399	60.6	58.6-62.6	166	3.9	3.1- 4.7
White/Non-Hisp	3069	1,967,642	948	34.5	32.5-36.5	1997	61.8	59.6-64.0	124	3.7	2.9- 4.5
Black or Afr. Am./Non-Hisp	282	216,840	127	46.3	39.2-53.4	136	48.8	41.7-55.9	19	4.9	2.2- 7.6
Oth. Race/Non-Hisp.	116	95,726	34	28.7	17.3-40.1	74	68.2	56.8-79.6	8	3.1	0.6- 5.6
MultiRacial/Non-Hisp.	57	25,850	22	37.7	21.0-54.4	30	50.2	33.5-66.9	5	12.1	0.7-23.5
Hispanic	181	150,492	69	34.2	26.4-42.0	107	62.3	54.3-70.3	5	3.5	0.4- 6.6
18-24	272	350,960	84	31.5	25.4-37.6	173	63.6	57.3-69.9	15	4.9	2.4- 7.4
25-34	411	434,552	172	45.7	40.2-51.2	236	53.6	48.1-59.1	3	0.6	0.0- 1.4
35-44	482	412,776	196	42.4	37.5-47.3	274	54.8	49.9-59.7	12	2.8	1.0- 4.6
45-54	634	403,211	252	39.5	35.2-43.8	361	56.9	52.6-61.2	21	3.6	1.8- 5.4
55-64	793	420,222	256	32.2	28.5-35.9	503	63.4	59.7-67.1	34	4.4	2.8- 6.0
65+	1209	497,368	276	23.3	20.6-26.0	852	69.8	66.9-72.7	81	6.9	5.3- 8.5
Less Than H.S.	280	300,467	121	48.7	42.0-55.4	131	43.3	36.8-49.8	28	7.9	4.6-11.2
H.S. or G.E.D.	1279	892,675	462	37.0	33.9-40.1	750	58.3	55.2-61.4	67	4.7	3.5- 5.9
Some Post-H.S.	970	749,634	333	36.7	33.2-40.2	597	60.1	56.4-63.8	40	3.2	2.0- 4.4
College Graduate	1263	573,404	318	24.7	22.0-27.4	914	73.7	71.0-76.4	31	1.6	1.0- 2.2
Less than \$15,000	197	131,562	95	47.9	39.5-56.3	78	42.7	34.3-51.1	24	9.3	5.2-13.4
\$15,000- 24,999	429	286,775	138	36.0	30.5-41.5	249	54.9	49.2-60.6	42	9.1	6.0-12.2
\$25,000- 34,999	307	190,645	103	37.2	30.7-43.7	188	57.8	51.1-64.5	16	5.0	2.3- 7.7
\$35,000- 49,999	468	293,736	148	36.0	30.7-41.3	300	60.1	54.6-65.6	20	3.9	2.1- 5.7
\$50,000- 74,999	522	354,899	175	37.8	32.7-42.9	333	60.6	55.5-65.7	14	1.6	0.6- 2.6
\$75,000+	1159	782,437	358	34.1	30.8-37.4	784	64.5	61.2-67.8	17	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 5: INADEQUATE SLEEP**

TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4578	2,640,563	1463	34.3	32.5-36.1	2928	62.0	60.2-63.8	187	3.8	3.2- 4.4
White/Non-Hisp	3719	2,104,993	1130	33.0	31.0-35.0	2439	63.3	61.3-65.3	150	3.7	2.9- 4.5
Black or Afr. Am./Non-Hisp	428	237,803	181	47.4	41.1-53.7	224	47.8	41.5-54.1	23	4.9	2.5- 7.3
Oth. Race/Non-Hisp.	102	67,449	45	38.6	26.4-50.8	51	57.0	44.5-69.5	6	4.4	0.1- 8.7
MultiRacial/Non-Hisp.	67	24,592	29	41.3	27.2-55.4	37	58.1	44.0-72.2	1	0.6	0.0- 1.8
Hispanic	185	164,596	58	30.7	22.5-38.9	123	66.4	58.0-74.8	4	2.9	0.0- 5.8
18-24	225	329,923	84	39.2	31.9-46.5	134	58.1	50.8-65.4	7	2.7	0.5- 4.9
25-34	417	429,128	158	37.3	32.2-42.4	252	60.6	55.3-65.9	7	2.1	0.3- 3.9
35-44	544	413,201	211	38.7	34.2-43.2	319	58.3	53.8-62.8	14	3.0	1.4- 4.6
45-54	737	407,614	263	34.9	31.0-38.8	451	61.9	58.0-65.8	23	3.2	1.8- 4.6
55-64	909	438,458	329	36.2	32.7-39.7	551	60.8	57.1-64.5	29	3.1	1.9- 4.3
65+	1746	622,240	418	24.8	22.3-27.3	1221	68.4	65.7-71.1	107	6.8	5.2- 8.4
Less Than H.S.	318	309,556	137	42.3	35.6-49.0	162	51.8	45.1-58.5	19	6.0	3.1- 8.9
H.S. or G.E.D.	1447	832,193	491	35.3	32.2-38.4	867	59.0	55.9-62.1	89	5.7	4.3- 7.1
Some Post-H.S.	1224	817,648	404	35.7	32.4-39.0	774	61.4	58.1-64.7	46	2.9	1.9- 3.9
College Graduate	1572	671,123	427	27.6	25.1-30.1	1112	70.9	68.2-73.6	33	1.5	0.9- 2.1
Less than \$15,000	336	207,822	146	45.5	38.8-52.2	162	45.5	38.8-52.2	28	8.9	5.2-12.6
\$15,000- 24,999	634	376,222	226	39.0	34.1-43.9	373	56.5	51.6-61.4	35	4.5	2.7- 6.3
\$25,000- 34,999	408	217,961	149	37.5	31.6-43.4	242	58.7	52.8-64.6	17	3.9	1.7- 6.1
\$35,000- 49,999	538	310,103	169	32.4	27.5-37.3	343	61.6	56.5-66.7	26	5.9	3.0- 8.8
\$50,000- 74,999	590	343,475	190	33.3	28.8-37.8	385	64.6	60.1-69.1	15	2.2	0.8- 3.6
\$75,000+	980	589,241	269	29.5	26.0-33.0	696	69.4	65.9-72.9	15	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	(EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44
	(EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	45
8	MALES ONLY	46
9	FEMALES ONLY	47
	(EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	48
11	MALES ONLY	49
12	FEMALES ONLY	50
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	51
14	MALES ONLY	52
15	FEMALES ONLY	53
	(EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	54
17	MALES ONLY	55
18	FEMALES ONLY	56
	(EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	57
20	MALES ONLY	58
21	FEMALES ONLY	59
	(EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)	62
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	65
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	68
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	71
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)	74
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8428	5,186,399	520	4.8	4.4- 5.2	7908	95.2	94.8-95.6
Male	3814	2,526,485	302	6.0	5.2- 6.8	3512	94.0	93.2-94.8
Female	4614	2,659,913	218	3.6	3.0- 4.2	4396	96.4	95.8-97.0
White/Non-Hisp	6820	4,089,625	432	5.1	4.5- 5.7	6388	94.9	94.3-95.5
Black or Afr. Am./Non-Hisp	718	459,257	48	4.2	2.6- 5.8	670	95.8	94.2-97.4
Oth. Race/Non-Hisp.	217	162,843	8	1.2	0.2- 2.2	209	98.8	97.8-99.8
MultiRacial/Non-Hisp.	125	50,503	10	6.6	0.9-12.3	115	93.4	87.7-99.1
Hispanic	373	320,466	11	2.4	0.6- 4.2	362	97.6	95.8-99.4
18-24	499	682,725	3	0.5	0.0- 1.1	496	99.5	98.9- 100
25-34	831	867,825	3	0.3	0.0- 0.7	828	99.7	99.3- 100
35-44	1029	828,904	27	2.4	1.4- 3.4	1002	97.6	96.6-98.6
45-54	1381	816,618	43	3.5	2.3- 4.7	1338	96.5	95.3-97.7
55-64	1707	861,674	114	6.7	5.3- 8.1	1593	93.3	91.9-94.7
65+	2981	1,128,653	330	11.9	10.5-13.3	2651	88.1	86.7-89.5
Less Than H.S.	606	616,259	56	7.0	5.0- 9.0	550	93.0	91.0-95.0
H.S. or G.E.D.	2743	1,734,836	217	5.9	4.9- 6.9	2526	94.1	93.1-95.1
Some Post-H.S.	2211	1,575,509	138	4.1	3.3- 4.9	2073	95.9	95.1-96.7
College Graduate	2842	1,246,843	108	2.9	2.3- 3.5	2734	97.1	96.5-97.7
Less than \$15,000	542	344,537	59	8.7	6.2-11.2	483	91.3	88.8-93.8
\$15,000- 24,999	1067	664,167	109	7.9	6.1- 9.7	958	92.1	90.3-93.9
\$25,000- 34,999	721	413,476	45	4.9	3.3- 6.5	676	95.1	93.5-96.7
\$35,000- 49,999	1010	604,953	59	4.2	3.0- 5.4	951	95.8	94.6-97.0
\$50,000- 74,999	1110	695,462	50	3.1	2.1- 4.1	1060	96.9	95.9-97.9
\$75,000+	2140	1,372,483	69	2.6	2.0- 3.2	2071	97.4	96.8-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3814	2,526,485	302	6.0	5.2- 6.8	3512	94.0	93.2-94.8
White/Non-Hisp	3076	1,972,544	254	6.5	5.5- 7.5	2822	93.5	92.5-94.5
Black or Afr. Am./Non-Hisp	281	216,718	20	4.3	2.1- 6.5	261	95.7	93.5-97.9
Oth. Race/Non-Hisp.	116	95,726	5	1.2	0.0- 2.4	111	98.8	97.6- 100
MultiRacial/Non-Hisp.	58	25,911	7	6.9	0.4-13.4	51	93.1	86.6-99.6
Hispanic	184	151,956	7	3.7	0.8- 6.6	177	96.3	93.4-99.2
18-24	273	352,133	2	0.6	0.0- 1.4	271	99.4	98.6- 100
25-34	413	437,463	1	0.2	0.0- 0.6	412	99.8	99.4- 100
35-44	483	413,190	16	2.7	1.3- 4.1	467	97.3	95.9-98.7
45-54	638	405,442	29	4.8	3.0- 6.6	609	95.2	93.4-97.0
55-64	791	419,028	62	8.4	6.2-10.6	729	91.6	89.4-93.8
65+	1216	499,229	192	16.5	14.0-19.0	1024	83.5	81.0-86.0
Less Than H.S.	281	302,996	31	8.8	5.7-11.9	250	91.2	88.1-94.3
H.S. or G.E.D.	1285	896,969	125	6.9	5.5- 8.3	1160	93.1	91.7-94.5
Some Post-H.S.	977	750,845	79	5.2	3.8- 6.6	898	94.8	93.4-96.2
College Graduate	1262	572,766	66	4.1	2.9- 5.3	1196	95.9	94.7-97.1
Less than \$15,000	198	132,345	27	11.1	6.4-15.8	171	88.9	84.2-93.6
\$15,000- 24,999	430	287,391	56	10.4	7.3-13.5	374	89.6	86.5-92.7
\$25,000- 34,999	309	193,086	30	7.0	4.3- 9.7	279	93.0	90.3-95.7
\$35,000- 49,999	470	294,186	33	4.7	2.9- 6.5	437	95.3	93.5-97.1
\$50,000- 74,999	519	350,753	32	3.8	2.2- 5.4	487	96.2	94.6-97.8
\$75,000+	1158	781,694	54	3.5	2.5- 4.5	1104	96.5	95.5-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4614	2,659,913	218	3.6	3.0- 4.2	4396	96.4	95.8-97.0
White/Non-Hisp	3744	2,117,081	178	3.8	3.2- 4.4	3566	96.2	95.6-96.8
Black or Afr. Am./Non-Hisp	437	242,539	28	4.2	2.2- 6.2	409	95.8	93.8-97.8
Oth. Race/Non-Hisp.	101	67,117	3	1.2	0.0- 2.8	98	98.8	97.2- 100
MultiRacial/Non-Hisp.	67	24,592	3	6.3	0.0-15.7	64	93.7	84.3- 100
Hispanic	189	168,510	4	1.3	0.0- 3.1	185	98.7	96.9- 100
18-24	226	330,592	1	0.4	0.0- 1.2	225	99.6	98.8- 100
25-34	418	430,361	2	0.5	0.0- 1.1	416	99.5	98.9- 100
35-44	546	415,714	11	2.1	0.7- 3.5	535	97.9	96.5-99.3
45-54	743	411,175	14	2.3	0.9- 3.7	729	97.7	96.3-99.1
55-64	916	442,646	52	5.1	3.5- 6.7	864	94.9	93.3-96.5
65+	1765	629,424	138	8.2	6.6- 9.8	1627	91.8	90.2-93.4
Less Than H.S.	325	313,262	25	5.2	2.8- 7.6	300	94.8	92.4-97.2
H.S. or G.E.D.	1458	837,867	92	4.8	3.6- 6.0	1366	95.2	94.0-96.4
Some Post-H.S.	1234	824,664	59	3.1	2.1- 4.1	1175	96.9	95.9-97.9
College Graduate	1580	674,077	42	1.9	1.1- 2.7	1538	98.1	97.3-98.9
Less than \$15,000	344	212,192	32	7.2	4.3-10.1	312	92.8	89.9-95.7
\$15,000- 24,999	637	376,776	53	6.0	4.0- 8.0	584	94.0	92.0-96.0
\$25,000- 34,999	412	220,390	15	3.0	1.2- 4.8	397	97.0	95.2-98.8
\$35,000- 49,999	540	310,766	26	3.6	2.0- 5.2	514	96.4	94.8-98.0
\$50,000- 74,999	591	344,709	18	2.4	1.2- 3.6	573	97.6	96.4-98.8
\$75,000+	982	590,789	15	1.5	0.7- 2.3	967	98.5	97.7-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8391	5,175,751	532	4.5	4.1- 4.9	7859	95.5	95.1-95.9
Male	3800	2,523,196	282	5.0	4.4- 5.6	3518	95.0	94.4-95.6
Female	4591	2,652,555	250	4.0	3.4- 4.6	4341	96.0	95.4-96.6
White/Non-Hisp	6783	4,074,846	449	5.0	4.4- 5.6	6334	95.0	94.4-95.6
Black or Afr. Am./Non-Hisp	718	460,114	43	3.1	1.9- 4.3	675	96.9	95.7-98.1
Oth. Race/Non-Hisp.	215	162,616	11	2.8	0.8- 4.8	204	97.2	95.2-99.2
MultiRacial/Non-Hisp.	125	50,503	10	3.0	0.6- 5.4	115	97.0	94.6-99.4
Hispanic	376	323,516	6	1.1	0.1- 2.1	370	98.9	97.9-99.9
18-24	498	681,764	1	0.2	0.0- 0.6	497	99.8	99.4- 100
25-34	832	869,534	7	0.9	0.3- 1.5	825	99.1	98.5-99.7
35-44	1032	830,628	10	0.9	0.3- 1.5	1022	99.1	98.5-99.7
45-54	1382	817,658	30	2.5	1.5- 3.5	1352	97.5	96.5-98.5
55-64	1701	858,891	124	7.0	5.6- 8.4	1577	93.0	91.6-94.4
65+	2946	1,117,275	360	11.9	10.5-13.3	2586	88.1	86.7-89.5
Less Than H.S.	606	616,255	46	5.1	3.5- 6.7	560	94.9	93.3-96.5
H.S. or G.E.D.	2725	1,728,889	204	5.4	4.6- 6.2	2521	94.6	93.8-95.4
Some Post-H.S.	2201	1,572,496	143	4.2	3.4- 5.0	2058	95.8	95.0-96.6
College Graduate	2834	1,245,248	138	3.1	2.5- 3.7	2696	96.9	96.3-97.5
Less than \$15,000	540	344,105	54	7.4	5.0- 9.8	486	92.6	90.2-95.0
\$15,000- 24,999	1059	661,774	100	7.0	5.4- 8.6	959	93.0	91.4-94.6
\$25,000- 34,999	717	411,985	60	5.8	4.0- 7.6	657	94.2	92.4-96.0
\$35,000- 49,999	1008	604,288	53	3.4	2.2- 4.6	955	96.6	95.4-97.8
\$50,000- 74,999	1105	695,938	48	3.1	2.1- 4.1	1057	96.9	95.9-97.9
\$75,000+	2137	1,371,379	87	2.6	2.0- 3.2	2050	97.4	96.8-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3800	2,523,196	282	5.0	4.4- 5.6	3518	95.0	94.4-95.6
White/Non-Hisp	3060	1,965,945	244	5.6	4.8- 6.4	2816	94.4	93.6-95.2
Black or Afr. Am./Non-Hisp	284	218,096	16	3.0	1.0- 5.0	268	97.0	95.0-99.0
Oth. Race/Non-Hisp.	115	95,476	6	2.7	0.0- 5.4	109	97.3	94.6- 100
MultiRacial/Non-Hisp.	58	25,911	2	0.4	0.0- 1.0	56	99.6	99.0- 100
Hispanic	186	154,551	3	1.6	0.0- 3.6	183	98.4	96.4- 100
18-24	271	349,943				271	100.0	100.0- 100
25-34	414	439,201	3	0.8	0.0- 1.8	411	99.2	98.2- 100
35-44	485	414,528	6	1.3	0.3- 2.3	479	98.7	97.7-99.7
45-54	637	404,845	16	3.0	1.4- 4.6	621	97.0	95.4-98.6
55-64	792	419,913	64	7.8	5.6-10.0	728	92.2	90.0-94.4
65+	1201	494,766	193	14.6	12.2-17.0	1008	85.4	83.0-87.8
Less Than H.S.	286	305,502	26	6.3	3.8- 8.8	260	93.7	91.2-96.2
H.S. or G.E.D.	1277	894,200	107	6.0	4.6- 7.4	1170	94.0	92.6-95.4
Some Post-H.S.	973	749,058	63	3.7	2.7- 4.7	910	96.3	95.3-97.3
College Graduate	1256	571,616	85	4.4	3.2- 5.6	1171	95.6	94.4-96.8
Less than \$15,000	198	132,551	23	9.9	5.4-14.4	175	90.1	85.6-94.6
\$15,000- 24,999	427	286,421	53	8.8	5.9-11.7	374	91.2	88.3-94.1
\$25,000- 34,999	308	191,988	27	5.1	2.7- 7.5	281	94.9	92.5-97.3
\$35,000- 49,999	470	294,812	31	4.4	2.6- 6.2	439	95.6	93.8-97.4
\$50,000- 74,999	518	353,192	24	3.6	2.0- 5.2	494	96.4	94.8-98.0
\$75,000+	1155	779,979	63	3.2	2.2- 4.2	1092	96.8	95.8-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4591	2,652,555	250	4.0	3.4- 4.6	4341	96.0	95.4-96.6
White/Non-Hisp	3723	2,108,901	205	4.4	3.6- 5.2	3518	95.6	94.8-96.4
Black or Afr. Am./Non-Hisp	434	242,018	27	3.1	1.5- 4.7	407	96.9	95.3-98.5
Oth. Race/Non-Hisp.	100	67,140	5	3.0	0.1- 5.9	95	97.0	94.1-99.9
MultiRacial/Non-Hisp.	67	24,592	8	5.8	0.9-10.7	59	94.2	89.3-99.1
Hispanic	190	168,964	3	0.5	0.0- 1.5	187	99.5	98.5- 100
18-24	227	331,821	1	0.4	0.0- 1.2	226	99.6	98.8- 100
25-34	418	430,333	4	0.9	0.0- 1.9	414	99.1	98.1- 100
35-44	547	416,100	4	0.6	0.0- 1.2	543	99.4	98.8- 100
45-54	745	412,813	14	2.1	0.9- 3.3	731	97.9	96.7-99.1
55-64	909	438,979	60	6.3	4.5- 8.1	849	93.7	91.9-95.5
65+	1745	622,509	167	9.8	8.0-11.6	1578	90.2	88.4-92.0
Less Than H.S.	320	310,753	20	4.0	2.0- 6.0	300	96.0	94.0-98.0
H.S. or G.E.D.	1448	834,689	97	4.9	3.7- 6.1	1351	95.1	93.9-96.3
Some Post-H.S.	1228	823,438	80	4.7	3.5- 5.9	1148	95.3	94.1-96.5
College Graduate	1578	673,632	53	2.0	1.4- 2.6	1525	98.0	97.4-98.6
Less than \$15,000	342	211,554	31	5.8	3.3- 8.3	311	94.2	91.7-96.7
\$15,000- 24,999	632	375,352	47	5.6	3.6- 7.6	585	94.4	92.4-96.4
\$25,000- 34,999	409	219,998	33	6.4	3.9- 8.9	376	93.6	91.1-96.1
\$35,000- 49,999	538	309,477	22	2.4	1.2- 3.6	516	97.6	96.4-98.8
\$50,000- 74,999	587	342,746	24	2.6	1.4- 3.8	563	97.4	96.2-98.6
\$75,000+	982	591,400	24	1.8	1.0- 2.6	958	98.2	97.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8449	5,197,347	384	3.5	3.1- 3.9	8065	96.5	96.1-96.9
Male	3830	2,536,376	181	3.6	3.0- 4.2	3649	96.4	95.8-97.0
Female	4619	2,660,971	203	3.5	2.9- 4.1	4416	96.5	95.9-97.1
White/Non-Hisp	6835	4,096,359	309	3.7	3.3- 4.1	6526	96.3	95.9-96.7
Black or Afr. Am./Non-Hisp	724	461,797	46	4.4	2.6- 6.2	678	95.6	93.8-97.4
Oth. Race/Non-Hisp.	218	163,112	11	2.8	0.4- 5.2	207	97.2	94.8-99.6
MultiRacial/Non-Hisp.	124	50,391	4	3.6	0.0- 7.3	120	96.4	92.7- 100
Hispanic	374	321,766	5	0.3	0.0- 0.7	369	99.7	99.3- 100
18-24	500	683,954	1	0.3	0.0- 0.9	499	99.7	99.1- 100
25-34	831	868,549	8	1.0	0.2- 1.8	823	99.0	98.2-99.8
35-44	1031	830,410	17	1.8	0.8- 2.8	1014	98.2	97.2-99.2
45-54	1382	818,852	39	2.7	1.7- 3.7	1343	97.3	96.3-98.3
55-64	1710	863,022	90	5.0	3.8- 6.2	1620	95.0	93.8-96.2
65+	2995	1,132,559	229	8.1	6.9- 9.3	2766	91.9	90.7-93.1
Less Than H.S.	609	617,908	43	5.7	3.7- 7.7	566	94.3	92.3-96.3
H.S. or G.E.D.	2752	1,737,695	155	3.9	3.1- 4.7	2597	96.1	95.3-96.9
Some Post-H.S.	2219	1,580,641	107	3.6	2.8- 4.4	2112	96.4	95.6-97.2
College Graduate	2843	1,248,151	77	1.9	1.5- 2.3	2766	98.1	97.7-98.5
Less than \$15,000	542	345,022	59	8.6	6.1-11.1	483	91.4	88.9-93.9
\$15,000- 24,999	1072	666,488	66	5.0	3.6- 6.4	1006	95.0	93.6-96.4
\$25,000- 34,999	725	414,526	41	4.4	2.8- 6.0	684	95.6	94.0-97.2
\$35,000- 49,999	1012	605,765	59	4.5	3.1- 5.9	953	95.5	94.1-96.9
\$50,000- 74,999	1115	700,463	30	2.0	1.0- 3.0	1085	98.0	97.0-99.0
\$75,000+	2139	1,372,096	30	1.0	0.6- 1.4	2109	99.0	98.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3830	2,536,376	181	3.6	3.0- 4.2	3649	96.4	95.8-97.0
White/Non-Hisp	3090	1,979,918	148	3.7	2.9- 4.5	2942	96.3	95.5-97.1
Black or Afr. Am./Non-Hisp	285	219,035	23	4.9	2.5- 7.3	262	95.1	92.7-97.5
Oth. Race/Non-Hisp.	116	95,726	5	2.2	0.0- 4.6	111	97.8	95.4- 100
MultiRacial/Non-Hisp.	58	25,911	1	2.4	0.0- 6.9	57	97.6	93.1- 100
Hispanic	184	152,802	1	0.2	0.0- 0.6	183	99.8	99.4- 100
18-24	273	352,133				273	100.0	100.0- 100
25-34	412	437,443	3	0.8	0.0- 1.8	409	99.2	98.2- 100
35-44	484	414,206	8	1.9	0.5- 3.3	476	98.1	96.7-99.5
45-54	641	407,923	19	3.2	1.6- 4.8	622	96.8	95.2-98.4
55-64	795	421,027	41	4.8	3.2- 6.4	754	95.2	93.6-96.8
65+	1225	503,645	110	9.0	7.0-11.0	1115	91.0	89.0-93.0
Less Than H.S.	286	305,392	19	5.5	2.8- 8.2	267	94.5	91.8-97.2
H.S. or G.E.D.	1291	900,497	69	3.6	2.6- 4.6	1222	96.4	95.4-97.4
Some Post-H.S.	981	753,972	53	3.9	2.7- 5.1	928	96.1	94.9-97.3
College Graduate	1263	573,606	40	2.1	1.3- 2.9	1223	97.9	97.1-98.7
Less than \$15,000	200	133,599	25	9.9	5.4-14.4	175	90.1	85.6-94.6
\$15,000- 24,999	435	289,596	35	6.4	4.0- 8.8	400	93.6	91.2-96.0
\$25,000- 34,999	310	193,267	19	5.3	2.8- 7.8	291	94.7	92.2-97.2
\$35,000- 49,999	471	294,524	28	4.2	2.4- 6.0	443	95.8	94.0-97.6
\$50,000- 74,999	524	355,754	20	2.3	1.1- 3.5	504	97.7	96.5-98.9
\$75,000+	1159	782,159	17	1.1	0.5- 1.7	1142	98.9	98.3-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4619	2,660,971	203	3.5	2.9- 4.1	4416	96.5	95.9-97.1
White/Non-Hisp	3745	2,116,440	161	3.7	3.1- 4.3	3584	96.3	95.7-96.9
Black or Afr. Am./Non-Hisp	439	242,762	23	3.9	1.5- 6.3	416	96.1	93.7-98.5
Oth. Race/Non-Hisp.	102	67,385	6	3.8	0.0- 8.5	96	96.2	91.5- 100
MultiRacial/Non-Hisp.	66	24,480	3	4.9	0.0-10.8	63	95.1	89.2- 100
Hispanic	190	168,964	4	0.4	0.0- 1.0	186	99.6	99.0- 100
18-24	227	331,821	1	0.7	0.0- 2.1	226	99.3	97.9- 100
25-34	419	431,106	5	1.3	0.1- 2.5	414	98.7	97.5-99.9
35-44	547	416,205	9	1.7	0.3- 3.1	538	98.3	96.9-99.7
45-54	741	410,929	20	2.1	1.1- 3.1	721	97.9	96.9-98.9
55-64	915	441,995	49	5.2	3.6- 6.8	866	94.8	93.2-96.4
65+	1770	628,915	119	7.4	5.8- 9.0	1651	92.6	91.0-94.2
Less Than H.S.	323	312,516	24	5.9	3.4- 8.4	299	94.1	91.6-96.6
H.S. or G.E.D.	1461	837,198	86	4.2	3.2- 5.2	1375	95.8	94.8-96.8
Some Post-H.S.	1238	826,669	54	3.3	2.1- 4.5	1184	96.7	95.5-97.9
College Graduate	1580	674,545	37	1.7	1.1- 2.3	1543	98.3	97.7-98.9
Less than \$15,000	342	211,423	34	7.8	4.7-10.9	308	92.2	89.1-95.3
\$15,000- 24,999	637	376,892	31	4.0	2.4- 5.6	606	96.0	94.4-97.6
\$25,000- 34,999	415	221,260	22	3.6	1.6- 5.6	393	96.4	94.4-98.4
\$35,000- 49,999	541	311,241	31	4.8	2.6- 7.0	510	95.2	93.0-97.4
\$50,000- 74,999	591	344,709	10	1.8	0.4- 3.2	581	98.2	96.8-99.6
\$75,000+	980	589,937	13	0.9	0.3- 1.5	967	99.1	98.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8450	5,196,218	1152	14.0	13.0-15.0	7298	86.0	85.0-87.0
Male	3824	2,531,013	417	11.5	10.3-12.7	3407	88.5	87.3-89.7
Female	4626	2,665,206	735	16.3	14.9-17.7	3891	83.7	82.3-85.1
White/Non-Hisp	6839	4,095,844	904	13.6	12.6-14.6	5935	86.4	85.4-87.4
Black or Afr. Am./Non-Hisp	721	459,985	114	17.7	14.0-21.4	607	82.3	78.6-86.0
Oth. Race/Non-Hisp.	216	162,862	35	12.6	6.9-18.3	181	87.4	81.7-93.1
MultiRacial/Non-Hisp.	124	50,169	32	23.7	14.7-32.7	92	76.3	67.3-85.3
Hispanic	375	323,112	47	13.3	9.0-17.6	328	86.7	82.4-91.0
18-24	495	679,216	91	16.4	12.9-19.9	404	83.6	80.1-87.1
25-34	833	870,168	144	16.2	13.5-18.9	689	83.8	81.1-86.5
35-44	1030	829,331	138	12.9	10.7-15.1	892	87.1	84.9-89.3
45-54	1387	820,579	198	14.1	11.9-16.3	1189	85.9	83.7-88.1
55-64	1711	863,432	254	14.6	12.6-16.6	1457	85.4	83.4-87.4
65+	2994	1,133,493	327	11.0	9.6-12.4	2667	89.0	87.6-90.4
Less Than H.S.	609	618,266	114	16.2	13.1-19.3	495	83.8	80.7-86.9
H.S. or G.E.D.	2751	1,736,270	359	13.6	12.0-15.2	2392	86.4	84.8-88.0
Some Post-H.S.	2220	1,581,019	327	15.0	13.2-16.8	1893	85.0	83.2-86.8
College Graduate	2844	1,247,712	351	12.2	10.8-13.6	2493	87.8	86.4-89.2
Less than \$15,000	544	344,774	120	20.5	16.6-24.4	424	79.5	75.6-83.4
\$15,000- 24,999	1073	666,839	197	20.0	16.9-23.1	876	80.0	76.9-83.1
\$25,000- 34,999	726	415,343	98	13.9	11.0-16.8	628	86.1	83.2-89.0
\$35,000- 49,999	1013	605,908	125	12.7	10.2-15.2	888	87.3	84.8-89.8
\$50,000- 74,999	1110	697,450	139	14.1	11.6-16.6	971	85.9	83.4-88.4
\$75,000+	2140	1,372,914	246	11.2	9.6-12.8	1894	88.8	87.2-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3824	2,531,013	417	11.5	10.3-12.7	3407	88.5	87.3-89.7
White/Non-Hisp	3085	1,974,273	336	11.3	9.9-12.7	2749	88.7	87.3-90.1
Black or Afr. Am./Non-Hisp	283	217,754	36	15.6	10.1-21.1	247	84.4	78.9-89.9
Oth. Race/Non-Hisp.	115	95,551	12	12.0	4.0-20.0	103	88.0	80.0-96.0
MultiRacial/Non-Hisp.	57	25,577	12	20.7	8.2-33.2	45	79.3	66.8-91.8
Hispanic	186	154,551	16	9.3	4.4-14.2	170	90.7	85.8-95.6
18-24	268	347,395	44	13.5	9.4-17.6	224	86.5	82.4-90.6
25-34	415	439,892	68	16.3	12.4-20.2	347	83.7	79.8-87.6
35-44	483	413,040	53	10.7	7.6-13.8	430	89.3	86.2-92.4
45-54	641	407,573	58	9.7	7.2-12.2	583	90.3	87.8-92.8
55-64	795	421,093	87	10.3	7.9-12.7	708	89.7	87.3-92.1
65+	1222	502,021	107	8.9	6.9-10.9	1115	91.1	89.1-93.1
Less Than H.S.	286	305,937	41	13.6	9.3-17.9	245	86.4	82.1-90.7
H.S. or G.E.D.	1286	895,543	136	10.6	8.6-12.6	1150	89.4	87.4-91.4
Some Post-H.S.	981	753,675	120	13.2	10.7-15.7	861	86.8	84.3-89.3
College Graduate	1262	572,949	120	9.4	7.6-11.2	1142	90.6	88.8-92.4
Less than \$15,000	199	132,145	33	15.9	10.2-21.6	166	84.1	78.4-89.8
\$15,000- 24,999	433	288,185	62	15.0	10.9-19.1	371	85.0	80.9-89.1
\$25,000- 34,999	311	194,083	39	12.6	8.3-16.9	272	87.4	83.1-91.7
\$35,000- 49,999	471	294,962	44	9.8	6.7-12.9	427	90.2	87.1-93.3
\$50,000- 74,999	521	353,724	58	13.4	9.7-17.1	463	86.6	82.9-90.3
\$75,000+	1158	781,811	111	9.8	7.8-11.8	1047	90.2	88.2-92.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4626	2,665,206	735	16.3	14.9-17.7	3891	83.7	82.3-85.1
White/Non-Hisp	3754	2,121,571	568	15.8	14.4-17.2	3186	84.2	82.8-85.6
Black or Afr. Am./Non-Hisp	438	242,231	78	19.5	14.4-24.6	360	80.5	75.4-85.6
Oth. Race/Non-Hisp.	101	67,311	23	13.4	6.0-20.8	78	86.6	79.2-94.0
MultiRacial/Non-Hisp.	67	24,592	20	26.7	14.0-39.4	47	73.3	60.6-86.0
Hispanic	189	168,561	31	17.0	10.3-23.7	158	83.0	76.3-89.7
18-24	227	331,821	47	19.5	13.8-25.2	180	80.5	74.8-86.2
25-34	418	430,276	76	16.1	12.6-19.6	342	83.9	80.4-87.4
35-44	547	416,292	85	15.0	11.7-18.3	462	85.0	81.7-88.3
45-54	746	413,007	140	18.4	15.3-21.5	606	81.6	78.5-84.7
55-64	916	442,339	167	18.8	15.9-21.7	749	81.2	78.3-84.1
65+	1772	631,472	220	12.7	10.9-14.5	1552	87.3	85.5-89.1
Less Than H.S.	323	312,329	73	18.6	13.9-23.3	250	81.4	76.7-86.1
H.S. or G.E.D.	1465	840,727	223	16.8	14.3-19.3	1242	83.2	80.7-85.7
Some Post-H.S.	1239	827,344	207	16.6	14.1-19.1	1032	83.4	80.9-85.9
College Graduate	1582	674,763	231	14.6	12.4-16.8	1351	85.4	83.2-87.6
Less than \$15,000	345	212,629	87	23.3	18.0-28.6	258	76.7	71.4-82.0
\$15,000- 24,999	640	378,654	135	23.9	19.6-28.2	505	76.1	71.8-80.4
\$25,000- 34,999	415	221,260	59	15.0	10.9-19.1	356	85.0	80.9-89.1
\$35,000- 49,999	542	310,946	81	15.4	11.7-19.1	461	84.6	80.9-88.3
\$50,000- 74,999	589	343,726	81	14.8	11.3-18.3	508	85.2	81.7-88.7
\$75,000+	982	591,103	135	13.2	10.7-15.7	847	86.8	84.3-89.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1125	705,401	814	70.5	67.2-73.8	311	29.5	26.2-32.8
Male	404	279,718	251	59.2	53.3-65.1	153	40.8	34.9-46.7
Female	721	425,683	563	78.0	74.3-81.7	158	22.0	18.3-25.7
White/Non-Hisp	887	544,551	646	71.8	68.3-75.3	241	28.2	24.7-31.7
Black or Afr. Am./Non-Hisp	112	80,018	81	66.3	54.5-78.1	31	33.7	21.9-45.5
18-24	87	107,590	50	61.5	50.3-72.7	37	38.5	27.3-49.7
25-34	138	135,493	88	59.6	50.4-68.8	50	40.4	31.2-49.6
35-44	135	104,531	102	78.1	70.7-85.5	33	21.9	14.5-29.3
45-54	196	112,550	143	75.7	69.2-82.2	53	24.3	17.8-30.8
55-64	250	123,463	198	79.7	74.0-85.4	52	20.3	14.6-26.0
65+	319	121,775	233	70.2	64.1-76.3	86	29.8	23.7-35.9
Less Than H.S.	111	94,735	95	83.7	75.3-92.1	16	16.3	7.9-24.7
H.S. or G.E.D.	349	230,737	263	73.0	67.3-78.7	86	27.0	21.3-32.7
Some Post-H.S.	319	230,006	230	68.4	62.1-74.7	89	31.6	25.3-37.9
College Graduate	345	149,459	226	62.0	55.9-68.1	119	38.0	31.9-44.1
Less than \$15,000	119	70,322	93	79.9	71.5-88.3	26	20.1	11.7-28.5
\$15,000- 24,999	192	129,513	153	75.5	67.7-83.3	39	24.5	16.7-32.3
\$25,000- 34,999	95	56,541	71	72.0	61.2-82.8	24	28.0	17.2-38.8
\$35,000- 49,999	122	74,861	89	68.3	58.3-78.3	33	31.7	21.7-41.7
\$50,000- 74,999	133	94,271	96	71.0	61.4-80.6	37	29.0	19.4-38.6
\$75,000+	242	149,113	150	62.2	54.9-69.5	92	37.8	30.5-45.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	404	279,718	251	59.2	53.3-65.1	153	40.8	34.9-46.7
White/Non-Hisp	329	216,384	210	61.4	55.1-67.7	119	38.6	32.3-44.9
25-34	64	67,403	30	42.1	29.0-55.2	34	57.9	44.8-71.0
35-44	52	43,595	35	70.0	56.5-83.5	17	30.0	16.5-43.5
45-54	58	39,605	38	70.1	57.8-82.4	20	29.9	17.6-42.2
55-64	85	41,509	62	76.0	65.8-86.2	23	24.0	13.8-34.2
65+	103	42,506	67	62.0	50.8-73.2	36	38.0	26.8-49.2
H.S. or G.E.D.	131	91,629	82	60.2	50.0-70.4	49	39.8	29.6-50.0
Some Post-H.S.	117	95,750	75	57.3	46.5-68.1	42	42.7	31.9-53.5
College Graduate	116	51,740	63	49.5	39.3-59.7	53	50.5	40.3-60.7
\$15,000- 24,999	59	40,593	38	52.5	36.4-68.6	21	47.5	31.4-63.6
\$50,000- 74,999	57	46,887	41	69.7	54.8-84.6	16	30.3	15.4-45.2
\$75,000+	107	71,346	52	49.1	38.1-60.1	55	50.9	39.9-61.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	721	425,683	563	78.0	74.3-81.7	158	22.0	18.3-25.7
White/Non-Hisp	558	328,167	436	78.7	74.8-82.6	122	21.3	17.4-25.2
Black or Afr. Am./Non-Hisp	77	46,970	62	73.8	60.3-87.3	15	26.2	12.7-39.7
25-34	74	68,090	58	76.9	66.3-87.5	16	23.1	12.5-33.7
35-44	83	60,935	67	83.9	75.9-91.9	16	16.1	8.1-24.1
45-54	138	72,945	105	78.8	71.5-86.1	33	21.2	13.9-28.5
55-64	165	81,954	136	81.5	74.6-88.4	29	18.5	11.6-25.4
65+	216	79,269	166	74.6	67.5-81.7	50	25.4	18.3-32.5
Less Than H.S.	71	54,135	64	91.0	83.7-98.3	7	9.0	1.7-16.3
H.S. or G.E.D.	218	139,108	181	81.4	74.9-87.9	37	18.6	12.1-25.1
Some Post-H.S.	202	134,256	155	76.3	69.2-83.4	47	23.7	16.6-30.8
College Graduate	229	97,719	163	68.6	61.3-75.9	66	31.4	24.1-38.7
Less than \$15,000	86	49,318	71	85.5	76.5-94.5	15	14.5	5.5-23.5
\$15,000- 24,999	133	88,921	115	86.0	79.1-92.9	18	14.0	7.1-20.9
\$25,000- 34,999	57	32,764	47	79.5	66.8-92.2	10	20.5	7.8-33.2
\$35,000- 49,999	79	45,873	60	73.8	61.8-85.8	19	26.2	14.2-38.2
\$50,000- 74,999	76	47,383	55	72.3	60.3-84.3	21	27.7	15.7-39.7
\$75,000+	135	77,767	98	74.3	65.3-83.3	37	25.7	16.7-34.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8449	5,196,738	716	6.0	5.4- 6.6	7733	94.0	93.4-94.6
Male	3825	2,532,411	329	5.7	4.9- 6.5	3496	94.3	93.5-95.1
Female	4624	2,664,327	387	6.3	5.5- 7.1	4237	93.7	92.9-94.5
White/Non-Hisp	6835	4,095,579	681	7.2	6.6- 7.8	6154	92.8	92.2-93.4
Black or Afr. Am./Non-Hisp	722	460,467	5	0.5	0.0- 1.1	717	99.5	98.9- 100
Oth. Race/Non-Hisp.	217	163,021	8	1.1	0.1- 2.1	209	98.9	97.9-99.9
MultiRacial/Non-Hisp.	125	50,503	5	4.0	0.5- 7.5	120	96.0	92.5-99.5
Hispanic	375	322,921	5	0.7	0.0- 1.5	370	99.3	98.5- 100
18-24	500	683,954	2	0.3	0.0- 0.7	498	99.7	99.3- 100
25-34	834	870,998	3	0.2	0.0- 0.4	831	99.8	99.6- 100
35-44	1032	829,951	12	1.2	0.4- 2.0	1020	98.8	98.0-99.6
45-54	1386	820,434	60	4.0	2.8- 5.2	1326	96.0	94.8-97.2
55-64	1705	859,092	139	8.3	6.7- 9.9	1566	91.7	90.1-93.3
65+	2992	1,132,309	500	17.0	15.4-18.6	2492	83.0	81.4-84.6
Less Than H.S.	606	615,510	31	3.8	2.2- 5.4	575	96.2	94.6-97.8
H.S. or G.E.D.	2752	1,739,308	230	6.2	5.2- 7.2	2522	93.8	92.8-94.8
Some Post-H.S.	2217	1,579,482	177	5.7	4.7- 6.7	2040	94.3	93.3-95.3
College Graduate	2848	1,249,485	276	7.1	6.1- 8.1	2572	92.9	91.9-93.9
Less than \$15,000	543	345,017	28	4.0	2.2- 5.8	515	96.0	94.2-97.8
\$15,000- 24,999	1071	664,869	68	5.0	3.6- 6.4	1003	95.0	93.6-96.4
\$25,000- 34,999	723	414,181	81	7.6	5.6- 9.6	642	92.4	90.4-94.4
\$35,000- 49,999	1010	604,183	96	7.4	5.8- 9.0	914	92.6	91.0-94.2
\$50,000- 74,999	1115	700,463	95	5.9	4.5- 7.3	1020	94.1	92.7-95.5
\$75,000+	2141	1,372,501	170	5.6	4.6- 6.6	1971	94.4	93.4-95.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3825	2,532,411	329	5.7	4.9- 6.5	3496	94.3	93.5-95.1
White/Non-Hisp	3085	1,975,805	308	6.8	6.0- 7.6	2777	93.2	92.4-94.0
Black or Afr. Am./Non-Hisp	283	217,706	4	0.8	0.0- 1.8	279	99.2	98.2- 100
Oth. Race/Non-Hisp.	116	95,726	4	1.0	0.0- 2.2	112	99.0	97.8- 100
MultiRacial/Non-Hisp.	58	25,911	1	1.1	0.0- 3.3	57	98.9	96.7- 100
Hispanic	185	153,957	1	0.3	0.0- 0.9	184	99.7	99.1- 100
18-24	273	352,133	1	0.3	0.0- 0.9	272	99.7	99.1- 100
25-34	415	439,892	2	0.3	0.0- 0.7	413	99.7	99.3- 100
35-44	484	413,200	3	0.6	0.0- 1.4	481	99.4	98.6- 100
45-54	641	407,862	21	3.2	1.8- 4.6	620	96.8	95.4-98.2
55-64	791	418,229	65	7.8	5.8- 9.8	726	92.2	90.2-94.2
65+	1221	501,095	237	18.6	16.1-21.1	984	81.4	78.9-83.9
Less Than H.S.	283	303,289	11	2.8	1.0- 4.6	272	97.2	95.4-99.0
H.S. or G.E.D.	1289	899,599	99	5.6	4.4- 6.8	1190	94.4	93.2-95.6
Some Post-H.S.	978	751,916	76	5.2	3.8- 6.6	902	94.8	93.4-96.2
College Graduate	1266	574,697	143	8.1	6.7- 9.5	1123	91.9	90.5-93.3
Less than \$15,000	198	132,270	7	2.9	0.5- 5.3	191	97.1	94.7-99.5
\$15,000- 24,999	433	287,767	30	5.4	3.2- 7.6	403	94.6	92.4-96.8
\$25,000- 34,999	309	193,356	37	7.6	4.9-10.3	272	92.4	89.7-95.1
\$35,000- 49,999	468	292,908	49	7.5	5.1- 9.9	419	92.5	90.1-94.9
\$50,000- 74,999	524	355,754	47	5.6	3.8- 7.4	477	94.4	92.6-96.2
\$75,000+	1159	781,547	88	4.8	3.6- 6.0	1071	95.2	94.0-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4624	2,664,327	387	6.3	5.5- 7.1	4237	93.7	92.9-94.5
White/Non-Hisp	3750	2,119,774	373	7.6	6.6- 8.6	3377	92.4	91.4-93.4
Black or Afr. Am./Non-Hisp	439	242,762	1	0.2	0.0- 0.6	438	99.8	99.4- 100
Oth. Race/Non-Hisp.	101	67,295	4	1.2	0.0- 2.8	97	98.8	97.2- 100
MultiRacial/Non-Hisp.	67	24,592	4	7.0	0.3-13.7	63	93.0	86.3-99.7
Hispanic	190	168,964	4	1.1	0.0- 2.5	186	98.9	97.5- 100
18-24	227	331,821	1	0.2	0.0- 0.6	226	99.8	99.4- 100
25-34	419	431,106	1	0.2	0.0- 0.6	418	99.8	99.4- 100
35-44	548	416,751	9	1.7	0.5- 2.9	539	98.3	97.1-99.5
45-54	745	412,572	39	4.9	3.3- 6.5	706	95.1	93.5-96.7
55-64	914	440,863	74	8.9	6.7-11.1	840	91.1	88.9-93.3
65+	1771	631,214	263	15.7	13.5-17.9	1508	84.3	82.1-86.5
Less Than H.S.	323	312,221	20	4.8	2.4- 7.2	303	95.2	92.8-97.6
H.S. or G.E.D.	1463	839,709	131	6.8	5.4- 8.2	1332	93.2	91.8-94.6
Some Post-H.S.	1239	827,567	101	6.1	4.7- 7.5	1138	93.9	92.5-95.3
College Graduate	1582	674,787	133	6.3	5.1- 7.5	1449	93.7	92.5-94.9
Less than \$15,000	345	212,747	21	4.7	2.3- 7.1	324	95.3	92.9-97.7
\$15,000- 24,999	638	377,101	38	4.6	2.8- 6.4	600	95.4	93.6-97.2
\$25,000- 34,999	414	220,825	44	7.6	4.9-10.3	370	92.4	89.7-95.1
\$35,000- 49,999	542	311,275	47	7.2	4.8- 9.6	495	92.8	90.4-95.2
\$50,000- 74,999	591	344,709	48	6.3	4.3- 8.3	543	93.7	91.7-95.7
\$75,000+	982	590,954	82	6.5	4.9- 8.1	900	93.5	91.9-95.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 6: CHRONIC HEALTH CONDITIONS

TABLE 19: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8448	5,195,896	808	7.1	6.5- 7.7	7640	92.9	92.3-93.5
Male	3826	2,534,675	313	6.0	5.2- 6.8	3513	94.0	93.2-94.8
Female	4622	2,661,222	495	8.2	7.4- 9.0	4127	91.8	91.0-92.6
White/Non-Hisp	6836	4,096,295	693	7.8	7.2- 8.4	6143	92.2	91.6-92.8
Black or Afr. Am./Non-Hisp	722	460,526	58	5.4	3.6- 7.2	664	94.6	92.8-96.4
Oth. Race/Non-Hisp.	217	161,885	17	5.4	2.1- 8.7	200	94.6	91.3-97.9
MultiRacial/Non-Hisp.	124	50,384	15	7.7	3.2-12.2	109	92.3	87.8-96.8
Hispanic	375	322,588	10	1.5	0.3- 2.7	365	98.5	97.3-99.7
18-24	500	683,954	2	0.5	0.0- 1.1	498	99.5	98.9- 100
25-34	832	869,416	9	1.0	0.4- 1.6	823	99.0	98.4-99.6
35-44	1030	828,485	28	2.7	1.5- 3.9	1002	97.3	96.1-98.5
45-54	1383	818,249	76	5.2	4.0- 6.4	1307	94.8	93.6-96.0
55-64	1707	861,408	185	11.4	9.6-13.2	1522	88.6	86.8-90.4
65+	2996	1,134,384	508	17.3	15.7-18.9	2488	82.7	81.1-84.3
Less Than H.S.	606	614,493	61	7.9	5.7-10.1	545	92.1	89.9-94.3
H.S. or G.E.D.	2753	1,739,012	276	7.3	6.3- 8.3	2477	92.7	91.7-93.7
Some Post-H.S.	2219	1,581,077	216	6.9	5.9- 7.9	2003	93.1	92.1-94.1
College Graduate	2845	1,248,449	247	6.6	5.6- 7.6	2598	93.4	92.4-94.4
Less than \$15,000	543	344,406	45	6.8	4.4- 9.2	498	93.2	90.8-95.6
\$15,000- 24,999	1067	662,711	125	8.5	6.7-10.3	942	91.5	89.7-93.3
\$25,000- 34,999	725	414,945	76	8.1	5.9-10.3	649	91.9	89.7-94.1
\$35,000- 49,999	1013	606,509	93	7.2	5.4- 9.0	920	92.8	91.0-94.6
\$50,000- 74,999	1114	699,714	104	7.3	5.7- 8.9	1010	92.7	91.1-94.3
\$75,000+	2142	1,373,266	146	5.0	4.0- 6.0	1996	95.0	94.0-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3826	2,534,675	313	6.0	5.2- 6.8	3513	94.0	93.2-94.8
White/Non-Hisp	3086	1,977,534	271	6.5	5.7- 7.3	2815	93.5	92.7-94.3
Black or Afr. Am./Non-Hisp	283	217,765	19	5.8	2.9- 8.7	264	94.2	91.3-97.1
Oth. Race/Non-Hisp.	116	95,726	5	2.2	0.0- 4.6	111	97.8	95.4- 100
MultiRacial/Non-Hisp.	57	25,791	4	4.4	0.0- 8.9	53	95.6	91.1- 100
Hispanic	186	154,551	3	0.8	0.0- 1.8	183	99.2	98.2- 100
18-24	273	352,133	1	0.5	0.0- 1.5	272	99.5	98.5- 100
25-34	415	439,892	2	0.6	0.0- 1.6	413	99.4	98.4- 100
35-44	483	412,339	7	1.4	0.2- 2.6	476	98.6	97.4-99.8
45-54	640	407,795	23	4.2	2.4- 6.0	617	95.8	94.0-97.6
55-64	793	420,239	62	8.0	5.8-10.2	731	92.0	89.8-94.2
65+	1222	502,277	218	18.2	15.7-20.7	1004	81.8	79.3-84.3
Less Than H.S.	283	303,213	24	6.4	3.7- 9.1	259	93.6	90.9-96.3
H.S. or G.E.D.	1288	899,451	97	5.4	4.2- 6.6	1191	94.6	93.4-95.8
Some Post-H.S.	982	754,788	84	6.3	4.9- 7.7	898	93.7	92.3-95.1
College Graduate	1265	574,401	106	6.4	5.0- 7.8	1159	93.6	92.2-95.0
Less than \$15,000	198	132,599	10	3.7	1.2- 6.2	188	96.3	93.8-98.8
\$15,000- 24,999	432	286,906	40	7.6	5.1-10.1	392	92.4	89.9-94.9
\$25,000- 34,999	311	194,083	24	6.0	3.5- 8.5	287	94.0	91.5-96.5
\$35,000- 49,999	471	295,442	40	6.5	4.1- 8.9	431	93.5	91.1-95.9
\$50,000- 74,999	524	355,754	41	6.0	4.0- 8.0	483	94.0	92.0-96.0
\$75,000+	1160	782,632	74	4.5	3.3- 5.7	1086	95.5	94.3-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4622	2,661,222	495	8.2	7.4- 9.0	4127	91.8	91.0-92.6
White/Non-Hisp	3750	2,118,761	422	9.0	8.0-10.0	3328	91.0	90.0-92.0
Black or Afr. Am./Non-Hisp	439	242,762	39	5.0	3.0- 7.0	400	95.0	93.0-97.0
Oth. Race/Non-Hisp.	101	66,159	12	10.1	3.0-17.2	89	89.9	82.8-97.0
MultiRacial/Non-Hisp.	67	24,592	11	11.1	3.3-18.9	56	88.9	81.1-96.7
Hispanic	189	168,036	7	2.1	0.1- 4.1	182	97.9	95.9-99.9
18-24	227	331,821	1	0.5	0.0- 1.5	226	99.5	98.5- 100
25-34	417	429,524	7	1.3	0.3- 2.3	410	98.7	97.7-99.7
35-44	547	416,146	21	4.0	2.0- 6.0	526	96.0	94.0-98.0
45-54	743	410,454	53	6.2	4.4- 8.0	690	93.8	92.0-95.6
55-64	914	441,169	123	14.6	11.9-17.3	791	85.4	82.7-88.1
65+	1774	632,107	290	16.6	14.4-18.8	1484	83.4	81.2-85.6
Less Than H.S.	323	311,280	37	9.4	6.1-12.7	286	90.6	87.3-93.9
H.S. or G.E.D.	1465	839,562	179	9.4	7.8-11.0	1286	90.6	89.0-92.2
Some Post-H.S.	1237	826,289	132	7.5	6.1- 8.9	1105	92.5	91.1-93.9
College Graduate	1580	674,048	141	6.7	5.3- 8.1	1439	93.3	91.9-94.7
Less than \$15,000	345	211,806	35	8.8	5.5-12.1	310	91.2	87.9-94.5
\$15,000- 24,999	635	375,804	85	9.1	6.7-11.5	550	90.9	88.5-93.3
\$25,000- 34,999	414	220,861	52	9.9	6.8-13.0	362	90.1	87.0-93.2
\$35,000- 49,999	542	311,067	53	7.9	5.4-10.4	489	92.1	89.6-94.6
\$50,000- 74,999	590	343,960	63	8.6	6.2-11.0	527	91.4	89.0-93.8
\$75,000+	982	590,634	72	5.7	4.1- 7.3	910	94.3	92.7-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8440	5,192,034	849	8.3	7.7- 8.9	7591	91.7	91.1-92.3
Male	3825	2,532,182	344	7.3	6.3- 8.3	3481	92.7	91.7-93.7
Female	4615	2,659,852	505	9.3	8.3-10.3	4110	90.7	89.7-91.7
White/Non-Hisp	6828	4,091,527	704	8.9	8.1- 9.7	6124	91.1	90.3-91.9
Black or Afr. Am./Non-Hisp	721	461,458	69	7.5	5.3- 9.7	652	92.5	90.3-94.7
Oth. Race/Non-Hisp.	218	163,112	26	6.1	3.0- 9.2	192	93.9	90.8-97.0
MultiRacial/Non-Hisp.	123	50,007	18	10.8	4.9-16.7	105	89.2	83.3-95.1
Hispanic	373	321,037	13	3.5	1.3- 5.7	360	96.5	94.3-98.7
18-24	497	680,568	14	2.4	1.0- 3.8	483	97.6	96.2-99.0
25-34	832	869,396	23	2.5	1.3- 3.7	809	97.5	96.3-98.7
35-44	1030	828,629	43	4.2	2.8- 5.6	987	95.8	94.4-97.2
45-54	1383	818,420	96	7.2	5.6- 8.8	1287	92.8	91.2-94.4
55-64	1710	863,075	248	15.6	13.4-17.8	1462	84.4	82.2-86.6
65+	2988	1,131,946	425	14.7	13.1-16.3	2563	85.3	83.7-86.9
Less Than H.S.	609	617,509	128	16.2	13.3-19.1	481	83.8	80.9-86.7
H.S. or G.E.D.	2745	1,734,677	349	9.7	8.5-10.9	2396	90.3	89.1-91.5
Some Post-H.S.	2216	1,578,325	244	8.0	6.8- 9.2	1972	92.0	90.8-93.2
College Graduate	2844	1,248,571	124	3.0	2.4- 3.6	2720	97.0	96.4-97.6
Less than \$15,000	544	345,581	120	18.9	15.2-22.6	424	81.1	77.4-84.8
\$15,000- 24,999	1067	663,446	212	17.2	14.7-19.7	855	82.8	80.3-85.3
\$25,000- 34,999	721	412,092	79	8.3	6.1-10.5	642	91.7	89.5-93.9
\$35,000- 49,999	1015	607,233	107	9.7	7.5-11.9	908	90.3	88.1-92.5
\$50,000- 74,999	1111	697,689	79	5.5	4.1- 6.9	1032	94.5	93.1-95.9
\$75,000+	2141	1,373,446	76	3.0	2.2- 3.8	2065	97.0	96.2-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3825	2,532,182	344	7.3	6.3- 8.3	3481	92.7	91.7-93.7
White/Non-Hisp	3085	1,975,520	290	7.8	6.8- 8.8	2795	92.2	91.2-93.2
Black or Afr. Am./Non-Hisp	284	218,919	24	7.4	3.9-10.9	260	92.6	89.1-96.1
Oth. Race/Non-Hisp.	116	95,726	11	5.2	1.7- 8.7	105	94.8	91.3-98.3
MultiRacial/Non-Hisp.	57	25,570	4	4.4	0.0- 9.9	53	95.6	90.1- 100
Hispanic	184	152,817	5	2.2	0.2- 4.2	179	97.8	95.8-99.8
18-24	270	348,747	8	2.3	0.5- 4.1	262	97.7	95.9-99.5
25-34	415	439,892	9	2.1	0.7- 3.5	406	97.9	96.5-99.3
35-44	482	411,878	13	2.9	1.3- 4.5	469	97.1	95.5-98.7
45-54	640	407,477	33	6.0	3.8- 8.2	607	94.0	91.8-96.2
55-64	796	421,800	102	13.8	11.1-16.5	694	86.2	83.5-88.9
65+	1222	502,388	179	14.7	12.3-17.1	1043	85.3	82.9-87.7
Less Than H.S.	287	306,105	56	14.8	10.7-18.9	231	85.2	81.1-89.3
H.S. or G.E.D.	1286	897,192	123	7.2	5.8- 8.6	1163	92.8	91.4-94.2
Some Post-H.S.	980	752,333	105	7.7	5.9- 9.5	875	92.3	90.5-94.1
College Graduate	1263	573,643	59	3.1	2.1- 4.1	1204	96.9	95.9-97.9
Less than \$15,000	201	133,922	51	21.3	15.0-27.6	150	78.7	72.4-85.0
\$15,000- 24,999	432	287,431	78	16.2	12.3-20.1	354	83.8	79.9-87.7
\$25,000- 34,999	309	192,401	33	8.5	5.2-11.8	276	91.5	88.2-94.8
\$35,000- 49,999	472	295,561	45	8.4	5.7-11.1	427	91.6	88.9-94.3
\$50,000- 74,999	521	354,001	31	4.0	2.4- 5.6	490	96.0	94.4-97.6
\$75,000+	1158	781,883	41	2.7	1.7- 3.7	1117	97.3	96.3-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4615	2,659,852	505	9.3	8.3-10.3	4110	90.7	89.7-91.7
White/Non-Hisp	3743	2,116,007	414	9.9	8.7-11.1	3329	90.1	88.9-91.3
Black or Afr. Am./Non-Hisp	437	242,539	45	7.5	4.8-10.2	392	92.5	89.8-95.2
Oth. Race/Non-Hisp.	102	67,385	15	7.3	1.6-13.0	87	92.7	87.0-98.4
MultiRacial/Non-Hisp.	66	24,437	14	17.4	7.2-27.6	52	82.6	72.4-92.8
Hispanic	189	168,219	8	4.6	1.1- 8.1	181	95.4	91.9-98.9
18-24	227	331,821	6	2.4	0.4- 4.4	221	97.6	95.6-99.6
25-34	417	429,504	14	3.0	1.2- 4.8	403	97.0	95.2-98.8
35-44	548	416,751	30	5.5	3.3- 7.7	518	94.5	92.3-96.7
45-54	743	410,943	63	8.3	6.1-10.5	680	91.7	89.5-93.9
55-64	914	441,275	146	17.4	14.5-20.3	768	82.6	79.7-85.5
65+	1766	629,558	246	14.8	12.6-17.0	1520	85.2	83.0-87.4
Less Than H.S.	322	311,405	72	17.5	13.2-21.8	250	82.5	78.2-86.8
H.S. or G.E.D.	1459	837,484	226	12.4	10.6-14.2	1233	87.6	85.8-89.4
Some Post-H.S.	1236	825,992	139	8.2	6.6- 9.8	1097	91.8	90.2-93.4
College Graduate	1581	674,928	65	3.0	2.2- 3.8	1516	97.0	96.2-97.8
Less than \$15,000	343	211,660	69	17.3	12.8-21.8	274	82.7	78.2-87.2
\$15,000- 24,999	635	376,015	134	17.9	14.4-21.4	501	82.1	78.6-85.6
\$25,000- 34,999	412	219,691	46	8.1	5.4-10.8	366	91.9	89.2-94.6
\$35,000- 49,999	543	311,672	62	10.8	7.7-13.9	481	89.2	86.1-92.3
\$50,000- 74,999	590	343,688	48	7.0	4.8- 9.2	542	93.0	90.8-95.2
\$75,000+	983	591,562	35	3.4	2.0- 4.8	948	96.6	95.2-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8411	5,170,991	2809	26.9	25.9-27.9	5602	73.1	72.1-74.1
Male	3817	2,525,023	1052	22.6	21.0-24.2	2765	77.4	75.8-79.0
Female	4594	2,645,967	1757	31.0	29.4-32.6	2837	69.0	67.4-70.6
White/Non-Hisp	6805	4,077,978	2343	28.7	27.5-29.9	4462	71.3	70.1-72.5
Black or Afr. Am./Non-Hisp	721	460,975	242	23.0	19.3-26.7	479	77.0	73.3-80.7
Oth. Race/Non-Hisp.	214	160,682	57	15.4	10.3-20.5	157	84.6	79.5-89.7
MultiRacial/Non-Hisp.	125	50,503	49	29.0	19.8-38.2	76	71.0	61.8-80.2
Hispanic	373	317,659	62	14.1	10.2-18.0	311	85.9	82.0-89.8
18-24	499	680,891	18	3.6	1.8- 5.4	481	96.4	94.6-98.2
25-34	830	865,284	66	8.5	6.3-10.7	764	91.5	89.3-93.7
35-44	1026	823,673	168	15.7	13.3-18.1	858	84.3	81.9-86.7
45-54	1381	816,397	361	27.5	24.8-30.2	1020	72.5	69.8-75.2
55-64	1705	860,883	677	40.9	38.2-43.6	1028	59.1	56.4-61.8
65+	2970	1,123,863	1519	52.3	50.1-54.5	1451	47.7	45.5-49.9
Less Than H.S.	603	604,502	246	34.1	29.8-38.4	357	65.9	61.6-70.2
H.S. or G.E.D.	2736	1,731,329	1036	29.5	27.5-31.5	1700	70.5	68.5-72.5
Some Post-H.S.	2215	1,578,193	766	26.2	24.2-28.2	1449	73.8	71.8-75.8
College Graduate	2831	1,244,015	754	20.8	19.2-22.4	2077	79.2	77.6-80.8
Less than \$15,000	540	339,907	242	36.7	32.0-41.4	298	63.3	58.6-68.0
\$15,000- 24,999	1070	665,490	462	35.9	32.4-39.4	608	64.1	60.6-67.6
\$25,000- 34,999	721	413,308	273	32.0	28.1-35.9	448	68.0	64.1-71.9
\$35,000- 49,999	1008	603,070	338	27.4	24.3-30.5	670	72.6	69.5-75.7
\$50,000- 74,999	1110	696,818	341	24.7	22.0-27.4	769	75.3	72.6-78.0
\$75,000+	2139	1,371,307	515	19.5	17.7-21.3	1624	80.5	78.7-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3817	2,525,023	1052	22.6	21.0-24.2	2765	77.4	75.8-79.0
White/Non-Hisp	3079	1,969,431	876	24.0	22.2-25.8	2203	76.0	74.2-77.8
Black or Afr. Am./Non-Hisp	285	219,035	78	21.8	16.1-27.5	207	78.2	72.5-83.9
Oth. Race/Non-Hisp.	114	94,655	24	10.6	5.5-15.7	90	89.4	84.3-94.5
MultiRacial/Non-Hisp.	58	25,911	17	20.0	8.2-31.8	41	80.0	68.2-91.8
Hispanic	185	153,868	26	11.8	6.7-16.9	159	88.2	83.1-93.3
18-24	273	352,133	5	1.8	0.0- 3.6	268	98.2	96.4- 100
25-34	413	436,614	27	7.3	4.2-10.4	386	92.7	89.6-95.8
35-44	481	411,180	60	12.9	9.6-16.2	421	87.1	83.8-90.4
45-54	638	404,538	147	25.4	21.5-29.3	491	74.6	70.7-78.5
55-64	793	420,667	276	35.8	32.1-39.5	517	64.2	60.5-67.9
65+	1219	499,891	537	45.3	42.2-48.4	682	54.7	51.6-57.8
Less Than H.S.	283	299,928	92	29.5	23.6-35.4	191	70.5	64.6-76.4
H.S. or G.E.D.	1286	896,336	393	23.5	21.1-25.9	893	76.5	74.1-78.9
Some Post-H.S.	981	753,414	286	22.5	19.8-25.2	695	77.5	74.8-80.2
College Graduate	1258	572,436	279	17.7	15.5-19.9	979	82.3	80.1-84.5
Less than \$15,000	199	130,622	72	29.4	22.1-36.7	127	70.6	63.3-77.9
\$15,000- 24,999	433	287,890	153	32.5	27.2-37.8	280	67.5	62.2-72.8
\$25,000- 34,999	308	192,926	94	24.2	18.9-29.5	214	75.8	70.5-81.1
\$35,000- 49,999	468	292,831	137	24.0	19.7-28.3	331	76.0	71.7-80.3
\$50,000- 74,999	522	353,428	134	21.3	17.4-25.2	388	78.7	74.8-82.6
\$75,000+	1158	781,633	263	18.6	16.2-21.0	895	81.4	79.0-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4594	2,645,967	1757	31.0	29.4-32.6	2837	69.0	67.4-70.6
White/Non-Hisp	3726	2,108,547	1467	33.1	31.3-34.9	2259	66.9	65.1-68.7
Black or Afr. Am./Non-Hisp	436	241,941	164	24.0	19.3-28.7	272	76.0	71.3-80.7
Oth. Race/Non-Hisp.	100	66,027	33	22.3	12.9-31.7	67	77.7	68.3-87.1
MultiRacial/Non-Hisp.	67	24,592	32	38.5	24.8-52.2	35	61.5	47.8-75.2
Hispanic	188	163,790	36	16.4	10.5-22.3	152	83.6	77.7-89.5
18-24	226	328,758	13	5.5	2.2- 8.8	213	94.5	91.2-97.8
25-34	417	428,670	39	9.7	6.6-12.8	378	90.3	87.2-93.4
35-44	545	412,493	108	18.4	14.9-21.9	437	81.6	78.1-85.1
45-54	743	411,859	214	29.6	25.9-33.3	529	70.4	66.7-74.1
55-64	912	440,215	401	45.8	42.1-49.5	511	54.2	50.5-57.9
65+	1751	623,972	982	57.9	55.2-60.6	769	42.1	39.4-44.8
Less Than H.S.	320	304,574	154	38.7	32.6-44.8	166	61.3	55.2-67.4
H.S. or G.E.D.	1450	834,992	643	35.8	32.9-38.7	807	64.2	61.3-67.1
Some Post-H.S.	1234	824,779	480	29.5	26.8-32.2	754	70.5	67.8-73.2
College Graduate	1573	671,579	475	23.4	21.0-25.8	1098	76.6	74.2-79.0
Less than \$15,000	341	209,285	170	41.3	35.0-47.6	171	58.7	52.4-65.0
\$15,000- 24,999	637	377,599	309	38.4	33.9-42.9	328	61.6	57.1-66.1
\$25,000- 34,999	413	220,382	179	38.9	33.0-44.8	234	61.1	55.2-67.0
\$35,000- 49,999	540	310,239	201	30.7	26.2-35.2	339	69.3	64.8-73.8
\$50,000- 74,999	588	343,390	207	28.1	24.2-32.0	381	71.9	68.0-75.8
\$75,000+	981	589,673	252	20.8	18.1-23.5	729	79.2	76.5-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8435	5,186,064	1753	21.9	20.7-23.1	6682	78.1	76.9-79.3
Male	3819	2,526,093	584	15.8	14.4-17.2	3235	84.2	82.8-85.6
Female	4616	2,659,970	1169	27.7	26.1-29.3	3447	72.3	70.7-73.9
White/Non-Hisp	6827	4,087,733	1470	23.1	21.9-24.3	5357	76.9	75.7-78.1
Black or Afr. Am./Non-Hisp	718	458,240	113	17.5	13.8-21.2	605	82.5	78.8-86.2
Oth. Race/Non-Hisp.	216	162,619	36	14.6	8.9-20.3	180	85.4	79.7-91.1
MultiRacial/Non-Hisp.	125	50,503	41	30.4	20.4-40.4	84	69.6	59.6-79.6
Hispanic	375	322,638	69	17.8	13.1-22.5	306	82.2	77.5-86.9
18-24	497	680,012	124	25.0	20.9-29.1	373	75.0	70.9-79.1
25-34	829	864,610	247	27.9	24.6-31.2	582	72.1	68.8-75.4
35-44	1031	829,807	233	22.4	19.7-25.1	798	77.6	74.9-80.3
45-54	1386	820,069	296	21.2	18.8-23.6	1090	78.8	76.4-81.2
55-64	1707	860,374	390	21.6	19.4-23.8	1317	78.4	76.2-80.6
65+	2985	1,131,190	463	16.0	14.4-17.6	2522	84.0	82.4-85.6
Less Than H.S.	608	613,787	178	28.6	24.5-32.7	430	71.4	67.3-75.5
H.S. or G.E.D.	2745	1,734,689	581	21.7	19.7-23.7	2164	78.3	76.3-80.3
Some Post-H.S.	2218	1,578,027	511	24.1	21.9-26.3	1707	75.9	73.7-78.1
College Graduate	2838	1,246,608	480	16.3	14.7-17.9	2358	83.7	82.1-85.3
Less than \$15,000	544	345,081	218	39.6	34.5-44.7	326	60.4	55.3-65.5
\$15,000- 24,999	1069	664,392	306	29.7	26.4-33.0	763	70.3	67.0-73.6
\$25,000- 34,999	725	415,307	155	23.5	19.6-27.4	570	76.5	72.6-80.4
\$35,000- 49,999	1010	603,410	228	23.3	20.2-26.4	782	76.7	73.6-79.8
\$50,000- 74,999	1112	696,841	216	21.1	18.2-24.0	896	78.9	76.0-81.8
\$75,000+	2139	1,373,002	290	13.6	11.8-15.4	1849	86.4	84.6-88.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3819	2,526,093	584	15.8	14.4-17.2	3235	84.2	82.8-85.6
White/Non-Hisp	3083	1,971,697	487	17.0	15.4-18.6	2596	83.0	81.4-84.6
Black or Afr. Am./Non-Hisp	281	216,019	37	14.4	8.9-19.9	244	85.6	80.1-91.1
Oth. Race/Non-Hisp.	116	95,726	12	7.3	2.2-12.4	104	92.7	87.6-97.8
MultiRacial/Non-Hisp.	58	25,911	16	26.1	11.8-40.4	42	73.9	59.6-88.2
Hispanic	185	153,674	21	7.9	4.2-11.6	164	92.1	88.4-95.8
18-24	270	348,191	44	16.4	11.7-21.1	226	83.6	78.9-88.3
25-34	411	434,501	94	21.5	17.2-25.8	317	78.5	74.2-82.8
35-44	484	414,206	77	16.2	12.5-19.9	407	83.8	80.1-87.5
45-54	640	407,169	93	15.1	12.0-18.2	547	84.9	81.8-88.0
55-64	796	421,346	126	14.9	12.2-17.6	670	85.1	82.4-87.8
65+	1218	500,680	150	11.5	9.3-13.7	1068	88.5	86.3-90.7
Less Than H.S.	285	302,290	67	23.2	17.7-28.7	218	76.8	71.3-82.3
H.S. or G.E.D.	1285	896,526	201	15.3	12.9-17.7	1084	84.7	82.3-87.1
Some Post-H.S.	978	750,677	170	18.0	15.1-20.9	808	82.0	79.1-84.9
College Graduate	1262	573,691	145	10.0	8.2-11.8	1117	90.0	88.2-91.8
Less than \$15,000	198	132,048	71	32.7	25.1-40.3	127	67.3	59.7-74.9
\$15,000- 24,999	433	287,370	106	25.2	20.1-30.3	327	74.8	69.7-79.9
\$25,000- 34,999	311	194,083	50	18.4	13.1-23.7	261	81.6	76.3-86.9
\$35,000- 49,999	468	292,875	74	15.4	11.7-19.1	394	84.6	80.9-88.3
\$50,000- 74,999	523	353,560	64	14.6	10.7-18.5	459	85.4	81.5-89.3
\$75,000+	1159	781,961	109	9.7	7.5-11.9	1050	90.3	88.1-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4616	2,659,970	1169	27.7	26.1-29.3	3447	72.3	70.7-73.9
White/Non-Hisp	3744	2,116,036	983	28.9	27.1-30.7	2761	71.1	69.3-72.9
Black or Afr. Am./Non-Hisp	437	242,221	76	20.2	14.9-25.5	361	79.8	74.5-85.1
Oth. Race/Non-Hisp.	100	66,893	24	25.1	14.1-36.1	76	74.9	63.9-85.9
MultiRacial/Non-Hisp.	67	24,592	25	35.0	21.3-48.7	42	65.0	51.3-78.7
Hispanic	190	168,964	48	26.7	18.9-34.5	142	73.3	65.5-81.1
18-24	227	331,821	80	33.9	27.2-40.6	147	66.1	59.4-72.8
25-34	418	430,109	153	34.5	29.6-39.4	265	65.5	60.6-70.4
35-44	547	415,601	156	28.5	24.4-32.6	391	71.5	67.4-75.6
45-54	746	412,901	203	27.1	23.4-30.8	543	72.9	69.2-76.6
55-64	911	439,028	264	27.9	24.6-31.2	647	72.1	68.8-75.4
65+	1767	630,511	313	19.6	17.2-22.0	1454	80.4	78.0-82.8
Less Than H.S.	323	311,497	111	33.9	27.8-40.0	212	66.1	60.0-72.2
H.S. or G.E.D.	1460	838,163	380	28.6	25.7-31.5	1080	71.4	68.5-74.3
Some Post-H.S.	1240	827,350	341	29.6	26.5-32.7	899	70.4	67.3-73.5
College Graduate	1576	672,917	335	21.7	19.3-24.1	1241	78.3	75.9-80.7
Less than \$15,000	346	213,033	147	44.0	37.5-50.5	199	56.0	49.5-62.5
\$15,000- 24,999	636	377,022	200	33.1	28.6-37.6	436	66.9	62.4-71.4
\$25,000- 34,999	414	221,224	105	28.1	22.6-33.6	309	71.9	66.4-77.4
\$35,000- 49,999	542	310,535	154	30.8	25.9-35.7	388	69.2	64.3-74.1
\$50,000- 74,999	589	343,281	152	27.9	23.6-32.2	437	72.1	67.8-76.4
\$75,000+	980	591,041	181	18.8	15.9-21.7	799	81.2	78.3-84.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8436	5,192,242	373	3.2	2.8- 3.6	8063	96.8	96.4-97.2
Male	3824	2,534,627	150	2.8	2.2- 3.4	3674	97.2	96.6-97.8
Female	4612	2,657,615	223	3.6	3.0- 4.2	4389	96.4	95.8-97.0
White/Non-Hisp	6830	4,096,034	305	3.4	3.0- 3.8	6525	96.6	96.2-97.0
Black or Afr. Am./Non-Hisp	718	459,162	44	3.9	2.5- 5.3	674	96.1	94.7-97.5
Oth. Race/Non-Hisp.	214	159,678	4	1.1	0.0- 2.3	210	98.9	97.7- 100
MultiRacial/Non-Hisp.	124	49,890	5	2.5	0.0- 5.2	119	97.5	94.8- 100
Hispanic	375	323,231	9	2.1	0.5- 3.7	366	97.9	96.3-99.5
18-24	500	683,954	1	0.1	0.0- 0.3	499	99.9	99.7- 100
25-34	834	870,998	9	1.3	0.5- 2.1	825	98.7	97.9-99.5
35-44	1029	827,824	17	1.6	0.8- 2.4	1012	98.4	97.6-99.2
45-54	1388	821,002	30	2.0	1.2- 2.8	1358	98.0	97.2-98.8
55-64	1702	859,935	76	4.7	3.5- 5.9	1626	95.3	94.1-96.5
65+	2983	1,128,529	240	7.7	6.5- 8.9	2743	92.3	91.1-93.5
Less Than H.S.	608	615,818	36	3.7	2.3- 5.1	572	96.3	94.9-97.7
H.S. or G.E.D.	2747	1,738,538	132	3.4	2.8- 4.0	2615	96.6	96.0-97.2
Some Post-H.S.	2214	1,577,662	99	3.5	2.7- 4.3	2115	96.5	95.7-97.3
College Graduate	2841	1,247,272	105	2.4	1.8- 3.0	2736	97.6	97.0-98.2
Less than \$15,000	542	343,615	39	6.4	4.0- 8.8	503	93.6	91.2-96.0
\$15,000- 24,999	1064	663,496	63	4.1	2.9- 5.3	1001	95.9	94.7-97.1
\$25,000- 34,999	725	414,802	53	5.0	3.4- 6.6	672	95.0	93.4-96.6
\$35,000- 49,999	1012	604,589	36	2.8	1.6- 4.0	976	97.2	96.0-98.4
\$50,000- 74,999	1113	699,728	36	2.2	1.2- 3.2	1077	97.8	96.8-98.8
\$75,000+	2140	1,373,284	59	2.1	1.5- 2.7	2081	97.9	97.3-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3824	2,534,627	150	2.8	2.2- 3.4	3674	97.2	96.6-97.8
White/Non-Hisp	3089	1,980,789	120	2.9	2.3- 3.5	2969	97.1	96.5-97.7
Black or Afr. Am./Non-Hisp	282	217,447	20	4.9	2.4- 7.4	262	95.1	92.6-97.6
Oth. Race/Non-Hisp.	113	93,519	4	1.8	0.0- 4.0	109	98.2	96.0- 100
MultiRacial/Non-Hisp.	57	25,298				57	100.0	100.0- 100
Hispanic	185	154,267	3	0.9	0.0- 2.1	182	99.1	97.9- 100
18-24	273	352,133				273	100.0	100.0- 100
25-34	415	439,892	5	1.3	0.0- 2.7	410	98.7	97.3- 100
35-44	483	412,476	10	1.9	0.7- 3.1	473	98.1	96.9-99.3
45-54	643	409,222	11	1.7	0.7- 2.7	632	98.3	97.3-99.3
55-64	791	419,799	27	3.9	2.3- 5.5	764	96.1	94.5-97.7
65+	1219	501,105	97	7.0	5.4- 8.6	1122	93.0	91.4-94.6
Less Than H.S.	285	304,735	10	2.1	0.7- 3.5	275	97.9	96.5-99.3
H.S. or G.E.D.	1286	898,903	45	2.5	1.7- 3.3	1241	97.5	96.7-98.3
Some Post-H.S.	980	753,989	44	3.6	2.4- 4.8	936	96.4	95.2-97.6
College Graduate	1264	574,090	51	2.8	1.8- 3.8	1213	97.2	96.2-98.2
Less than \$15,000	197	131,809	11	4.1	1.6- 6.6	186	95.9	93.4-98.4
\$15,000- 24,999	432	288,519	23	3.6	2.0- 5.2	409	96.4	94.8-98.0
\$25,000- 34,999	311	194,083	16	3.3	1.3- 5.3	295	96.7	94.7-98.7
\$35,000- 49,999	470	293,784	20	3.6	1.8- 5.4	450	96.4	94.6-98.2
\$50,000- 74,999	523	355,413	15	2.4	0.8- 4.0	508	97.6	96.0-99.2
\$75,000+	1160	782,632	36	2.2	1.4- 3.0	1124	97.8	97.0-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4612	2,657,615	223	3.6	3.0- 4.2	4389	96.4	95.8-97.0
White/Non-Hisp	3741	2,115,245	185	3.9	3.3- 4.5	3556	96.1	95.5-96.7
Black or Afr. Am./Non-Hisp	436	241,715	24	3.0	1.4- 4.6	412	97.0	95.4-98.6
Oth. Race/Non-Hisp.	101	66,159				101	100.0	100.0- 100
MultiRacial/Non-Hisp.	67	24,592	5	5.0	0.0-10.5	62	95.0	89.5- 100
Hispanic	190	168,964	6	3.1	0.4- 5.8	184	96.9	94.2-99.6
18-24	227	331,821	1	0.2	0.0- 0.6	226	99.8	99.4- 100
25-34	419	431,106	4	1.2	0.0- 2.4	415	98.8	97.6- 100
35-44	546	415,348	7	1.3	0.1- 2.5	539	98.7	97.5-99.9
45-54	745	411,780	19	2.3	1.1- 3.5	726	97.7	96.5-98.9
55-64	911	440,136	49	5.5	3.7- 7.3	862	94.5	92.7-96.3
65+	1764	627,424	143	8.2	6.6- 9.8	1621	91.8	90.2-93.4
Less Than H.S.	323	311,083	26	5.4	3.0- 7.8	297	94.6	92.2-97.0
H.S. or G.E.D.	1461	839,635	87	4.4	3.4- 5.4	1374	95.6	94.6-96.6
Some Post-H.S.	1234	823,673	55	3.4	2.2- 4.6	1179	96.6	95.4-97.8
College Graduate	1577	673,182	54	2.1	1.3- 2.9	1523	97.9	97.1-98.7
Less than \$15,000	345	211,806	28	7.8	4.5-11.1	317	92.2	88.9-95.5
\$15,000- 24,999	632	374,977	40	4.4	2.8- 6.0	592	95.6	94.0-97.2
\$25,000- 34,999	414	220,719	37	6.5	4.0- 9.0	377	93.5	91.0-96.0
\$35,000- 49,999	542	310,806	16	2.1	0.7- 3.5	526	97.9	96.5-99.3
\$50,000- 74,999	590	344,315	21	2.0	1.0- 3.0	569	98.0	97.0-99.0
\$75,000+	980	590,653	23	1.9	0.9- 2.9	957	98.1	97.1-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 34: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8454	5,200,038	1284	11.8	11.0-12.6	84	1.0	0.8- 1.2	6936	85.7	84.9-86.5	150	1.6	1.2- 2.0
Male	3830	2,535,831	598	11.8	10.8-12.8				3159	86.5	85.3-87.7	73	1.7	1.3- 2.1
Female	4624	2,664,207	686	11.8	10.8-12.8	84	1.9	1.5- 2.3	3777	84.9	83.7-86.1	77	1.4	1.0- 1.8
White/Non-Hisp	6840	4,099,587	998	11.8	11.0-12.6	71	1.0	0.8- 1.2	5649	85.6	84.6-86.6	122	1.6	1.2- 2.0
Black or Afr. Am./Non-Hisp	723	461,418	151	14.3	11.4-17.2	5	0.6	0.0- 1.2	550	83.9	80.8-87.0	17	1.3	0.5- 2.1
Oth. Race/Non-Hisp.	217	161,382	32	8.5	4.4-12.6	1	0.0	0.0- 0.0	180	90.1	85.8-94.4	4	1.4	0.0- 3.2
MultiRacial/Non-Hisp.	125	50,503	25	14.0	7.3-20.7	1	1.1	0.0- 3.3	99	85.0	78.1-91.9			
Hispanic	374	322,613	52	10.2	7.1-13.3	3	0.7	0.0- 1.5	313	87.1	83.4-90.8	6	2.1	0.1- 4.1
18-24	500	683,954	5	1.2	0.0- 2.4	2	0.2	0.0- 0.6	491	98.0	96.6-99.4	2	0.6	0.0- 1.4
25-34	832	869,573	25	2.8	1.6- 4.0	18	1.9	0.9- 2.9	784	94.8	93.2-96.4	5	0.5	0.1- 0.9
35-44	1029	828,101	63	5.9	4.3- 7.5	23	1.8	1.0- 2.6	930	91.1	89.3-92.9	13	1.3	0.5- 2.1
45-54	1387	820,653	162	12.0	10.0-14.0	15	0.7	0.3- 1.1	1185	85.5	83.3-87.7	25	1.8	1.0- 2.6
55-64	1710	863,126	335	19.2	17.0-21.4	10	0.6	0.2- 1.0	1323	77.4	75.0-79.8	42	2.8	1.8- 3.8
65+	2996	1,134,631	694	23.5	21.7-25.3	16	0.5	0.1- 0.9	2223	73.8	71.8-75.8	63	2.1	1.5- 2.7
Less Than H.S.	611	618,733	125	14.5	11.8-17.2	7	0.9	0.1- 1.7	466	82.6	79.5-85.7	13	2.1	0.9- 3.3
H.S. or G.E.D.	2752	1,738,865	460	13.1	11.7-14.5	21	0.7	0.3- 1.1	2218	84.5	83.1-85.9	53	1.6	1.2- 2.0
Some Post-H.S.	2219	1,581,160	353	11.6	10.2-13.0	19	0.8	0.4- 1.2	1803	85.9	84.3-87.5	44	1.6	1.0- 2.2
College Graduate	2847	1,248,652	340	8.7	7.7- 9.7	37	1.4	0.8- 2.0	2431	88.7	87.5-89.9	39	1.2	0.8- 1.6
Less than \$15,000	546	346,408	136	21.3	17.4-25.2	5	0.7	0.0- 1.5	395	76.1	72.0-80.2	10	1.8	0.4- 3.2
\$15,000- 24,999	1068	664,949	214	15.3	12.9-17.7	14	1.2	0.4- 2.0	816	81.7	79.2-84.2	24	1.7	0.9- 2.5
\$25,000- 34,999	725	415,308	146	16.5	13.6-19.4	10	1.3	0.3- 2.3	559	81.3	78.2-84.4	10	0.9	0.1- 1.7
\$35,000- 49,999	1012	604,641	153	11.4	9.2-13.6	10	0.7	0.1- 1.3	826	85.8	83.4-88.2	23	2.1	1.1- 3.1
\$50,000- 74,999	1112	698,290	153	9.9	8.1-11.7	13	1.4	0.6- 2.2	924	86.6	84.4-88.8	22	2.1	1.1- 3.1
\$75,000+	2142	1,373,877	209	7.6	6.4- 8.8	17	0.7	0.3- 1.1	1892	90.6	89.2-92.0	24	1.0	0.6- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3830	2,535,831	598	11.8	10.8-12.8	3159	86.5	85.3-87.7	73	1.7	1.3- 2.1
White/Non-Hisp	3089	1,979,191	474	12.1	10.9-13.3	2553	86.1	84.7-87.5	62	1.8	1.2- 2.4
Black or Afr. Am./Non-Hisp	285	219,035	53	11.6	7.9-15.3	225	86.7	82.8-90.6	7	1.7	0.3- 3.1
Oth. Race/Non-Hisp.	115	93,996	24	11.9	5.4-18.4	90	87.8	81.3-94.3	1	0.3	0.0- 0.9
MultiRacial/Non-Hisp.	58	25,911	11	11.8	2.8-20.8	47	88.2	79.2-97.2			
Hispanic	185	154,103	24	9.1	5.2-13.0	158	88.7	83.8-93.6	3	2.2	0.0- 5.3
18-24	273	352,133	2	0.7	0.0- 1.7	270	98.6	96.8- 100	1	0.7	0.0- 2.1
25-34	414	439,296	12	2.8	1.2- 4.4	401	97.0	95.2-98.8	1	0.3	0.0- 0.9
35-44	482	411,804	26	5.0	3.0- 7.0	447	93.6	91.4-95.8	9	1.4	0.4- 2.4
45-54	640	407,293	76	12.9	10.0-15.8	550	85.0	81.9-88.1	14	2.1	0.9- 3.3
55-64	795	421,538	144	17.7	14.8-20.6	630	79.4	76.3-82.5	21	2.9	1.5- 4.3
65+	1226	503,766	338	27.1	24.2-30.0	861	70.3	67.4-73.2	27	2.6	1.4- 3.8
Less Than H.S.	287	306,105	55	13.8	9.9-17.7	227	84.6	80.5-88.7	5	1.6	0.0- 3.2
H.S. or G.E.D.	1286	897,965	206	12.4	10.4-14.4	1054	86.0	84.0-88.0	26	1.6	1.0- 2.2
Some Post-H.S.	982	754,565	155	10.8	8.8-12.8	809	87.4	85.2-89.6	18	1.8	0.8- 2.8
College Graduate	1266	574,288	179	10.9	9.1-12.7	1063	87.3	85.3-89.3	24	1.8	1.0- 2.6
Less than \$15,000	200	133,375	48	19.8	13.5-26.1	148	77.6	70.9-84.3	4	2.6	0.0- 5.5
\$15,000- 24,999	432	288,042	90	16.3	12.6-20.0	337	82.9	79.2-86.6	5	0.8	0.0- 1.6
\$25,000- 34,999	310	194,048	68	16.7	12.4-21.0	239	82.3	77.8-86.8	3	1.0	0.0- 2.4
\$35,000- 49,999	470	293,342	72	11.1	8.2-14.0	384	86.4	83.3-89.5	14	2.6	1.2- 4.0
\$50,000- 74,999	523	354,931	78	10.4	7.9-12.9	432	87.1	84.0-90.2	13	2.5	0.7- 4.3
\$75,000+	1160	782,632	136	8.5	6.9-10.1	1009	90.3	88.5-92.1	15	1.2	0.6- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4624	2,664,207	686	11.8	10.8-12.8	84	1.9	1.5- 2.3	3777	84.9	83.7-86.1	77	1.4	1.0- 1.8
White/Non-Hisp	3751	2,120,396	524	11.5	10.3-12.7	71	2.0	1.4- 2.6	3096	85.1	83.9-86.3	60	1.4	1.0- 1.8
Black or Afr. Am./Non-Hisp	438	242,383	98	16.7	12.4-21.0	5	1.1	0.0- 2.3	325	81.3	76.8-85.8	10	0.9	0.1- 1.7
Oth. Race/Non-Hisp.	102	67,385	8	3.8	0.5- 7.1	1	0.0	0.0- 0.0	90	93.2	88.1-98.3	3	3.0	0.0- 7.1
MultiRacial/Non-Hisp.	67	24,592	14	16.2	6.8-25.6	1	2.2	0.0- 6.5	52	81.6	71.4-91.8			
Hispanic	189	168,510	28	11.2	6.5-15.9	3	1.3	0.0- 2.9	155	85.6	80.1-91.1	3	2.0	0.0- 4.5
18-24	227	331,821	3	1.8	0.0- 3.8	2	0.5	0.0- 1.3	221	97.2	94.8-99.6	1	0.5	0.0- 1.5
25-34	418	430,276	13	2.9	1.3- 4.5	18	3.8	2.0- 5.6	383	92.7	90.2-95.2	4	0.7	0.1- 1.3
35-44	547	416,297	37	6.8	4.4- 9.2	23	3.6	2.0- 5.2	483	88.5	85.6-91.4	4	1.1	0.0- 2.3
45-54	747	413,360	86	11.0	8.5-13.5	15	1.4	0.6- 2.2	635	86.0	83.3-88.7	11	1.6	0.6- 2.6
55-64	915	441,587	191	20.6	17.5-23.7	10	1.1	0.3- 1.9	693	75.6	72.5-78.7	21	2.7	1.5- 3.9
65+	1770	630,865	356	20.7	18.3-23.1	16	0.9	0.3- 1.5	1362	76.6	74.2-79.0	36	1.8	1.0- 2.6
Less Than H.S.	324	312,628	70	15.2	11.3-19.1	7	1.7	0.3- 3.1	239	80.6	76.1-85.1	8	2.5	0.5- 4.5
H.S. or G.E.D.	1466	840,900	254	13.9	11.9-15.9	21	1.5	0.7- 2.3	1164	83.0	80.8-85.2	27	1.6	1.0- 2.2
Some Post-H.S.	1237	826,596	198	12.4	10.4-14.4	19	1.6	0.8- 2.4	994	84.6	82.4-86.8	26	1.4	0.8- 2.0
College Graduate	1581	674,364	161	6.8	5.6- 8.0	37	2.7	1.7- 3.7	1368	89.8	88.2-91.4	15	0.7	0.3- 1.1
Less than \$15,000	346	213,033	88	22.3	17.2-27.4	5	1.2	0.0- 2.4	247	75.2	69.9-80.5	6	1.3	0.0- 2.7
\$15,000- 24,999	636	376,906	124	14.6	11.7-17.5	14	2.2	1.0- 3.4	479	80.8	77.5-84.1	19	2.4	1.2- 3.6
\$25,000- 34,999	415	221,260	78	16.3	12.2-20.4	10	2.4	0.6- 4.2	320	80.4	75.9-84.9	7	0.9	0.1- 1.7
\$35,000- 49,999	542	311,299	81	11.7	8.8-14.6	10	1.4	0.4- 2.4	442	85.3	82.0-88.6	9	1.6	0.4- 2.8
\$50,000- 74,999	589	343,358	75	9.4	6.9-11.9	13	2.9	1.1- 4.7	492	86.0	82.9-89.1	9	1.6	0.4- 2.8
\$75,000+	982	591,245	73	6.5	4.7- 8.3	17	1.7	0.7- 2.7	883	91.0	89.0-93.0	9	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1202	578,212	17	1.9	0.9- 2.9	115	13.3	10.8-15.8	301	28.3	25.2-31.4	514	39.2	36.1-42.3	255	17.4	15.0-19.8
Male	571	287,367	10	2.2	0.6- 3.8	36	9.5	6.2-12.8	140	27.4	23.1-31.7	262	43.5	38.8-48.2	123	17.4	14.1-20.7
Female	631	290,845	7	1.6	0.2- 3.0	79	17.1	13.0-21.2	161	29.1	24.6-33.6	252	34.9	30.6-39.2	132	17.3	14.0-20.6
White/Non-Hisp	936	455,954	13	1.8	0.6- 3.0	84	12.3	9.6-15.0	214	25.7	22.4-29.0	407	40.5	37.0-44.0	218	19.6	16.9-22.3
Black or Afr. Am./Non-Hisp	142	63,081	1	1.7	0.0- 4.8	17	19.7	9.9-29.5	56	43.5	32.7-54.3	49	25.0	16.0-34.0	19	10.1	3.6-16.6
35-44	61	46,335	2	4.0	0.0-10.3	22	32.5	20.0-45.0	37	63.5	50.4-76.6						
45-54	149	91,957	2	1.0	0.0- 2.4	33	23.4	15.8-31.0	68	39.7	31.1-48.3	46	35.9	27.1-44.7			
55-64	324	161,222	5	1.5	0.1- 2.9	27	7.6	4.3-10.9	108	37.8	31.5-44.1	177	50.4	44.1-56.7	7	2.6	0.4- 4.8
65+	638	245,784	2	0.2	0.0- 0.6	17	3.3	1.5- 5.1	80	11.7	8.8-14.6	291	45.6	41.1-50.1	248	39.1	34.6-43.6
Less Than H.S.	118	85,166	1	0.6	0.0- 1.8	11	9.4	3.3-15.5	31	28.1	18.7-37.5	46	40.6	30.6-50.6	29	21.3	13.3-29.3
H.S. or G.E.D.	429	214,654	6	1.9	0.3- 3.5	46	14.6	10.1-19.1	102	25.8	20.9-30.7	197	42.5	37.2-47.8	78	15.2	11.5-18.9
Some Post-H.S.	330	173,734	5	2.2	0.0- 4.4	37	16.0	10.9-21.1	92	31.5	25.6-37.4	124	33.4	27.7-39.1	72	17.0	12.9-21.1
College Graduate	321	102,969	5	2.6	0.0- 5.3	20	9.2	4.9-13.5	75	28.1	22.2-34.0	145	40.6	34.3-46.9	76	19.5	14.8-24.2
Less than \$15,000	131	72,232	3	2.9	0.0- 6.4	22	22.2	12.6-31.8	37	31.7	22.1-41.3	50	32.2	23.4-41.0	19	11.0	6.1-15.9
\$15,000- 24,999	202	96,796	4	2.3	0.0- 4.8	14	7.5	3.2-11.8	55	27.1	19.8-34.4	96	48.7	40.7-56.7	33	14.4	8.9-19.9
\$25,000- 34,999	129	60,409				10	12.0	4.4-19.6	29	23.3	14.9-31.7	51	41.2	30.8-51.6	39	23.5	15.3-31.7
\$35,000- 49,999	147	65,602				10	11.0	4.1-17.9	37	29.8	20.6-39.0	68	39.5	30.3-48.7	32	19.7	12.3-27.1
\$50,000- 74,999	149	68,126	4	3.3	0.0- 7.0	15	12.9	5.6-20.2	32	25.5	16.7-34.3	64	38.8	29.8-47.8	34	19.5	12.6-26.4
\$75,000+	203	102,810	4	3.7	0.0- 7.6	13	9.7	4.2-15.2	67	36.4	28.8-44.0	87	37.0	29.6-44.4	32	13.3	8.8-17.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	571	287,367	10	2.2	0.6- 3.8	36	9.5	6.2-12.8	140	27.4	23.1-31.7	262	43.5	38.8-48.2	123	17.4	14.1-20.7
White/Non-Hisp	454	231,046	7	1.9	0.3- 3.5	27	9.3	5.6-13.0	103	25.2	20.5-29.9	209	43.8	38.7-48.9	108	19.7	15.8-23.6
45-54	72	50,064	2	1.8	0.0- 4.5	14	21.4	10.8-32.0	32	38.6	26.6-50.6	24	38.3	26.0-50.6			
55-64	144	74,637	3	2.4	0.0- 5.1	5	2.8	0.1- 5.5	49	37.4	28.2-46.6	84	54.8	45.6-64.0	3	2.6	0.0- 5.7
65+	316	128,552	1	0.3	0.0- 0.9	2	0.8	0.0- 2.0	39	11.1	7.4-14.8	154	50.5	44.2-56.8	120	37.3	31.2-43.4
Less Than H.S.	53	41,228	1	1.2	0.0- 3.6	3	8.3	0.0-17.5	11	21.7	9.5-33.9	22	44.0	28.9-59.1	16	24.8	12.3-37.3
H.S. or G.E.D.	194	106,630	3	1.6	0.0- 3.4	14	11.5	5.6-17.4	48	26.2	18.9-33.5	97	47.7	39.9-55.5	32	13.0	8.1-17.9
Some Post-H.S.	146	76,811	3	2.8	0.0- 6.3	10	9.1	3.0-15.2	36	29.0	20.2-37.8	61	40.0	31.0-49.0	36	19.1	12.4-25.8
College Graduate	175	61,543	3	3.3	0.0- 7.6	8	7.0	1.9-12.1	45	31.9	23.7-40.1	80	39.6	31.6-47.6	39	18.2	12.3-24.1
\$15,000- 24,999	85	44,874	2	2.5	0.0- 6.0	3	6.0	0.0-12.9	17	20.4	10.8-30.0	48	56.1	44.1-68.1	15	15.0	6.8-23.2
\$25,000- 34,999	60	28,385				2	3.5	0.0- 9.4	13	20.4	9.6-31.2	23	43.8	29.1-58.5	22	32.3	19.4-45.2
\$35,000- 49,999	71	31,886				5	14.2	2.6-25.8	11	16.8	6.2-27.4	35	43.2	30.1-56.3	20	25.8	13.6-38.0
\$50,000- 74,999	76	36,377	3	5.3	0.0-11.8	4	7.4	0.0-14.8	13	20.4	8.8-32.0	38	46.1	33.6-58.6	18	20.8	10.8-30.8
\$75,000+	134	66,092	2	3.0	0.0- 7.3	8	8.7	2.4-15.0	49	42.1	32.5-51.7	54	34.2	25.2-43.2	21	12.0	6.5-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	631	290,845	7	1.6	0.2- 3.0	79	17.1	13.0-21.2	161	29.1	24.6-33.6	252	34.9	30.6-39.2	132	17.3	14.0-20.6
White/Non-Hisp	482	224,908	6	1.6	0.0- 3.2	57	15.4	11.1-19.7	111	26.3	21.4-31.2	198	37.1	32.2-42.0	110	19.6	15.7-23.5
Black or Afr. Am./Non-Hisp	93	39,235	1	2.7	0.0- 7.8	14	25.7	11.8-39.6	31	37.2	23.7-50.7	32	21.1	11.1-31.1	15	13.3	3.9-22.7
45-54	77	41,893				19	25.9	14.7-37.1	36	40.9	28.6-53.2	22	33.1	20.6-45.6			
55-64	180	86,585	2	0.7	0.0- 1.7	22	11.8	6.3-17.3	59	38.1	29.5-46.7	93	46.7	38.1-55.3	4	2.7	0.0- 5.4
65+	322	117,232	1	0.2	0.0- 0.6	15	6.1	3.0- 9.2	41	12.5	8.2-16.8	137	40.2	33.9-46.5	128	41.1	34.6-47.6
Less Than H.S.	65	43,938				8	10.4	2.2-18.6	20	34.1	20.4-47.8	24	37.4	24.1-50.7	13	18.1	8.3-27.9
H.S. or G.E.D.	235	108,023	3	2.2	0.0- 4.7	32	17.7	10.8-24.6	54	25.3	18.6-32.0	100	37.4	30.3-44.5	46	17.4	11.7-23.1
Some Post-H.S.	184	96,922	2	1.7	0.0- 4.6	27	21.5	13.7-29.3	56	33.4	25.2-41.6	63	28.1	20.8-35.4	36	15.3	10.0-20.6
College Graduate	146	41,427	2	1.5	0.0- 3.7	12	12.4	5.1-19.7	30	22.6	14.2-31.0	65	41.9	32.3-51.5	37	21.5	13.9-29.1
Less than \$15,000	85	46,329	2	3.1	0.0- 7.8	17	25.3	12.8-37.8	22	28.4	16.8-40.0	30	28.0	17.6-38.4	14	15.1	7.7-22.5
\$15,000- 24,999	117	51,922	2	2.1	0.0- 5.6	11	8.7	3.2-14.2	38	32.9	22.3-43.5	48	42.4	31.6-53.2	18	13.9	6.5-21.3
\$25,000- 34,999	69	32,024				8	19.5	6.6-32.4	16	25.9	13.2-38.6	28	38.9	24.6-53.2	17	15.7	6.1-25.3
\$35,000- 49,999	76	33,715				5	8.0	0.6-15.4	26	42.2	28.3-56.1	33	36.0	23.3-48.7	12	13.9	5.3-22.5
\$50,000- 74,999	73	31,749	1	1.0	0.0- 3.0	11	19.3	6.6-32.0	19	31.3	18.0-44.6	26	30.5	18.3-42.7	16	17.9	8.5-27.3
\$75,000+	69	36,718	2	4.8	0.0-12.4	5	11.6	1.4-21.8	18	26.0	14.4-37.6	33	42.0	29.1-54.9	11	15.6	7.8-23.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)	
1 MALES AND FEMALES	79
2 MALES ONLY	80
3 FEMALES ONLY	81
NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? (RMVTETH4)	
4 MALES AND FEMALES	82
5 MALES ONLY	83
6 FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 1: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2940	1,910,153	1043	37.7	35.5-39.9	862	28.2	26.2-30.2	977	31.9	29.9-33.9	58	2.3	1.5- 3.1
Male	1412	973,840	477	35.8	32.9-38.7	403	27.1	24.4-29.8	499	34.4	31.5-37.3	33	2.6	1.6- 3.6
Female	1528	936,313	566	39.5	36.4-42.6	459	29.3	26.4-32.2	478	29.3	26.4-32.2	25	1.9	0.9- 2.9
White/Non-Hisp	2246	1,433,868	769	36.0	33.6-38.4	660	28.3	26.1-30.5	793	34.5	32.1-36.9	24	1.2	0.6- 1.8
Black or Afr. Am./Non-Hisp	310	195,675	139	48.4	41.3-55.5	86	24.9	19.0-30.8	73	23.4	17.3-29.5	12	3.3	1.1- 5.5
Oth. Race/Non-Hisp.	86	70,133	26	34.5	22.0-47.0	25	26.8	15.0-38.6	30	31.2	19.4-43.0	5	7.6	0.5-14.7
MultiRacial/Non-Hisp.	62	24,245	26	52.3	37.4-67.2	18	26.8	13.5-40.1	16	19.9	9.5-30.3	2	1.0	0.0- 2.8
Hispanic	166	142,374	64	41.2	32.0-50.4	60	34.8	26.0-43.6	32	16.6	10.5-22.7	10	7.4	2.1-12.7
18-24	187	254,651	98	50.4	42.4-58.4	54	26.3	19.4-33.2	29	18.9	12.2-25.6	6	4.4	0.7- 8.1
25-34	331	347,317	131	40.0	34.1-45.9	86	25.1	19.8-30.4	104	32.1	26.4-37.8	10	2.8	1.0- 4.6
35-44	360	303,874	122	34.8	29.3-40.3	124	34.1	28.6-39.6	107	29.2	24.1-34.3	7	1.8	0.4- 3.2
45-54	487	296,157	183	38.3	33.4-43.2	152	30.6	25.9-35.3	148	30.2	25.5-34.9	4	0.8	0.0- 1.6
55-64	595	307,319	210	35.6	31.1-40.1	186	29.3	25.2-33.4	188	32.9	28.6-37.2	11	2.2	0.6- 3.8
65+	980	400,834	299	30.8	27.3-34.3	260	24.8	21.7-27.9	401	42.5	38.8-46.2	20	1.9	0.9- 2.9
Less Than H.S.	358	344,936	78	23.3	18.0-28.6	93	26.8	21.3-32.3	169	44.1	38.0-50.2	18	5.7	2.6- 8.8
H.S. or G.E.D.	1210	747,402	390	35.8	32.5-39.1	369	29.3	26.2-32.4	426	32.9	29.8-36.0	25	2.0	1.0- 3.0
Some Post-H.S.	743	530,176	292	43.8	39.5-48.1	206	27.1	23.4-30.8	239	28.5	24.8-32.2	6	0.6	0.0- 1.2
College Graduate	620	284,025	279	48.1	43.4-52.8	193	29.0	24.9-33.1	140	20.9	17.2-24.6	8	2.0	0.4- 3.6
Less than \$15,000	325	198,281	95	33.6	27.3-39.9	87	23.9	18.4-29.4	137	40.6	34.1-47.1	6	1.9	0.1- 3.7
\$15,000- 24,999	569	361,962	168	31.2	26.5-35.9	170	28.1	23.6-32.6	218	37.3	32.4-42.2	13	3.4	1.0- 5.8
\$25,000- 34,999	307	183,288	101	33.0	26.7-39.3	103	36.3	29.6-43.0	96	28.4	22.5-34.3	7	2.3	0.5- 4.1
\$35,000- 49,999	378	239,238	135	37.4	31.5-43.3	109	26.0	20.9-31.1	132	35.9	29.8-42.0	2	0.7	0.0- 1.7
\$50,000- 74,999	321	225,894	138	45.7	39.2-52.2	87	26.4	20.7-32.1	94	26.6	21.3-31.9	2	1.3	0.0- 3.3
\$75,000+	405	287,478	200	48.1	42.4-53.8	121	28.6	23.5-33.7	82	22.8	17.9-27.7	2	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 2: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1412	973,840	477	35.8	32.9-38.7	403	27.1	24.4-29.8	499	34.4	31.5-37.3	33	2.6	1.6- 3.6
White/Non-Hisp	1081	723,173	362	34.9	31.6-38.2	304	27.2	24.1-30.3	401	36.5	33.2-39.8	14	1.4	0.6- 2.2
Black or Afr. Am./Non-Hisp	126	95,232	46	38.4	28.0-48.8	33	24.8	16.0-33.6	43	34.4	24.2-44.6	4	2.4	0.0- 4.8
Hispanic	94	74,788	37	45.6	33.6-57.6	33	30.2	20.0-40.4	17	16.1	7.9-24.3	7	8.1	1.8-14.4
18-24	99	122,489	48	44.2	33.4-55.0	29	29.7	19.5-39.9	18	21.4	12.0-30.8	4	4.6	0.1- 9.1
25-34	183	188,408	65	37.2	29.4-45.0	46	22.6	16.1-29.1	64	36.2	28.6-43.8	8	4.1	1.2- 7.0
35-44	189	164,540	66	39.3	31.5-47.1	64	30.3	23.2-37.4	55	28.7	21.6-35.8	4	1.7	0.0- 3.5
45-54	244	161,159	89	38.3	31.4-45.2	74	29.0	22.7-35.3	78	31.6	25.1-38.1	3	1.1	0.0- 2.5
55-64	284	151,827	89	30.0	23.9-36.1	84	28.0	22.3-33.7	104	38.8	32.3-45.3	7	3.2	0.7- 5.7
65+	413	185,417	120	28.6	23.7-33.5	106	24.9	20.2-29.6	180	44.8	39.3-50.3	7	1.6	0.2- 3.0
Less Than H.S.	172	172,183	31	18.9	12.0-25.8	40	25.3	18.0-32.6	90	49.3	40.9-57.7	11	6.5	2.6-10.4
H.S. or G.E.D.	576	385,898	191	35.0	30.5-39.5	163	28.5	24.2-32.8	211	34.6	30.3-38.9	11	1.9	0.5- 3.3
Some Post-H.S.	361	277,723	132	42.8	36.7-48.9	103	25.7	20.6-30.8	122	30.5	25.0-36.0	4	1.0	0.0- 2.2
College Graduate	300	137,444	122	45.4	38.9-51.9	97	28.5	22.8-34.2	74	23.0	17.7-28.3	7	3.2	0.7- 5.7
Less than \$15,000	122	77,676	29	23.0	14.4-31.6	28	25.8	16.2-35.4	62	48.9	38.5-59.3	3	2.3	0.0- 5.4
\$15,000- 24,999	255	171,131	72	30.3	23.6-37.0	73	28.4	21.9-34.9	105	38.8	31.9-45.7	5	2.6	0.2- 5.0
\$25,000- 34,999	149	95,801	42	31.2	22.4-40.0	44	33.2	24.0-42.4	58	32.9	24.5-41.3	5	2.7	0.2- 5.2
\$35,000- 49,999	198	132,815	62	34.5	26.5-42.5	59	24.2	17.7-30.7	75	40.1	31.9-48.3	2	1.2	0.0- 3.0
\$50,000- 74,999	184	136,155	75	44.6	36.2-53.0	53	26.0	18.7-33.3	54	27.3	20.2-34.4	2	2.2	0.0- 5.3
\$75,000+	237	179,004	109	45.8	38.4-53.2	70	25.8	19.3-32.3	57	28.4	21.5-35.3	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 3: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1528	936,313	566	39.5	36.4-42.6	459	29.3	26.4-32.2	478	29.3	26.4-32.2	25	1.9	0.9- 2.9
White/Non-Hisp	1165	710,695	407	37.2	33.7-40.7	356	29.4	26.3-32.5	392	32.4	29.1-35.7	10	1.0	0.2- 1.8
Black or Afr. Am./Non-Hisp	184	100,442	93	57.9	48.7-67.1	53	25.0	17.0-33.0	30	12.9	6.6-19.2	8	4.2	0.7- 7.7
Hispanic	72	67,586	27	36.3	22.2-50.4	27	40.0	25.7-54.3	15	17.0	7.8-26.2	3	6.7	0.0-15.5
18-24	88	132,162	50	56.0	44.2-67.8	25	23.2	14.2-32.2	11	16.5	6.9-26.1	2	4.2	0.0- 9.9
25-34	148	158,909	66	43.4	34.4-52.4	40	28.2	20.0-36.4	40	27.2	19.2-35.2	2	1.3	0.0- 3.1
35-44	171	139,334	56	29.5	22.2-36.8	60	38.7	30.7-46.7	52	29.9	22.5-37.3	3	1.9	0.0- 4.1
45-54	243	134,998	94	38.4	31.5-45.3	78	32.6	25.7-39.5	70	28.5	22.2-34.8	1	0.4	0.0- 1.2
55-64	311	155,492	121	41.1	34.6-47.6	102	30.5	24.6-36.4	84	27.1	21.4-32.8	4	1.3	0.0- 3.1
65+	567	215,417	179	32.6	27.9-37.3	154	24.7	20.4-29.0	221	40.4	35.5-45.3	13	2.2	0.8- 3.6
Less Than H.S.	186	172,754	47	27.7	19.7-35.7	53	28.4	20.6-36.2	79	39.0	30.4-47.6	7	4.9	0.2- 9.6
H.S. or G.E.D.	634	361,504	199	36.7	31.8-41.6	206	30.2	25.9-34.5	215	31.1	26.8-35.4	14	2.0	0.8- 3.2
Some Post-H.S.	382	252,453	160	44.9	38.8-51.0	103	28.7	23.0-34.4	117	26.4	21.3-31.5	2	0.0	0.0- 0.0
College Graduate	320	146,581	157	50.7	43.8-57.6	96	29.5	23.4-35.6	66	18.9	13.8-24.0	1	0.9	0.0- 2.7
Less than \$15,000	203	120,605	66	40.4	32.0-48.8	59	22.7	16.4-29.0	75	35.3	27.1-43.5	3	1.6	0.2- 3.0
\$15,000- 24,999	314	190,831	96	32.0	25.3-38.7	97	27.8	21.7-33.9	113	36.0	29.1-42.9	8	4.1	0.0- 8.2
\$25,000- 34,999	158	87,487	59	34.9	26.3-43.5	59	39.7	30.3-49.1	38	23.5	15.3-31.7	2	1.9	0.0- 4.6
\$35,000- 49,999	180	106,423	73	41.1	32.3-49.9	50	28.2	19.8-36.6	57	30.7	22.5-38.9			
\$50,000- 74,999	137	89,739	63	47.4	37.6-57.2	34	27.0	18.0-36.0	40	25.7	17.7-33.7			
\$75,000+	168	108,474	91	52.0	43.2-60.8	51	33.3	24.7-41.9	25	13.6	7.7-19.5	1	1.2	0.0- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 4: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1696	850,109	961	56.8	53.9-59.7	735	43.2	40.3-46.1
Male	728	390,971	425	58.3	54.0-62.6	303	41.7	37.4-46.0
Female	968	459,139	536	55.6	51.9-59.3	432	44.4	40.7-48.1
White/Non-Hisp	1358	696,695	759	56.4	53.3-59.5	599	43.6	40.5-46.7
Black or Afr. Am./Non-Hisp	177	74,427	108	60.9	50.7-71.1	69	39.1	28.9-49.3
Oth. Race/Non-Hisp.	50	23,880	25	57.5	38.9-76.1	25	42.5	23.9-61.1
35-44	101	82,595	75	73.8	64.2-83.4	26	26.2	16.6-35.8
45-54	172	112,015	97	49.6	41.0-58.2	75	50.4	41.8-59.0
55-64	418	217,135	240	58.5	53.0-64.0	178	41.5	36.0-47.0
65+	957	386,923	513	51.4	47.7-55.1	444	48.6	44.9-52.3
Less Than H.S.	263	219,689	107	44.6	37.7-51.5	156	55.4	48.5-62.3
H.S. or G.E.D.	775	356,129	439	58.9	54.8-63.0	336	41.1	37.0-45.2
Some Post-H.S.	414	203,083	244	61.2	55.5-66.9	170	38.8	33.1-44.5
College Graduate	237	67,761	168	71.4	64.7-78.1	69	28.6	21.9-35.3
Less than \$15,000	229	120,034	109	50.5	42.7-58.3	120	49.5	41.7-57.3
\$15,000- 24,999	381	198,406	205	53.2	47.1-59.3	176	46.8	40.7-52.9
\$25,000- 34,999	197	94,401	116	55.0	46.6-63.4	81	45.0	36.6-53.4
\$35,000- 49,999	216	103,393	129	60.0	52.2-67.8	87	40.0	32.2-47.8
\$50,000- 74,999	153	88,580	101	65.9	56.9-74.9	52	34.1	25.1-43.1
\$75,000+	138	64,199	98	70.6	61.2-80.0	40	29.4	20.0-38.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 5: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	728	390,971	425	58.3	54.0-62.6	303	41.7	37.4-46.0	
White/Non-Hisp	589	317,396	339	57.1	52.4-61.8	250	42.9	38.2-47.6	
Black or Afr. Am./Non-Hisp	68	39,634	40	59.3	43.2-75.4	28	40.7	24.6-56.8	
45-54	76	52,976	45	56.5	43.6-69.4	31	43.5	30.6-56.4	
55-64	183	100,697	114	60.8	52.6-69.0	69	39.2	31.0-47.4	
65+	408	173,674	219	50.6	44.9-56.3	189	49.4	43.7-55.1	
Less Than H.S.	116	111,724	56	51.1	40.9-61.3	60	48.9	38.7-59.1	
H.S. or G.E.D.	328	157,132	188	60.2	54.1-66.3	140	39.8	33.7-45.9	
Some Post-H.S.	166	86,269	100	59.7	50.7-68.7	66	40.3	31.3-49.3	
College Graduate	116	35,426	80	69.1	59.5-78.7	36	30.9	21.3-40.5	
Less than \$15,000	80	45,202	43	57.6	44.9-70.3	37	42.4	29.7-55.1	
\$15,000- 24,999	148	85,192	80	51.2	41.4-61.0	68	48.8	39.0-58.6	
\$25,000- 34,999	90	45,805	48	51.5	39.2-63.8	42	48.5	36.2-60.8	
\$35,000- 49,999	109	53,278	63	58.3	46.9-69.7	46	41.7	30.3-53.1	
\$50,000- 74,999	84	51,549	59	71.2	59.2-83.2	25	28.8	16.8-40.8	
\$75,000+	77	37,773	52	66.3	53.4-79.2	25	33.7	20.8-46.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 6: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	968	459,139	536	55.6	51.9-59.3	432	44.4	40.7-48.1
White/Non-Hisp	769	379,298	420	55.8	51.7-59.9	349	44.2	40.1-48.3
Black or Afr. Am./Non-Hisp	109	34,793	68	62.7	50.4-75.0	41	37.3	25.0-49.6
35-44	61	45,387	45	72.7	60.4-85.0	16	27.3	15.0-39.6
45-54	96	59,039	52	43.3	31.9-54.7	44	56.7	45.3-68.1
55-64	235	116,437	126	56.6	49.2-64.0	109	43.4	36.0-50.8
65+	549	213,249	294	52.0	46.9-57.1	255	48.0	42.9-53.1
Less Than H.S.	147	107,965	51	38.0	29.0-47.0	96	62.0	53.0-71.0
H.S. or G.E.D.	447	198,997	251	58.0	52.5-63.5	196	42.0	36.5-47.5
Some Post-H.S.	248	116,814	144	62.4	55.3-69.5	104	37.6	30.5-44.7
College Graduate	121	32,335	88	73.8	64.6-83.0	33	26.2	17.0-35.4
Less than \$15,000	149	74,832	66	46.2	36.8-55.6	83	53.8	44.4-63.2
\$15,000- 24,999	233	113,214	125	54.8	47.2-62.4	108	45.2	37.6-52.8
\$25,000- 34,999	107	48,595	68	58.3	46.5-70.1	39	41.7	29.9-53.5
\$35,000- 49,999	107	50,116	66	61.8	50.8-72.8	41	38.2	27.2-49.2
\$50,000- 74,999	69	37,031	42	58.5	45.0-72.0	27	41.5	28.0-55.0
\$75,000+	61	26,426	46	76.6	64.4-88.8	15	23.4	11.2-35.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	89
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
4 MALES AND FEMALES	92
5 MALES ONLY	93
6 FEMALES ONLY	94
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)	
7 MALES AND FEMALES	95
8 MALES ONLY	96
9 FEMALES ONLY	97
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10 MALES AND FEMALES	98
11 MALES ONLY	99
12 FEMALES ONLY	100
ARE YOU: (MARITAL STATUS) (MARITAL)	
13 MALES AND FEMALES	101
14 MALES ONLY	102
15 FEMALES ONLY	103
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
16 MALES AND FEMALES	104
17 MALES ONLY	105
18 FEMALES ONLY	106
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
19 MALES AND FEMALES	107
20 MALES ONLY	108
21 FEMALES ONLY	109

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
22	MALES AND FEMALES	110
23	MALES ONLY	111
24	FEMALES ONLY	112
	WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
25	MALES AND FEMALES	113
26	MALES ONLY	114
27	FEMALES ONLY	115
	NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
28	MALES AND FEMALES	116
29	MALES ONLY	117
30	FEMALES ONLY	118
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
31	MALES AND FEMALES	119
32	MALES ONLY	120
33	FEMALES ONLY	121
	HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
34	MALES AND FEMALES	122
35	MALES ONLY	123
36	FEMALES ONLY	124
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
37	MALES AND FEMALES	125
38	MALES ONLY	126
39	FEMALES ONLY	127
	ARE YOU CURRENTLY...? (EMPLOY1)	
40	MALES AND FEMALES	128
41	MALES ONLY	129
42	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
43 MALES AND FEMALES	131
44 MALES ONLY	132
45 FEMALES ONLY	133
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
46 MALES AND FEMALES	134
47 MALES ONLY	135
48 FEMALES ONLY	136
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
49 MALES AND FEMALES	137
50 MALES ONLY	138
51 FEMALES ONLY	139
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
52 MALES AND FEMALES	140
53 MALES ONLY	141
54 FEMALES ONLY	142
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
55 MALES AND FEMALES	143
56 MALES ONLY	144
57 FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 1: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8480	5,212,496	500	13.1	11.9-14.3	834	16.7	15.5-17.9	1033	15.9	14.9-16.9	1392	15.8	15.0-16.6	1715	16.6	15.8-17.4	3006	21.8	21.0-22.6
Male	3841	2,542,344	273	13.9	12.3-15.5	415	17.3	15.7-18.9	485	16.3	14.9-17.7	643	16.1	14.7-17.5	797	16.6	15.4-17.8	1228	19.8	18.6-21.0
Female	4639	2,670,152	227	12.4	10.8-14.0	419	16.1	14.5-17.7	548	15.6	14.2-17.0	749	15.5	14.3-16.7	918	16.6	15.4-17.8	1778	23.7	22.5-24.9
White/Non-Hisp	6859	4,108,522	351	11.5	10.3-12.7	628	15.8	14.6-17.0	770	14.8	13.8-15.8	1105	15.8	14.8-16.8	1410	17.8	16.8-18.8	2595	24.4	23.4-25.4
Black or Afr. Am./Non-Hisp	724	461,797	41	13.6	9.7-17.5	74	19.5	15.4-23.6	102	19.6	15.9-23.3	121	16.5	13.4-19.6	155	15.3	12.4-18.2	231	15.4	12.7-18.1
Oth. Race/Non-Hisp.	219	163,265	29	32.1	22.7-41.5	26	15.0	8.9-21.1	31	18.9	11.8-26.0	38	13.7	8.6-18.8	41	10.0	6.1-13.9	54	10.2	6.5-13.9
MultiRacial/Non-Hisp.	125	50,503	13	15.4	7.0-23.8	19	28.9	17.3-40.5	21	17.0	9.2-24.8	11	7.1	2.4-11.8	32	16.0	9.5-22.5	29	15.6	8.7-22.5
Hispanic	376	323,516	61	25.0	19.1-30.9	73	23.7	18.4-29.0	90	24.3	19.4-29.2	72	14.7	11.0-18.4	45	7.2	4.7- 9.7	35	5.2	3.0- 7.4
Less Than H.S.	612	619,367	46	14.5	10.6-18.4	59	15.8	11.9-19.7	86	16.9	13.4-20.4	103	16.4	13.3-19.5	134	16.7	13.8-19.6	184	19.6	16.5-22.7
H.S. or G.E.D.	2764	1,745,153	210	16.7	14.5-18.9	246	15.1	13.3-16.9	262	12.3	10.7-13.9	378	13.4	12.0-14.8	596	17.7	16.1-19.3	1072	24.8	23.2-26.4
Some Post-H.S.	2226	1,584,185	154	14.0	11.8-16.2	238	18.2	16.0-20.4	271	16.3	14.3-18.3	344	15.4	13.8-17.0	426	15.5	13.9-17.1	793	20.6	19.0-22.2
College Graduate	2852	1,250,838	89	6.4	5.0- 7.8	290	17.7	15.7-19.7	412	20.1	18.3-21.9	557	19.1	17.5-20.7	555	16.4	15.0-17.8	949	20.4	19.0-21.8
Less than \$15,000	547	346,954	42	17.0	12.1-21.9	58	16.2	12.1-20.3	65	14.0	10.5-17.5	89	15.0	11.7-18.3	141	19.9	16.2-23.6	152	17.9	14.6-21.2
\$15,000- 24,999	1075	668,250	79	15.6	12.3-18.9	117	18.0	14.9-21.1	106	12.3	9.9-14.7	129	12.3	9.9-14.7	204	16.3	13.8-18.8	440	25.7	23.0-28.4
\$25,000- 34,999	726	415,343	44	13.0	9.1-16.9	70	17.3	13.4-21.2	66	12.1	9.2-15.0	101	14.1	11.2-17.0	106	11.9	9.4-14.4	339	31.6	27.9-35.3
\$35,000- 49,999	1015	607,233	56	10.8	8.1-13.5	119	20.3	16.8-23.8	112	14.6	11.9-17.3	128	11.9	9.7-14.1	188	15.2	12.8-17.6	412	27.3	24.4-30.2
\$50,000- 74,999	1115	700,463	49	8.9	6.4-11.4	143	21.0	17.7-24.3	154	17.7	15.0-20.4	174	15.6	13.2-18.0	230	17.5	15.1-19.9	365	19.2	17.0-21.4
\$75,000+	2143	1,374,194	87	9.6	7.6-11.6	212	16.6	14.4-18.8	385	22.6	20.4-24.8	512	21.4	19.4-23.4	523	18.9	17.1-20.7	424	10.9	9.7-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3841	2,542,344	273	13.9	12.3-15.5	415	17.3	15.7-18.9	485	16.3	14.9-17.7	643	16.1	14.7-17.5	797	16.6	15.4-17.8	1228	19.8	18.6-21.0
White/Non-Hisp	3097	1,983,491	185	11.8	10.0-13.6	318	16.8	15.0-18.6	366	15.3	13.7-16.9	511	16.3	14.9-17.7	656	17.8	16.4-19.2	1061	21.9	20.5-23.3
Black or Afr. Am./Non-Hisp	285	219,035	23	14.3	8.6-20.0	26	17.0	10.7-23.3	46	21.9	15.8-28.0	55	16.8	12.1-21.5	64	16.1	11.6-20.6	71	13.9	10.0-17.8
Oth. Race/Non-Hisp.	116	95,726	19	35.2	22.5-47.9	15	16.4	7.6-25.2	18	19.4	9.8-29.0	15	10.8	4.5-17.1	22	9.2	4.5-13.9	27	9.0	4.5-13.5
MultiRacial/Non-Hisp.	58	25,911	7	18.8	5.1-32.5	10	32.5	15.1-49.9	9	13.1	3.3-22.9	3	4.7	0.0-10.4	15	12.8	5.2-20.4	14	18.0	6.8-29.2
Hispanic	186	154,551	35	26.7	18.7-34.7	37	22.6	15.5-29.7	38	21.5	14.8-28.2	35	16.0	10.5-21.5	23	7.7	3.8-11.6	18	5.4	2.7- 8.1
Less Than H.S.	287	306,105	23	12.3	7.4-17.2	32	17.4	11.7-23.1	43	18.6	13.3-23.9	48	16.3	11.8-20.8	70	18.5	14.0-23.0	71	16.8	12.5-21.1
H.S. or G.E.D.	1294	902,956	128	18.1	15.2-21.0	140	17.0	14.3-19.7	138	13.4	11.2-15.6	199	14.7	12.5-16.9	292	17.3	15.1-19.5	397	19.5	17.3-21.7
Some Post-H.S.	983	755,111	86	16.0	12.9-19.1	109	18.2	14.9-21.5	125	16.0	13.3-18.7	158	15.6	13.2-18.0	185	14.6	12.4-16.8	320	19.5	17.1-21.9
College Graduate	1268	575,263	36	5.2	3.2- 7.2	134	16.7	14.0-19.4	179	20.1	17.4-22.8	234	18.7	16.3-21.1	248	16.9	14.7-19.1	437	22.4	20.2-24.6
Less than \$15,000	201	133,922	17	15.7	8.6-22.8	17	14.3	7.4-21.2	26	15.4	9.5-21.3	30	14.9	9.0-20.8	65	25.3	18.8-31.8	46	14.4	9.5-19.3
\$15,000- 24,999	435	289,596	36	14.6	9.9-19.3	47	17.7	12.8-22.6	42	12.3	8.4-16.2	46	11.9	8.2-15.6	101	18.8	14.9-22.7	163	24.6	20.5-28.7
\$25,000- 34,999	311	194,083	27	16.7	10.8-22.6	39	18.3	12.8-23.8	25	10.1	6.2-14.0	48	15.0	10.5-19.5	43	11.4	7.5-15.3	129	28.4	23.1-33.7
\$35,000- 49,999	472	295,561	23	8.3	5.0-11.6	60	21.6	16.5-26.7	52	15.2	11.1-19.3	65	13.3	10.0-16.6	75	13.3	10.0-16.6	197	28.3	24.0-32.6
\$50,000- 74,999	524	355,754	31	10.9	7.0-14.8	64	20.6	15.9-25.3	67	17.0	12.9-21.1	80	15.2	11.9-18.5	103	15.8	12.5-19.1	179	20.6	17.3-23.9
\$75,000+	1160	782,632	54	10.4	7.7-13.1	129	17.8	14.7-20.9	208	22.5	19.6-25.4	254	20.0	17.5-22.5	274	18.4	16.0-20.8	241	10.9	9.3-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4639	2,670,152	227	12.4	10.8-14.0	419	16.1	14.5-17.7	548	15.6	14.2-17.0	749	15.5	14.3-16.7	918	16.6	15.4-17.8	1778	23.7	22.5-24.9
White/Non-Hisp	3762	2,125,030	166	11.2	9.4-13.0	310	14.9	13.3-16.5	404	14.3	12.9-15.7	594	15.2	13.8-16.6	754	17.7	16.3-19.1	1534	26.6	25.2-28.0
Black or Afr. Am./Non-Hisp	439	242,762	18	13.0	7.3-18.7	48	21.8	16.3-27.3	56	17.6	12.9-22.3	66	16.3	12.0-20.6	91	14.6	10.9-18.3	160	16.7	13.0-20.4
Oth. Race/Non-Hisp.	103	67,539	10	27.8	13.5-42.1	11	13.1	5.3-20.9	13	18.1	8.1-28.1	23	17.8	9.4-26.2	19	11.1	4.4-17.8	27	11.9	5.6-18.2
MultiRacial/Non-Hisp.	67	24,592	6	11.8	2.2-21.4	9	25.0	10.7-39.3	12	21.1	9.1-33.1	8	9.7	2.1-17.3	17	19.4	9.0-29.8	15	13.1	5.3-20.9
Hispanic	190	168,964	26	23.4	15.0-31.8	36	24.6	16.8-32.4	52	26.8	19.5-34.1	37	13.5	8.6-18.4	22	6.7	3.6- 9.8	17	5.0	1.7- 8.3
Less Than H.S.	325	313,262	23	16.5	10.2-22.8	27	14.3	9.0-19.6	43	15.3	10.8-19.8	55	16.5	12.0-21.0	64	15.0	10.9-19.1	113	22.4	17.9-26.9
H.S. or G.E.D.	1470	842,197	82	15.1	12.0-18.2	106	13.1	10.7-15.5	124	11.2	9.2-13.2	179	12.1	10.3-13.9	304	18.1	15.9-20.3	675	30.4	27.9-32.9
Some Post-H.S.	1243	829,074	68	12.2	9.3-15.1	129	18.1	15.2-21.0	146	16.6	14.1-19.1	186	15.2	13.0-17.4	241	16.2	14.0-18.4	473	21.6	19.4-23.8
College Graduate	1584	675,575	53	7.3	5.3- 9.3	156	18.5	15.8-21.2	233	20.1	17.7-22.5	323	19.5	17.3-21.7	307	15.9	13.9-17.9	512	18.7	16.9-20.5
Less than \$15,000	346	213,033	25	17.8	11.3-24.3	41	17.4	12.1-22.7	39	13.1	8.8-17.4	59	15.1	11.0-19.2	76	16.6	12.3-20.9	106	20.1	15.8-24.4
\$15,000- 24,999	640	378,654	43	16.3	11.4-21.2	70	18.2	14.1-22.3	64	12.2	9.1-15.3	83	12.5	9.6-15.4	103	14.3	11.2-17.4	277	26.5	22.8-30.2
\$25,000- 34,999	415	221,260	17	9.7	4.6-14.8	31	16.3	10.8-21.8	41	13.9	9.8-18.0	53	13.4	9.5-17.3	63	12.4	8.9-15.9	210	34.4	29.1-39.7
\$35,000- 49,999	543	311,672	33	13.1	8.6-17.6	59	19.0	14.3-23.7	60	14.0	10.5-17.5	63	10.5	7.8-13.2	113	17.0	13.5-20.5	215	26.4	22.3-30.5
\$50,000- 74,999	591	344,709	18	6.8	3.7- 9.9	79	21.4	17.1-25.7	87	18.5	14.6-22.4	94	16.1	12.8-19.4	127	19.3	15.8-22.8	186	17.8	14.9-20.7
\$75,000+	983	591,562	33	8.6	5.7-11.5	83	14.9	11.8-18.0	177	22.8	19.7-25.9	258	23.2	20.3-26.1	249	19.6	17.1-22.1	183	10.9	9.1-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8390	5,158,451	222	3.9	3.3- 4.5	42	0.6	0.4- 0.8	7	0.1	0.1- 0.1	99	1.6	1.2- 2.0	6	0.1	0.1- 0.1	8014	93.7	92.9-94.5
Male	3790	2,507,543	104	3.6	2.8- 4.4	20	0.6	0.2- 1.0	6	0.1	0.0- 0.3	51	1.7	1.1- 2.3	5	0.2	0.0- 0.4	3604	93.8	92.8-94.8
Female	4600	2,650,907	118	4.3	3.5- 5.1	22	0.5	0.3- 0.7	1	0.0	0.0- 0.0	48	1.5	0.9- 2.1	1	0.1	0.0- 0.3	4410	93.6	92.6-94.6
18-24	497	679,749	35	6.7	4.3- 9.1	7	1.5	0.3- 2.7				18	3.6	1.8- 5.4	1	0.2	0.0- 0.6	436	88.1	85.0-91.2
25-34	828	863,943	40	5.3	3.5- 7.1	9	0.7	0.1- 1.3	1	0.1	0.0- 0.3	20	2.4	1.2- 3.6	3	0.3	0.0- 0.7	755	91.1	88.9-93.3
35-44	1021	820,988	56	6.4	4.6- 8.2	8	0.7	0.1- 1.3	2	0.1	0.0- 0.3	23	2.2	1.2- 3.2	1	0.2	0.0- 0.6	931	90.4	88.4-92.4
45-54	1370	812,460	40	3.6	2.4- 4.8	6	0.6	0.2- 1.0	3	0.3	0.0- 0.7	22	1.4	0.8- 2.0	1	0.0	0.0- 0.0	1298	94.2	92.6-95.8
55-64	1699	856,846	25	1.8	1.0- 2.6	9	0.3	0.1- 0.5				11	0.6	0.2- 1.0				1654	97.3	96.3-98.3
65+	2975	1,124,463	26	1.3	0.7- 1.9	3	0.0	0.0- 0.0	1	0.0	0.0- 0.0	5	0.2	0.0- 0.4				2940	98.5	97.9-99.1
Less Than H.S.	601	608,587	68	11.4	8.5-14.3	6	0.6	0.0- 1.2	1	0.1	0.0- 0.3	27	5.4	3.0- 7.8				499	82.6	79.1-86.1
H.S. or G.E.D.	2738	1,730,287	78	3.8	2.8- 4.8	10	0.6	0.2- 1.0	1	0.0	0.0- 0.0	23	0.9	0.5- 1.3	3	0.1	0.0- 0.3	2623	94.5	93.3-95.7
Some Post-H.S.	2202	1,566,887	46	3.3	2.3- 4.3	14	0.7	0.3- 1.1	2	0.0	0.0- 0.0	22	1.1	0.5- 1.7	2	0.2	0.0- 0.4	2116	94.8	93.6-96.0
College Graduate	2827	1,240,667	29	1.4	0.8- 2.0	12	0.5	0.3- 0.7	2	0.1	0.0- 0.3	26	1.2	0.6- 1.8	1	0.0	0.0- 0.0	2757	96.9	96.1-97.7
Less than \$15,000	542	345,328	19	4.2	2.2- 6.2	5	1.0	0.0- 2.0				9	2.1	0.7- 3.5	1	0.3	0.0- 0.9	508	92.5	89.8-95.2
\$15,000- 24,999	1071	665,792	57	6.8	4.8- 8.8	5	0.4	0.0- 0.8	2	0.1	0.0- 0.3	23	3.7	1.9- 5.5	1	0.2	0.0- 0.6	983	88.8	86.3-91.3
\$25,000- 34,999	718	412,643	20	4.4	2.2- 6.6	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	6	1.4	0.2- 2.6	1	0.1	0.0- 0.3	689	93.8	91.3-96.3
\$35,000- 49,999	1006	600,999	33	6.0	3.8- 8.2	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	7	0.8	0.0- 1.6				961	92.7	90.3-95.1
\$50,000- 74,999	1110	695,335	16	2.3	0.9- 3.7	6	0.6	0.0- 1.2				6	0.6	0.0- 1.2	1	0.2	0.0- 0.6	1081	96.2	94.6-97.8
\$75,000+	2122	1,358,920	32	2.0	1.2- 2.8	9	0.5	0.1- 0.9	1	0.1	0.0- 0.3	24	0.9	0.5- 1.3	2	0.1	0.0- 0.3	2054	96.4	95.4-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3790	2,507,543	104	3.6	2.8- 4.4	20	0.6	0.2- 1.0	6	0.1	0.0- 0.3	51	1.7	1.1- 2.3	5	0.2	0.0- 0.4	3604	93.8	92.8-94.8
18-24	271	348,860	19	6.3	3.4- 9.2	4	1.7	0.0- 3.7				11	3.6	1.4- 5.8	1	0.3	0.0- 0.9	236	88.2	84.1-92.3
25-34	411	434,969	18	4.3	2.1- 6.5	4	0.5	0.0- 1.1	1	0.2	0.0- 0.6	12	2.7	0.9- 4.5	2	0.3	0.0- 0.7	374	92.0	89.3-94.7
35-44	479	408,333	24	5.3	3.1- 7.5	2	0.5	0.0- 1.3	2	0.2	0.0- 0.4	9	1.8	0.4- 3.2	1	0.3	0.0- 0.9	441	91.9	89.2-94.6
45-54	632	403,456	15	3.0	1.4- 4.6	4	0.9	0.1- 1.7	2	0.3	0.0- 0.7	13	1.9	0.7- 3.1	1	0.1	0.0- 0.3	597	93.9	91.7-96.1
55-64	788	416,843	15	2.3	0.9- 3.7	5	0.4	0.0- 0.8				3	0.2	0.0- 0.4				765	97.1	95.7-98.5
65+	1209	495,082	13	1.2	0.4- 2.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	3	0.4	0.0- 0.8				1191	98.3	97.5-99.1
Less Than H.S.	281	298,289	30	9.5	5.8-13.2	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	14	5.1	2.4- 7.8				235	85.1	80.6-89.6
H.S. or G.E.D.	1279	893,644	41	3.7	2.5- 4.9	7	0.8	0.2- 1.4	1	0.0	0.0- 0.0	13	1.2	0.4- 2.0	3	0.3	0.0- 0.7	1214	94.0	92.4-95.6
Some Post-H.S.	969	744,874	21	2.8	1.4- 4.2	8	0.8	0.0- 1.6	2	0.1	0.0- 0.3	12	1.2	0.4- 2.0	1	0.2	0.0- 0.6	925	94.9	93.1-96.7
College Graduate	1254	568,219	12	1.3	0.5- 2.1	4	0.3	0.0- 0.7	2	0.3	0.0- 0.7	12	1.2	0.4- 2.0	1	0.1	0.0- 0.3	1223	96.7	95.3-98.1
Less than \$15,000	197	132,601	5	3.5	0.2- 6.8	1	0.4	0.0- 1.2				3	2.4	0.0- 5.1	1	0.7	0.0- 2.1	187	93.0	88.7-97.3
\$15,000- 24,999	434	288,766	26	5.9	3.4- 8.4	2	0.2	0.0- 0.4	2	0.3	0.0- 0.7	18	6.5	3.4- 9.6	1	0.4	0.0- 1.2	385	86.7	82.8-90.6
\$25,000- 34,999	308	193,365	7	2.7	0.5- 4.9	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	1	0.6	0.0- 1.8	1	0.2	0.0- 0.6	297	95.8	93.1-98.5
\$35,000- 49,999	467	291,869	16	5.7	2.8- 8.6	3	0.6	0.0- 1.6	1	0.3	0.0- 0.9	5	1.1	0.0- 2.3				442	92.2	88.9-95.5
\$50,000- 74,999	520	350,712	9	2.7	0.7- 4.7	3	0.7	0.0- 1.5				4	0.9	0.0- 1.9				504	95.7	93.3-98.1
\$75,000+	1146	772,505	18	2.2	1.0- 3.4	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3	11	0.7	0.3- 1.1	2	0.2	0.0- 0.6	1111	96.4	95.0-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4600	2,650,907	118	4.3	3.5- 5.1	22	0.5	0.3- 0.7	1	0.0	0.0- 0.0	48	1.5	0.9- 2.1	1	0.1	0.0- 0.3	4410	93.6	92.6-94.6
18-24	226	330,889	16	7.1	3.4-10.8	3	1.3	0.0- 2.7				7	3.6	0.7- 6.5				200	88.0	83.3-92.7
25-34	417	428,975	22	6.4	3.5- 9.3	5	0.9	0.1- 1.7				8	2.0	0.2- 3.8	1	0.4	0.0- 1.2	381	90.3	86.8-93.8
35-44	542	412,656	32	7.5	4.8-10.2	6	0.9	0.1- 1.7				14	2.6	1.2- 4.0				490	89.0	85.9-92.1
45-54	738	409,004	25	4.2	2.4- 6.0	2	0.2	0.0- 0.6	1	0.2	0.0- 0.6	9	0.9	0.1- 1.7				701	94.4	92.4-96.4
55-64	911	440,003	10	1.4	0.4- 2.4	4	0.3	0.0- 0.7				8	0.9	0.3- 1.5				889	97.4	96.2-98.6
65+	1766	629,381	13	1.3	0.5- 2.1	2	0.0	0.0- 0.0				2	0.0	0.0- 0.0				1749	98.7	97.9-99.5
Less Than H.S.	320	310,297	38	13.1	8.8-17.4	5	0.9	0.0- 1.9				13	5.7	2.0- 9.4				264	80.3	74.8-85.8
H.S. or G.E.D.	1459	836,643	37	3.9	2.5- 5.3	3	0.4	0.0- 0.8				10	0.7	0.3- 1.1				1409	95.1	93.5-96.7
Some Post-H.S.	1233	822,013	25	3.7	2.1- 5.3	6	0.6	0.0- 1.2				10	0.9	0.3- 1.5	1	0.2	0.0- 0.6	1191	94.7	92.9-96.5
College Graduate	1573	672,448	17	1.4	0.6- 2.2	8	0.6	0.2- 1.0				14	1.1	0.3- 1.9				1534	97.0	95.8-98.2
Less than \$15,000	345	212,727	14	4.6	2.1- 7.1	4	1.4	0.0- 3.0				6	1.9	0.1- 3.7				321	92.1	88.8-95.4
\$15,000- 24,999	637	377,026	31	7.4	4.5-10.3	3	0.6	0.0- 1.4				5	1.5	0.0- 3.3				598	90.4	87.1-93.7
\$25,000- 34,999	410	219,278	13	5.8	2.1- 9.5							5	2.1	0.0- 4.3				392	92.0	87.7-96.3
\$35,000- 49,999	539	309,130	17	6.3	3.2- 9.4	1	0.0	0.0- 0.0				2	0.6	0.0- 1.6				519	93.1	89.8-96.4
\$50,000- 74,999	590	344,623	7	1.9	0.3- 3.5	3	0.5	0.0- 1.1				2	0.3	0.0- 0.7	1	0.4	0.0- 1.2	577	96.8	94.8-98.8
\$75,000+	976	586,414	14	1.8	0.8- 2.8	6	0.7	0.1- 1.3				13	1.1	0.3- 1.9				943	96.4	95.0-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8276	5,070,744	151	2.0	1.6- 2.4	14	0.2	0.0- 0.4	2	0.0	0.0- 0.0	2	0.1	0.1- 0.1	8107	97.7	97.3-98.1
Male	3733	2,467,546	82	2.1	1.5- 2.7	9	0.3	0.1- 0.5	2	0.0	0.0- 0.0	1	0.1	0.0- 0.3	3639	97.4	96.8-98.0
Female	4543	2,603,198	69	1.9	1.3- 2.5	5	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	4468	97.9	97.3-98.5
18-24	486	661,452	23	3.8	2.2- 5.4	1	0.2	0.0- 0.6				1	0.3	0.0- 0.9	461	95.6	93.8-97.4
25-34	818	854,229	30	3.2	2.0- 4.4	2	0.3	0.0- 0.9							786	96.5	95.1-97.9
35-44	1000	805,306	18	1.4	0.8- 2.0	5	0.6	0.0- 1.2				1	0.1	0.0- 0.3	976	97.9	96.9-98.9
45-54	1338	788,193	33	2.1	1.3- 2.9	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0				1301	97.7	96.9-98.5
55-64	1680	845,900	20	1.2	0.6- 1.8	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3				1658	98.6	98.0-99.2
65+	2954	1,115,664	27	1.1	0.7- 1.5	2	0.1	0.0- 0.3							2925	98.8	98.4-99.2
Less Than H.S.	563	569,769	2	0.6	0.0- 1.4	1	0.2	0.0- 0.6							560	99.2	98.2- 100
H.S. or G.E.D.	2713	1,710,761	33	1.5	0.9- 2.1	4	0.3	0.0- 0.7							2676	98.2	97.6-98.8
Some Post-H.S.	2182	1,551,898	43	2.2	1.4- 3.0	3	0.1	0.0- 0.3				1	0.1	0.0- 0.3	2135	97.6	96.8-98.4
College Graduate	2801	1,228,060	73	3.2	2.4- 4.0	6	0.3	0.0- 0.7	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	2719	96.3	95.3-97.3
Less than \$15,000	531	337,519	3	1.2	0.0- 2.6	2	0.9	0.0- 2.1							526	97.9	96.1-99.7
\$15,000- 24,999	1043	644,155	14	1.6	0.6- 2.6	2	0.1	0.0- 0.3							1027	98.3	97.3-99.3
\$25,000- 34,999	713	403,195	8	1.1	0.1- 2.1	1	0.1	0.0- 0.3							704	98.7	97.7-99.7
\$35,000- 49,999	1000	595,569	20	2.6	1.4- 3.8	2	0.4	0.0- 1.0							978	97.0	95.6-98.4
\$50,000- 74,999	1101	690,789	22	1.9	0.9- 2.9										1079	98.1	97.1-99.1
\$75,000+	2116	1,357,666	64	3.0	2.2- 3.8	6	0.3	0.1- 0.5	1	0.0	0.0- 0.0	2	0.3	0.0- 0.7	2043	96.4	95.4-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3733	2,467,546	82	2.1	1.5- 2.7	9	0.3	0.1- 0.5	2	0.0	0.0- 0.0	1	0.1	0.0- 0.3	3639	97.4	96.8-98.0
18-24	265	341,129	9	2.6	0.8- 4.4							1	0.7	0.0- 2.1	255	96.7	94.5-98.9
25-34	405	428,524	17	3.4	1.6- 5.2	2	0.6	0.0- 1.6							386	96.0	93.8-98.2
35-44	474	405,832	9	1.4	0.4- 2.4	3	0.8	0.0- 1.8							462	97.8	96.4-99.2
45-54	612	390,758	19	2.6	1.4- 3.8	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3				590	97.1	95.7-98.5
55-64	778	410,771	8	1.0	0.2- 1.8	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3				768	98.7	97.7-99.7
65+	1199	490,532	20	1.8	1.0- 2.6	1	0.1	0.0- 0.3							1178	98.1	97.3-98.9
Less Than H.S.	259	280,572	1	0.7	0.0- 2.1	1	0.5	0.0- 1.5							257	98.8	97.2- 100
H.S. or G.E.D.	1266	881,437	16	1.3	0.7- 1.9	4	0.6	0.0- 1.2							1246	98.2	97.2-99.2
Some Post-H.S.	959	739,664	22	2.5	1.3- 3.7	1	0.1	0.0- 0.3				1	0.3	0.0- 0.9	935	97.1	95.7-98.5
College Graduate	1244	563,982	43	3.6	2.4- 4.8	3	0.3	0.0- 0.7	2	0.2	0.0- 0.4				1196	96.0	94.8-97.2
Less than \$15,000	195	129,765	1	1.1	0.0- 3.3	1	1.1	0.0- 3.3							193	97.8	94.7- 100
\$15,000- 24,999	417	274,334	5	1.6	0.0- 3.2	1	0.2	0.0- 0.6							411	98.3	96.7-99.9
\$25,000- 34,999	305	190,016	4	1.1	0.0- 2.5										301	98.9	97.5- 100
\$35,000- 49,999	464	290,709	8	1.5	0.5- 2.5	2	0.8	0.0- 2.2							454	97.7	95.9-99.5
\$50,000- 74,999	515	349,277	12	1.8	0.6- 3.0										503	98.2	97.0-99.4
\$75,000+	1144	772,562	41	3.4	2.2- 4.6	4	0.4	0.0- 0.8	1	0.0	0.0- 0.0	1	0.3	0.0- 0.9	1097	95.9	94.5-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4543	2,603,198	69	1.9	1.3- 2.5	5	0.1	0.0- 0.3	1	0.0	0.0- 0.0	4468	97.9	97.3-98.5
18-24	221	320,322	14	5.1	2.4- 7.8	1	0.5	0.0- 1.5				206	94.4	91.5-97.3
25-34	413	425,705	13	2.9	1.1- 4.7							400	97.1	95.3-98.9
35-44	526	399,474	9	1.3	0.3- 2.3	2	0.3	0.0- 0.7	1	0.3	0.0- 0.9	514	98.1	96.9-99.3
45-54	726	397,435	14	1.6	0.8- 2.4	1	0.1	0.0- 0.3				711	98.3	97.3-99.3
55-64	902	435,130	12	1.4	0.6- 2.2							890	98.6	97.8-99.4
65+	1755	625,131	7	0.6	0.2- 1.0	1	0.1	0.0- 0.3				1747	99.3	98.9-99.7
Less Than H.S.	304	289,197	1	0.5	0.0- 1.5							303	99.5	98.5- 100
H.S. or G.E.D.	1447	829,324	17	1.8	0.8- 2.8							1430	98.2	97.2-99.2
Some Post-H.S.	1223	812,234	21	1.8	1.0- 2.6	2	0.1	0.0- 0.3				1200	98.0	97.0-99.0
College Graduate	1557	664,078	30	2.9	1.7- 4.1	3	0.4	0.0- 1.0	1	0.2	0.0- 0.6	1523	96.5	95.1-97.9
Less than \$15,000	336	207,754	2	1.2	0.0- 3.0	1	0.8	0.0- 2.4				333	98.0	95.6- 100
\$15,000- 24,999	626	369,821	9	1.6	0.2- 3.0	1	0.1	0.0- 0.3				616	98.3	96.9-99.7
\$25,000- 34,999	408	213,179	4	1.1	0.0- 2.3	1	0.3	0.0- 0.9				403	98.6	97.2- 100
\$35,000- 49,999	536	304,860	12	3.6	1.4- 5.8							524	96.4	94.2-98.6
\$50,000- 74,999	586	341,511	10	2.1	0.7- 3.5							576	97.9	96.5-99.3
\$75,000+	972	585,105	23	2.5	1.3- 3.7	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	946	97.1	95.9-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White			Black or African American			Am. Indian or Alaskan Native			Asian			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	119	52,676	66	50.7	39.5-61.9	28	26.3	15.3-37.3	13	12.0	4.6-19.4	3	3.6	0.0- 8.3	9	7.4	1.9-12.9	
Male	58	28,666	35	59.5	43.0-76.0	13	28.9	12.4-45.4	7	9.3	1.1-17.5	1	0.6	0.0- 1.8	2	1.7	0.0- 4.1	
Female	61	24,010	31	40.1	26.0-54.2	15	23.2	9.5-36.9	6	15.2	2.3-28.1	2	7.2	0.0-17.2	7	14.2	3.0-25.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White		Black or African American			Am. Indian or Alaskan Native			Asian		Other			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	58	28,666	35	59.5	42.6-76.4	13	28.9	12.0-45.8	7	9.3	1.1-17.5	1	0.6	0.4- 0.8	2	1.7	0.0- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian		Other			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	61	24,010	31	40.1	26.6-53.6	15	23.2	9.5-36.9	6	15.2	2.1-28.3	2	7.2	0.0-17.4	7	14.2	3.0-25.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	8391	5,170,431	4378	51.1	49.7-52.5	1188	12.1	11.3-12.9	991	7.2	6.6- 7.8	144	1.8	1.4- 2.2	1389	22.8	21.6-24.0	301	5.0	4.4- 5.6			
Male	3799	2,520,435	2127	52.6	50.6-54.6	503	11.6	10.4-12.8	237	4.0	3.4- 4.6	56	1.6	1.2- 2.0	729	25.4	23.6-27.2	147	4.8	4.0- 5.6			
Female	4592	2,649,997	2251	49.7	47.9-51.5	685	12.6	11.4-13.8	754	10.2	9.2-11.2	88	2.0	1.6- 2.4	660	20.4	18.6-22.2	154	5.1	4.1- 6.1			
White/Non-Hisp	6810	4,084,193	3782	54.8	53.4-56.2	970	12.7	11.7-13.7	809	7.4	6.8- 8.0	75	1.3	0.9- 1.7	960	19.3	17.9-20.7	214	4.5	3.7- 5.3			
Black or Afr. Am./Non-Hisp	716	459,319	212	30.6	26.3-34.9	131	14.7	11.8-17.6	114	7.6	5.6- 9.6	30	4.5	2.7- 6.3	214	40.1	35.4-44.8	15	2.5	0.9- 4.1			
Oth. Race/Non-Hisp.	217	162,145	104	41.5	32.9-50.1	24	6.0	2.9- 9.1	20	4.0	1.5- 6.5	6	0.9	0.1- 1.7	60	46.0	36.8-55.2	3	1.6	0.0- 3.6			
MultiRacial/Non-Hisp.	125	50,503	45	31.8	21.4-42.2	14	4.4	1.3- 7.5	13	8.2	3.1-13.3	7	5.4	0.5-10.3	32	33.5	22.7-44.3	14	16.6	8.2-25.0			
Hispanic	373	321,816	164	41.8	35.9-47.7	28	4.6	2.6- 6.6	14	3.5	1.3- 5.7	21	4.4	2.4- 6.4	94	30.1	24.4-35.8	52	15.6	11.1-20.1			
18-24	498	682,449	32	6.5	4.0- 9.0	5	0.9	0.1- 1.7				3	0.6	0.0- 1.2	397	80.6	76.7-84.5	61	11.5	8.4-14.6			
25-34	830	867,165	347	45.3	41.6-49.0	43	5.6	3.8- 7.4	4	0.4	0.0- 0.8	16	1.8	0.8- 2.8	333	36.9	33.4-40.4	87	10.0	7.6-12.4			
35-44	1024	826,070	620	62.2	58.9-65.5	135	13.3	10.9-15.7	5	0.6	0.0- 1.2	31	3.0	1.8- 4.2	174	15.3	12.9-17.7	59	5.5	3.9- 7.1			
45-54	1363	806,641	833	63.4	60.5-66.3	247	17.4	15.2-19.6	32	3.1	1.9- 4.3	30	2.5	1.5- 3.5	180	10.8	9.0-12.6	41	2.8	1.8- 3.8			
55-64	1705	860,149	1013	62.3	59.8-64.8	344	20.0	17.8-22.2	129	7.3	5.9- 8.7	36	2.0	1.2- 2.8	144	6.3	5.1- 7.5	39	2.1	1.3- 2.9			
65+	2971	1,127,957	1533	57.2	55.0-59.4	414	13.1	11.7-14.5	821	24.4	22.6-26.2	28	0.9	0.5- 1.3	161	3.8	3.0- 4.6	14	0.5	0.1- 0.9			
Less Than H.S.	606	614,155	219	38.8	34.3-43.3	109	14.4	11.5-17.3	101	11.4	8.9-13.9	32	4.5	2.7- 6.3	103	21.4	17.3-25.5	42	9.6	6.5-12.7			
H.S. or G.E.D.	2745	1,735,752	1238	44.8	42.6-47.0	418	12.6	11.2-14.0	434	9.1	8.1-10.1	48	1.6	1.0- 2.2	509	27.3	24.9-29.7	98	4.5	3.5- 5.5			
Some Post-H.S.	2204	1,571,421	1098	50.5	48.0-53.0	348	12.8	11.2-14.4	247	6.2	5.2- 7.2	40	1.7	1.1- 2.3	388	24.0	21.6-26.4	83	4.8	3.6- 6.0			
College Graduate	2817	1,238,961	1817	67.1	64.9-69.3	311	9.3	8.1-10.5	208	3.8	3.2- 4.4	22	0.7	0.3- 1.1	383	15.6	13.8-17.4	76	3.5	2.7- 4.3			
Less than \$15,000	542	343,986	69	13.4	10.1-16.7	168	25.3	21.2-29.4	82	11.5	8.6-14.4	31	5.5	3.3- 7.7	168	39.2	33.9-44.5	24	5.2	2.8- 7.6			
\$15,000- 24,999	1073	667,113	295	29.4	26.1-32.7	242	19.1	16.4-21.8	216	13.5	11.3-15.7	37	3.3	2.1- 4.5	218	25.8	22.3-29.3	65	9.0	6.5-11.5			
\$25,000- 34,999	716	410,536	249	36.0	31.7-40.3	139	17.5	14.4-20.6	140	12.6	10.1-15.1	18	2.9	1.5- 4.3	147	26.1	21.8-30.4	23	4.9	2.7- 7.1			
\$35,000- 49,999	1012	605,067	490	47.7	44.0-51.4	143	12.1	9.7-14.5	118	7.4	5.8- 9.0	20	2.5	1.3- 3.7	195	23.6	20.1-27.1	46	6.7	4.5- 8.9			
\$50,000- 74,999	1106	694,632	707	62.1	58.6-65.6	138	11.6	9.4-13.8	69	3.4	2.2- 4.6	2	0.2	0.0- 0.4	141	16.8	13.9-19.7	49	5.8	3.8- 7.8			
\$75,000+	2138	1,370,954	1702	75.5	73.1-77.9	133	5.4	4.4- 6.4	48	1.3	0.9- 1.7	9	0.5	0.1- 0.9	192	14.5	12.3-16.7	54	2.8	2.0- 3.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3799	2,520,435	2127	52.6	50.6-54.6	503	11.6	10.4-12.8	237	4.0	3.4- 4.6	56	1.6	1.2- 2.0	729	25.4	23.6-27.2	147	4.8	4.0- 5.6
White/Non-Hisp	3075	1,971,145	1801	55.9	53.7-58.1	421	12.5	11.1-13.9	197	4.1	3.3- 4.9	25	1.1	0.7- 1.5	527	22.2	20.2-24.2	104	4.3	3.3- 5.3
Black or Afr. Am./Non-Hisp	282	218,551	116	38.8	31.9-45.7	44	13.0	8.7-17.3	20	3.8	1.4- 6.2	16	5.8	2.9- 8.7	78	35.7	28.6-42.8	8	3.1	0.6- 5.6
Oth. Race/Non-Hisp.	115	94,950	58	41.2	29.6-52.8	11	4.4	1.1- 7.7	5	1.7	0.0- 3.5	4	1.2	0.0- 2.6	36	50.0	37.8-62.2	1	1.4	0.0- 4.1
MultiRacial/Non-Hisp.	58	25,911	25	33.3	17.4-49.2	3	3.2	0.0- 8.1	2	4.3	0.0-11.0	3	2.5	0.0- 6.4	19	42.3	25.8-58.8	6	14.3	2.7-25.9
Hispanic	185	153,789	80	41.1	33.1-49.1	14	4.5	1.8- 7.2	5	2.1	0.0- 4.3	7	2.6	0.6- 4.6	52	34.2	26.0-42.4	27	15.6	9.5-21.7
18-24	272	351,230	15	6.2	2.7- 9.7	2	0.8	0.0- 2.0				1	0.5	0.0- 1.5	222	83.4	78.7-88.1	32	9.2	5.9-12.5
25-34	412	436,507	162	42.3	37.0-47.6	11	3.0	1.2- 4.8	2	0.3	0.0- 0.9	4	1.0	0.0- 2.0	186	42.8	37.5-48.1	47	10.5	7.6-13.4
35-44	483	412,751	293	62.7	58.0-67.4	63	13.2	9.9-16.5	1	0.3	0.0- 0.9	12	2.7	0.9- 4.5	86	15.9	12.4-19.4	28	5.3	3.1- 7.5
45-54	625	400,404	383	63.9	59.8-68.0	112	17.9	14.6-21.2	9	1.8	0.6- 3.0	12	2.5	0.9- 4.1	94	11.6	9.1-14.1	15	2.4	1.0- 3.8
55-64	792	419,417	477	62.4	58.7-66.1	162	20.7	17.6-23.8	39	5.7	3.7- 7.7	17	2.2	1.0- 3.4	79	6.8	5.0- 8.6	18	2.2	0.8- 3.6
65+	1215	500,125	797	68.8	65.9-71.7	153	12.6	10.4-14.8	186	13.4	11.0-15.8	10	0.7	0.3- 1.1	62	4.0	2.8- 5.2	7	0.5	0.0- 1.1
Less Than H.S.	282	302,231	111	41.6	34.9-48.3	49	14.1	10.0-18.2	29	7.6	4.5-10.7	13	4.7	2.0- 7.4	63	24.8	18.7-30.9	17	7.2	3.7-10.7
H.S. or G.E.D.	1286	898,261	634	47.2	44.1-50.3	202	13.1	11.1-15.1	85	3.5	2.5- 4.5	22	1.4	0.8- 2.0	290	30.2	27.1-33.3	53	4.7	3.3- 6.1
Some Post-H.S.	972	748,962	511	50.5	46.8-54.2	132	11.1	8.9-13.3	62	4.2	3.0- 5.4	14	1.5	0.7- 2.3	210	27.6	24.1-31.1	43	5.2	3.6- 6.8
College Graduate	1254	569,412	868	69.7	66.8-72.6	120	8.5	6.7-10.3	61	2.7	1.9- 3.5	7	0.5	0.1- 0.9	165	15.4	12.9-17.9	33	3.2	2.0- 4.4
Less than \$15,000	198	132,867	27	14.6	8.5-20.7	58	23.4	17.1-29.7	15	7.6	3.3-11.9	13	7.5	3.0-12.0	75	41.7	33.3-50.1	10	5.3	1.6- 9.0
\$15,000- 24,999	435	289,596	145	32.5	27.4-37.6	99	19.9	15.6-24.2	47	7.6	5.1-10.1	18	3.3	1.5- 5.1	96	28.7	23.0-34.4	30	8.1	5.0-11.2
\$25,000- 34,999	306	191,566	131	41.8	35.3-48.3	49	15.0	10.3-19.7	29	5.7	3.3- 8.1	3	1.1	0.0- 2.9	81	30.6	24.3-36.9	13	5.7	2.6- 8.8
\$35,000- 49,999	469	293,395	251	50.2	44.7-55.7	48	8.9	6.2-11.6	40	5.6	3.6- 7.6	11	2.7	0.9- 4.5	96	25.8	20.7-30.9	23	6.9	3.8-10.0
\$50,000- 74,999	520	352,934	334	59.9	54.8-65.0	70	12.7	9.4-16.0	21	2.6	1.2- 4.0	1	0.3	0.0- 0.9	69	18.2	13.9-22.5	25	6.3	3.8- 8.8
\$75,000+	1156	779,840	885	72.0	68.7-75.3	84	6.6	5.0- 8.2	26	1.4	0.8- 2.0	6	0.7	0.1- 1.3	128	16.7	13.8-19.6	27	2.5	1.3- 3.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			Unmarried couple					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	4592	2,649,997	2251	49.7	47.9-51.5	685	12.6	11.4-13.8	754	10.2	9.2-11.2	88	2.0	1.6- 2.4	660	20.4	18.6-22.2	154	5.1	4.1- 6.1			
White/Non-Hisp	3735	2,113,048	1981	53.9	51.9-55.9	549	12.9	11.7-14.1	612	10.6	9.6-11.6	50	1.4	1.0- 1.8	433	16.6	14.8-18.4	110	4.6	3.6- 5.6			
Black or Afr. Am./Non-Hisp	434	240,768	96	23.2	18.1-28.3	87	16.2	12.1-20.3	94	11.0	7.7-14.3	14	3.4	1.2- 5.6	136	44.1	37.6-50.6	7	2.0	0.0- 4.2			
Oth. Race/Non-Hisp.	102	67,195	46	41.9	29.4-54.4	13	8.3	2.6-14.0	15	7.3	2.0-12.6	2	0.4	0.0- 1.2	24	40.3	26.4-54.2	2	1.8	0.0- 4.3			
MultiRacial/Non-Hisp.	67	24,592	20	30.3	17.0-43.6	11	5.7	1.8- 9.6	11	12.3	4.3-20.3	4	8.4	0.0-17.4	13	24.3	11.4-37.2	8	19.0	6.8-31.2			
Hispanic	188	168,027	84	42.5	34.1-50.9	14	4.8	1.7- 7.9	9	4.7	1.0- 8.4	14	6.0	2.7- 9.3	42	26.3	18.5-34.1	25	15.7	8.8-22.6			
18-24	226	331,218	17	6.8	3.3-10.3	3	1.0	0.0- 2.2				2	0.7	0.0- 1.7	175	77.7	71.6-83.8	29	13.9	8.6-19.2			
25-34	418	430,658	185	48.2	42.9-53.5	32	8.1	5.2-11.0	2	0.5	0.0- 1.3	12	2.7	1.1- 4.3	147	30.9	26.2-35.6	40	9.5	6.4-12.6			
35-44	541	413,319	327	61.8	57.3-66.3	72	13.3	10.2-16.4	4	1.0	0.0- 2.0	19	3.3	1.7- 4.9	88	14.8	11.7-17.9	31	5.8	3.6- 8.0			
45-54	738	406,237	450	63.0	59.1-66.9	135	16.9	14.0-19.8	23	4.4	2.2- 6.6	18	2.5	1.1- 3.9	86	10.0	7.6-12.4	26	3.2	1.8- 4.6			
55-64	913	440,733	536	62.3	58.8-65.8	182	19.4	16.5-22.3	90	8.8	6.6-11.0	19	1.7	0.9- 2.5	65	5.7	3.9- 7.5	21	2.1	1.1- 3.1			
65+	1756	627,832	736	48.0	45.3-50.7	261	13.5	11.5-15.5	635	33.2	30.5-35.9	18	1.1	0.5- 1.7	99	3.7	2.7- 4.7	7	0.4	0.0- 0.8			
Less Than H.S.	324	311,925	108	35.9	29.6-42.2	60	14.8	10.7-18.9	72	15.0	10.9-19.1	19	4.3	2.1- 6.5	40	18.1	12.2-24.0	25	11.9	6.8-17.0			
H.S. or G.E.D.	1459	837,491	604	42.2	39.1-45.3	216	12.1	10.3-13.9	349	15.2	13.2-17.2	26	1.9	1.1- 2.7	219	24.3	21.0-27.6	45	4.3	2.9- 5.7			
Some Post-H.S.	1232	822,459	587	50.6	47.3-53.9	216	14.3	12.1-16.5	185	8.0	6.6- 9.4	26	1.9	1.1- 2.7	178	20.8	17.7-23.9	40	4.4	2.8- 6.0			
College Graduate	1563	669,549	949	64.8	61.9-67.7	191	9.9	8.3-11.5	147	4.7	3.7- 5.7	15	0.9	0.3- 1.5	218	15.8	13.4-18.2	43	3.8	2.6- 5.0			
Less than \$15,000	344	211,118	42	12.6	8.7-16.5	110	26.5	21.2-31.8	67	14.0	10.3-17.7	18	4.2	2.0- 6.4	93	37.6	30.7-44.5	14	5.1	2.2- 8.0			
\$15,000- 24,999	638	377,517	150	27.0	22.5-31.5	143	18.5	15.0-22.0	169	18.0	14.7-21.3	19	3.3	1.5- 5.1	122	23.6	19.1-28.1	35	9.6	5.9-13.3			
\$25,000- 34,999	410	218,970	118	30.9	25.4-36.4	90	19.7	15.2-24.2	111	18.6	14.5-22.7	15	4.4	2.0- 6.8	66	22.2	16.3-28.1	10	4.2	1.3- 7.1			
\$35,000- 49,999	543	311,672	239	45.3	40.2-50.4	95	15.2	11.7-18.7	78	9.1	6.6-11.6	9	2.3	0.7- 3.9	99	21.6	16.9-26.3	23	6.4	3.5- 9.3			
\$50,000- 74,999	586	341,698	373	64.4	59.7-69.1	68	10.5	7.6-13.4	48	4.2	2.6- 5.8	1	0.1	0.0- 0.3	72	15.4	11.5-19.3	24	5.3	2.9- 7.7			
\$75,000+	982	591,114	817	80.2	76.7-83.7	49	3.8	2.6- 5.0	22	1.1	0.5- 1.7	3	0.2	0.0- 0.4	64	11.5	8.4-14.6	27	3.2	1.8- 4.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 16: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8454	5,199,544	7	0.1	0.1- 0.1	170	3.2	2.6- 3.8	435	8.6	7.6- 9.6	2764	33.6	32.4-34.8	2226	30.5	29.3-31.7	2852	24.1	23.1-25.1
Male	3832	2,539,435	3	0.1	0.0- 0.3	91	3.7	2.9- 4.5	193	8.3	7.1- 9.5	1294	35.6	33.8-37.4	983	29.7	27.9-31.5	1268	22.7	21.3-24.1
Female	4622	2,660,109	4	0.2	0.0- 0.4	79	2.7	1.9- 3.5	242	8.9	7.5-10.3	1470	31.7	29.9-33.5	1243	31.2	29.4-33.0	1584	25.4	24.0-26.8
White/Non-Hisp	6848	4,103,197	2	0.1	0.1- 0.1	95	2.3	1.7- 2.9	300	7.9	6.9- 8.9	2249	33.5	32.1-34.9	1783	30.6	29.2-32.0	2419	25.7	24.5-26.9
Black or Afr. Am./Non-Hisp	721	460,210	1	0.2	0.0- 0.6	10	2.2	0.6- 3.8	54	9.9	7.0-12.8	247	37.3	32.8-41.8	215	33.1	28.6-37.6	194	17.2	14.3-20.1
Oth. Race/Non-Hisp.	218	161,753				6	3.1	0.0- 6.6	11	4.8	1.7- 7.9	59	35.2	26.2-44.2	57	25.5	17.7-33.3	85	31.3	23.7-38.9
MultiRacial/Non-Hisp.	125	50,503				2	0.6	0.0- 1.4	11	9.1	3.2-15.0	46	35.9	25.5-46.3	35	37.5	26.3-48.7	31	16.9	9.5-24.3
Hispanic	373	321,201	4	1.0	0.0- 2.0	53	16.1	11.6-20.6	45	15.9	11.0-20.8	115	29.4	24.1-34.7	86	25.5	20.0-31.0	70	12.1	8.8-15.4
18-24	499	682,442				8	2.4	0.6- 4.2	38	10.8	7.5-14.1	210	42.6	37.7-47.5	154	32.6	28.1-37.1	89	11.7	9.2-14.2
25-34	833	870,073	1	0.1	0.0- 0.3	14	2.7	1.3- 4.1	44	8.5	6.0-11.0	246	30.3	27.0-33.6	238	33.1	29.4-36.8	290	25.4	22.5-28.3
35-44	1031	830,262	1	0.1	0.0- 0.3	25	3.9	2.3- 5.5	60	8.7	6.5-10.9	262	25.9	23.0-28.8	271	31.2	28.1-34.3	412	30.3	27.6-33.0
45-54	1382	818,571	2	0.3	0.0- 0.7	38	4.4	3.0- 5.8	63	7.7	5.7- 9.7	378	28.6	26.1-31.1	344	29.8	27.1-32.5	557	29.2	26.8-31.6
55-64	1711	862,557	2	0.1	0.0- 0.3	35	2.8	1.8- 3.8	97	9.0	7.0-11.0	596	35.8	33.3-38.3	426	28.4	25.9-30.9	555	23.8	21.8-25.8
65+	2998	1,135,641	1	0.1	0.0- 0.3	50	2.8	2.0- 3.6	133	7.8	6.4- 9.2	1072	38.1	35.9-40.3	793	28.7	26.7-30.7	949	22.4	20.8-24.0
Less than \$15,000	544	344,854	2	0.5	0.0- 1.3	35	8.3	5.2-11.4	92	21.3	17.0-25.6	235	40.8	35.7-45.9	117	22.2	17.9-26.5	63	6.8	4.4- 9.2
\$15,000- 24,999	1074	667,768	1	0.1	0.0- 0.3	37	5.0	3.2- 6.8	122	18.6	15.3-21.9	494	41.5	38.0-45.0	281	27.1	23.8-30.4	139	7.7	6.1- 9.3
\$25,000- 34,999	725	414,845				11	2.5	0.7- 4.3	47	10.2	7.1-13.3	306	41.7	37.4-46.0	220	32.5	28.2-36.8	141	13.1	10.6-15.6
\$35,000- 49,999	1014	607,113				12	2.2	0.8- 3.6	28	6.2	3.7- 8.7	333	34.8	31.3-38.3	334	36.2	32.5-39.9	307	20.6	18.1-23.1
\$50,000- 74,999	1115	700,463				15	2.7	1.3- 4.1	19	3.6	1.8- 5.4	332	32.6	29.3-35.9	303	33.1	29.6-36.6	446	28.0	25.3-30.7
\$75,000+	2141	1,373,101	1	0.1	0.0- 0.3	9	1.1	0.3- 1.9	19	2.2	1.2- 3.2	353	20.2	18.0-22.4	494	31.3	28.8-33.8	1265	45.2	42.7-47.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3832	2,539,435	3	0.1	0.0- 0.3	91	3.7	2.9- 4.5	193	8.3	7.1- 9.5	1294	35.6	33.8-37.4	983	29.7	27.9-31.5	1268	22.7	21.3-24.1
White/Non-Hisp	3092	1,981,600				54	2.9	2.1- 3.7	133	7.7	6.3- 9.1	1039	35.8	33.8-37.8	780	29.5	27.5-31.5	1086	24.2	22.6-25.8
Black or Afr. Am./Non-Hisp	285	219,035				6	3.6	0.7- 6.5	27	11.9	7.0-16.8	108	35.7	29.0-42.4	81	34.1	27.0-41.2	63	14.8	10.7-18.9
Oth. Race/Non-Hisp.	116	95,726				3	3.2	0.0- 8.5	5	2.7	0.2- 5.2	28	33.8	21.8-45.8	31	30.0	18.6-41.4	49	30.3	20.1-40.5
MultiRacial/Non-Hisp.	58	25,911							3	6.6	0.0-14.6	26	43.1	26.8-59.4	18	40.1	23.0-57.2	11	10.2	3.5-16.9
Hispanic	186	154,551	3	1.5	0.0- 3.3	26	15.2	9.3-21.1	17	12.2	6.3-18.1	65	34.5	26.7-42.3	44	24.6	17.2-32.0	31	12.0	7.3-16.7
18-24	273	352,133				6	2.8	0.4- 5.2	17	7.9	4.2-11.6	128	46.4	39.9-52.9	86	34.3	28.0-40.6	36	8.6	5.5-11.7
25-34	415	439,892	1	0.2	0.0- 0.6	8	2.9	0.7- 5.1	23	9.0	5.3-12.7	140	34.8	29.7-39.9	109	31.2	26.1-36.3	134	21.8	18.1-25.5
35-44	485	414,528				10	3.6	1.2- 6.0	33	10.1	6.6-13.6	138	29.2	24.7-33.7	125	29.2	24.7-33.7	179	27.9	24.0-31.8
45-54	639	407,765				22	5.5	3.1- 7.9	26	6.8	4.3- 9.3	199	32.5	28.6-36.4	158	28.9	25.0-32.8	234	26.3	23.0-29.6
55-64	795	421,208	2	0.3	0.0- 0.7	22	3.8	2.0- 5.6	46	9.4	6.7-12.1	292	37.2	33.5-40.9	185	26.3	22.8-29.8	248	23.1	20.2-26.0
65+	1225	503,909				23	3.4	2.0- 4.8	48	6.9	4.7- 9.1	397	35.0	31.9-38.1	320	29.3	26.4-32.2	437	25.5	23.0-28.0
Less than \$15,000	200	133,596	1	0.6	0.0- 1.8	14	9.1	4.2-14.0	33	23.2	15.6-30.8	85	39.1	31.1-47.1	46	23.3	16.4-30.2	21	4.7	2.3- 7.1
\$15,000- 24,999	435	289,596	1	0.2	0.0- 0.6	18	5.6	2.7- 8.5	54	17.6	12.9-22.3	195	40.2	34.7-45.7	111	28.7	23.4-34.0	56	7.7	5.3-10.1
\$25,000- 34,999	311	194,083				6	2.7	0.3- 5.1	22	10.3	5.8-14.8	142	47.9	41.4-54.4	88	27.8	22.1-33.5	53	11.3	7.8-14.8
\$35,000- 49,999	472	295,561				5	1.6	0.0- 3.2	14	6.2	2.7- 9.7	174	39.0	33.7-44.3	157	36.2	30.9-41.5	122	16.9	13.6-20.2
\$50,000- 74,999	524	355,754				12	4.1	1.6- 6.6	15	5.8	2.7- 8.9	183	38.4	33.5-43.3	140	30.2	25.3-35.1	174	21.5	18.0-25.0
\$75,000+	1159	781,992				8	1.6	0.4- 2.8	11	2.5	0.9- 4.1	242	25.4	22.3-28.5	264	30.7	27.4-34.0	634	39.9	36.8-43.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4622	2,660,109	4	0.2	0.0- 0.4	79	2.7	1.9- 3.5	242	8.9	7.5-10.3	1470	31.7	29.9-33.5	1243	31.2	29.4-33.0	1584	25.4	24.0-26.8
White/Non-Hisp	3756	2,121,596	2	0.1	0.0- 0.3	41	1.7	1.1- 2.3	167	8.1	6.7- 9.5	1210	31.4	29.6-33.2	1003	31.6	29.6-33.6	1333	27.0	25.4-28.6
Black or Afr. Am./Non-Hisp	436	241,175	1	0.4	0.0- 1.2	4	1.0	0.0- 2.0	27	8.0	4.3-11.7	139	38.8	32.5-45.1	134	32.3	26.4-38.2	131	19.5	15.2-23.8
Oth. Race/Non-Hisp.	102	66,027				3	3.0	0.0- 6.5	6	8.0	1.3-14.7	31	37.1	23.4-50.8	26	19.0	9.8-28.2	36	32.8	20.8-44.8
MultiRacial/Non-Hisp.	67	24,592				2	1.2	0.0- 3.0	8	11.7	3.1-20.3	20	28.2	15.7-40.7	17	34.8	20.5-49.1	20	24.1	11.4-36.8
Hispanic	187	166,649	1	0.5	0.0- 1.5	27	17.0	10.3-23.7	28	19.3	11.9-26.7	50	24.7	17.4-32.0	42	26.4	18.6-34.2	39	12.1	7.4-16.8
18-24	226	330,309				2	1.8	0.0- 4.3	21	13.8	8.1-19.5	82	38.6	31.5-45.7	68	30.7	24.0-37.4	53	15.0	10.7-19.3
25-34	418	430,181				6	2.4	0.2- 4.6	21	7.9	4.4-11.4	106	25.6	21.1-30.1	129	34.9	29.8-40.0	156	29.1	24.6-33.6
35-44	546	415,734	1	0.2	0.0- 0.6	15	4.1	1.9- 6.3	27	7.2	4.5- 9.9	124	22.7	18.8-26.6	146	33.2	28.7-37.7	233	32.6	28.7-36.5
45-54	743	410,805	2	0.6	0.0- 1.4	16	3.4	1.6- 5.2	37	8.6	5.7-11.5	179	24.7	21.2-28.2	186	30.7	26.8-34.6	323	32.0	28.5-35.5
55-64	916	441,349				13	2.0	0.6- 3.4	51	8.7	6.2-11.2	304	34.5	31.0-38.0	241	30.5	27.0-34.0	307	24.3	21.6-27.0
65+	1773	631,731	1	0.2	0.0- 0.6	27	2.3	1.3- 3.3	85	8.6	6.6-10.6	675	40.6	37.9-43.3	473	28.3	25.8-30.8	512	20.0	18.0-22.0
Less than \$15,000	344	211,258	1	0.5	0.0- 1.5	21	7.8	3.9-11.7	59	20.1	15.0-25.2	150	41.9	35.4-48.4	71	21.4	15.9-26.9	42	8.2	4.9-11.5
\$15,000- 24,999	639	378,172				19	4.6	2.1- 7.1	68	19.3	14.6-24.0	299	42.5	37.6-47.4	170	25.9	21.8-30.0	83	7.7	5.7- 9.7
\$25,000- 34,999	414	220,762				5	2.4	0.0- 4.9	25	10.0	5.9-14.1	164	36.2	30.5-41.9	132	36.6	30.5-42.7	88	14.8	11.1-18.5
\$35,000- 49,999	542	311,551				7	2.7	0.3- 5.1	14	6.2	2.7- 9.7	159	30.8	26.1-35.5	177	36.3	31.2-41.4	185	24.0	20.1-27.9
\$50,000- 74,999	591	344,709				3	1.2	0.0- 2.6	4	1.3	0.0- 2.7	149	26.7	22.4-31.0	163	36.0	31.1-40.9	272	34.7	30.4-39.0
\$75,000+	982	591,110	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	8	1.8	0.4- 3.2	111	13.3	10.6-16.0	230	32.1	28.4-35.8	631	52.2	48.5-55.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 19: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8377	5,144,782	6098	72.0	70.8-73.2	1881	22.2	21.2-23.2	398	5.8	5.2- 6.4
Male	3793	2,506,333	2760	72.6	70.8-74.4	834	21.2	19.6-22.8	199	6.2	5.2- 7.2
Female	4584	2,638,449	3338	71.4	69.8-73.0	1047	23.1	21.5-24.7	199	5.5	4.5- 6.5
White/Non-Hisp	6792	4,061,797	5245	77.1	75.9-78.3	1244	17.5	16.5-18.5	303	5.4	4.6- 6.2
Black or Afr. Am./Non-Hisp	711	455,462	350	44.3	39.6-49.0	319	47.3	42.6-52.0	42	8.4	5.5-11.3
Oth. Race/Non-Hisp.	216	161,311	131	53.7	44.7-62.7	67	34.3	25.9-42.7	18	12.0	5.3-18.7
MultiRacial/Non-Hisp.	124	49,944	69	52.3	41.1-63.5	43	38.4	27.4-49.4	12	9.2	3.7-14.7
Hispanic	373	319,633	196	59.2	53.5-64.9	157	35.6	30.1-41.1	20	5.3	2.8- 7.8
18-24	489	666,861	97	29.0	24.1-33.9	247	44.5	39.6-49.4	145	26.5	22.4-30.6
25-34	830	866,238	378	57.6	54.1-61.1	400	37.5	34.0-41.0	52	4.9	3.5- 6.3
35-44	1025	823,486	686	74.5	71.8-77.2	305	22.9	20.4-25.4	34	2.5	1.5- 3.5
45-54	1366	807,392	1019	81.3	79.1-83.5	298	16.2	14.2-18.2	49	2.5	1.7- 3.3
55-64	1699	855,045	1347	85.1	83.3-86.9	304	12.7	11.1-14.3	48	2.2	1.4- 3.0
65+	2968	1,125,760	2571	90.1	88.9-91.3	327	8.0	7.0- 9.0	70	1.9	1.3- 2.5
Less Than H.S.	602	607,925	285	54.4	49.7-59.1	268	37.8	33.3-42.3	49	7.9	5.4-10.4
H.S. or G.E.D.	2720	1,715,359	1839	68.3	66.1-70.5	717	24.2	22.2-26.2	164	7.5	6.1- 8.9
Some Post-H.S.	2207	1,569,857	1596	72.9	70.7-75.1	502	21.1	19.1-23.1	109	6.0	4.6- 7.4
College Graduate	2832	1,242,992	2369	84.7	83.1-86.3	388	13.0	11.6-14.4	75	2.4	1.8- 3.0
Less than \$15,000	542	343,797	168	34.5	29.6-39.4	324	56.0	50.9-61.1	50	9.5	6.4-12.6
\$15,000- 24,999	1066	662,198	581	54.2	50.5-57.9	433	40.6	36.9-44.3	52	5.3	3.5- 7.1
\$25,000- 34,999	722	410,065	469	62.7	58.4-67.0	224	32.9	28.8-37.0	29	4.3	2.3- 6.3
\$35,000- 49,999	1009	603,318	736	73.1	69.8-76.4	241	23.1	20.0-26.2	32	3.8	2.0- 5.6
\$50,000- 74,999	1114	699,071	904	80.8	78.1-83.5	160	13.7	11.3-16.1	50	5.4	3.6- 7.2
\$75,000+	2139	1,368,769	1928	90.0	88.4-91.6	153	6.3	5.1- 7.5	58	3.7	2.5- 4.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3793	2,506,333	2760	72.6	70.8-74.4	834	21.2	19.6-22.8	199	6.2	5.2- 7.2
White/Non-Hisp	3066	1,958,895	2365	77.5	75.7-79.3	550	16.7	15.1-18.3	151	5.8	4.8- 6.8
Black or Afr. Am./Non-Hisp	279	214,363	133	48.1	40.8-55.4	130	45.2	38.1-52.3	16	6.6	2.9-10.3
Oth. Race/Non-Hisp.	115	95,438	69	54.1	41.9-66.3	34	32.0	20.8-43.2	12	14.0	4.6-23.4
MultiRacial/Non-Hisp.	58	25,911	34	58.3	42.2-74.4	20	36.0	20.1-51.9	4	5.7	0.0-11.4
Hispanic	185	153,732	92	56.9	48.9-64.9	78	34.8	27.2-42.4	15	8.3	4.0-12.6
18-24	267	343,130	52	28.4	21.9-34.9	127	42.8	36.3-49.3	88	28.8	23.1-34.5
25-34	411	435,132	199	60.8	55.9-65.7	187	34.9	30.2-39.6	25	4.3	2.5- 6.1
35-44	482	412,120	342	78.4	74.9-81.9	124	18.8	15.5-22.1	16	2.8	1.2- 4.4
45-54	629	400,496	470	81.6	78.7-84.5	135	16.0	13.1-18.9	24	2.5	1.3- 3.7
55-64	788	415,610	620	84.2	81.7-86.7	147	13.7	11.3-16.1	21	2.0	1.0- 3.0
65+	1216	499,845	1077	91.8	90.2-93.4	114	6.7	5.3- 8.1	25	1.5	0.9- 2.1
Less Than H.S.	281	299,842	137	57.4	50.9-63.9	122	36.0	29.9-42.1	22	6.6	3.7- 9.5
H.S. or G.E.D.	1274	885,424	853	69.0	66.1-71.9	337	23.3	20.8-25.8	84	7.6	5.8- 9.4
Some Post-H.S.	974	748,318	702	72.7	69.4-76.0	216	20.1	17.2-23.0	56	7.2	5.0- 9.4
College Graduate	1260	571,506	1066	86.1	83.9-88.3	158	11.5	9.5-13.5	36	2.3	1.3- 3.3
Less than \$15,000	200	133,596	57	34.1	25.9-42.3	123	53.7	45.3-62.1	20	12.2	6.1-18.3
\$15,000- 24,999	430	285,600	232	55.5	49.8-61.2	171	38.7	33.2-44.2	27	5.8	3.3- 8.3
\$25,000- 34,999	309	192,481	192	59.6	53.1-66.1	104	35.6	29.3-41.9	13	4.8	1.7- 7.9
\$35,000- 49,999	469	293,232	349	74.4	69.9-78.9	111	23.2	18.9-27.5	9	2.5	0.7- 4.3
\$50,000- 74,999	523	354,362	421	80.6	76.7-84.5	76	13.7	10.4-17.0	26	5.7	3.3- 8.1
\$75,000+	1157	779,122	1024	89.0	86.8-91.2	99	7.3	5.7- 8.9	34	3.7	2.3- 5.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4584	2,638,449	3338	71.4	69.8-73.0	1047	23.1	21.5-24.7	199	5.5	4.5- 6.5
White/Non-Hisp	3726	2,102,902	2880	76.7	74.9-78.5	694	18.3	16.7-19.9	152	5.1	4.1- 6.1
Black or Afr. Am./Non-Hisp	432	241,100	217	40.9	34.8-47.0	189	49.2	42.9-55.5	26	9.9	5.2-14.6
Oth. Race/Non-Hisp.	101	65,873	62	53.2	40.1-66.3	33	37.6	25.1-50.1	6	9.1	0.5-17.7
MultiRacial/Non-Hisp.	66	24,033	35	45.9	31.4-60.4	23	41.1	26.2-56.0	8	13.0	3.8-22.2
Hispanic	188	165,901	104	61.2	53.0-69.4	79	36.4	28.4-44.4	5	2.4	0.0- 4.9
18-24	222	323,731	45	29.7	22.4-37.0	120	46.2	38.9-53.5	57	24.1	18.0-30.2
25-34	419	431,106	179	54.4	49.3-59.5	213	40.1	35.2-45.0	27	5.5	3.1- 7.9
35-44	543	411,366	344	70.7	66.8-74.6	181	27.0	23.1-30.9	18	2.3	1.1- 3.5
45-54	737	406,896	549	81.0	78.3-83.7	163	16.5	14.0-19.0	25	2.5	1.3- 3.7
55-64	911	439,435	727	85.9	83.7-88.1	157	11.7	9.7-13.7	27	2.4	1.4- 3.4
65+	1752	625,915	1494	88.8	87.2-90.4	213	9.0	7.6-10.4	45	2.2	1.4- 3.0
Less Than H.S.	321	308,083	148	51.4	44.7-58.1	146	39.5	33.2-45.8	27	9.1	5.2-13.0
H.S. or G.E.D.	1446	829,935	986	67.5	64.6-70.4	380	25.2	22.5-27.9	80	7.3	5.3- 9.3
Some Post-H.S.	1233	821,540	894	73.1	70.2-76.0	286	22.0	19.3-24.7	53	4.8	3.2- 6.4
College Graduate	1572	671,486	1303	83.4	81.2-85.6	230	14.1	11.9-16.3	39	2.5	1.5- 3.5
Less than \$15,000	342	210,201	111	34.7	28.4-41.0	201	57.5	51.0-64.0	30	7.8	4.7-10.9
\$15,000- 24,999	636	376,598	349	53.2	48.3-58.1	262	42.0	37.1-46.9	25	4.8	2.4- 7.2
\$25,000- 34,999	413	217,584	277	65.5	59.8-71.2	120	30.6	25.3-35.9	16	3.9	1.2- 6.6
\$35,000- 49,999	540	310,086	387	71.9	67.2-76.6	130	23.0	18.7-27.3	23	5.1	2.4- 7.8
\$50,000- 74,999	591	344,709	483	81.1	77.4-84.8	84	13.8	10.5-17.1	24	5.1	2.7- 7.5
\$75,000+	982	589,647	904	91.2	88.8-93.6	54	4.9	3.3- 6.5	24	3.8	2.0- 5.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS

TABLE 22: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8215	5,023,376	7833	94.9	94.3-95.5	154	2.1	1.7- 2.5	228	3.0	2.6- 3.4
Male	3698	2,444,488	3498	94.2	93.2-95.2	83	2.5	1.9- 3.1	117	3.3	2.5- 4.1
Female	4517	2,578,888	4335	95.6	94.8-96.4	71	1.7	1.1- 2.3	111	2.7	2.1- 3.3
White/Non-Hisp	6660	3,973,818	6418	96.2	95.6-96.8	85	1.2	0.8- 1.6	157	2.6	2.2- 3.0
Black or Afr. Am./Non-Hisp	702	442,802	666	93.6	91.1-96.1	24	3.9	1.9- 5.9	12	2.5	0.7- 4.3
Oth. Race/Non-Hisp.	205	150,366	187	91.0	85.5-96.5	8	5.6	0.7-10.5	10	3.5	0.8- 6.2
MultiRacial/Non-Hisp.	123	49,641	117	95.0	90.3-99.7	3	2.2	0.0- 4.9	3	2.8	0.0- 6.5
Hispanic	354	305,195	315	87.6	83.5-91.7	30	9.0	5.7-12.3	9	3.4	0.7- 6.1
18-24	454	630,308	418	92.3	89.8-94.8	21	4.2	2.2- 6.2	15	3.4	1.6- 5.2
25-34	787	829,563	747	94.4	92.6-96.2	18	2.4	1.2- 3.6	22	3.2	1.6- 4.8
35-44	991	802,361	952	96.0	94.6-97.4	13	1.5	0.5- 2.5	26	2.5	1.5- 3.5
45-54	1341	796,477	1257	93.9	92.5-95.3	19	1.8	0.8- 2.8	65	4.3	3.1- 5.5
55-64	1682	846,455	1617	96.0	95.0-97.0	28	1.4	0.8- 2.0	37	2.6	1.8- 3.4
65+	2960	1,118,211	2842	95.9	95.1-96.7	55	1.9	1.3- 2.5	63	2.2	1.6- 2.8
Less Than H.S.	600	605,930	548	92.1	89.7-94.5	36	5.3	3.3- 7.3	16	2.6	1.0- 4.2
H.S. or G.E.D.	2708	1,699,089	2562	94.1	92.9-95.3	61	2.5	1.7- 3.3	85	3.4	2.6- 4.2
Some Post-H.S.	2155	1,524,735	2065	95.9	94.9-96.9	30	1.2	0.6- 1.8	60	2.9	1.9- 3.9
College Graduate	2728	1,181,921	2643	96.5	95.7-97.3	25	1.1	0.5- 1.7	60	2.3	1.7- 2.9
Less than \$15,000	534	331,697	507	93.7	90.8-96.6	20	4.9	2.4- 7.4	7	1.4	0.2- 2.6
\$15,000- 24,999	1046	648,723	996	94.2	92.2-96.2	32	3.6	2.2- 5.0	18	2.2	0.8- 3.6
\$25,000- 34,999	707	404,437	676	95.0	92.8-97.2	18	3.1	1.3- 4.9	13	1.9	0.7- 3.1
\$35,000- 49,999	986	585,372	958	96.6	95.2-98.0	16	1.8	0.8- 2.8	12	1.6	0.6- 2.6
\$50,000- 74,999	1081	679,864	1050	96.4	94.8-98.0	11	1.0	0.2- 1.8	20	2.6	1.2- 4.0
\$75,000+	2043	1,306,481	2002	98.0	97.2-98.8	3	0.1	0.0- 0.3	38	1.9	1.3- 2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3698	2,444,488	3498	94.2	93.2-95.2	83	2.5	1.9- 3.1	117	3.3	2.5- 4.1
White/Non-Hisp	2994	1,919,766	2867	95.6	94.8-96.4	47	1.5	0.9- 2.1	80	2.8	2.0- 3.6
Black or Afr. Am./Non-Hisp	272	207,636	259	93.8	89.9-97.7	7	3.0	0.5- 5.5	6	3.2	0.1- 6.3
Oth. Race/Non-Hisp.	109	87,689	101	90.3	82.5-98.1	5	7.4	0.0-14.8	3	2.3	0.0- 5.0
MultiRacial/Non-Hisp.	56	25,049	53	93.6	85.4- 100	1	2.4	0.0- 7.1	2	4.0	0.0-10.9
Hispanic	172	143,261	149	87.6	82.3-92.9	19	10.4	5.5-15.3	4	2.0	0.0- 4.0
18-24	251	327,810	225	90.3	86.4-94.2	17	6.1	3.0- 9.2	9	3.6	1.1- 6.1
25-34	388	416,528	367	94.2	91.5-96.9	11	2.8	1.0- 4.6	10	3.0	0.8- 5.2
35-44	465	399,816	442	95.5	93.5-97.5	6	1.4	0.2- 2.6	17	3.2	1.6- 4.8
45-54	615	394,988	569	93.3	91.3-95.3	9	1.3	0.3- 2.3	37	5.4	3.6- 7.2
55-64	784	415,115	746	95.2	93.6-96.8	18	2.1	1.1- 3.1	20	2.6	1.4- 3.8
65+	1195	490,231	1149	95.9	94.5-97.3	22	2.0	1.0- 3.0	24	2.2	1.2- 3.2
Less Than H.S.	282	300,485	252	91.5	88.4-94.6	21	6.3	3.6- 9.0	9	2.2	0.6- 3.8
H.S. or G.E.D.	1262	876,760	1185	93.4	91.8-95.0	30	2.8	1.6- 4.0	47	3.8	2.6- 5.0
Some Post-H.S.	948	723,343	901	94.9	93.1-96.7	17	1.6	0.8- 2.4	30	3.5	1.9- 5.1
College Graduate	1198	541,317	1155	96.2	95.0-97.4	13	1.1	0.5- 1.7	30	2.7	1.7- 3.7
Less than \$15,000	194	125,846	183	92.7	87.6-97.8	9	5.9	1.2-10.6	2	1.4	0.0- 3.8
\$15,000- 24,999	423	281,816	394	92.5	89.2-95.8	19	4.7	2.3- 7.1	10	2.8	0.3- 5.3
\$25,000- 34,999	305	190,235	288	92.8	89.1-96.5	7	3.9	0.8- 7.0	10	3.3	0.9- 5.7
\$35,000- 49,999	460	287,825	440	94.9	92.5-97.3	10	2.3	0.7- 3.9	10	2.8	1.0- 4.6
\$50,000- 74,999	505	345,394	487	96.0	93.8-98.2	7	1.1	0.1- 2.1	11	2.9	0.7- 5.1
\$75,000+	1096	740,477	1071	97.9	96.9-98.9	3	0.2	0.0- 0.4	22	2.0	1.0- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4517	2,578,888	4335	95.6	94.8-96.4	71	1.7	1.1- 2.3	111	2.7	2.1- 3.3
White/Non-Hisp	3666	2,054,052	3551	96.8	96.0-97.6	38	0.9	0.5- 1.3	77	2.3	1.7- 2.9
Black or Afr. Am./Non-Hisp	430	235,166	407	93.4	90.1-96.7	17	4.7	1.8- 7.6	6	1.8	0.2- 3.4
Oth. Race/Non-Hisp.	96	62,677	86	91.9	84.5-99.3	3	3.0	0.0- 8.5	7	5.1	0.0-10.4
MultiRacial/Non-Hisp.	67	24,592	64	96.5	92.4- 100	2	1.9	0.0- 4.6	1	1.5	0.0- 4.4
Hispanic	182	161,935	166	87.5	81.0-94.0	11	7.8	3.1-12.5	5	4.7	0.0- 9.4
18-24	203	302,498	193	94.6	91.3-97.9	4	2.2	0.0- 4.4	6	3.2	0.7- 5.7
25-34	399	413,035	380	94.7	92.2-97.2	7	1.9	0.5- 3.3	12	3.4	1.2- 5.6
35-44	526	402,546	510	96.5	94.7-98.3	7	1.6	0.2- 3.0	9	1.9	0.5- 3.3
45-54	726	401,489	688	94.5	92.5-96.5	10	2.3	0.7- 3.9	28	3.2	1.8- 4.6
55-64	898	431,340	871	96.8	95.4-98.2	10	0.8	0.2- 1.4	17	2.5	1.3- 3.7
65+	1765	627,980	1693	95.9	94.7-97.1	33	1.8	1.0- 2.6	39	2.2	1.4- 3.0
Less Than H.S.	318	305,445	296	92.6	89.1-96.1	15	4.4	1.9- 6.9	7	3.0	0.5- 5.5
H.S. or G.E.D.	1446	822,329	1377	94.9	93.3-96.5	31	2.2	1.2- 3.2	38	2.9	1.7- 4.1
Some Post-H.S.	1207	801,392	1164	96.8	95.6-98.0	13	0.8	0.2- 1.4	30	2.4	1.4- 3.4
College Graduate	1530	640,604	1488	96.8	95.6-98.0	12	1.1	0.3- 1.9	30	2.1	1.3- 2.9
Less than \$15,000	340	205,850	324	94.4	91.1-97.7	11	4.2	1.1- 7.3	5	1.4	0.0- 2.8
\$15,000- 24,999	623	366,907	602	95.5	93.3-97.7	13	2.8	1.0- 4.6	8	1.8	0.4- 3.2
\$25,000- 34,999	402	214,203	388	97.0	94.8-99.2	11	2.4	0.4- 4.4	3	0.5	0.0- 1.3
\$35,000- 49,999	526	297,547	518	98.3	96.9-99.7	6	1.3	0.1- 2.5	2	0.4	0.0- 1.0
\$50,000- 74,999	576	334,470	563	96.9	94.9-98.9	4	1.0	0.0- 2.2	9	2.1	0.3- 3.9
\$75,000+	947	566,004	931	98.1	97.1-99.1				16	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS

TABLE 25: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8480	5,212,496	7789	91.6	90.8-92.4	118	1.6	1.2- 2.0	573	6.9	6.3- 7.5
Male	3841	2,542,344	3502	91.0	90.0-92.0	68	1.9	1.3- 2.5	271	7.1	6.1- 8.1
Female	4639	2,670,152	4287	92.1	91.1-93.1	50	1.3	0.9- 1.7	302	6.6	5.6- 7.6
White/Non-Hisp	6859	4,108,522	6368	92.4	91.6-93.2	66	1.1	0.7- 1.5	425	6.5	5.7- 7.3
Black or Afr. Am./Non-Hisp	724	461,797	666	91.5	88.8-94.2	12	1.9	0.5- 3.3	46	6.6	4.2- 9.0
Oth. Race/Non-Hisp.	219	163,265	189	90.3	85.6-95.0	8	2.6	0.0- 5.3	22	7.1	3.2-11.0
MultiRacial/Non-Hisp.	125	50,503	114	93.4	88.5-98.3	4	2.3	0.0- 5.0	7	4.3	0.2- 8.4
Hispanic	376	323,516	333	89.0	85.3-92.7	22	4.9	2.7- 7.1	21	6.1	3.0- 9.2
18-24	500	683,954	451	90.8	88.3-93.3	19	3.4	1.8- 5.0	30	5.8	3.6- 8.0
25-34	834	870,998	760	91.4	89.2-93.6	22	2.2	1.2- 3.2	52	6.4	4.4- 8.4
35-44	1033	831,279	949	91.9	90.1-93.7	11	0.9	0.3- 1.5	73	7.2	5.4- 9.0
45-54	1392	823,061	1232	88.9	87.1-90.7	14	1.1	0.5- 1.7	146	10.0	8.2-11.8
55-64	1715	865,225	1603	93.0	91.6-94.4	14	0.9	0.3- 1.5	98	6.1	4.7- 7.5
65+	3006	1,137,979	2794	92.8	91.6-94.0	38	1.4	0.8- 2.0	174	5.9	4.9- 6.9
Less Than H.S.	612	619,367	551	90.2	87.5-92.9	29	3.9	2.3- 5.5	32	5.9	3.7- 8.1
H.S. or G.E.D.	2764	1,745,153	2534	91.0	89.6-92.4	43	1.8	1.2- 2.4	187	7.1	5.9- 8.3
Some Post-H.S.	2226	1,584,185	2053	92.6	91.4-93.8	17	0.7	0.3- 1.1	156	6.6	5.4- 7.8
College Graduate	2852	1,250,838	2639	92.1	90.9-93.3	28	1.0	0.6- 1.4	185	6.9	5.7- 8.1
Less than \$15,000	547	346,954	517	94.6	92.2-97.0	8	1.5	0.3- 2.7	22	4.0	1.8- 6.2
\$15,000- 24,999	1075	668,250	1004	92.6	90.6-94.6	20	1.9	0.9- 2.9	51	5.4	3.6- 7.2
\$25,000- 34,999	726	415,343	689	94.8	92.8-96.8	7	1.5	0.1- 2.9	30	3.7	2.1- 5.3
\$35,000- 49,999	1015	607,233	972	95.4	94.0-96.8	10	1.1	0.3- 1.9	33	3.5	2.3- 4.7
\$50,000- 74,999	1115	700,463	1064	94.9	93.3-96.5	6	0.8	0.2- 1.4	45	4.3	2.9- 5.7
\$75,000+	2143	1,374,194	2027	94.4	93.2-95.6	15	0.6	0.2- 1.0	101	5.0	3.8- 6.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3841	2,542,344	3502	91.0	90.0-92.0	68	1.9	1.3- 2.5	271	7.1	6.1- 8.1
White/Non-Hisp	3097	1,983,491	2860	92.0	90.8-93.2	38	1.3	0.9- 1.7	199	6.7	5.7- 7.7
Black or Afr. Am./Non-Hisp	285	219,035	260	91.1	86.8-95.4	6	2.3	0.0- 4.7	19	6.5	2.8-10.2
Oth. Race/Non-Hisp.	116	95,726	101	90.0	83.3-96.7	5	3.1	0.0- 7.4	10	6.9	1.8-12.0
MultiRacial/Non-Hisp.	58	25,911	53	92.3	84.1- 100	2	2.9	0.0- 7.6	3	4.9	0.0-11.8
Hispanic	186	154,551	160	87.7	82.8-92.6	14	6.5	3.0-10.0	12	5.8	2.3- 9.3
18-24	273	352,133	241	88.9	85.0-92.8	13	4.6	2.1- 7.1	19	6.5	3.4- 9.6
25-34	415	439,892	380	92.1	89.2-95.0	11	1.9	0.7- 3.1	24	6.0	3.3- 8.7
35-44	485	414,528	440	91.1	88.4-93.8	5	0.8	0.0- 1.6	40	8.1	5.6-10.6
45-54	643	409,222	560	87.9	85.2-90.6	10	1.7	0.5- 2.9	73	10.4	8.0-12.8
55-64	797	422,062	739	92.8	90.8-94.8	8	0.9	0.1- 1.7	50	6.3	4.5- 8.1
65+	1228	504,507	1142	92.5	90.7-94.3	21	1.8	1.0- 2.6	65	5.7	4.1- 7.3
Less Than H.S.	287	306,105	254	89.0	85.1-92.9	20	5.9	3.2- 8.6	13	5.2	2.3- 8.1
H.S. or G.E.D.	1294	902,956	1175	90.3	88.3-92.3	24	1.8	1.0- 2.6	95	7.9	6.1- 9.7
Some Post-H.S.	983	755,111	913	92.9	91.1-94.7	9	0.9	0.3- 1.5	61	6.1	4.3- 7.9
College Graduate	1268	575,263	1155	90.8	89.0-92.6	15	1.1	0.5- 1.7	98	8.1	6.3- 9.9
Less than \$15,000	201	133,922	187	93.7	90.0-97.4	4	2.4	0.0- 4.9	10	3.9	1.0- 6.8
\$15,000- 24,999	435	289,596	403	91.3	87.8-94.8	11	2.5	0.9- 4.1	21	6.2	2.9- 9.5
\$25,000- 34,999	311	194,083	293	93.0	89.3-96.7	6	2.7	0.2- 5.2	12	4.3	1.6- 7.0
\$35,000- 49,999	472	295,561	448	94.4	92.0-96.8	5	1.2	0.0- 2.4	19	4.4	2.4- 6.4
\$50,000- 74,999	524	355,754	494	93.7	91.3-96.1	4	1.0	0.0- 2.0	26	5.3	3.1- 7.5
\$75,000+	1160	782,632	1090	94.3	92.7-95.9	10	0.6	0.2- 1.0	60	5.1	3.5- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4639	2,670,152	4287	92.1	91.1-93.1	50	1.3	0.9- 1.7	302	6.6	5.6- 7.6
White/Non-Hisp	3762	2,125,030	3508	92.8	91.8-93.8	28	1.0	0.6- 1.4	226	6.3	5.3- 7.3
Black or Afr. Am./Non-Hisp	439	242,762	406	91.8	88.5-95.1	6	1.5	0.1- 2.9	27	6.7	3.8- 9.6
Oth. Race/Non-Hisp.	103	67,539	88	90.6	84.1-97.1	3	2.0	0.0- 4.5	12	7.4	1.5-13.3
MultiRacial/Non-Hisp.	67	24,592	61	94.7	89.8-99.6	2	1.7	0.0- 4.4	4	3.6	0.0- 7.7
Hispanic	190	168,964	173	90.2	84.7-95.7	8	3.4	0.9- 5.9	9	6.4	1.5-11.3
18-24	227	331,821	210	92.8	89.3-96.3	6	2.1	0.3- 3.9	11	5.1	2.0- 8.2
25-34	419	431,106	380	90.7	87.6-93.8	11	2.5	0.7- 4.3	28	6.8	4.1- 9.5
35-44	548	416,751	509	92.7	90.3-95.1	6	0.9	0.1- 1.7	33	6.4	4.0- 8.8
45-54	749	413,839	672	89.9	87.5-92.3	4	0.5	0.0- 1.1	73	9.6	7.2-12.0
55-64	918	443,163	864	93.1	91.1-95.1	6	0.9	0.1- 1.7	48	6.0	4.0- 8.0
65+	1778	633,472	1652	93.0	91.6-94.4	17	1.0	0.4- 1.6	109	6.0	4.6- 7.4
Less Than H.S.	325	313,262	297	91.4	87.7-95.1	9	2.1	0.5- 3.7	19	6.6	3.3- 9.9
H.S. or G.E.D.	1470	842,197	1359	91.8	90.0-93.6	19	1.9	0.9- 2.9	92	6.3	4.7- 7.9
Some Post-H.S.	1243	829,074	1140	92.4	90.6-94.2	8	0.5	0.1- 0.9	95	7.1	5.5- 8.7
College Graduate	1584	675,575	1484	93.1	91.5-94.7	13	1.0	0.4- 1.6	87	5.9	4.5- 7.3
Less than \$15,000	346	213,033	330	95.1	92.2-98.0	4	0.9	0.0- 1.9	12	4.0	1.3- 6.7
\$15,000- 24,999	640	378,654	601	93.7	91.3-96.1	9	1.5	0.5- 2.5	30	4.8	2.8- 6.8
\$25,000- 34,999	415	221,260	396	96.4	94.6-98.2	1	0.4	0.0- 1.2	18	3.3	1.5- 5.1
\$35,000- 49,999	543	311,672	524	96.3	94.5-98.1	5	1.1	0.1- 2.1	14	2.7	1.1- 4.3
\$50,000- 74,999	591	344,709	570	96.2	94.2-98.2	2	0.5	0.0- 1.3	19	3.3	1.3- 5.3
\$75,000+	983	591,562	937	94.5	92.7-96.3	5	0.6	0.0- 1.4	41	4.9	3.3- 6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 28: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2605	869,037	883	27.8	25.4-30.2	1722	72.2	69.8-74.6
Male	980	362,133	351	28.3	24.8-31.8	629	71.7	68.2-75.2
Female	1625	506,905	532	27.5	24.4-30.6	1093	72.5	69.4-75.6
White/Non-Hisp	2168	749,624	727	27.5	25.0-30.0	1441	72.5	70.0-75.0
Black or Afr. Am./Non-Hisp	261	56,944	95	31.2	22.2-40.2	166	68.8	59.8-77.8
Oth. Race/Non-Hisp.	56	14,883	17	32.5	14.5-50.5	39	67.5	49.5-85.5
35-44	106	62,607	29	27.4	17.0-37.8	77	72.6	62.2-83.0
45-54	233	102,125	76	28.6	21.0-36.2	157	71.4	63.8-79.0
55-64	532	184,364	188	29.0	24.3-33.7	344	71.0	66.3-75.7
65+	1682	461,542	573	27.3	24.8-29.8	1109	72.7	70.2-75.2
Less Than H.S.	154	106,156	34	22.3	13.5-31.1	120	77.7	68.9-86.5
H.S. or G.E.D.	902	313,526	283	24.9	21.4-28.4	619	75.1	71.6-78.6
Some Post-H.S.	674	247,736	258	32.2	27.5-36.9	416	67.8	63.1-72.5
College Graduate	867	199,352	306	29.8	25.9-33.7	561	70.2	66.3-74.1
Less than \$15,000	124	45,079	25	12.1	5.6-18.6	99	87.9	81.4-94.4
\$15,000- 24,999	349	126,237	92	21.2	15.3-27.1	257	78.8	72.9-84.7
\$25,000- 34,999	241	71,516	73	24.9	18.0-31.8	168	75.1	68.2-82.0
\$35,000- 49,999	336	104,620	133	32.8	26.3-39.3	203	67.2	60.7-73.7
\$50,000- 74,999	311	101,471	138	36.2	29.3-43.1	173	63.8	56.9-70.7
\$75,000+	507	180,175	190	30.8	25.5-36.1	317	69.2	63.9-74.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	980	362,133	351	28.3	24.8-31.8	629	71.7	68.2-75.2
White/Non-Hisp	828	307,628	294	27.9	24.2-31.6	534	72.1	68.4-75.8
Black or Afr. Am./Non-Hisp	73	19,906	31	42.0	24.2-59.8	42	58.0	40.2-75.8
45-54	96	47,900	28	30.4	17.9-42.9	68	69.6	57.1-82.1
55-64	221	84,417	75	26.9	20.0-33.8	146	73.1	66.2-80.0
65+	594	175,422	233	33.1	28.4-37.8	361	66.9	62.2-71.6
Less Than H.S.	57	42,907	12	19.1	7.1-31.1	45	80.9	68.9-92.9
H.S. or G.E.D.	315	125,145	116	29.1	23.0-35.2	199	70.9	64.8-77.0
Some Post-H.S.	255	106,932	96	28.9	22.2-35.6	159	71.1	64.4-77.8
College Graduate	348	85,824	125	30.4	24.5-36.3	223	69.6	63.7-75.5
\$15,000- 24,999	119	52,984	34	27.9	16.7-39.1	85	72.1	60.9-83.3
\$25,000- 34,999	95	32,804	27	22.7	13.3-32.1	68	77.3	67.9-86.7
\$35,000- 49,999	147	49,607	55	28.5	19.9-37.1	92	71.5	62.9-80.1
\$50,000- 74,999	137	49,626	65	35.8	26.6-45.0	72	64.2	55.0-73.4
\$75,000+	240	87,095	90	26.3	19.6-33.0	150	73.7	67.0-80.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1625	506,905	532	27.5	24.4-30.6	1093	72.5	69.4-75.6
White/Non-Hisp	1340	441,996	433	27.3	24.0-30.6	907	72.7	69.4-76.0
Black or Afr. Am./Non-Hisp	188	37,038	64	25.4	16.4-34.4	124	74.6	65.6-83.6
35-44	67	37,216	20	34.2	19.9-48.5	47	65.8	51.5-80.1
45-54	137	54,225	48	27.1	17.7-36.5	89	72.9	63.5-82.3
55-64	311	99,947	113	30.7	24.2-37.2	198	69.3	62.8-75.8
65+	1088	286,120	340	23.8	20.9-26.7	748	76.2	73.3-79.1
Less Than H.S.	97	63,249	22	24.4	12.1-36.7	75	75.6	63.3-87.9
H.S. or G.E.D.	587	188,381	167	22.1	18.0-26.2	420	77.9	73.8-82.0
Some Post-H.S.	419	140,804	162	34.6	28.1-41.1	257	65.4	58.9-71.9
College Graduate	519	113,528	181	29.5	24.4-34.6	338	70.5	65.4-75.6
Less than \$15,000	89	30,348	19	14.9	5.9-23.9	70	85.1	76.1-94.1
\$15,000- 24,999	230	73,253	58	16.3	10.8-21.8	172	83.7	78.2-89.2
\$25,000- 34,999	146	38,712	46	26.7	16.9-36.5	100	73.3	63.5-83.1
\$35,000- 49,999	189	55,013	78	36.6	27.2-46.0	111	63.4	54.0-72.8
\$50,000- 74,999	174	51,844	73	36.5	27.5-45.5	101	63.5	54.5-72.5
\$75,000+	267	93,080	100	35.1	27.3-42.9	167	64.9	57.1-72.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 31: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	847	229,146	591	83.0	80.1-85.9	166	10.4	8.0-12.8	55	3.0	2.0- 4.0	14	0.9	0.3- 1.5	4	0.1	0.0- 0.3	2	0.0	0.0- 0.0	15	2.5	0.9- 4.1
Male	337	97,483	231	79.7	74.6-84.8	61	11.5	7.6-15.4	30	4.2	2.4- 6.0	5	1.3	0.0- 2.7	4	0.3	0.0- 0.7	1	0.0	0.0- 0.0	5	2.9	0.0- 5.8
Female	510	131,664	360	85.5	82.0-89.0	105	9.7	7.0-12.4	25	2.0	0.6- 3.4	9	0.6	0.2- 1.0				1	0.0	0.0- 0.0	10	2.1	0.3- 3.9
White/Non-Hisp	702	198,331	485	83.5	80.6-86.4	144	10.6	8.2-13.0	43	2.9	1.7- 4.1	12	0.9	0.1- 1.7	3	0.1	0.0- 0.3	2	0.0	0.0- 0.0	13	1.9	0.7- 3.1
Black or Afr. Am./Non-Hisp	91	16,735	67	84.2	71.3-97.1	14	5.4	1.3- 9.5	8	3.4	0.1- 6.7	1	0.3	0.0- 0.9							1	6.7	0.0-19.9
45-54	75	28,522	56	85.4	75.4-95.4	10	8.5	0.3-16.7	2	0.8	0.0- 2.0	4	1.0	0.0- 2.2	1	0.5	0.0- 1.5				2	3.9	0.0- 9.9
55-64	181	50,749	139	83.8	76.9-90.7	28	10.6	5.3-15.9	7	1.1	0.1- 2.1	2	0.3	0.0- 0.7							5	4.1	0.0- 8.2
65+	546	117,749	360	81.0	77.7-84.3	124	11.8	9.3-14.3	45	4.9	2.9- 6.9	5	0.5	0.0- 1.1	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3	7	1.4	0.0- 2.8
H.S. or G.E.D.	275	74,930	197	85.5	81.2-89.8	50	9.8	6.3-13.3	21	3.7	1.3- 6.1	4	0.6	0.0- 1.4				1	0.1	0.0- 0.3	2	0.3	0.0- 0.6
Some Post-H.S.	246	75,986	171	84.0	78.9-89.1	51	10.4	6.3-14.5	14	2.3	0.9- 3.7	7	1.9	0.1- 3.7							3	1.4	0.0- 3.2
College Graduate	294	55,314	203	79.4	73.1-85.7	57	10.5	6.2-14.8	17	3.2	1.2- 5.2	3	0.3	0.0- 0.7	4	0.6	0.0- 1.2	1	0.1	0.0- 0.3	9	5.8	1.5-10.1
\$15,000- 24,999	90	26,161	63	83.9	74.9-92.9	19	13.0	5.2-20.8	4	0.3	0.0- 0.7	2	0.5	0.0- 1.3				1	0.1	0.0- 0.3	1	2.2	0.0- 6.6
\$25,000- 34,999	72	17,534	50	80.2	69.2-91.2	18	14.3	4.7-23.9	3	3.6	0.0- 7.9										1	1.9	0.0- 5.1
\$35,000- 49,999	126	29,656	89	84.1	76.8-91.4	25	8.9	4.0-13.8	7	4.6	0.0- 9.7	3	1.6	0.0- 3.8				1	0.2	0.0- 0.6	1	0.6	0.0- 1.8
\$50,000- 74,999	136	36,128	104	88.4	83.3-93.5	18	6.7	2.6-10.8	11	4.1	1.2- 7.0	2	0.5	0.0- 1.5	1	0.2	0.0- 0.6						
\$75,000+	187	54,814	132	79.6	72.5-86.7	32	11.9	6.6-17.2	11	2.3	0.7- 3.9	4	1.7	0.0- 3.9	2	0.4	0.0- 1.0				6	4.1	0.2- 8.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	337	97,483	231	79.7	74.8-84.6	61	11.5	8.0-15.0	30	4.2	2.4- 6.0	5	1.3	0.0- 2.7	4	0.3	0.0- 0.7	1	0.0	0.0- 0.0	5	2.9	0.0- 5.0
White/Non-Hisp	282	81,836	189	79.5	74.4-84.6	56	13.2	9.1-17.3	25	4.2	2.2- 6.2	5	1.6	0.0- 3.2	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	3	1.2	0.0- 2.5
55-64	71	21,098	55	78.2	66.2-90.2	13	15.2	7.0-23.4	2	1.2	0.0- 3.0										1	5.3	0.0-15.0
65+	224	55,404	146	80.4	75.1-85.7	43	10.6	6.9-14.3	26	6.5	3.6- 9.4	3	0.9	0.0- 2.1	3	0.4	0.0- 0.8	1	0.1	0.0- 0.3	2	1.1	0.0- 2.2
H.S. or G.E.D.	114	36,018	84	85.1	78.2-92.0	18	10.4	4.1-16.7	9	3.4	0.9- 5.9	2	1.0	0.0- 2.6				1	0.1	0.0- 0.3			
Some Post-H.S.	91	28,659	65	85.0	77.9-92.1	15	7.8	3.1-12.5	8	3.8	0.9- 6.7	3	3.3	0.0- 7.4									
College Graduate	120	24,222	76	71.7	62.5-80.9	25	14.3	9.4-19.2	11	5.7	1.6- 9.8				4	1.4	0.0- 3.0				4	7.0	0.0-14.0
\$35,000- 49,999	51	12,393	38	83.1	71.9-94.3	8	11.3	1.3-21.3	3	3.0	0.0- 6.7	1	2.3	0.0- 6.8				1	0.4	0.0- 1.2			
\$50,000- 74,999	64	17,278	45	82.1	72.3-91.9	10	9.7	2.3-17.1	7	6.7	0.6-12.8	1	1.0	0.0- 3.0	1	0.5	0.0- 1.5						
\$75,000+	88	22,431	59	75.2	65.4-85.0	15	12.8	7.1-18.5	9	4.8	1.3- 8.3	1	2.5	0.0- 7.2	2	0.9	0.0- 2.3				2	3.9	0.0-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	510	131,664	360	85.5	82.0-89.0	105	9.7	7.0-12.4	25	2.0	0.6- 3.4	9	0.6	0.2- 1.0	1	0.0	0.0- 0.0	10	2.1	0.3- 3.3
White/Non-Hisp	420	116,495	296	86.3	83.2-89.4	88	8.7	6.5-10.9	18	2.0	0.6- 3.4	7	0.4	0.0- 0.8	1	0.0	0.0- 0.0	10	2.4	0.4- 4.4
Black or Afr. Am./Non-Hisp	60	8,371	43	89.7	82.8-96.6	10	6.2	0.9-11.5	6	3.4	0.0- 6.9	1	0.6	0.0- 1.8						
55-64	110	29,652	84	87.8	82.1-93.5	15	7.4	3.1-11.7	5	1.1	0.0- 2.3	2	0.5	0.0- 1.1				4	3.3	0.0- 6.6
65+	322	62,345	214	81.6	77.3-85.9	81	12.9	9.8-16.0	19	3.6	1.1- 6.1	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3	5	1.7	0.0- 3.3
H.S. or G.E.D.	161	38,912	113	85.9	80.8-91.0	32	9.3	6.0-12.6	12	4.0	0.1- 7.9	2	0.2	0.0- 0.6				2	0.6	0.0- 1.1
Some Post-H.S.	155	47,327	106	83.4	76.5-90.3	36	11.9	5.8-18.0	6	1.3	0.1- 2.5	4	1.1	0.0- 2.3				3	2.2	0.0- 5.0
College Graduate	174	31,092	127	85.4	79.1-91.7	32	7.6	4.3-10.9	6	1.3	0.1- 2.5	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	5	4.9	0.0-10.0
\$15,000- 24,999	58	11,961	37	78.6	67.0-90.2	13	14.4	6.8-22.0	4	0.7	0.0- 1.5	2	1.2	0.0- 3.0	1	0.3	0.0- 0.9	1	4.8	0.0-13.0
\$35,000- 49,999	75	17,263	51	84.9	75.3-94.5	17	7.1	2.6-11.6	4	5.8	0.0-14.0	2	1.1	0.0- 2.9				1	1.1	0.0- 3.3
\$50,000- 74,999	72	18,850	59	94.1	89.8-98.4	8	4.0	0.3- 7.7	4	1.8	0.0- 4.0	1	0.1	0.0- 0.3						
\$75,000+	99	32,383	73	82.7	72.7-92.7	17	11.3	3.1-19.5	2	0.6	0.0- 1.6	3	1.2	0.0- 2.8				4	4.2	0.0- 9.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 34: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8310	5,112,358	6887	85.2	84.4-86.0	844	8.9	8.1- 9.7	120	1.3	1.1- 1.5	50	0.6	0.4- 0.8	16	0.2	0.0- 0.4	7	0.1	0.0- 0.3	386	3.7	3.3- 4.1
Male	3763	2,490,799	3095	84.8	83.4-86.2	412	9.3	8.3-10.3	51	1.1	0.7- 1.5	22	0.6	0.2- 1.0	10	0.2	0.0- 0.4	5	0.2	0.0- 0.4	168	3.8	3.2- 4.4
Female	4547	2,621,559	3792	85.5	84.3-86.7	432	8.5	7.5- 9.5	69	1.5	1.1- 1.9	28	0.6	0.4- 0.8	6	0.1	0.0- 0.3	2	0.0	0.0- 0.0	218	3.6	3.0- 4.2
White/Non-Hisp	6737	4,035,974	5566	84.8	83.8-85.8	711	9.1	8.3- 9.9	96	1.3	0.9- 1.7	40	0.6	0.4- 0.8	11	0.2	0.0- 0.4	5	0.1	0.1- 0.1	308	3.9	3.3- 4.5
Black or Afr. Am./Non-Hisp	699	446,910	579	84.8	81.5-88.1	68	10.9	7.8-14.0	9	0.8	0.2- 1.4	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1	0.5	0.0- 1.5	40	3.0	1.6- 4.4
Oth. Race/Non-Hisp.	213	159,362	173	85.0	79.1-90.9	19	9.0	3.9-14.1	3	1.5	0.0- 3.3	4	1.7	0.0- 3.9	2	0.3	0.0- 0.7				12	2.4	0.8- 4.0
MultiRacial/Non-Hisp.	124	50,189	100	85.7	79.0-92.4	12	6.9	2.4-11.4	3	1.4	0.0- 3.2										9	6.0	1.3-10.7
Hispanic	375	323,231	341	91.2	87.9-94.5	19	5.4	2.5- 8.3	6	1.3	0.3- 2.3	4	1.0	0.0- 2.0				1	0.4	0.0- 1.2	4	0.7	0.0- 1.4
18-24	499	682,086	470	94.1	91.7-96.5	26	5.4	3.2- 7.6	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6							1	0.2	0.0- 0.4
25-34	830	862,642	757	90.2	87.8-92.6	60	8.1	5.9-10.3	6	0.7	0.1- 1.3	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	2	0.2	0.0- 0.4
35-44	1018	815,136	873	85.4	82.9-87.9	82	8.1	6.3- 9.9	28	3.0	1.8- 4.2	14	1.4	0.6- 2.2	4	0.3	0.0- 0.7	2	0.1	0.0- 0.3	15	1.7	0.5- 2.9
45-54	1350	797,297	1162	85.9	83.7-88.1	109	8.2	6.6- 9.8	26	1.9	1.1- 2.7	18	1.1	0.5- 1.7	3	0.4	0.0- 0.8	3	0.3	0.0- 0.7	29	2.3	1.3- 3.3
55-64	1682	846,777	1391	83.6	81.6-85.6	181	10.1	8.5-11.7	32	1.6	1.0- 2.2	4	0.2	0.0- 0.4	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	69	4.2	3.0- 5.4
65+	2931	1,108,421	2234	76.3	74.5-78.1	386	12.0	10.6-13.4	27	0.7	0.3- 1.1	10	0.3	0.1- 0.5	4	0.1	0.0- 0.3				270	10.6	9.2-12.0
Less Than H.S.	604	609,437	478	81.7	78.2-85.2	48	8.7	6.0-11.4	8	0.9	0.1- 1.7	4	0.7	0.0- 1.5	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	64	7.5	5.3- 9.7
H.S. or G.E.D.	2708	1,711,933	2239	85.2	83.6-86.8	261	8.6	7.4- 9.8	27	0.9	0.5- 1.3	10	0.5	0.1- 0.9				2	0.2	0.0- 0.4	169	4.6	3.8- 5.4
Some Post-H.S.	2182	1,550,675	1817	85.7	84.1-87.3	226	8.9	7.5-10.3	41	1.9	1.3- 2.5	10	0.3	0.1- 0.5	5	0.2	0.0- 0.4	2	0.1	0.1- 0.1	81	2.8	2.0- 3.6
College Graduate	2797	1,229,597	2338	86.2	84.8-87.6	307	9.4	8.2-10.6	44	1.4	1.0- 1.8	26	1.0	0.6- 1.4	10	0.3	0.1- 0.5	2	0.1	0.0- 0.3	70	1.6	1.2- 2.0
Less than \$15,000	540	342,927	461	87.1	83.8-90.4	31	5.7	3.2- 8.2	3	0.6	0.0- 1.4										45	6.6	4.2- 9.0
\$15,000- 24,999	1067	661,461	855	82.2	79.5-84.9	92	8.7	6.5-10.9	10	0.8	0.2- 1.4	4	0.4	0.0- 0.8				1	0.2	0.0- 0.6	105	7.7	5.9- 9.5
\$25,000- 34,999	722	411,492	611	86.0	83.1-88.9	62	8.2	5.8-10.6	3	0.6	0.0- 1.4	4	0.9	0.0- 1.9							42	4.4	2.8- 6.0
\$35,000- 49,999	1003	599,573	852	86.1	83.6-88.6	106	9.7	7.3-12.1	7	0.7	0.1- 1.3	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	2	0.5	0.0- 1.3	33	2.8	1.6- 4.0
\$50,000- 74,999	1111	697,749	918	84.5	82.0-87.0	149	11.8	9.6-14.0	22	1.8	1.0- 2.6	7	0.4	0.0- 0.8	1	0.2	0.0- 0.6				14	1.3	0.3- 2.2
\$75,000+	2135	1,367,255	1781	86.0	84.2-87.8	240	8.8	7.4-10.2	54	2.2	1.4- 3.0	25	1.2	0.6- 1.8	9	0.4	0.2- 0.6	3	0.1	0.0- 0.3	23	1.2	0.6- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3763	2,490,799	3095	84.8	83.4-86.2	412	9.3	8.3-10.3	51	1.1	0.7- 1.5	22	0.6	0.2- 1.0	10	0.2	0.0- 0.4	5	0.2	0.0- 0.4	168	3.8	3.2- 4.4
White/Non-Hisp	3042	1,948,771	2491	84.6	83.2-86.0	338	9.2	8.0-10.4	44	1.2	0.8- 1.6	16	0.5	0.1- 0.9	9	0.3	0.1- 0.5	3	0.1	0.0- 0.3	141	4.1	3.3- 4.9
Black or Afr. Am./Non-Hisp	274	208,602	221	82.4	76.9-87.9	39	14.4	9.3-19.5	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	1	1.0	0.0- 3.0	8	1.7	0.1- 3.3
Oth. Race/Non-Hisp.	113	92,829	93	87.7	80.8-94.6	7	5.0	0.1- 9.9	2	2.3	0.0- 5.4	3	1.9	0.0- 4.8							8	3.2	0.7- 5.7
MultiRacial/Non-Hisp.	57	25,597	44	82.6	71.8-93.4	8	10.1	2.1-18.1	1	1.5	0.0- 4.4										4	5.7	0.0-13.3
Hispanic	185	154,267	169	89.6	84.1-95.1	10	7.1	2.2-12.0	1	0.5	0.0- 1.5	2	1.2	0.0- 3.0				1	0.8	0.0- 2.4	2	0.8	0.0- 2.4
18-24	272	350,265	255	93.7	90.6-96.8	16	5.9	3.0- 8.8													1	0.5	0.0- 1.0
25-34	412	433,867	372	89.5	86.0-93.0	30	8.1	5.0-11.2	4	0.7	0.1- 1.3	3	1.0	0.0- 2.4	1	0.2	0.0- 0.6	1	0.5	0.0- 1.5	1	0.1	0.0- 0.6
35-44	476	403,698	410	85.9	82.4-89.4	44	9.3	6.4-12.2	6	1.1	0.1- 2.1	5	1.1	0.1- 2.1	1	0.1	0.0- 0.3				10	2.6	0.6- 4.6
45-54	622	396,679	526	84.8	81.7-87.9	55	8.4	6.0-10.8	11	1.7	0.5- 2.9	4	0.5	0.0- 1.1	2	0.6	0.0- 1.4	3	0.6	0.0- 1.4	21	3.4	1.6- 5.3
55-64	780	413,109	631	81.6	78.5-84.7	81	9.9	7.5-12.3	16	2.0	0.8- 3.2	3	0.3	0.0- 0.7	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3	44	5.7	3.7- 7.7
65+	1201	493,182	901	76.4	73.7-79.1	186	13.1	10.9-15.3	14	0.9	0.3- 1.5	7	0.3	0.0- 0.7	2	0.2	0.0- 0.4				91	9.1	7.1-11.1
Less Than H.S.	284	302,185	226	81.3	76.2-86.4	25	8.5	4.8-12.2	2	0.6	0.0- 1.4	2	1.0	0.0- 2.6	1	0.5	0.0- 1.5	1	0.4	0.0- 1.2	27	7.7	4.2-11.2
H.S. or G.E.D.	1267	883,583	1049	85.3	83.1-87.5	140	9.7	7.9-11.5	14	0.9	0.3- 1.5	4	0.2	0.0- 0.6				2	0.3	0.0- 0.7	58	3.4	2.4- 4.4
Some Post-H.S.	968	740,934	803	85.6	83.2-88.0	97	8.8	6.8-10.8	16	1.2	0.6- 1.8	5	0.4	0.0- 0.8	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	43	3.7	2.5- 4.9
College Graduate	1239	562,763	1014	85.0	82.8-87.2	149	9.9	8.1-11.7	19	1.3	0.7- 1.9	11	1.0	0.2- 1.8	6	0.5	0.1- 0.9	1	0.1	0.0- 0.3	39	2.3	1.5- 3.3
Less than \$15,000	199	133,447	175	90.0	85.3-94.7	8	2.5	0.5- 4.5													16	7.5	3.2-11.8
\$15,000- 24,999	432	284,962	343	81.2	77.1-85.3	42	9.4	6.1-12.7	6	1.5	0.1- 2.9							1	0.4	0.0- 1.2	40	7.5	5.0-10.0
\$25,000- 34,999	309	192,989	253	83.9	79.2-88.6	31	9.4	5.7-13.1	1	0.4	0.0- 1.2	2	0.7	0.0- 1.7							22	5.6	2.9- 8.3
\$35,000- 49,999	465	291,146	397	87.5	84.0-91.0	47	8.1	5.2-11.0	4	0.7	0.0- 1.5				1	0.1	0.0- 0.3	1	0.7	0.0- 2.1	15	2.8	1.2- 4.4
\$50,000- 74,999	524	355,754	418	82.7	79.0-86.4	80	12.7	9.6-15.8	10	1.5	0.5- 2.5	5	0.4	0.0- 0.8	1	0.4	0.0- 1.2				10	2.3	0.3- 4.3
\$75,000+	1155	776,802	956	85.1	82.7-87.5	135	9.5	7.5-11.5	24	1.5	0.7- 2.3	13	1.3	0.3- 2.3	5	0.3	0.0- 0.7	2	0.2	0.0- 0.4	20	2.0	1.0- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4547	2,621,559	3792	85.5	84.3-86.7	432	8.5	7.5- 9.5	69	1.5	1.1- 1.9	28	0.6	0.4- 0.8	6	0.1	0.0- 0.3	2	0.0	0.0- 0.0	218	3.6	3.0- 4.4
White/Non-Hisp	3695	2,087,203	3075	85.0	83.6-86.4	373	8.9	7.7-10.1	52	1.5	0.9- 2.1	24	0.7	0.3- 1.1	2	0.0	0.0- 0.0	2	0.1	0.1- 0.1	167	3.8	3.2- 4.4
Black or Afr. Am./Non-Hisp	425	238,308	358	86.8	82.5-91.1	29	7.9	4.2-11.6	6	1.1	0.0- 2.3										32	4.1	2.1- 6.1
Oth. Race/Non-Hisp.	100	66,533	80	81.3	71.1-91.5	12	14.7	5.1-24.3	1	0.3	0.0- 0.9	1	1.5	0.0- 4.4	2	0.8	0.0- 2.0				4	1.4	0.0- 3.0
MultiRacial/Non-Hisp.	67	24,592	56	88.8	81.4-96.2	4	3.5	0.0- 7.2	2	1.4	0.0- 3.4										5	6.3	0.2-12.1
Hispanic	190	168,964	172	92.7	88.8-96.6	9	3.9	0.8- 7.0	5	2.0	0.2- 3.8	2	0.8	0.0- 2.0							2	0.7	0.0- 1.4
18-24	227	331,821	215	94.5	91.4-97.6	10	5.0	1.9- 8.1	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2									
25-34	418	428,775	385	90.9	87.6-94.2	30	8.2	5.1-11.3	2	0.6	0.0- 1.6										1	0.3	0.0- 0.6
35-44	542	411,438	463	84.9	81.6-88.2	38	6.9	4.5- 9.3	22	4.9	2.7- 7.1	9	1.7	0.5- 2.9	3	0.5	0.0- 1.1	2	0.3	0.0- 0.7	5	0.9	0.1- 1.7
45-54	728	400,618	636	87.1	84.2-90.0	54	7.9	5.5-10.3	15	2.0	0.8- 3.2	14	1.7	0.7- 2.7	1	0.1	0.0- 0.3				8	1.2	0.0- 2.4
55-64	902	433,668	760	85.6	82.9-88.3	100	10.2	7.8-12.6	16	1.3	0.5- 2.1	1	0.1	0.0- 0.3							25	2.8	1.4- 4.4
65+	1730	615,239	1333	76.1	73.7-78.5	200	11.1	9.3-12.9	13	0.6	0.2- 1.0	3	0.2	0.0- 0.4	2	0.1	0.0- 0.3				179	11.8	9.8-13.8
Less Than H.S.	320	307,252	252	82.0	77.3-86.7	23	9.0	5.1-12.9	6	1.2	0.0- 2.4	2	0.4	0.0- 1.0							37	7.3	4.6-10.0
H.S. or G.E.D.	1441	828,349	1190	85.0	82.8-87.2	121	7.5	5.9- 9.1	13	0.8	0.2- 1.4	6	0.8	0.2- 1.4							111	5.9	4.7- 7.1
Some Post-H.S.	1214	809,741	1014	85.9	83.7-88.1	129	9.0	7.2-10.8	25	2.5	1.3- 3.7	5	0.3	0.0- 0.7	2	0.2	0.0- 0.6	1	0.0	0.0- 0.0	38	2.0	1.2- 2.8
College Graduate	1558	666,834	1324	87.2	85.2-89.2	158	8.9	7.1-10.7	25	1.5	0.9- 2.1	15	1.1	0.5- 1.7	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	31	1.0	0.6- 1.4
Less than \$15,000	341	209,480	286	85.2	80.7-89.7	23	7.7	3.8-11.6	3	1.0	0.0- 2.2										29	6.0	3.5- 8.5
\$15,000- 24,999	635	376,499	512	83.0	79.5-86.5	50	8.1	5.2-11.0	4	0.3	0.0- 0.7	4	0.7	0.0- 1.5							65	7.9	5.5-10.3
\$25,000- 34,999	413	218,502	358	87.8	84.1-91.5	31	7.1	4.2-10.0	2	0.8	0.0- 2.0	2	1.1	0.0- 2.7							20	3.3	1.5- 5.1
\$35,000- 49,999	538	308,427	455	84.8	81.1-88.5	59	11.2	7.7-14.7	3	0.8	0.0- 1.8	2	0.2	0.0- 0.6				1	0.3	0.0- 0.9	18	2.7	1.1- 4.4
\$50,000- 74,999	587	341,995	500	86.3	83.0-89.6	69	10.8	7.7-13.9	12	2.2	0.8- 3.6	2	0.3	0.0- 0.7							4	0.3	0.0- 0.6
\$75,000+	980	590,453	825	87.1	84.7-89.5	105	7.9	6.1- 9.7	30	3.2	1.8- 4.6	12	1.1	0.5- 1.7	4	0.4	0.0- 1.0	1	0.0	0.0- 0.0	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 37: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8413	5,175,549	963	9.9	9.1-10.7	7450	90.1	89.3-90.9
Male	3799	2,518,711	866	18.4	17.0-19.8	2933	81.6	80.2-83.0
Female	4614	2,656,838	97	1.9	1.5- 2.3	4517	98.1	97.7-98.5
White/Non-Hisp	6814	4,084,235	778	10.1	9.3-10.9	6036	89.9	89.1-90.7
Black or Afr. Am./Non-Hisp	717	456,260	83	9.9	7.4-12.4	634	90.1	87.6-92.6
Oth. Race/Non-Hisp.	218	162,977	32	8.5	4.8-12.2	186	91.5	87.8-95.2
MultiRacial/Non-Hisp.	124	50,462	16	10.6	4.7-16.5	108	89.4	83.5-95.3
Hispanic	374	322,837	21	5.2	2.7- 7.7	353	94.8	92.3-97.3
18-24	499	682,827	13	2.4	1.0- 3.8	486	97.6	96.2-99.0
25-34	830	866,409	53	7.3	5.1- 9.5	777	92.7	90.5-94.9
35-44	1025	825,344	59	5.5	3.9- 7.1	966	94.5	92.9-96.1
45-54	1374	812,990	138	10.4	8.6-12.2	1236	89.6	87.8-91.4
55-64	1702	858,533	187	11.3	9.5-13.1	1515	88.7	86.9-90.5
65+	2983	1,129,447	513	18.3	16.7-19.9	2470	81.7	80.1-83.3
Less Than H.S.	607	613,132	37	5.2	3.2- 7.2	570	94.8	92.8-96.8
H.S. or G.E.D.	2744	1,734,940	329	10.6	9.2-12.0	2415	89.4	88.0-90.8
Some Post-H.S.	2207	1,571,857	313	12.3	10.7-13.9	1894	87.7	86.1-89.3
College Graduate	2832	1,244,059	283	8.4	7.2- 9.6	2549	91.6	90.4-92.8
Less than \$15,000	547	346,954	45	6.3	4.1- 8.5	502	93.7	91.5-95.9
\$15,000- 24,999	1073	667,091	116	9.0	7.0-11.0	957	91.0	89.0-93.0
\$25,000- 34,999	725	414,929	94	11.6	9.1-14.1	631	88.4	85.9-90.9
\$35,000- 49,999	1013	606,434	151	13.2	10.7-15.7	862	86.8	84.3-89.3
\$50,000- 74,999	1114	700,064	145	11.0	8.8-13.2	969	89.0	86.8-91.2
\$75,000+	2141	1,373,332	235	10.1	8.5-11.7	1906	89.9	88.3-91.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3799	2,518,711	866	18.4	17.0-19.8	2933	81.6	80.2-83.0
White/Non-Hisp	3070	1,967,759	714	19.3	17.7-20.9	2356	80.7	79.1-82.3
Black or Afr. Am./Non-Hisp	283	216,980	65	17.0	12.3-21.7	218	83.0	78.3-87.7
Oth. Race/Non-Hisp.	115	95,438	27	11.7	6.0-17.4	88	88.3	82.6-94.0
MultiRacial/Non-Hisp.	57	25,870	13	16.6	6.4-26.8	44	83.4	73.2-93.6
Hispanic	184	153,873	20	9.8	4.7-14.9	164	90.2	85.1-95.3
18-24	273	352,133	10	3.6	1.2- 6.0	263	96.4	94.0-98.8
25-34	414	437,700	45	13.0	9.1-16.9	369	87.0	83.1-90.9
35-44	479	409,826	48	9.1	6.4-11.8	431	90.9	88.2-93.6
45-54	631	402,645	119	18.4	15.1-21.7	512	81.6	78.3-84.9
55-64	786	417,300	162	20.9	17.8-24.0	624	79.1	76.0-82.2
65+	1216	499,107	482	39.2	36.1-42.3	734	60.8	57.7-63.9
Less Than H.S.	283	300,939	35	10.4	6.5-14.3	248	89.6	85.7-93.5
H.S. or G.E.D.	1280	895,558	304	18.8	16.4-21.2	976	81.2	78.8-83.6
Some Post-H.S.	972	748,624	284	23.3	20.4-26.2	688	76.7	73.8-79.6
College Graduate	1257	571,725	242	15.6	13.4-17.8	1015	84.4	82.2-86.6
Less than \$15,000	201	133,922	41	15.2	9.9-20.5	160	84.8	79.5-90.1
\$15,000- 24,999	435	289,596	102	18.7	14.8-22.6	333	81.3	77.4-85.2
\$25,000- 34,999	311	194,083	86	23.1	18.0-28.2	225	76.9	71.8-82.0
\$35,000- 49,999	470	294,761	140	25.5	20.8-30.2	330	74.5	69.8-79.2
\$50,000- 74,999	523	355,356	129	19.3	15.6-23.0	394	80.7	77.0-84.4
\$75,000+	1159	782,137	211	15.6	13.2-18.0	948	84.4	82.0-86.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4614	2,656,838	97	1.9	1.5- 2.3	4517	98.1	97.7-98.5
White/Non-Hisp	3744	2,116,476	64	1.6	1.2- 2.0	3680	98.4	98.0-98.8
Black or Afr. Am./Non-Hisp	434	239,280	18	3.5	1.3- 5.7	416	96.5	94.3-98.7
Oth. Race/Non-Hisp.	103	67,539	5	3.9	0.0- 8.4	98	96.1	91.6- 100
MultiRacial/Non-Hisp.	67	24,592	3	4.2	0.0- 9.9	64	95.8	90.1- 100
Hispanic	190	168,964	1	0.9	0.0- 2.7	189	99.1	97.3- 100
18-24	226	330,694	3	1.2	0.0- 2.8	223	98.8	97.2- 100
25-34	416	428,709	8	1.5	0.3- 2.7	408	98.5	97.3-99.7
35-44	546	415,518	11	2.0	0.6- 3.4	535	98.0	96.6-99.4
45-54	743	410,344	19	2.5	1.3- 3.7	724	97.5	96.3-98.7
55-64	916	441,233	25	2.3	1.1- 3.5	891	97.7	96.5-98.9
65+	1767	630,341	31	1.7	0.9- 2.5	1736	98.3	97.5-99.1
Less Than H.S.	324	312,193	2	0.2	0.0- 0.6	322	99.8	99.4- 100
H.S. or G.E.D.	1464	839,382	25	1.7	0.9- 2.5	1439	98.3	97.5-99.1
Some Post-H.S.	1235	823,233	29	2.3	1.3- 3.3	1206	97.7	96.7-98.7
College Graduate	1575	672,334	41	2.3	1.5- 3.1	1534	97.7	96.9-98.5
Less than \$15,000	346	213,033	4	0.7	0.0- 1.7	342	99.3	98.3- 100
\$15,000- 24,999	638	377,494	14	1.5	0.3- 2.7	624	98.5	97.3-99.7
\$25,000- 34,999	414	220,846	8	1.5	0.3- 2.7	406	98.5	97.3-99.7
\$35,000- 49,999	543	311,672	11	1.6	0.4- 2.8	532	98.4	97.2-99.6
\$50,000- 74,999	591	344,709	16	2.5	1.1- 3.9	575	97.5	96.1-98.9
\$75,000+	982	591,194	24	2.9	1.5- 4.3	958	97.1	95.7-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 40: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8315	5,112,335	4090	56.3	54.9-57.7	461	6.7	5.9- 7.5	398	5.1	4.5- 5.7	225	5.5	4.7- 6.3	2483	18.8	18.0-19.6	658	7.6	7.0- 8.2
Male	3760	2,491,437	2114	63.0	61.2-64.8	221	6.9	5.9- 7.9	22	0.5	0.3- 0.7	114	5.6	4.4- 6.8	1043	17.8	16.6-19.0	246	6.2	5.2- 7.2
Female	4555	2,620,899	1976	49.9	48.1-51.7	240	6.5	5.5- 7.5	376	9.4	8.2-10.6	111	5.5	4.3- 6.7	1440	19.8	18.6-21.0	412	8.9	7.9- 9.9
White/Non-Hisp	6756	4,045,909	3310	56.2	54.8-57.6	333	6.1	5.3- 6.9	334	5.3	4.7- 5.9	148	4.5	3.7- 5.3	2141	20.8	19.8-21.8	490	7.1	6.3- 7.9
Black or Afr. Am./Non-Hisp	698	447,661	310	54.7	50.0-59.4	62	10.9	8.0-13.8	21	2.1	0.9- 3.3	18	4.4	2.0- 6.8	201	15.5	12.6-18.4	86	12.3	9.2-15.4
Oth. Race/Non-Hisp.	212	158,059	103	49.4	40.4-58.4	13	5.1	1.8- 8.4	8	3.9	1.0- 6.8	26	27.6	18.4-36.8	42	8.7	5.2-12.2	20	5.3	2.6- 8.0
MultiRacial/Non-Hisp.	121	49,038	57	59.9	49.5-70.3	11	10.6	4.1-17.1	3	1.7	0.0- 3.9	3	2.0	0.0- 4.7	24	11.8	6.1-17.5	23	14.1	7.4-20.8
Hispanic	365	313,334	217	59.6	53.5-65.7	34	9.0	5.5-12.5	32	9.5	6.0-13.0	28	11.6	6.9-16.3	28	3.6	1.8- 5.4	26	6.7	4.0- 9.4
18-24	494	677,194	269	52.4	47.5-57.3	47	9.1	6.4-11.8	6	1.3	0.1- 2.5	163	35.4	30.7-40.1	1	0.1	0.0- 0.3	8	1.7	0.5- 2.9
25-34	816	851,522	618	75.3	72.0-78.6	85	10.7	8.3-13.1	46	6.7	4.7- 8.7	32	3.3	1.9- 4.7	1	0.1	0.0- 0.3	34	3.9	2.5- 5.3
35-44	1010	811,515	768	76.9	74.0-79.8	80	7.7	5.9- 9.5	72	7.1	5.3- 8.9	15	1.3	0.5- 2.1	3	0.2	0.0- 0.4	72	6.8	5.0- 8.6
45-54	1356	801,522	994	72.7	70.0-75.4	100	7.2	5.6- 8.8	73	5.6	4.2- 7.0	6	0.3	0.1- 0.5	41	3.1	2.1- 4.1	142	11.0	9.0-13.0
55-64	1682	850,776	987	58.7	56.0-61.4	113	6.3	5.1- 7.5	73	4.4	3.2- 5.6	2	0.0	0.0- 0.0	240	14.0	12.0-16.0	267	16.5	14.3-18.7
65+	2957	1,119,807	454	15.6	14.0-17.2	36	1.3	0.9- 1.7	128	4.9	3.9- 5.9	7	0.3	0.1- 0.5	2197	72.8	70.8-74.8	135	5.2	4.2- 6.2
Less Than H.S.	588	595,411	179	38.0	33.3-42.7	61	12.7	9.4-16.0	48	8.6	6.1-11.1	9	3.1	0.9- 5.3	131	15.6	12.7-18.5	160	22.1	18.6-25.6
H.S. or G.E.D.	2705	1,712,877	1150	51.4	49.0-53.8	177	7.1	5.9- 8.3	166	6.3	5.1- 7.5	63	5.6	4.0- 7.2	876	20.9	19.3-22.5	273	8.6	7.4- 9.8
Some Post-H.S.	2187	1,559,134	1068	58.2	55.8-60.6	118	6.2	5.0- 7.4	85	3.6	2.6- 4.6	90	7.8	6.0- 9.6	669	18.6	17.0-20.2	157	5.6	4.6- 6.6
College Graduate	2814	1,235,189	1684	69.5	67.5-71.5	104	3.8	3.0- 4.6	98	3.6	2.8- 4.4	63	3.8	2.8- 4.8	799	17.7	16.3-19.1	66	1.7	1.1- 2.3
Less than \$15,000	540	343,616	87	20.1	15.6-24.6	74	16.4	12.5-20.3	26	4.8	2.6- 7.0	32	11.3	7.2-15.4	121	15.6	12.3-18.9	200	31.8	27.3-36.3
\$15,000- 24,999	1070	665,111	330	39.3	35.6-43.0	102	11.2	8.8-13.6	51	6.6	4.4- 8.8	33	4.7	2.7- 6.7	388	23.0	20.5-25.5	166	15.2	12.7-17.7
\$25,000- 34,999	722	412,428	310	50.7	46.2-55.2	39	6.2	4.0- 8.4	33	5.2	3.0- 7.4	18	5.6	2.7- 8.5	278	26.0	22.7-29.3	44	6.2	4.0- 8.4
\$35,000- 49,999	1012	605,109	502	57.6	53.9-61.3	58	7.1	4.7- 9.5	45	5.4	3.4- 7.4	15	2.1	0.9- 3.3	349	23.5	20.8-26.2	43	4.3	2.7- 5.9
\$50,000- 74,999	1108	695,481	652	67.4	64.3-70.5	38	4.5	2.9- 6.1	51	4.9	3.3- 6.5	20	3.0	1.6- 4.4	316	17.3	15.1-19.5	31	3.0	1.8- 4.2
\$75,000+	2136	1,369,466	1613	79.4	77.2-81.6	41	1.9	1.1- 2.7	85	3.6	2.8- 4.4	48	5.0	3.4- 6.6	322	8.7	7.5- 9.9	27	1.3	0.7- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3760	2,491,437	2114	63.0	61.2-64.8	221	6.9	5.9- 7.9	22	0.5	0.3- 0.7	114	5.6	4.4- 6.8	1043	17.8	16.6-19.0	246	6.2	5.2- 7.2
White/Non-Hisp	3045	1,948,794	1711	63.3	61.3-65.3	161	6.4	5.2- 7.6	14	0.4	0.2- 0.6	72	4.3	3.1- 5.5	903	19.5	18.1-20.9	184	6.1	5.1- 7.1
Black or Afr. Am./Non-Hisp	274	212,085	133	57.4	50.3-64.5	31	12.5	7.8-17.2	2	0.6	0.0- 1.6	6	2.8	0.3- 5.3	69	16.2	11.7-20.7	33	10.4	5.9-14.9
Oth. Race/Non-Hisp.	114	94,848	63	57.6	45.6-69.6	6	4.0	0.0- 8.1	1	0.8	0.0- 2.4	15	26.2	14.4-38.0	18	6.8	2.7-10.9	11	4.6	1.3- 7.9
MultiRacial/Non-Hisp.	56	25,257	33	73.7	61.4-86.0	5	6.6	0.1-13.1							11	12.1	3.3-20.9	7	7.5	1.4-13.6
Hispanic	182	152,327	120	66.4	58.2-74.6	15	8.4	3.5-13.3	5	2.7	0.0- 5.4	19	14.5	7.6-21.4	15	3.8	1.6- 6.0	8	4.3	0.8- 7.8
18-24	271	349,229	153	55.3	48.8-61.8	26	8.3	5.0-11.6				89	35.2	28.9-41.5	1	0.1	0.0- 0.3	2	1.0	0.0- 2.6
25-34	406	431,997	337	83.3	79.2-87.4	37	10.0	6.5-13.5	2	0.3	0.0- 0.7	12	1.8	0.4- 3.2	1	0.2	0.0- 0.6	17	4.4	2.0- 6.8
35-44	473	403,872	396	85.3	82.0-88.6	41	8.2	5.5-10.9	4	0.9	0.0- 1.9	8	1.4	0.4- 2.4	3	0.4	0.0- 0.8	21	3.7	1.9- 5.5
45-54	622	396,396	500	79.3	75.6-83.0	48	7.9	5.4-10.4	5	0.9	0.1- 1.7	3	0.3	0.0- 0.7	20	3.1	1.7- 4.5	46	8.5	6.0-11.0
55-64	779	414,374	497	63.6	59.7-67.5	53	6.5	4.5- 8.5	7	0.7	0.1- 1.3				111	14.2	11.5-16.9	111	15.0	12.1-17.9
65+	1209	495,570	231	19.2	16.7-21.7	16	1.4	0.6- 2.2	4	0.5	0.0- 1.3	2	0.2	0.0- 0.6	907	74.2	71.3-77.1	49	4.5	3.1- 5.9
Less Than H.S.	275	292,622	113	47.6	40.9-54.3	32	13.8	8.9-18.7	3	1.1	0.0- 2.5	4	2.7	0.0- 5.4	55	14.5	10.4-18.6	68	20.4	15.5-25.3
H.S. or G.E.D.	1265	884,320	681	62.7	59.8-65.6	86	6.8	5.2- 8.4	8	0.7	0.1- 1.3	34	5.2	3.4- 7.0	360	18.5	16.3-20.7	96	6.1	4.7- 7.5
Some Post-H.S.	966	746,867	521	62.0	58.5-65.5	58	6.7	4.7- 8.7	2	0.1	0.1- 0.1	49	9.0	6.5-11.5	279	17.8	15.4-20.2	57	4.5	3.1- 5.9
College Graduate	1248	566,088	797	72.8	70.3-75.3	45	3.7	2.5- 4.9	9	0.6	0.2- 1.0	27	3.3	1.9- 4.7	346	18.1	16.1-20.1	24	1.4	0.6- 2.2
Less than \$15,000	197	132,307	34	20.5	13.4-27.6	40	23.3	15.7-30.9	2	0.3	0.0- 0.7	12	11.3	4.8-17.8	37	13.4	8.3-18.5	72	31.2	23.9-38.5
\$15,000- 24,999	433	288,245	149	43.1	37.4-48.8	44	11.1	7.6-14.6	5	1.9	0.1- 3.7	16	5.0	2.5- 7.5	150	23.0	19.1-26.9	69	15.8	11.5-20.1
\$25,000- 34,999	309	192,372	146	56.5	50.0-63.0	16	5.9	2.8- 9.0	2	0.2	0.0- 0.4	9	5.2	1.7- 8.7	115	25.2	20.3-30.1	21	6.9	3.6-10.2
\$35,000- 49,999	472	295,561	242	61.3	56.2-66.4	25	6.6	3.5- 9.7	3	0.5	0.0- 1.3	7	1.6	0.2- 3.0	180	26.7	22.6-30.8	15	3.2	1.0- 5.4
\$50,000- 74,999	521	353,298	330	72.7	68.4-77.0	16	3.9	1.5- 6.3	3	0.5	0.0- 1.1	13	3.9	1.5- 6.3	149	17.1	14.0-20.2	10	2.0	0.6- 3.4
\$75,000+	1158	781,022	922	83.9	81.4-86.4	20	1.8	0.8- 2.8	5	0.3	0.0- 0.7	25	4.8	2.8- 6.8	175	8.2	6.8- 9.6	11	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4555	2,620,899	1976	49.9	48.1-51.7	240	6.5	5.5- 7.5	376	9.4	8.2-10.6	111	5.5	4.3- 6.7	1440	19.8	18.6-21.0	412	8.9	7.9- 9.9
White/Non-Hisp	3711	2,097,114	1599	49.6	47.6-51.6	172	5.8	4.8- 6.8	320	9.8	8.6-11.0	76	4.6	3.4- 5.8	1238	22.0	20.6-23.4	306	8.1	7.1- 9.1
Black or Afr. Am./Non-Hisp	424	235,576	177	52.3	46.0-58.6	31	9.5	5.8-13.2	19	3.5	1.3- 5.7	12	5.7	2.0- 9.4	132	14.9	11.4-18.4	53	14.1	9.6-18.6
Oth. Race/Non-Hisp.	98	63,211	40	37.2	24.9-49.5	7	6.8	1.1-12.5	7	8.6	1.7-15.5	11	29.7	15.0-44.4	24	11.4	5.1-17.7	9	6.2	1.3-11.1
MultiRacial/Non-Hisp.	65	23,781	24	45.3	30.4-60.2	6	14.7	3.5-25.9	3	3.5	0.0- 7.8	3	4.1	0.0- 9.6	13	11.5	4.2-18.8	16	21.0	9.6-32.4
Hispanic	183	161,008	97	53.2	44.6-61.8	19	9.6	4.7-14.5	27	16.0	9.7-22.3	9	8.8	2.5-15.1	13	3.4	0.5- 6.3	18	9.0	4.7-13.3
18-24	223	327,966	116	49.3	42.0-56.6	21	9.9	5.4-14.4	6	2.7	0.2- 5.2	74	35.7	28.4-43.0				6	2.5	0.3- 4.7
25-34	410	419,525	281	67.0	61.9-72.1	48	11.5	8.2-14.8	44	13.3	9.4-17.2	20	4.7	2.3- 7.1				17	3.5	1.7- 5.3
35-44	537	407,644	372	68.5	64.2-72.8	39	7.3	4.9- 9.7	68	13.2	9.9-16.5	7	1.1	0.1- 2.1				51	9.9	7.0-12.8
45-54	734	405,126	494	66.2	62.3-70.1	52	6.6	4.6- 8.6	68	10.3	7.8-12.8	3	0.2	0.0- 0.6	21	3.1	1.7- 4.5	96	13.6	10.7-16.5
55-64	903	436,401	490	54.2	50.5-57.9	60	6.0	4.2- 7.8	66	7.9	5.7-10.1	2	0.1	0.0- 0.3	129	13.9	11.4-16.4	156	18.0	15.1-20.9
65+	1748	624,237	223	12.8	11.0-14.6	20	1.2	0.6- 1.8	124	8.4	6.6-10.2	5	0.3	0.1- 0.5	1290	71.6	69.1-74.1	86	5.7	4.3- 7.1
Less Than H.S.	313	302,789	66	28.7	22.2-35.2	29	11.6	6.9-16.3	45	15.9	11.0-20.8	5	3.5	0.2- 6.8	76	16.7	12.4-21.0	92	23.7	18.6-28.8
H.S. or G.E.D.	1440	828,557	469	39.4	36.3-42.5	91	7.5	5.7- 9.3	158	12.2	10.0-14.4	29	6.2	3.8- 8.6	516	23.5	21.1-25.9	177	11.3	9.3-13.3
Some Post-H.S.	1221	812,267	547	54.7	51.4-58.0	60	5.8	4.0- 7.6	83	7.0	5.2- 8.8	41	6.7	4.3- 9.1	390	19.3	17.1-21.5	100	6.5	4.9- 8.1
College Graduate	1566	669,102	887	66.7	64.0-69.4	59	3.8	2.6- 5.0	89	6.0	4.6- 7.4	36	4.2	2.6- 5.8	453	17.3	15.5-19.1	42	2.0	1.4- 2.6
Less than \$15,000	343	211,310	53	19.9	14.2-25.6	34	12.1	7.8-16.4	24	7.6	4.3-10.9	20	11.3	6.0-16.6	84	17.0	12.9-21.1	128	32.1	26.2-38.0
\$15,000- 24,999	637	376,865	181	36.3	31.4-41.2	58	11.3	8.0-14.6	46	10.2	6.9-13.5	17	4.5	1.8- 7.2	238	23.1	19.6-26.6	97	14.6	11.3-17.9
\$25,000- 34,999	413	220,056	164	45.7	39.6-51.8	23	6.4	3.3- 9.5	31	9.6	5.7-13.5	9	6.0	1.5-10.5	163	26.7	22.0-31.4	23	5.6	3.1- 8.1
\$35,000- 49,999	540	309,548	260	54.1	48.8-59.4	33	7.6	4.3-10.9	42	10.0	6.5-13.5	8	2.5	0.5- 4.5	169	20.5	17.0-24.0	28	5.3	2.9- 7.7
\$50,000- 74,999	587	342,183	322	62.0	57.5-66.5	22	5.1	2.7- 7.5	48	9.4	6.5-12.3	7	2.0	0.4- 3.6	167	17.5	14.4-20.6	21	4.1	2.1- 6.1
\$75,000+	978	588,444	691	73.5	70.2-76.8	21	2.2	1.0- 3.4	80	7.9	5.9- 9.9	23	5.4	3.0- 7.8	147	9.4	7.6-11.2	16	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 43: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8304	5,096,738	916	14.5	13.5-15.5	759	12.4	11.4-13.4	331	5.6	5.0- 6.2	129	2.3	1.9- 2.7	66	1.1	0.7- 1.5	6103	64.1	62.7-65.5
Male	3743	2,475,069	391	13.3	11.9-14.7	336	11.9	10.5-13.3	155	5.4	4.4- 6.4	64	2.2	1.6- 2.8	27	1.0	0.6- 1.4	2770	66.1	64.1-68.1
Female	4561	2,621,670	525	15.7	14.1-17.3	423	12.9	11.5-14.3	176	5.7	4.7- 6.7	65	2.3	1.7- 2.9	39	1.2	0.8- 1.6	3333	62.2	60.4-64.0
White/Non-Hisp	6739	4,027,974	690	13.7	12.5-14.9	581	11.9	10.9-12.9	242	5.1	4.3- 5.9	95	1.9	1.5- 2.3	43	1.0	0.6- 1.4	5088	66.5	65.1-67.9
Black or Afr. Am./Non-Hisp	704	448,466	95	17.8	13.9-21.7	64	12.6	9.3-15.9	33	6.3	3.9- 8.7	14	3.2	1.2- 5.2	8	1.6	0.4- 2.8	490	58.4	53.7-63.1
Oth. Race/Non-Hisp.	215	161,477	25	12.4	6.1-18.7	28	15.2	9.1-21.3	8	4.7	1.2- 8.2	5	3.9	0.2- 7.6	4	2.3	0.0- 5.4	145	61.5	52.7-70.3
MultiRacial/Non-Hisp.	123	49,848	19	18.9	10.3-27.5	13	10.1	3.6-16.6	3	2.8	0.0- 5.9	3	5.4	0.0-13.2				85	62.9	51.7-74.1
Hispanic	368	315,272	71	21.3	16.0-26.6	66	20.7	15.8-25.6	35	9.6	6.3-12.9	11	4.5	1.6- 7.4	9	2.4	0.8- 4.0	176	41.5	35.6-47.4
18-24	495	676,829	98	21.7	17.6-25.8	46	10.3	7.2-13.4	20	4.4	2.2- 6.6	7	1.8	0.4- 3.2	5	1.2	0.2- 2.2	319	60.7	55.8-65.6
25-34	811	844,240	159	20.4	17.3-23.5	162	21.0	17.9-24.1	78	10.1	7.7-12.5	24	3.7	2.1- 5.3	10	1.4	0.4- 2.4	378	43.5	39.8-47.2
35-44	999	802,608	183	19.0	16.3-21.7	281	28.8	25.7-31.9	138	14.0	11.6-16.4	68	7.0	5.2- 8.8	35	3.4	2.2- 4.6	294	27.8	24.9-30.7
45-54	1345	798,246	280	21.2	18.7-23.7	194	14.7	12.5-16.9	67	5.2	3.8- 6.6	23	1.6	0.8- 2.4	5	0.4	0.0- 0.8	776	56.8	53.9-59.7
55-64	1688	852,292	122	8.0	6.4- 9.6	50	3.2	2.2- 4.2	19	1.2	0.6- 1.8	4	0.2	0.0- 0.4	7	0.6	0.2- 1.0	1486	87.0	85.0-89.0
65+	2966	1,122,524	74	2.8	2.0- 3.6	26	1.0	0.6- 1.4	9	0.4	0.2- 0.6	3	0.1	0.0- 0.3	4	0.2	0.0- 0.4	2850	95.5	94.5-96.5
Less Than H.S.	597	599,353	74	16.4	12.7-20.1	64	13.1	9.8-16.4	34	6.9	4.4- 9.4	14	3.8	1.6- 6.0	9	2.2	0.6- 3.8	402	57.7	53.0-62.4
H.S. or G.E.D.	2708	1,709,931	293	14.3	12.5-16.1	200	10.7	9.1-12.3	87	4.7	3.5- 5.9	27	1.6	1.0- 2.2	24	1.2	0.6- 1.8	2077	67.5	65.1-69.9
Some Post-H.S.	2182	1,551,917	269	15.8	13.8-17.8	200	13.0	11.2-14.8	83	5.4	4.2- 6.6	35	2.3	1.5- 3.1	14	0.9	0.5- 1.3	1581	62.7	60.2-65.2
College Graduate	2799	1,225,321	279	12.4	10.8-14.0	294	13.8	12.2-15.4	127	6.4	5.2- 7.6	53	2.4	1.6- 3.2	19	0.9	0.5- 1.3	2027	64.0	61.8-66.2
Less than \$15,000	544	344,559	57	12.6	8.9-16.3	42	9.2	6.3-12.1	11	2.7	1.1- 4.3	5	1.4	0.0- 2.8	3	0.5	0.0- 1.1	426	73.7	69.0-78.4
\$15,000- 24,999	1074	667,789	113	14.2	11.5-16.9	72	9.2	6.7-11.7	54	8.0	5.6-10.4	19	3.0	1.4- 4.6	10	1.2	0.4- 2.0	806	64.5	60.8-68.2
\$25,000- 34,999	724	413,923	74	12.7	9.6-15.8	54	10.3	7.4-13.2	26	5.3	3.1- 7.5	7	1.7	0.3- 3.1	3	0.9	0.0- 1.9	560	69.3	65.0-73.6
\$35,000- 49,999	1012	605,403	88	11.5	9.0-14.0	68	9.2	6.8-11.6	39	5.9	3.9- 7.9	15	2.1	0.9- 3.3	8	1.3	0.3- 2.3	794	70.0	66.3-73.7
\$50,000- 74,999	1107	694,384	145	18.1	15.2-21.0	91	10.8	8.4-13.2	42	5.0	3.4- 6.6	25	2.9	1.7- 4.1	13	1.7	0.5- 2.9	791	61.6	58.1-65.1
\$75,000+	2136	1,369,309	296	16.6	14.6-18.6	304	18.1	15.9-20.3	124	7.2	5.8- 8.6	39	2.2	1.4- 3.0	17	1.0	0.4- 1.6	1356	54.8	52.3-57.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3743	2,475,069	391	13.3	11.9-14.7	336	11.9	10.5-13.3	155	5.4	4.4- 6.4	64	2.2	1.6- 2.8	27	1.0	0.6- 1.4	2770	66.1	64.1-68.1
White/Non-Hisp	3029	1,934,775	301	12.9	11.3-14.5	255	11.3	9.9-12.7	116	5.2	4.2- 6.2	51	2.1	1.5- 2.7	20	0.9	0.5- 1.3	2286	67.6	65.4-69.8
Black or Afr. Am./Non-Hisp	276	211,570	36	16.4	10.7-22.1	21	10.4	5.9-14.9	12	5.2	2.1- 8.3	2	1.0	0.0- 2.6	4	1.8	0.0- 3.6	201	65.2	58.1-72.3
Oth. Race/Non-Hisp.	114	94,736	10	9.1	1.7-16.5	15	14.7	6.9-22.5	4	3.6	0.0- 7.9	2	3.7	0.0- 9.0	2	3.3	0.0- 8.8	81	65.5	53.9-77.1
MultiRacial/Non-Hisp.	57	25,870	9	20.6	7.7-33.5	5	6.6	0.1-13.1	3	10.3	0.0-25.0	3	3.7	0.0-25.0	4	6.2	0.0-25.0	40	62.4	45.5-79.3
Hispanic	182	152,327	29	16.4	9.9-22.9	36	24.4	17.0-31.8	17	9.9	5.0-14.8	5	3.3	0.2- 6.4	1	0.5	0.0- 1.5	94	45.5	37.3-53.7
18-24	272	350,525	51	18.8	13.7-23.9	23	8.6	5.1-12.1	7	2.5	0.3- 4.7	2	1.1	0.0- 2.7	4	1.9	0.0- 3.9	185	67.1	61.0-73.2
25-34	402	426,168	64	17.2	12.9-21.5	65	17.1	13.0-21.2	29	8.3	5.2-11.4	10	3.0	1.0- 5.0	2	0.5	0.0- 1.3	232	53.8	48.3-59.3
35-44	464	394,862	74	16.4	12.7-20.1	122	28.1	23.6-32.6	59	13.1	9.8-16.4	32	7.0	4.5- 9.5	17	3.3	1.5- 5.1	160	32.1	27.4-36.8
45-54	614	392,497	107	19.3	15.8-22.8	89	15.1	12.0-18.2	46	7.7	5.3-10.1	15	2.1	0.9- 3.3	2	0.4	0.0- 1.0	355	55.4	51.1-59.7
55-64	781	414,859	59	7.5	5.5- 9.5	27	4.1	2.5- 5.7	11	1.5	0.5- 2.5	4	0.3	0.0- 0.7	2	0.5	0.0- 1.3	678	86.0	83.3-88.7
65+	1210	496,158	36	3.6	2.2- 5.0	10	0.8	0.2- 1.4	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3				1160	95.0	93.4-96.6
Less Than H.S.	275	290,365	22	10.4	6.1-14.7	31	13.4	8.7-18.1	20	9.0	4.9-13.1	5	2.7	0.3- 5.1	3	2.0	0.0- 4.4	194	62.6	55.9-69.3
H.S. or G.E.D.	1262	881,582	147	14.7	12.3-17.1	104	11.1	8.9-13.3	37	4.0	2.6- 5.4	16	1.9	0.7- 3.1	7	0.8	0.2- 1.4	951	67.5	64.4-70.6
Some Post-H.S.	962	741,766	120	15.2	12.3-18.1	82	11.8	9.3-14.3	35	4.6	3.0- 6.2	13	1.8	0.8- 2.8	5	0.7	0.0- 1.5	707	65.8	62.3-69.3
College Graduate	1239	559,908	102	10.0	8.0-12.0	119	12.6	10.4-14.8	63	7.0	5.2- 8.8	30	2.9	1.7- 4.1	12	1.4	0.6- 2.2	913	66.1	63.0-69.2
Less than \$15,000	200	133,596	13	6.0	2.3- 9.7	8	5.4	1.7- 9.1	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9				177	87.9	82.8-93.0
\$15,000- 24,999	435	289,596	34	10.0	6.5-13.5	25	6.6	3.7- 9.5	18	6.3	3.2- 9.4	9	3.0	0.8- 5.2	1	0.5	0.0- 1.5	348	73.7	68.4-79.0
\$25,000- 34,999	309	192,664	31	11.6	7.5-15.7	20	8.5	4.6-12.4	12	6.4	2.5-10.3	2	0.5	0.0- 1.3	2	1.3	0.0- 3.1	242	71.7	65.4-78.0
\$35,000- 49,999	470	293,852	36	10.4	6.9-13.9	30	8.9	5.6-12.2	18	6.3	3.2- 9.4	7	2.0	0.2- 3.8	4	0.9	0.0- 1.9	375	71.6	66.5-76.7
\$50,000- 74,999	518	351,063	64	17.5	13.2-21.8	44	11.6	8.1-15.1	15	3.9	1.7- 6.1	13	2.9	1.1- 4.7	8	2.2	0.4- 4.0	374	62.0	56.7-67.3
\$75,000+	1155	779,490	151	16.2	13.5-18.9	155	17.4	14.7-20.1	76	7.5	5.7- 9.3	22	2.4	1.2- 3.6	9	1.0	0.4- 1.6	742	55.5	52.0-59.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4561	2,621,670	525	15.7	14.1-17.3	423	12.9	11.5-14.3	176	5.7	4.7- 6.7	65	2.3	1.7- 2.9	39	1.2	0.8- 1.6	3333	62.2	60.4-64.0
White/Non-Hisp	3710	2,093,199	389	14.4	12.8-16.0	326	12.4	11.0-13.8	126	5.0	4.0- 6.0	44	1.7	1.1- 2.3	23	1.0	0.6- 1.4	2802	65.5	63.5-67.5
Black or Afr. Am./Non-Hisp	428	236,896	59	19.1	14.0-24.2	43	14.6	9.9-19.3	21	7.3	4.0-10.6	12	5.3	2.0- 8.6	4	1.4	0.0- 3.0	289	52.4	45.9-58.9
Oth. Race/Non-Hisp.	101	66,741	15	17.1	6.3-27.9	13	15.9	6.3-25.5	4	6.1	0.0-12.2	3	4.2	0.0- 9.7	2	0.8	0.0- 2.0	64	55.9	42.8-69.0
MultiRacial/Non-Hisp.	66	23,979	10	17.0	6.0-28.0	8	13.8	2.6-25.0	3	5.8	0.0-12.3							45	63.4	48.9-77.9
Hispanic	186	162,945	42	25.9	17.9-33.9	30	17.4	10.7-24.1	18	9.3	4.4-14.2	6	5.6	0.9-10.3	8	4.1	1.2- 7.0	82	37.8	29.6-46.0
18-24	223	326,304	47	24.7	18.0-31.4	23	12.1	7.0-17.2	13	6.5	2.6-10.4	5	2.6	0.2- 5.0	1	0.3	0.0- 0.9	134	53.8	46.4-61.2
25-34	409	418,072	95	23.6	19.1-28.1	97	24.8	20.1-29.5	49	11.8	8.5-15.1	14	4.3	1.9- 6.7	8	2.3	0.5- 4.1	146	33.0	28.1-37.9
35-44	535	407,746	109	21.5	17.6-25.4	159	29.4	25.1-33.7	79	15.0	11.7-18.3	36	7.1	4.7- 9.5	18	3.5	1.7- 5.3	134	23.6	19.7-27.5
45-54	731	405,749	173	23.1	19.6-26.6	105	14.4	11.5-17.3	21	2.8	1.2- 4.4	8	1.2	0.4- 2.0	3	0.5	0.0- 1.1	421	58.1	54.0-62.2
55-64	907	437,433	63	8.4	6.0-10.8	23	2.3	1.1- 3.5	8	0.8	0.2- 1.4				5	0.7	0.1- 1.3	808	87.8	85.3-90.3
65+	1756	626,366	38	2.1	1.3- 2.9	16	1.2	0.6- 1.8	6	0.4	0.0- 0.8	2	0.1	0.0- 0.3	4	0.4	0.0- 0.8	1690	95.8	94.6-97.0
Less Than H.S.	322	308,989	52	22.0	15.9-28.1	33	12.8	8.1-17.5	14	4.8	1.9- 7.7	9	4.8	1.5- 8.1	6	2.4	0.2- 4.6	208	53.1	46.4-59.8
H.S. or G.E.D.	1446	828,350	146	13.8	11.3-16.3	96	10.3	7.9-12.7	50	5.5	3.7- 7.3	11	1.2	0.4- 2.0	17	1.7	0.9- 2.5	1126	67.6	64.3-70.9
Some Post-H.S.	1220	810,151	149	16.3	13.6-19.0	118	14.1	11.6-16.6	48	6.1	4.3- 7.9	22	2.8	1.6- 4.0	9	0.9	0.3- 1.5	874	59.8	56.3-63.3
College Graduate	1560	665,413	177	14.5	12.1-16.9	175	14.8	12.6-17.0	64	5.9	4.3- 7.5	23	2.0	1.0- 3.0	7	0.5	0.1- 0.9	1114	62.3	59.4-65.2
Less than \$15,000	344	210,963	44	16.8	11.5-22.1	34	11.6	7.3-15.9	10	4.1	1.6- 6.6	4	2.2	0.0- 4.4	3	0.8	0.0- 1.8	249	64.6	58.1-71.1
\$15,000- 24,999	639	378,193	79	17.4	13.3-21.5	47	11.1	7.4-14.8	36	9.3	6.0-12.6	10	2.9	0.7- 5.1	9	1.8	0.6- 3.0	458	57.4	52.3-62.5
\$25,000- 34,999	415	221,260	43	13.6	9.1-18.1	34	11.8	7.7-15.9	14	4.2	1.8- 6.6	5	2.8	0.1- 5.5	1	0.5	0.0- 1.5	318	67.2	61.1-73.3
\$35,000- 49,999	542	311,551	52	12.6	8.7-16.5	38	9.4	6.1-12.7	21	5.5	3.0- 8.0	8	2.3	0.5- 4.1	4	1.7	0.0- 3.7	419	68.5	63.4-73.6
\$50,000- 74,999	589	343,321	81	18.8	14.7-22.9	47	10.0	7.1-12.9	27	6.2	3.7- 8.7	12	2.8	1.0- 4.6	5	1.1	0.0- 2.3	417	61.1	56.2-66.0
\$75,000+	981	589,819	145	17.2	14.3-20.1	149	19.1	16.0-22.2	48	6.9	4.7- 9.1	17	1.8	0.8- 2.8	8	1.1	0.3- 1.9	614	53.9	50.2-57.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 46: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6621	4,112,437	257	4.2	3.6- 4.8	290	4.2	3.6- 4.8	464	7.1	6.3- 7.9	611	9.1	8.3- 9.9	726	10.1	9.3-10.9	4273	65.2	63.8-66.6
Male	3103	2,051,548	101	3.3	2.5- 4.1	100	3.2	2.4- 4.0	190	6.2	5.2- 7.2	245	7.9	6.7- 9.1	311	9.5	8.3-10.7	2156	69.9	67.9-71.9
Female	3518	2,060,889	156	5.2	4.2- 6.2	190	5.1	4.1- 6.1	274	8.0	6.8- 9.2	366	10.3	9.1-11.5	415	10.7	9.5-11.9	2117	60.6	58.6-62.6
White/Non-Hisp	5410	3,292,256	165	3.2	2.6- 3.8	223	3.9	3.3- 4.5	327	6.3	5.5- 7.1	465	8.3	7.5- 9.1	569	9.7	8.7-10.7	3661	68.7	67.1-70.3
Black or Afr. Am./Non-Hisp	561	352,125	48	11.2	7.7-14.7	36	6.8	4.1- 9.5	67	10.2	7.1-13.3	60	11.4	7.7-15.1	85	13.3	10.0-16.6	265	47.1	41.8-52.4
Oth. Race/Non-Hisp.	161	119,243	10	7.8	2.1-13.5	6	5.6	0.3-10.9	10	5.0	1.3- 8.7	19	10.9	4.8-17.0	19	10.5	4.6-16.4	97	60.3	50.3-70.3
MultiRacial/Non-Hisp.	99	42,021	7	6.7	1.2-12.2	7	5.0	0.7- 9.3	10	9.4	2.7-16.1	16	17.5	7.7-27.3	10	13.7	5.1-22.3	49	47.8	35.3-60.3
Hispanic	293	245,449	22	6.8	3.9- 9.7	12	3.8	1.4- 6.2	44	15.0	10.3-19.7	44	15.3	10.4-20.2	29	10.4	6.1-14.7	142	48.7	42.0-55.4
18-24	357	476,474	26	7.7	4.6-10.8	16	4.7	2.2- 7.2	39	11.0	7.3-14.7	40	10.8	7.3-14.3	44	11.3	7.8-14.8	192	54.5	48.8-60.2
25-34	719	745,530	30	3.8	2.2- 5.4	28	3.7	2.1- 5.3	51	6.9	4.9- 8.9	66	9.2	6.8-11.6	70	9.6	7.2-12.0	474	66.8	63.1-70.5
35-44	888	704,179	39	4.2	2.8- 5.6	26	2.7	1.5- 3.9	53	5.7	4.1- 7.3	53	6.0	4.2- 7.8	66	7.1	5.3- 8.9	651	74.3	71.2-77.4
45-54	1133	668,303	42	3.9	2.5- 5.3	47	3.9	2.7- 5.1	51	5.2	3.6- 6.8	78	7.1	5.3- 8.9	101	8.8	6.8-10.8	814	71.2	68.3-74.1
55-64	1392	702,689	65	4.1	2.9- 5.3	76	5.7	4.1- 7.3	97	7.3	5.7- 8.9	107	8.2	6.4-10.0	106	7.1	5.5- 8.7	941	67.6	64.9-70.3
65+	2132	815,262	55	3.0	2.0- 4.0	97	4.6	3.6- 5.6	173	7.8	6.4- 9.2	267	13.2	11.4-15.0	339	16.1	14.3-17.9	1201	55.2	52.7-57.7
Less Than H.S.	450	455,996	69	11.7	8.6-14.8	60	11.1	8.0-14.2	79	17.3	13.2-21.4	81	17.3	13.4-21.2	58	11.6	8.5-14.7	103	31.0	25.7-36.3
H.S. or G.E.D.	2053	1,307,275	108	5.5	4.3- 6.7	127	5.3	4.1- 6.5	210	9.2	7.8-10.6	284	12.0	10.4-13.6	306	13.2	11.4-15.0	1018	54.8	52.3-57.3
Some Post-H.S.	1749	1,273,616	50	2.8	1.8- 3.8	67	3.2	2.2- 4.2	113	5.6	4.4- 6.8	168	8.6	7.0-10.2	220	10.6	9.0-12.2	1131	69.2	66.7-71.7
College Graduate	2361	1,071,258	28	1.1	0.5- 1.7	35	1.1	0.7- 1.5	62	2.1	1.5- 2.7	77	2.7	1.9- 3.5	141	5.1	4.1- 6.1	2018	87.9	86.3-89.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3103	2,051,548	101	3.3	2.5- 4.1	100	3.2	2.4- 4.0	190	6.2	5.2- 7.2	245	7.9	6.7- 9.1	311	9.5	8.3-10.7	2156	69.9	67.9-71.9
White/Non-Hisp	2539	1,629,453	68	2.4	1.8- 3.0	72	2.9	2.1- 3.7	133	5.4	4.4- 6.4	176	6.7	5.5- 7.9	249	9.2	8.0-10.4	1841	73.4	71.4-75.4
Black or Afr. Am./Non-Hisp	223	166,327	19	9.2	4.7-13.7	14	6.3	2.6-10.0	22	10.0	5.3-14.7	20	9.7	4.0-15.4	29	13.2	7.9-18.5	119	51.7	43.5-59.9
Oth. Race/Non-Hisp.	90	73,837	4	6.9	0.0-14.3	3	4.1	0.0-10.6	5	3.4	0.1- 6.7	10	10.0	1.6-18.4	10	11.7	3.5-19.9	58	63.9	50.8-77.0
Hispanic	146	121,501	5	4.6	0.7- 8.5	5	3.0	0.3- 5.7	24	14.3	8.2-20.4	25	17.3	10.2-24.4	11	6.7	2.4-11.0	76	54.2	45.0-63.4
18-24	188	240,510	13	6.4	2.9- 9.9	4	2.3	0.0- 4.8	18	8.5	4.4-12.6	18	9.1	4.6-13.6	27	13.5	8.4-18.6	108	60.2	52.8-67.6
25-34	356	382,407	7	1.7	0.3- 3.1	10	3.3	0.9- 5.7	24	6.7	4.0- 9.4	23	6.7	3.8- 9.6	39	9.3	6.4-12.2	253	72.3	67.2-77.4
35-44	420	357,057	17	3.9	1.9- 5.9	9	1.9	0.7- 3.1	18	3.6	1.8- 5.4	24	6.4	3.7- 9.1	25	5.5	3.3- 7.7	327	78.7	74.4-83.0
45-54	523	333,322	16	3.3	1.3- 5.3	14	2.7	1.1- 4.3	15	3.6	1.6- 5.6	31	6.7	4.2- 9.2	48	8.7	6.0-11.4	399	74.9	70.6-79.2
55-64	661	350,080	34	4.4	2.8- 6.0	31	5.3	3.1- 7.5	51	8.5	6.0-11.0	50	7.1	4.9- 9.3	43	6.3	4.1- 8.5	452	68.4	64.5-72.3
65+	955	388,172	14	1.3	0.5- 2.1	32	3.7	2.1- 5.3	64	7.0	5.0- 9.0	99	11.4	8.9-13.9	129	14.2	11.7-16.7	617	62.4	58.9-65.9
Less Than H.S.	214	227,235	23	8.5	4.8-12.2	25	10.8	6.3-15.3	32	13.2	8.3-18.1	41	16.6	11.3-21.9	28	11.1	6.8-15.4	65	39.7	31.9-47.5
H.S. or G.E.D.	1021	711,673	39	3.4	2.2- 4.6	46	3.9	2.5- 5.3	90	7.6	5.8- 9.4	105	8.7	6.7-10.7	142	13.1	10.7-15.5	599	63.2	59.9-66.5
Some Post-H.S.	806	622,397	25	3.1	1.7- 4.5	21	1.9	0.9- 2.9	42	5.2	3.4- 7.0	69	8.1	5.7-10.5	88	8.7	6.7-10.7	561	73.0	69.5-76.5
College Graduate	1060	489,278	13	0.8	0.2- 1.4	8	0.5	0.1- 0.9	26	2.2	1.2- 3.2	30	2.3	1.3- 3.3	53	4.5	3.1- 5.9	930	89.7	87.7-91.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3518	2,060,889	156	5.2	4.2- 6.2	190	5.1	4.1- 6.1	274	8.0	6.8- 9.2	366	10.3	9.1-11.5	415	10.7	9.5-11.9	2117	60.6	58.6-62.6
White/Non-Hisp	2871	1,662,803	97	3.9	2.9- 4.9	151	4.9	3.9- 5.9	194	7.1	5.9- 8.3	289	9.8	8.4-11.2	320	10.1	8.7-11.5	1820	64.1	61.9-66.3
Black or Afr. Am./Non-Hisp	338	185,798	29	12.9	7.6-18.2	22	7.2	3.3-11.1	45	10.4	6.3-14.5	40	12.9	8.2-17.6	56	13.5	9.2-17.8	146	43.0	36.1-49.9
Oth. Race/Non-Hisp.	71	45,405	6	9.3	0.1-18.5	3	8.0	0.0-17.2	5	7.5	0.0-15.3	9	12.3	3.9-20.7	9	8.7	1.1-16.3	39	54.3	39.2-69.4
MultiRacial/Non-Hisp.	52	19,560	6	11.2	1.2-21.2	5	8.6	0.2-17.0	6	11.8	1.0-22.6	6	12.5	1.5-23.5	6	18.4	4.1-32.7	23	37.4	21.3-53.5
Hispanic	147	123,948	17	9.0	4.5-13.5	7	4.6	0.9- 8.3	20	15.6	8.3-22.9	19	13.4	6.5-20.3	18	14.1	6.8-21.4	66	43.2	33.8-52.6
18-24	169	235,965	13	8.9	4.0-13.8	12	7.1	2.8-11.4	21	13.6	7.3-19.9	22	12.6	7.3-17.9	17	9.1	4.2-14.0	84	48.7	40.3-57.1
25-34	363	363,123	23	6.1	3.4- 8.8	18	4.1	2.1- 6.1	27	7.0	4.3- 9.7	43	11.9	8.2-15.6	31	10.0	6.5-13.5	221	60.9	55.4-66.4
35-44	468	347,122	22	4.5	2.5- 6.5	17	3.5	1.5- 5.5	35	7.8	5.1-10.5	29	5.6	3.4- 7.8	41	8.8	6.1-11.5	324	69.8	65.3-74.3
45-54	610	334,980	26	4.5	2.5- 6.5	33	5.1	3.1- 7.1	36	6.8	4.3- 9.3	47	7.4	5.0- 9.8	53	8.8	6.3-11.3	415	67.4	63.1-71.7
55-64	731	352,609	31	3.8	2.2- 5.4	45	6.2	4.0- 8.4	46	6.1	3.9- 8.3	57	9.2	6.5-11.9	63	7.8	5.6-10.0	489	66.9	63.0-70.8
65+	1177	427,090	41	4.6	3.0- 6.2	65	5.5	3.9- 7.1	109	8.6	6.6-10.6	168	14.8	12.3-17.3	210	17.8	15.3-20.3	584	48.7	45.2-52.2
Less Than H.S.	236	228,761	46	15.0	10.1-19.9	35	11.3	7.2-15.4	47	21.5	14.8-28.2	40	18.0	12.1-23.9	30	12.0	7.3-16.7	38	22.2	15.5-28.9
H.S. or G.E.D.	1032	595,603	69	8.0	5.8-10.2	81	6.9	5.1- 8.7	120	11.0	8.6-13.4	179	16.0	13.5-18.5	164	13.4	11.0-15.8	419	44.7	41.0-48.4
Some Post-H.S.	943	651,218	25	2.6	1.4- 3.8	46	4.4	2.8- 6.0	71	6.0	4.2- 7.8	99	9.1	7.1-11.1	132	12.4	9.9-14.9	570	65.6	62.1-69.1
College Graduate	1301	581,980	15	1.3	0.3- 2.3	27	1.6	0.8- 2.4	36	2.0	1.2- 2.8	47	3.0	2.0- 4.0	88	5.6	4.2- 7.0	1088	86.4	84.2-88.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 49: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1473	1,312,479	31	2.4	1.4- 3.4	1442	97.6	96.6-98.6
White/Non-Hisp	1113	977,177	24	2.3	1.3- 3.3	1089	97.7	96.7-98.7
Black or Afr. Am./Non-Hisp	144	134,711	4	4.0	0.0- 8.5	140	96.0	91.5- 100
Hispanic	124	127,389	2	2.3	0.0- 5.8	122	97.7	94.2- 100
18-24	222	325,061	4	1.4	0.0- 3.0	218	98.6	97.0- 100
25-34	403	414,753	17	4.7	2.3- 7.1	386	95.3	92.9-97.7
35-44	522	398,055	9	1.7	0.5- 2.9	513	98.3	97.1-99.5
45-54	326	174,609	1	0.4	0.0- 1.2	325	99.6	98.8- 100
Less Than H.S.	111	160,250	1	1.4	0.0- 4.1	110	98.6	95.9- 100
H.S. or G.E.D.	364	357,675	11	3.4	1.2- 5.6	353	96.6	94.4-98.8
Some Post-H.S.	409	425,011	8	2.1	0.5- 3.7	401	97.9	96.3-99.5
College Graduate	584	364,733	11	2.4	1.0- 3.8	573	97.6	96.2-99.0
Less than \$15,000	128	114,047				128	100.0	100.0- 100
\$15,000- 24,999	211	195,500	8	4.0	0.9- 7.1	203	96.0	92.9-99.1
\$25,000- 34,999	110	98,600	1	0.9	0.0- 2.7	109	99.1	97.3- 100
\$35,000- 49,999	184	160,936	4	3.0	0.0- 6.1	180	97.0	93.9- 100
\$50,000- 74,999	229	185,076	6	2.5	0.3- 4.7	223	97.5	95.3-99.7
\$75,000+	412	333,416	7	2.0	0.4- 3.6	405	98.0	96.4-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7603	4,709,780	64	0.7	0.5- 0.9	1933	25.8	24.6-27.0	3329	42.6	41.2-44.0	1613	21.2	20.0-22.4	641	9.1	8.3- 9.9	23	0.5	0.3- 0.7
Male	3589	2,380,544	11	0.3	0.1- 0.5	376	11.9	10.5-13.3	1650	45.1	43.1-47.1	1091	28.9	27.1-30.7	445	13.1	11.7-14.5	16	0.8	0.4- 1.2
Female	4014	2,329,235	53	1.2	0.8- 1.6	1557	40.0	38.0-42.0	1679	40.0	38.0-42.0	522	13.3	11.9-14.7	196	5.1	4.3- 5.9	7	0.3	0.1- 0.5
White/Non-Hisp	6191	3,739,360	46	0.7	0.5- 0.9	1572	25.2	23.8-26.6	2737	43.3	41.7-44.9	1339	21.9	20.7-23.1	490	8.8	8.0- 9.6	7	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	639	409,213	4	0.4	0.0- 1.0	136	20.2	16.1-24.3	294	44.5	39.6-49.4	123	20.6	16.7-24.5	80	13.3	9.8-16.8	2	0.9	0.0- 2.3
Oth. Race/Non-Hisp.	191	145,517	5	1.9	0.0- 4.1	58	34.5	25.1-43.9	64	34.0	25.0-43.0	34	10.2	5.7-14.7	20	8.9	3.8-14.0	10	10.4	3.9-16.9
MultiRacial/Non-Hisp.	117	47,900	2	0.9	0.0- 2.3	32	22.7	13.7-31.7	40	30.3	20.5-40.1	26	27.0	16.6-37.4	17	19.1	8.5-29.7			
Hispanic	333	289,148	4	1.6	0.0- 3.2	102	37.2	30.9-43.5	142	37.8	31.7-43.9	59	15.7	11.4-20.0	22	6.6	3.5- 9.7	4	1.1	0.0- 2.3
18-24	468	646,884	7	1.1	0.3- 1.9	179	41.2	36.3-46.1	183	37.1	32.4-41.8	59	11.6	8.5-14.7	30	6.4	4.0- 8.8	10	2.6	1.0- 4.2
25-34	776	809,233	4	0.5	0.0- 1.1	204	26.3	22.8-29.8	320	40.8	36.9-44.7	152	19.2	16.1-22.3	92	12.7	10.0-15.4	4	0.5	0.0- 1.1
35-44	920	733,108	4	0.3	0.0- 0.7	194	20.4	17.7-23.1	388	43.3	39.8-46.8	233	24.9	21.8-28.0	97	10.7	8.5-12.9	4	0.4	0.0- 0.8
45-54	1209	716,424	10	0.7	0.3- 1.1	252	20.1	17.6-22.6	505	42.7	39.6-45.8	314	26.4	23.7-29.1	127	10.1	8.1-12.1	1	0.0	0.0- 0.0
55-64	1541	784,665	8	0.4	0.0- 0.8	331	21.6	19.2-24.0	655	41.6	38.9-44.3	400	27.1	24.6-29.6	146	9.2	7.6-10.8	1	0.1	0.0- 0.3
65+	2689	1,019,466	31	1.3	0.7- 1.9	773	26.8	24.8-28.8	1278	47.7	45.5-49.9	455	17.9	16.1-19.7	149	6.2	5.0- 7.4	3	0.1	0.0- 0.3
Less Than H.S.	549	554,698	11	1.3	0.5- 2.1	165	32.5	27.8-37.2	220	38.2	33.5-42.9	100	17.9	14.2-21.6	50	9.7	6.8-12.6	3	0.5	0.0- 1.1
H.S. or G.E.D.	2471	1,574,993	29	1.1	0.7- 1.5	638	25.5	23.3-27.7	1072	42.4	40.0-44.8	490	20.0	18.0-22.0	236	10.3	8.9-11.7	6	0.6	0.0- 1.2
Some Post-H.S.	1990	1,430,050	9	0.2	0.0- 0.4	478	23.7	21.3-26.1	863	42.7	40.2-45.2	458	23.2	21.0-25.4	179	9.9	8.3-11.5	3	0.2	0.0- 0.6
College Graduate	2577	1,141,250	15	0.6	0.2- 1.0	648	25.5	23.5-27.5	1167	44.9	42.5-47.3	562	21.8	20.0-23.6	174	6.4	5.4- 7.4	11	0.8	0.2- 1.4
Less than \$15,000	522	333,848	6	1.3	0.1- 2.5	141	28.5	23.6-33.4	221	40.7	35.6-45.8	96	17.2	13.5-20.9	53	9.6	6.9-12.3	5	2.6	0.1- 5.1
\$15,000- 24,999	1007	632,443	18	1.6	0.8- 2.4	266	28.5	25.0-32.0	429	39.8	36.1-43.5	192	18.7	15.8-21.6	97	10.8	8.3-13.3	5	0.7	0.1- 1.3
\$25,000- 34,999	680	390,945	7	1.1	0.1- 2.1	180	28.6	24.1-33.1	309	41.6	37.1-46.1	117	16.9	13.6-20.2	64	10.7	7.8-13.6	3	1.1	0.0- 2.5
\$35,000- 49,999	953	571,760	4	0.4	0.0- 0.8	222	24.0	20.5-27.5	423	44.2	40.3-48.1	215	21.5	18.4-24.6	87	9.6	7.2-12.0	2	0.3	0.0- 0.7
\$50,000- 74,999	1063	668,835	6	0.4	0.0- 0.8	241	22.9	19.8-26.0	472	43.9	40.4-47.4	253	23.6	20.7-26.5	89	8.8	6.8-10.8	2	0.2	0.0- 0.6
\$75,000+	2038	1,310,733	3	0.1	0.0- 0.3	441	21.3	19.1-23.5	890	44.0	41.5-46.5	522	25.8	23.6-28.0	178	8.6	7.2-10.0	4	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3589	2,380,544	11	0.3	0.1- 0.5	376	11.9	10.5-13.3	1650	45.1	43.1-47.1	1091	28.9	27.1-30.7	445	13.1	11.7-14.5	16	0.8	0.4- 1.2
White/Non-Hisp	2921	1,873,578	4	0.1	0.0- 0.3	283	10.7	9.3-12.1	1351	45.6	43.4-47.8	924	30.6	28.6-32.6	354	12.8	11.4-14.2	5	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	264	202,689	2	0.4	0.0- 1.0	33	13.2	8.3-18.1	119	43.0	35.7-50.3	60	23.5	17.2-29.8	49	19.2	13.3-25.1	1	0.8	0.0- 2.4
Oth. Race/Non-Hisp.	104	88,057	1	0.3	0.0- 0.9	12	16.6	6.0-27.2	44	44.2	31.5-56.9	25	12.3	6.0-18.6	14	12.2	4.4-20.0	8	14.3	4.7-23.9
MultiRacial/Non-Hisp.	55	25,587	10	17.8	5.5-30.1	10	17.8	5.5-30.1	20	30.1	16.0-44.2	17	32.2	16.9-47.5	8	19.8	3.3-36.3			
Hispanic	167	140,111	3	2.4	0.0- 5.1	30	21.2	13.8-28.6	81	45.3	36.7-53.9	37	21.2	13.9-28.5	14	8.7	3.6-13.8	2	1.2	0.0- 2.8
18-24	253	330,250	3	1.0	0.0- 2.2	65	26.0	20.1-31.9	114	45.6	38.9-52.3	39	13.6	9.3-17.9	25	10.3	6.2-14.4	7	3.6	0.9- 6.3
25-34	392	416,968				55	13.7	10.0-17.4	180	44.3	38.8-49.8	94	24.6	19.9-29.3	60	16.6	12.3-20.9	3	0.7	0.0- 1.7
35-44	456	387,851	1	0.1	0.0- 0.3	38	8.0	5.3-10.7	199	45.2	40.1-50.3	150	31.6	27.1-36.1	65	14.4	10.9-17.9	3	0.6	0.0- 1.4
45-54	578	369,150	2	0.2	0.0- 0.4	36	6.2	4.0- 8.4	238	42.0	37.5-46.5	217	37.1	32.8-41.4	85	14.5	11.4-17.6			
55-64	750	401,637	2	0.1	0.0- 0.3	64	9.4	6.9-11.9	319	41.3	37.4-45.2	265	36.3	32.4-40.2	99	12.8	10.1-15.5	1	0.1	0.0- 0.3
65+	1160	474,687	3	0.4	0.0- 0.8	118	10.3	8.1-12.5	600	51.1	47.8-54.4	326	28.2	25.3-31.1	111	9.9	7.9-11.9	2	0.1	0.0- 0.3
Less Than H.S.	262	276,330	5	1.3	0.1- 2.5	56	22.5	16.6-28.4	115	43.1	36.2-50.0	54	19.2	14.1-24.3	31	13.6	8.7-18.5	1	0.3	0.0- 0.9
H.S. or G.E.D.	1203	842,760	1	0.1	0.0- 0.3	149	13.5	11.1-15.9	551	44.9	41.6-48.2	325	25.9	23.2-28.6	173	14.6	12.2-17.0	4	0.9	0.0- 1.9
Some Post-H.S.	922	716,125	84	9.4	7.2-11.6	84	9.4	7.2-11.6	403	43.3	39.6-47.0	319	33.3	29.8-36.8	113	13.6	10.9-16.3	3	0.5	0.0- 1.1
College Graduate	1197	543,880	5	0.4	0.0- 0.8	87	7.4	5.4- 9.4	579	48.8	45.7-51.9	391	32.6	29.7-35.5	127	9.7	7.9-11.5	8	1.2	0.2- 2.2
Less than \$15,000	197	132,823	3	1.9	0.0- 4.3	32	19.0	12.3-25.7	91	40.8	32.6-49.0	44	22.7	15.6-29.8	23	10.6	5.9-15.3	4	5.0	0.0-10.3
\$15,000- 24,999	417	279,119	2	0.7	0.0- 1.7	61	17.2	12.5-21.9	180	40.3	34.6-46.0	113	24.8	19.9-29.7	58	15.9	11.4-20.4	3	1.1	0.0- 2.5
\$25,000- 34,999	298	187,242	2	0.6	0.0- 1.4	51	18.4	12.9-23.9	134	42.3	35.6-49.0	73	23.9	18.4-29.4	36	12.9	8.4-17.4	2	1.9	0.0- 4.4
\$35,000- 49,999	461	288,819	1	0.1	0.0- 0.3	46	11.8	8.1-15.5	209	45.6	40.1-51.1	146	28.6	23.9-33.3	58	13.6	9.5-17.7	1	0.3	0.0- 0.9
\$50,000- 74,999	515	348,584	46	11.3	7.6-15.0	46	11.3	7.6-15.0	242	46.8	41.7-51.9	158	28.9	24.4-33.4	67	12.6	9.5-15.7	2	0.4	0.0- 1.0
\$75,000+	1141	770,825	1	0.0	0.0- 0.0	60	6.0	4.0- 8.0	510	45.9	42.4-49.4	412	35.0	31.7-38.3	155	12.8	10.6-15.0	3	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 52: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4014	2,329,235	53	1.2	0.8- 1.6	1557	40.0	38.0-42.0	1679	40.0	38.0-42.0	522	13.3	11.9-14.7	196	5.1	4.3- 5.9	7	0.3	0.1- 0.5
White/Non-Hisp	3270	1,865,782	42	1.2	0.8- 1.6	1289	39.9	37.7-42.1	1386	41.0	38.8-43.2	415	13.2	11.8-14.6	136	4.7	3.7- 5.7	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	375	206,525	2	0.5	0.0- 1.3	103	27.1	20.8-33.4	175	46.0	39.1-52.9	63	17.7	12.8-22.6	31	7.6	4.3-10.9	1	1.1	0.0- 3.3
Oth. Race/Non-Hisp.	87	57,460	4	4.3	0.0- 9.8	46	62.0	48.9-75.1	20	18.3	8.5-28.1	9	7.0	1.1-12.9	6	4.0	0.3- 7.7	2	4.4	0.0-10.5
MultiRacial/Non-Hisp.	62	22,313	2	1.9	0.0- 4.8	22	28.2	15.3-41.1	20	30.5	16.8-44.2	9	21.1	7.2-35.0	9	18.3	5.4-31.2			
Hispanic	166	149,036	1	0.8	0.0- 2.4	72	52.2	43.2-61.2	61	30.8	22.8-38.8	22	10.6	5.7-15.5	8	4.7	1.4- 8.0	2	1.0	0.0- 2.6
18-24	215	316,634	4	1.2	0.0- 2.4	114	57.1	49.8-64.4	69	28.3	21.8-34.8	20	9.4	4.9-13.9	5	2.4	0.2- 4.6	3	1.5	0.0- 3.3
25-34	384	392,264	4	1.0	0.0- 2.0	149	39.7	34.2-45.2	140	37.1	31.6-42.6	58	13.4	9.7-17.1	32	8.5	5.6-11.4	1	0.3	0.0- 0.9
35-44	464	345,257	3	0.6	0.0- 1.2	156	34.3	29.6-39.0	189	41.2	36.3-46.1	83	17.2	13.5-20.9	32	6.6	4.2- 9.0	1	0.1	0.0- 0.3
45-54	631	347,274	8	1.2	0.2- 2.2	216	34.9	30.6-39.2	267	43.5	39.2-47.8	97	14.9	11.8-18.0	42	5.5	3.7- 7.3	1	0.0	0.0- 0.0
55-64	791	383,028	6	0.6	0.0- 1.2	267	34.5	30.8-38.2	336	41.9	38.0-45.8	135	17.6	14.5-20.7	47	5.4	3.6- 7.2			
65+	1529	544,779	28	2.2	1.2- 3.2	655	41.2	38.3-44.1	678	44.8	41.9-47.7	129	8.8	7.0-10.6	38	2.9	1.9- 3.9	1	0.1	0.0- 0.3
Less Than H.S.	287	278,369	6	1.3	0.1- 2.5	109	42.5	35.4-49.6	105	33.3	26.8-39.8	46	16.5	11.2-21.8	19	5.7	2.8- 8.6	2	0.6	0.0- 1.6
H.S. or G.E.D.	1268	732,233	28	2.3	1.3- 3.3	489	39.3	35.8-42.8	521	39.5	36.2-42.8	165	13.3	10.9-15.7	63	5.3	3.7- 6.9	2	0.4	0.0- 1.0
Some Post-H.S.	1068	713,925	9	0.4	0.0- 0.8	394	38.1	34.4-41.8	460	42.2	38.7-45.7	139	13.1	10.7-15.5	66	6.1	4.3- 7.9			
College Graduate	1380	597,370	10	0.8	0.2- 1.4	561	42.0	38.9-45.1	588	41.3	38.2-44.4	171	12.0	10.0-14.0	47	3.5	2.3- 4.7	3	0.5	0.0- 1.1
Less than \$15,000	325	201,025	3	1.0	0.0- 2.2	109	34.8	28.1-41.5	130	40.6	33.9-47.3	52	13.5	9.6-17.4	30	9.0	5.5-12.5	1	1.1	0.0- 3.3
\$15,000- 24,999	590	353,324	16	2.4	1.0- 3.8	205	37.4	32.3-42.5	249	39.3	34.4-44.2	79	13.8	10.1-17.5	39	6.7	4.3- 9.1	2	0.4	0.0- 1.0
\$25,000- 34,999	382	203,702	5	1.6	0.0- 3.4	129	38.0	31.5-44.5	175	40.9	34.8-47.0	44	10.5	6.8-14.2	28	8.6	4.9-12.3	1	0.4	0.0- 1.0
\$35,000- 49,999	492	282,941	3	0.8	0.0- 1.8	176	36.4	30.9-41.9	214	42.7	37.2-48.2	69	14.2	10.5-17.9	29	5.5	3.0- 8.0	1	0.4	0.0- 1.2
\$50,000- 74,999	548	320,250	6	0.9	0.1- 1.7	195	35.5	30.6-40.4	230	40.8	35.9-45.7	95	17.9	14.2-21.6	22	4.8	2.6- 7.0			
\$75,000+	897	539,908	2	0.2	0.0- 0.6	381	43.2	39.3-47.1	380	41.3	37.4-45.2	110	12.6	10.1-15.1	23	2.7	1.5- 3.9	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7929	4,873,615	436	5.0	4.4- 5.6	3343	39.2	37.8-40.6	3335	44.2	42.8-45.6	741	10.4	9.6-11.2	22	0.4	0.2- 0.6	52	0.9	0.7- 1.1
Male	3622	2,395,449	18	0.5	0.3- 0.7	371	9.9	8.7-11.1	2453	67.2	65.4-69.0	729	20.7	19.1-22.3	19	0.7	0.3- 1.1	32	1.0	0.6- 1.4
Female	4307	2,478,166	418	9.4	8.2-10.6	2972	67.6	65.8-69.4	882	21.9	20.3-23.5	12	0.3	0.1- 0.5	3	0.1	0.1- 0.1	20	0.7	0.3- 1.1
White/Non-Hisp	6481	3,886,649	354	4.9	4.3- 5.5	2728	38.9	37.5-40.3	2767	45.3	43.7-46.9	606	10.3	9.3-11.3	17	0.4	0.2- 0.6	9	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	664	425,552	25	3.3	1.7- 4.9	304	41.4	36.5-46.3	271	42.6	37.7-47.5	61	12.3	8.8-15.8	3	0.4	0.0- 1.0			
Oth. Race/Non-Hisp.	200	150,356	19	8.7	3.2-14.2	71	31.7	23.3-40.1	74	39.4	30.2-48.6	29	13.6	6.9-20.3	1	0.7	0.0- 2.1	6	5.9	1.0-10.8
MultiRacial/Non-Hisp.	118	48,180	5	3.6	0.1- 7.1	52	38.2	27.6-48.8	49	44.9	33.5-56.3	11	13.2	3.6-22.8	1	0.2	0.0- 0.6			
Hispanic	328	280,230	26	7.7	4.2-11.2	142	46.1	39.6-52.6	103	30.1	24.2-36.0	20	6.6	3.3- 9.9				37	9.6	6.3-12.9
18-24	474	653,395	14	4.0	1.6- 6.4	175	38.7	33.8-43.6	216	44.1	39.2-49.0	56	10.6	7.7-13.5	2	0.6	0.0- 1.4	11	2.1	0.7- 3.5
25-34	784	818,843	38	5.2	3.4- 7.0	283	35.4	31.7-39.1	347	43.4	39.5-47.3	103	14.3	11.4-17.2	5	0.7	0.1- 1.3	8	1.0	0.2- 1.8
35-44	945	756,116	34	3.3	2.1- 4.5	335	35.0	31.7-38.3	439	47.5	44.0-51.0	122	12.8	10.4-15.2	3	0.3	0.0- 0.7	12	1.1	0.3- 1.9
45-54	1278	754,577	56	4.2	3.0- 5.4	501	36.9	34.0-39.8	571	47.1	44.0-50.2	136	10.5	8.7-12.3	3	0.2	0.0- 0.6	11	1.0	0.4- 1.6
55-64	1617	818,205	76	4.8	3.6- 6.0	688	40.7	38.0-43.4	707	45.5	42.8-48.2	133	8.2	6.6- 9.8	6	0.4	0.0- 0.8	7	0.4	0.2- 0.6
65+	2831	1,072,480	218	7.5	6.3- 8.7	1361	45.9	43.7-48.1	1055	39.3	37.1-41.5	191	7.0	5.8- 8.2	3	0.1	0.0- 0.3	3	0.1	0.1- 0.1
Less Than H.S.	550	558,545	53	10.3	7.0-13.6	244	39.7	35.0-44.4	203	40.4	35.5-45.3	29	6.3	3.8- 8.8	1	0.3	0.0- 0.9	20	3.0	1.6- 4.4
H.S. or G.E.D.	2580	1,634,476	173	5.2	4.2- 6.2	1111	39.3	36.9-41.7	1054	44.3	41.9-46.7	223	10.2	8.6-11.8	6	0.3	0.1- 0.5	13	0.6	0.2- 1.0
Some Post-H.S.	2079	1,483,574	104	4.0	3.0- 5.0	875	38.9	36.4-41.4	892	45.0	42.5-47.5	196	11.3	9.5-13.1	8	0.6	0.2- 1.0	4	0.2	0.0- 0.6
College Graduate	2701	1,186,533	104	3.6	2.8- 4.4	1105	39.1	36.9-41.3	1180	45.0	42.8-47.2	292	11.3	9.9-12.7	7	0.2	0.0- 0.4	13	0.7	0.1- 1.3
Less than \$15,000	530	335,682	44	7.4	5.0- 9.8	243	45.0	39.7-50.3	202	37.9	32.8-43.0	29	6.2	3.7- 8.7				12	3.6	1.2- 6.0
\$15,000- 24,999	1039	644,514	73	7.0	4.8- 9.2	492	44.0	40.3-47.7	380	38.7	35.0-42.4	71	7.7	5.5- 9.9	3	0.4	0.0- 1.0	20	2.2	1.0- 3.4
\$25,000- 34,999	704	405,714	45	6.1	3.9- 8.3	328	43.0	38.5-47.5	271	41.0	36.5-45.5	55	9.2	6.5-11.9	1	0.1	0.0- 0.3	4	0.7	0.1- 1.3
\$35,000- 49,999	990	590,362	49	4.1	2.7- 5.5	423	42.0	38.3-45.7	422	43.1	39.4-46.8	90	9.8	7.3-12.3	2	0.3	0.0- 0.7	4	0.7	0.0- 1.5
\$50,000- 74,999	1087	684,062	51	4.3	2.9- 5.7	436	36.9	33.6-40.2	505	48.9	45.4-52.4	88	9.1	6.9-11.3	4	0.6	0.0- 1.4	3	0.2	0.0- 0.6
\$75,000+	2087	1,339,030	52	2.3	1.5- 3.1	717	31.7	29.3-34.1	1017	50.7	48.2-53.2	289	14.7	12.9-16.5	9	0.5	0.1- 0.9	3	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3622	2,395,449	18	0.5	0.3- 0.7	371	9.9	8.7-11.1	2453	67.2	65.4-69.0	729	20.7	19.1-22.3	19	0.7	0.3- 1.1	32	1.0	0.6- 1.4
White/Non-Hisp	2951	1,889,231	13	0.5	0.1- 0.9	271	8.4	7.2- 9.6	2045	69.4	67.4-71.4	600	20.9	19.1-22.7	14	0.7	0.3- 1.1	8	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	266	205,170	2	0.8	0.0- 1.8	33	14.0	8.7-19.3	167	59.0	51.7-66.3	61	25.4	18.7-32.1	3	0.8	0.0- 2.0			
Oth. Race/Non-Hisp.	106	87,137				19	16.8	7.2-26.4	54	53.1	40.4-65.8	28	22.9	12.1-33.7	1	1.2	0.0- 3.6	4	6.1	0.0-12.8
MultiRacial/Non-Hisp.	55	25,587	1	1.3	0.0- 3.8	11	18.5	6.5-30.5	32	58.6	41.7-75.5	10	21.2	5.3-37.1	1	0.4	0.0- 1.2			
Hispanic	164	136,466	2	0.8	0.0- 2.0	33	19.7	12.8-26.6	91	56.0	47.2-64.8	18	12.5	6.2-18.8				20	11.0	6.1-15.9
18-24	255	330,730	1	0.3	0.0- 0.9	24	9.5	5.6-13.4	166	66.2	59.9-72.5	56	20.9	15.6-26.2	2	1.1	0.0- 2.7	6	2.1	0.1- 4.1
25-34	390	415,042	1	0.4	0.0- 1.2	35	9.2	6.1-12.3	244	60.4	54.9-65.9	100	27.5	22.4-32.6	5	1.3	0.1- 2.5	5	1.1	0.1- 2.1
35-44	455	386,490	2	0.4	0.0- 1.0	30	7.2	4.5- 9.9	292	65.6	60.9-70.3	120	24.6	20.3-28.9	3	0.6	0.0- 1.4	8	1.7	0.5- 2.9
45-54	591	377,083	3	0.6	0.0- 1.4	55	9.3	6.8-11.8	392	68.0	63.9-72.1	132	20.6	17.1-24.1	3	0.5	0.0- 1.1	6	1.0	0.2- 1.8
55-64	762	407,509	4	0.6	0.0- 1.2	82	10.6	8.1-13.1	536	71.5	68.0-75.0	132	16.2	13.3-19.1	4	0.7	0.0- 1.5	4	0.4	0.0- 0.8
65+	1169	478,595	7	0.6	0.0- 1.2	145	12.7	10.3-15.1	823	70.8	67.9-73.7	189	15.6	13.2-18.0	2	0.1	0.0- 0.3	3	0.2	0.0- 0.4
Less Than H.S.	258	273,176	6	2.0	0.2- 3.8	51	16.0	11.1-20.9	161	65.1	58.6-71.6	28	12.6	7.7-17.5	1	0.7	0.0- 2.1	11	3.5	1.3- 5.7
H.S. or G.E.D.	1215	849,986	6	0.4	0.0- 0.8	146	11.4	9.2-13.6	829	67.2	64.1-70.3	220	19.5	16.8-22.2	5	0.5	0.0- 1.1	9	1.0	0.2- 1.8
Some Post-H.S.	936	723,896	2	0.2	0.0- 0.4	81	8.1	6.1-10.1	654	68.2	64.7-71.7	189	22.3	19.0-25.6	7	1.0	0.2- 1.8	3	0.2	0.0- 0.4
College Graduate	1208	546,942	4	0.3	0.0- 0.7	93	7.0	5.4- 8.6	805	66.9	64.0-69.8	291	24.6	21.9-27.3	6	0.5	0.1- 0.9	9	0.8	0.2- 1.4
Less than \$15,000	195	129,891	1	0.3	0.0- 0.9	31	17.9	11.0-24.8	131	62.5	54.1-70.9	28	15.5	9.2-21.8				4	3.7	0.0- 8.0
\$15,000- 24,999	422	280,121	3	0.8	0.0- 1.8	59	15.3	10.8-19.8	277	62.9	57.2-68.6	66	16.6	12.1-21.1	3	1.0	0.0- 2.4	14	3.3	1.3- 5.3
\$25,000- 34,999	302	190,038	5	2.0	0.2- 3.8	37	11.2	7.3-15.1	203	66.5	60.2-72.8	54	19.2	13.9-24.5	1	0.2	0.0- 0.6	2	0.9	0.0- 2.1
\$35,000- 49,999	463	289,346	2	0.3	0.0- 0.9	48	11.2	7.7-14.7	320	67.4	62.1-72.7	88	19.3	14.8-23.8	1	0.3	0.0- 0.9	4	1.5	0.0- 3.1
\$50,000- 74,999	519	353,749	1	0.1	0.0- 0.3	45	8.3	5.6-11.0	378	72.3	67.8-76.8	88	17.6	13.7-21.5	4	1.2	0.0- 2.6	3	0.5	0.0- 1.1
\$75,000+	1137	767,301	1	0.0	0.0- 0.0	68	5.0	3.6- 6.4	768	68.3	65.2-71.4	288	25.6	22.5-28.7	9	0.9	0.3- 1.5	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 55: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4307	2,478,166	418	9.4	8.2-10.6	2972	67.6	65.8-69.4	882	21.9	20.3-23.5	12	0.3	0.1- 0.5	3	0.1	0.1- 0.1	20	0.7	0.3- 1.1
White/Non-Hisp	3530	1,997,417	341	9.2	8.0-10.4	2457	67.9	65.9-69.9	722	22.6	20.8-24.4	6	0.2	0.0- 0.4	3	0.1	0.1- 0.1	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	398	220,382	23	5.7	2.8- 8.6	271	67.0	60.9-73.1	104	27.4	21.5-33.3									
Oth. Race/Non-Hisp.	94	63,219	19	20.6	8.4-32.8	52	52.4	38.5-66.3	20	20.6	9.2-32.0	1	0.8	0.0- 2.4				2	5.6	0.0-13.0
MultiRacial/Non-Hisp.	63	22,594	4	6.2	0.0-13.1	41	60.5	45.2-75.8	17	29.3	14.8-43.8	1	4.1	0.0-11.7						
Hispanic	164	143,764	24	14.2	7.5-20.9	109	71.0	62.8-79.2	12	5.5	1.8- 9.2	2	1.0	0.0- 2.4				17	8.3	4.0-12.6
18-24	219	322,665	13	7.8	3.1-12.5	151	68.6	61.7-75.5	50	21.5	15.6-27.4							5	2.1	0.1- 4.1
25-34	394	403,801	37	10.1	6.8-13.4	248	62.4	57.1-67.7	103	25.9	21.0-30.8	3	0.8	0.0- 1.8				3	0.9	0.0- 2.1
35-44	490	369,625	32	6.4	4.0- 8.8	305	64.1	59.4-68.8	147	28.6	24.3-32.9	2	0.4	0.0- 1.0				4	0.5	0.0- 1.1
45-54	687	377,494	53	7.8	5.6-10.0	446	64.5	60.4-68.6	179	26.2	22.5-29.9	4	0.5	0.1- 0.9				5	1.1	0.1- 2.1
55-64	855	410,696	72	8.9	6.7-11.1	606	70.6	67.1-74.1	171	19.7	16.6-22.8	1	0.2	0.0- 0.6	2	0.2	0.0- 0.4	3	0.3	0.0- 0.7
65+	1662	593,885	211	13.1	11.1-15.1	1216	72.6	70.1-75.1	232	14.0	12.0-16.0	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3			
Less Than H.S.	292	285,370	47	18.2	12.5-23.9	193	62.3	55.4-69.2	42	16.7	11.4-22.0	1	0.2	0.0- 0.6				9	2.6	0.8- 4.4
H.S. or G.E.D.	1365	784,489	167	10.4	8.4-12.4	965	69.6	66.5-72.7	225	19.4	16.7-22.1	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	4	0.3	0.1- 0.5
Some Post-H.S.	1143	759,678	102	7.6	5.8- 9.4	794	68.3	65.0-71.6	238	23.0	20.1-25.9	7	0.8	0.2- 1.4	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9
College Graduate	1493	639,591	100	6.5	4.9- 8.1	1012	66.6	63.7-69.5	375	26.2	23.5-28.9	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	4	0.7	0.0- 1.5
Less than \$15,000	335	205,791	43	11.8	7.9-15.7	212	62.0	55.5-68.5	71	22.3	16.8-27.8	1	0.4	0.0- 1.2				8	3.5	0.8- 6.2
\$15,000- 24,999	617	364,394	70	11.8	8.1-15.5	433	66.0	60.9-71.1	103	20.1	16.0-24.2	5	0.8	0.0- 1.6				6	1.4	0.2- 2.6
\$25,000- 34,999	402	215,676	40	9.6	5.9-13.3	291	71.0	65.3-76.7	68	18.5	13.6-23.4	1	0.4	0.0- 1.2				2	0.5	0.0- 1.3
\$35,000- 49,999	527	301,016	47	7.7	5.0-10.4	375	71.6	66.9-76.3	102	19.8	15.5-24.1	2	0.7	0.0- 1.7	1	0.2	0.0- 0.6			
\$50,000- 74,999	568	330,313	50	8.7	5.8-11.6	391	67.6	62.9-72.3	127	23.7	19.6-27.8									
\$75,000+	950	571,729	51	5.3	3.7- 6.9	649	67.6	64.1-71.1	249	27.1	23.6-30.6	1	0.1	0.0- 0.3						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 9: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
1 MALES AND FEMALES	143
2 MALES ONLY	144
3 FEMALES ONLY	145
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
4 MALES AND FEMALES	146
5 MALES ONLY	147
6 FEMALES ONLY	148
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
7 MALES AND FEMALES	149
8 MALES ONLY	150
9 FEMALES ONLY	151
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
10 MALES AND FEMALES	152
11 MALES ONLY	153
12 FEMALES ONLY	154
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
13 MALES AND FEMALES	155
14 MALES ONLY	156
15 FEMALES ONLY	157
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
16 MALES AND FEMALES	158
17 MALES ONLY	159
18 FEMALES ONLY	160

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 1: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8135	4,991,926	709	6.8	6.2- 7.4	7426	93.2	92.6-93.8
Male	3678	2,431,445	388	8.4	7.4- 9.4	3290	91.6	90.6-92.6
Female	4457	2,560,481	321	5.4	4.6- 6.2	4136	94.6	93.8-95.4
White/Non-Hisp	6605	3,952,475	599	7.2	6.6- 7.8	6006	92.8	92.2-93.4
Black or Afr. Am./Non-Hisp	689	435,306	28	3.5	1.9- 5.1	661	96.5	94.9-98.1
Oth. Race/Non-Hisp.	204	152,390	28	7.5	4.0-11.0	176	92.5	89.0-96.0
MultiRacial/Non-Hisp.	120	49,021	13	9.0	3.7-14.3	107	91.0	85.7-96.3
Hispanic	355	307,126	12	2.7	0.7- 4.7	343	97.3	95.3-99.3
18-24	484	664,905	12	2.2	0.8- 3.6	472	97.8	96.4-99.2
25-34	794	827,331	14	1.8	0.8- 2.8	780	98.2	97.2-99.2
35-44	979	785,975	26	2.9	1.5- 4.3	953	97.1	95.7-98.5
45-54	1337	790,448	68	5.4	4.0- 6.8	1269	94.6	93.2-96.0
55-64	1647	834,124	111	7.0	5.6- 8.4	1536	93.0	91.6-94.4
65+	2894	1,089,142	478	17.3	15.5-19.1	2416	82.7	80.9-84.5
Less Than H.S.	573	579,543	76	10.4	7.7-13.1	497	89.6	86.9-92.3
H.S. or G.E.D.	2633	1,668,180	286	7.9	6.9- 8.9	2347	92.1	91.1-93.1
Some Post-H.S.	2134	1,517,852	191	6.5	5.3- 7.7	1943	93.5	92.3-94.7
College Graduate	2772	1,214,135	155	4.2	3.4- 5.0	2617	95.8	95.0-96.6
Less than \$15,000	539	341,567	74	11.4	8.5-14.3	465	88.6	85.7-91.5
\$15,000- 24,999	1056	655,302	134	10.0	8.0-12.0	922	90.0	88.0-92.0
\$25,000- 34,999	709	408,254	77	8.4	6.2-10.6	632	91.6	89.4-93.8
\$35,000- 49,999	998	596,435	77	6.6	4.8- 8.4	921	93.4	91.6-95.2
\$50,000- 74,999	1099	686,930	65	4.6	3.2- 6.0	1034	95.4	94.0-96.8
\$75,000+	2119	1,360,188	107	4.0	3.2- 4.8	2012	96.0	95.2-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 2: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3678	2,431,445	388	8.4	7.4- 9.4	3290	91.6	90.6-92.6
White/Non-Hisp	2983	1,911,186	327	8.9	7.7-10.1	2656	91.1	89.9-92.3
Black or Afr. Am./Non-Hisp	270	203,744	15	5.2	2.3- 8.1	255	94.8	91.9-97.7
Oth. Race/Non-Hisp.	106	86,481	14	6.6	2.5-10.7	92	93.4	89.3-97.5
MultiRacial/Non-Hisp.	55	25,587	7	9.1	1.5-16.7	48	90.9	83.3-98.5
Hispanic	174	146,289	4	1.6	0.0- 3.4	170	98.4	96.6- 100
18-24	264	340,425	6	2.2	0.4- 4.0	258	97.8	96.0-99.6
25-34	393	415,852	9	2.4	0.6- 4.2	384	97.6	95.8-99.4
35-44	466	395,351	21	5.0	2.5- 7.5	445	95.0	92.5-97.5
45-54	615	392,382	39	6.9	4.5- 9.3	576	93.1	90.7-95.5
55-64	764	408,048	60	8.3	5.9-10.7	704	91.7	89.3-94.1
65+	1176	479,388	253	22.0	19.3-24.7	923	78.0	75.3-80.7
Less Than H.S.	263	278,003	42	13.8	9.3-18.3	221	86.2	81.7-90.7
H.S. or G.E.D.	1237	866,585	143	8.1	6.5- 9.7	1094	91.9	90.3-93.5
Some Post-H.S.	943	728,199	106	8.6	6.8-10.4	837	91.4	89.6-93.2
College Graduate	1228	556,138	96	5.9	4.5- 7.3	1132	94.1	92.7-95.5
Less than \$15,000	197	132,059	36	16.5	10.8-22.2	161	83.5	77.8-89.2
\$15,000- 24,999	430	285,398	65	12.6	9.3-15.9	365	87.4	84.1-90.7
\$25,000- 34,999	303	190,408	37	9.6	6.1-13.1	266	90.4	86.9-93.9
\$35,000- 49,999	466	291,501	51	9.4	6.3-12.5	415	90.6	87.5-93.7
\$50,000- 74,999	521	351,035	41	5.9	3.5- 8.3	480	94.1	91.7-96.5
\$75,000+	1145	773,965	82	5.4	4.0- 6.8	1063	94.6	93.2-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 3: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4457	2,560,481	321	5.4	4.6- 6.2	4136	94.6	93.8-95.4
White/Non-Hisp	3622	2,041,289	272	5.7	4.9- 6.5	3350	94.3	93.5-95.1
Black or Afr. Am./Non-Hisp	419	231,561	13	1.9	0.5- 3.3	406	98.1	96.7-99.5
Oth. Race/Non-Hisp.	98	65,909	14	8.7	2.8-14.6	84	91.3	85.4-97.2
MultiRacial/Non-Hisp.	65	23,434	6	8.9	1.5-16.3	59	91.1	83.7-98.5
Hispanic	181	160,836	8	3.7	0.6- 6.8	173	96.3	93.2-99.4
18-24	220	324,480	6	2.3	0.3- 4.3	214	97.7	95.7-99.7
25-34	401	411,480	5	1.2	0.0- 2.4	396	98.8	97.6- 100
35-44	513	390,624	5	0.8	0.2- 1.4	508	99.2	98.6-99.8
45-54	722	398,067	29	3.9	2.3- 5.5	693	96.1	94.5-97.7
55-64	883	426,076	51	5.7	3.9- 7.5	832	94.3	92.5-96.1
65+	1718	609,754	225	13.6	11.6-15.6	1493	86.4	84.4-88.4
Less Than H.S.	310	301,540	34	7.3	4.4-10.2	276	92.7	89.8-95.6
H.S. or G.E.D.	1396	801,595	143	7.8	6.4- 9.2	1253	92.2	90.8-93.6
Some Post-H.S.	1191	789,653	85	4.5	3.3- 5.7	1106	95.5	94.3-96.7
College Graduate	1544	657,997	59	2.7	1.9- 3.5	1485	97.3	96.5-98.1
Less than \$15,000	342	209,508	38	8.3	5.2-11.4	304	91.7	88.6-94.8
\$15,000- 24,999	626	369,904	69	8.0	5.6-10.4	557	92.0	89.6-94.4
\$25,000- 34,999	406	217,846	40	7.3	4.8- 9.8	366	92.7	90.2-95.2
\$35,000- 49,999	532	304,934	26	3.9	1.9- 5.9	506	96.1	94.1-98.1
\$50,000- 74,999	578	335,895	24	3.3	1.7- 4.9	554	96.7	95.1-98.3
\$75,000+	974	586,224	25	2.0	1.0- 3.0	949	98.0	97.0-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 4: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8106	4,970,782	446	5.0	4.4- 5.6	7660	95.0	94.4-95.6
Male	3659	2,420,000	187	4.5	3.7- 5.3	3472	95.5	94.7-96.3
Female	4447	2,550,782	259	5.5	4.7- 6.3	4188	94.5	93.7-95.3
White/Non-Hisp	6589	3,942,644	334	4.6	4.0- 5.2	6255	95.4	94.8-96.0
Black or Afr. Am./Non-Hisp	684	432,258	53	6.4	4.4- 8.4	631	93.6	91.6-95.6
Oth. Race/Non-Hisp.	203	149,128	19	9.6	4.1-15.1	184	90.4	84.9-95.9
MultiRacial/Non-Hisp.	119	48,642	6	4.3	0.4- 8.2	113	95.7	91.8-99.6
Hispanic	351	306,001	22	6.1	3.0- 9.2	329	93.9	90.8-97.0
18-24	483	662,937	14	3.3	1.3- 5.3	469	96.7	94.7-98.7
25-34	789	821,968	23	3.3	1.9- 4.7	766	96.7	95.3-98.1
35-44	974	781,772	31	3.7	2.3- 5.1	943	96.3	94.9-97.7
45-54	1336	787,473	71	4.9	3.5- 6.3	1265	95.1	93.7-96.5
55-64	1637	828,013	96	5.7	4.3- 7.1	1541	94.3	92.9-95.7
65+	2887	1,088,619	211	7.8	6.6- 9.0	2676	92.2	91.0-93.4
Less Than H.S.	568	573,370	68	10.9	8.0-13.8	500	89.1	86.2-92.0
H.S. or G.E.D.	2623	1,662,542	171	5.4	4.4- 6.4	2452	94.6	93.6-95.6
Some Post-H.S.	2128	1,512,205	131	4.8	3.8- 5.8	1997	95.2	94.2-96.2
College Graduate	2764	1,210,450	75	1.9	1.3- 2.5	2689	98.1	97.5-98.7
Less than \$15,000	538	341,444	81	12.9	9.8-16.0	457	87.1	84.0-90.2
\$15,000- 24,999	1048	650,295	82	7.9	5.9- 9.9	966	92.1	90.1-94.1
\$25,000- 34,999	708	407,150	55	6.6	4.4- 8.8	653	93.4	91.2-95.6
\$35,000- 49,999	996	595,533	48	4.8	3.2- 6.4	948	95.2	93.6-96.8
\$50,000- 74,999	1097	685,637	41	3.2	1.8- 4.6	1056	96.8	95.4-98.2
\$75,000+	2112	1,354,031	31	1.3	0.7- 1.9	2081	98.7	98.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 5: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3659	2,420,000	187	4.5	3.7- 5.3	3472	95.5	94.7-96.3
White/Non-Hisp	2969	1,901,580	140	4.1	3.3- 4.9	2829	95.9	95.1-96.7
Black or Afr. Am./Non-Hisp	269	204,057	20	6.1	2.8- 9.4	249	93.9	90.6-97.2
Oth. Race/Non-Hisp.	105	85,079	9	10.3	2.1-18.5	96	89.7	81.5-97.9
MultiRacial/Non-Hisp.	55	25,587	1	2.0	0.0- 5.7	54	98.0	94.3- 100
Hispanic	171	145,850	12	4.9	1.8- 8.0	159	95.1	92.0-98.2
18-24	263	338,457	6	2.4	0.0- 4.8	257	97.6	95.2- 100
25-34	391	413,463	12	3.2	1.2- 5.2	379	96.8	94.8-98.8
35-44	462	392,855	13	3.7	1.5- 5.9	449	96.3	94.1-98.5
45-54	615	391,879	23	3.4	1.8- 5.0	592	96.6	95.0-98.2
55-64	758	405,262	44	5.2	3.4- 7.0	714	94.8	93.0-96.6
65+	1170	478,084	89	7.9	6.1- 9.7	1081	92.1	90.3-93.9
Less Than H.S.	261	275,486	25	9.3	5.2-13.4	236	90.7	86.6-94.8
H.S. or G.E.D.	1229	861,432	75	5.0	3.6- 6.4	1154	95.0	93.6-96.4
Some Post-H.S.	942	727,817	56	4.1	2.7- 5.5	886	95.9	94.5-97.3
College Graduate	1220	552,745	31	1.6	0.8- 2.4	1189	98.4	97.6-99.2
Less than \$15,000	198	133,076	35	15.4	9.7-21.1	163	84.6	78.9-90.3
\$15,000- 24,999	427	283,315	31	6.9	4.2- 9.6	396	93.1	90.4-95.8
\$25,000- 34,999	301	189,224	24	6.7	3.4-10.0	277	93.3	90.0-96.6
\$35,000- 49,999	465	291,991	23	4.2	2.2- 6.2	442	95.8	93.8-97.8
\$50,000- 74,999	519	350,178	21	2.8	1.0- 4.6	498	97.2	95.4-99.0
\$75,000+	1140	768,734	16	1.1	0.5- 1.7	1124	98.9	98.3-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 6: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4447	2,550,782	259	5.5	4.7- 6.3	4188	94.5	93.7-95.3
White/Non-Hisp	3620	2,041,064	194	5.1	4.1- 6.1	3426	94.9	93.9-95.9
Black or Afr. Am./Non-Hisp	415	228,201	33	6.7	4.2- 9.2	382	93.3	90.8-95.8
Oth. Race/Non-Hisp.	98	64,049	10	8.8	2.5-15.1	88	91.2	84.9-97.5
MultiRacial/Non-Hisp.	64	23,055	5	6.9	0.0-13.8	59	93.1	86.2- 100
Hispanic	180	160,151	10	7.1	2.0-12.2	170	92.9	87.8-98.0
18-24	220	324,480	8	4.2	1.1- 7.3	212	95.8	92.7-98.9
25-34	398	408,505	11	3.3	1.1- 5.5	387	96.7	94.5-98.9
35-44	512	388,917	18	3.6	1.8- 5.4	494	96.4	94.6-98.2
45-54	721	395,594	48	6.5	4.3- 8.7	673	93.5	91.3-95.7
55-64	879	422,751	52	6.2	4.2- 8.2	827	93.8	91.8-95.8
65+	1717	610,536	122	7.8	6.2- 9.4	1595	92.2	90.6-93.8
Less Than H.S.	307	297,884	43	12.4	8.1-16.7	264	87.6	83.3-91.9
H.S. or G.E.D.	1394	801,110	96	5.8	4.4- 7.2	1298	94.2	92.8-95.6
Some Post-H.S.	1186	784,387	75	5.5	3.9- 7.1	1111	94.5	92.9-96.1
College Graduate	1544	657,704	44	2.1	1.3- 2.9	1500	97.9	97.1-98.7
Less than \$15,000	340	208,367	46	11.2	7.5-14.9	294	88.8	85.1-92.5
\$15,000- 24,999	621	366,980	51	8.7	5.8-11.6	570	91.3	88.4-94.2
\$25,000- 34,999	407	217,926	31	6.6	3.9- 9.3	376	93.4	90.7-96.1
\$35,000- 49,999	531	303,542	25	5.4	2.9- 7.9	506	94.6	92.1-97.1
\$50,000- 74,999	578	335,459	20	3.5	1.5- 5.5	558	96.5	94.5-98.5
\$75,000+	972	585,297	15	1.7	0.7- 2.7	957	98.3	97.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 7: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8067	4,947,441	832	11.3	10.3-12.3	7235	88.7	87.7-89.7
Male	3640	2,408,189	328	9.5	8.3-10.7	3312	90.5	89.3-91.7
Female	4427	2,539,251	504	13.0	11.6-14.4	3923	87.0	85.6-88.4
White/Non-Hisp	6564	3,926,902	645	10.9	9.9-11.9	5919	89.1	88.1-90.1
Black or Afr. Am./Non-Hisp	677	427,347	70	11.3	8.2-14.4	607	88.7	85.6-91.8
Oth. Race/Non-Hisp.	203	150,987	26	12.7	7.0-18.4	177	87.3	81.6-93.0
MultiRacial/Non-Hisp.	117	47,971	27	19.6	11.2-28.0	90	80.4	72.0-88.8
Hispanic	348	300,717	44	14.9	10.0-19.8	304	85.1	80.2-90.0
18-24	479	659,332	63	14.4	10.9-17.9	416	85.6	82.1-89.1
25-34	783	812,793	107	13.9	11.2-16.6	676	86.1	83.4-88.8
35-44	968	779,074	107	10.6	8.4-12.8	861	89.4	87.2-91.6
45-54	1328	784,534	141	11.2	9.2-13.2	1187	88.8	86.8-90.8
55-64	1636	829,115	184	10.6	8.8-12.4	1452	89.4	87.6-91.2
65+	2873	1,082,592	230	8.8	7.4-10.2	2643	91.2	89.8-92.6
Less Than H.S.	562	565,842	147	26.0	21.7-30.3	415	74.0	69.7-78.3
H.S. or G.E.D.	2616	1,656,184	341	12.5	10.9-14.1	2275	87.5	85.9-89.1
Some Post-H.S.	2122	1,511,753	204	9.8	8.2-11.4	1918	90.2	88.6-91.8
College Graduate	2744	1,201,446	138	4.7	3.7- 5.7	2606	95.3	94.3-96.3
Less than \$15,000	534	339,793	162	30.2	25.3-35.1	372	69.8	64.9-74.7
\$15,000- 24,999	1048	648,269	194	19.5	16.6-22.4	854	80.5	77.6-83.4
\$25,000- 34,999	700	399,531	67	10.7	7.8-13.6	633	89.3	86.4-92.2
\$35,000- 49,999	989	591,190	104	11.9	9.4-14.4	885	88.1	85.6-90.6
\$50,000- 74,999	1092	682,687	65	7.2	5.2- 9.2	1027	92.8	90.8-94.8
\$75,000+	2111	1,353,913	57	2.9	1.9- 3.9	2054	97.1	96.1-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 8: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3640	2,408,189	328	9.5	8.3-10.7	3312	90.5	89.3-91.7
White/Non-Hisp	2959	1,896,947	254	9.6	8.2-11.0	2705	90.4	89.0-91.8
Black or Afr. Am./Non-Hisp	266	201,261	21	7.5	3.8-11.2	245	92.5	88.8-96.2
Oth. Race/Non-Hisp.	105	85,079	10	9.4	2.3-16.5	95	90.6	83.5-97.7
MultiRacial/Non-Hisp.	55	25,587	15	20.8	8.5-33.1	40	79.2	66.9-91.5
Hispanic	170	144,115	17	9.3	4.4-14.2	153	90.7	85.8-95.6
18-24	261	336,501	27	10.2	6.3-14.1	234	89.8	85.9-93.7
25-34	387	409,174	49	13.5	9.6-17.4	338	86.5	82.6-90.4
35-44	456	388,991	42	8.6	5.9-11.3	414	91.4	88.7-94.1
45-54	611	389,612	56	9.3	6.8-11.8	555	90.7	88.2-93.2
55-64	759	406,696	74	8.7	6.5-10.9	685	91.3	89.1-93.5
65+	1166	477,216	80	7.3	5.5- 9.1	1086	92.7	90.9-94.5
Less Than H.S.	261	274,654	57	21.3	15.6-27.0	204	78.7	73.0-84.4
H.S. or G.E.D.	1223	856,950	135	10.2	8.2-12.2	1088	89.8	87.8-91.8
Some Post-H.S.	941	727,348	86	8.9	6.9-10.9	855	91.1	89.1-93.1
College Graduate	1208	546,718	50	3.6	2.4- 4.8	1158	96.4	95.2-97.6
Less than \$15,000	196	131,780	62	32.0	24.0-40.0	134	68.0	60.0-76.0
\$15,000- 24,999	425	281,822	71	16.8	12.5-21.1	354	83.2	78.9-87.5
\$25,000- 34,999	300	188,579	30	12.3	7.6-17.0	270	87.7	83.0-92.4
\$35,000- 49,999	459	288,698	42	9.5	6.4-12.6	417	90.5	87.4-93.6
\$50,000- 74,999	518	348,692	30	6.8	4.1- 9.5	488	93.2	90.5-95.9
\$75,000+	1139	768,940	25	2.1	1.1- 3.1	1114	97.9	96.9-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 9: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4427	2,539,251	504	13.0	11.6-14.4	3923	87.0	85.6-88.4
White/Non-Hisp	3605	2,029,954	391	12.1	10.7-13.5	3214	87.9	86.5-89.3
Black or Afr. Am./Non-Hisp	411	226,086	49	14.6	9.9-19.3	362	85.4	80.7-90.1
Oth. Race/Non-Hisp.	98	65,909	16	16.8	7.6-26.0	82	83.2	74.0-92.4
MultiRacial/Non-Hisp.	62	22,384	12	18.2	6.6-29.8	50	81.8	70.2-93.4
Hispanic	178	156,602	27	20.1	11.9-28.3	151	79.9	71.7-88.1
18-24	218	322,832	36	18.7	12.8-24.6	182	81.3	75.4-87.2
25-34	396	403,620	58	14.3	10.4-18.2	338	85.7	81.8-89.6
35-44	512	390,083	65	12.5	9.4-15.6	447	87.5	84.4-90.6
45-54	717	394,921	85	13.1	10.0-16.2	632	86.9	83.8-90.0
55-64	877	422,419	110	12.3	9.8-14.8	767	87.7	85.2-90.2
65+	1707	605,376	150	9.9	8.1-11.7	1557	90.1	88.3-91.9
Less Than H.S.	301	291,188	90	30.4	24.1-36.7	211	69.6	63.3-75.9
H.S. or G.E.D.	1393	799,234	206	15.0	12.6-17.4	1187	85.0	82.6-87.4
Some Post-H.S.	1181	784,405	118	10.7	8.5-12.9	1063	89.3	87.1-91.5
College Graduate	1536	654,729	88	5.6	4.2- 7.0	1448	94.4	93.0-95.8
Less than \$15,000	338	208,013	100	29.1	23.0-35.2	238	70.9	64.8-77.0
\$15,000- 24,999	623	366,447	123	21.6	17.5-25.7	500	78.4	74.3-82.5
\$25,000- 34,999	400	210,952	37	9.3	6.0-12.6	363	90.7	87.4-94.0
\$35,000- 49,999	530	302,492	62	14.3	10.2-18.4	468	85.7	81.6-89.8
\$50,000- 74,999	574	333,995	35	7.6	4.9-10.3	539	92.4	89.7-95.1
\$75,000+	972	584,973	32	3.9	2.3- 5.5	940	96.1	94.5-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 10: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8056	4,939,360	1428	14.0	13.2-14.8	6628	86.0	85.2-86.8
Male	3640	2,404,809	541	11.8	10.6-13.0	3099	88.2	87.0-89.4
Female	4416	2,534,551	887	16.1	14.9-17.3	3529	83.9	82.7-85.1
White/Non-Hisp	6548	3,915,213	1118	13.8	12.8-14.8	5430	86.2	85.2-87.2
Black or Afr. Am./Non-Hisp	680	429,760	175	19.7	16.2-23.2	505	80.3	76.8-83.8
Oth. Race/Non-Hisp.	201	148,539	32	7.3	4.0-10.6	169	92.7	89.4-96.0
MultiRacial/Non-Hisp.	119	48,642	30	20.3	11.9-28.7	89	79.7	71.3-88.1
Hispanic	350	303,576	42	9.9	6.6-13.2	308	90.1	86.8-93.4
18-24	479	658,080	10	2.0	0.6- 3.4	469	98.0	96.6-99.4
25-34	785	815,321	27	3.3	1.9- 4.7	758	96.7	95.3-98.1
35-44	968	776,765	75	7.5	5.7- 9.3	893	92.5	90.7-94.3
45-54	1330	785,567	184	13.8	11.6-16.0	1146	86.2	84.0-88.4
55-64	1632	825,044	357	21.9	19.5-24.3	1275	78.1	75.7-80.5
65+	2862	1,078,582	775	28.1	26.1-30.1	2087	71.9	69.9-73.9
Less Than H.S.	565	568,610	200	26.8	22.9-30.7	365	73.2	69.3-77.1
H.S. or G.E.D.	2609	1,651,096	582	16.3	14.7-17.9	2027	83.7	82.1-85.3
Some Post-H.S.	2121	1,508,872	373	12.5	11.1-13.9	1748	87.5	86.1-88.9
College Graduate	2738	1,198,566	271	6.6	5.6- 7.6	2467	93.4	92.4-94.4
Less than \$15,000	536	340,057	231	35.3	30.6-40.0	305	64.7	60.0-69.4
\$15,000- 24,999	1045	647,918	319	24.6	21.7-27.5	726	75.4	72.5-78.3
\$25,000- 34,999	702	404,566	150	16.6	13.7-19.5	552	83.4	80.5-86.3
\$35,000- 49,999	985	588,159	162	13.2	10.8-15.6	823	86.8	84.4-89.2
\$50,000- 74,999	1086	680,704	117	8.7	6.9-10.5	969	91.3	89.5-93.1
\$75,000+	2103	1,346,227	126	4.2	3.2- 5.2	1977	95.8	94.8-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 11: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3640	2,404,809	541	11.8	10.6-13.0	3099	88.2	87.0-89.4
White/Non-Hisp	2956	1,893,754	422	11.6	10.4-12.8	2534	88.4	87.2-89.6
Black or Afr. Am./Non-Hisp	268	202,071	61	17.1	12.0-22.2	207	82.9	77.8-88.0
Oth. Race/Non-Hisp.	104	82,892	15	5.3	1.8- 8.8	89	94.7	91.2-98.2
MultiRacial/Non-Hisp.	55	25,587	8	9.1	0.9-17.3	47	90.9	82.7-99.1
Hispanic	171	144,968	19	9.9	5.0-14.8	152	90.1	85.2-95.0
18-24	261	336,639	5	1.4	0.2- 2.6	256	98.6	97.4-99.8
25-34	388	409,123	11	3.2	1.0- 5.4	377	96.8	94.6-99.0
35-44	458	388,125	24	4.8	2.6- 7.0	434	95.2	93.0-97.4
45-54	613	389,950	67	11.9	9.0-14.8	546	88.1	85.2-91.0
55-64	757	404,862	140	19.3	16.2-22.4	617	80.7	77.6-83.8
65+	1163	476,109	294	25.7	22.8-28.6	869	74.3	71.4-77.2
Less Than H.S.	261	274,329	80	25.3	19.6-31.0	181	74.7	69.0-80.4
H.S. or G.E.D.	1220	853,686	209	11.9	10.1-13.7	1011	88.1	86.3-89.9
Some Post-H.S.	944	728,328	151	11.2	9.2-13.2	793	88.8	86.8-90.8
College Graduate	1208	545,947	99	5.5	4.3- 6.7	1109	94.5	93.3-95.7
Less than \$15,000	197	132,542	83	34.1	26.7-41.5	114	65.9	58.5-73.3
\$15,000- 24,999	425	281,273	131	26.6	21.9-31.3	294	73.4	68.7-78.1
\$25,000- 34,999	299	187,809	55	13.9	9.8-18.0	244	86.1	82.0-90.2
\$35,000- 49,999	460	289,243	70	12.2	8.9-15.5	390	87.8	84.5-91.1
\$50,000- 74,999	517	348,385	43	6.2	4.0- 8.4	474	93.8	91.6-96.0
\$75,000+	1135	765,525	65	4.0	2.8- 5.2	1070	96.0	94.8-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 12: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4416	2,534,551	887	16.1	14.9-17.3	3529	83.9	82.7-85.1
White/Non-Hisp	3592	2,021,459	696	15.9	14.5-17.3	2896	84.1	82.7-85.5
Black or Afr. Am./Non-Hisp	412	227,688	114	21.9	17.0-26.8	298	78.1	73.2-83.0
Oth. Race/Non-Hisp.	97	65,648	17	9.9	4.0-15.8	80	90.1	84.2-96.0
MultiRacial/Non-Hisp.	64	23,055	22	32.7	18.6-46.8	42	67.3	53.2-81.4
Hispanic	179	158,608	23	9.9	5.4-14.4	156	90.1	85.6-94.6
18-24	218	321,441	5	2.8	0.3- 5.3	213	97.2	94.7-99.7
25-34	397	406,198	16	3.3	1.5- 5.1	381	96.7	94.9-98.5
35-44	510	388,640	51	10.1	7.2-13.0	459	89.9	87.0-92.8
45-54	717	395,617	117	15.7	12.6-18.8	600	84.3	81.2-87.4
55-64	875	420,182	217	24.4	21.1-27.7	658	75.6	72.3-78.9
65+	1699	602,473	481	29.9	27.2-32.6	1218	70.1	67.4-72.8
Less Than H.S.	304	294,281	120	28.3	22.8-33.8	184	71.7	66.2-77.2
H.S. or G.E.D.	1389	797,410	373	21.0	18.6-23.4	1016	79.0	76.6-81.4
Some Post-H.S.	1177	780,544	222	13.8	11.6-16.0	955	86.2	84.0-88.4
College Graduate	1530	652,618	172	7.5	6.1- 8.9	1358	92.5	91.1-93.9
Less than \$15,000	339	207,515	148	36.1	30.0-42.2	191	63.9	57.8-70.0
\$15,000- 24,999	620	366,645	188	23.1	19.4-26.8	432	76.9	73.2-80.6
\$25,000- 34,999	403	216,757	95	19.0	14.7-23.3	308	81.0	76.7-85.3
\$35,000- 49,999	525	298,916	92	14.1	10.8-17.4	433	85.9	82.6-89.2
\$50,000- 74,999	569	332,319	74	11.3	8.4-14.2	495	88.7	85.8-91.6
\$75,000+	968	580,702	61	4.6	3.2- 6.0	907	95.4	94.0-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 13: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8055	4,932,871	306	3.2	2.8- 3.6	7749	96.8	96.4-97.2
Male	3636	2,398,431	135	3.1	2.5- 3.7	3501	96.9	96.3-97.5
Female	4419	2,534,440	171	3.2	2.6- 3.8	4248	96.8	96.2-97.4
White/Non-Hisp	6550	3,912,675	227	3.0	2.6- 3.4	6323	97.0	96.6-97.4
Black or Afr. Am./Non-Hisp	679	429,613	40	4.7	2.7- 6.7	639	95.3	93.3-97.3
Oth. Race/Non-Hisp.	201	145,997	11	2.3	0.5- 4.1	190	97.7	95.9-99.5
MultiRacial/Non-Hisp.	119	48,642	9	3.5	0.6- 6.4	110	96.5	93.6-99.4
Hispanic	347	301,764	12	3.0	1.2- 4.8	335	97.0	95.2-98.8
18-24	478	654,448	5	0.8	0.0- 1.6	473	99.2	98.4- 100
25-34	784	813,384	12	1.8	0.6- 3.0	772	98.2	97.0-99.4
35-44	963	772,192	22	1.9	0.9- 2.9	941	98.1	97.1-99.1
45-54	1329	784,837	41	3.1	2.1- 4.1	1288	96.9	95.9-97.9
55-64	1630	825,010	97	5.8	4.4- 7.2	1533	94.2	92.8-95.6
65+	2871	1,082,999	129	4.6	3.6- 5.6	2742	95.4	94.4-96.4
Less Than H.S.	564	566,727	50	6.7	4.5- 8.9	514	93.3	91.1-95.5
H.S. or G.E.D.	2612	1,651,598	117	3.5	2.7- 4.3	2495	96.5	95.7-97.3
Some Post-H.S.	2121	1,507,870	90	3.1	2.3- 3.9	2031	96.9	96.1-97.7
College Graduate	2735	1,194,460	49	1.1	0.7- 1.5	2686	98.9	98.5-99.3
Less than \$15,000	535	339,916	66	10.7	7.6-13.8	469	89.3	86.2-92.4
\$15,000- 24,999	1043	644,246	71	6.3	4.5- 8.1	972	93.7	91.9-95.5
\$25,000- 34,999	705	405,057	40	4.6	3.0- 6.2	665	95.4	93.8-97.0
\$35,000- 49,999	986	587,798	34	2.6	1.6- 3.6	952	97.4	96.4-98.4
\$50,000- 74,999	1086	680,865	20	1.5	0.7- 2.3	1066	98.5	97.7-99.3
\$75,000+	2098	1,341,124	15	0.3	0.1- 0.5	2083	99.7	99.5-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 14: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3636	2,398,431	135	3.1	2.5- 3.7	3501	96.9	96.3-97.5
White/Non-Hisp	2954	1,890,459	94	2.7	2.1- 3.3	2860	97.3	96.7-97.9
Black or Afr. Am./Non-Hisp	267	201,925	20	6.3	2.6-10.0	247	93.7	90.0-97.4
Oth. Race/Non-Hisp.	103	80,088	4	1.3	0.0- 2.7	99	98.7	97.3- 100
MultiRacial/Non-Hisp.	55	25,587	3	1.7	0.0- 3.9	52	98.3	96.1- 100
Hispanic	170	144,284	10	5.5	2.0- 9.0	160	94.5	91.0-98.0
18-24	260	333,007	4	1.3	0.0- 2.7	256	98.7	97.3- 100
25-34	388	409,123	7	2.5	0.3- 4.7	381	97.5	95.3-99.7
35-44	455	385,074	11	1.8	0.6- 3.0	444	98.2	97.0-99.4
45-54	613	389,950	12	2.3	0.9- 3.7	601	97.7	96.3-99.1
55-64	755	404,171	44	5.0	3.4- 6.6	711	95.0	93.4-96.6
65+	1165	477,105	57	5.0	3.6- 6.4	1108	95.0	93.6-96.4
Less Than H.S.	261	274,383	24	7.4	4.1-10.7	237	92.6	89.3-95.9
H.S. or G.E.D.	1222	854,229	50	3.1	2.1- 4.1	1172	96.9	95.9-97.9
Some Post-H.S.	940	725,604	37	3.0	1.8- 4.2	903	97.0	95.8-98.2
College Graduate	1206	541,696	24	1.1	0.5- 1.7	1182	98.9	98.3-99.5
Less than \$15,000	197	132,754	26	13.2	7.3-19.1	171	86.8	80.9-92.7
\$15,000- 24,999	424	279,631	29	6.7	3.6- 9.8	395	93.3	90.2-96.4
\$25,000- 34,999	300	187,908	17	3.6	1.6- 5.6	283	96.4	94.4-98.4
\$35,000- 49,999	460	288,714	19	3.1	1.5- 4.7	441	96.9	95.3-98.5
\$50,000- 74,999	516	347,933	12	1.6	0.6- 2.6	504	98.4	97.4-99.4
\$75,000+	1132	761,346	7	0.3	0.1- 0.5	1125	99.7	99.5-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 15: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4419	2,534,440	171	3.2	2.6- 3.8	4248	96.8	96.2-97.4
White/Non-Hisp	3596	2,022,216	133	3.4	2.8- 4.0	3463	96.6	96.0-97.2
Black or Afr. Am./Non-Hisp	412	227,688	20	3.2	1.4- 5.0	392	96.8	95.0-98.6
Oth. Race/Non-Hisp.	98	65,909	7	3.6	0.1- 7.1	91	96.4	92.9-99.9
MultiRacial/Non-Hisp.	64	23,055	6	5.4	0.0-11.3	58	94.6	88.7- 100
Hispanic	177	157,480	2	0.8	0.0- 2.0	175	99.2	98.0- 100
18-24	218	321,441	1	0.3	0.0- 0.9	217	99.7	99.1- 100
25-34	396	404,261	5	1.0	0.0- 2.0	391	99.0	98.0- 100
35-44	508	387,119	11	2.0	0.8- 3.2	497	98.0	96.8-99.2
45-54	716	394,887	29	3.8	2.2- 5.4	687	96.2	94.6-97.8
55-64	875	420,839	53	6.6	4.4- 8.8	822	93.4	91.2-95.6
65+	1706	605,893	72	4.2	3.0- 5.4	1634	95.8	94.6-97.0
Less Than H.S.	303	292,345	26	6.0	3.5- 8.5	277	94.0	91.5-96.5
H.S. or G.E.D.	1390	797,370	67	3.9	2.9- 4.9	1323	96.1	95.1-97.1
Some Post-H.S.	1181	782,266	53	3.2	2.2- 4.2	1128	96.8	95.8-97.8
College Graduate	1529	652,763	25	1.1	0.5- 1.7	1504	98.9	98.3-99.5
Less than \$15,000	338	207,163	40	9.1	5.8-12.4	298	90.9	87.6-94.2
\$15,000- 24,999	619	364,615	42	5.9	3.7- 8.1	577	94.1	91.9-96.3
\$25,000- 34,999	405	217,149	23	5.5	3.0- 8.0	382	94.5	92.0-97.0
\$35,000- 49,999	526	299,084	15	2.0	0.8- 3.2	511	98.0	96.8-99.2
\$50,000- 74,999	570	332,932	8	1.4	0.4- 2.4	562	98.6	97.6-99.6
\$75,000+	966	579,778	8	0.4	0.0- 0.8	958	99.6	99.2- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 16: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8009	4,912,385	594	6.7	6.1- 7.3	7415	93.3	92.7-93.9
Male	3616	2,388,579	196	4.8	4.0- 5.6	3420	95.2	94.4-96.0
Female	4393	2,523,806	398	8.5	7.5- 9.5	3995	91.5	90.5-92.5
White/Non-Hisp	6516	3,898,802	463	6.8	6.0- 7.6	6053	93.2	92.4-94.0
Black or Afr. Am./Non-Hisp	674	427,738	60	6.7	4.7- 8.7	614	93.3	91.3-95.3
Oth. Race/Non-Hisp.	199	145,654	19	7.8	3.5-12.1	180	92.2	87.9-96.5
MultiRacial/Non-Hisp.	119	48,642	18	9.5	4.2-14.8	101	90.5	85.2-95.8
Hispanic	343	298,185	19	5.3	2.6- 8.0	324	94.7	92.0-97.4
18-24	476	652,393	14	2.9	1.3- 4.5	462	97.1	95.5-98.7
25-34	781	811,613	42	5.9	3.9- 7.9	739	94.1	92.1-96.1
35-44	960	770,051	74	6.8	5.2- 8.4	886	93.2	91.6-94.8
45-54	1325	782,704	85	6.3	4.7- 7.9	1240	93.7	92.1-95.3
55-64	1621	820,900	147	8.8	7.2-10.4	1474	91.2	89.6-92.8
65+	2846	1,074,724	232	8.5	7.3- 9.7	2614	91.5	90.3-92.7
Less Than H.S.	558	561,832	92	14.4	11.3-17.5	466	85.6	82.5-88.7
H.S. or G.E.D.	2597	1,644,279	243	7.6	6.4- 8.8	2354	92.4	91.2-93.6
Some Post-H.S.	2105	1,501,992	160	6.2	5.0- 7.4	1945	93.8	92.6-95.0
College Graduate	2726	1,192,067	97	2.6	2.0- 3.2	2629	97.4	96.8-98.0
Less than \$15,000	531	337,861	135	23.8	19.5-28.1	396	76.2	71.9-80.5
\$15,000- 24,999	1039	642,355	143	12.2	9.8-14.6	896	87.8	85.4-90.2
\$25,000- 34,999	702	403,014	59	7.8	5.3-10.3	643	92.2	89.7-94.7
\$35,000- 49,999	982	585,910	50	4.9	3.1- 6.7	932	95.1	93.3-96.9
\$50,000- 74,999	1084	679,851	50	4.1	2.7- 5.5	1034	95.9	94.5-97.3
\$75,000+	2093	1,339,980	39	1.4	0.8- 2.0	2054	98.6	98.0-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 17: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3616	2,388,579	196	4.8	4.0- 5.6	3420	95.2	94.4-96.0
White/Non-Hisp	2939	1,883,690	147	4.8	3.8- 5.8	2792	95.2	94.2-96.2
Black or Afr. Am./Non-Hisp	266	201,652	20	5.3	2.6- 8.0	246	94.7	92.0-97.4
Oth. Race/Non-Hisp.	102	79,984	8	6.2	0.7-11.7	94	93.8	88.3-99.3
MultiRacial/Non-Hisp.	55	25,587	5	4.6	0.0- 9.7	50	95.4	90.3- 100
Hispanic	167	141,594	8	3.7	1.0- 6.4	159	96.3	93.6-99.0
18-24	259	331,958	3	0.9	0.0- 2.1	256	99.1	97.9- 100
25-34	386	407,739	15	5.0	2.5- 7.5	371	95.0	92.5-97.5
35-44	453	383,639	30	5.4	3.2- 7.6	423	94.6	92.4-96.8
45-54	611	389,133	25	4.5	2.5- 6.5	586	95.5	93.5-97.5
55-64	753	402,434	51	6.4	4.4- 8.4	702	93.6	91.6-95.6
65+	1154	473,676	72	5.9	4.3- 7.5	1082	94.1	92.5-95.7
Less Than H.S.	258	271,692	34	12.0	7.7-16.3	224	88.0	83.7-92.3
H.S. or G.E.D.	1215	850,919	82	5.6	4.2- 7.0	1133	94.4	93.0-95.8
Some Post-H.S.	936	723,388	45	3.5	2.3- 4.7	891	96.5	95.3-97.7
College Graduate	1200	540,061	34	1.8	1.0- 2.6	1166	98.2	97.4-99.0
Less than \$15,000	197	132,028	44	20.9	14.2-27.6	153	79.1	72.4-85.8
\$15,000- 24,999	422	278,757	45	10.1	6.8-13.4	377	89.9	86.6-93.2
\$25,000- 34,999	297	185,488	22	4.8	2.4- 7.2	275	95.2	92.8-97.6
\$35,000- 49,999	459	288,441	12	2.5	0.9- 4.1	447	97.5	95.9-99.1
\$50,000- 74,999	514	346,918	15	2.3	0.9- 3.7	499	97.7	96.3-99.1
\$75,000+	1130	760,959	16	0.9	0.3- 1.5	1114	99.1	98.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 18: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4393	2,523,806	398	8.5	7.5- 9.5	3995	91.5	90.5-92.5
White/Non-Hisp	3577	2,015,112	316	8.7	7.5- 9.9	3261	91.3	90.1-92.5
Black or Afr. Am./Non-Hisp	408	226,086	40	7.9	5.0-10.8	368	92.1	89.2-95.0
Oth. Race/Non-Hisp.	97	65,670	11	9.8	2.9-16.7	86	90.2	83.3-97.1
MultiRacial/Non-Hisp.	64	23,055	13	15.0	5.8-24.2	51	85.0	75.8-94.2
Hispanic	176	156,591	11	6.8	2.1-11.5	165	93.2	88.5-97.9
18-24	217	320,435	11	4.9	1.8- 8.0	206	95.1	92.0-98.2
25-34	395	403,874	27	6.8	4.1- 9.5	368	93.2	90.5-95.9
35-44	507	386,412	44	8.2	5.7-10.7	463	91.8	89.3-94.3
45-54	714	393,571	60	8.0	5.6-10.4	654	92.0	89.6-94.4
55-64	868	418,466	96	11.0	8.5-13.5	772	89.0	86.5-91.5
65+	1692	601,048	160	10.5	8.7-12.3	1532	89.5	87.7-91.3
Less Than H.S.	300	290,139	58	16.7	12.0-21.4	242	83.3	78.6-88.0
H.S. or G.E.D.	1382	793,360	161	9.8	8.0-11.6	1221	90.2	88.4-92.0
Some Post-H.S.	1169	778,604	115	8.7	6.7-10.7	1054	91.3	89.3-93.3
College Graduate	1526	652,006	63	3.2	2.2- 4.2	1463	96.8	95.8-97.8
Less than \$15,000	334	205,833	91	25.6	20.1-31.1	243	74.4	68.9-79.9
\$15,000- 24,999	617	363,599	98	13.8	10.7-16.9	519	86.2	83.1-89.3
\$25,000- 34,999	405	217,526	37	10.3	6.0-14.6	368	89.7	85.4-94.0
\$35,000- 49,999	523	297,469	38	7.3	4.4-10.2	485	92.7	89.8-95.6
\$50,000- 74,999	570	332,932	35	6.0	3.6- 8.4	535	94.0	91.6-96.4
\$75,000+	963	579,021	23	2.2	1.0- 3.4	940	97.8	96.6-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 10: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	158
2 MALES ONLY	159
3 FEMALES ONLY	160
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	161
5 MALES ONLY	162
6 FEMALES ONLY	163
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	164
8 MALES ONLY	165
9 FEMALES ONLY	166
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	167
11 MALES ONLY	168
12 FEMALES ONLY	169
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	170
14 MALES ONLY	171
15 FEMALES ONLY	172

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7987	4,891,730	3490	43.2	41.8-44.6	4497	56.8	55.4-58.2
Male	3608	2,378,018	1778	48.2	46.2-50.2	1830	51.8	49.8-53.8
Female	4379	2,513,712	1712	38.5	36.7-40.3	2667	61.5	59.7-63.3
White/Non-Hisp	6495	3,877,993	2900	45.2	43.6-46.8	3595	54.8	53.2-56.4
Black or Afr. Am./Non-Hisp	677	428,449	270	38.1	33.4-42.8	407	61.9	57.2-66.6
Oth. Race/Non-Hisp.	198	145,389	75	32.4	24.2-40.6	123	67.6	59.4-75.8
MultiRacial/Non-Hisp.	118	47,723	67	51.6	40.2-63.0	51	48.4	37.0-59.8
Hispanic	344	299,822	99	26.4	21.1-31.7	245	73.6	68.3-78.9
18-24	473	647,270	82	17.4	13.7-21.1	391	82.6	78.9-86.3
25-34	777	807,047	328	45.2	41.3-49.1	449	54.8	50.9-58.7
35-44	959	767,789	428	46.9	43.4-50.4	531	53.1	49.6-56.6
45-54	1313	776,413	558	44.9	42.0-47.8	755	55.1	52.2-58.0
55-64	1618	817,561	807	52.5	49.8-55.2	811	47.5	44.8-50.2
65+	2847	1,075,651	1287	46.3	44.1-48.5	1560	53.7	51.5-55.9
Less Than H.S.	556	558,686	354	61.7	56.8-66.6	202	38.3	33.4-43.2
H.S. or G.E.D.	2586	1,635,416	1332	47.8	45.4-50.2	1254	52.2	49.8-54.6
Some Post-H.S.	2105	1,498,241	1031	45.3	42.8-47.8	1074	54.7	52.2-57.2
College Graduate	2717	1,187,172	762	25.5	23.7-27.3	1955	74.5	72.7-76.3
Less than \$15,000	531	337,869	293	53.6	48.3-58.9	238	46.4	41.1-51.7
\$15,000- 24,999	1036	642,141	568	55.1	51.4-58.8	468	44.9	41.2-48.6
\$25,000- 34,999	700	401,769	372	52.5	48.0-57.0	328	47.5	43.0-52.0
\$35,000- 49,999	984	586,564	484	48.1	44.2-52.0	500	51.9	48.0-55.8
\$50,000- 74,999	1080	676,232	450	43.1	39.6-46.6	630	56.9	53.4-60.4
\$75,000+	2085	1,328,371	723	35.5	33.0-38.0	1362	64.5	62.0-67.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3608	2,378,018	1778	48.2	46.2-50.2	1830	51.8	49.8-53.8
White/Non-Hisp	2930	1,870,989	1455	49.4	47.2-51.6	1475	50.6	48.4-52.8
Black or Afr. Am./Non-Hisp	267	201,925	137	48.6	41.3-55.9	130	51.4	44.1-58.7
Oth. Race/Non-Hisp.	101	79,719	41	36.2	24.0-48.4	60	63.8	51.6-76.0
MultiRacial/Non-Hisp.	55	25,587	35	62.2	46.3-78.1	20	37.8	21.9-53.7
Hispanic	168	143,231	62	34.1	25.9-42.3	106	65.9	57.7-74.1
18-24	257	327,838	45	17.4	12.3-22.5	212	82.6	77.5-87.7
25-34	385	406,180	185	52.7	47.2-58.2	200	47.3	41.8-52.8
35-44	453	383,064	224	52.0	46.9-57.1	229	48.0	42.9-53.1
45-54	605	385,364	288	48.8	44.5-53.1	317	51.2	46.9-55.5
55-64	752	401,950	388	53.7	49.8-57.6	364	46.3	42.4-50.2
65+	1156	473,622	648	57.2	53.9-60.5	508	42.8	39.5-46.1
Less Than H.S.	256	267,942	180	71.2	64.9-77.5	76	28.8	22.5-35.1
H.S. or G.E.D.	1211	846,937	709	53.0	49.7-56.3	502	47.0	43.7-50.3
Some Post-H.S.	937	723,182	504	48.1	44.4-51.8	433	51.9	48.2-55.6
College Graduate	1197	537,439	379	29.0	26.1-31.9	818	71.0	68.1-73.9
Less than \$15,000	197	132,006	124	59.8	51.4-68.2	73	40.2	31.8-48.6
\$15,000- 24,999	423	279,707	257	58.5	52.8-64.2	166	41.5	35.8-47.2
\$25,000- 34,999	296	185,428	185	58.8	52.1-65.5	111	41.2	34.5-47.9
\$35,000- 49,999	459	287,954	258	55.1	49.6-60.6	201	44.9	39.4-50.4
\$50,000- 74,999	511	344,334	244	49.7	44.6-54.8	267	50.3	45.2-55.4
\$75,000+	1127	754,972	432	39.5	36.2-42.8	695	60.5	57.2-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4379	2,513,712	1712	38.5	36.7-40.3	2667	61.5	59.7-63.3
White/Non-Hisp	3565	2,007,004	1445	41.3	39.3-43.3	2120	58.7	56.7-60.7
Black or Afr. Am./Non-Hisp	410	226,524	133	28.8	23.1-34.5	277	71.2	65.5-76.9
Oth. Race/Non-Hisp.	97	65,670	34	27.7	17.1-38.3	63	72.3	61.7-82.9
MultiRacial/Non-Hisp.	63	22,136	32	39.4	25.3-53.5	31	60.6	46.5-74.7
Hispanic	176	156,591	37	19.4	12.7-26.1	139	80.6	73.9-87.3
18-24	216	319,432	37	17.4	11.7-23.1	179	82.6	76.9-88.3
25-34	392	400,867	143	37.5	32.2-42.8	249	62.5	57.2-67.8
35-44	506	384,725	204	41.8	37.1-46.5	302	58.2	53.5-62.9
45-54	708	391,049	270	41.1	37.0-45.2	438	58.9	54.8-63.0
55-64	866	415,610	419	51.3	47.4-55.2	447	48.7	44.8-52.6
65+	1691	602,028	639	37.7	35.0-40.4	1052	62.3	59.6-65.0
Less Than H.S.	300	290,745	174	52.9	46.0-59.8	126	47.1	40.2-54.0
H.S. or G.E.D.	1375	788,479	623	42.3	39.2-45.4	752	57.7	54.6-60.8
Some Post-H.S.	1168	775,059	527	42.7	39.4-46.0	641	57.3	54.0-60.6
College Graduate	1520	649,733	383	22.6	20.2-25.0	1137	77.4	75.0-79.8
Less than \$15,000	334	205,863	169	49.7	43.0-56.4	165	50.3	43.6-57.0
\$15,000- 24,999	613	362,434	311	52.4	47.3-57.5	302	47.6	42.5-52.7
\$25,000- 34,999	404	216,341	187	47.1	41.0-53.2	217	52.9	46.8-59.0
\$35,000- 49,999	525	298,610	226	41.4	36.1-46.7	299	58.6	53.3-63.9
\$50,000- 74,999	569	331,898	206	36.2	31.5-40.9	363	63.8	59.1-68.5
\$75,000+	958	573,399	291	30.2	26.7-33.7	667	69.8	66.3-73.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3475	2,106,605	1065	34.6	32.6-36.6	317	10.4	9.0-11.8	2093	55.0	53.0-57.0
Male	1772	1,142,120	532	34.2	31.5-36.9	147	9.0	7.4-10.6	1093	56.8	54.1-59.5
Female	1703	964,485	533	35.1	32.2-38.0	170	12.0	10.0-14.0	1000	52.9	50.0-55.8
White/Non-Hisp	2889	1,746,626	887	35.0	32.8-37.2	231	9.2	7.8-10.6	1771	55.8	53.6-58.0
Black or Afr. Am./Non-Hisp	269	163,246	86	32.4	25.3-39.5	43	21.1	14.2-28.0	140	46.5	38.9-54.1
Oth. Race/Non-Hisp.	75	47,068	26	39.6	24.9-54.3	9	14.3	3.7-24.9	40	46.1	31.6-60.6
MultiRacial/Non-Hisp.	67	24,637	23	37.3	22.2-52.4	13	15.7	6.3-25.1	31	47.0	30.9-63.1
Hispanic	99	79,205	23	27.3	16.5-38.1	15	14.7	6.7-22.7	61	58.0	46.4-69.6
18-24	82	112,661	33	45.5	33.5-57.5	17	20.1	10.5-29.7	32	34.5	23.5-45.5
25-34	327	363,688	127	38.1	32.2-44.0	46	14.3	10.0-18.6	154	47.6	41.7-53.5
35-44	426	358,636	182	44.4	39.1-49.7	47	9.4	6.5-12.3	197	46.2	40.9-51.5
45-54	552	346,324	208	37.2	32.7-41.7	57	9.9	7.2-12.6	287	52.9	48.2-57.6
55-64	806	428,865	294	37.3	33.4-41.2	84	10.9	8.4-13.4	428	51.8	47.9-55.7
65+	1282	496,430	221	18.4	15.9-20.9	66	5.8	4.2- 7.4	995	75.8	72.9-78.7
Less Than H.S.	353	344,021	172	51.9	46.0-57.8	46	14.2	9.9-18.5	135	33.8	28.3-39.3
H.S. or G.E.D.	1326	778,337	468	37.4	34.3-40.5	107	8.9	6.9-10.9	751	53.6	50.5-56.7
Some Post-H.S.	1027	677,767	291	30.1	26.8-33.4	103	10.6	8.2-13.0	633	59.3	55.8-62.8
College Graduate	760	302,547	131	17.9	14.8-21.0	59	8.9	6.5-11.3	570	73.2	69.5-76.9
Less than \$15,000	291	180,168	127	47.1	40.0-54.2	44	17.1	11.8-22.4	120	35.8	29.1-42.5
\$15,000- 24,999	566	352,569	202	38.2	33.3-43.1	79	15.9	12.0-19.8	285	45.8	40.9-50.7
\$25,000- 34,999	372	210,836	118	36.3	30.4-42.2	39	14.4	9.5-19.3	215	49.3	43.2-55.4
\$35,000- 49,999	483	281,233	157	38.3	32.8-43.8	33	8.0	4.9-11.1	293	53.7	48.2-59.2
\$50,000- 74,999	449	290,668	129	34.4	28.9-39.9	29	5.7	3.3- 8.1	291	59.9	54.4-65.4
\$75,000+	722	471,507	153	24.9	21.0-28.8	49	6.7	4.5- 8.9	520	68.3	64.2-72.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1772	1,142,120	532	34.2	31.5-36.9	147	9.0	7.4-10.6	1093	56.8	54.1-59.5
White/Non-Hisp	1449	920,705	429	34.1	31.2-37.0	101	7.5	5.9- 9.1	919	58.4	55.5-61.3
Black or Afr. Am./Non-Hisp	137	98,039	50	36.8	27.0-46.6	23	20.9	11.9-29.9	64	42.3	32.3-52.3
Hispanic	62	48,820	16	26.6	13.3-39.9	8	14.5	3.7-25.3	38	58.8	44.3-73.3
25-34	185	214,238	66	35.2	27.8-42.6	28	14.6	9.1-20.1	91	50.3	42.5-58.1
35-44	223	198,293	100	47.9	40.6-55.2	17	6.0	2.9- 9.1	106	46.1	38.8-53.4
45-54	285	186,587	98	34.7	28.6-40.8	31	10.9	6.8-15.0	156	54.5	48.2-60.8
55-64	387	215,708	145	38.2	32.7-43.7	34	9.0	5.7-12.3	208	52.8	47.1-58.5
65+	647	270,284	103	17.4	13.9-20.9	31	5.1	2.9- 7.3	513	77.5	73.6-81.4
Less Than H.S.	180	190,852	90	52.2	44.0-60.4	19	11.6	6.3-16.9	71	36.2	28.4-44.0
H.S. or G.E.D.	705	446,425	239	36.5	32.2-40.8	53	7.9	5.5-10.3	413	55.6	51.3-59.9
Some Post-H.S.	503	347,385	144	30.1	25.6-34.6	47	9.6	6.5-12.7	312	60.3	55.4-65.2
College Graduate	378	155,683	56	14.3	10.4-18.2	27	7.6	4.5-10.7	295	78.0	73.3-82.7
Less than \$15,000	123	78,557	56	50.2	39.6-60.8	18	15.7	8.3-23.1	49	34.1	24.5-43.7
\$15,000- 24,999	256	163,175	97	37.2	30.3-44.1	38	17.1	10.8-23.4	121	45.8	38.5-53.1
\$25,000- 34,999	185	109,002	63	40.4	32.0-48.8	13	8.3	3.4-13.2	109	51.3	42.9-59.7
\$35,000- 49,999	257	157,632	78	37.3	29.9-44.7	15	6.9	3.0-10.8	164	55.7	48.3-63.1
\$50,000- 74,999	244	171,158	63	32.7	25.4-40.0	10	3.7	1.2- 6.2	171	63.6	56.3-70.9
\$75,000+	432	298,554	88	25.1	19.8-30.4	32	7.1	4.4- 9.8	312	67.8	62.3-73.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1703	964,485	533	35.1	32.4-37.8	170	12.0	10.0-14.0	1000	52.9	50.0-55.8
White/Non-Hisp	1440	825,921	458	36.0	32.9-39.1	130	11.0	8.8-13.2	852	53.0	49.9-56.1
Black or Afr. Am./Non-Hisp	132	65,207	36	25.8	15.8-35.8	20	21.3	10.9-31.7	76	52.8	41.0-64.6
25-34	142	149,450	61	42.4	33.6-51.2	18	13.9	7.4-20.4	63	43.7	34.9-52.5
35-44	203	160,343	82	40.0	32.6-47.4	30	13.6	8.5-18.7	91	46.4	38.8-54.0
45-54	267	159,737	110	40.2	33.5-46.9	26	8.7	5.2-12.2	131	51.1	44.4-57.8
55-64	419	213,157	149	36.4	31.1-41.7	50	12.8	9.1-16.5	220	50.8	45.3-56.3
65+	635	226,146	118	19.7	16.0-23.4	35	6.7	4.2- 9.2	482	73.7	69.4-78.0
Less Than H.S.	173	153,169	82	51.6	43.0-60.2	27	17.5	10.6-24.4	64	30.9	23.5-38.3
H.S. or G.E.D.	621	331,912	229	38.6	33.9-43.3	54	10.4	7.3-13.5	338	51.0	46.3-55.7
Some Post-H.S.	524	330,383	147	30.1	25.4-34.8	56	11.7	8.2-15.2	321	58.2	53.1-63.3
College Graduate	382	146,863	75	21.7	16.6-26.8	32	10.2	6.5-13.9	275	68.1	62.4-73.8
Less than \$15,000	168	101,611	71	44.7	35.3-54.1	26	18.1	10.5-25.7	71	37.2	28.4-46.0
\$15,000- 24,999	310	189,394	105	39.2	32.1-46.3	41	15.0	10.1-19.9	164	45.9	39.0-52.8
\$25,000- 34,999	187	101,835	55	31.9	23.7-40.1	26	21.0	12.8-29.2	106	47.1	38.5-55.7
\$35,000- 49,999	226	123,600	79	39.5	31.5-47.5	18	9.4	3.9-14.9	129	51.1	43.1-59.1
\$50,000- 74,999	205	119,510	66	37.0	29.0-45.0	19	8.5	4.4-12.6	120	54.6	46.6-62.6
\$75,000+	290	172,953	65	24.6	18.5-30.7	17	6.2	2.9- 9.5	208	69.2	62.7-75.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1374	941,043	698	52.1	49.0-55.2	676	47.9	44.8-51.0
Male	675	490,212	318	48.5	44.0-53.0	357	51.5	47.0-56.0
Female	699	450,831	380	56.0	51.5-60.5	319	44.0	39.5-48.5
White/Non-Hisp	1111	765,503	538	49.8	46.3-53.3	573	50.2	46.7-53.7
Black or Afr. Am./Non-Hisp	128	86,860	84	68.4	58.2-78.6	44	31.6	21.4-41.8
25-34	173	190,615	100	56.7	48.7-64.7	73	43.3	35.3-51.3
35-44	227	190,852	125	52.9	45.5-60.3	102	47.1	39.7-54.5
45-54	265	163,092	133	50.8	44.1-57.5	132	49.2	42.5-55.9
55-64	375	204,878	174	45.5	39.6-51.4	201	54.5	48.6-60.4
65+	286	119,898	134	44.5	37.6-51.4	152	55.5	48.6-62.4
Less Than H.S.	217	226,639	104	50.3	42.7-57.9	113	49.7	42.1-57.3
H.S. or G.E.D.	569	355,926	276	50.9	46.0-55.8	293	49.1	44.2-54.0
Some Post-H.S.	393	275,704	219	55.5	49.8-61.2	174	44.5	38.8-50.2
College Graduate	190	81,052	97	50.9	42.9-58.9	93	49.1	41.1-57.1
Less than \$15,000	169	113,621	99	63.7	55.3-72.1	70	36.3	27.9-44.7
\$15,000- 24,999	280	190,577	148	55.0	47.9-62.1	132	45.0	37.9-52.1
\$25,000- 34,999	157	106,960	88	57.0	48.0-66.0	69	43.0	34.0-52.0
\$35,000- 49,999	190	130,177	86	49.9	41.5-58.3	104	50.1	41.7-58.5
\$50,000- 74,999	158	116,603	79	45.9	37.1-54.7	79	54.1	45.3-62.9
\$75,000+	202	149,446	93	44.3	36.3-52.3	109	55.7	47.7-63.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	675	490,212	318	48.5	44.0-53.0	357	51.5	47.0-56.0
White/Non-Hisp	527	380,682	235	46.2	41.3-51.1	292	53.8	48.9-58.7
Black or Afr. Am./Non-Hisp	72	56,113	46	64.9	51.4-78.4	26	35.1	21.6-48.6
25-34	94	106,547	55	55.6	44.6-66.6	39	44.4	33.4-55.4
35-44	116	105,982	56	46.1	35.9-56.3	60	53.9	43.7-64.1
45-54	129	84,977	67	52.4	42.8-62.0	62	47.6	38.0-57.2
55-64	178	101,359	71	40.0	31.6-48.4	107	60.0	51.6-68.4
65+	133	60,393	53	40.3	30.3-50.3	80	59.7	49.7-69.7
Less Than H.S.	108	120,827	50	46.3	35.7-56.9	58	53.7	43.1-64.3
H.S. or G.E.D.	290	196,594	138	49.7	42.8-56.6	152	50.3	43.4-57.2
Some Post-H.S.	190	137,459	88	48.1	40.1-56.1	102	51.9	43.9-59.9
College Graduate	83	34,186	41	51.8	39.8-63.8	42	48.2	36.2-60.2
Less than \$15,000	73	50,831	43	63.7	51.2-76.2	30	36.3	23.8-48.8
\$15,000- 24,999	134	88,058	64	49.3	39.1-59.5	70	50.7	40.5-60.9
\$25,000- 34,999	76	53,050	40	53.4	40.7-66.1	36	46.6	33.9-59.3
\$35,000- 49,999	93	69,786	34	44.1	31.9-56.3	59	55.9	43.7-68.1
\$50,000- 74,999	73	62,290	33	39.6	27.6-51.6	40	60.4	48.4-72.4
\$75,000+	120	96,130	49	39.1	28.7-49.5	71	60.9	50.5-71.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	699	450,831	380	56.0	51.5-60.5	319	44.0	39.5-48.5
White/Non-Hisp	584	384,820	303	53.3	48.4-58.2	281	46.7	41.8-51.6
Black or Afr. Am./Non-Hisp	56	30,748	38	74.7	61.0-88.4	18	25.3	11.6-39.0
25-34	79	84,068	45	58.0	46.2-69.8	34	42.0	30.2-53.8
35-44	111	84,870	69	61.4	51.4-71.4	42	38.6	28.6-48.6
45-54	136	78,114	66	49.1	39.9-58.3	70	50.9	41.7-60.1
55-64	197	103,519	103	50.9	42.9-58.9	94	49.1	41.1-57.1
65+	153	59,506	81	48.9	39.7-58.1	72	51.1	41.9-60.3
Less Than H.S.	109	105,812	54	54.7	43.9-65.5	55	45.3	34.5-56.1
H.S. or G.E.D.	279	159,332	138	52.5	45.4-59.6	141	47.5	40.4-54.6
Some Post-H.S.	203	138,245	131	62.9	55.1-70.7	72	37.1	29.3-44.9
College Graduate	107	46,866	56	50.2	39.2-61.2	51	49.8	38.8-60.8
Less than \$15,000	96	62,790	56	63.7	52.3-75.1	40	36.3	24.9-47.7
\$15,000- 24,999	146	102,519	84	59.8	50.2-69.4	62	40.2	30.6-49.8
\$25,000- 34,999	81	53,910	48	60.5	47.8-73.2	33	39.5	26.8-52.2
\$35,000- 49,999	97	60,391	52	56.6	44.8-68.4	45	43.4	31.6-55.2
\$50,000- 74,999	85	54,313	46	53.1	41.1-65.1	39	46.9	34.9-58.9
\$75,000+	82	53,316	44	53.8	41.3-66.3	38	46.2	33.7-58.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2060	1,141,287	225	14.8	12.6-17.0	308	18.6	16.4-20.8	206	12.0	10.2-13.8	1314	54.2	51.7-56.7	7	0.4	0.2- 0.6
Male	1077	638,380	126	15.5	12.6-18.4	158	18.3	15.4-21.2	117	12.7	10.2-15.2	672	53.2	49.7-56.7	4	0.4	0.0- 0.8
Female	983	502,907	99	13.8	10.9-16.7	150	19.1	16.0-22.2	89	11.1	8.6-13.6	642	55.6	51.7-59.5	3	0.4	0.0- 0.8
White/Non-Hisp	1750	962,763	173	13.4	11.2-15.6	249	18.3	15.9-20.7	170	11.9	9.9-13.9	1154	56.3	53.6-59.0	4	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	132	72,905	23	28.0	17.2-38.8	19	10.2	3.9-16.5	17	14.9	6.3-23.5	73	46.9	35.9-57.9			
Hispanic	61	45,929	9	14.7	4.7-24.7	16	31.2	16.9-45.5	6	13.4	2.2-24.6	27	35.9	22.8-49.0	3	4.7	0.0-10.2
25-34	151	170,154	61	38.4	30.0-46.8	49	33.7	25.5-41.9	29	19.6	12.7-26.5	11	8.0	3.1-12.9	1	0.3	0.0- 0.9
35-44	195	164,458	29	13.1	8.0-18.2	53	25.7	19.2-32.2	37	18.9	12.8-25.0	74	41.3	33.9-48.7	2	1.0	0.0- 2.4
45-54	284	181,777	38	13.8	9.3-18.3	64	21.8	16.7-26.9	30	11.4	6.9-15.9	152	53.1	46.6-59.6			
55-64	421	217,247	45	10.6	7.1-14.1	65	15.9	12.0-19.8	53	13.2	9.5-16.9	258	60.4	55.1-65.7			
65+	978	370,471	34	3.2	1.8- 4.6	67	7.2	5.4- 9.0	56	6.1	4.3- 7.9	818	83.2	80.5-85.9	3	0.3	0.0- 0.7
Less Than H.S.	130	111,259	17	16.9	8.9-24.9	20	17.6	9.6-25.6	18	15.4	8.0-22.8	74	49.5	39.9-59.1	1	0.6	0.0- 1.8
H.S. or G.E.D.	743	413,867	89	15.9	12.4-19.4	122	20.2	16.7-23.7	73	11.1	8.4-13.8	456	52.3	48.0-56.6	3	0.5	0.0- 1.1
Some Post-H.S.	619	394,234	72	14.8	11.1-18.5	100	19.8	15.9-23.7	61	11.9	8.6-15.2	384	53.4	48.7-58.1	2	0.1	0.0- 0.3
College Graduate	564	219,716	44	10.9	7.6-14.2	66	14.3	10.8-17.8	54	12.4	8.9-15.9	399	62.1	57.2-67.0	1	0.4	0.0- 1.2
Less than \$15,000	119	63,718	30	27.3	17.5-37.1	21	19.6	10.0-29.2	17	17.3	8.9-25.7	51	35.8	26.2-45.4			
\$15,000- 24,999	279	159,648	42	20.0	13.7-26.3	53	21.0	15.1-26.9	20	7.6	3.5-11.7	163	50.9	43.8-58.0	1	0.4	0.0- 1.2
\$25,000- 34,999	212	102,418	22	13.5	7.4-19.6	25	13.2	7.9-18.5	20	10.3	5.2-15.4	143	62.0	54.2-69.8	2	1.0	0.0- 2.8
\$35,000- 49,999	289	149,097	31	13.3	8.2-18.4	38	18.0	11.5-24.5	30	14.8	9.1-20.5	189	53.6	46.3-60.9	1	0.3	0.0- 0.9
\$50,000- 74,999	288	172,458	29	15.5	9.2-21.8	53	24.1	17.8-30.4	30	11.2	6.9-15.5	176	49.1	42.2-56.0			
\$75,000+	517	319,486	44	12.8	8.9-16.7	77	18.2	14.1-22.3	62	14.2	10.5-17.9	333	54.5	49.4-59.6	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1077	638,380	126	15.5	12.6-18.4	158	18.3	15.4-21.2	117	12.7	10.2-15.2	672	53.2	49.7-56.7	4	0.4	0.0- 0.8
White/Non-Hisp	906	529,188	93	13.8	10.7-16.9	130	18.4	15.1-21.7	94	12.2	9.7-14.7	587	55.5	51.6-59.4	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	63	41,178	12	26.9	12.6-41.2	8	6.7	0.8-12.6	11	21.3	7.6-35.0	32	45.1	30.0-60.2			
25-34	90	106,392	34	35.5	24.7-46.3	30	33.9	23.1-44.7	19	22.2	13.0-31.4	7	8.4	1.9-14.9			
35-44	105	90,813	18	16.1	8.5-23.7	21	21.8	13.2-30.4	24	21.9	13.3-30.5	40	38.3	28.3-48.3	2	1.8	0.0- 4.3
45-54	154	100,971	19	11.5	6.0-17.0	36	22.8	15.7-29.9	19	11.4	6.1-16.7	80	54.2	45.6-62.8			
55-64	202	109,574	27	12.7	7.6-17.8	33	15.7	10.2-21.2	23	11.7	6.8-16.6	119	59.9	52.5-67.3			
65+	508	207,330	17	3.3	1.5- 5.1	33	6.7	4.2- 9.2	31	6.0	3.8- 8.2	425	83.8	80.3-87.3	2	0.3	0.0- 0.7
Less Than H.S.	68	64,928	10	19.0	7.8-30.2	14	21.8	9.5-34.1	6	10.6	2.2-19.0	38	48.6	35.3-61.9			
H.S. or G.E.D.	409	246,186	50	16.1	11.4-20.8	71	21.1	16.2-26.0	40	11.1	7.4-14.8	247	51.4	45.7-57.1	1	0.4	0.0- 1.2
Some Post-H.S.	306	206,085	41	16.5	11.2-21.8	41	16.5	11.4-21.6	33	13.2	8.5-17.9	189	53.6	46.9-60.3	2	0.3	0.0- 0.7
College Graduate	292	120,553	24	10.6	6.1-15.1	32	13.7	9.0-18.4	38	16.4	10.9-21.9	197	58.7	52.0-65.4	1	0.7	0.0- 2.1
\$15,000- 24,999	120	74,363	18	21.3	11.5-31.1	27	22.3	13.5-31.1	8	7.6	1.3-13.9	67	48.8	38.4-59.2			
\$25,000- 34,999	108	55,829	12	16.3	6.9-25.7	11	12.6	5.2-20.0	14	12.5	5.4-19.6	69	56.7	45.7-67.7	2	1.8	0.0- 4.9
\$35,000- 49,999	162	87,057	18	12.8	6.3-19.3	15	11.3	3.9-18.7	18	17.8	9.2-26.4	111	58.0	48.0-68.0			
\$50,000- 74,999	168	107,261	19	17.3	8.9-25.7	29	23.8	15.6-32.0	17	9.6	4.5-14.7	103	49.2	40.2-58.2			
\$75,000+	310	200,665	33	14.7	9.6-19.8	45	18.6	13.1-24.1	41	15.6	10.7-20.5	190	50.8	44.3-57.3	1	0.4	0.0- 1.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	983	502,907	99	13.8	10.9-16.7	150	19.1	16.0-22.2	89	11.1	8.4-13.8	642	55.6	51.7-59.5	3	0.4	0.0- 0.8
White/Non-Hisp	844	433,575	80	12.8	9.7-15.9	119	18.0	14.7-21.3	76	11.5	8.8-14.2	567	57.3	53.2-61.4	2	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	69	31,727	11	29.4	13.3-45.5	11	14.8	3.0-26.6	6	6.6	0.0-14.0	41	49.1	33.0-65.2			
25-34	61	63,762	27	43.3	29.8-56.8	19	33.3	20.4-46.2	10	15.2	5.4-25.0	4	7.3	0.2-14.4	1	0.8	0.0- 2.4
35-44	90	73,645	11	9.4	3.5-15.3	32	30.4	20.4-40.4	13	15.3	6.7-23.9	34	45.0	33.6-56.4			
45-54	130	80,806	19	16.6	9.0-24.2	28	20.5	12.9-28.1	11	11.3	3.9-18.7	72	51.6	41.8-61.4			
55-64	219	107,673	18	8.4	3.9-12.9	32	16.1	10.2-22.0	30	14.7	9.2-20.2	139	60.8	53.2-68.4			
65+	470	163,142	17	3.1	1.3- 4.9	34	7.9	5.2-10.6	25	6.2	3.7- 8.7	393	82.5	78.6-86.4	1	0.4	0.0- 1.2
Less Than H.S.	62	46,330	7	14.1	3.1-25.1	6	11.6	4.3-18.9	12	22.0	9.1-34.9	36	50.9	36.8-65.0	1	1.4	0.0- 4.1
H.S. or G.E.D.	334	167,681	39	15.5	10.4-20.6	51	18.9	13.6-24.2	33	11.1	7.0-15.2	209	53.7	47.2-60.2	2	0.7	0.0- 1.7
Some Post-H.S.	313	188,149	31	12.8	7.7-17.9	59	23.4	17.5-29.3	28	10.5	6.0-15.0	195	53.3	46.4-60.2			
College Graduate	272	99,164	20	11.2	5.9-16.5	34	15.1	9.6-20.6	16	7.5	3.8-11.2	202	66.2	59.1-73.3			
Less than \$15,000	70	36,930	17	33.1	19.2-47.0	11	15.2	4.8-25.6	12	20.1	8.1-32.1	30	31.5	19.7-43.3			
\$15,000- 24,999	159	85,285	24	18.9	10.9-26.9	26	19.9	11.9-27.9	12	7.7	2.2-13.2	96	52.7	43.1-62.3	1	0.8	0.0- 2.4
\$25,000- 34,999	104	46,589	10	10.1	3.2-17.0	14	14.0	6.4-21.6	6	7.7	0.3-15.1	74	68.3	57.5-79.1			
\$35,000- 49,999	127	62,040	13	13.9	6.1-21.7	23	27.4	16.4-38.4	12	10.5	4.2-16.8	78	47.4	36.8-58.0	1	0.8	0.0- 2.4
\$50,000- 74,999	120	65,197	10	12.6	3.6-21.6	24	24.6	15.0-34.2	13	14.0	6.4-21.6	73	48.8	38.0-59.6			
\$75,000+	207	118,821	11	9.7	3.8-15.6	32	17.7	11.2-24.2	21	12.0	6.1-17.9	143	60.7	52.5-68.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7981	4,886,461	166	2.6	2.2- 3.0	122	2.0	1.6- 2.4	7693	95.4	94.8-96.0
Male	3603	2,373,829	146	4.7	3.9- 5.5	100	3.4	2.6- 4.2	3357	91.9	90.7-93.1
Female	4378	2,512,632	20	0.6	0.2- 1.0	22	0.6	0.2- 1.0	4336	98.8	98.4-99.2
White/Non-Hisp	6498	3,880,284	149	3.0	2.4- 3.6	96	2.0	1.6- 2.4	6253	95.0	94.2-95.8
Black or Afr. Am./Non-Hisp	673	424,870	5	0.7	0.0- 1.5	7	1.7	0.1- 3.3	661	97.6	96.0-99.2
Oth. Race/Non-Hisp.	196	144,015	5	2.0	0.0- 4.5	3	1.0	0.0- 2.4	188	97.0	94.1-99.9
MultiRacial/Non-Hisp.	118	48,372	1	2.2	0.0- 6.5	4	2.2	0.0- 4.9	113	95.6	90.7- 100
Hispanic	342	297,387	1	0.5	0.0- 1.5	10	2.1	0.7- 3.5	331	97.4	95.6-99.2
18-24	471	644,557	5	1.0	0.2- 1.8	12	2.7	0.9- 4.5	454	96.3	94.3-98.3
25-34	776	806,910	22	3.4	1.8- 5.0	28	3.7	2.1- 5.3	726	92.9	90.7-95.1
35-44	957	766,212	30	3.8	2.4- 5.2	14	1.7	0.7- 2.7	913	94.5	92.7-96.3
45-54	1316	776,882	38	3.5	2.3- 4.7	19	1.6	0.8- 2.4	1259	94.8	93.4-96.2
55-64	1612	815,546	41	2.8	1.8- 3.8	18	1.2	0.6- 1.8	1553	96.0	94.8-97.2
65+	2849	1,076,353	30	1.3	0.7- 1.9	31	1.2	0.8- 1.6	2788	97.5	96.7-98.3
Less Than H.S.	557	559,626	15	2.8	1.2- 4.4	17	3.6	1.6- 5.6	525	93.6	91.1-96.1
H.S. or G.E.D.	2581	1,631,754	72	3.2	2.4- 4.0	53	2.6	1.8- 3.4	2456	94.2	93.0-95.4
Some Post-H.S.	2104	1,497,185	56	3.2	2.2- 4.2	39	1.8	1.2- 2.4	2009	95.0	93.8-96.2
College Graduate	2717	1,186,588	23	0.9	0.5- 1.3	13	0.6	0.2- 1.0	2681	98.5	97.9-99.1
Less than \$15,000	527	335,745	10	1.9	0.7- 3.1	7	1.7	0.1- 3.3	510	96.5	94.5-98.5
\$15,000- 24,999	1031	638,587	23	2.8	1.4- 4.2	18	1.9	0.7- 3.1	990	95.3	93.5-97.1
\$25,000- 34,999	697	399,900	17	2.6	1.0- 4.2	16	3.1	1.3- 4.9	664	94.4	92.0-96.8
\$35,000- 49,999	984	586,838	24	3.1	1.7- 4.5	18	2.7	1.3- 4.1	942	94.2	92.2-96.2
\$50,000- 74,999	1081	676,489	26	3.4	1.8- 5.0	10	1.1	0.3- 1.9	1045	95.4	93.6-97.2
\$75,000+	2082	1,326,503	44	2.6	1.8- 3.4	29	1.9	1.1- 2.7	2009	95.5	94.3-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3603	2,373,829	146	4.7	3.9- 5.5	100	3.4	2.6- 4.2	3357	91.9	90.7-93.1
White/Non-Hisp	2928	1,871,291	135	5.6	4.6- 6.6	81	3.6	2.6- 4.6	2712	90.8	89.4-92.2
Black or Afr. Am./Non-Hisp	264	198,551	2	0.6	0.0- 1.6	4	1.7	0.0- 3.5	258	97.7	95.7-99.7
Oth. Race/Non-Hisp.	101	79,019	4	3.3	0.0- 7.8	3	1.9	0.0- 4.6	94	94.8	89.7-99.9
MultiRacial/Non-Hisp.	54	25,317	1	4.3	0.0-12.3	2	2.9	0.0- 7.6	51	92.8	83.6- 100
Hispanic	169	143,391				8	3.8	1.1- 6.5	161	96.2	93.5-98.9
18-24	257	327,115	5	1.9	0.1- 3.7	9	3.7	1.0- 6.4	243	94.5	91.4-97.6
25-34	385	405,596	20	6.2	3.3- 9.1	24	6.4	3.7- 9.1	341	87.4	83.5-91.3
35-44	453	383,078	28	6.9	4.4- 9.4	14	3.4	1.4- 5.4	411	89.7	86.6-92.8
45-54	606	385,606	35	6.2	4.0- 8.4	18	3.1	1.5- 4.7	553	90.7	88.2-93.2
55-64	745	398,688	36	5.1	3.3- 6.9	14	1.8	0.8- 2.8	695	93.1	91.1-95.1
65+	1157	473,747	22	2.1	1.1- 3.1	21	2.0	1.0- 3.0	1114	95.9	94.5-97.3
Less Than H.S.	258	269,676	9	4.0	1.1- 6.9	11	5.9	2.2- 9.6	238	90.2	85.7-94.7
H.S. or G.E.D.	1204	842,967	65	5.6	4.0- 7.2	46	4.1	2.7- 5.5	1093	90.3	88.3-92.3
Some Post-H.S.	934	720,247	51	6.1	4.3- 7.9	30	3.1	1.9- 4.3	853	90.8	88.6-93.0
College Graduate	1200	538,421	21	1.9	1.1- 2.7	13	1.3	0.5- 2.1	1166	96.7	95.5-97.9
Less than \$15,000	195	131,481	8	3.5	1.0- 6.0	6	3.9	0.0- 8.0	181	92.6	87.9-97.3
\$15,000- 24,999	421	278,288	12	3.1	1.1- 5.1	13	3.6	1.2- 6.0	396	93.3	90.2-96.4
\$25,000- 34,999	294	183,886	14	4.8	1.9- 7.7	13	4.7	1.8- 7.6	267	90.5	86.4-94.6
\$35,000- 49,999	459	288,181	22	5.7	3.2- 8.2	17	5.3	2.6- 8.0	420	89.0	85.5-92.5
\$50,000- 74,999	513	345,233	26	6.7	3.8- 9.6	8	2.0	0.6- 3.4	479	91.3	88.0-94.6
\$75,000+	1124	751,158	44	4.6	3.0- 6.2	28	3.3	1.9- 4.7	1052	92.1	90.1-94.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4378	2,512,632	20	0.6	0.2- 1.0	22	0.6	0.2- 1.0	4336	98.8	98.4-99.2
White/Non-Hisp	3570	2,008,993	14	0.6	0.2- 1.0	15	0.6	0.2- 1.0	3541	98.9	98.5-99.3
Black or Afr. Am./Non-Hisp	409	226,319	3	0.8	0.0- 2.0	3	1.6	0.0- 4.0	403	97.6	95.1- 100
Oth. Race/Non-Hisp.	95	64,996	1	0.3	0.0- 0.9				94	99.7	99.1- 100
MultiRacial/Non-Hisp.	64	23,055				2	1.3	0.0- 3.3	62	98.7	96.7- 100
Hispanic	173	153,997	1	0.9	0.0- 2.7	2	0.5	0.0- 1.5	170	98.6	96.6- 100
18-24	214	317,442				3	1.7	0.0- 3.7	211	98.3	96.3- 100
25-34	391	401,314	2	0.5	0.0- 1.1	4	1.0	0.0- 2.2	385	98.5	97.1-99.9
35-44	504	383,133	2	0.7	0.0- 1.7				502	99.3	98.3- 100
45-54	710	391,277	3	0.8	0.0- 1.8	1	0.2	0.0- 0.6	706	98.9	97.9-99.9
55-64	867	416,859	5	0.6	0.0- 1.2	4	0.6	0.0- 1.2	858	98.8	98.0-99.6
65+	1692	602,607	8	0.7	0.1- 1.3	10	0.6	0.2- 1.0	1674	98.7	97.9-99.5
Less Than H.S.	299	289,950	6	1.8	0.2- 3.4	6	1.5	0.0- 3.3	287	96.7	94.3-99.1
H.S. or G.E.D.	1377	788,787	7	0.6	0.0- 1.2	7	1.0	0.2- 1.8	1363	98.4	97.4-99.4
Some Post-H.S.	1170	776,938	5	0.5	0.1- 0.9	9	0.6	0.2- 1.0	1156	98.9	98.3-99.5
College Graduate	1517	648,167	2	0.1	0.0- 0.3				1515	99.9	99.7- 100
Less than \$15,000	332	204,263	2	0.8	0.0- 2.0	1	0.2	0.0- 0.6	329	99.0	97.8- 100
\$15,000- 24,999	610	360,299	11	2.5	0.7- 4.3	5	0.6	0.0- 1.2	594	96.8	95.0-98.6
\$25,000- 34,999	403	216,014	3	0.7	0.0- 1.7	3	1.7	0.0- 4.1	397	97.7	95.2- 100
\$35,000- 49,999	525	298,657	2	0.5	0.0- 1.3	1	0.2	0.0- 0.6	522	99.2	98.4- 100
\$50,000- 74,999	568	331,256				2	0.3	0.0- 0.7	566	99.7	99.3- 100
\$75,000+	958	575,345				1	0.0	0.0- 0.0	957	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	174
2	MALES ONLY	175
3	FEMALES ONLY	176
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)	
4	MALES AND FEMALES	177
5	MALES ONLY	178
6	FEMALES ONLY	179
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	180
8	MALES ONLY	181
9	FEMALES ONLY	182
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10	MALES AND FEMALES	183
11	MALES ONLY	184
12	FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7840	4,796,658	938	12.3	11.3-13.3	131	1.5	1.1- 1.9	2076	28.1	26.9-29.3	621	8.1	7.3- 8.9	4074	50.0	48.6-51.4
Male	3535	2,330,871	506	14.2	12.8-15.6	92	2.4	1.8- 3.0	961	28.5	26.7-30.3	378	10.9	9.7-12.1	1598	43.9	41.9-45.9
Female	4305	2,465,787	432	10.4	9.2-11.6	39	0.6	0.4- 0.8	1115	27.7	25.9-29.5	243	5.5	4.7- 6.3	2476	55.7	53.7-57.7
White/Non-Hisp	6393	3,813,888	769	12.3	11.3-13.3	111	1.6	1.2- 2.0	1694	27.9	26.5-29.3	531	8.7	7.9- 9.5	3288	49.6	48.0-51.2
Black or Afr. Am./Non-Hisp	654	411,762	74	12.2	8.9-15.5	9	1.1	0.1- 2.1	177	31.8	27.1-36.5	38	7.9	5.0-10.8	356	46.9	42.0-51.8
Oth. Race/Non-Hisp.	195	143,911	18	8.8	3.3-14.3	4	1.6	0.0- 3.6	39	20.1	12.8-27.4	15	6.5	2.0-11.0	119	62.9	54.1-71.7
MultiRacial/Non-Hisp.	118	48,098	8	7.2	1.9-12.5	2	2.8	0.0- 7.7	39	38.4	26.8-50.0	11	10.5	3.4-17.6	58	41.0	30.0-52.0
Hispanic	334	292,873	53	14.7	10.4-19.0	4	0.6	0.0- 1.2	90	27.3	21.6-33.0	11	1.9	0.5- 3.3	176	55.5	49.2-61.8
18-24	465	638,351	41	8.6	5.9-11.3	5	0.8	0.0- 1.6	152	28.7	24.4-33.0	33	6.2	4.0- 8.4	234	55.7	50.8-60.6
25-34	764	791,959	135	16.5	13.6-19.4	10	1.7	0.5- 2.9	277	36.0	32.3-39.7	55	7.4	5.2- 9.6	287	38.4	34.5-42.3
35-44	941	751,635	123	13.1	10.7-15.5	14	1.5	0.7- 2.3	301	31.8	28.5-35.1	114	12.3	9.9-14.7	389	41.3	37.8-44.8
45-54	1285	758,255	178	13.8	11.6-16.0	18	1.3	0.7- 1.9	402	29.9	27.2-32.6	99	8.7	6.9-10.5	588	46.3	43.2-49.4
55-64	1581	796,761	189	12.3	10.5-14.1	28	1.7	0.9- 2.5	425	27.2	24.7-29.7	127	7.9	6.5- 9.3	812	50.9	48.2-53.6
65+	2804	1,059,697	272	9.5	8.1-10.9	56	1.9	1.3- 2.5	519	18.6	16.8-20.4	193	6.7	5.5- 7.9	1764	63.3	61.1-65.5
Less Than H.S.	544	549,364	40	8.0	5.3-10.7	16	3.2	1.4- 5.0	85	17.4	13.5-21.3	35	6.6	4.2- 9.0	368	64.8	60.1-69.5
H.S. or G.E.D.	2531	1,598,416	270	10.9	9.5-12.3	35	1.2	0.6- 1.8	565	24.0	22.0-26.0	142	5.8	4.6- 7.0	1519	58.0	55.6-60.4
Some Post-H.S.	2068	1,469,867	250	12.9	11.1-14.7	30	1.3	0.7- 1.9	565	30.4	28.0-32.8	157	8.5	7.1- 9.9	1066	47.0	44.5-49.5
College Graduate	2676	1,167,897	378	15.3	13.7-16.9	50	1.5	0.9- 2.1	856	35.9	33.7-38.1	287	11.7	10.3-13.1	1105	35.6	33.4-37.8
Less than \$15,000	523	330,568	33	7.2	4.5- 9.9	6	1.4	0.2- 2.6	91	19.8	15.3-24.3	21	3.9	1.9- 5.9	372	67.7	62.6-72.8
\$15,000- 24,999	1009	626,856	91	9.1	6.9-11.3	14	1.4	0.4- 2.4	213	21.2	18.1-24.3	45	5.0	3.2- 6.8	646	63.2	59.5-66.9
\$25,000- 34,999	690	396,904	75	11.1	8.2-14.0	13	1.5	0.5- 2.5	149	25.3	21.2-29.4	43	6.2	4.0- 8.4	410	55.9	51.4-60.4
\$35,000- 49,999	976	582,070	124	13.3	10.6-16.0	22	2.2	1.0- 3.4	266	29.1	25.6-32.6	67	6.6	4.8- 8.4	497	48.9	45.0-52.8
\$50,000- 74,999	1070	670,044	150	13.7	11.3-16.1	16	1.4	0.4- 2.4	320	32.2	28.7-35.7	92	8.8	6.8-10.8	492	43.9	40.4-47.4
\$75,000+	2054	1,307,153	331	16.7	14.7-18.7	41	1.6	1.0- 2.2	731	35.9	33.4-38.4	263	13.0	11.2-14.8	688	32.7	30.2-35.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3535	2,330,871	506	14.2	12.8-15.6	92	2.4	1.8- 3.0	961	28.5	26.7-30.3	378	10.9	9.7-12.1	1598	43.9	41.9-45.9
White/Non-Hisp	2875	1,838,122	413	14.4	12.8-16.0	79	2.7	1.9- 3.5	787	28.4	26.4-30.4	311	11.3	9.9-12.7	1285	43.2	41.0-45.4
Black or Afr. Am./Non-Hisp	257	193,389	37	12.9	8.0-17.8	4	1.3	0.0- 2.9	73	33.8	26.7-40.9	31	14.0	8.5-19.5	112	37.9	30.8-45.0
Oth. Race/Non-Hisp.	100	78,916	11	10.6	2.2-19.0	4	2.9	0.0- 6.4	17	20.4	10.2-30.6	11	10.0	2.2-17.8	57	56.1	43.2-69.0
MultiRacial/Non-Hisp.	55	25,587	6	9.2	1.4-17.0	2	5.3	0.0-14.5	17	32.4	15.7-49.1	8	16.5	4.2-28.8	22	36.6	20.9-52.3
Hispanic	165	141,209	28	16.5	10.2-22.8	3	1.1	0.0- 2.3	43	24.9	17.5-32.3	5	1.6	0.0- 3.2	86	56.0	47.4-64.6
18-24	255	325,750	23	9.0	5.1-12.9	5	1.6	0.2- 3.0	72	25.9	20.2-31.6	23	8.5	4.8-12.2	132	55.0	48.3-61.7
25-34	382	401,626	71	18.1	13.8-22.4	8	2.7	0.5- 4.9	142	37.1	31.8-42.4	37	10.1	6.6-13.6	124	32.1	27.0-37.2
35-44	446	375,071	77	16.3	12.6-20.0	11	2.5	0.9- 4.1	137	31.7	27.0-36.4	68	15.6	11.9-19.3	153	33.9	29.0-38.8
45-54	588	374,443	97	15.6	12.5-18.7	11	1.6	0.4- 2.8	183	29.7	25.6-33.8	56	10.6	7.9-13.3	241	42.5	38.0-47.0
55-64	731	389,831	105	14.8	11.9-17.7	20	2.8	1.4- 4.2	196	27.1	23.6-30.6	91	12.1	9.6-14.6	319	43.1	39.0-47.2
65+	1133	464,149	133	11.1	8.9-13.3	37	3.1	1.9- 4.3	231	20.6	17.9-23.3	103	8.9	6.9-10.9	629	56.2	52.9-59.5
Less Than H.S.	249	261,639	26	11.3	6.4-16.2	12	5.0	1.9- 8.1	45	20.0	14.1-25.9	25	10.6	6.1-15.1	141	53.1	46.0-60.2
H.S. or G.E.D.	1182	829,781	163	13.7	11.3-16.1	29	2.1	1.1- 3.1	297	26.8	23.9-29.7	97	8.2	6.4-10.0	596	49.3	46.0-52.6
Some Post-H.S.	921	708,243	125	13.4	10.9-15.9	21	2.1	1.1- 3.1	248	30.0	26.5-33.5	96	11.7	9.2-14.2	431	42.8	39.1-46.5
College Graduate	1176	528,689	192	17.7	15.2-20.2	30	2.2	1.2- 3.2	369	33.6	30.5-36.7	160	14.5	12.1-16.9	425	32.1	29.2-35.0
Less than \$15,000	194	129,778	16	7.2	3.5-10.9	3	1.7	0.0- 3.9	37	22.5	14.7-30.3	15	7.7	3.2-12.2	123	60.8	52.4-69.2
\$15,000- 24,999	413	274,209	40	9.4	6.1-12.7	12	3.0	1.0- 5.0	97	22.5	17.8-27.2	31	7.8	4.5-11.1	233	57.1	51.4-62.8
\$25,000- 34,999	288	180,909	33	10.9	6.8-15.0	10	3.2	0.8- 5.6	80	32.8	26.3-39.3	23	7.3	3.8-10.8	142	45.8	39.1-52.5
\$35,000- 49,999	456	286,279	69	16.5	12.2-20.8	15	2.8	1.2- 4.4	113	27.8	22.7-32.9	39	8.5	5.6-11.4	220	44.4	38.9-49.9
\$50,000- 74,999	506	340,924	85	15.1	11.6-18.6	11	2.0	0.4- 3.6	122	26.7	22.0-31.4	53	10.7	7.6-13.8	235	45.5	40.4-50.6
\$75,000+	1110	743,195	195	18.3	15.6-21.0	30	2.5	1.3- 3.7	377	34.2	30.9-37.5	171	15.8	13.3-18.3	337	29.2	26.1-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4305	2,465,787	432	10.4	9.2-11.6	39	0.6	0.4- 0.8	1115	27.7	25.9-29.5	243	5.5	4.7- 6.3	2476	55.7	53.7-57.7
White/Non-Hisp	3518	1,975,766	356	10.2	9.0-11.4	32	0.7	0.3- 1.1	907	27.4	25.6-29.2	220	6.2	5.2- 7.2	2003	55.4	53.4-57.4
Black or Afr. Am./Non-Hisp	397	218,372	37	11.7	7.4-16.0	5	0.9	0.0- 1.9	104	30.0	23.9-36.1	7	2.6	0.4- 4.8	244	54.8	48.1-61.5
Oth. Race/Non-Hisp.	95	64,996	7	6.7	0.4-13.0				22	19.7	9.9-29.5	4	2.3	0.0- 5.0	62	71.3	59.9-82.7
MultiRacial/Non-Hisp.	63	22,512	2	5.0	0.0-11.7				22	45.3	29.8-60.8	3	3.7	0.0- 8.0	36	46.0	31.1-60.9
Hispanic	169	151,665	25	13.1	6.8-19.4	1	0.1	0.0- 0.3	47	29.6	21.2-38.0	6	2.2	0.0- 4.4	90	55.0	45.8-64.2
18-24	210	312,601	18	8.3	4.2-12.4				80	31.7	25.0-38.4	10	3.7	1.3- 6.1	102	56.4	49.0-63.8
25-34	382	390,333	64	14.9	11.2-18.6	2	0.6	0.0- 1.8	135	34.9	29.6-40.2	18	4.7	2.3- 7.1	163	44.9	39.4-50.4
35-44	495	376,564	46	9.8	6.9-12.7	3	0.6	0.0- 1.4	164	31.9	27.4-36.4	46	9.0	6.3-11.7	236	48.7	43.8-53.6
45-54	697	383,812	81	12.1	9.4-14.8	7	0.9	0.1- 1.7	219	30.1	26.4-33.8	43	6.9	4.7- 9.1	347	50.0	45.9-54.1
55-64	850	406,930	84	9.8	7.6-12.0	8	0.5	0.1- 0.9	229	27.3	24.0-30.6	36	3.9	2.5- 5.3	493	58.4	54.7-62.1
65+	1671	595,548	139	8.3	6.7- 9.9	19	0.9	0.5- 1.3	288	17.0	14.8-19.2	90	5.0	3.8- 6.2	1135	68.9	66.2-71.6
Less Than H.S.	295	287,725	14	5.0	2.1- 7.9	4	1.5	0.0- 3.3	40	15.1	9.8-20.4	10	3.0	1.0- 5.0	227	75.4	69.3-81.5
H.S. or G.E.D.	1349	768,635	107	8.0	6.2- 9.8	6	0.3	0.0- 0.7	268	21.1	18.4-23.8	45	3.3	2.1- 4.5	923	67.3	64.2-70.4
Some Post-H.S.	1147	761,624	125	12.4	9.9-14.9	9	0.4	0.0- 0.8	317	30.8	27.5-34.1	61	5.5	3.9- 7.1	635	50.8	47.3-54.3
College Graduate	1500	639,208	186	13.4	11.2-15.6	20	0.9	0.5- 1.3	487	37.8	34.9-40.7	127	9.4	7.6-11.2	680	38.4	35.5-41.3
Less than \$15,000	329	200,790	17	7.2	3.3-11.1	3	1.1	0.0- 2.5	54	18.1	12.6-23.6	6	1.4	0.0- 2.8	249	72.2	65.9-78.5
\$15,000- 24,999	596	352,646	51	8.8	6.1-11.5	2	0.2	0.0- 0.6	116	20.2	16.1-24.3	14	2.8	1.0- 4.6	413	68.0	63.3-72.7
\$25,000- 34,999	402	215,995	42	11.3	7.2-15.4	3	0.1	0.1- 0.1	69	19.1	14.2-24.0	20	5.3	2.6- 8.0	268	64.3	58.4-70.2
\$35,000- 49,999	520	295,791	55	10.1	7.2-13.0	7	1.5	0.0- 3.1	153	30.4	25.5-35.3	28	4.8	2.6- 7.0	277	53.2	47.9-58.5
\$50,000- 74,999	564	329,120	65	12.2	8.9-15.5	5	0.8	0.0- 1.6	198	37.9	33.0-42.8	39	6.8	4.4- 9.2	257	42.3	37.4-47.2
\$75,000+	944	563,959	136	14.6	11.9-17.3	11	0.5	0.1- 0.9	354	38.2	34.5-41.9	92	9.5	7.3-11.7	351	37.2	33.5-40.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 11: ALCOHOL CONSUMPTION

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3680	2,332,552	1599	38.2	36.4-40.0	1084	30.0	28.2-31.8	412	12.4	11.0-13.8	236	7.8	6.6- 9.0	325	11.1	9.7-12.5	24	0.4	0.2- 0.6
Male	1889	1,268,882	626	28.4	26.0-30.8	594	31.4	28.9-33.9	264	15.0	13.0-17.0	153	9.4	7.6-11.2	240	15.2	13.0-17.4	12	0.4	0.2- 0.6
Female	1791	1,063,670	973	49.9	47.2-52.6	490	28.4	25.9-30.9	148	9.3	7.5-11.1	83	5.9	4.5- 7.3	85	6.1	4.5- 7.7	12	0.4	0.2- 0.6
White/Non-Hisp	3046	1,883,732	1358	39.0	37.0-41.0	879	29.6	27.6-31.6	342	12.4	11.0-13.8	193	8.1	6.7- 9.5	254	10.4	9.0-11.8	20	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	285	206,108	119	40.2	33.3-47.1	100	33.2	26.7-39.7	27	12.1	7.2-17.0	19	6.3	3.2- 9.4	18	7.9	3.4-12.4	2	0.4	0.0- 1.0
Oth. Race/Non-Hisp.	74	52,336	31	30.5	18.2-42.8	26	43.9	28.8-59.0	4	3.5	0.0- 8.0	4	3.1	0.0- 7.0	9	19.0	5.1-32.9			
MultiRacial/Non-Hisp.	59	27,850	22	39.5	24.0-55.0	13	17.2	6.4-28.0	10	10.9	3.5-18.3	3	4.6	0.0-11.1	11	27.9	11.6-44.2			
Hispanic	148	118,801	47	30.8	22.2-39.4	39	24.0	15.6-32.4	19	15.9	8.6-23.2	13	7.6	3.1-12.1	29	21.0	13.0-29.0	1	0.7	0.0- 2.1
18-24	225	275,519	65	26.7	20.4-33.0	76	35.1	28.2-42.0	27	11.9	7.4-16.4	24	10.0	5.9-14.1	33	16.3	10.6-22.0			
25-34	463	470,843	139	29.9	25.2-34.6	140	30.0	25.5-34.5	63	13.6	10.1-17.1	51	11.7	8.4-15.0	70	14.7	11.2-18.2			
35-44	537	427,133	196	34.5	30.2-38.8	169	30.0	25.7-34.3	65	12.3	9.2-15.4	34	6.9	4.5- 9.3	72	16.1	12.4-19.8	1	0.1	0.0- 0.3
45-54	686	399,659	276	37.2	33.3-41.1	215	32.0	28.1-35.9	90	14.9	11.8-18.0	43	7.0	4.8- 9.2	60	8.8	6.4-11.2	2	0.2	0.0- 0.4
55-64	750	379,848	324	43.2	39.3-47.1	235	30.0	26.5-33.5	83	12.0	9.5-14.5	49	7.1	4.9- 9.3	53	6.7	4.7- 8.7	6	0.9	0.1- 1.7
65+	1019	379,550	599	57.1	53.6-60.6	249	24.2	21.1-27.3	84	9.4	7.2-11.6	35	4.0	2.4- 5.6	37	3.9	2.5- 5.3	15	1.4	0.6- 2.2
Less Than H.S.	166	181,431	44	24.5	17.1-31.9	39	21.6	14.3-28.9	20	12.2	6.3-18.1	23	16.6	9.7-23.5	40	25.0	17.2-32.8			
H.S. or G.E.D.	974	641,106	374	35.8	32.3-39.3	266	28.1	24.8-31.4	123	13.0	10.5-15.5	77	8.3	6.1-10.5	125	14.3	11.6-17.0	9	0.6	0.2- 1.0
Some Post-H.S.	986	765,359	387	35.1	31.8-38.4	296	31.0	27.7-34.3	128	14.0	11.5-16.5	77	8.6	6.4-10.8	89	10.8	8.3-13.3	9	0.5	0.1- 0.9
College Graduate	1549	742,968	792	46.9	44.0-49.8	480	32.7	30.0-35.4	141	10.5	8.7-12.3	59	4.5	3.3- 5.7	71	5.2	3.8- 6.6	6	0.3	0.1- 0.5
Less than \$15,000	145	100,528	48	34.5	24.9-44.1	43	28.7	19.5-37.9	19	14.7	7.3-22.1	15	9.5	4.0-15.0	20	12.6	6.9-18.3			
\$15,000- 24,999	346	218,946	135	34.5	28.6-40.4	97	29.3	23.4-35.2	42	12.4	8.5-16.3	25	8.0	4.5-11.5	42	15.0	9.9-20.1	5	0.8	0.0- 1.6
\$25,000- 34,999	275	170,921	106	33.3	26.8-39.8	76	29.0	22.5-35.5	31	12.4	7.7-17.1	18	6.2	3.1- 9.3	43	18.9	12.8-25.0	1	0.3	0.0- 0.9
\$35,000- 49,999	465	286,591	189	36.6	31.5-41.7	136	28.1	23.2-33.0	55	12.1	8.6-15.6	36	9.2	5.7-12.7	46	13.8	9.5-18.1	3	0.2	0.0- 0.4
\$50,000- 74,999	573	371,786	258	38.1	33.6-42.6	163	30.5	26.0-35.0	63	11.8	8.7-14.9	32	7.5	4.6-10.4	53	11.6	8.1-15.1	4	0.5	0.0- 1.1
\$75,000+	1347	867,940	591	38.6	35.7-41.5	446	33.2	30.3-36.1	144	12.7	10.3-15.1	72	6.8	5.0- 8.6	88	8.3	6.3-10.3	6	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1889	1,268,882	626	28.4	26.0-30.8	594	31.4	28.9-33.9	264	15.0	13.0-17.0	153	9.4	7.6-11.2	240	15.2	13.0-17.4	12	0.4	0.2- 0.6
White/Non-Hisp	1557	1,019,233	540	29.8	27.3-32.3	485	30.9	28.2-33.6	215	15.0	12.8-17.2	122	9.8	7.8-11.8	184	14.0	11.8-16.2	11	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	137	109,972	41	29.6	20.6-38.6	53	35.6	26.4-44.8	19	15.3	7.7-22.9	12	7.7	2.8-12.6	12	11.7	4.1-19.3			
Hispanic	76	59,779	12	15.7	6.3-25.1	19	24.5	13.3-35.7	11	18.7	7.7-29.7	11	10.7	3.8-17.6	23	30.3	18.5-42.1			
18-24	120	143,499	28	20.9	13.3-28.5	35	32.4	23.0-41.8	15	12.5	6.2-18.8	15	11.9	5.6-18.2	27	22.3	14.3-30.3			
25-34	250	263,087	50	18.5	13.2-23.8	75	30.9	24.6-37.2	43	17.8	12.3-23.3	33	13.8	8.7-18.9	49	18.9	13.4-24.4			
35-44	282	237,377	66	21.9	16.8-27.0	97	32.5	26.6-38.4	36	12.5	8.4-16.6	22	8.5	4.8-12.2	60	24.4	18.5-30.3	1	0.2	0.0- 0.6
45-54	341	211,434	104	28.4	23.3-33.5	113	33.3	27.8-38.8	56	18.6	13.9-23.3	27	8.1	5.0-11.2	40	11.4	7.7-15.1	1	0.3	0.0- 0.9
55-64	400	213,917	135	34.8	29.5-40.1	132	32.1	27.2-37.0	56	14.6	10.9-18.3	35	9.2	5.9-12.5	39	8.5	5.6-11.4	3	0.8	0.0- 1.8
65+	496	199,570	243	47.9	42.8-53.0	142	27.4	22.9-31.9	58	12.9	9.4-16.4	21	4.8	2.6- 7.0	25	5.6	3.2- 8.0	7	1.4	0.2- 2.6
Less Than H.S.	103	117,255	20	17.7	9.9-25.5	22	20.6	11.8-29.4	16	14.7	6.7-22.7	15	18.8	9.6-28.0	30	28.2	18.2-38.2			
H.S. or G.E.D.	565	400,997	164	27.8	23.7-31.9	155	29.1	24.6-33.6	92	15.9	12.6-19.2	56	9.2	6.5-11.9	94	17.5	13.8-21.2	4	0.5	0.0- 1.1
Some Post-H.S.	482	396,872	135	25.2	20.9-29.5	155	32.6	27.9-37.3	76	16.0	12.3-19.7	48	10.4	7.3-13.5	64	15.3	11.4-19.2	4	0.5	0.0- 1.1
College Graduate	737	353,031	307	36.5	32.8-40.2	260	36.1	32.2-40.0	80	13.1	10.2-16.0	34	5.6	3.6- 7.6	52	8.3	5.9-10.7	4	0.4	0.0- 0.8
Less than \$15,000	66	45,110	16	19.3	8.5-30.1	19	30.8	16.5-45.1	10	22.1	8.6-35.6	8	10.4	2.6-18.2	13	17.4	7.4-27.4			
\$15,000- 24,999	170	111,074	50	25.8	18.2-33.4	46	28.5	20.3-36.7	28	16.2	9.9-22.5	14	8.4	3.1-13.7	29	19.7	11.9-27.5	3	1.3	0.0- 2.9
\$25,000- 34,999	145	96,913	38	23.6	15.6-31.6	45	31.7	22.9-40.5	20	13.6	7.1-20.1	11	6.9	2.4-11.4	31	24.1	15.9-32.3			
\$35,000- 49,999	229	151,438	72	28.6	21.9-35.3	68	28.2	21.3-35.1	30	11.8	7.1-16.5	27	13.1	7.2-19.0	32	18.3	11.6-25.0			
\$50,000- 74,999	271	185,761	90	27.3	21.2-33.4	95	37.8	30.7-44.9	34	11.8	7.5-16.1	15	6.6	2.9-10.3	35	15.9	10.0-21.8	2	0.5	0.0- 1.3
\$75,000+	756	514,666	260	29.2	25.7-32.7	256	32.6	28.7-36.5	104	16.3	13.0-19.6	54	9.1	6.4-11.8	77	12.3	9.4-15.2	5	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1791	1,063,670	973	49.9	47.2-52.6	490	28.4	25.9-30.9	148	9.3	7.5-11.1	83	5.9	4.5- 7.3	85	6.1	4.5- 7.7	12	0.4	0.2- 0.6
White/Non-Hisp	1489	864,499	818	49.8	46.7-52.9	394	28.1	25.4-30.8	127	9.4	7.6-11.2	71	6.2	4.6- 7.8	70	6.2	4.4- 8.0	9	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	148	96,136	78	52.3	42.3-62.3	47	30.4	21.0-39.8	8	8.5	2.6-14.4	7	4.6	0.7- 8.5	6	3.4	0.3- 6.5	2	0.8	0.0- 2.0
Hispanic	72	59,022	35	46.1	32.0-60.2	20	23.5	11.0-36.0	8	13.0	3.4-22.6	2	4.5	0.0-10.6	6	11.5	0.7-22.3	1	1.4	0.0- 4.1
18-24	105	132,020	37	33.1	23.1-43.1	41	38.0	27.8-48.2	12	11.2	4.7-17.7	9	7.8	2.5-13.1	6	9.8	2.0-17.6			
25-34	213	207,756	89	44.4	37.0-51.8	65	28.9	22.2-35.6	20	8.3	4.4-12.2	18	9.1	4.8-13.4	21	9.3	5.2-13.4			
35-44	255	189,756	130	50.3	43.4-57.2	72	27.0	20.9-33.1	29	12.1	7.6-16.6	12	4.9	2.0- 7.8	12	5.7	2.4- 9.0			
45-54	345	188,225	172	47.0	41.1-52.9	102	30.6	25.1-36.1	34	10.7	7.0-14.4	16	5.8	2.9- 8.7	20	5.8	3.1- 8.5	1	0.1	0.0- 0.3
55-64	350	165,932	189	54.0	48.1-59.9	103	27.3	22.2-32.4	27	8.6	5.1-12.1	14	4.5	2.0- 7.0	14	4.4	1.9- 6.9	3	1.1	0.0- 2.5
65+	523	179,980	356	67.4	62.5-72.3	107	20.6	16.3-24.9	26	5.5	3.1- 7.9	14	3.2	1.0- 5.4	12	2.0	0.6- 3.4	8	1.3	0.3- 2.3
Less Than H.S.	63	64,176	24	37.0	22.9-51.1	17	23.3	10.8-35.8	4	7.7	0.1-15.3	8	12.7	4.1-21.3	10	19.3	7.0-31.6			
H.S. or G.E.D.	409	240,109	210	49.2	43.3-55.1	111	26.4	21.3-31.5	31	8.1	4.8-11.4	21	6.7	3.6- 9.8	31	9.0	5.7-12.3	5	0.6	0.0- 1.2
Some Post-H.S.	504	368,487	252	45.8	40.7-50.9	141	29.3	24.6-34.0	52	11.8	8.5-15.1	29	6.6	3.9- 9.3	25	6.0	3.1- 8.9	5	0.6	0.0- 1.2
College Graduate	812	389,937	485	56.3	52.2-60.4	220	29.5	25.8-33.2	61	8.1	5.9-10.3	25	3.6	2.0- 5.2	19	2.3	1.1- 3.5	2	0.2	0.0- 0.4
Less than \$15,000	79	55,418	32	46.9	33.2-60.6	24	27.0	15.0-39.0	9	8.6	1.7-15.5	7	8.8	1.4-16.2	7	8.7	2.2-15.2			
\$15,000- 24,999	176	107,872	85	43.4	34.4-52.4	51	30.2	22.0-38.4	14	8.5	3.6-13.4	11	7.5	2.4-12.6	13	10.1	3.4-16.8	2	0.3	0.0- 0.9
\$25,000- 34,999	130	74,008	68	45.9	35.3-56.5	31	25.3	16.3-34.3	11	10.9	4.0-17.8	7	5.2	0.7- 9.7	12	12.0	3.2-20.8	1	0.7	0.0- 2.1
\$35,000- 49,999	236	135,153	117	45.6	38.0-53.2	68	28.0	21.3-34.7	25	12.3	7.0-17.6	9	4.8	1.5- 8.1	14	8.7	3.2-14.2	3	0.5	0.0- 1.1
\$50,000- 74,999	302	186,025	168	48.8	42.1-55.5	68	23.1	17.6-28.6	29	11.8	7.1-16.5	17	8.3	3.8-12.8	18	7.4	3.7-11.1	2	0.6	0.0- 1.4
\$75,000+	591	353,274	331	52.2	47.5-56.9	190	34.1	29.6-38.6	40	7.5	5.0-10.0	18	3.5	1.9- 5.1	11	2.5	0.7- 4.3	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3666	2,333,019	307	9.7	8.5-10.9	201	6.9	5.7- 8.1	89	2.9	2.1- 3.7	76	2.4	1.8- 3.0	286	9.9	8.5-11.3	2707	68.2	66.2-70.2
Male	1882	1,269,549	170	10.2	8.4-12.0	121	8.0	6.4- 9.6	51	3.4	2.4- 4.4	43	2.5	1.7- 3.3	199	12.9	10.9-14.9	1298	63.0	60.3-65.7
Female	1784	1,063,470	137	9.1	7.5-10.7	80	5.7	4.3- 7.1	38	2.2	1.4- 3.0	33	2.3	1.3- 3.3	87	6.3	4.7- 7.9	1409	74.4	71.9-76.9
White/Non-Hisp	3034	1,878,484	251	9.9	8.5-11.3	155	6.2	5.0- 7.4	69	2.8	2.0- 3.6	56	2.3	1.7- 2.9	237	10.0	8.6-11.4	2266	68.7	66.7-70.7
Black or Afr. Am./Non-Hisp	282	207,523	20	6.7	3.4-10.0	22	11.1	6.0-16.2	5	1.4	0.0- 2.8	8	2.9	0.5- 5.3	18	7.4	3.3-11.5	209	70.5	63.8-77.2
Oth. Race/Non-Hisp.	75	52,782	3	1.6	0.0- 3.8	3	2.7	0.0- 6.4	2	7.2	0.0-17.8				6	10.4	0.0-20.8	61	78.0	64.1-91.9
MultiRacial/Non-Hisp.	59	27,850	8	11.6	3.2-20.0	2	4.5	0.0-10.6	5	6.4	0.5-12.3	4	10.0	0.0-23.5	6	14.1	2.1-26.1	34	53.4	37.3-69.5
Hispanic	153	126,520	16	10.1	4.2-16.0	14	12.4	5.3-19.5	7	4.7	1.0- 8.4	6	3.1	0.2- 6.0	15	10.4	4.1-16.7	95	59.2	49.6-68.8
18-24	224	274,062	42	17.0	11.9-22.1	19	8.1	4.4-11.8	12	5.3	2.2- 8.4	6	3.0	0.3- 5.7	26	13.2	7.9-18.5	119	53.4	46.1-60.7
25-34	469	480,692	78	15.0	11.5-18.5	38	9.6	6.3-12.9	12	2.6	1.0- 4.2	11	2.3	0.7- 3.9	54	12.4	8.9-15.9	276	58.1	53.0-63.2
35-44	533	422,291	44	7.6	5.2-10.0	37	7.9	5.4-10.4	23	4.3	2.3- 6.3	15	3.1	1.3- 4.9	56	12.3	9.0-15.6	358	64.9	60.4-69.4
45-54	681	396,824	58	9.0	6.6-11.4	45	7.1	4.9- 9.3	15	2.2	1.0- 3.4	18	3.0	1.6- 4.4	60	9.7	7.2-12.2	485	69.1	65.2-73.0
55-64	748	381,260	52	6.4	4.6- 8.2	38	5.8	3.8- 7.8	18	2.6	1.2- 4.0	18	2.4	1.2- 3.6	55	7.6	5.4- 9.8	567	75.2	71.7-78.7
65+	1011	377,889	33	3.8	2.4- 5.2	24	2.7	1.5- 3.9	9	1.0	0.2- 1.8	8	0.8	0.2- 1.4	35	4.0	2.6- 5.4	902	87.6	85.2-90.0
Less Than H.S.	164	182,993	15	10.5	4.8-16.2	16	13.2	6.5-19.9	10	5.9	2.2- 9.6	4	2.6	0.0- 5.3	38	25.6	17.6-33.6	81	42.2	33.6-50.8
H.S. or G.E.D.	971	645,352	76	9.0	6.6-11.4	56	6.1	4.3- 7.9	25	2.8	1.6- 4.0	27	2.7	1.5- 3.9	97	11.2	8.8-13.6	690	68.2	64.7-71.7
Some Post-H.S.	980	759,597	84	9.7	7.5-11.9	66	7.8	5.8- 9.8	23	2.9	1.5- 4.3	21	2.7	1.5- 3.9	79	9.1	6.7-11.5	707	67.8	64.3-71.3
College Graduate	1546	743,387	132	10.0	8.2-11.8	63	5.2	3.8- 6.6	30	2.2	1.2- 3.2	24	1.9	1.1- 2.7	72	5.7	4.3- 7.1	1225	75.0	72.5-77.5
Less than \$15,000	146	105,082	15	12.0	5.3-18.7	5	3.5	0.0- 7.0	10	5.8	1.7- 9.9	2	1.4	0.0- 3.4	16	12.0	5.9-18.1	98	65.3	56.1-74.5
\$15,000- 24,999	349	223,627	36	11.2	7.3-15.1	24	7.2	4.1-10.3	12	3.6	1.2- 6.0	11	3.6	1.2- 6.0	38	16.2	10.7-21.7	228	58.2	51.7-64.7
\$25,000- 34,999	273	170,632	16	7.7	3.8-11.6	20	8.4	4.3-12.5	4	1.6	0.0- 3.4	8	2.4	0.6- 4.2	26	11.6	6.5-16.7	199	68.3	61.4-75.2
\$35,000- 49,999	462	286,279	48	11.9	8.2-15.6	28	9.3	5.4-13.2	11	2.8	0.8- 4.8	11	2.7	0.9- 4.5	33	9.0	5.5-12.5	331	64.3	58.6-70.0
\$50,000- 74,999	569	368,763	47	9.7	6.6-12.8	28	6.8	4.1- 9.5	14	2.9	1.3- 4.5	11	1.9	0.5- 3.3	48	10.8	7.3-14.3	421	67.9	63.0-72.8
\$75,000+	1345	865,601	117	9.9	7.9-11.9	71	6.2	4.6- 7.8	26	2.3	1.3- 3.3	28	3.0	1.6- 4.4	93	8.8	6.8-10.8	1010	69.8	66.9-72.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1882	1,269,549	170	10.2	8.4-12.0	121	8.0	6.4- 9.6	51	3.4	2.4- 4.4	43	2.5	1.7- 3.3	199	12.9	10.9-14.9	1298	63.0	60.3-65.7
White/Non-Hisp	1553	1,019,263	134	10.2	8.2-12.2	95	7.4	5.8- 9.0	38	3.1	1.9- 4.3	29	2.3	1.3- 3.3	162	12.8	10.6-15.0	1095	64.2	61.3-67.1
Black or Afr. Am./Non-Hisp	135	112,031	11	7.6	2.9-12.3	11	11.8	4.5-19.1	4	2.5	0.0- 5.2	6	3.1	0.4- 5.8	12	10.7	3.6-17.8	91	64.3	54.5-74.1
Hispanic	76	59,747	9	11.5	2.7-20.3	10	14.2	5.0-23.4	5	7.7	0.8-14.6	4	2.7	0.0- 5.4	10	14.4	5.4-23.4	38	49.5	36.6-62.4
18-24	119	141,866	22	19.1	11.3-26.9	10	7.7	2.8-12.6	8	7.0	1.7-12.3	4	3.4	0.0- 7.3	15	13.9	6.8-21.0	60	49.0	39.2-58.8
25-34	255	269,504	36	14.1	9.2-19.0	26	11.5	6.8-16.2	7	2.8	0.6- 5.0	8	2.9	0.5- 5.3	40	16.8	11.5-22.1	138	51.9	45.0-58.8
35-44	279	234,015	23	7.4	4.1-10.7	21	8.3	4.6-12.0	16	6.1	3.0- 9.2	7	2.3	0.5- 4.1	45	18.6	13.1-24.1	167	57.3	50.8-63.8
45-54	341	210,981	34	9.9	6.4-13.4	27	9.0	5.5-12.5	7	2.0	0.4- 3.6	7	2.4	0.6- 4.2	36	11.0	7.3-14.7	230	65.7	60.0-71.4
55-64	398	215,403	35	8.0	5.3-10.7	22	6.6	3.7- 9.5	10	2.8	0.8- 4.8	11	2.8	1.0- 4.6	38	9.4	6.3-12.5	282	70.5	65.6-75.4
65+	490	197,779	20	4.3	2.1- 6.5	15	3.3	1.5- 5.1	3	0.8	0.0- 1.8	6	1.4	0.2- 2.6	25	5.9	3.5- 8.3	421	84.3	80.6-88.0
Less Than H.S.	103	117,454	12	14.5	6.1-22.9	13	16.4	7.6-25.2	8	7.7	2.4-13.0	1	0.7	0.0- 2.1	27	28.3	17.7-38.9	42	32.5	22.9-42.1
H.S. or G.E.D.	562	403,542	52	10.6	7.5-13.7	39	7.6	5.1-10.1	16	3.2	1.6- 4.8	19	3.4	1.6- 5.2	70	13.4	10.1-16.7	366	61.9	57.2-66.6
Some Post-H.S.	476	392,876	45	9.9	6.8-13.0	37	8.3	5.6-11.0	14	3.7	1.3- 6.1	12	2.9	1.1- 4.7	52	11.9	8.4-15.4	316	63.3	58.2-68.4
College Graduate	739	354,949	61	8.6	6.2-11.0	32	5.3	3.3- 7.3	13	2.0	0.8- 3.2	11	1.7	0.5- 2.9	50	8.2	5.8-10.6	572	74.1	70.4-77.8
Less than \$15,000	69	49,839	7	13.7	2.3-25.1	3	6.2	0.0-13.3	4	5.8	0.0-11.9	1	1.7	0.0- 5.0	10	16.7	6.1-27.3	44	55.8	41.3-70.3
\$15,000- 24,999	171	113,899	24	13.1	7.6-18.6	12	7.7	3.0-12.4	4	2.7	0.0- 5.6	8	4.7	1.4- 8.0	25	20.6	12.4-28.8	98	51.3	42.5-60.1
\$25,000- 34,999	144	96,163	6	5.9	0.8-11.0	10	7.9	2.4-13.4	4	2.9	0.0- 5.8	7	3.8	0.9- 6.7	15	9.6	4.1-15.1	102	69.8	61.0-78.6
\$35,000- 49,999	228	153,294	25	10.8	6.1-15.5	22	15.2	8.3-22.1	8	3.9	1.0- 6.8	4	2.0	0.0- 4.0	18	8.8	3.9-13.7	151	59.3	51.3-67.3
\$50,000- 74,999	265	181,082	27	11.8	6.7-16.9	10	4.5	1.6- 7.4	8	3.7	1.0- 6.4	5	1.7	0.1- 3.3	32	15.5	9.4-21.6	183	62.8	55.5-70.1
\$75,000+	757	515,508	67	10.6	7.9-13.3	46	7.0	4.8- 9.2	16	2.7	1.1- 4.3	16	3.0	1.2- 4.8	76	12.6	9.7-15.5	536	64.1	60.0-68.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1784	1,063,470	137	9.1	7.5-10.7	80	5.7	4.3- 7.1	38	2.2	1.4- 3.0	33	2.3	1.3- 3.3	87	6.3	4.7- 7.9	1409	74.4	71.9-76.9
White/Non-Hisp	1481	859,221	117	9.7	7.9-11.5	60	4.7	3.3- 6.1	31	2.4	1.4- 3.4	27	2.2	1.2- 3.2	75	6.8	5.0- 8.6	1171	74.1	71.4-76.8
Black or Afr. Am./Non-Hisp	147	95,492	9	5.7	1.4-10.0	11	10.3	3.4-17.2	1	0.1	0.0- 0.3	2	2.7	0.0- 6.4	6	3.5	0.2- 6.8	118	77.8	69.2-86.4
Hispanic	77	66,773	7	8.8	1.2-16.4	4	10.8	0.0-21.6	2	2.1	0.0- 5.2	2	3.5	0.0- 8.6	5	6.8	0.0-15.4	57	68.0	54.1-81.9
18-24	105	132,196	20	14.8	8.1-21.5	9	8.6	2.7-14.5	4	3.4	0.1- 6.7	2	2.6	0.0- 6.1	11	12.5	4.7-20.3	59	58.1	47.7-68.5
25-34	214	211,188	42	16.2	11.1-21.3	12	7.1	2.6-11.6	5	2.4	0.2- 4.6	3	1.5	0.0- 3.3	14	6.8	3.1-10.5	138	66.0	58.9-73.1
35-44	254	188,276	21	7.9	4.4-11.4	16	7.2	3.7-10.7	7	2.0	0.2- 3.8	8	4.0	0.9- 7.1	11	4.4	1.7- 7.1	191	74.4	68.5-80.3
45-54	340	185,843	24	7.9	4.8-11.0	18	4.8	2.4- 7.2	8	2.3	0.5- 4.1	11	3.6	1.4- 5.8	24	8.4	4.9-11.9	255	72.9	67.6-78.2
55-64	350	165,857	17	4.3	2.1- 6.5	16	4.7	2.2- 7.2	8	2.3	0.5- 4.1	7	2.0	0.4- 3.6	17	5.3	2.8- 7.8	285	81.4	76.9-85.9
65+	521	180,110	13	3.3	1.3- 5.3	9	2.0	0.6- 3.4	6	1.3	0.1- 2.5	2	0.2	0.0- 0.6	10	2.0	0.6- 3.4	481	91.2	88.3-94.1
Less Than H.S.	61	65,539	3	3.3	0.0- 7.0	3	7.5	0.0-17.3	2	2.6	0.0- 6.3	3	6.0	0.0-13.3	11	20.9	8.4-33.4	39	59.7	44.8-74.6
H.S. or G.E.D.	409	241,810	24	6.5	3.6- 9.4	17	3.6	1.6- 5.6	9	2.1	0.5- 3.7	8	1.6	0.4- 2.8	27	7.5	4.6-10.4	324	78.7	74.0-83.4
Some Post-H.S.	504	366,722	39	9.6	6.5-12.7	29	7.3	4.4-10.2	9	2.1	0.5- 3.7	9	2.4	0.6- 4.2	27	6.1	3.2- 9.0	391	72.6	67.7-77.5
College Graduate	807	388,438	71	11.2	8.5-13.9	31	5.1	3.1- 7.1	17	2.4	1.2- 3.6	13	2.0	0.8- 3.2	22	3.4	1.8- 5.0	653	75.9	72.2-79.6
Less than \$15,000	77	55,243	8	10.5	3.1-17.9	2	1.0	0.0- 2.8	6	5.8	0.3-11.3	1	1.1	0.0- 3.3	6	7.8	1.5-14.1	54	73.8	62.8-84.8
\$15,000- 24,999	178	109,727	12	9.2	3.7-14.7	12	6.7	2.4-11.0	8	4.6	0.9- 8.3	3	2.4	0.0- 5.5	13	11.7	4.4-19.0	130	65.3	56.3-74.3
\$25,000- 34,999	129	74,469	10	10.0	3.7-16.3	10	9.1	3.0-15.2				1	0.5	0.0- 1.5	11	14.1	4.7-23.5	97	66.3	55.5-77.1
\$35,000- 49,999	234	132,986	23	13.2	7.3-19.1	6	2.5	0.3- 4.7	3	1.5	0.0- 3.7	7	3.5	0.6- 6.4	15	9.3	3.8-14.8	180	70.1	62.5-77.7
\$50,000- 74,999	304	187,682	20	7.7	4.2-11.2	18	9.0	4.5-13.5	6	2.1	0.3- 3.9	6	2.1	0.0- 4.3	16	6.3	3.0- 9.6	238	72.8	66.5-79.1
\$75,000+	588	350,093	50	9.0	6.5-11.5	25	4.9	2.7- 7.1	10	1.7	0.5- 2.9	12	3.0	1.0- 5.0	17	3.2	1.4- 5.0	474	78.2	74.3-82.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 11: ALCOHOL CONSUMPTION

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3578	2,257,488	1072	25.9	24.3-27.5	925	24.1	22.5-25.7	538	15.4	14.0-16.8	298	8.7	7.5- 9.9	745	25.9	24.1-27.7
Male	1830	1,224,734	406	19.3	17.3-21.3	401	19.7	17.7-21.7	338	18.5	16.3-20.7	155	8.3	6.7- 9.9	530	34.1	31.4-36.8
Female	1748	1,032,754	666	33.8	31.1-36.5	524	29.3	26.8-31.8	200	11.6	9.8-13.4	143	9.2	7.4-11.0	215	16.1	13.7-18.5
White/Non-Hisp	2973	1,828,542	896	25.9	24.1-27.7	766	24.0	22.2-25.8	457	15.3	13.7-16.9	239	8.8	7.6-10.0	615	26.0	24.0-28.0
Black or Afr. Am./Non-Hisp	272	198,019	89	29.5	23.0-36.0	80	27.5	21.2-33.8	36	16.2	10.7-21.7	24	8.4	4.3-12.5	43	18.5	12.4-24.6
Oth. Race/Non-Hisp.	72	50,792	25	27.8	15.8-39.8	18	26.2	13.1-39.3	11	17.5	5.0-30.0	7	7.9	1.0-14.8	11	20.7	6.4-35.0
MultiRacial/Non-Hisp.	58	26,967	15	23.6	10.1-37.1	10	19.4	6.9-31.9	6	8.6	1.2-16.0	7	7.2	0.7-13.7	20	41.1	24.6-57.6
Hispanic	144	116,100	31	21.6	13.8-29.4	36	21.1	13.1-29.1	20	15.2	8.1-22.3	16	10.3	4.8-15.8	41	31.9	22.5-41.3
18-24	219	268,141	35	16.3	10.8-21.8	37	16.3	11.0-21.6	33	16.8	11.1-22.5	25	10.7	6.4-15.0	89	40.0	32.7-47.3
25-34	444	448,142	81	19.3	15.2-23.4	99	21.5	17.4-25.6	60	13.5	10.0-17.0	52	11.0	7.9-14.1	152	34.8	29.7-39.9
35-44	519	410,065	116	21.6	17.9-25.3	145	26.6	22.5-30.7	73	13.9	10.6-17.2	38	7.6	5.1-10.1	147	30.3	25.8-34.8
45-54	669	387,910	182	26.0	22.3-29.7	158	22.5	19.0-26.0	112	17.6	14.3-20.9	66	9.9	7.4-12.4	151	24.0	20.3-27.7
55-64	736	373,124	230	31.5	27.8-35.2	198	26.5	23.0-30.0	122	16.9	13.8-20.0	56	6.4	4.6- 8.2	130	18.7	15.6-21.8
65+	991	370,106	428	40.1	36.6-43.6	288	29.3	26.0-32.6	138	14.3	11.8-16.8	61	6.9	4.9- 8.9	76	9.3	7.1-11.5
Less Than H.S.	148	161,977	21	12.4	6.3-18.5	29	16.7	10.0-23.4	27	16.9	10.2-23.6	10	4.7	1.6- 7.8	61	49.2	39.8-58.6
H.S. or G.E.D.	944	623,428	271	26.6	23.3-29.9	214	21.2	18.3-24.1	146	16.5	13.6-19.4	74	7.6	5.6- 9.6	239	28.1	24.6-31.6
Some Post-H.S.	949	737,449	273	25.5	22.4-28.6	265	25.8	22.7-28.9	123	13.6	11.1-16.1	84	9.2	7.0-11.4	204	26.0	22.7-29.3
College Graduate	1532	732,946	506	28.9	26.4-31.4	415	26.4	23.9-28.9	241	15.9	13.7-18.1	130	10.1	8.1-12.1	240	18.8	16.4-21.2
Less than \$15,000	137	97,182	27	19.7	11.3-28.1	45	30.0	20.8-39.2	21	18.6	10.0-27.2	7	4.0	0.9- 7.1	37	27.8	18.8-36.8
\$15,000- 24,999	334	209,807	90	22.2	17.1-27.3	85	24.6	19.1-30.1	38	11.6	7.3-15.9	32	9.2	5.3-13.1	89	32.4	26.1-38.7
\$25,000- 34,999	266	163,938	75	25.4	19.1-31.7	65	23.4	17.5-29.3	49	17.4	12.1-22.7	18	7.2	3.5-10.9	59	26.5	19.8-33.2
\$35,000- 49,999	457	280,434	131	23.6	19.1-28.1	114	22.7	18.4-27.0	65	13.9	10.2-17.6	40	9.2	5.9-12.5	107	30.6	25.1-36.1
\$50,000- 74,999	559	362,314	191	27.9	23.8-32.0	136	24.8	20.5-29.1	75	14.0	10.7-17.3	41	7.9	5.2-10.6	116	25.4	20.9-29.9
\$75,000+	1327	848,130	358	24.2	21.7-26.7	353	24.4	21.9-26.9	233	17.3	14.9-19.7	122	9.3	7.5-11.1	261	24.7	21.8-27.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	1,224,734	406	19.3	17.3-21.3	401	19.7	17.7-21.7	338	18.5	16.3-20.7	155	8.3	6.7- 9.9	530	34.1	31.4-36.8
White/Non-Hisp	1515	983,520	345	19.9	17.7-22.1	342	20.4	18.0-22.8	278	17.7	15.5-19.9	122	8.6	6.8-10.4	428	33.4	30.5-36.3
Black or Afr. Am./Non-Hisp	132	110,068	28	20.5	12.3-28.7	29	19.6	12.3-26.9	28	24.3	15.3-33.3	12	5.8	1.9- 9.7	35	29.9	20.3-39.5
Hispanic	72	56,570	8	12.3	3.3-21.3	13	14.3	5.7-22.9	12	19.8	8.6-31.0	10	11.0	3.6-18.4	29	42.7	29.6-55.8
18-24	116	138,477	17	15.0	7.9-22.1	11	8.3	2.8-13.8	20	20.0	11.6-28.4	11	8.7	3.4-14.0	57	48.0	38.0-58.0
25-34	243	252,343	31	12.4	7.9-16.9	41	16.7	11.6-21.8	37	15.8	10.9-20.7	29	10.7	6.6-14.8	105	44.3	37.2-51.4
35-44	269	225,774	44	16.0	11.3-20.7	58	19.5	14.6-24.4	43	15.6	10.9-20.3	17	6.7	3.6- 9.8	107	42.2	35.5-48.9
45-54	335	207,242	67	20.0	15.3-24.7	70	20.2	15.5-24.9	65	20.3	15.4-25.2	33	9.7	6.2-13.2	100	29.8	24.3-35.3
55-64	387	207,308	90	23.6	18.9-28.3	89	23.4	18.7-28.1	82	22.1	17.4-26.8	30	6.1	3.7- 8.5	96	24.8	20.1-29.5
65+	480	193,591	157	30.0	25.3-34.7	132	27.4	22.9-31.9	91	18.9	14.8-23.0	35	7.6	4.9-10.3	65	16.1	12.2-20.0
Less Than H.S.	91	104,713	10	8.9	3.2-14.6	9	8.3	2.4-14.2	20	20.1	11.3-28.9	5	3.8	0.1- 7.5	47	58.8	47.6-70.0
H.S. or G.E.D.	546	391,084	108	19.4	15.7-23.1	111	18.6	15.1-22.1	99	18.7	14.8-22.6	42	7.4	4.9- 9.9	186	36.0	31.3-40.7
Some Post-H.S.	457	376,745	96	18.9	15.0-22.8	100	20.7	16.6-24.8	75	16.7	12.8-20.6	45	9.4	6.5-12.3	141	34.3	29.2-39.4
College Graduate	734	351,465	192	22.9	19.6-26.2	180	23.1	19.8-26.4	143	19.9	16.6-23.2	63	9.5	7.0-12.0	156	24.6	21.1-28.1
Less than \$15,000	62	44,282	9	13.9	3.1-24.7	17	22.0	10.2-33.8	12	24.9	11.0-38.8	4	5.8	0.0-11.7	20	33.3	18.8-47.8
\$15,000- 24,999	164	106,680	33	16.4	9.9-22.9	30	16.3	10.0-22.6	24	17.7	10.3-25.1	16	7.9	2.8-13.0	61	41.6	32.4-50.8
\$25,000- 34,999	139	93,121	25	18.4	10.6-26.2	31	22.6	14.6-30.6	36	23.0	15.4-30.6	7	4.9	0.8- 9.0	40	31.1	22.1-40.1
\$35,000- 49,999	224	148,805	51	20.3	14.6-26.0	41	14.0	9.3-18.7	36	16.6	10.7-22.5	22	9.5	4.8-14.2	74	39.5	31.5-47.5
\$50,000- 74,999	263	178,802	63	18.9	13.8-24.0	61	24.5	18.0-31.0	44	16.4	11.3-21.5	18	5.9	2.6- 9.2	77	34.2	27.1-41.3
\$75,000+	743	498,948	154	18.6	15.5-21.7	171	20.3	17.2-23.4	148	18.9	15.6-22.2	66	8.9	6.5-11.3	204	33.3	29.2-37.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1748	1,032,754	666	33.8	31.1-36.5	524	29.3	26.8-31.8	200	11.6	9.8-13.4	143	9.2	7.4-11.0	215	16.1	13.7-18.5
White/Non-Hisp	1458	845,022	551	32.9	30.0-35.8	424	28.2	25.5-30.9	179	12.6	10.4-14.8	117	9.0	7.2-10.8	187	17.3	14.8-19.8
Black or Afr. Am./Non-Hisp	140	87,952	61	40.8	30.6-51.0	51	37.5	27.3-47.7	8	6.0	1.5-10.5	12	11.6	4.2-19.0	8	4.1	0.6- 7.6
Hispanic	72	59,529	23	30.4	17.9-42.9	23	27.5	14.8-40.2	8	10.8	2.6-19.0	6	9.6	1.8-17.4	12	21.7	8.6-34.8
18-24	103	129,664	18	17.6	9.0-26.2	26	24.9	15.7-34.1	13	13.4	6.1-20.7	14	12.8	5.7-19.9	32	31.4	21.4-41.4
25-34	201	195,799	50	28.2	21.1-35.3	58	27.6	20.9-34.3	23	10.4	5.7-15.1	23	11.3	6.6-16.0	47	22.5	16.0-29.0
35-44	250	184,292	72	28.5	22.4-34.6	87	35.3	28.6-42.0	30	11.8	7.5-16.1	21	8.7	4.8-12.6	40	15.7	10.8-20.6
45-54	334	180,668	115	32.9	27.4-38.4	88	25.1	20.0-30.2	47	14.6	10.3-18.9	33	10.3	6.8-13.8	51	17.2	12.5-21.9
55-64	349	165,817	140	41.4	35.5-47.3	109	30.5	25.0-36.0	40	10.4	6.9-13.9	26	6.7	4.0- 9.4	34	11.0	7.3-14.7
65+	511	176,515	271	51.1	45.8-56.4	156	31.3	26.4-36.2	47	9.3	6.4-12.2	26	6.3	3.8- 8.8	11	1.9	0.5- 3.3
Less Than H.S.	57	57,264	11	18.8	5.7-31.9	20	32.0	17.5-46.5	7	11.1	2.1-20.1	5	6.4	0.7-12.1	14	31.7	16.8-46.6
H.S. or G.E.D.	398	232,344	163	38.7	33.0-44.4	103	25.7	20.6-30.8	47	12.8	8.7-16.9	32	8.0	4.9-11.1	53	14.8	10.7-18.9
Some Post-H.S.	492	360,704	177	32.3	27.6-37.0	165	31.0	26.3-35.7	48	10.4	7.1-13.7	39	9.0	5.9-12.1	63	17.3	12.8-21.8
College Graduate	798	381,480	314	34.4	30.7-38.1	235	29.4	25.7-33.1	98	12.1	9.6-14.6	67	10.6	7.9-13.3	84	13.5	10.6-16.4
Less than \$15,000	75	52,901	18	24.5	12.2-36.8	28	36.7	23.4-50.0	9	13.3	2.9-23.7	3	2.4	0.0- 5.3	17	23.1	12.3-33.9
\$15,000- 24,999	170	103,128	57	28.2	20.2-36.2	55	33.1	24.5-41.7	14	5.3	2.2- 8.4	16	10.4	4.5-16.3	28	22.9	14.3-31.5
\$25,000- 34,999	127	70,817	50	34.7	24.7-44.7	34	24.3	15.5-33.1	13	10.1	3.4-16.8	11	10.3	3.8-16.8	19	20.5	10.5-30.5
\$35,000- 49,999	233	131,629	80	27.4	20.7-34.1	73	32.5	25.2-39.8	29	10.8	6.5-15.1	18	8.9	4.2-13.6	33	20.5	13.2-27.8
\$50,000- 74,999	296	183,512	128	36.6	30.3-42.9	75	25.1	19.4-30.8	31	11.6	7.1-16.1	23	9.8	5.3-14.3	39	16.9	11.4-22.4
\$75,000+	584	349,182	204	32.2	27.9-36.5	182	30.3	26.0-34.6	85	15.0	11.5-18.5	56	10.0	7.3-12.7	57	12.5	9.0-16.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 12: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1	MALES AND FEMALES	187
2	MALES ONLY	188
3	FEMALES ONLY	189
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4	MALES AND FEMALES	190
5	MALES ONLY	191
6	FEMALES ONLY	192
	HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
7	MALES AND FEMALES	193
8	MALES ONLY	194
9	FEMALES ONLY	195
	HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10	MALES AND FEMALES	196
11	MALES ONLY	197
12	FEMALES ONLY	198

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7854	4,797,606	4076	46.0	44.6-47.4	3778	54.0	52.6-55.4
Male	3547	2,331,440	1661	41.2	39.2-43.2	1886	58.8	56.8-60.8
Female	4307	2,466,166	2415	50.6	48.6-52.6	1892	49.4	47.4-51.4
White/Non-Hisp	6407	3,815,764	3456	47.7	46.1-49.3	2951	52.3	50.7-53.9
Black or Afr. Am./Non-Hisp	654	412,596	272	35.5	30.8-40.2	382	64.5	59.8-69.2
Oth. Race/Non-Hisp.	196	144,673	85	44.5	35.1-53.9	111	55.5	46.1-64.9
MultiRacial/Non-Hisp.	117	47,935	53	44.6	33.2-56.0	64	55.4	44.0-66.8
Hispanic	334	290,277	141	42.3	35.8-48.8	193	57.7	51.2-64.2
18-24	459	632,340	165	36.1	31.2-41.0	294	63.9	59.0-68.8
25-34	759	787,672	288	35.8	32.1-39.5	471	64.2	60.5-67.9
35-44	938	748,410	352	35.4	32.1-38.7	586	64.6	61.3-67.9
45-54	1291	760,741	556	40.5	37.6-43.4	735	59.5	56.6-62.4
55-64	1599	809,487	821	50.3	47.6-53.0	778	49.7	47.0-52.4
65+	2808	1,058,956	1894	67.8	65.8-69.8	914	32.2	30.2-34.2
Less Than H.S.	547	551,201	217	35.1	30.6-39.6	330	64.9	60.4-69.4
H.S. or G.E.D.	2533	1,599,591	1199	43.0	40.6-45.4	1334	57.0	54.6-59.4
Some Post-H.S.	2065	1,463,462	1045	45.4	42.9-47.9	1020	54.6	52.1-57.1
College Graduate	2688	1,172,238	1604	56.1	53.9-58.3	1084	43.9	41.7-46.1
Less than \$15,000	520	329,850	249	43.6	38.3-48.9	271	56.4	51.1-61.7
\$15,000- 24,999	1010	625,284	476	41.4	37.7-45.1	534	58.6	54.9-62.3
\$25,000- 34,999	692	396,301	335	42.7	38.2-47.2	357	57.3	52.8-61.8
\$35,000- 49,999	963	574,890	525	47.3	43.4-51.2	438	52.7	48.8-56.6
\$50,000- 74,999	1067	667,794	554	44.2	40.7-47.7	513	55.8	52.3-59.3
\$75,000+	2066	1,313,580	1133	50.2	47.7-52.7	933	49.8	47.3-52.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3547	2,331,440	1661	41.2	39.2-43.2	1886	58.8	56.8-60.8
White/Non-Hisp	2891	1,842,075	1422	42.6	40.4-44.8	1469	57.4	55.2-59.6
Black or Afr. Am./Non-Hisp	255	191,778	84	33.5	26.4-40.6	171	66.5	59.4-73.6
Oth. Race/Non-Hisp.	101	79,677	40	41.9	29.0-54.8	61	58.1	45.2-71.0
MultiRacial/Non-Hisp.	54	25,058	18	35.4	19.1-51.7	36	64.6	48.3-80.9
Hispanic	164	139,653	60	36.0	27.6-44.4	104	64.0	55.6-72.4
18-24	250	320,871	76	31.1	24.8-37.4	174	68.9	62.6-75.2
25-34	380	399,469	124	31.2	26.1-36.3	256	68.8	63.7-73.9
35-44	442	372,213	136	28.6	24.1-33.1	306	71.4	66.9-75.9
45-54	589	374,090	225	37.3	33.0-41.6	364	62.7	58.4-67.0
55-64	743	397,205	335	45.2	41.3-49.1	408	54.8	50.9-58.7
65+	1143	467,593	765	66.5	63.4-69.6	378	33.5	30.4-36.6
Less Than H.S.	255	267,928	80	26.5	20.8-32.2	175	73.5	67.8-79.2
H.S. or G.E.D.	1185	828,241	503	39.3	36.2-42.4	682	60.7	57.6-63.8
Some Post-H.S.	912	699,688	414	40.9	37.2-44.6	498	59.1	55.4-62.8
College Graduate	1188	533,065	661	52.0	48.7-55.3	527	48.0	44.7-51.3
Less than \$15,000	194	130,078	89	42.4	34.0-50.8	105	57.6	49.2-66.0
\$15,000- 24,999	413	273,682	177	40.2	34.5-45.9	236	59.8	54.1-65.5
\$25,000- 34,999	294	183,058	124	37.3	31.0-43.6	170	62.7	56.4-69.0
\$35,000- 49,999	448	280,609	214	40.0	34.7-45.3	234	60.0	54.7-65.3
\$50,000- 74,999	503	338,838	234	39.5	34.6-44.4	269	60.5	55.6-65.4
\$75,000+	1113	742,144	553	43.6	40.3-46.9	560	56.4	53.1-59.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4307	2,466,166	2415	50.6	48.6-52.6	1892	49.4	47.4-51.4
White/Non-Hisp	3516	1,973,689	2034	52.5	50.3-54.7	1482	47.5	45.3-49.7
Black or Afr. Am./Non-Hisp	399	220,817	188	37.3	31.0-43.6	211	62.7	56.4-69.0
Oth. Race/Non-Hisp.	95	64,996	45	47.7	34.2-61.2	50	52.3	38.8-65.8
MultiRacial/Non-Hisp.	63	22,877	35	54.6	39.5-69.7	28	45.4	30.3-60.5
Hispanic	170	150,624	81	48.1	38.9-57.3	89	51.9	42.7-61.1
18-24	209	311,469	89	41.3	33.9-48.7	120	58.7	51.3-66.1
25-34	379	388,203	164	40.6	35.1-46.1	215	59.4	53.9-64.9
35-44	496	376,198	216	42.2	37.5-46.9	280	57.8	53.1-62.5
45-54	702	386,651	331	43.5	39.4-47.6	371	56.5	52.4-60.6
55-64	856	412,282	486	55.3	51.4-59.2	370	44.7	40.8-48.6
65+	1665	591,362	1129	68.7	66.0-71.4	536	31.3	28.6-34.0
Less Than H.S.	292	283,273	137	43.3	36.4-50.2	155	56.7	49.8-63.6
H.S. or G.E.D.	1348	771,351	696	46.9	43.6-50.2	652	53.1	49.8-56.4
Some Post-H.S.	1153	763,774	631	49.6	46.1-53.1	522	50.4	46.9-53.9
College Graduate	1500	639,173	943	59.5	56.6-62.4	557	40.5	37.6-43.4
Less than \$15,000	326	199,771	160	44.3	37.6-51.0	166	55.7	49.0-62.4
\$15,000- 24,999	597	351,602	299	42.3	37.2-47.4	298	57.7	52.6-62.8
\$25,000- 34,999	398	213,243	211	47.4	41.3-53.5	187	52.6	46.5-58.7
\$35,000- 49,999	515	294,281	311	54.2	48.7-59.7	204	45.8	40.3-51.3
\$50,000- 74,999	564	328,956	320	48.9	44.0-53.8	244	51.1	46.2-56.0
\$75,000+	953	571,435	580	58.8	55.1-62.5	373	41.2	37.5-44.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2519	1,358,042	29	1.7	0.9- 2.5	77	3.6	2.6- 4.6	2413	94.7	93.5-95.9
Male	1007	571,743	18	2.2	1.0- 3.4	33	4.0	2.4- 5.6	956	93.7	91.7-95.7
Female	1512	786,299	11	1.3	0.3- 2.3	44	3.3	1.9- 4.7	1457	95.4	93.8-97.0
White/Non-Hisp	2209	1,162,387	23	1.7	0.9- 2.5	59	3.1	2.1- 4.1	2127	95.2	93.8-96.6
Black or Afr. Am./Non-Hisp	138	77,228	4	4.2	0.0- 9.9	6	4.8	0.0-11.1	128	91.0	83.0-99.0
Hispanic	72	64,238	1	0.4	0.0- 1.2	3	4.7	0.0-10.0	68	94.9	89.4- 100
18-24	95	136,729	4	5.8	0.1-11.5	7	8.8	2.1-15.5	84	85.4	77.2-93.6
25-34	177	169,670	3	1.7	0.0- 3.7	7	3.9	0.8- 7.0	167	94.4	90.9-97.9
35-44	220	167,312	2	1.6	0.0- 3.8	11	5.7	2.2- 9.2	207	92.7	88.6-96.8
45-54	362	199,627	4	1.3	0.0- 2.7	8	2.0	0.4- 3.6	350	96.7	94.7-98.7
55-64	515	256,940	5	1.4	0.0- 2.8	19	3.1	1.3- 4.9	491	95.5	93.3-97.7
65+	1150	427,763	11	0.8	0.2- 1.4	25	1.9	1.1- 2.7	1114	97.2	96.2-98.2
Less Than H.S.	117	107,063	5	4.5	0.4- 8.6	5	2.9	0.0- 6.2	107	92.6	87.5-97.7
H.S. or G.E.D.	704	397,359	13	2.2	0.6- 3.8	29	5.6	3.1- 8.1	662	92.2	89.3-95.1
Some Post-H.S.	654	418,659	6	1.7	0.1- 3.3	15	2.4	0.8- 4.0	633	95.9	93.5-98.3
College Graduate	1039	431,604	5	0.5	0.0- 1.1	27	2.7	1.5- 3.9	1007	96.8	95.4-98.2
Less than \$15,000	145	80,350	3	5.6	0.0-12.1	12	7.7	2.4-13.0	130	86.7	78.9-94.5
\$15,000- 24,999	281	152,563	10	4.3	1.2- 7.4	15	5.4	2.3- 8.5	256	90.3	85.8-94.8
\$25,000- 34,999	196	96,542	3	1.3	0.0- 2.9	4	2.8	0.0- 5.9	189	95.9	92.4-99.4
\$35,000- 49,999	328	169,130	5	0.7	0.0- 1.5	10	3.3	0.6- 6.0	313	96.0	93.3-98.7
\$50,000- 74,999	360	192,831	2	0.7	0.0- 1.7	6	1.8	0.2- 3.4	352	97.6	95.8-99.4
\$75,000+	759	445,156	5	1.3	0.0- 2.7	20	4.0	1.8- 6.2	734	94.7	92.2-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1007	571,743	18	2.2	1.0- 3.4	33	4.0	2.4- 5.6	956	93.7	91.7-95.7
White/Non-Hisp	890	492,092	14	2.3	0.9- 3.7	27	3.6	1.8- 5.4	849	94.0	91.8-96.2
25-34	69	68,679	2	2.1	0.0- 5.2	3	4.3	0.0- 9.4	64	93.6	87.7-99.5
35-44	80	62,976				5	7.4	0.5-14.3	75	92.6	85.7-99.5
45-54	142	86,533	3	2.0	0.0- 4.5	2	1.0	0.0- 2.6	137	97.0	94.1-99.9
55-64	204	106,479	4	2.9	0.0- 5.8	8	4.7	1.2- 8.2	192	92.4	87.9-96.9
65+	472	194,241	7	1.6	0.2- 3.0	11	2.0	0.6- 3.4	454	96.5	94.5-98.5
H.S. or G.E.D.	290	181,568	8	2.5	0.5- 4.5	13	6.7	2.6-10.8	269	90.7	86.2-95.2
Some Post-H.S.	245	167,869	2	1.9	0.0- 4.6	6	2.3	0.5- 4.1	237	95.8	92.5-99.1
College Graduate	422	180,855	5	1.3	0.0- 2.7	13	2.9	0.9- 4.9	404	95.8	93.4-98.2
Less than \$15,000	54	29,556	2	7.8	0.0-18.0	5	12.0	0.2-23.8	47	80.3	65.8-94.8
\$15,000- 24,999	95	57,253	5	4.8	0.0- 9.7	2	1.5	0.0- 3.7	88	93.7	88.4-99.0
\$25,000- 34,999	72	36,978	2	2.4	0.0- 5.7	2	5.0	0.0-12.1	68	92.6	85.0- 100
\$35,000- 49,999	131	69,317	3	1.4	0.0- 3.4	5	5.8	0.0-11.9	123	92.8	86.5-99.1
\$50,000- 74,999	143	84,101	2	1.6	0.0- 3.8	3	2.4	0.0- 5.1	138	96.1	92.6-99.6
\$75,000+	359	211,884	3	1.1	0.0- 2.5	11	4.0	1.1- 6.9	345	94.9	91.8-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1512	786,299	11	1.3	0.3- 2.3	44	3.3	1.9- 4.7	1457	95.4	93.8-97.0
White/Non-Hisp	1319	670,295	9	1.1	0.1- 2.1	32	2.7	1.5- 3.9	1278	96.1	94.5-97.7
Black or Afr. Am./Non-Hisp	93	46,871	2	5.5	0.0-14.5	6	7.9	0.0-17.9	85	86.6	73.9-99.3
18-24	55	83,894	2	5.3	0.0-12.4	3	7.7	0.0-16.3	50	87.0	76.4-97.6
25-34	108	100,991	1	1.4	0.0- 4.1	4	3.7	0.0- 7.4	103	94.9	90.4-99.4
35-44	140	104,336	2	2.5	0.0- 6.0	6	4.7	0.6- 8.8	132	92.7	87.4-98.0
45-54	220	113,094	1	0.8	0.0- 2.4	6	2.7	0.3- 5.1	213	96.5	93.8-99.2
55-64	311	150,462	1	0.2	0.0- 0.6	11	2.0	0.6- 3.4	299	97.8	96.4-99.2
65+	678	233,522	4	0.2	0.0- 0.4	14	1.9	0.7- 3.1	660	97.9	96.7-99.1
Less Than H.S.	70	66,880	2	3.2	0.0- 7.7	4	2.2	0.0- 4.7	64	94.6	89.5-99.7
H.S. or G.E.D.	414	215,791	5	2.0	0.0- 4.4	16	4.6	1.7- 7.5	393	93.4	89.7-97.1
Some Post-H.S.	409	250,790	4	1.5	0.0- 3.5	9	2.5	0.1- 4.9	396	95.9	92.8-99.0
College Graduate	617	250,749				14	2.5	0.9- 4.1	603	97.5	95.9-99.1
Less than \$15,000	91	50,794	1	4.3	0.0-12.5	7	5.2	0.5- 9.9	83	90.4	81.4-99.4
\$15,000- 24,999	186	95,309	5	4.1	0.0- 8.2	13	7.7	2.8-12.6	168	88.3	82.0-94.6
\$25,000- 34,999	124	59,564	1	0.6	0.0- 1.8	2	1.4	0.0- 3.9	121	98.0	95.1- 100
\$35,000- 49,999	197	99,813	2	0.2	0.0- 0.6	5	1.6	0.0- 3.2	190	98.2	96.6-99.8
\$50,000- 74,999	217	108,730				3	1.3	0.0- 2.9	214	98.7	97.1- 100
\$75,000+	400	233,272	2	1.5	0.0- 3.7	9	3.9	0.6- 7.2	389	94.5	90.6-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

**TABLE 7. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4878	2,187,223	1573	29.2	27.8-30.6	3305	70.8	69.4-72.2
Male	2099	1,020,115	660	28.1	25.9-30.3	1439	71.9	69.7-74.1
Female	2779	1,167,108	913	30.2	28.2-32.2	1866	69.8	67.8-71.8
White/Non-Hisp	4159	1,881,778	1424	31.0	29.4-32.6	2735	69.0	67.4-70.6
Black or Afr. Am./Non-Hisp	392	161,603	71	17.1	12.4-21.8	321	82.9	78.2-87.6
Oth. Race/Non-Hisp.	92	36,961	30	28.8	17.4-40.2	62	71.2	59.8-82.6
MultiRacial/Non-Hisp.	62	17,129	12	17.3	5.7-28.9	50	82.7	71.1-94.3
Hispanic	94	51,498	15	12.7	5.3-20.1	79	87.3	79.9-94.7
45-54	589	361,759	65	9.9	7.4-12.4	524	90.1	87.6-92.6
55-64	1570	795,200	325	20.0	17.8-22.2	1245	80.0	77.8-82.2
65+	2719	1,030,264	1183	43.1	40.9-45.3	1536	56.9	54.7-59.1
Less Than H.S.	336	254,978	64	19.1	14.4-23.8	272	80.9	76.2-85.6
H.S. or G.E.D.	1665	770,416	479	27.0	24.6-29.4	1186	73.0	70.6-75.4
Some Post-H.S.	1253	632,564	382	28.5	25.8-31.2	871	71.5	68.8-74.2
College Graduate	1615	524,792	647	38.2	35.5-40.9	968	61.8	59.1-64.5
Less than \$15,000	314	150,538	64	18.6	13.5-23.7	250	81.4	76.3-86.5
\$15,000- 24,999	661	303,566	158	22.1	18.4-25.8	503	77.9	74.2-81.6
\$25,000- 34,999	465	202,262	145	29.9	25.0-34.8	320	70.1	65.2-75.0
\$35,000- 49,999	621	276,083	220	33.5	29.2-37.8	401	66.5	62.2-70.8
\$50,000- 74,999	641	294,215	230	31.4	27.3-35.5	411	68.6	64.5-72.7
\$75,000+	1141	531,956	399	31.1	28.2-34.0	742	68.9	66.0-71.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 8: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2099	1,020,115	660	28.1	25.9-30.3	1439	71.9	69.7-74.1
White/Non-Hisp	1795	871,984	591	29.3	26.9-31.7	1204	70.7	68.3-73.1
Black or Afr. Am./Non-Hisp	144	75,941	18	13.7	6.8-20.6	126	86.3	79.4-93.2
45-54	270	179,802	31	10.2	6.3-14.1	239	89.8	85.9-93.7
55-64	724	386,663	146	18.8	15.7-21.9	578	81.2	78.1-84.3
65+	1105	453,650	483	43.0	39.7-46.3	622	57.0	53.7-60.3
Less Than H.S.	150	125,126	25	15.2	9.1-21.3	125	84.8	78.7-90.9
H.S. or G.E.D.	693	352,819	187	26.1	22.6-29.6	506	73.9	70.4-77.4
Some Post-H.S.	530	290,152	152	26.6	22.5-30.7	378	73.4	69.3-77.5
College Graduate	722	250,632	296	39.1	35.2-43.0	426	60.9	57.0-64.8
Less than \$15,000	116	60,895	21	17.4	9.4-25.4	95	82.6	74.6-90.6
\$15,000- 24,999	266	135,919	63	20.6	15.1-26.1	203	79.4	73.9-84.9
\$25,000- 34,999	186	89,170	45	22.5	15.8-29.2	141	77.5	70.8-84.2
\$35,000- 49,999	284	134,980	93	32.8	26.5-39.1	191	67.2	60.9-73.5
\$50,000- 74,999	304	146,833	107	30.7	25.0-36.4	197	69.3	63.6-75.0
\$75,000+	610	292,772	226	31.8	27.7-35.9	384	68.2	64.1-72.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 9: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2779	1,167,108	913	30.2	28.2-32.2	1866	69.8	67.8-71.8
White/Non-Hisp	2364	1,009,795	833	32.4	30.2-34.6	1531	67.6	65.4-69.8
Black or Afr. Am./Non-Hisp	248	85,663	53	20.2	13.7-26.7	195	79.8	73.3-86.3
45-54	319	181,958	34	9.6	6.3-12.9	285	90.4	87.1-93.7
55-64	846	408,537	179	21.0	17.9-24.1	667	79.0	75.9-82.1
65+	1614	576,614	700	43.2	40.3-46.1	914	56.8	53.9-59.7
Less Than H.S.	186	129,852	39	22.8	15.9-29.7	147	77.2	70.3-84.1
H.S. or G.E.D.	972	417,597	292	27.9	24.8-31.0	680	72.1	69.0-75.2
Some Post-H.S.	723	342,412	230	30.2	26.3-34.1	493	69.8	65.9-73.7
College Graduate	893	274,160	351	37.4	33.7-41.1	542	62.6	58.9-66.3
Less than \$15,000	198	89,643	43	19.3	12.8-25.8	155	80.7	74.2-87.2
\$15,000- 24,999	395	167,647	95	23.3	18.0-28.6	300	76.7	71.4-82.0
\$25,000- 34,999	279	113,092	100	35.7	29.0-42.4	179	64.3	57.6-71.0
\$35,000- 49,999	337	141,103	127	34.2	28.3-40.1	210	65.8	59.9-71.7
\$50,000- 74,999	337	147,382	123	32.1	26.4-37.8	214	67.9	62.2-73.6
\$75,000+	531	239,184	173	30.1	25.8-34.4	358	69.9	65.6-74.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7234	4,322,502	3034	34.3	32.9-35.7	4200	65.7	64.3-67.1
Male	3197	2,057,601	1183	30.4	28.6-32.2	2014	69.6	67.8-71.4
Female	4037	2,264,901	1851	37.9	36.1-39.7	2186	62.1	60.3-63.9
White/Non-Hisp	5912	3,439,129	2600	36.7	35.3-38.1	3312	63.3	61.9-64.7
Black or Afr. Am./Non-Hisp	612	382,098	226	28.6	24.1-33.1	386	71.4	66.9-75.9
Oth. Race/Non-Hisp.	177	126,783	65	31.3	22.1-40.5	112	68.7	59.5-77.9
MultiRacial/Non-Hisp.	104	39,155	34	28.9	18.3-39.5	70	71.1	60.5-81.7
Hispanic	299	256,698	58	15.4	10.7-20.1	241	84.6	79.9-89.3
18-24	361	508,894	119	32.2	26.9-37.5	242	67.8	62.5-73.1
25-34	601	636,373	101	15.0	11.9-18.1	500	85.0	81.9-88.1
35-44	832	667,309	119	14.3	11.8-16.8	713	85.7	83.2-88.2
45-54	1195	707,906	234	19.9	17.4-22.4	961	80.1	77.6-82.6
55-64	1532	777,804	475	30.8	28.1-33.5	1057	69.2	66.5-71.9
65+	2713	1,024,217	1986	73.1	71.1-75.1	727	26.9	24.9-28.9
Less Than H.S.	516	513,599	183	29.2	24.9-33.5	333	70.8	66.5-75.1
H.S. or G.E.D.	2367	1,457,463	1064	36.9	34.5-39.3	1303	63.1	60.7-65.5
Some Post-H.S.	1905	1,311,283	834	35.9	33.4-38.4	1071	64.1	61.6-66.6
College Graduate	2427	1,029,358	946	31.2	29.0-33.4	1481	68.8	66.6-71.0
Less than \$15,000	486	305,185	204	33.8	28.9-38.7	282	66.2	61.3-71.1
\$15,000- 24,999	969	592,086	453	39.2	35.5-42.9	516	60.8	57.1-64.5
\$25,000- 34,999	658	372,892	303	37.1	32.8-41.4	355	62.9	58.6-67.2
\$35,000- 49,999	891	522,928	418	38.4	34.7-42.1	473	61.6	57.9-65.3
\$50,000- 74,999	990	611,232	388	31.8	28.5-35.1	602	68.2	64.9-71.5
\$75,000+	1862	1,158,875	583	27.0	24.6-29.4	1279	73.0	70.6-75.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3197	2,057,601	1183	30.4	28.6-32.2	2014	69.6	67.8-71.4
White/Non-Hisp	2606	1,618,178	1008	32.1	30.1-34.1	1598	67.9	65.9-69.9
Black or Afr. Am./Non-Hisp	238	180,864	73	26.5	20.0-33.0	165	73.5	67.0-80.0
Oth. Race/Non-Hisp.	94	71,568	33	26.9	14.7-39.1	61	73.1	60.9-85.3
Hispanic	144	121,369	30	17.0	10.3-23.7	114	83.0	76.3-89.7
18-24	185	244,546	53	29.1	22.0-36.2	132	70.9	63.8-78.0
25-34	302	325,480	43	12.2	8.1-16.3	259	87.8	83.7-91.9
35-44	385	325,318	57	14.6	10.7-18.5	328	85.4	81.5-89.3
45-54	529	337,064	87	16.8	13.3-20.3	442	83.2	79.7-86.7
55-64	697	373,794	183	26.0	22.3-29.7	514	74.0	70.3-77.7
65+	1099	451,399	760	69.3	66.2-72.4	339	30.7	27.6-33.8
Less Than H.S.	235	247,243	67	23.4	17.7-29.1	168	76.6	70.9-82.3
H.S. or G.E.D.	1082	738,903	399	31.1	28.0-34.2	683	68.9	65.8-72.0
Some Post-H.S.	826	609,897	316	31.7	28.2-35.2	510	68.3	64.8-71.8
College Graduate	1047	459,040	399	31.4	28.3-34.5	648	68.6	65.5-71.7
Less than \$15,000	174	117,029	67	28.5	21.1-35.9	107	71.5	64.1-78.9
\$15,000- 24,999	391	257,001	164	36.0	30.5-41.5	227	64.0	58.5-69.5
\$25,000- 34,999	278	173,273	108	31.8	25.7-37.9	170	68.2	62.1-74.3
\$35,000- 49,999	416	257,288	176	35.3	30.0-40.6	240	64.7	59.4-70.0
\$50,000- 74,999	468	312,494	165	29.2	24.5-33.9	303	70.8	66.1-75.5
\$75,000+	974	634,099	298	24.6	21.5-27.7	676	75.4	72.3-78.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4037	2,264,901	1851	37.9	36.1-39.7	2186	62.1	60.3-63.9
White/Non-Hisp	3306	1,820,952	1592	40.8	38.8-42.8	1714	59.2	57.2-61.2
Black or Afr. Am./Non-Hisp	374	201,235	153	30.5	24.4-36.6	221	69.5	63.4-75.6
Oth. Race/Non-Hisp.	83	55,215	32	37.0	22.9-51.1	51	63.0	48.9-77.1
MultiRacial/Non-Hisp.	60	20,410	24	36.5	21.8-51.2	36	63.5	48.8-78.2
Hispanic	155	135,330	28	14.0	7.5-20.5	127	86.0	79.5-92.5
18-24	176	264,347	66	35.1	27.5-42.7	110	64.9	57.3-72.5
25-34	299	310,892	58	17.9	13.2-22.6	241	82.1	77.4-86.8
35-44	447	341,991	62	13.9	10.4-17.4	385	86.1	82.6-89.6
45-54	666	370,842	147	22.6	19.1-26.1	519	77.4	73.9-80.9
55-64	835	404,010	292	35.3	31.6-39.0	543	64.7	61.0-68.4
65+	1614	572,819	1226	76.1	73.6-78.6	388	23.9	21.4-26.4
Less Than H.S.	281	266,356	116	34.6	28.1-41.1	165	65.4	58.9-71.9
H.S. or G.E.D.	1285	718,560	665	42.9	39.6-46.2	620	57.1	53.8-60.4
Some Post-H.S.	1079	701,386	518	39.5	36.0-43.0	561	60.5	57.0-64.0
College Graduate	1380	570,318	547	31.1	28.4-33.8	833	68.9	66.2-71.6
Less than \$15,000	312	188,156	137	37.1	30.6-43.6	175	62.9	56.4-69.4
\$15,000- 24,999	578	335,085	289	41.6	36.5-46.7	289	58.4	53.3-63.5
\$25,000- 34,999	380	199,619	195	41.6	35.5-47.7	185	58.4	52.3-64.5
\$35,000- 49,999	475	265,640	242	41.3	36.0-46.6	233	58.7	53.4-64.0
\$50,000- 74,999	522	298,738	223	34.6	29.9-39.3	299	65.4	60.7-70.1
\$75,000+	888	524,776	285	29.9	26.2-33.6	603	70.1	66.4-73.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 13: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	200
2	MALES ONLY	201
3	FEMALES ONLY	202
	HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)	
4	MALES AND FEMALES	203
5	MALES ONLY	204
6	FEMALES ONLY	205

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5623	2,597,284	709	12.1	11.1-13.1	370	6.6	5.8-7.4	154	2.8	2.2-3.4	72	1.3	0.9-1.7	181	3.0	2.4-3.6	4137	74.3	72.9-75.7
Male	2437	1,219,379	269	10.9	9.5-12.3	170	6.3	5.3-7.3	63	2.4	1.6-3.2	41	1.7	1.1-2.3	78	3.0	2.2-3.8	1816	75.8	73.8-77.8
Female	3186	1,377,905	440	13.1	11.7-14.5	200	7.0	5.8-8.2	91	3.1	2.3-3.9	31	0.9	0.5-1.3	103	3.0	2.2-3.8	2321	73.0	71.2-74.8
White/Non-Hisp	4739	2,201,878	606	12.3	11.3-13.3	311	6.7	5.9-7.5	136	2.9	2.3-3.5	59	1.3	0.9-1.7	160	3.1	2.5-3.7	3467	73.7	72.3-75.1
Black or Afr. Am./Non-Hisp	452	194,442	50	11.0	7.5-14.5	28	7.1	4.0-10.2	12	2.5	0.7-4.3	5	1.1	0.0-2.3	7	1.9	0.3-3.5	350	76.4	71.5-81.3
Oth. Race/Non-Hisp.	114	49,016	9	4.5	0.8-8.2	10	8.7	2.2-15.2	1	2.4	0.0-7.1	1	0.4	0.0-1.2	5	1.2	0.0-2.4	88	82.8	74.2-91.4
MultiRacial/Non-Hisp.	68	18,851	13	13.1	4.5-21.7	7	8.5	0.7-16.3	2	5.2	0.0-12.3	1	1.9	0.0-5.6	2	2.3	0.0-5.6	43	69.0	56.1-81.9
Hispanic	135	78,926	24	18.6	10.0-27.2	6	3.1	0.4-5.8				1	0.9	0.0-2.7	3	2.1	0.0-4.5	101	75.2	66.2-84.2
45-54	1283	754,876	137	10.0	8.2-11.8	52	3.8	2.6-5.0	21	1.7	0.9-2.5	16	1.3	0.5-2.1	33	2.6	1.6-3.6	1024	80.5	78.1-82.9
55-64	1569	793,589	180	11.7	9.9-13.5	110	7.4	5.8-9.0	37	2.2	1.4-3.0	18	1.2	0.6-1.8	57	3.1	2.1-4.1	1167	74.4	71.9-76.9
65+	2766	1,043,713	391	13.6	12.2-15.0	208	8.1	6.9-9.3	96	4.0	3.0-5.0	38	1.4	1.0-1.8	91	3.1	2.3-3.9	1942	69.8	67.8-71.8
Less Than H.S.	376	295,103	39	10.8	7.1-14.5	37	9.1	6.0-12.2	15	4.3	1.9-6.7	8	1.9	0.3-3.5	20	4.9	2.5-7.3	257	69.0	63.7-74.3
H.S. or G.E.D.	1844	877,080	228	11.7	10.1-13.3	118	6.4	5.2-7.6	51	2.8	2.0-3.6	27	1.3	0.7-1.9	66	3.5	2.5-4.5	1354	74.3	72.1-76.5
Some Post-H.S.	1445	755,428	195	12.4	10.4-14.4	95	7.0	5.4-8.6	45	2.9	1.9-3.9	23	1.6	0.8-2.4	34	1.9	1.1-2.7	1053	74.2	71.7-76.7
College Graduate	1941	661,652	245	12.6	10.8-14.4	119	5.6	4.4-6.8	43	2.0	1.4-2.6	14	0.6	0.2-1.0	61	2.6	1.8-3.4	1459	76.6	74.4-78.8
Less than \$15,000	360	172,763	43	11.0	7.5-14.5	40	12.3	8.0-16.6	25	5.9	3.4-8.4	11	3.5	1.0-6.0	31	8.2	4.9-11.5	210	59.2	53.1-65.3
\$15,000- 24,999	728	340,669	100	12.2	9.5-14.9	52	7.0	4.8-9.2	34	5.6	3.4-7.8	10	1.3	0.3-2.3	31	4.3	2.5-6.1	501	69.6	65.7-73.5
\$25,000- 34,999	517	229,776	65	12.3	9.2-15.4	35	7.0	4.5-9.5	15	3.4	1.4-5.4	11	2.4	0.8-4.0	21	4.5	2.1-6.9	370	70.5	65.8-75.2
\$35,000- 49,999	680	310,592	88	12.0	9.1-14.9	50	7.5	5.1-9.9	16	2.1	0.9-3.3	10	1.4	0.4-2.4	27	3.0	1.6-4.4	489	74.0	70.1-77.9
\$50,000- 74,999	737	350,956	101	13.8	10.9-16.7	48	6.6	4.6-8.6	19	2.5	1.3-3.7	9	1.4	0.4-2.4	19	2.5	1.3-3.7	541	73.3	69.6-77.0
\$75,000+	1400	676,296	148	10.3	8.5-12.1	70	4.8	3.6-6.0	17	1.2	0.4-2.0	7	0.4	0.0-0.8	20	1.1	0.5-1.7	1138	82.2	80.0-84.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2437	1,219,379	269	10.9	9.5-12.3	170	6.3	5.3- 7.3	63	2.4	1.6- 3.2	41	1.7	1.1- 2.3	78	3.0	2.2- 3.8	1816	75.8	73.8-77.8
White/Non-Hisp	2059	1,026,256	235	11.4	9.8-13.0	135	6.0	4.8- 7.2	54	2.6	1.8- 3.4	32	1.6	1.0- 2.2	69	3.1	2.3- 3.9	1534	75.3	73.1-77.5
Black or Afr. Am./Non-Hisp	168	90,927	14	7.8	3.3-12.3	15	8.4	3.5-13.3	5	1.7	0.0- 3.9	3	1.4	0.0- 3.4	4	2.6	0.0- 5.5	127	78.0	70.7-85.3
Oth. Race/Non-Hisp.	54	24,357	3	1.9	0.0- 4.3	6	6.6	0.9-12.3	1	4.8	0.0-14.0				3	2.0	0.0- 4.4	41	84.7	73.7-95.7
Hispanic	64	38,064	10	15.1	3.5-26.7	5	6.2	0.5-11.9				1	1.9	0.0- 5.6	1	1.9	0.0- 5.6	47	74.8	61.9-87.7
45-54	584	370,207	62	9.8	7.3-12.3	22	3.1	1.7- 4.5	7	1.3	0.3- 2.3	12	2.2	0.8- 3.6	15	2.9	1.3- 4.5	466	80.8	77.3-84.3
55-64	728	388,549	71	10.7	8.0-13.4	49	6.9	4.7- 9.1	19	2.1	1.1- 3.1	11	1.5	0.5- 2.5	26	3.2	1.8- 4.6	552	75.6	72.1-79.1
65+	1124	459,754	136	11.9	9.7-14.1	99	8.3	6.5-10.1	37	3.7	2.3- 5.1	18	1.4	0.6- 2.2	37	2.8	1.8- 3.8	797	71.8	68.9-74.7
Less Than H.S.	167	140,320	10	7.3	2.4-12.2	21	10.0	5.3-14.7	6	3.4	0.3- 6.5	6	3.4	0.5- 6.3	10	5.8	1.9- 9.7	114	70.1	62.5-77.7
H.S. or G.E.D.	787	411,914	88	11.6	9.2-14.0	47	5.1	3.5- 6.7	21	2.8	1.4- 4.2	14	1.4	0.6- 2.2	26	3.3	1.9- 4.7	591	75.8	72.5-79.1
Some Post-H.S.	616	351,638	83	12.3	9.6-15.0	38	6.0	3.8- 8.2	14	2.1	0.9- 3.3	12	1.9	0.7- 3.1	11	1.6	0.6- 2.6	458	76.1	72.4-79.8
College Graduate	860	312,988	88	10.1	7.9-12.3	63	6.4	4.6- 8.2	22	2.0	1.0- 3.0	9	0.8	0.2- 1.4	31	2.7	1.7- 3.7	647	77.9	75.0-80.8
Less than \$15,000	132	68,655	13	8.5	3.6-13.4	17	14.1	6.8-21.4	11	4.6	1.5- 7.7	6	6.1	0.4-11.8	13	9.2	3.7-14.7	72	57.5	47.5-67.5
\$15,000- 24,999	292	149,752	28	9.1	5.6-12.6	25	7.1	4.2-10.0	18	8.1	4.2-12.0	8	2.7	0.7- 4.7	11	3.9	1.4- 6.4	202	69.1	63.0-75.2
\$25,000- 34,999	208	101,625	30	14.1	9.0-19.2	15	7.3	3.4-11.2	3	1.3	0.0- 2.9	4	1.3	0.0- 2.9	10	5.4	1.3- 9.5	146	70.7	63.6-77.8
\$35,000- 49,999	314	152,774	35	11.5	7.2-15.8	31	9.1	5.4-12.8	7	1.9	0.3- 3.5	5	1.7	0.1- 3.3	10	2.0	0.6- 3.4	226	73.7	68.0-79.4
\$50,000- 74,999	347	174,536	43	13.0	8.7-17.3	20	4.6	2.4- 6.8	10	2.8	0.8- 4.8	8	2.6	0.6- 4.6	10	2.9	0.9- 4.9	256	74.1	68.8-79.4
\$75,000+	733	368,378	69	8.4	6.2-10.6	33	4.1	2.5- 5.7	7	0.5	0.0- 1.1	4	0.5	0.0- 1.1	13	1.5	0.5- 2.5	607	85.0	82.3-87.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3186	1,377,905	440	13.1	11.7-14.5	200	7.0	5.8- 8.2	91	3.1	2.3- 3.9	31	0.9	0.5- 1.3	103	3.0	2.2- 3.8	2321	73.0	71.2-74.8
White/Non-Hisp	2680	1,175,622	371	13.0	11.6-14.4	176	7.3	6.1- 8.5	82	3.3	2.5- 4.1	27	1.0	0.6- 1.4	91	3.2	2.4- 4.0	1933	72.4	70.4-74.4
Black or Afr. Am./Non-Hisp	284	103,515	36	13.9	8.4-19.4	13	6.0	1.9-10.1	7	3.2	0.5- 5.9	2	0.8	0.0- 2.0	3	1.2	0.0- 2.6	223	75.0	68.1-81.9
Oth. Race/Non-Hisp.	60	24,659	6	6.9	0.0-14.0	4	10.9	0.0-22.5				1	0.8	0.0- 2.4	2	0.4	0.0- 1.2	47	80.9	68.0-93.8
Hispanic	71	40,862	14	21.9	9.4-34.4	1	0.1	0.0- 0.3							2	2.3	0.0- 5.6	54	75.7	63.0-88.4
45-54	699	384,669	75	10.3	7.8-12.8	30	4.5	2.7- 6.3	14	2.2	0.8- 3.6	4	0.4	0.0- 0.8	18	2.3	1.1- 3.5	558	80.3	77.0-83.6
55-64	841	405,040	109	12.6	10.1-15.1	61	8.0	5.8-10.2	18	2.4	1.2- 3.6	7	0.8	0.0- 1.6	31	3.0	1.8- 4.2	615	73.2	69.7-76.7
65+	1642	583,958	255	15.0	13.0-17.0	109	7.9	6.1- 9.7	59	4.1	2.9- 5.3	20	1.4	0.8- 2.0	54	3.4	2.2- 4.6	1145	68.1	65.4-70.8
Less Than H.S.	209	154,783	29	14.0	8.3-19.7	16	8.2	3.9-12.5	9	5.2	1.9- 8.5	2	0.6	0.0- 1.4	10	4.1	1.2- 7.0	143	67.9	60.6-75.2
H.S. or G.E.D.	1057	465,166	140	11.8	9.6-14.0	71	7.5	5.5- 9.5	30	2.8	1.6- 4.0	13	1.1	0.3- 1.9	40	3.7	2.3- 5.1	763	73.0	69.9-76.1
Some Post-H.S.	829	403,790	112	12.6	10.1-15.1	57	7.8	5.6-10.0	31	3.6	2.2- 5.0	11	1.3	0.5- 2.1	23	2.2	1.2- 3.2	595	72.7	69.2-76.2
College Graduate	1081	348,664	157	14.9	12.4-17.4	56	4.9	3.5- 6.3	21	1.9	0.9- 2.9	5	0.4	0.0- 0.8	30	2.5	1.5- 3.5	812	75.4	72.5-78.3
Less than \$15,000	228	104,108	30	12.6	7.7-17.5	23	11.1	5.6-16.6	14	6.7	3.0-10.4	5	1.8	0.2- 3.4	18	7.5	3.6-11.4	138	60.2	52.8-67.6
\$15,000- 24,999	436	190,917	72	14.6	10.7-18.5	27	6.9	4.0- 9.8	16	3.7	1.5- 5.9	2	0.2	0.0- 0.4	20	4.6	2.2- 7.0	299	70.0	64.7-75.3
\$25,000- 34,999	309	128,151	35	10.8	6.9-14.7	20	6.7	3.4-10.0	12	5.1	2.0- 8.2	7	3.3	0.8- 5.8	11	3.7	1.0- 6.4	224	70.3	64.2-76.4
\$35,000- 49,999	366	157,818	53	12.5	8.6-16.4	19	5.9	3.0- 8.8	9	2.2	0.4- 4.0	5	1.2	0.0- 2.4	17	3.9	1.7- 6.1	263	74.3	69.0-79.6
\$50,000- 74,999	390	176,420	58	14.5	10.6-18.4	28	8.5	5.2-11.8	9	2.1	0.7- 3.5	1	0.3	0.0- 0.9	9	2.1	0.5- 3.7	285	72.5	67.4-77.6
\$75,000+	667	307,918	79	12.6	9.7-15.5	37	5.7	3.7- 7.7	10	2.1	0.5- 3.7	3	0.3	0.0- 0.7	7	0.6	0.2- 1.0	531	78.8	75.3-82.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 12 months

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1473	660,355	366	25.5	22.8-28.2	81	5.1	3.9- 6.3	36	2.4	1.4- 3.4	16	0.9	0.3- 1.5	33	2.6	1.6- 3.6	941	63.4	60.5-66.3
Male	618	293,426	123	20.5	16.8-24.2	21	2.8	1.4- 4.2	14	2.2	1.0- 3.4	9	1.3	0.3- 2.3	20	3.7	1.7- 5.7	431	69.5	65.4-73.6
Female	855	366,929	243	29.5	25.8-33.2	60	7.0	5.0- 9.0	22	2.6	1.2- 4.0	7	0.6	0.0- 1.2	13	1.8	0.6- 3.0	510	58.5	54.6-62.4
White/Non-Hisp	1264	574,048	315	25.5	22.6-28.4	70	5.2	3.8- 6.6	34	2.7	1.7- 3.7	13	0.9	0.3- 1.5	29	2.6	1.4- 3.8	803	62.9	59.8-66.0
Black or Afr. Am./Non-Hisp	99	43,267	27	26.4	15.6-37.2	5	4.9	0.2- 9.6				1	0.8	0.0- 2.4	1	2.5	0.0- 7.4	65	65.3	53.5-77.1
45-54	257	145,186	72	29.7	23.2-36.2	16	6.0	2.7- 9.3	7	2.5	0.5- 4.5	3	1.3	0.0- 2.9	9	3.5	1.0- 6.0	150	57.0	50.1-63.9
55-64	396	200,033	86	23.7	18.6-28.8	18	4.3	2.3- 6.3	14	3.3	1.3- 5.3	11	1.9	0.5- 3.3	12	3.3	0.9- 5.7	255	63.5	58.0-69.0
65+	819	313,025	208	24.9	21.4-28.4	47	5.3	3.7- 6.9	15	1.8	0.6- 3.0	2	0.1	0.0- 0.3	12	1.9	0.5- 3.3	535	66.0	62.3-69.7
Less Than H.S.	114	88,666	28	24.2	15.0-33.4	9	6.1	2.0-10.2	5	4.0	0.1- 7.9				6	6.9	1.4-12.4	66	58.9	48.7-69.1
H.S. or G.E.D.	487	223,055	115	24.2	19.9-28.5	29	5.3	3.1- 7.5	12	2.6	1.0- 4.2	8	1.3	0.1- 2.5	13	2.5	0.7- 4.3	310	64.2	59.3-69.1
Some Post-H.S.	390	193,063	107	29.1	23.8-34.4	22	5.9	3.4- 8.4	9	2.2	0.6- 3.8	6	1.4	0.2- 2.6	8	1.8	0.4- 3.2	238	59.6	54.1-65.1
College Graduate	479	154,206	115	23.6	19.3-27.9	21	3.4	1.6- 5.2	10	1.6	0.6- 2.6	2	0.3	0.0- 0.7	6	1.5	0.3- 2.7	325	69.5	64.8-74.2
Less than \$15,000	147	68,789	48	36.6	27.2-46.0	16	10.6	4.7-16.5	6	4.8	0.9- 8.7	3	1.2	0.0- 2.8	9	5.0	1.1- 8.9	65	41.7	32.3-51.1
\$15,000- 24,999	225	102,453	58	27.2	19.9-34.5	13	4.0	1.5- 6.5	6	2.5	0.3- 4.7	5	2.9	0.2- 5.6	8	5.0	1.1- 8.9	135	58.4	50.8-66.0
\$25,000- 34,999	146	66,817	39	25.8	18.0-33.6	5	2.5	0.0- 5.4	3	2.4	0.0- 5.9	1	0.1	0.0- 0.3	5	6.0	0.1-11.9	93	63.3	54.1-72.5
\$35,000- 49,999	191	80,757	47	23.8	16.7-30.9	12	6.1	2.0-10.2	4	2.1	0.0- 4.3	2	0.8	0.0- 2.0	4	2.6	0.0- 5.3	122	64.6	56.6-72.6
\$50,000- 74,999	195	93,539	37	19.0	12.7-25.3	5	3.4	0.3- 6.5	8	3.7	0.8- 6.6	1	0.4	0.0- 1.2	1	0.6	0.0- 1.8	143	72.8	65.7-79.9
\$75,000+	261	120,614	67	27.2	20.9-33.5	8	3.1	1.3- 4.9	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	2	0.5	0.0- 1.3	182	68.9	62.4-75.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	618	293,426	123	20.5	16.8-24.2	21	2.8	1.4- 4.2	14	2.2	1.0- 3.4	9	1.3	0.3- 2.3	20	3.7	1.7- 5.7	431	69.5	65.4-73.6
White/Non-Hisp	524	252,431	102	19.9	16.0-23.8	18	2.9	1.3- 4.5	13	2.5	1.1- 3.9	7	1.4	0.2- 2.6	17	3.4	1.4- 5.4	367	69.9	65.4-74.4
45-54	118	71,197	27	25.0	16.2-33.8	3	3.2	0.0- 6.9	3	2.5	0.0- 5.4	2	2.1	0.0- 5.2	4	3.8	0.0- 7.7	79	63.4	53.8-73.0
55-64	173	92,759	27	17.0	10.5-23.5	1	0.5	0.0- 1.5	4	1.9	0.0- 3.9	6	2.1	0.1- 4.1	9	5.2	1.1- 9.3	126	73.3	65.9-80.7
65+	327	129,471	69	20.6	15.5-25.7	17	4.2	1.8- 6.6	7	2.4	0.4- 4.4	1	0.2	0.0- 0.6	7	2.5	0.3- 4.7	226	70.1	64.4-75.8
Less Than H.S.	52	41,220	11	19.7	7.9-31.5	3	2.8	0.0- 6.1	2	3.3	0.0- 7.8				5	11.9	1.5-22.3	31	62.3	47.8-76.8
H.S. or G.E.D.	196	99,675	39	19.7	13.6-25.8	6	2.5	0.1- 4.9	5	2.8	0.3- 5.3	4	1.9	0.0- 4.3	7	2.7	0.5- 4.9	135	70.4	63.5-77.3
Some Post-H.S.	157	83,127	35	24.5	16.9-32.1	4	3.3	0.0- 6.6	4	2.1	0.0- 4.3	3	1.8	0.0- 4.0	3	1.5	0.0- 3.3	108	66.9	58.7-75.1
College Graduate	212	69,079	38	17.5	11.8-23.2	8	2.7	0.5- 4.9	3	1.0	0.0- 2.2	2	0.7	0.0- 1.7	5	2.9	0.4- 5.4	156	75.3	68.8-81.8
Less than \$15,000	59	28,420	20	40.4	24.9-55.9	4	5.2	0.0-12.3	3	5.3	0.0-11.4	1	1.2	0.0- 3.6	7	10.5	1.5-19.5	24	37.2	22.7-51.7
\$15,000- 24,999	90	46,324	19	20.6	11.4-29.8	2	1.1	0.0- 2.7	2	2.3	0.0- 5.6	3	4.4	0.0- 9.7	3	4.4	0.0- 9.7	61	67.1	56.3-77.9
\$25,000- 34,999	61	28,786	12	20.4	9.4-31.4	2	1.8	0.0- 4.5				1	0.1	0.0- 0.3	4	9.8	0.0-20.8	42	67.9	54.0-81.8
\$35,000- 49,999	88	40,180	18	18.4	9.4-27.4	6	6.8	0.7-12.9	1	1.5	0.0- 4.4	2	1.6	0.0- 4.0	2	2.7	0.0- 6.6	59	68.9	57.7-80.1
\$50,000- 74,999	91	45,227	17	17.0	8.4-25.6	1	1.1	0.0- 3.3	4	4.1	0.0- 8.6				1	1.2	0.0- 3.6	68	76.7	67.1-86.3
\$75,000+	126	55,330	18	14.9	7.6-22.2				1	0.4	0.0- 1.2				2	1.1	0.0- 2.7	105	83.7	76.3-91.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	855	366,929	243	29.5	25.8-33.2	60	7.0	5.0- 9.0	22	2.6	1.2- 4.0	7	0.6	0.0- 1.2	13	1.8	0.6- 3.0	510	58.5	54.6-62.4
White/Non-Hisp	740	321,617	213	30.0	26.1-33.9	52	7.1	5.1- 9.1	21	2.9	1.5- 4.3	6	0.6	0.0- 1.2	12	2.0	0.6- 3.4	436	57.4	53.3-61.5
Black or Afr. Am./Non-Hisp	59	24,061	16	27.3	12.2-42.4	4	6.7	0.0-14.1										39	66.0	50.3-81.7
45-54	139	73,989	45	34.1	24.7-43.5	13	8.6	3.3-13.9	4	2.6	0.0- 5.3	1	0.5	0.0- 1.5	5	3.2	0.1- 6.3	71	50.9	41.3-60.5
55-64	223	107,275	59	29.5	22.2-36.8	17	7.5	3.8-11.2	10	4.6	1.3- 7.9	5	1.7	0.1- 3.3	3	1.6	0.0- 4.0	129	55.1	47.5-62.7
65+	492	183,554	139	28.0	23.3-32.7	30	6.1	3.7- 8.5	8	1.4	0.2- 2.6	1	0.1	0.0- 0.3	5	1.4	0.0- 3.0	309	63.1	58.2-68.0
Less Than H.S.	62	47,446	17	28.0	14.5-41.5	6	8.9	1.6-16.2	3	4.6	0.0-10.9				1	2.5	0.0- 7.4	35	55.9	41.8-70.0
H.S. or G.E.D.	291	123,380	76	27.8	21.7-33.9	23	7.5	4.2-10.8	7	2.4	0.4- 4.4	4	0.8	0.0- 1.6	6	2.3	0.0- 4.8	175	59.2	52.5-65.9
Some Post-H.S.	233	109,936	72	32.6	25.3-39.9	18	8.0	4.3-11.7	5	2.2	0.0- 4.4	3	1.2	0.0- 2.8	5	2.1	0.1- 4.1	130	54.0	46.6-61.4
College Graduate	267	85,126	77	28.7	22.4-35.0	13	4.0	1.6- 6.4	7	2.0	0.2- 3.8				1	0.5	0.0- 1.5	169	64.8	58.3-71.3
Less than \$15,000	88	40,369	28	34.0	22.4-45.6	12	14.4	6.0-22.8	3	4.4	0.0- 9.5	2	1.2	0.0- 3.0	2	1.1	0.0- 2.9	41	44.9	32.7-57.1
\$15,000- 24,999	135	56,128	39	32.7	22.3-43.1	11	6.3	1.8-10.8	4	2.6	0.0- 5.3	2	1.6	0.0- 4.1	5	5.5	0.0-11.0	74	51.3	40.9-61.7
\$25,000- 34,999	85	38,031	27	29.9	19.1-40.7	3	3.0	0.0- 7.7	3	4.1	0.0-10.4				1	3.1	0.0- 9.2	51	59.7	47.4-72.0
\$35,000- 49,999	103	40,577	29	29.0	18.2-39.8	6	5.4	0.1-10.7	3	2.7	0.0- 6.0				2	2.5	0.0- 6.0	63	60.3	48.5-72.1
\$50,000- 74,999	104	48,312	20	21.0	12.0-30.0	4	5.6	0.0-11.3	4	3.5	0.0- 7.4	1	0.8	0.0- 2.4				75	69.2	59.0-79.4
\$75,000+	135	65,284	49	37.6	28.2-47.0	8	5.8	2.5- 9.1				1	0.2	0.0- 0.6				77	56.4	47.0-65.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 14: SEATBELT USE AND DRINKING AND DRIVING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY- (SEATBELT)	
1	MALES AND FEMALES	207
2	MALES ONLY	208
3	FEMALES ONLY	209
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
4	MALES AND FEMALES	210
5	MALES ONLY	211
6	FEMALES ONLY	212

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING
TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	Always			Nearly Always			Sometimes			Seldom			Never			6	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7817	4,774,680	6886	86.2	85.2-87.2	512	7.5	6.7- 8.3	181	2.9	2.3- 3.5	78	1.3	0.9- 1.7	145	2.1	1.7- 2.5	15	0.1	0.1- 0.1
Male	3528	2,323,920	2940	81.0	79.4-82.6	302	9.7	8.5-10.9	120	4.0	3.2- 4.8	61	2.1	1.5- 2.7	97	3.1	2.3- 3.9	8	0.1	0.1- 0.1
Female	4289	2,450,759	3946	91.1	89.9-92.3	210	5.4	4.4- 6.4	61	1.8	1.2- 2.4	17	0.5	0.1- 0.9	48	1.1	0.7- 1.5	7	0.1	0.1- 0.1
White/Non-Hisp	6379	3,798,221	5628	86.4	85.2-87.6	414	7.3	6.5- 8.1	139	2.8	2.2- 3.4	69	1.5	1.1- 1.9	118	2.0	1.6- 2.4	11	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	647	408,785	576	85.5	81.6-89.4	40	7.7	4.8-10.6	14	3.0	1.2- 4.8	7	1.0	0.0- 2.0	9	2.8	0.6- 5.0	1	0.0	0.0- 0.0
Oth. Race/Non-Hisp.	193	142,441	163	82.4	74.6-90.2	18	9.8	3.9-15.7	6	3.8	0.0- 8.1	1	0.3	0.0- 0.9	5	3.6	0.0- 8.1			
MultiRacial/Non-Hisp.	118	48,113	97	78.0	68.4-87.6	10	12.1	3.9-20.3	5	4.9	0.0- 9.8	1	0.8	0.0- 2.4	4	3.9	0.0- 7.8	1	0.4	0.0- 1.2
Hispanic	333	290,314	298	87.1	82.4-91.8	20	8.4	4.5-12.3	7	2.7	0.2- 5.2				6	1.4	0.2- 2.6	2	0.5	0.0- 1.1
18-24	458	628,234	371	80.0	75.9-84.1	53	12.0	8.7-15.3	16	3.5	1.7- 5.3	7	1.7	0.5- 2.9	11	2.8	1.0- 4.6			
25-34	754	783,078	627	81.3	78.0-84.6	74	10.4	7.9-12.9	25	4.1	2.3- 5.9	8	1.5	0.3- 2.7	20	2.8	1.4- 4.2			
35-44	937	747,995	823	86.9	84.4-89.4	65	7.2	5.4- 9.0	27	3.1	1.7- 4.5	12	1.7	0.5- 2.9	10	1.1	0.3- 1.9			
45-54	1291	760,831	1150	88.7	86.7-90.7	76	5.7	4.3- 7.1	28	2.4	1.4- 3.4	11	0.9	0.3- 1.5	26	2.4	1.4- 3.4			
55-64	1581	800,153	1398	88.2	86.4-90.0	94	5.9	4.5- 7.3	31	2.1	1.3- 2.9	24	1.5	0.9- 2.1	28	2.1	1.3- 2.9	6	0.3	0.1- 0.5
65+	2796	1,054,389	2517	89.6	88.2-91.0	150	5.4	4.4- 6.4	54	2.4	1.6- 3.2	16	0.6	0.2- 1.0	50	1.7	1.1- 2.3	9	0.3	0.1- 0.5
Less Than H.S.	545	551,030	460	83.4	79.7-87.1	28	5.5	3.3- 7.7	22	4.8	2.6- 7.0	11	2.9	0.9- 4.9	18	3.0	1.4- 4.6	6	0.4	0.0- 0.8
H.S. or G.E.D.	2515	1,585,980	2189	84.4	82.6-86.2	167	8.3	6.9- 9.7	60	3.0	2.0- 4.0	32	1.5	0.9- 2.1	61	2.6	1.8- 3.4	6	0.1	0.0- 0.3
Some Post-H.S.	2059	1,459,146	1776	84.6	82.6-86.6	159	8.9	7.3-10.5	57	3.1	2.1- 4.1	22	1.0	0.4- 1.6	44	2.3	1.5- 3.1	1	0.0	0.0- 0.0
College Graduate	2678	1,167,530	2444	91.7	90.5-92.9	156	5.6	4.6- 6.6	41	1.5	0.9- 2.1	13	0.4	0.2- 0.6	22	0.8	0.4- 1.2	2	0.0	0.0- 0.0
Less than \$15,000	520	329,694	440	83.8	79.7-87.9	35	6.6	3.7- 9.5	14	3.6	1.4- 5.8	5	0.9	0.0- 1.9	21	4.4	2.0- 6.8	5	0.6	0.0- 1.2
\$15,000- 24,999	1004	620,708	858	84.3	81.4-87.2	68	7.3	5.1- 9.5	32	3.3	1.9- 4.7	14	1.5	0.3- 2.7	29	3.4	1.6- 5.2	3	0.2	0.0- 0.4
\$25,000- 34,999	688	395,175	597	84.7	81.4-88.0	48	8.9	6.2-11.6	21	2.9	1.3- 4.5	9	1.2	0.4- 2.0	13	2.3	0.7- 3.9			
\$35,000- 49,999	959	574,283	856	87.2	84.5-89.9	63	7.6	5.4- 9.8	21	2.9	1.5- 4.3	8	0.9	0.3- 1.5	10	1.3	0.3- 2.3	1	0.1	0.0- 0.3
\$50,000- 74,999	1061	663,090	915	83.8	81.1-86.5	86	9.3	7.1-11.5	31	3.7	2.3- 5.1	10	1.1	0.3- 1.9	19	2.0	1.0- 3.0			
\$75,000+	2049	1,302,223	1846	88.9	87.1-90.7	119	6.4	5.0- 7.8	36	1.9	1.1- 2.7	17	1.3	0.5- 2.1	30	1.5	0.9- 2.1	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 14: SEATBELT USE AND DRINKING AND DRIVING

TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									6								
	TOTAL	WEIGHTED	N	Always		Nearly Always			Sometimes			Seldom			Never			N	%	C.I. (95%)
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3528	2,323,920	2940	81.0	79.4-82.6	302	9.7	8.5-10.9	120	4.0	3.2- 4.8	61	2.1	1.5- 2.7	97	3.1	2.3- 3.9	8	0.1	0.1- 0.1
White/Non-Hisp	2876	1,835,242	2393	81.0	79.2-82.8	249	9.5	8.1-10.9	94	4.0	3.0- 5.0	58	2.5	1.7- 3.3	75	2.8	2.0- 3.6	7	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	253	192,368	217	82.2	75.9-88.5	19	8.6	4.3-12.9	8	3.3	0.8- 5.8	2	0.5	0.0- 1.3	7	5.4	1.1- 9.7			
Oth. Race/Non-Hisp.	100	79,399	82	77.9	65.9-89.9	8	8.9	1.1-16.7	5	6.1	0.0-13.5	1	0.6	0.0- 1.8	4	6.5	0.0-14.3			
MultiRacial/Non-Hisp.	54	25,058	41	68.8	53.1-84.5	5	14.9	1.8-28.0	4	8.7	0.0-17.9				4	7.5	0.2-14.8			
Hispanic	162	138,159	138	82.4	75.0-89.8	16	13.8	6.7-20.9	2	1.2	0.0- 3.4				5	2.1	0.1- 4.1	1	0.5	0.0- 1.5
18-24	252	323,257	194	75.0	68.9-81.1	37	15.6	10.5-20.7	9	3.6	1.1- 6.1	4	1.9	0.1- 3.7	8	3.9	1.0- 6.8			
25-34	379	398,938	296	76.1	71.2-81.0	45	12.4	8.9-15.9	14	4.5	2.0- 7.0	7	2.2	0.4- 4.0	17	4.9	2.4- 7.4			
35-44	439	369,724	360	80.3	76.0-84.6	39	9.3	6.2-12.4	22	5.4	3.0- 7.8	10	3.3	1.1- 5.5	8	1.8	0.6- 3.0			
45-54	590	374,983	497	83.4	80.1-86.7	46	7.5	5.1- 9.9	20	3.8	1.8- 5.8	8	1.5	0.3- 2.7	19	3.7	1.9- 5.5			
55-64	732	391,482	618	84.2	81.3-87.1	54	7.6	5.4- 9.8	20	2.6	1.4- 3.8	20	2.7	1.5- 3.9	18	2.7	1.3- 4.1	2	0.2	0.0- 0.4
65+	1136	465,536	975	85.4	83.0-87.8	81	7.0	5.2- 8.8	35	4.0	2.6- 5.4	12	1.1	0.5- 1.7	27	2.1	1.3- 2.9	6	0.5	0.1- 0.9
Less Than H.S.	254	267,470	196	76.3	70.2-82.4	19	7.4	3.9-10.9	15	7.0	3.3-10.7	10	4.9	1.6- 8.2	12	4.0	1.5- 6.5	2	0.4	0.0- 1.0
H.S. or G.E.D.	1173	822,490	955	78.9	76.0-81.8	107	10.7	8.5-12.9	42	4.1	2.7- 5.5	23	2.2	1.2- 3.2	43	4.0	2.6- 5.4	3	0.1	0.0- 0.3
Some Post-H.S.	912	700,871	739	79.3	76.2-82.4	93	11.5	9.0-14.0	35	4.1	2.5- 5.7	18	1.8	0.8- 2.8	26	3.1	1.5- 4.7	1	0.1	0.0- 0.3
College Graduate	1182	530,570	1044	88.8	86.8-90.8	83	6.8	5.2- 8.4	27	2.1	1.1- 3.1	10	0.8	0.2- 1.4	16	1.4	0.6- 2.2	2	0.1	0.0- 0.3
Less than \$15,000	192	129,065	151	78.8	71.5-86.1	15	6.4	2.7-10.1	8	6.0	1.5-10.5	3	0.8	0.0- 1.8	11	7.0	1.9-12.1	4	1.1	0.0- 2.3
\$15,000- 24,999	407	270,256	336	81.0	76.1-85.9	32	8.4	5.3-11.5	16	4.6	1.9- 7.3	8	1.5	0.3- 2.7	15	4.6	1.5- 7.7			
\$25,000- 34,999	294	183,058	242	78.3	72.4-84.2	27	12.8	7.9-17.7	10	3.4	1.0- 5.8	5	1.6	0.0- 3.2	10	4.0	1.1- 6.9			
\$35,000- 49,999	446	280,166	369	80.2	75.5-84.9	42	10.9	7.2-14.6	18	4.4	2.2- 6.6	7	1.7	0.3- 3.1	9	2.6	0.6- 4.6	1	0.2	0.0- 0.6
\$50,000- 74,999	500	336,867	404	78.8	74.5-83.1	48	10.0	6.9-13.1	24	6.0	3.5- 8.5	10	2.3	0.5- 4.1	14	3.0	1.2- 4.8			
\$75,000+	1105	737,934	949	84.2	81.5-86.9	86	8.6	6.6-10.6	28	2.6	1.4- 3.8	16	2.2	1.0- 3.4	25	2.3	1.3- 3.3	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 14: SEATBELT USE AND DRINKING AND DRIVING

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always		Nearly Always			Sometimes			Seldom			Never			6					
	TOTAL	WEIGHTED	N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)	
Female	4289	2,450,759	3946	91.1	89.9-92.3		210	5.4	4.4- 6.4		61	1.8	1.2- 2.4		17	0.5	0.1- 0.9		48	1.1	0.7- 1.5	
White/Non-Hisp	3503	1,962,980	3235	91.4	90.2-92.6		165	5.2	4.2- 6.2		45	1.6	1.0- 2.2		11	0.4	0.0- 0.8		43	1.3	0.9- 1.7	
Black or Afr. Am./Non-Hisp	394	216,417	359	88.5	83.8-93.2		21	6.9	3.0-10.8		6	2.8	0.3- 5.3		5	1.5	0.0- 3.1		2	0.4	0.0- 1.0	
Oth. Race/Non-Hisp.	93	63,042	81	88.1	78.9-97.3		10	10.9	1.9-19.9		1	1.0	0.0- 3.0						1	0.1	0.0- 0.3	
MultiRacial/Non-Hisp.	64	23,055	56	88.0	78.2-97.8		5	8.9	0.0-18.1		1	0.7	0.0- 2.1		1	1.6	0.0- 4.7					
Hispanic	171	152,155	160	91.4	85.7-97.1		4	3.5	0.0- 7.0		5	4.0	0.0- 8.3						1	0.7	0.0- 2.1	
18-24	206	304,977	177	85.2	79.9-90.5		16	8.3	4.2-12.4		7	3.3	0.6- 6.0		3	1.5	0.0- 3.3		3	1.7	0.0- 3.7	
25-34	375	384,140	331	86.6	82.5-90.7		29	8.3	5.0-11.6		11	3.7	1.3- 6.1		1	0.7	0.0- 2.1		3	0.6	0.0- 1.2	
35-44	498	378,271	463	93.3	90.9-95.7		26	5.1	2.9- 7.3		5	0.9	0.1- 1.7		2	0.2	0.0- 0.6		2	0.5	0.0- 1.1	
45-54	701	385,847	653	93.9	91.9-95.9		30	3.8	2.2- 5.4		8	1.0	0.2- 1.8		3	0.2	0.0- 0.4		7	1.1	0.1- 2.1	
55-64	849	408,671	780	92.0	89.8-94.2		40	4.2	2.6- 5.8		11	1.5	0.5- 2.5		4	0.4	0.0- 0.8		10	1.4	0.4- 2.4	
65+	1660	588,853	1542	93.0	91.6-94.4		69	4.1	2.9- 5.3		19	1.1	0.5- 1.7		4	0.2	0.0- 0.4		23	1.5	0.9- 2.1	
Less Than H.S.	291	283,560	264	90.1	85.8-94.4		9	3.7	1.0- 6.4		7	2.7	0.3- 5.1		1	1.0	0.0- 3.0		6	2.0	0.0- 4.0	
H.S. or G.E.D.	1342	763,490	1234	90.4	88.2-92.6		60	5.8	4.0- 7.6		18	1.8	0.6- 3.0		9	0.8	0.2- 1.4		18	1.1	0.5- 1.7	
Some Post-H.S.	1147	758,275	1037	89.5	87.3-91.7		66	6.4	4.4- 8.4		22	2.2	1.2- 3.2		4	0.3	0.0- 0.7		18	1.6	0.8- 2.4	
College Graduate	1496	636,960	1400	94.1	92.7-95.5		73	4.5	3.3- 5.7		14	1.0	0.2- 1.8		3	0.1	0.0- 0.3		6	0.3	0.1- 0.5	
Less than \$15,000	328	200,629	289	87.1	82.2-92.0		20	6.7	2.6-10.8		6	2.1	0.3- 3.9		2	1.0	0.0- 2.6		10	2.8	0.8- 4.8	
\$15,000- 24,999	597	350,451	522	86.8	83.1-90.5		36	6.5	3.8- 9.2		16	2.3	0.9- 3.7		6	1.5	0.0- 3.3		14	2.5	0.7- 4.3	
\$25,000- 34,999	394	212,116	355	90.3	86.8-93.8		21	5.5	2.8- 8.2		11	2.4	0.6- 4.2		4	0.9	0.0- 1.9		3	0.9	0.0- 1.9	
\$35,000- 49,999	513	294,117	487	93.8	91.1-96.5		21	4.5	2.3- 6.7		3	1.5	0.0- 3.5		1	0.1	0.0- 0.3		1	0.0	0.0- 0.0	
\$50,000- 74,999	561	326,223	511	89.1	85.8-92.4		38	8.6	5.5-11.7		7	1.4	0.2- 2.6						5	1.0	0.0- 2.0	
\$75,000+	944	564,289	897	95.1	93.3-96.9		33	3.4	1.8- 5.0		8	1.0	0.2- 1.8		1	0.0	0.0- 0.0		5	0.5	0.0- 1.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 14: SEATBELT USE AND DRINKING AND DRIVING

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			6-10 Times			11-30 Times			> 30 Times			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3771	2,394,971	39	1.2	0.8- 1.6	15	0.5	0.3- 0.7	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	15	0.3	0.1- 0.5	3700	97.9	97.3-98.5
Male	1934	1,303,816	27	1.7	0.9- 2.5	13	0.7	0.3- 1.1				1	0.0	0.0- 0.0	10	0.4	0.2- 0.6	1883	97.1	96.1-98.1
Female	1837	1,091,155	12	0.7	0.3- 1.1	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6				5	0.2	0.0- 0.4	1817	98.8	98.2-99.4
White/Non-Hisp	3114	1,924,989	35	1.3	0.7- 1.9	9	0.4	0.2- 0.6	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	12	0.3	0.1- 0.5	3056	97.8	97.2-98.4
Black or Afr. Am./Non-Hisp	298	215,841	2	0.6	0.0- 1.4	5	1.5	0.0- 3.1							2	0.4	0.0- 1.0	289	97.5	95.7-99.3
Oth. Race/Non-Hisp.	74	52,482													1	0.4	0.0- 1.2	73	99.6	98.8- 100
MultiRacial/Non-Hisp.	59	28,245				1	3.4	0.0-10.1										58	96.6	89.9- 100
Hispanic	158	129,554	1	0.1	0.0- 0.3													157	99.9	99.7- 100
18-24	229	280,023	5	2.5	0.1- 4.9				1	0.8	0.0- 2.4							223	96.7	94.0-99.4
25-34	471	480,018	5	0.8	0.0- 1.6	4	0.6	0.0- 1.2										462	98.6	97.6-99.6
35-44	548	437,510	7	1.7	0.1- 3.3	5	1.1	0.1- 2.1							4	0.6	0.0- 1.2	532	96.7	94.7-98.7
45-54	702	408,593	7	1.1	0.1- 2.1	3	0.5	0.0- 1.1							4	0.6	0.0- 1.2	688	97.8	96.6-99.0
55-64	773	397,043	6	0.8	0.2- 1.4	3	0.3	0.0- 0.7				1	0.1	0.0- 0.3	4	0.4	0.0- 0.8	759	98.4	97.4-99.4
65+	1048	391,783	9	1.0	0.2- 1.8										3	0.3	0.0- 0.7	1036	98.8	98.0-99.6
Less Than H.S.	177	195,344	2	2.8	0.0- 6.7										3	0.8	0.0- 1.8	172	96.4	92.5- 100
H.S. or G.E.D.	1014	672,447	11	1.0	0.4- 1.6	5	0.5	0.0- 1.1				1	0.1	0.0- 0.3	3	0.3	0.0- 0.7	994	98.2	97.4-99.0
Some Post-H.S.	1000	772,601	17	1.8	0.8- 2.8	4	0.6	0.0- 1.2	1	0.3	0.0- 0.9				3	0.2	0.0- 0.4	975	97.2	96.0-98.4
College Graduate	1576	753,010	9	0.6	0.2- 1.0	6	0.4	0.0- 0.8							6	0.4	0.0- 0.8	1555	98.7	98.1-99.3
Less than \$15,000	150	107,411	1	1.1	0.0- 3.1										1	0.5	0.0- 1.5	148	98.4	96.0- 100
\$15,000- 24,999	364	226,758	4	1.7	0.0- 3.9	3	1.0	0.0- 2.2							2	0.4	0.0- 1.0	355	96.9	94.4-99.4
\$25,000- 34,999	281	174,383	5	1.5	0.1- 2.9	1	0.3	0.0- 0.9				1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	273	97.5	95.7-99.3
\$35,000- 49,999	466	290,855	6	1.5	0.1- 2.9	1	0.2	0.0- 0.6	1	0.8	0.0- 2.4				1	0.1	0.0- 0.3	457	97.5	95.5-99.5
\$50,000- 74,999	573	371,855	5	1.5	0.0- 3.3	4	0.8	0.0- 1.6							5	0.8	0.0- 1.6	559	97.0	95.0-99.0
\$75,000+	1363	876,384	13	1.0	0.4- 1.6	6	0.5	0.0- 1.1							4	0.3	0.1- 0.5	1340	98.2	97.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			11-30 Times			> 30 Times			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1934	1,303,816	27	1.7	0.9- 2.5	13	0.7	0.3- 1.1	1	0.0	0.0- 0.0	10	0.4	0.2- 0.6	1883	97.1	96.1-98.1
White/Non-Hisp	1595	1,045,443	24	1.7	0.9- 2.5	8	0.6	0.2- 1.0	1	0.0	0.0- 0.0	8	0.5	0.1- 0.9	1554	97.2	96.2-98.2
Black or Afr. Am./Non-Hisp	144	117,928	2	1.0	0.0- 2.4	4	2.1	0.0- 4.6				1	0.2	0.0- 0.6	137	96.7	93.8-99.6
Hispanic	77	60,839										77	100.0	100.0- 100			
18-24	122	145,830	4	4.0	0.0- 8.1							118	96.0	91.9- 100			
25-34	258	270,830	4	1.0	0.0- 2.0	3	0.9	0.0- 1.9				251	98.1	96.7-99.5			
35-44	286	242,651	5	2.3	0.0- 4.8	5	1.9	0.1- 3.7				3	0.8	0.0- 1.8	273	94.9	91.6-98.2
45-54	346	213,875	3	1.2	0.0- 2.6	2	0.6	0.0- 1.6				2	0.6	0.0- 1.4	339	97.6	95.6-99.6
55-64	413	223,590	5	1.3	0.1- 2.5	3	0.6	0.0- 1.4	1	0.2	0.0- 0.6	3	0.5	0.0- 1.3	401	97.4	95.8-99.0
65+	509	207,040	6	1.2	0.2- 2.2							2	0.4	0.0- 1.0	501	98.4	97.2-99.6
Less Than H.S.	109	126,209	2	4.3	0.0-10.2							2	0.8	0.0- 2.2	105	94.9	89.0- 100
H.S. or G.E.D.	584	418,624	9	1.0	0.2- 1.8	5	0.9	0.1- 1.7	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7	567	97.7	96.5-98.9
Some Post-H.S.	483	397,712	12	2.5	0.9- 4.1	4	1.1	0.1- 2.1				3	0.4	0.0- 0.8	464	96.0	94.2-97.8
College Graduate	756	360,544	4	0.6	0.0- 1.2	4	0.5	0.0- 1.1				3	0.4	0.0- 1.0	745	98.5	97.5-99.5
Less than \$15,000	70	51,131										1	1.1	0.0- 3.3	69	98.9	96.7- 100
\$15,000- 24,999	177	113,317	2	2.4	0.0- 6.5	3	2.0	0.0- 4.4				1	0.2	0.0- 0.6	171	95.5	90.8- 100
\$25,000- 34,999	152	100,175	5	2.7	0.2- 5.2	1	0.6	0.0- 1.8	1	0.4	0.0- 1.2	1	0.6	0.0- 1.8	144	95.7	92.6-98.8
\$35,000- 49,999	227	153,961	4	1.6	0.0- 3.2							1	0.2	0.0- 0.6	222	98.2	96.4- 100
\$50,000- 74,999	268	184,767	5	3.0	0.0- 6.5	3	1.1	0.0- 2.5				3	1.1	0.0- 2.5	257	94.7	90.8-98.6
\$75,000+	767	519,575	8	1.2	0.4- 2.0	6	0.9	0.1- 1.7				3	0.3	0.0- 0.7	750	97.6	96.4-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

TABLE 6: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			6-10 Times			> 30 Times			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1837	1,091,155	12	0.7	0.3- 1.1	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6	5	0.2	0.0- 0.4	1817	98.8	98.2-99.4
White/Non-Hisp	1519	879,547	11	0.9	0.3- 1.5	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	4	0.2	0.0- 0.4	1502	98.6	97.8-99.4
Black or Afr. Am./Non-Hisp	154	97,913				1	0.8	0.0- 2.2				1	0.6	0.0- 1.8	152	98.6	96.6- 100
Hispanic	81	68,715	1	0.2	0.0- 0.6										80	99.8	99.4- 100
18-24	107	134,193	1	0.8	0.0- 2.4				1	1.7	0.0- 5.0				105	97.5	93.8- 100
25-34	213	209,189	1	0.6	0.0- 1.8	1	0.2	0.0- 0.6							211	99.1	97.7- 100
35-44	262	194,859	2	0.9	0.0- 2.5							1	0.2	0.0- 0.6	259	98.9	97.3- 100
45-54	356	194,719	4	1.0	0.0- 2.2	1	0.4	0.0- 1.2				2	0.6	0.0- 1.6	349	98.0	96.4-99.6
55-64	360	173,454	1	0.2	0.0- 0.6							1	0.2	0.0- 0.6	358	99.5	98.9- 100
65+	539	184,743	3	0.7	0.0- 1.7							1	0.1	0.0- 0.3	535	99.2	98.2- 100
Less Than H.S.	68	69,136										1	0.9	0.0- 2.7	67	99.1	97.3- 100
H.S. or G.E.D.	430	253,823	2	0.9	0.0- 2.1							1	0.2	0.0- 0.6	427	99.0	97.8- 100
Some Post-H.S.	517	374,888	5	1.0	0.0- 2.0				1	0.6	0.0- 1.8				511	98.4	96.8- 100
College Graduate	820	392,467	5	0.6	0.2- 1.0	2	0.3	0.0- 0.7				3	0.3	0.0- 0.7	810	98.8	98.0-99.6
Less than \$15,000	80	56,280	1	2.0	0.0- 5.9										79	98.0	94.1- 100
\$15,000- 24,999	187	113,441	2	1.1	0.0- 2.7							1	0.6	0.0- 1.8	184	98.3	96.3- 100
\$25,000- 34,999	129	74,209													129	100.0	100.0- 100
\$35,000- 49,999	239	136,894	2	1.3	0.0- 3.3	1	0.3	0.0- 0.9	1	1.7	0.0- 4.8				235	96.7	93.0- 100
\$50,000- 74,999	305	187,087				1	0.4	0.0- 1.2				2	0.4	0.0- 1.0	302	99.2	98.2- 100
\$75,000+	596	356,809	5	0.8	0.0- 1.8							1	0.2	0.0- 0.6	590	99.0	98.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	214
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	215
3 HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	216
4 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	217
5 AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST) FEMALES ONLY	218
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST) FEMALES ONLY	219
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	220

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING
TABLE 1: HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4255	2,434,518	3348	65.1	63.1-67.1	907	34.9	32.9-36.9
White/Non-Hisp	3475	1,947,855	2795	67.9	65.7-70.1	680	32.1	29.9-34.3
Black or Afr. Am./Non-Hisp	393	215,880	312	62.0	55.1-68.9	81	38.0	31.1-44.9
Oth. Race/Non-Hisp.	91	62,623	64	53.5	39.4-67.6	27	46.5	32.4-60.6
MultiRacial/Non-Hisp.	63	22,496	46	62.9	47.4-78.4	17	37.1	21.6-52.6
Hispanic	169	151,695	80	37.1	28.5-45.7	89	62.9	54.3-71.5
18-24	201	299,515	15	7.2	3.3-11.1	186	92.8	88.9-96.7
25-34	373	381,188	88	23.8	19.1-28.5	285	76.2	71.5-80.9
35-44	495	376,704	234	48.1	43.2-53.0	261	51.9	47.0-56.8
45-54	698	384,756	608	87.1	84.2-90.0	90	12.9	10.0-15.8
55-64	844	407,385	816	96.6	95.2-98.0	28	3.4	2.0- 4.8
65+	1644	584,969	1587	96.3	95.1-97.5	57	3.7	2.5- 4.9
Less Than H.S.	289	282,069	213	61.7	54.4-69.0	76	38.3	31.0-45.6
H.S. or G.E.D.	1328	755,139	1069	66.5	63.0-70.0	259	33.5	30.0-37.0
Some Post-H.S.	1145	758,975	889	64.3	60.6-68.0	256	35.7	32.0-39.4
College Graduate	1480	629,859	1168	66.1	63.0-69.2	312	33.9	30.8-37.0
Less than \$15,000	328	200,629	244	61.5	54.4-68.6	84	38.5	31.4-45.6
\$15,000- 24,999	594	350,487	454	62.3	57.0-67.6	140	37.7	32.4-43.0
\$25,000- 34,999	390	208,967	318	68.3	61.8-74.8	72	31.7	25.2-38.2
\$35,000- 49,999	512	293,724	400	65.1	59.6-70.6	112	34.9	29.4-40.4
\$50,000- 74,999	558	322,270	427	66.3	61.2-71.4	131	33.7	28.6-38.8
\$75,000+	940	561,704	732	66.2	62.3-70.1	208	33.8	29.9-37.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3274	1,550,492	1734	51.3	49.1-53.5	691	21.1	19.3-22.9	254	9.0	7.6-10.4	214	6.8	5.6- 8.0	381	11.8	10.4-13.2
White/Non-Hisp	2733	1,290,718	1456	52.2	50.0-54.4	554	19.8	18.0-21.6	217	9.1	7.7-10.5	172	6.3	5.1- 7.5	334	12.5	10.9-14.1
Black or Afr. Am./Non-Hisp	308	133,137	177	55.0	47.6-62.4	81	28.1	21.2-35.0	17	7.2	3.3-11.1	17	5.4	2.3- 8.5	16	4.4	1.7- 7.1
Oth. Race/Non-Hisp.	61	32,297	26	45.7	29.4-62.0	15	25.5	11.6-39.4	5	4.8	0.0-10.3	7	12.0	1.2-22.8	8	12.1	1.5-22.7
Hispanic	79	56,313	35	35.4	23.1-47.7	25	33.5	20.8-46.2	6	14.2	2.0-26.4	7	9.2	1.9-16.5	6	7.7	1.2-14.2
25-34	84	86,738	33	35.7	24.7-46.7	22	27.2	16.8-37.6	12	16.2	6.8-25.6	1	3.3	0.0- 9.6	16	17.6	8.8-26.4
35-44	230	177,498	109	46.4	39.1-53.7	45	19.8	14.1-25.5	23	11.1	6.2-16.0	20	8.5	4.6-12.4	33	14.2	9.1-19.3
45-54	598	329,696	319	52.8	48.3-57.3	137	21.8	18.1-25.5	46	7.5	5.3- 9.7	42	8.2	5.5-10.9	54	9.7	7.0-12.4
55-64	808	389,220	456	55.1	51.2-59.0	170	20.4	17.3-23.5	63	8.6	6.2-11.0	43	5.6	3.6- 7.6	76	10.3	7.8-12.8
65+	1539	545,639	810	52.2	49.3-55.1	314	20.7	18.3-23.1	106	7.4	5.8- 9.0	108	7.0	5.4- 8.6	201	12.7	10.7-14.7
Less Than H.S.	207	168,487	87	39.6	32.0-47.2	40	19.6	13.3-25.9	23	12.0	6.5-17.5	26	14.7	8.6-20.8	31	14.1	8.8-19.4
H.S. or G.E.D.	1040	487,842	516	49.1	45.6-52.6	207	21.3	18.4-24.2	90	9.3	7.1-11.5	80	6.5	4.7- 8.3	147	13.8	11.3-16.3
Some Post-H.S.	871	480,174	456	50.7	46.8-54.6	186	21.2	18.1-24.3	67	9.3	6.8-11.8	55	6.4	4.4- 8.4	107	12.4	9.9-14.9
College Graduate	1147	408,777	669	59.2	55.9-62.5	257	21.5	18.8-24.2	74	7.2	5.4- 9.0	52	4.2	3.0- 5.4	95	7.9	6.1- 9.7
Less than \$15,000	235	117,616	106	45.3	37.7-52.9	54	24.0	17.5-30.5	20	9.1	4.6-13.6	16	7.9	3.6-12.2	39	13.7	9.0-18.4
\$15,000- 24,999	447	214,217	206	43.1	37.4-48.8	89	18.2	13.9-22.5	37	9.1	5.8-12.4	42	10.7	6.6-14.8	73	18.8	14.1-23.5
\$25,000- 34,999	311	139,624	151	47.1	40.4-53.8	57	17.0	12.3-21.7	29	12.2	6.7-17.7	33	10.1	6.2-14.0	41	13.7	9.2-18.2
\$35,000- 49,999	392	186,854	205	52.2	46.1-58.3	92	22.0	17.1-26.9	31	9.8	5.5-14.1	25	4.7	2.5- 6.9	39	11.3	7.2-15.4
\$50,000- 74,999	424	211,748	236	55.2	49.7-60.7	94	20.6	16.1-25.1	34	9.4	6.1-12.7	23	6.1	3.6- 8.6	37	8.7	5.6-11.8
\$75,000+	725	367,159	445	60.6	56.5-64.7	152	21.1	17.6-24.6	43	6.7	4.3- 9.1	31	4.2	2.4- 6.0	54	7.4	5.0- 9.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING
TABLE 3: HAVE YOU EVER HAD A PAP TEST? (HADPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4228	2,420,552	3963	90.0	88.4-91.6	265	10.0	8.4-11.6
White/Non-Hisp	3448	1,934,681	3265	91.3	89.7-92.9	183	8.7	7.1-10.3
Black or Afr. Am./Non-Hisp	393	215,683	364	87.8	82.3-93.3	29	12.2	6.7-17.7
Oth. Race/Non-Hisp.	90	61,742	73	69.5	55.4-83.6	17	30.5	16.4-44.6
MultiRacial/Non-Hisp.	64	23,055	54	82.2	71.0-93.4	10	17.8	6.6-29.0
Hispanic	170	151,783	150	83.7	75.9-91.5	20	16.3	8.5-24.1
18-24	203	300,340	102	45.6	38.0-53.2	101	54.4	46.8-62.0
25-34	373	381,100	351	93.5	90.4-96.6	22	6.5	3.4- 9.6
35-44	491	373,193	482	98.6	97.6-99.6	9	1.4	0.4- 2.4
45-54	694	381,784	678	97.8	96.6-99.0	16	2.2	1.0- 3.4
55-64	841	405,970	819	97.4	96.2-98.6	22	2.6	1.4- 3.8
65+	1626	578,165	1531	94.7	93.3-96.1	95	5.3	3.9- 6.7
Less Than H.S.	288	281,183	254	85.1	79.0-91.2	34	14.9	8.8-21.0
H.S. or G.E.D.	1319	748,876	1215	86.2	83.1-89.3	104	13.8	10.7-16.9
Some Post-H.S.	1138	755,362	1071	91.5	89.0-94.0	67	8.5	6.0-11.0
College Graduate	1470	626,656	1412	95.0	93.4-96.6	58	5.0	3.4- 6.6
Less than \$15,000	327	200,456	292	83.2	76.9-89.5	35	16.8	10.5-23.1
\$15,000- 24,999	593	350,558	546	89.1	85.2-93.0	47	10.9	7.0-14.8
\$25,000- 34,999	389	208,691	361	89.8	85.1-94.5	28	10.2	5.5-14.9
\$35,000- 49,999	509	291,852	493	93.5	89.8-97.2	16	6.5	2.8-10.2
\$50,000- 74,999	555	321,091	530	93.8	90.9-96.7	25	6.2	3.3- 9.1
\$75,000+	933	556,023	904	93.9	91.4-96.4	29	6.1	3.6- 8.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3768	2,095,579	1109	34.2	32.2-36.2	689	20.3	18.7-21.9	438	11.7	10.5-12.9	401	9.8	8.6-11.0	1131	24.1	22.5-25.7
White/Non-Hisp	3109	1,700,182	879	32.6	30.6-34.6	543	19.1	17.3-20.9	363	11.9	10.5-13.3	335	9.8	8.6-11.0	989	26.5	24.7-28.3
Black or Afr. Am./Non-Hisp	341	182,597	114	40.1	33.2-47.0	75	26.2	20.1-32.3	36	9.2	5.3-13.1	33	10.4	6.3-14.5	83	14.1	10.2-18.0
Oth. Race/Non-Hisp.	70	42,292	26	42.3	27.0-57.6	12	27.6	11.9-43.3	10	12.4	3.2-21.6	5	4.2	0.0-8.7	17	13.6	4.4-22.8
MultiRacial/Non-Hisp.	51	18,100	9	22.8	7.5-38.1	10	20.2	5.5-34.9	11	27.3	11.2-43.4	6	5.7	0.6-10.8	15	24.0	10.9-37.1
Hispanic	147	124,003	66	45.9	36.1-55.7	41	25.7	17.7-33.7	15	10.9	4.6-17.2	15	10.7	5.0-16.4	10	6.8	1.7-11.9
18-24	101	135,438	60	58.0	47.4-68.6	21	19.9	11.3-28.5	7	5.9	1.2-10.6	9	10.9	3.8-18.0	4	5.4	0.3-10.5
25-34	347	352,730	171	49.2	43.3-55.1	91	25.8	20.9-30.7	46	13.8	9.7-17.9	20	5.8	2.9-8.7	19	5.3	2.8-7.8
35-44	476	362,928	188	38.3	33.6-43.0	119	25.4	21.1-29.7	65	14.0	10.5-17.5	48	10.0	7.1-12.9	56	12.3	9.0-15.6
45-54	655	361,071	268	39.4	35.3-43.5	132	21.8	18.3-25.3	77	10.7	8.2-13.2	66	9.7	7.2-12.2	112	18.3	14.8-21.8
55-64	792	382,478	246	29.8	26.3-33.3	171	20.4	17.3-23.5	101	13.5	10.8-16.2	68	9.2	6.8-11.6	206	27.2	23.7-30.7
65+	1397	500,935	176	13.7	11.5-15.9	155	11.6	9.4-13.8	142	9.3	7.5-11.1	190	12.7	10.7-14.7	734	52.7	49.6-55.8
Less Than H.S.	238	229,012	72	32.4	25.3-39.5	33	14.1	9.2-19.0	28	13.0	7.7-18.3	29	12.7	7.4-18.0	76	27.8	21.5-34.1
H.S. or G.E.D.	1142	612,803	274	28.2	24.9-31.5	201	20.8	17.9-23.7	100	9.7	7.5-11.9	135	11.4	9.2-13.6	432	30.0	27.1-32.9
Some Post-H.S.	1025	669,514	294	34.7	31.2-38.2	181	21.6	18.5-24.7	111	10.9	8.5-13.3	104	8.3	6.5-10.1	335	24.4	21.5-27.3
College Graduate	1352	577,612	461	40.2	37.1-43.3	274	21.0	18.5-23.5	199	14.3	12.1-16.5	131	8.6	7.0-10.2	287	15.9	13.9-17.9
Less than \$15,000	280	161,698	86	36.6	29.7-43.5	45	18.1	12.6-23.6	25	8.1	4.6-11.6	25	9.1	4.8-13.4	99	28.1	22.2-34.0
\$15,000- 24,999	522	301,359	128	29.0	24.1-33.9	88	17.9	13.8-22.0	44	10.8	7.1-14.5	62	12.3	8.4-16.2	200	30.0	25.5-34.5
\$25,000- 34,999	347	181,763	83	31.6	25.1-38.1	51	17.6	12.5-22.7	38	10.8	6.9-14.7	35	9.1	5.4-12.8	140	30.8	25.3-36.3
\$35,000- 49,999	474	265,055	148	37.4	31.9-42.9	84	19.9	15.6-24.2	54	11.0	7.5-14.5	38	6.1	3.7-8.5	150	25.6	21.1-30.1
\$50,000- 74,999	514	293,302	151	31.8	26.9-36.7	110	22.9	18.6-27.2	90	18.5	14.4-22.6	61	10.7	7.6-13.8	102	16.0	12.5-19.5
\$75,000+	886	511,638	338	40.8	36.9-44.7	206	24.6	21.3-27.9	107	11.2	8.8-13.6	87	9.2	7.0-11.4	148	14.2	11.7-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 5: AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3136	1,861,992	1226	43.4	41.2-45.6	1910	56.6	54.4-58.8
White/Non-Hisp	2513	1,454,838	930	41.5	39.1-43.9	1583	58.5	56.1-60.9
Black or Afr. Am./Non-Hisp	316	181,529	142	49.8	42.5-57.1	174	50.2	42.9-57.5
Oth. Race/Non-Hisp.	74	55,544	32	42.4	27.9-56.9	42	57.6	43.1-72.1
Hispanic	146	131,506	83	55.5	45.5-65.5	63	44.5	34.5-54.5
18-24	187	281,547	58	27.1	20.4-33.8	129	72.9	66.2-79.6
25-34	305	312,161	205	65.3	59.2-71.4	100	34.7	28.6-40.8
35-44	380	289,357	264	68.6	63.5-73.7	116	31.4	26.3-36.5
45-54	496	276,874	301	61.8	56.9-66.7	195	38.2	33.3-43.1
55-64	608	287,227	227	34.3	30.0-38.6	381	65.7	61.4-70.0
65+	1160	414,827	171	14.5	12.1-16.9	989	85.5	83.1-87.9
Less Than H.S.	231	228,104	84	38.9	31.3-46.5	147	61.1	53.5-68.7
H.S. or G.E.D.	991	588,464	316	36.1	32.4-39.8	675	63.9	60.2-67.6
Some Post-H.S.	830	575,719	331	45.5	41.4-49.6	499	54.5	50.4-58.6
College Graduate	1074	462,232	492	52.7	49.2-56.2	582	47.3	43.8-50.8
Less than \$15,000	268	167,447	113	44.0	36.6-51.4	155	56.0	48.6-63.4
\$15,000- 24,999	467	284,187	178	45.7	39.8-51.6	289	54.3	48.4-60.2
\$25,000- 34,999	308	166,546	109	41.0	33.9-48.1	199	59.0	51.9-66.1
\$35,000- 49,999	382	222,989	160	46.3	40.0-52.6	222	53.7	47.4-60.0
\$50,000- 74,999	426	254,920	177	48.4	42.7-54.1	249	51.6	45.9-57.3
\$75,000+	668	406,177	342	52.1	47.6-56.6	326	47.9	43.4-52.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1145	764,057	363	33.9	30.6-37.2	229	21.6	18.7-24.5	151	13.5	11.1-15.9	122	9.7	7.7-11.7	280	21.3	18.6-24.0
White/Non-Hisp	867	566,489	267	33.0	29.3-36.7	160	19.2	16.1-22.3	121	14.5	11.8-17.2	92	9.5	7.3-11.7	227	23.8	20.7-26.9
Black or Afr. Am./Non-Hisp	130	85,363	47	40.1	29.7-50.5	39	37.5	27.1-47.9	13	7.7	2.6-12.8	11	7.1	2.2-12.0	20	7.6	3.1-12.1
Hispanic	80	71,659	29	35.4	23.1-47.7	19	23.5	12.1-34.9	9	13.5	4.3-22.7	10	13.4	4.8-22.0	13	14.3	5.7-22.9
18-24	57	75,098	34	58.8	44.7-72.9	14	25.0	12.5-37.5	4	6.4	0.0-13.3	4	7.4	0.1-14.7	1	2.4	0.0- 7.1
25-34	197	195,760	79	36.1	28.8-43.4	49	27.2	20.1-34.3	25	14.6	8.9-20.3	12	5.4	1.7- 9.1	32	16.7	11.0-22.4
35-44	254	190,504	80	29.7	23.6-35.8	49	19.6	14.1-25.1	48	18.6	13.3-23.9	28	11.7	7.2-16.2	49	20.5	14.8-26.2
45-54	277	157,213	91	33.1	27.0-39.2	54	21.0	15.5-26.5	28	9.3	5.6-13.0	39	13.6	9.1-18.1	65	23.1	17.6-28.6
55-64	211	92,542	62	30.1	22.8-37.4	45	17.8	12.3-23.3	30	16.2	10.1-22.3	15	7.9	3.4-12.4	59	27.9	20.8-35.0
65+	149	52,941	17	14.8	7.5-22.1	18	11.6	5.3-17.9	16	9.2	3.9-14.5	24	13.8	7.7-19.9	74	50.7	41.1-60.3
Less Than H.S.	80	85,263	24	27.0	16.2-37.8	18	22.9	11.7-34.1	10	14.2	5.2-23.2	10	13.8	4.8-22.8	18	22.1	12.1-32.1
H.S. or G.E.D.	301	204,506	90	33.6	27.3-39.9	60	23.0	17.1-28.9	30	9.4	5.7-13.1	37	10.9	7.2-14.6	84	23.1	18.0-28.2
Some Post-H.S.	308	246,149	104	35.7	29.4-42.0	62	21.2	16.1-26.3	41	14.1	9.6-18.6	30	8.0	4.7-11.3	71	21.0	15.9-26.1
College Graduate	453	226,275	142	34.3	29.2-39.4	89	20.4	16.1-24.7	70	16.4	12.3-20.5	45	9.2	6.3-12.1	107	19.8	15.9-23.7
Less than \$15,000	103	67,260	36	38.6	27.4-49.8	21	25.1	14.9-35.3	10	8.4	2.5-14.3	12	11.1	3.7-18.5	24	16.8	9.7-23.9
\$15,000- 24,999	169	126,299	62	37.5	28.7-46.3	31	18.3	10.9-25.7	15	10.3	4.0-16.6	16	10.3	3.8-16.8	45	23.6	16.5-30.7
\$25,000- 34,999	103	65,777	27	27.9	16.7-39.1	27	28.8	17.8-39.8	13	13.3	5.7-20.9	11	8.1	2.8-13.4	25	21.8	12.4-31.2
\$35,000- 49,999	152	98,880	52	36.4	27.2-45.6	29	22.5	14.3-30.7	20	15.0	8.1-21.9	13	7.9	3.4-12.4	38	18.3	11.4-25.2
\$50,000- 74,999	163	115,042	46	31.3	22.9-39.7	30	18.8	11.9-25.7	26	15.1	8.2-22.0	20	10.6	5.5-15.7	41	24.1	16.5-31.7
\$75,000+	329	203,379	98	31.8	25.9-37.7	72	22.2	16.9-27.5	48	15.1	10.8-19.4	40	11.2	7.5-14.9	71	19.7	14.8-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4163	2,372,227	1218	23.0	21.6-24.4	2945	77.0	75.6-78.4
White/Non-Hisp	3400	1,903,656	1023	24.7	23.1-26.3	2377	75.3	73.7-76.9
Black or Afr. Am./Non-Hisp	384	206,822	125	22.2	17.3-27.1	259	77.8	72.9-82.7
Oth. Race/Non-Hisp.	92	62,698	26	17.5	8.5-26.5	66	82.5	73.5-91.5
MultiRacial/Non-Hisp.	64	23,055	19	20.5	10.3-30.7	45	79.5	69.3-89.7
Hispanic	164	145,706	11	5.2	1.5- 8.9	153	94.8	91.1-98.5
18-24	199	296,378	1	0.4	0.0- 1.2	198	99.6	98.8- 100
25-34	355	361,398	3	1.7	0.0- 3.7	352	98.3	96.3- 100
35-44	477	361,720	50	11.7	8.4-15.0	427	88.3	85.0-91.6
45-54	682	375,423	164	24.9	21.2-28.6	518	75.1	71.4-78.8
55-64	835	401,542	275	33.9	30.2-37.6	560	66.1	62.4-69.8
65+	1615	575,766	725	46.2	43.3-49.1	890	53.8	50.9-56.7
Less Than H.S.	288	279,164	90	23.3	18.0-28.6	198	76.7	71.4-82.0
H.S. or G.E.D.	1295	730,727	441	26.9	24.2-29.6	854	73.1	70.4-75.8
Some Post-H.S.	1120	740,992	360	23.7	21.0-26.4	760	76.3	73.6-79.0
College Graduate	1448	613,333	326	17.3	15.1-19.5	1122	82.7	80.5-84.9
Less than \$15,000	326	199,647	97	24.0	18.7-29.3	229	76.0	70.7-81.3
\$15,000- 24,999	580	341,558	193	26.2	21.9-30.5	387	73.8	69.5-78.1
\$25,000- 34,999	382	205,163	132	25.7	20.8-30.6	250	74.3	69.4-79.2
\$35,000- 49,999	503	285,915	141	23.3	19.2-27.4	362	76.7	72.6-80.8
\$50,000- 74,999	544	312,128	135	19.5	15.8-23.2	409	80.5	76.8-84.2
\$75,000+	922	547,953	200	18.0	15.3-20.7	722	82.0	79.3-84.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1	222
2	223
3	224
4	225
5	226
6	227

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST?
(PCPSAAD3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2557	1,358,702	1141	39.7	37.5-41.9	1416	60.3	58.1-62.5
White/Non-Hisp	2149	1,127,421	990	41.2	38.8-43.6	1159	58.8	56.4-61.2
Black or Afr. Am./Non-Hisp	183	110,253	72	35.3	27.3-43.3	111	64.7	56.7-72.7
Oth. Race/Non-Hisp.	56	26,738	24	34.4	19.5-49.3	32	65.6	50.7-80.5
Hispanic	77	53,783	16	22.8	11.0-34.6	61	77.2	65.4-89.0
35-44	213	182,934	24	11.7	7.0-16.4	189	88.3	83.6-93.0
45-54	563	358,151	151	26.6	22.7-30.5	412	73.4	69.5-77.3
55-64	708	379,282	330	44.7	40.6-48.8	378	55.3	51.2-59.4
65+	1073	438,335	636	57.9	54.4-61.4	437	42.1	38.6-45.6
Less Than H.S.	175	155,763	45	27.4	20.0-34.8	130	72.6	65.2-80.0
H.S. or G.E.D.	824	451,534	312	34.6	31.1-38.1	512	65.4	61.9-68.9
Some Post-H.S.	643	393,695	280	39.2	35.1-43.3	363	60.8	56.7-64.9
College Graduate	908	355,190	502	52.2	48.5-55.9	406	47.8	44.1-51.5
Less than \$15,000	136	71,930	40	29.1	20.1-38.1	96	70.9	61.9-79.9
\$15,000- 24,999	298	157,264	107	33.5	27.2-39.8	191	66.5	60.2-72.8
\$25,000- 34,999	208	104,128	89	38.1	30.7-45.5	119	61.9	54.5-69.3
\$35,000- 49,999	326	167,385	148	41.1	35.0-47.2	178	58.9	52.8-65.0
\$50,000- 74,999	362	200,861	170	39.8	34.1-45.5	192	60.2	54.5-65.9
\$75,000+	811	443,130	414	44.7	41.0-48.4	397	55.3	51.6-59.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2547	1,354,450	431	15.1	13.5-16.7	2116	84.9	83.3-86.5
White/Non-Hisp	2141	1,124,501	346	14.5	12.9-16.1	1795	85.5	83.9-87.1
Black or Afr. Am./Non-Hisp	181	107,893	45	20.7	14.0-27.4	136	79.3	72.6-86.0
Oth. Race/Non-Hisp.	54	26,806	12	14.8	5.6-24.0	42	85.2	76.0-94.4
Hispanic	78	53,328	10	12.5	3.9-21.1	68	87.5	78.9-96.1
35-44	213	182,708	12	5.1	2.0- 8.2	201	94.9	91.8-98.0
45-54	561	354,278	71	12.0	9.1-14.9	490	88.0	85.1-90.9
55-64	703	376,351	121	16.2	13.3-19.1	582	83.8	80.9-86.7
65+	1070	441,114	227	20.7	18.0-23.4	843	79.3	76.6-82.0
Less Than H.S.	171	153,585	24	13.1	7.6-18.6	147	86.9	81.4-92.4
H.S. or G.E.D.	828	455,227	114	12.7	10.2-15.2	714	87.3	84.8-89.8
Some Post-H.S.	642	389,683	101	14.5	11.6-17.4	541	85.5	82.6-88.4
College Graduate	899	353,435	191	19.5	16.8-22.2	708	80.5	77.8-83.2
Less than \$15,000	140	74,466	20	15.1	7.8-22.4	120	84.9	77.6-92.2
\$15,000- 24,999	297	157,123	51	16.0	11.1-20.9	246	84.0	79.1-88.9
\$25,000- 34,999	201	99,627	23	11.7	6.8-16.6	178	88.3	83.4-93.2
\$35,000- 49,999	328	168,472	53	14.0	9.9-18.1	275	86.0	81.9-90.1
\$50,000- 74,999	367	202,527	62	15.8	11.7-19.9	305	84.2	80.1-88.3
\$75,000+	810	443,816	172	17.4	14.7-20.1	638	82.6	79.9-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A P.S.A. TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2528	1,341,836	1058	36.9	34.7-39.1	1470	63.1	60.9-65.3
White/Non-Hisp	2127	1,115,851	914	38.2	35.8-40.6	1213	61.8	59.4-64.2
Black or Afr. Am./Non-Hisp	177	105,690	66	33.1	25.1-41.1	111	66.9	58.9-74.9
Oth. Race/Non-Hisp.	56	27,079	21	25.6	13.1-38.1	35	74.4	61.9-86.9
Hispanic	79	54,035	16	17.7	8.3-27.1	63	82.3	72.9-91.7
35-44	210	180,563	15	7.1	3.4-10.8	195	92.9	89.2-96.6
45-54	565	357,302	122	20.9	17.4-24.4	443	79.1	75.6-82.6
55-64	687	366,141	303	42.7	38.6-46.8	384	57.3	53.2-61.4
65+	1066	437,830	618	57.3	53.8-60.8	448	42.7	39.2-46.2
Less Than H.S.	172	151,391	41	22.6	15.7-29.5	131	77.4	70.5-84.3
H.S. or G.E.D.	818	448,621	290	32.1	28.6-35.6	528	67.9	64.4-71.4
Some Post-H.S.	645	391,639	268	37.9	33.8-42.0	377	62.1	58.0-66.2
College Graduate	886	347,667	457	48.2	44.5-51.9	429	51.8	48.1-55.5
Less than \$15,000	131	68,989	36	29.4	20.0-38.8	95	70.6	61.2-80.0
\$15,000- 24,999	292	154,827	96	29.6	23.5-35.7	196	70.4	64.3-76.5
\$25,000- 34,999	206	102,940	85	37.1	29.7-44.5	121	62.9	55.5-70.3
\$35,000- 49,999	326	167,332	132	36.6	30.7-42.5	194	63.4	57.5-69.3
\$50,000- 74,999	363	201,087	159	37.6	32.1-43.1	204	62.4	56.9-67.9
\$75,000+	805	439,323	389	41.4	37.7-45.1	416	58.6	54.9-62.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1039	484,490	954	90.5	88.3-92.7	85	9.5	7.3-11.7
White/Non-Hisp	899	418,573	831	91.1	88.9-93.3	68	8.9	6.7-11.1
Black or Afr. Am./Non-Hisp	64	33,970	55	83.8	73.0-94.6	9	16.2	5.4-27.0
45-54	120	73,304	93	77.0	68.6-85.4	27	23.0	14.6-31.4
55-64	295	151,273	268	90.7	87.2-94.2	27	9.3	5.8-12.8
65+	609	247,070	584	95.6	93.6-97.6	25	4.4	2.4- 6.4
H.S. or G.E.D.	281	139,612	239	83.6	78.7-88.5	42	16.4	11.5-21.3
Some Post-H.S.	265	146,942	250	94.2	91.1-97.3	15	5.8	2.7- 8.9
College Graduate	454	165,906	434	95.2	93.0-97.4	20	4.8	2.6- 7.0
\$15,000- 24,999	93	44,110	80	82.2	72.4-92.0	13	17.8	8.0-27.6
\$25,000- 34,999	83	37,136	75	91.3	84.6-98.0	8	8.7	2.0-15.4
\$35,000- 49,999	131	60,694	124	94.6	90.1-99.1	7	5.4	0.9- 9.9
\$50,000- 74,999	157	74,813	144	89.8	84.1-95.5	13	10.2	4.5-15.9
\$75,000+	384	179,243	353	89.7	86.0-93.4	31	10.3	6.6-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST P.S.A. TEST? (PSATIME)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1115	517,679	641	55.9	52.6-59.2	175	17.0	14.5-19.5	71	6.3	4.7- 7.9	93	8.7	6.9-10.5	135	12.2	10.0-14.4
White/Non-Hisp	964	446,094	565	57.5	54.0-61.0	146	16.2	13.7-18.7	65	6.5	4.7- 8.3	74	7.8	6.0- 9.6	114	12.0	9.6-14.4
Black or Afr. Am./Non-Hisp	72	35,948	33	44.1	30.2-58.0	16	23.8	11.8-35.8	4	6.2	0.0-13.3	7	8.1	1.2-15.0	12	17.7	5.7-29.7
45-54	115	72,167	59	53.8	44.0-63.6	22	16.0	9.1-22.9	9	8.1	2.8-13.4	8	6.9	1.8-12.0	17	15.2	7.9-22.5
55-64	301	155,343	178	57.1	50.8-63.4	53	18.8	13.5-24.1	15	5.2	2.5- 7.9	27	8.8	5.5-12.1	28	10.1	6.2-14.0
65+	683	275,947	396	56.1	51.8-60.4	96	15.6	12.5-18.7	46	6.3	4.1- 8.5	56	9.1	6.6-11.6	89	12.9	10.0-15.8
H.S. or G.E.D.	296	144,955	157	52.3	46.0-58.6	42	13.7	9.4-18.0	25	7.9	4.6-11.2	33	12.6	8.3-16.9	39	13.5	9.2-17.8
Some Post-H.S.	288	160,640	164	57.7	51.4-64.0	54	18.4	13.5-23.3	18	6.8	3.5-10.1	18	6.3	3.4- 9.2	34	10.9	7.0-14.8
College Graduate	488	177,224	300	60.0	55.3-64.7	72	17.2	13.5-20.9	25	4.7	2.7- 6.7	38	7.8	5.3-10.3	53	10.3	7.4-13.2
\$15,000- 24,999	98	47,252	45	41.5	30.7-52.3	21	26.0	15.0-37.0	7	5.6	1.1-10.1	15	14.5	7.1-21.9	10	12.4	4.4-20.4
\$25,000- 34,999	86	37,348	39	50.6	38.6-62.6	13	16.3	7.3-25.3	7	8.6	1.5-15.7	8	9.5	2.6-16.4	19	15.0	7.4-22.6
\$35,000- 49,999	151	70,684	80	47.9	38.5-57.3	29	22.1	13.7-30.5	12	9.7	3.8-15.6	12	8.1	3.2-13.0	18	12.2	6.3-18.1
\$50,000- 74,999	174	80,498	95	56.6	48.4-64.8	27	15.0	9.1-20.9	13	7.4	3.1-11.7	13	6.3	2.8- 9.8	26	14.8	8.7-20.9
\$75,000+	392	182,371	261	65.6	60.3-70.9	57	15.1	11.2-19.0	18	4.6	2.2- 7.0	24	7.1	4.2-10.0	32	7.6	4.7-10.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST – WAS IT ...? (PCPSARS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1132	524,785	755	67.7	64.6-70.8	74	5.9	4.3- 7.5	59	5.3	3.7- 6.9	71	5.8	4.2- 7.4	173	15.4	13.0-17.8
White/Non-Hisp	983	455,014	662	68.2	65.1-71.3	67	6.1	4.5- 7.7	52	5.4	3.8- 7.0	59	5.3	3.7- 6.9	143	15.0	12.5-17.5
Black or Afr. Am./Non-Hisp	71	35,486	42	59.4	45.3-73.5	2	4.6	0.0-12.6	4	5.2	0.0-10.7	6	8.3	1.0-15.6	17	22.5	10.7-34.3
45-54	119	74,316	81	68.9	59.9-77.9	7	6.1	1.6-10.6	6	3.9	0.2- 7.6	3	3.0	0.0- 6.5	22	18.1	10.8-25.4
55-64	305	157,651	220	73.4	67.9-78.9	14	3.5	1.5- 5.5	22	7.3	4.2-10.4	8	2.4	0.6- 4.2	41	13.4	9.1-17.7
65+	693	280,243	446	64.6	60.5-68.7	53	7.4	5.2- 9.6	29	4.0	2.2- 5.8	59	8.4	6.0-10.8	106	15.5	12.4-18.6
H.S. or G.E.D.	302	147,274	196	67.3	61.6-73.0	18	4.7	2.3- 7.1	15	4.4	2.0- 6.8	18	5.2	2.7- 7.7	55	18.5	13.6-23.4
Some Post-H.S.	291	162,330	189	67.3	61.4-73.2	21	6.5	3.6- 9.4	14	4.8	2.1- 7.5	20	6.5	3.4- 9.6	47	14.9	10.4-19.4
College Graduate	496	180,252	345	69.4	64.9-73.9	34	6.6	4.2- 9.0	26	5.6	3.2- 8.0	31	6.1	3.7- 8.5	60	12.2	9.1-15.3
\$15,000- 24,999	100	46,145	55	58.6	47.8-69.4	5	3.0	0.0- 6.1	5	5.3	0.0-11.0	4	3.0	0.0- 6.1	31	30.1	20.1-40.1
\$25,000- 34,999	89	38,573	49	53.6	41.8-65.4	12	15.8	7.4-24.2	4	4.1	0.0- 8.6	6	6.4	0.1-12.7	18	20.0	10.4-29.6
\$35,000- 49,999	154	71,705	101	67.5	58.9-76.1	10	5.7	2.0- 9.4	9	4.7	1.2- 8.2	10	6.4	1.9-10.9	24	15.8	9.1-22.5
\$50,000- 74,999	173	80,582	120	70.1	62.5-77.7	10	6.3	2.4-10.2	10	6.6	2.3-10.9	7	2.9	0.4- 5.4	26	14.1	8.2-20.0
\$75,000+	396	184,513	282	73.1	68.4-77.8	26	5.2	2.8- 7.6	26	6.8	4.1- 9.5	23	5.1	2.7- 7.5	39	9.8	6.5-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)	
1 MALES AND FEMALES	230
2 MALES ONLY	231
3 FEMALES ONLY	232
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)	
4 MALES AND FEMALES	233
5 MALES ONLY	234
6 FEMALES ONLY	235
A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)	
7 MALES AND FEMALES	236
8 MALES ONLY	237
9 FEMALES ONLY	238
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)	
10 MALES AND FEMALES	239
11 MALES ONLY	240
12 FEMALES ONLY	241
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)	
13 MALES AND FEMALES	242
14 MALES ONLY	243
15 FEMALES ONLY	244
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)	
16 MALES AND FEMALES	245
17 MALES ONLY	246
18 FEMALES ONLY	247
ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)	
19 MALES AND FEMALES	248
20 MALES ONLY	249
21 FEMALES ONLY	250
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
22	MALES AND FEMALES	251
23	MALES ONLY	252
24	FEMALES ONLY	253
	FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)	
25	MALES AND FEMALES	254
26	MALES ONLY	255
27	FEMALES ONLY	256
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)	
28	MALES AND FEMALES	257
29	MALES ONLY	258
30	FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4944	2,224,125	3621	70.7	69.1-72.3	1323	29.3	27.7-30.9
Male	2140	1,044,267	1500	67.5	65.1-69.9	640	32.5	30.1-34.9
Female	2804	1,179,858	2121	73.6	71.6-75.6	683	26.4	24.4-28.4
White/Non-Hisp	4210	1,910,610	3110	71.7	70.1-73.3	1100	28.3	26.7-29.9
Black or Afr. Am./Non-Hisp	390	160,372	282	67.3	61.0-73.6	108	32.7	26.4-39.0
Oth. Race/Non-Hisp.	96	38,658	69	69.4	57.4-81.4	27	30.6	18.6-42.6
MultiRacial/Non-Hisp.	61	16,891	46	74.2	60.9-87.5	15	25.8	12.5-39.1
Hispanic	96	54,563	56	57.2	45.2-69.2	40	42.8	30.8-54.8
45-54	678	411,730	335	48.6	44.3-52.9	343	51.4	47.1-55.7
55-64	1553	782,748	1099	69.5	67.0-72.0	454	30.5	28.0-33.0
65+	2713	1,029,646	2187	80.6	78.8-82.4	526	19.4	17.6-21.2
Less Than H.S.	336	255,090	205	61.0	55.1-66.9	131	39.0	33.1-44.9
H.S. or G.E.D.	1669	776,636	1166	68.3	65.8-70.8	503	31.7	29.2-34.2
Some Post-H.S.	1278	646,475	944	72.1	69.2-75.0	334	27.9	25.0-30.8
College Graduate	1648	539,867	1300	77.6	75.2-80.0	348	22.4	20.0-24.8
Less than \$15,000	324	154,183	218	65.2	58.9-71.5	106	34.8	28.5-41.1
\$15,000- 24,999	658	305,298	439	63.6	59.1-68.1	219	36.4	31.9-40.9
\$25,000- 34,999	467	203,223	321	65.3	60.0-70.6	146	34.7	29.4-40.0
\$35,000- 49,999	616	274,301	470	76.9	73.0-80.8	146	23.1	19.2-27.0
\$50,000- 74,999	647	299,347	499	73.0	68.9-77.1	148	27.0	22.9-31.1
\$75,000+	1150	536,870	885	74.3	71.4-77.2	265	25.7	22.8-28.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	1,044,267	1500	67.5	65.1-69.9	640	32.5	30.1-34.9
White/Non-Hisp	1822	887,217	1291	68.3	65.8-70.8	531	31.7	29.2-34.2
Black or Afr. Am./Non-Hisp	145	76,409	92	62.5	52.9-72.1	53	37.5	27.9-47.1
45-54	312	205,417	144	45.9	39.8-52.0	168	54.1	48.0-60.2
55-64	720	382,758	468	64.1	60.2-68.0	252	35.9	32.0-39.8
65+	1108	456,092	888	80.1	77.4-82.8	220	19.9	17.2-22.6
Less Than H.S.	153	126,845	88	56.8	48.0-65.6	65	43.2	34.4-52.0
H.S. or G.E.D.	703	359,629	459	63.9	60.0-67.8	244	36.1	32.2-40.0
Some Post-H.S.	540	296,767	384	69.6	65.3-73.9	156	30.4	26.1-34.7
College Graduate	738	258,594	566	75.4	71.9-78.9	172	24.6	21.1-28.1
Less than \$15,000	121	62,972	71	55.5	44.9-66.1	50	44.5	33.9-55.1
\$15,000- 24,999	268	136,889	170	59.7	52.8-66.6	98	40.3	33.4-47.2
\$25,000- 34,999	189	90,495	117	55.6	47.2-64.0	72	44.4	36.0-52.8
\$35,000- 49,999	285	135,676	210	75.9	70.4-81.4	75	24.1	18.6-29.6
\$50,000- 74,999	303	147,540	221	70.2	64.1-76.3	82	29.8	23.7-35.9
\$75,000+	615	295,339	462	71.8	67.7-75.9	153	28.2	24.1-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2804	1,179,858	2121	73.6	71.6-75.6	683	26.4	24.4-28.4
White/Non-Hisp	2388	1,023,393	1819	74.6	72.6-76.6	569	25.4	23.4-27.4
Black or Afr. Am./Non-Hisp	245	83,963	190	71.8	63.6-80.0	55	28.2	20.0-36.4
Oth. Race/Non-Hisp.	50	20,051	35	74.4	59.3-89.5	15	25.6	10.5-40.7
45-54	366	206,314	191	51.3	45.4-57.2	175	48.7	42.8-54.6
55-64	833	399,990	631	74.7	71.4-78.0	202	25.3	22.0-28.6
65+	1605	573,555	1299	81.0	78.6-83.4	306	19.0	16.6-21.4
Less Than H.S.	183	128,246	117	65.1	57.3-72.9	66	34.9	27.1-42.7
H.S. or G.E.D.	966	417,008	707	72.1	68.8-75.4	259	27.9	24.6-31.2
Some Post-H.S.	738	349,708	560	74.1	70.4-77.8	178	25.9	22.2-29.6
College Graduate	910	281,272	734	79.7	76.8-82.6	176	20.3	17.4-23.2
Less than \$15,000	203	91,211	147	71.9	64.8-79.0	56	28.1	21.0-35.2
\$15,000- 24,999	390	168,409	269	66.7	61.0-72.4	121	33.3	27.6-39.0
\$25,000- 34,999	278	112,728	204	73.1	66.8-79.4	74	26.9	20.6-33.2
\$35,000- 49,999	331	138,625	260	77.8	72.5-83.1	71	22.2	16.9-27.5
\$50,000- 74,999	344	151,807	278	75.8	70.1-81.5	66	24.2	18.5-29.9
\$75,000+	535	241,531	423	77.4	73.3-81.5	112	22.6	18.5-26.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3546	1,542,652	653	18.7	17.1-20.3	581	16.2	14.8-17.6	1284	37.3	35.5-39.1	660	18.0	16.6-19.4	368	9.7	8.5-10.9
Male	1469	689,125	274	18.8	16.4-21.2	253	17.7	15.5-19.9	548	37.4	34.7-40.1	265	18.2	15.8-20.6	129	8.0	6.4- 9.6
Female	2077	853,527	379	18.7	16.7-20.7	328	15.1	13.3-16.9	736	37.1	34.6-39.6	395	17.9	15.9-19.9	239	11.2	9.6-12.8
White/Non-Hisp	3050	1,346,045	536	18.2	16.6-19.8	496	16.0	14.4-17.6	1116	37.4	35.4-39.4	582	18.9	17.3-20.5	320	9.5	8.3-10.7
Black or Afr. Am./Non-Hisp	276	105,954	67	23.2	16.7-29.7	47	16.0	10.3-21.7	89	35.7	28.3-43.1	45	13.5	8.6-18.4	28	11.6	6.3-16.9
Oth. Race/Non-Hisp.	68	26,095	14	28.0	13.1-42.9	11	13.2	3.0-23.4	27	44.8	28.5-61.1	11	5.2	1.5- 8.9	5	8.8	0.0-18.4
Hispanic	53	28,261	9	13.3	3.7-22.9	12	27.4	11.3-43.5	18	33.9	19.0-48.8	9	14.5	3.5-25.5	5	11.0	1.0-21.0
45-54	333	198,934	95	29.4	23.9-34.9	66	17.8	13.5-22.1	121	37.1	31.4-42.8	32	9.6	6.1-13.1	19	6.1	3.0- 9.2
55-64	1089	539,307	215	20.0	17.3-22.7	178	16.2	13.7-18.7	388	35.7	32.4-39.0	209	18.6	16.1-21.1	99	9.5	7.5-11.5
65+	2124	804,410	343	15.3	13.5-17.1	337	15.9	14.1-17.7	775	38.3	35.8-40.8	419	19.7	17.7-21.7	250	10.8	9.2-12.4
Less Than H.S.	199	149,788	42	19.3	13.2-25.4	38	19.9	13.4-26.4	67	32.9	25.6-40.2	28	14.7	9.0-20.4	24	13.1	7.4-18.8
H.S. or G.E.D.	1140	520,123	209	18.7	16.2-21.2	173	14.8	12.4-17.2	410	37.4	34.3-40.5	215	18.6	16.1-21.1	133	10.5	8.5-12.5
Some Post-H.S.	930	459,738	167	18.1	15.2-21.0	151	16.1	13.4-18.8	353	39.9	36.4-43.4	176	18.2	15.5-20.9	83	7.7	5.9- 9.5
College Graduate	1271	410,329	234	19.3	16.8-21.8	217	16.7	14.3-19.1	454	36.1	33.2-39.0	238	18.1	15.7-20.5	128	9.9	8.1-11.7
Less than \$15,000	214	98,857	49	21.6	15.3-27.9	42	20.0	13.7-26.3	73	36.0	28.4-43.6	24	12.2	6.3-18.1	26	10.2	5.9-14.5
\$15,000- 24,999	427	186,880	89	20.4	15.7-25.1	70	14.5	10.8-18.2	153	38.1	32.4-43.8	73	15.6	11.5-19.7	42	11.3	7.2-15.4
\$25,000- 34,999	317	130,443	55	17.4	12.5-22.3	45	13.4	9.1-17.7	116	36.2	30.1-42.3	65	20.8	15.7-25.9	36	12.2	7.9-16.5
\$35,000- 49,999	463	208,768	66	15.2	11.3-19.1	78	17.8	13.5-22.1	173	37.8	32.5-43.1	96	20.5	16.2-24.8	50	8.7	6.0-11.4
\$50,000- 74,999	495	217,244	102	21.9	17.6-26.2	83	15.9	12.4-19.4	177	36.6	31.7-41.5	83	16.3	12.4-20.2	50	9.3	6.6-12.0
\$75,000+	876	395,229	165	19.0	16.1-21.9	167	19.2	16.3-22.1	317	37.0	33.5-40.5	151	16.7	14.0-19.4	76	8.1	6.1-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1469	689,125	274	18.8	16.4-21.2	253	17.7	15.5-19.9	548	37.4	34.7-40.1	265	18.2	15.8-20.6	129	8.0	6.4-9.6
White/Non-Hisp	1265	593,005	218	17.5	15.1-19.9	217	17.6	15.2-20.0	487	38.4	35.5-41.3	234	19.1	16.6-21.6	109	7.4	5.8-9.0
Black or Afr. Am./Non-Hisp	91	46,910	28	29.2	18.0-40.4	14	14.9	5.9-23.9	31	37.1	24.8-49.4	8	7.8	1.5-14.1	10	10.9	2.1-19.7
45-54	143	93,577	38	28.0	20.0-36.0	30	17.9	11.4-24.4	52	37.8	29.2-46.4	17	12.5	6.4-18.6	6	3.9	0.6-7.2
55-64	462	242,213	87	18.2	14.3-22.1	84	18.7	14.6-22.8	166	35.9	31.0-40.8	83	18.2	14.3-22.1	42	9.0	6.1-11.9
65+	864	353,335	149	16.7	14.0-19.4	139	16.9	14.0-19.8	330	38.4	34.7-42.1	165	19.7	16.6-22.8	81	8.4	6.2-10.6
Less Than H.S.	86	69,782	17	17.3	8.9-25.7	15	19.5	9.7-29.3	28	32.6	21.6-43.6	16	19.1	9.7-28.5	10	11.6	4.0-19.2
H.S. or G.E.D.	446	224,068	83	18.3	14.4-22.2	71	16.1	12.4-19.8	170	38.2	33.3-43.1	82	19.0	14.9-23.1	40	8.3	5.6-11.0
Some Post-H.S.	379	203,321	69	18.8	14.3-23.3	69	18.6	14.3-22.9	149	39.8	34.3-45.3	61	16.3	12.2-20.4	31	6.5	4.1-8.9
College Graduate	555	190,805	104	19.8	16.1-23.5	97	17.6	14.1-21.1	201	36.0	31.7-40.3	105	18.7	15.2-22.2	48	7.8	5.4-10.2
Less than \$15,000	70	34,439	16	20.2	10.0-30.4	13	21.1	9.5-32.7	24	32.1	19.4-44.8	9	15.2	3.4-27.0	8	11.3	3.1-19.5
\$15,000- 24,999	167	79,370	33	20.9	13.5-28.3	27	15.8	9.7-21.9	73	44.9	36.3-53.5	25	14.6	8.7-20.5	9	3.8	0.1-7.5
\$25,000- 34,999	116	49,718	21	14.7	7.6-21.8	13	11.5	5.0-18.0	41	37.1	26.9-47.3	25	23.1	14.3-31.9	16	13.6	6.3-20.9
\$35,000- 49,999	204	100,946	30	14.8	9.1-20.5	36	19.0	12.3-25.7	85	42.3	34.5-50.1	34	17.2	11.5-22.9	19	6.6	3.1-10.1
\$50,000- 74,999	218	102,471	45	20.8	14.7-26.9	36	16.6	11.1-22.1	76	34.3	27.0-41.6	41	19.7	13.2-26.2	20	8.6	4.5-12.7
\$75,000+	455	208,956	87	19.6	15.5-23.7	94	20.6	16.5-24.7	166	35.5	30.6-40.4	75	17.6	13.7-21.5	33	6.6	4.1-9.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2077	853,527	379	18.7	16.7-20.7	328	15.1	13.3-16.9	736	37.1	34.6-39.6	395	17.9	15.9-19.9	239	11.2	9.6-12.8
White/Non-Hisp	1785	753,040	318	18.7	16.5-20.9	279	14.8	12.8-16.8	629	36.6	34.1-39.1	348	18.8	16.6-21.0	211	11.2	9.4-13.0
Black or Afr. Am./Non-Hisp	185	59,044	39	18.5	11.1-25.9	33	16.8	9.5-24.1	58	34.5	25.3-43.7	37	17.9	10.8-25.0	18	12.3	5.8-18.8
45-54	190	105,357	57	30.6	23.2-38.0	36	17.7	11.6-23.8	69	36.5	28.9-44.1	15	7.1	3.2-11.0	13	8.1	3.2-13.0
55-64	627	297,095	128	21.4	17.7-25.1	94	14.2	11.1-17.3	222	35.6	31.3-39.9	126	19.0	15.5-22.5	57	9.9	7.2-12.6
65+	1260	451,076	194	14.2	12.0-16.4	198	15.1	12.7-17.5	445	38.3	35.0-41.6	254	19.8	17.3-22.3	169	12.7	10.5-14.9
Less Than H.S.	113	80,006	25	21.1	12.7-29.5	23	20.3	11.9-28.7	39	33.1	23.3-42.9	12	11.0	4.3-17.7	14	14.5	6.5-22.5
H.S. or G.E.D.	694	296,055	126	19.1	15.6-22.6	102	13.8	10.9-16.7	240	36.7	32.6-40.8	133	18.2	14.9-21.5	93	12.1	9.4-14.8
Some Post-H.S.	551	256,417	98	17.5	13.8-21.2	82	14.1	10.8-17.4	204	39.9	35.0-44.8	115	19.8	16.1-23.5	52	8.7	6.2-11.2
College Graduate	716	219,524	130	18.9	15.6-22.2	120	15.8	12.7-18.9	253	36.1	32.0-40.2	133	17.6	14.5-20.7	80	11.6	8.9-14.3
Less than \$15,000	144	64,418	33	22.4	14.6-30.2	29	19.3	11.9-26.7	49	38.1	28.7-47.5	15	10.5	4.2-16.8	18	9.7	4.6-14.8
\$15,000- 24,999	260	107,511	56	20.0	14.1-25.9	43	13.6	8.7-18.5	80	33.2	25.9-40.5	48	16.4	10.9-21.9	33	16.9	10.6-23.2
\$25,000- 34,999	201	80,724	34	19.1	12.4-25.8	32	14.6	8.9-20.3	75	35.7	28.1-43.3	40	19.3	13.0-25.6	20	11.4	6.1-16.7
\$35,000- 49,999	259	107,822	36	15.5	10.2-20.8	42	16.6	10.9-22.3	88	33.7	26.8-40.6	62	23.6	17.3-29.9	31	10.7	6.4-15.0
\$50,000- 74,999	277	114,773	57	22.9	16.8-29.0	47	15.2	10.5-19.9	101	38.6	31.7-45.5	42	13.2	8.9-17.5	30	10.0	6.1-13.9
\$75,000+	421	186,273	78	18.3	14.0-22.6	73	17.6	13.5-21.7	151	38.7	33.4-44.0	76	15.6	11.9-19.3	43	9.8	6.7-12.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 7: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4672	2,104,494	611	11.3	10.3-12.3	4061	88.7	87.7-89.7
Male	2006	979,465	266	11.6	10.0-13.2	1740	88.4	86.8-90.0
Female	2666	1,125,029	345	11.0	9.6-12.4	2321	89.0	87.6-90.4
White/Non-Hisp	3992	1,813,023	509	11.1	10.1-12.1	3483	88.9	87.9-89.9
Black or Afr. Am./Non-Hisp	361	151,793	53	11.4	7.7-15.1	308	88.6	84.9-92.3
Oth. Race/Non-Hisp.	87	34,233	15	14.2	4.8-23.6	72	85.8	76.4-95.2
MultiRacial/Non-Hisp.	55	14,196	10	19.0	5.1-32.9	45	81.0	67.1-94.9
Hispanic	93	51,299	11	11.9	4.5-19.3	82	88.1	80.7-95.5
45-54	665	402,296	37	5.1	3.1- 7.1	628	94.9	92.9-96.9
55-64	1500	757,511	123	7.7	6.1- 9.3	1377	92.3	90.7-93.9
65+	2507	944,687	451	16.8	15.0-18.6	2056	83.2	81.4-85.0
Less Than H.S.	310	235,662	31	7.9	4.8-11.0	279	92.1	89.0-95.2
H.S. or G.E.D.	1558	728,259	172	9.9	8.3-11.5	1386	90.1	88.5-91.7
Some Post-H.S.	1198	612,455	157	12.0	10.0-14.0	1041	88.0	86.0-90.0
College Graduate	1595	523,154	249	13.7	11.9-15.5	1346	86.3	84.5-88.1
Less than \$15,000	302	142,853	36	10.3	6.6-14.0	266	89.7	86.0-93.4
\$15,000- 24,999	616	286,420	82	12.1	9.2-15.0	534	87.9	85.0-90.8
\$25,000- 34,999	440	190,342	68	13.0	9.5-16.5	372	87.0	83.5-90.5
\$35,000- 49,999	583	258,291	73	10.7	8.0-13.4	510	89.3	86.6-92.0
\$50,000- 74,999	618	289,582	71	10.1	7.6-12.6	547	89.9	87.4-92.4
\$75,000+	1112	518,459	143	10.7	8.7-12.7	969	89.3	87.3-91.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 8: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2006	979,465	266	11.6	10.0-13.2	1740	88.4	86.8-90.0
White/Non-Hisp	1710	833,906	219	11.3	9.7-12.9	1491	88.7	87.1-90.3
Black or Afr. Am./Non-Hisp	138	72,753	20	10.5	5.2-15.8	118	89.5	84.2-94.8
45-54	308	200,980	14	4.4	2.0- 6.8	294	95.6	93.2-98.0
55-64	687	366,193	53	7.7	5.5- 9.9	634	92.3	90.1-94.5
65+	1011	412,293	199	18.5	15.8-21.2	812	81.5	78.8-84.2
Less Than H.S.	140	117,370	16	8.5	4.0-13.0	124	91.5	87.0-96.0
H.S. or G.E.D.	647	332,934	63	8.9	6.5-11.3	584	91.1	88.7-93.5
Some Post-H.S.	503	277,868	66	12.8	9.5-16.1	437	87.2	83.9-90.5
College Graduate	711	249,501	120	15.1	12.4-17.8	591	84.9	82.2-87.6
Less than \$15,000	113	58,842	14	10.2	4.5-15.9	99	89.8	84.1-95.5
\$15,000- 24,999	248	125,435	26	9.5	5.6-13.4	222	90.5	86.6-94.4
\$25,000- 34,999	173	83,564	26	12.0	6.9-17.1	147	88.0	82.9-93.1
\$35,000- 49,999	267	126,748	33	10.5	6.6-14.4	234	89.5	85.6-93.4
\$50,000- 74,999	282	140,720	35	10.9	7.0-14.8	247	89.1	85.2-93.0
\$75,000+	591	283,376	79	11.3	8.6-14.0	512	88.7	86.0-91.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 9: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2666	1,125,029	345	11.0	9.6-12.4	2321	89.0	87.6-90.4
White/Non-Hisp	2282	979,117	290	10.9	9.5-12.3	1992	89.1	87.7-90.5
Black or Afr. Am./Non-Hisp	223	79,041	33	12.1	7.0-17.2	190	87.9	82.8-93.0
45-54	357	201,317	23	5.8	2.9- 8.7	334	94.2	91.3-97.1
55-64	813	391,318	70	7.7	5.7- 9.7	743	92.3	90.3-94.3
65+	1496	532,394	252	15.4	13.2-17.6	1244	84.6	82.4-86.8
Less Than H.S.	170	118,292	15	7.4	2.9-11.9	155	92.6	88.1-97.1
H.S. or G.E.D.	911	395,324	109	10.8	8.4-13.2	802	89.2	86.8-91.6
Some Post-H.S.	695	334,587	91	11.2	8.7-13.7	604	88.8	86.3-91.3
College Graduate	884	273,653	129	12.5	10.0-15.0	755	87.5	85.0-90.0
Less than \$15,000	189	84,011	22	10.5	5.6-15.4	167	89.5	84.6-94.4
\$15,000- 24,999	368	160,984	56	14.2	9.9-18.5	312	85.8	81.5-90.1
\$25,000- 34,999	267	106,779	42	13.9	9.2-18.6	225	86.1	81.4-90.8
\$35,000- 49,999	316	131,543	40	10.9	7.2-14.6	276	89.1	85.4-92.8
\$50,000- 74,999	336	148,861	36	9.3	5.8-12.8	300	90.7	87.2-94.2
\$75,000+	521	235,083	64	10.0	7.3-12.7	457	90.0	87.3-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	579	226,546	53	8.3	5.8-10.8	41	9.9	6.8-13.0	78	12.7	9.6-15.8	73	13.1	9.8-16.4	334	56.0	51.3-60.7
Male	251	106,750	29	11.0	6.7-15.3	23	13.1	7.6-18.6	36	14.2	9.5-18.9	44	16.6	11.3-21.9	119	45.1	38.0-52.2
Female	328	119,795	24	5.9	3.2- 8.6	18	7.0	3.3-10.7	42	11.3	7.4-15.2	29	9.9	5.4-14.4	215	65.8	59.5-72.1
White/Non-Hisp	484	192,727	35	6.4	4.0- 8.8	29	7.5	4.4-10.6	63	12.1	8.8-15.4	56	13.0	9.3-16.7	301	61.0	55.9-66.1
55-64	119	55,341	13	9.0	3.9-14.1	13	15.6	7.2-24.0	19	13.6	6.9-20.3	14	11.6	4.7-18.5	60	50.3	39.9-60.7
65+	423	150,795	35	7.3	4.6-10.0	24	8.2	4.7-11.7	52	12.2	8.7-15.7	52	12.0	8.5-15.5	260	60.3	54.8-65.8
H.S. or G.E.D.	165	70,193	20	11.8	6.3-17.3	17	14.3	7.6-21.0	23	12.0	6.7-17.3	18	10.2	5.1-15.3	87	51.7	42.9-60.5
Some Post-H.S.	150	70,850	10	5.0	1.3- 8.7	13	11.0	4.7-17.3	25	15.1	8.6-21.6	21	14.4	7.9-20.9	81	54.6	45.6-63.6
College Graduate	234	68,286	17	6.8	3.3-10.3	6	2.6	0.2- 5.0	27	12.2	7.3-17.1	29	11.6	6.9-16.3	155	66.8	59.9-73.7
\$15,000- 24,999	77	32,925	6	5.7	0.4-11.0	6	10.9	2.5-19.3	12	16.1	6.7-25.5	13	20.5	7.8-33.2	40	46.8	33.5-60.1
\$25,000- 34,999	64	23,688	9	11.9	3.7-20.1	5	10.8	0.6-21.0	10	16.7	5.1-28.3	5	6.3	0.4-12.2	35	54.2	39.7-68.7
\$35,000- 49,999	72	27,255	3	3.8	0.0- 8.3	4	8.2	0.0-16.8	9	9.4	2.5-16.3	13	16.9	7.5-26.3	43	61.7	49.0-74.4
\$50,000- 74,999	68	28,692	4	4.9	0.0-10.0	4	10.3	0.5-20.1	7	10.4	2.0-18.8	9	8.9	2.4-15.4	44	65.4	52.3-78.5
\$75,000+	139	54,739	10	5.3	1.2- 9.4	8	6.8	1.5-12.1	14	10.0	4.5-15.5	17	14.3	7.0-21.6	90	63.6	54.2-73.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	251	106,750	29	11.0	6.7-15.3	23	13.1	7.6-18.6	36	14.2	9.5-18.9	44	16.6	11.3-21.9	119	45.1	38.0-52.2
White/Non-Hisp	206	89,041	19	9.1	4.6-13.6	17	11.2	5.7-16.7	29	13.6	8.5-18.7	34	17.3	11.2-23.4	107	48.8	41.0-56.6
55-64	50	25,917	7	10.9	2.7-19.1	8	20.3	7.2-33.4	7	11.3	2.5-20.1	10	19.2	6.5-31.9	18	38.4	23.3-53.5
65+	187	72,002	20	10.3	5.4-15.2	13	11.1	4.8-17.4	26	14.5	8.8-20.2	31	15.5	9.8-21.2	97	48.7	40.5-56.9
H.S. or G.E.D.	61	28,597	10	15.5	5.7-25.3	10	19.5	7.9-31.1	9	13.2	4.6-21.8	10	12.5	4.5-20.5	22	39.3	25.4-53.2
Some Post-H.S.	65	35,051	7	8.2	0.9-15.5	7	15.1	4.7-25.5	15	20.2	9.8-30.6	11	17.7	6.7-28.7	25	38.8	25.5-52.1
College Graduate	110	34,819	7	6.1	1.0-11.2	4	3.5	0.0- 7.0	11	11.4	4.3-18.5	19	16.1	8.7-23.5	69	62.9	52.9-72.9
\$75,000+	76	31,283	5	5.7	0.0-12.0	5	7.6	0.3-14.9	7	8.9	1.8-16.0	12	18.9	7.7-30.1	47	58.8	45.9-71.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	328	119,795	24	5.9	3.2- 8.6	18	7.0	3.3-10.7	42	11.3	7.4-15.2	29	9.9	5.4-14.4	215	65.8	59.5-72.1
White/Non-Hisp	278	103,686	16	4.1	1.7- 6.5	12	4.4	1.5- 7.3	34	10.8	6.7-14.9	22	9.2	4.5-13.9	194	71.5	65.0-78.0
55-64	69	29,424	6	7.3	1.0-13.6	5	11.4	0.8-22.0	12	15.6	5.6-25.6	4	5.0	0.0-10.5	42	60.8	47.3-74.3
65+	236	78,793	15	4.6	1.9- 7.3	11	5.6	2.1- 9.1	26	10.2	5.7-14.7	21	8.7	4.6-12.8	163	70.9	64.0-77.8
H.S. or G.E.D.	104	41,597	10	9.2	2.9-15.5	7	10.7	2.9-18.5	14	11.2	4.7-17.7	8	8.7	1.8-15.6	65	60.3	49.1-71.5
Some Post-H.S.	85	35,798	3	1.8	0.0- 4.2	6	6.9	0.2-13.6	10	10.0	2.4-17.6	10	11.1	4.2-18.0	56	70.1	59.1-81.1
College Graduate	124	33,467	10	7.5	2.4-12.6	2	1.6	0.0- 4.7	16	12.9	6.0-19.8	10	7.0	1.5-12.5	86	70.9	61.5-80.3
\$15,000- 24,999	53	22,424	4	4.8	0.0-10.5	4	11.1	0.7-21.5	6	11.4	1.4-21.4	7	17.3	1.4-33.2	32	55.5	37.9-73.1
\$75,000+	63	23,456	5	4.8	0.3- 9.3	3	5.8	0.0-13.6	7	11.4	2.4-20.4	5	8.3	0.9-15.7	43	69.8	56.9-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 13: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	605	235,513	275	44.9	40.2-49.6	330	55.1	50.4-59.8
Male	263	112,307	117	44.7	37.8-51.6	146	55.3	48.4-62.2
Female	342	123,206	158	45.1	38.8-51.4	184	54.9	48.6-61.2
White/Non-Hisp	504	200,093	227	45.2	40.1-50.3	277	54.8	49.7-59.9
Black or Afr. Am./Non-Hisp	53	17,233	28	50.5	33.6-67.4	25	49.5	32.6-66.4
55-64	122	57,773	46	37.4	27.4-47.4	76	62.6	52.6-72.6
65+	446	157,330	219	49.2	43.7-54.7	227	50.8	45.3-56.3
H.S. or G.E.D.	170	71,878	94	54.9	46.3-63.5	76	45.1	36.5-53.7
Some Post-H.S.	156	72,832	69	43.8	35.0-52.6	87	56.2	47.4-65.0
College Graduate	246	71,308	98	36.5	29.8-43.2	148	63.5	56.8-70.2
\$15,000- 24,999	80	34,271	43	54.2	41.1-67.3	37	45.8	32.7-58.9
\$25,000- 34,999	67	24,728	36	56.5	42.6-70.4	31	43.5	29.6-57.4
\$35,000- 49,999	73	27,574	30	41.9	29.0-54.8	43	58.1	45.2-71.0
\$50,000- 74,999	70	28,970	28	39.2	26.3-52.1	42	60.8	47.9-73.7
\$75,000+	141	55,162	52	35.6	26.8-44.4	89	64.4	55.6-73.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	263	112,307	117	44.7	37.8-51.6	146	55.3	48.4-62.2
White/Non-Hisp	217	94,074	96	44.3	36.7-51.9	121	55.7	48.1-63.3
55-64	52	27,793	20	39.3	24.2-54.4	32	60.7	45.6-75.8
65+	197	75,683	94	48.6	40.4-56.8	103	51.4	43.2-59.6
H.S. or G.E.D.	63	29,549	31	55.9	42.6-69.2	32	44.1	30.8-57.4
Some Post-H.S.	65	35,245	29	43.5	30.0-57.0	36	56.5	43.0-70.0
College Graduate	118	37,290	51	40.6	31.0-50.2	67	59.4	49.8-69.0
\$75,000+	77	31,554	30	38.4	25.9-50.9	47	61.6	49.1-74.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	342	123,206	158	45.1	38.8-51.4	184	54.9	48.6-61.2
White/Non-Hisp	287	106,019	131	46.0	39.3-52.7	156	54.0	47.3-60.7
55-64	70	29,980	26	35.6	22.5-48.7	44	64.4	51.3-77.5
65+	249	81,647	125	49.7	42.6-56.8	124	50.3	43.2-57.4
H.S. or G.E.D.	107	42,329	63	54.2	43.0-65.4	44	45.8	34.6-57.0
Some Post-H.S.	91	37,587	40	44.0	32.4-55.6	51	56.0	44.4-67.6
College Graduate	128	34,018	47	32.0	22.8-41.2	81	68.0	58.8-77.2
\$15,000- 24,999	54	22,354	28	53.8	36.7-70.9	26	46.2	29.1-63.3
\$75,000+	64	23,608	22	31.8	20.0-43.6	42	68.2	56.4-80.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 16: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1520	640,066	433	29.3	26.6-32.0	255	17.3	14.9-19.7	152	10.5	8.7-12.3	182	12.4	10.4-14.4	498	30.5	27.8-33.2
Male	635	286,941	191	30.9	26.8-35.0	103	18.0	14.3-21.7	63	9.0	6.6-11.4	75	11.3	8.6-14.0	203	30.8	26.7-34.9
Female	885	353,126	242	27.9	24.4-31.4	152	16.6	13.7-19.5	89	11.8	9.3-14.3	107	13.3	10.4-16.2	295	30.3	26.8-33.8
White/Non-Hisp	1299	549,894	356	28.9	26.0-31.8	219	17.0	14.6-19.4	126	10.6	8.6-12.6	156	12.4	10.2-14.6	442	31.0	28.1-33.9
Black or Afr. Am./Non-Hisp	138	51,722	51	33.3	23.3-43.3	21	14.3	6.5-22.1	16	9.7	3.8-15.6	21	14.6	7.0-22.2	29	28.1	17.5-38.7
45-54	115	70,358	49	40.9	31.1-50.7	20	17.4	10.0-24.8	9	10.0	2.9-17.1	14	11.9	5.2-18.6	23	19.9	11.9-27.9
55-64	390	191,358	112	29.1	24.0-34.2	71	19.6	14.7-24.5	46	10.3	7.2-13.4	47	12.5	8.6-16.4	114	28.4	23.3-33.5
65+	1015	378,350	272	27.2	24.1-30.3	164	16.1	13.6-18.6	97	10.7	8.3-13.1	121	12.5	10.0-15.0	361	33.6	30.1-37.1
Less Than H.S.	88	70,068	30	28.7	18.5-38.9	17	19.0	9.6-28.4	5	7.5	1.6-13.4	17	23.3	13.5-33.1	19	21.5	11.7-31.3
H.S. or G.E.D.	496	212,270	153	32.6	27.9-37.3	70	14.3	10.8-17.8	59	11.6	8.3-14.9	58	10.9	7.8-14.0	156	30.5	25.8-35.2
Some Post-H.S.	438	205,209	122	28.1	23.4-32.8	90	21.7	17.2-26.2	40	9.9	6.8-13.0	49	10.3	7.0-13.6	137	30.1	25.2-35.0
College Graduate	494	151,040	128	26.6	22.3-30.9	77	14.7	11.2-18.2	48	11.4	8.1-14.7	58	12.5	9.0-16.0	183	34.8	30.1-39.5
Less than \$15,000	103	45,117	31	33.2	22.4-44.0	20	22.4	12.4-32.4	10	7.7	2.2-13.2	11	14.0	6.4-21.6	31	22.8	14.2-31.4
\$15,000- 24,999	228	99,239	81	31.6	24.5-38.7	46	21.7	15.0-28.4	26	11.8	6.3-17.3	30	15.5	9.0-22.0	45	19.2	12.9-25.5
\$25,000- 34,999	160	60,973	40	27.5	19.3-35.7	16	11.8	5.5-18.1	19	9.7	4.6-14.8	17	10.7	5.2-16.2	68	40.2	31.4-49.0
\$35,000- 49,999	197	88,298	50	25.6	18.3-32.9	35	17.7	10.8-24.6	19	8.6	4.3-12.9	32	15.7	10.0-21.4	61	32.4	24.8-40.0
\$50,000- 74,999	196	81,506	61	33.3	25.7-40.9	27	14.1	8.6-19.6	15	8.2	3.9-12.5	23	10.8	5.9-15.7	70	33.5	25.9-41.1
\$75,000+	284	120,227	81	30.8	24.5-37.1	46	15.2	10.5-19.9	22	8.8	5.3-12.3	33	10.7	6.8-14.6	102	34.6	28.3-40.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 17: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	635	286,941	191	30.9	26.8-35.0	103	18.0	14.3-21.7	63	9.0	6.6-11.4	75	11.3	8.6-14.0	203	30.8	26.7-34.9
White/Non-Hisp	545	242,285	158	30.7	26.2-35.2	88	17.3	13.6-21.0	54	9.2	6.7-11.7	66	11.8	8.9-14.7	179	31.1	26.8-35.4
55-64	177	92,983	51	28.2	20.8-35.6	37	24.1	16.3-31.9	20	8.9	4.6-13.2	19	9.6	4.9-14.3	50	29.2	21.6-36.8
65+	412	164,491	124	31.5	26.2-36.8	55	13.4	9.7-17.1	41	9.9	6.8-13.0	49	11.8	8.5-15.1	143	33.4	28.1-38.7
H.S. or G.E.D.	190	91,476	66	38.1	30.3-45.9	19	10.7	5.8-15.6	24	10.3	5.8-14.8	24	11.2	6.3-16.1	57	29.6	22.5-36.7
Some Post-H.S.	183	91,941	50	26.6	19.5-33.7	42	25.0	17.7-32.3	15	8.3	3.8-12.8	21	9.6	5.1-14.1	55	30.6	23.0-38.2
College Graduate	222	71,059	60	28.0	21.3-34.7	32	13.8	8.7-18.9	23	11.8	7.1-16.5	25	11.4	6.7-16.1	82	35.1	28.2-42.0
\$15,000- 24,999	98	45,350	36	35.3	24.1-46.5	19	22.5	12.5-32.5	10	6.9	2.2-11.6	12	12.7	4.7-20.7	21	22.6	12.6-32.6
\$25,000- 34,999	57	24,014	15	30.6	16.3-44.9	3	7.7	0.0-16.5	8	11.0	3.0-19.0	7	9.7	1.9-17.5	24	41.0	26.7-55.3
\$35,000- 49,999	87	41,719	25	28.0	16.4-39.6	13	17.3	5.5-29.1	8	8.9	2.6-15.2	13	14.6	6.4-22.8	28	31.1	20.5-41.7
\$50,000- 74,999	86	38,138	28	35.7	24.1-47.3	10	13.2	4.8-21.6	6	7.6	0.9-14.3	11	9.7	3.2-16.2	31	33.8	22.6-45.0
\$75,000+	155	65,697	43	30.2	22.0-38.4	31	19.3	12.0-26.6	12	8.3	3.6-13.0	18	9.8	4.7-14.9	51	32.4	24.2-40.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 18: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	885	353,126	242	27.9	24.4-31.4	152	16.6	13.7-19.5	89	11.8	9.3-14.3	107	13.3	10.4-16.2	295	30.3	26.8-33.8
White/Non-Hisp	754	307,609	198	27.5	23.8-31.2	131	16.8	13.7-19.9	72	11.7	9.0-14.4	90	13.0	10.1-15.9	263	31.0	27.1-34.9
Black or Afr. Am./Non-Hisp	91	27,384	31	30.9	18.7-43.1	15	14.7	5.1-24.3	13	14.9	4.9-24.9	14	16.2	6.0-26.4	18	23.2	11.0-35.4
45-54	69	40,892	33	44.6	31.5-57.7	9	12.0	4.2-19.8	7	13.9	2.9-24.9	7	10.2	2.4-18.0	13	19.2	8.6-29.8
55-64	213	98,375	61	30.0	22.7-37.3	34	15.3	9.8-20.8	26	11.7	7.2-16.2	28	15.3	9.4-21.2	64	27.7	21.0-34.4
65+	603	213,860	148	23.8	19.9-27.7	109	18.1	14.4-21.8	56	11.4	8.3-14.5	72	13.0	9.5-16.5	218	33.7	29.2-38.2
H.S. or G.E.D.	306	120,794	87	28.5	22.6-34.4	51	17.0	11.9-22.1	35	12.6	7.9-17.3	34	10.7	6.8-14.6	99	31.2	25.1-37.3
Some Post-H.S.	255	113,268	72	29.3	22.8-35.8	48	19.0	13.5-24.5	25	11.2	6.7-15.7	28	11.0	6.3-15.7	82	29.6	23.1-36.1
College Graduate	272	79,981	68	25.4	19.5-31.3	45	15.5	10.8-20.2	25	11.0	6.5-15.5	33	13.5	8.6-18.4	101	34.6	28.3-40.9
Less than \$15,000	63	26,344	16	32.3	17.4-47.2	12	15.9	5.9-25.9	6	8.3	0.3-16.3	7	13.4	1.4-25.4	22	30.1	17.0-43.2
\$15,000- 24,999	130	53,890	45	28.6	19.4-37.8	27	21.1	12.3-29.9	16	16.0	7.2-24.8	18	17.9	8.1-27.7	24	16.4	8.4-24.4
\$25,000- 34,999	103	36,960	25	25.4	15.8-35.0	13	14.4	5.8-23.0	11	8.9	2.4-15.4	10	11.4	4.0-18.8	44	39.8	28.6-51.0
\$35,000- 49,999	110	46,579	25	23.5	13.7-33.3	22	18.1	10.1-26.1	11	8.4	2.7-14.1	19	16.6	8.6-24.6	33	33.5	22.7-44.3
\$50,000- 74,999	110	43,367	33	31.2	21.2-41.2	17	15.0	7.7-22.3	9	8.7	3.2-14.2	12	11.8	4.5-19.1	39	33.3	22.9-43.7
\$75,000+	129	54,530	38	31.5	22.1-40.9	15	10.2	4.7-15.7	10	9.4	3.9-14.9	15	11.7	5.4-18.0	51	37.2	27.8-46.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 19: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4834	2,171,770	449	8.9	7.9- 9.9	4385	91.1	90.1-92.1
Male	2087	1,014,472	162	7.5	6.1- 8.9	1925	92.5	91.1-93.9
Female	2747	1,157,299	287	10.2	8.8-11.6	2460	89.8	88.4-91.2
White/Non-Hisp	4120	1,871,100	370	8.6	7.6- 9.6	3750	91.4	90.4-92.4
Black or Afr. Am./Non-Hisp	383	156,332	56	14.6	9.9-19.3	327	85.4	80.7-90.1
Oth. Race/Non-Hisp.	93	36,502	9	10.2	2.6-17.8	84	89.8	82.2-97.4
MultiRacial/Non-Hisp.	61	17,035	4	5.2	0.0-11.1	57	94.8	88.9- 100
Hispanic	91	50,829	4	5.2	0.0-12.8	87	94.8	87.2- 100
45-54	662	399,678	41	6.8	4.4- 9.2	621	93.2	90.8-95.6
55-64	1528	771,137	115	7.7	6.1- 9.3	1413	92.3	90.7-93.9
65+	2644	1,000,956	293	10.7	9.3-12.1	2351	89.3	87.9-90.7
Less Than H.S.	320	242,935	37	11.1	7.0-15.2	283	88.9	84.8-93.0
H.S. or G.E.D.	1635	762,028	180	9.9	8.3-11.5	1455	90.1	88.5-91.7
Some Post-H.S.	1249	631,028	117	8.5	6.7-10.3	1132	91.5	89.7-93.3
College Graduate	1617	529,723	115	7.0	5.6- 8.4	1502	93.0	91.6-94.4
Less than \$15,000	312	146,310	36	11.4	7.5-15.3	276	88.6	84.7-92.5
\$15,000- 24,999	639	294,875	75	11.3	8.2-14.4	564	88.7	85.6-91.8
\$25,000- 34,999	459	199,805	59	13.6	9.9-17.3	400	86.4	82.7-90.1
\$35,000- 49,999	608	270,546	51	7.5	5.1- 9.9	557	92.5	90.1-94.9
\$50,000- 74,999	639	295,308	43	6.6	4.2- 9.0	596	93.4	91.0-95.8
\$75,000+	1128	526,996	60	5.3	3.7- 6.9	1068	94.7	93.1-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 20: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2087	1,014,472	162	7.5	6.1- 8.9	1925	92.5	91.1-93.9
White/Non-Hisp	1780	865,075	129	6.7	5.5- 7.9	1651	93.3	92.1-94.5
Black or Afr. Am./Non-Hisp	143	75,196	22	18.6	10.4-26.8	121	81.4	73.2-89.6
45-54	304	199,101	13	4.5	2.0- 7.0	291	95.5	93.0-98.0
55-64	703	374,412	55	8.0	5.6-10.4	648	92.0	89.6-94.4
65+	1080	440,958	94	8.3	6.3-10.3	986	91.7	89.7-93.7
Less Than H.S.	143	118,512	17	10.8	5.3-16.3	126	89.2	83.7-94.7
H.S. or G.E.D.	691	352,086	46	6.2	4.2- 8.2	645	93.8	91.8-95.8
Some Post-H.S.	527	289,339	52	9.0	6.5-11.5	475	91.0	88.5-93.5
College Graduate	720	252,103	47	5.9	4.1- 7.7	673	94.1	92.3-95.9
Less than \$15,000	114	57,058	14	11.7	5.2-18.2	100	88.3	81.8-94.8
\$15,000- 24,999	258	131,591	24	8.9	5.0-12.8	234	91.1	87.2-95.0
\$25,000- 34,999	187	89,701	21	12.0	6.5-17.5	166	88.0	82.5-93.5
\$35,000- 49,999	280	133,652	23	6.4	3.3- 9.5	257	93.6	90.5-96.7
\$50,000- 74,999	297	143,945	26	8.0	4.5-11.5	271	92.0	88.5-95.5
\$75,000+	605	291,598	24	3.4	1.8- 5.0	581	96.6	95.0-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 21: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2747	1,157,299	287	10.2	8.8-11.6	2460	89.8	88.4-91.2
White/Non-Hisp	2340	1,006,025	241	10.2	8.8-11.6	2099	89.8	88.4-91.2
Black or Afr. Am./Non-Hisp	240	81,136	34	10.8	5.9-15.7	206	89.2	84.3-94.1
45-54	358	200,577	28	9.0	5.3-12.7	330	91.0	87.3-94.7
55-64	825	396,725	60	7.4	5.4- 9.4	765	92.6	90.6-94.6
65+	1564	559,997	199	12.5	10.5-14.5	1365	87.5	85.5-89.5
Less Than H.S.	177	124,424	20	11.5	5.6-17.4	157	88.5	82.6-94.4
H.S. or G.E.D.	944	409,942	134	13.2	10.8-15.6	810	86.8	84.4-89.2
Some Post-H.S.	722	341,689	65	8.0	5.6-10.4	657	92.0	89.6-94.4
College Graduate	897	277,620	68	7.9	5.7-10.1	829	92.1	89.9-94.3
Less than \$15,000	198	89,252	22	11.3	6.4-16.2	176	88.7	83.8-93.6
\$15,000- 24,999	381	163,284	51	13.1	8.6-17.6	330	86.9	82.4-91.4
\$25,000- 34,999	272	110,105	38	15.0	9.9-20.1	234	85.0	79.9-90.1
\$35,000- 49,999	328	136,894	28	8.6	4.9-12.3	300	91.4	87.7-95.1
\$50,000- 74,999	342	151,363	17	5.4	2.5- 8.3	325	94.6	91.7-97.5
\$75,000+	523	235,398	36	7.6	4.9-10.3	487	92.4	89.7-95.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 22: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	433	183,395	164	37.5	32.2-42.8	85	23.7	18.8-28.6	48	11.0	7.7-14.3	41	8.4	5.5-11.3	95	19.3	15.0-23.6
Male	157	72,273	59	39.4	30.6-48.2	28	22.5	14.3-30.7	20	11.6	6.1-17.1	14	7.0	3.1-10.9	36	19.5	12.4-26.6
Female	276	111,122	105	36.3	29.6-43.0	57	24.5	18.2-30.8	28	10.6	6.3-14.9	27	9.3	5.4-13.2	59	19.2	13.7-24.7
White/Non-Hisp	356	152,408	140	38.7	32.8-44.6	70	23.3	17.8-28.8	39	10.6	7.1-14.1	31	8.4	5.3-11.5	76	19.0	14.3-23.7
Black or Afr. Am./Non-Hisp	55	22,680	19	33.3	17.4-49.2	9	25.8	9.1-42.5	5	10.6	0.0-21.8	9	10.3	1.1-19.5	13	20.0	5.1-34.9
55-64	110	56,089	38	34.4	24.4-44.4	24	24.8	15.0-34.6	19	17.3	9.5-25.1	14	10.9	4.8-17.0	15	12.6	5.9-19.3
65+	282	100,268	103	37.1	30.4-43.8	53	21.5	15.6-27.4	24	7.9	4.4-11.4	27	9.3	5.4-13.2	75	24.3	18.4-30.2
H.S. or G.E.D.	173	72,469	69	39.5	31.1-47.9	33	22.0	14.6-29.4	18	11.0	5.7-16.3	18	9.1	5.0-13.2	35	18.4	12.1-24.7
Some Post-H.S.	113	51,285	38	32.0	22.2-41.8	25	28.4	18.6-38.2	11	10.2	3.9-16.5	7	5.1	0.6- 9.6	32	24.3	15.1-33.5
College Graduate	113	36,646	43	39.6	29.8-49.4	18	18.6	11.0-26.2	16	14.7	7.1-22.3	14	12.4	5.7-19.1	22	14.7	8.0-21.4
\$15,000- 24,999	72	29,790	35	45.8	31.9-59.7	12	26.0	10.9-41.1	6	7.4	0.9-13.9	5	3.7	0.2- 7.2	14	17.1	7.3-26.9
\$25,000- 34,999	59	27,189	23	42.7	27.8-57.6	10	19.4	8.0-30.8	6	8.9	0.7-17.1	5	11.3	1.1-21.5	15	17.8	7.8-27.8
\$35,000- 49,999	50	20,235	17	32.9	19.0-46.8	7	16.1	3.4-28.8	8	18.5	5.8-31.2	6	11.8	1.0-22.6	12	20.7	6.6-34.8
\$75,000+	59	27,346	23	37.2	23.7-50.7	13	28.5	16.7-40.3	8	11.4	3.4-19.4	5	7.0	0.7-13.3	10	16.0	5.8-26.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 23: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	157	72,273	59	39.4	30.6-48.2	28	22.5	14.7-30.3	20	11.6	6.1-17.1	14	7.0	3.1-10.9	36	19.5	12.4-26.6
White/Non-Hisp	125	54,312	48	41.4	31.6-51.2	20	20.0	11.8-28.2	16	11.6	5.9-17.3	13	9.0	3.9-14.1	28	18.0	10.9-25.1
55-64	51	27,047	19	36.9	22.0-51.8	13	34.1	17.8-50.4	9	15.2	4.6-25.8	5	6.0	0.0-12.1	5	7.7	0.6-14.8
65+	93	36,192	34	40.0	28.4-51.6	12	11.9	4.8-19.0	9	9.1	2.8-15.4	9	9.4	2.9-15.9	29	29.7	18.9-40.5
Some Post-H.S.	50	24,759	16	34.4	19.5-49.3	9	23.3	9.0-37.6	7	13.8	3.8-23.8	4	6.0	0.0-12.5	14	22.5	10.5-34.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 24: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	276	111,122	105	36.3	29.8-42.8	57	24.5	18.4-30.6	28	10.6	6.3-14.9	27	9.3	5.4-13.2	59	19.2	13.7-24.7
White/Non-Hisp	231	98,095	92	37.2	30.1-44.3	50	25.1	18.4-31.8	23	10.0	5.5-14.5	18	8.1	4.2-12.0	48	19.6	13.5-25.7
55-64	59	29,042	19	32.1	18.6-45.6	11	16.2	6.2-26.2	10	19.2	8.0-30.4	9	15.3	5.3-25.3	10	17.1	6.3-27.9
65+	189	64,076	69	35.4	27.6-43.2	41	26.9	19.3-34.5	15	7.2	2.7-11.7	18	9.2	4.3-14.1	46	21.2	14.3-28.1
H.S. or G.E.D.	127	50,616	48	35.9	26.7-45.1	24	21.9	13.5-30.3	14	12.8	5.7-19.9	15	10.4	5.3-15.5	26	19.0	11.4-26.6
Some Post-H.S.	63	26,526	22	29.8	17.1-42.5	16	33.1	19.8-46.4	4	6.9	0.0-14.9	3	4.3	0.0-11.0	18	25.9	12.2-39.6
College Graduate	67	21,740	26	38.6	25.9-51.3	12	19.8	10.2-29.4	9	15.4	4.8-26.0	8	12.7	4.1-21.3	12	13.5	5.1-21.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 25: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4731	2,133,171	251	5.1	4.3- 5.9	4480	94.9	94.1-95.7
Male	2053	997,741	122	5.8	4.6- 7.0	1931	94.2	93.0-95.4
Female	2678	1,135,430	129	4.4	3.4- 5.4	2549	95.6	94.6-96.6
White/Non-Hisp	4047	1,841,929	192	4.5	3.7- 5.3	3855	95.5	94.7-96.3
Black or Afr. Am./Non-Hisp	359	149,532	37	11.3	7.2-15.4	322	88.7	84.6-92.8
Oth. Race/Non-Hisp.	88	34,854	5	6.9	0.0-13.8	83	93.1	86.2- 100
MultiRacial/Non-Hisp.	59	16,225	8	16.0	2.1-29.9	51	84.0	70.1-97.9
Hispanic	91	50,665	2	2.0	0.0- 5.1	89	98.0	94.9- 100
45-54	666	403,097	17	2.3	1.1- 3.5	649	97.7	96.5-98.9
55-64	1502	760,001	60	3.8	2.8- 4.8	1442	96.2	95.2-97.2
65+	2563	970,073	174	7.3	6.1- 8.5	2389	92.7	91.5-93.9
Less Than H.S.	313	238,522	32	8.7	5.4-12.0	281	91.3	88.0-94.6
H.S. or G.E.D.	1594	745,727	93	5.6	4.4- 6.8	1501	94.4	93.2-95.6
Some Post-H.S.	1215	617,342	69	5.1	3.7- 6.5	1146	94.9	93.5-96.3
College Graduate	1597	525,730	57	2.7	1.9- 3.5	1540	97.3	96.5-98.1
Less than \$15,000	307	146,610	29	9.0	5.7-12.3	278	91.0	87.7-94.3
\$15,000- 24,999	616	284,676	44	6.2	4.0- 8.4	572	93.8	91.6-96.0
\$25,000- 34,999	439	192,714	24	5.7	3.2- 8.2	415	94.3	91.8-96.8
\$35,000- 49,999	599	267,001	34	5.5	3.5- 7.5	565	94.5	92.5-96.5
\$50,000- 74,999	630	292,794	29	4.4	2.6- 6.2	601	95.6	93.8-97.4
\$75,000+	1124	525,972	29	2.1	1.1- 3.1	1095	97.9	96.9-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 26: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2053	997,741	122	5.8	4.6- 7.0	1931	94.2	93.0-95.4
White/Non-Hisp	1751	850,039	94	5.1	3.9- 6.3	1657	94.9	93.7-96.1
Black or Afr. Am./Non-Hisp	140	73,121	14	12.3	5.6-19.0	126	87.7	81.0-94.4
45-54	307	201,226	8	2.5	0.7- 4.3	299	97.5	95.7-99.3
55-64	693	369,100	29	4.4	2.6- 6.2	664	95.6	93.8-97.4
65+	1053	427,416	85	8.7	6.7-10.7	968	91.3	89.3-93.3
Less Than H.S.	139	117,717	13	8.6	3.7-13.5	126	91.4	86.5-96.3
H.S. or G.E.D.	676	344,806	48	6.2	4.4- 8.0	628	93.8	92.0-95.6
Some Post-H.S.	516	282,065	36	6.7	4.3- 9.1	480	93.3	90.9-95.7
College Graduate	717	250,927	25	3.1	1.7- 4.5	692	96.9	95.5-98.3
Less than \$15,000	113	58,747	12	10.1	4.2-16.0	101	89.9	84.0-95.8
\$15,000- 24,999	253	127,890	17	5.7	2.8- 8.6	236	94.3	91.4-97.2
\$25,000- 34,999	181	86,154	15	7.5	3.2-11.8	166	92.5	88.2-96.8
\$35,000- 49,999	274	130,471	24	8.4	4.9-11.9	250	91.6	88.1-95.1
\$50,000- 74,999	296	144,281	19	6.2	3.3- 9.1	277	93.8	90.9-96.7
\$75,000+	599	288,997	11	1.9	0.7- 3.1	588	98.1	96.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 27: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2678	1,135,430	129	4.4	3.4- 5.4	2549	95.6	94.6-96.6
White/Non-Hisp	2296	991,890	98	4.1	3.1- 5.1	2198	95.9	94.9-96.9
Black or Afr. Am./Non-Hisp	219	76,411	23	10.3	5.2-15.4	196	89.7	84.6-94.8
45-54	359	201,872	9	2.1	0.5- 3.7	350	97.9	96.3-99.5
55-64	809	390,901	31	3.2	2.0- 4.4	778	96.8	95.6-98.0
65+	1510	542,657	89	6.1	4.5- 7.7	1421	93.9	92.3-95.5
Less Than H.S.	174	120,805	19	8.8	4.1-13.5	155	91.2	86.5-95.9
H.S. or G.E.D.	918	400,921	45	5.0	3.4- 6.6	873	95.0	93.4-96.6
Some Post-H.S.	699	335,277	33	3.8	2.4- 5.2	666	96.2	94.8-97.6
College Graduate	880	274,803	32	2.4	1.4- 3.4	848	97.6	96.6-98.6
Less than \$15,000	194	87,863	17	8.2	4.1-12.3	177	91.8	87.7-95.9
\$15,000- 24,999	363	156,786	27	6.5	3.6- 9.4	336	93.5	90.6-96.4
\$25,000- 34,999	258	106,561	9	4.3	1.0- 7.6	249	95.7	92.4-99.0
\$35,000- 49,999	325	136,530	10	2.8	0.8- 4.8	315	97.2	95.2-99.2
\$50,000- 74,999	334	148,513	10	2.7	0.9- 4.5	324	97.3	95.5-99.1
\$75,000+	525	236,975	18	2.4	1.0- 3.8	507	97.6	96.2-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING
TABLE 28: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	233	98,695	32	14.0	8.9-19.1	32	15.0	9.9-20.1	32	16.0	10.7-21.3	31	13.0	7.9-18.1	106	41.9	34.8-49.0
Male	114	53,990	22	19.7	11.5-27.9	19	18.2	10.2-26.2	14	15.6	7.8-23.4	16	13.0	6.3-19.7	43	33.5	24.1-42.9
Female	119	44,705	10	7.1	2.0-12.2	13	11.3	5.6-17.0	18	16.6	9.2-24.0	15	13.0	5.7-20.3	63	52.1	41.9-62.3
White/Non-Hisp	177	74,155	19	12.0	6.5-17.5	26	15.4	9.7-21.1	19	12.6	7.1-18.1	24	13.9	8.0-19.8	89	46.1	38.1-54.1
55-64	56	25,834	9	12.5	3.3-21.7	10	17.6	6.0-29.2	12	21.1	9.1-33.1	8	15.8	5.0-26.6	17	33.0	19.3-46.7
65+	163	64,798	19	12.5	6.4-18.6	20	14.4	8.5-20.3	18	13.5	7.6-19.4	23	13.5	7.4-19.6	83	46.0	37.2-54.8
H.S. or G.E.D.	88	39,043	14	14.3	6.3-22.3	9	12.7	5.6-19.8	11	16.3	7.3-25.3	12	11.7	4.8-18.6	42	45.0	34.0-56.0
Some Post-H.S.	65	29,635	7	9.6	1.4-17.8	8	9.4	2.5-16.3	10	19.4	8.0-30.8	8	16.7	5.5-27.9	32	44.9	31.4-58.4
College Graduate	51	12,888	5	15.8	2.5-29.1	7	19.7	5.8-33.6	6	10.5	1.7-19.3	9	18.9	6.7-31.1	24	35.0	20.7-49.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 29: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	114	53,990	22	19.7	11.7-27.7	19	18.2	10.0-26.4	14	15.6	7.6-23.6	16	13.0	6.1-19.9	43	33.5	24.7-42.3
White/Non-Hisp	87	39,118	15	18.0	9.4-26.6	15	17.8	9.0-26.6	9	14.3	5.3-23.3	11	12.9	5.3-20.5	37	37.0	27.4-46.6
65+	80	35,020	13	17.1	7.7-26.5	12	17.8	8.0-27.6	6	10.8	2.4-19.2	13	14.9	6.5-23.3	36	39.3	28.1-50.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 30: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	119	44,705	10	7.1	2.4-11.8	13	11.3	5.6-17.0	18	16.6	9.5-23.7	15	13.0	5.7-20.3	63	52.1	42.3-61.9
White/Non-Hisp	90	35,037	4	5.2	0.5- 9.9	11	12.7	6.0-19.4	10	10.8	4.5-17.1	13	15.0	6.2-23.8	52	56.3	45.7-66.9
65+	83	29,778	6	7.0	1.3-12.7	8	10.4	4.5-16.3	12	16.8	8.2-25.4	10	11.9	3.1-20.7	47	53.9	41.4-66.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V.? (HIVTST7)	
1	MALES AND FEMALES	261
2	MALES ONLY	262
3	FEMALES ONLY	263
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4	MALES AND FEMALES	264
5	MALES ONLY	265
6	FEMALES ONLY	266
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7	MALES AND FEMALES	267
8	MALES ONLY	268
9	FEMALES ONLY	269

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7200	4,432,079	2235	33.5	32.1-34.9	4965	66.5	65.1-67.9
Male	3246	2,154,341	1006	31.8	29.8-33.8	2240	68.2	66.2-70.2
Female	3954	2,277,738	1229	35.0	33.0-37.0	2725	65.0	63.0-67.0
White/Non-Hisp	5860	3,514,475	1631	30.4	29.0-31.8	4229	69.6	68.2-71.0
Black or Afr. Am./Non-Hisp	609	384,773	316	55.1	50.0-60.2	293	44.9	39.8-50.0
Oth. Race/Non-Hisp.	176	132,439	52	23.9	16.5-31.3	124	76.1	68.7-83.5
MultiRacial/Non-Hisp.	111	45,481	53	53.0	41.2-64.8	58	47.0	35.2-58.8
Hispanic	320	280,817	137	42.6	36.1-49.1	183	57.4	50.9-63.9
18-24	442	604,849	86	16.9	13.4-20.4	356	83.1	79.6-86.6
25-34	723	748,793	339	48.1	44.0-52.2	384	51.9	47.8-56.0
35-44	890	708,162	463	52.0	48.5-55.5	427	48.0	44.5-51.5
45-54	1175	691,121	471	38.5	35.4-41.6	704	61.5	58.4-64.6
55-64	1471	741,565	458	30.1	27.4-32.8	1013	69.9	67.2-72.6
65+	2499	937,587	418	17.4	15.6-19.2	2081	82.6	80.8-84.4
Less Than H.S.	504	509,488	187	38.1	33.2-43.0	317	61.9	57.0-66.8
H.S. or G.E.D.	2316	1,470,893	648	30.4	28.0-32.8	1668	69.6	67.2-72.0
Some Post-H.S.	1899	1,357,075	634	35.5	33.0-38.0	1265	64.5	62.0-67.0
College Graduate	2464	1,084,849	760	32.9	30.7-35.1	1704	67.1	64.9-69.3
Less than \$15,000	482	303,596	204	41.3	36.0-46.6	278	58.7	53.4-64.0
\$15,000- 24,999	935	581,766	343	40.7	36.8-44.6	592	59.3	55.4-63.2
\$25,000- 34,999	637	369,278	202	35.2	30.7-39.7	435	64.8	60.3-69.3
\$35,000- 49,999	896	541,757	288	34.2	30.3-38.1	608	65.8	61.9-69.7
\$50,000- 74,999	993	622,265	313	35.9	32.2-39.6	680	64.1	60.4-67.8
\$75,000+	1886	1,205,811	565	31.1	28.6-33.6	1321	68.9	66.4-71.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3246	2,154,341	1006	31.8	29.8-33.8	2240	68.2	66.2-70.2
White/Non-Hisp	2636	1,693,628	748	29.5	27.3-31.7	1888	70.5	68.3-72.7
Black or Afr. Am./Non-Hisp	243	182,840	131	54.1	46.5-61.7	112	45.9	38.3-53.5
Oth. Race/Non-Hisp.	89	72,505	26	22.5	12.1-32.9	63	77.5	67.1-87.9
Hispanic	159	136,332	53	31.8	23.6-40.0	106	68.2	60.0-76.4
18-24	245	314,031	34	12.4	8.1-16.7	211	87.6	83.3-91.9
25-34	364	380,000	146	42.1	36.4-47.8	218	57.9	52.2-63.6
35-44	419	352,411	176	42.6	37.3-47.9	243	57.4	52.1-62.7
45-54	538	341,539	213	39.2	34.7-43.7	325	60.8	56.3-65.3
55-64	677	359,979	227	32.7	28.8-36.6	450	67.3	63.4-71.2
65+	1003	406,382	210	20.9	18.0-23.8	793	79.1	76.2-82.0
Less Than H.S.	232	245,555	86	40.5	33.2-47.8	146	59.5	52.2-66.8
H.S. or G.E.D.	1081	764,042	317	28.9	25.8-32.0	764	71.1	68.0-74.2
Some Post-H.S.	840	650,592	287	33.4	29.7-37.1	553	66.6	62.9-70.3
College Graduate	1087	491,935	315	30.0	26.9-33.1	772	70.0	66.9-73.1
Less than \$15,000	176	116,291	89	47.3	38.5-56.1	87	52.7	43.9-61.5
\$15,000- 24,999	376	250,139	135	37.5	31.6-43.4	241	62.5	56.6-68.4
\$25,000- 34,999	268	170,309	76	28.5	22.2-34.8	192	71.5	65.2-77.8
\$35,000- 49,999	412	262,106	135	34.1	28.6-39.6	277	65.9	60.4-71.4
\$50,000- 74,999	464	315,839	147	34.3	29.2-39.4	317	65.7	60.6-70.8
\$75,000+	1025	688,910	287	29.0	25.7-32.3	738	71.0	67.7-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3954	2,277,738	1229	35.0	33.0-37.0	2725	65.0	63.0-67.0
White/Non-Hisp	3224	1,820,847	883	31.3	29.3-33.3	2341	68.7	66.7-70.7
Black or Afr. Am./Non-Hisp	366	201,932	185	55.9	49.0-62.8	181	44.1	37.2-51.0
Oth. Race/Non-Hisp.	87	59,934	26	25.7	14.7-36.7	61	74.3	63.3-85.3
MultiRacial/Non-Hisp.	62	22,707	30	55.4	40.5-70.3	32	44.6	29.7-59.5
Hispanic	161	144,486	84	52.9	43.5-62.3	77	47.1	37.7-56.5
18-24	197	290,818	52	21.8	15.9-27.7	145	78.2	72.3-84.1
25-34	359	368,793	193	54.2	48.5-59.9	166	45.8	40.1-51.5
35-44	471	355,752	287	61.2	56.3-66.1	184	38.8	33.9-43.7
45-54	637	349,582	258	37.9	33.8-42.0	379	62.1	58.0-66.2
55-64	794	381,586	231	27.7	24.2-31.2	563	72.3	68.8-75.8
65+	1496	531,206	208	14.8	12.4-17.2	1288	85.2	82.8-87.6
Less Than H.S.	272	263,933	101	35.8	29.1-42.5	171	64.2	57.5-70.9
H.S. or G.E.D.	1235	706,851	331	31.9	28.6-35.2	904	68.1	64.8-71.4
Some Post-H.S.	1059	706,483	347	37.5	34.0-41.0	712	62.5	59.0-66.0
College Graduate	1377	592,913	445	35.3	32.2-38.4	932	64.7	61.6-67.8
Less than \$15,000	306	187,305	115	37.6	31.1-44.1	191	62.4	55.9-68.9
\$15,000- 24,999	559	331,626	208	43.2	37.9-48.5	351	56.8	51.5-62.1
\$25,000- 34,999	369	198,969	126	40.9	34.4-47.4	243	59.1	52.6-65.6
\$35,000- 49,999	484	279,650	153	34.4	29.1-39.7	331	65.6	60.3-70.9
\$50,000- 74,999	529	306,426	166	37.6	32.5-42.7	363	62.4	57.3-67.5
\$75,000+	861	516,901	278	33.8	30.1-37.5	583	66.2	62.5-69.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1539	1,050,315	67	2.9	2.1- 3.7	142	7.1	5.7- 8.5	261	15.5	13.3-17.7	110	7.1	5.5- 8.7	637	44.1	41.2-47.0	322	23.3	20.8-25.8
Male	675	474,027	27	3.0	1.8- 4.2	52	5.9	4.1- 7.7	108	15.3	12.2-18.4	50	6.6	4.4- 8.8	281	43.4	39.1-47.7	157	25.9	21.8-30.0
Female	864	576,288	40	2.8	1.8- 3.8	90	8.1	6.3- 9.9	153	15.7	13.0-18.4	60	7.5	5.3- 9.7	356	44.6	40.7-48.5	165	21.3	18.0-24.6
White/Non-Hisp	1126	760,593	61	3.8	2.8- 4.8	125	8.8	7.0-10.6	207	17.1	14.6-19.6	89	8.1	6.3- 9.9	446	42.5	39.2-45.8	198	19.7	17.0-22.4
Black or Afr. Am./Non-Hisp	205	141,320	2	0.3	0.0- 0.9	5	1.0	0.0- 2.2	19	7.3	3.4-11.2	13	5.8	2.1- 9.5	94	47.1	38.9-55.3	72	38.6	30.6-46.6
Hispanic	103	91,705	2	1.2	0.0- 3.0	4	3.5	0.0- 7.2	14	12.8	5.4-20.2	1	0.3	0.0- 0.9	53	52.6	41.2-64.0	29	29.6	19.2-40.0
18-24	61	71,964													26	39.7	26.6-52.8	35	60.3	47.2-73.4
25-34	249	266,724							16	7.6	3.5-11.7	15	6.1	3.0- 9.2	144	56.8	49.9-63.7	74	29.4	23.3-35.5
35-44	365	291,628	1	0.2	0.0- 0.6	11	2.9	1.1- 4.7	76	21.5	16.8-26.2	32	9.5	6.2-12.8	177	47.6	41.9-53.3	68	18.3	14.0-22.6
45-54	340	188,994	24	7.0	4.1- 9.9	52	14.8	10.9-18.7	82	22.5	17.6-27.4	18	5.6	2.9- 8.3	104	33.4	27.7-39.1	60	16.7	12.4-21.0
55-64	303	145,305	19	6.4	3.3- 9.5	48	16.8	11.7-21.9	56	19.2	13.9-24.5	22	5.7	3.2- 8.2	107	35.7	29.4-42.0	51	16.3	11.6-21.0
65+	221	85,700	23	8.5	4.8-12.2	31	15.8	10.1-21.5	31	11.0	6.5-15.5	23	13.8	8.1-19.5	79	33.6	26.3-40.9	34	17.2	10.9-23.5
Less Than H.S.	120	131,529	2	0.9	0.0- 2.3	6	4.4	0.7- 8.1	17	13.7	6.6-20.8	4	4.1	0.2- 8.0	55	46.6	36.4-56.8	36	30.3	20.9-39.7
H.S. or G.E.D.	436	307,191	13	2.3	0.9- 3.7	38	7.2	4.8- 9.6	63	13.4	9.9-16.9	31	6.8	4.3- 9.3	187	42.8	37.5-48.1	104	27.6	22.5-32.7
Some Post-H.S.	434	345,240	21	3.4	1.8- 5.0	36	6.0	3.8- 8.2	76	17.0	12.9-21.1	27	6.4	3.7- 9.1	193	47.8	42.5-53.1	81	19.3	15.0-23.6
College Graduate	544	263,788	31	4.0	2.4- 5.6	62	9.8	7.3-12.3	104	17.1	13.8-20.4	47	9.7	6.8-12.6	200	39.2	34.5-43.9	100	20.2	16.3-24.1
Less than \$15,000	137	84,329	5	2.8	0.1- 5.5	9	4.8	0.9- 8.7	14	8.4	3.7-13.1	6	4.9	1.0- 8.8	59	42.0	32.4-51.6	44	37.2	27.6-46.8
\$15,000- 24,999	250	184,010	10	2.3	0.7- 3.9	14	4.5	2.0- 7.0	30	11.1	6.6-15.6	12	4.0	1.5- 6.5	120	49.6	42.3-56.9	64	28.5	21.8-35.2
\$25,000- 34,999	132	81,181	3	1.2	0.0- 2.6	18	11.4	5.9-16.9	14	9.3	3.4-15.2	9	7.4	2.3-12.5	51	38.6	28.8-48.4	37	32.3	22.5-42.1
\$35,000- 49,999	202	133,569	9	3.3	1.1- 5.5	20	7.1	3.6-10.6	34	17.8	11.3-24.3	16	7.5	3.2-11.8	87	45.8	37.6-54.0	36	18.5	12.0-25.0
\$50,000- 74,999	224	161,373	9	2.4	0.8- 4.0	14	5.1	2.0- 8.2	40	16.2	10.7-21.7	17	7.6	3.7-11.5	96	45.1	37.7-52.5	48	23.6	16.9-30.3
\$75,000+	417	282,497	21	3.9	1.9- 5.9	49	9.3	6.6-12.0	92	20.0	15.5-24.5	39	10.1	6.6-13.6	150	39.0	33.5-44.5	66	17.7	13.2-22.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	675	474,027	27	3.0	1.8- 4.2	52	5.9	4.1- 7.7	108	15.3	12.2-18.4	50	6.6	4.4- 8.8	281	43.4	39.1-47.7	157	25.9	21.8-30.0
White/Non-Hisp	499	343,054	24	3.7	2.1- 5.3	45	7.0	4.6- 9.4	82	16.2	12.3-20.1	36	6.9	4.4- 9.4	206	42.7	37.6-47.8	106	23.5	19.0-28.0
Black or Afr. Am./Non-Hisp	84	63,050	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6	8	8.6	1.7-15.5	9	8.1	1.6-14.6	35	46.1	33.2-59.0	30	36.6	24.6-48.6
25-34	108	119,207							9	10.4	3.0-17.8	8	6.8	1.7-11.9	63	54.2	43.8-64.6	28	28.7	19.1-38.3
35-44	126	111,363	1	0.6	0.0- 1.8	5	4.0	0.5- 7.5	31	23.2	15.4-31.0	8	6.6	1.7-11.5	54	43.4	33.8-53.0	27	22.3	14.1-30.5
45-54	143	87,720	7	4.8	0.9- 8.7	16	10.0	5.1-14.9	28	16.9	10.4-23.4	10	6.8	2.5-11.1	50	39.8	31.0-48.6	32	21.6	14.2-29.0
55-64	156	79,581	10	7.2	2.7-11.7	19	13.1	6.6-19.6	26	16.8	10.1-23.5	15	7.1	3.2-11.0	55	36.1	27.5-44.7	31	19.8	12.7-26.9
65+	117	48,189	9	7.6	2.5-12.7	12	8.5	3.4-13.6	14	12.3	5.4-19.2	9	8.8	2.7-14.9	48	38.4	28.4-48.4	25	24.4	15.0-33.8
Less Than H.S.	53	63,273	2	1.9	0.0- 4.6	2	4.2	0.0- 9.9	6	10.9	0.9-20.9				27	47.8	32.9-62.7	16	35.2	20.7-49.7
H.S. or G.E.D.	211	150,195	4	1.4	0.0- 3.0	13	4.9	2.0- 7.8	28	13.2	8.1-18.3	16	8.3	4.0-12.6	99	45.8	38.2-53.4	51	26.3	19.2-33.4
Some Post-H.S.	194	154,306	10	4.4	1.5- 7.3	14	4.4	1.7- 7.1	36	17.8	11.3-24.3	11	5.6	1.5- 9.7	80	43.6	35.6-51.6	43	24.3	17.2-31.4
College Graduate	216	106,165	11	3.8	1.4- 6.2	23	10.4	6.1-14.7	37	17.0	11.5-22.5	23	9.6	5.5-13.7	75	37.3	30.2-44.4	47	21.9	15.4-28.4
Less than \$15,000	58	34,189	2	3.7	0.0- 8.8	4	5.0	0.0-12.1	6	8.2	1.1-15.3				24	41.9	26.8-57.0	22	41.2	26.5-55.9
\$15,000- 24,999	99	73,928	3	1.6	0.0- 3.6	2	1.1	0.0- 2.7	15	14.0	6.6-21.4	4	2.6	0.0- 5.9	44	45.9	34.5-57.3	31	34.8	23.6-46.0
\$35,000- 49,999	100	68,004	5	4.3	0.6- 8.0	8	6.3	1.2-11.4	19	21.7	11.5-31.9	10	8.2	2.5-13.9	43	44.3	32.5-56.1	15	15.3	6.9-23.7
\$50,000- 74,999	98	75,837	2	0.9	0.0- 2.1	9	7.3	1.8-12.8	16	16.3	7.9-24.7	8	6.3	1.6-11.0	43	46.6	35.2-58.0	20	22.7	12.9-32.5
\$75,000+	200	142,646	12	4.9	1.8- 8.0	20	8.3	4.6-12.0	35	16.8	10.5-23.1	18	9.3	4.4-14.2	75	39.0	31.0-47.0	40	21.7	14.8-28.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	864	576,288	40	2.8	1.8- 3.8	90	8.1	6.3- 9.9	153	15.7	13.0-18.4	60	7.5	5.3- 9.7	356	44.6	40.7-48.5	165	21.3	18.0-24.6
White/Non-Hisp	627	417,538	37	3.8	2.4- 5.2	80	10.4	8.0-12.8	125	17.9	14.6-21.2	53	9.1	6.6-11.6	240	42.3	37.8-46.8	92	16.5	13.0-20.0
Black or Afr. Am./Non-Hisp	121	78,270	1	0.2	0.0- 0.6	4	1.6	0.0- 3.8	11	6.2	1.7-10.7	4	3.9	0.0- 8.0	59	47.9	37.3-58.5	42	40.2	29.4-51.0
Hispanic	65	58,054				1	1.6	0.0- 4.7	10	14.4	4.6-24.2				35	58.2	44.5-71.9	19	25.7	14.1-37.3
25-34	141	147,518							7	5.4	1.3- 9.5	7	5.5	1.4- 9.6	81	59.0	50.2-67.8	46	30.1	22.1-38.1
35-44	239	180,265				6	2.2	0.2- 4.2	45	20.5	14.6-26.4	24	11.2	6.7-15.7	123	50.1	43.0-57.2	41	15.9	11.0-20.8
45-54	197	101,274	17	9.0	4.7-13.3	36	18.9	12.8-25.0	54	27.2	20.1-34.3	8	4.6	1.3- 7.9	54	27.9	20.8-35.0	28	12.4	7.5-17.3
55-64	147	65,723	9	5.5	1.6- 9.4	29	21.2	13.6-28.8	30	22.1	14.1-30.1	7	4.0	0.9- 7.1	52	35.2	26.6-43.8	20	12.0	6.5-17.5
65+	104	37,511	14	9.7	3.8-15.6	19	25.2	14.8-35.6	17	9.4	3.9-14.9	14	20.2	10.2-30.2	31	27.5	17.5-37.5	9	8.1	1.6-14.6
Less Than H.S.	67	68,256				4	4.5	0.0- 9.4	11	16.2	6.4-26.0	4	7.9	0.5-15.3	28	45.6	31.5-59.7	20	25.8	14.0-37.6
H.S. or G.E.D.	225	156,995	9	3.2	0.8- 5.6	25	9.3	5.6-13.0	35	13.5	8.4-18.6	15	5.3	2.4- 8.2	88	39.9	32.6-47.2	53	28.9	21.8-36.0
Some Post-H.S.	240	190,934	11	2.6	1.0- 4.2	22	7.3	4.2-10.4	40	16.4	11.1-21.7	16	7.1	3.4-10.8	113	51.3	44.0-58.6	38	15.3	10.0-20.6
College Graduate	328	157,623	20	4.1	2.1- 6.1	39	9.5	6.4-12.6	67	17.1	12.8-21.4	24	9.8	5.7-13.9	125	40.5	34.2-46.8	53	19.0	13.9-24.1
Less than \$15,000	79	50,141	3	2.2	0.0- 5.1	5	4.7	0.4- 9.0	8	8.5	2.0-15.0	6	8.2	1.5-14.9	35	42.0	29.7-54.3	22	34.5	21.8-47.2
\$15,000- 24,999	151	110,082	7	2.7	0.3- 5.1	12	6.8	2.5-11.1	15	9.2	3.7-14.7	8	4.9	1.2- 8.6	76	52.0	42.8-61.2	33	24.3	16.5-32.1
\$25,000- 34,999	83	52,901	2	1.0	0.0- 2.6	13	13.4	5.8-21.0	11	12.1	3.7-20.5	5	7.8	0.7-14.9	29	33.0	20.8-45.2	23	32.7	20.2-45.2
\$35,000- 49,999	102	65,564	4	2.3	0.0- 4.7	12	8.0	2.7-13.3	15	13.8	6.0-21.6	6	6.7	0.4-13.0	44	47.3	35.5-59.1	21	21.9	12.3-31.5
\$50,000- 74,999	126	85,536	7	3.8	0.9- 6.7	5	3.1	0.0- 6.2	24	16.1	9.0-23.2	9	8.9	3.0-14.8	53	43.7	33.7-53.7	28	24.4	15.2-33.6
\$75,000+	217	139,851	9	2.8	0.6- 5.0	29	10.4	6.5-14.3	57	23.2	16.9-29.5	21	11.0	6.1-15.9	75	39.0	31.4-46.6	26	13.7	8.2-19.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7526	4,607,910	293	5.2	4.6- 5.8	7233	94.8	94.2-95.4
Male	3396	2,240,535	164	6.1	5.1- 7.1	3232	93.9	92.9-94.9
Female	4130	2,367,375	129	4.5	3.7- 5.3	4001	95.5	94.7-96.3
White/Non-Hisp	6161	3,677,981	213	4.7	3.9- 5.5	5948	95.3	94.5-96.1
Black or Afr. Am./Non-Hisp	617	385,341	40	10.4	7.1-13.7	577	89.6	86.3-92.9
Oth. Race/Non-Hisp.	181	132,695	6	1.7	0.1- 3.3	175	98.3	96.7-99.9
MultiRacial/Non-Hisp.	112	46,846	7	7.8	1.3-14.3	105	92.2	85.7-98.7
Hispanic	324	284,435	20	6.6	3.7- 9.5	304	93.4	90.5-96.3
18-24	448	613,393	67	12.8	9.7-15.9	381	87.2	84.1-90.3
25-34	742	767,292	76	9.6	7.2-12.0	666	90.4	88.0-92.8
35-44	914	729,590	64	6.4	4.6- 8.2	850	93.6	91.8-95.4
45-54	1217	715,095	38	3.1	2.1- 4.1	1179	96.9	95.9-97.9
55-64	1522	767,185	24	1.6	0.8- 2.4	1498	98.4	97.6-99.2
65+	2683	1,015,356	24	0.8	0.4- 1.2	2659	99.2	98.8-99.6
Less Than H.S.	520	526,483	24	5.2	2.8- 7.6	496	94.8	92.4-97.2
H.S. or G.E.D.	2413	1,524,025	102	5.6	4.4- 6.8	2311	94.4	93.2-95.6
Some Post-H.S.	1995	1,418,035	90	6.1	4.7- 7.5	1905	93.9	92.5-95.3
College Graduate	2579	1,128,839	76	3.7	2.7- 4.7	2503	96.3	95.3-97.3
Less than \$15,000	501	315,549	33	6.6	4.2- 9.0	468	93.4	91.0-95.8
\$15,000- 24,999	971	600,606	48	6.5	4.5- 8.5	923	93.5	91.5-95.5
\$25,000- 34,999	656	378,085	25	5.4	3.2- 7.6	631	94.6	92.4-96.8
\$35,000- 49,999	930	558,953	41	5.9	3.7- 8.1	889	94.1	91.9-96.3
\$50,000- 74,999	1032	643,283	50	6.9	4.7- 9.1	982	93.1	90.9-95.3
\$75,000+	1987	1,263,943	60	3.7	2.5- 4.9	1927	96.3	95.1-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3396	2,240,535	164	6.1	5.1- 7.1	3232	93.9	92.9-94.9
White/Non-Hisp	2777	1,777,435	116	5.4	4.2- 6.6	2661	94.6	93.4-95.8
Black or Afr. Am./Non-Hisp	243	182,372	24	13.4	7.9-18.9	219	86.6	81.1-92.1
Oth. Race/Non-Hisp.	91	71,827	2	0.6	0.0- 1.6	89	99.4	98.4- 100
MultiRacial/Non-Hisp.	51	24,351	4	7.6	0.0-17.0	47	92.4	83.0- 100
Hispanic	158	134,055	12	7.3	3.0-11.6	146	92.7	88.4-97.0
18-24	249	318,242	34	12.1	8.0-16.2	215	87.9	83.8-92.0
25-34	374	390,040	40	10.6	7.3-13.9	334	89.4	86.1-92.7
35-44	428	362,028	37	7.9	5.2-10.6	391	92.1	89.4-94.8
45-54	551	348,568	22	4.0	2.2- 5.8	529	96.0	94.2-97.8
55-64	703	374,313	15	2.0	0.8- 3.2	688	98.0	96.8-99.2
65+	1091	447,343	16	1.2	0.6- 1.8	1075	98.8	98.2-99.4
Less Than H.S.	241	255,205	13	6.3	2.4-10.2	228	93.7	89.8-97.6
H.S. or G.E.D.	1128	793,085	61	6.4	4.6- 8.2	1067	93.6	91.8-95.4
Some Post-H.S.	879	675,617	53	7.5	5.3- 9.7	826	92.5	90.3-94.7
College Graduate	1141	514,110	37	3.5	2.3- 4.7	1104	96.5	95.3-97.7
Less than \$15,000	183	122,954	15	8.8	4.1-13.5	168	91.2	86.5-95.9
\$15,000- 24,999	393	257,423	19	6.3	3.2- 9.4	374	93.7	90.6-96.8
\$25,000- 34,999	285	176,798	14	6.2	2.7- 9.7	271	93.8	90.3-97.3
\$35,000- 49,999	432	271,243	23	6.3	3.4- 9.2	409	93.7	90.8-96.6
\$50,000- 74,999	481	325,932	30	8.0	4.9-11.1	451	92.0	88.9-95.1
\$75,000+	1071	717,157	47	5.1	3.5- 6.7	1024	94.9	93.3-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4130	2,367,375	129	4.5	3.7- 5.3	4001	95.5	94.7-96.3
White/Non-Hisp	3384	1,900,547	97	4.0	3.0- 5.0	3287	96.0	95.0-97.0
Black or Afr. Am./Non-Hisp	374	202,969	16	7.6	3.3-11.9	358	92.4	88.1-96.7
Oth. Race/Non-Hisp.	90	60,867	4	2.9	0.0- 6.0	86	97.1	94.0- 100
MultiRacial/Non-Hisp.	61	22,495	3	8.0	0.0-17.2	58	92.0	82.8- 100
Hispanic	166	150,379	8	5.9	1.6-10.2	158	94.1	89.8-98.4
18-24	199	295,151	33	13.5	8.6-18.4	166	86.5	81.6-91.4
25-34	368	377,252	36	8.6	5.7-11.5	332	91.4	88.5-94.3
35-44	486	367,562	27	5.0	3.0- 7.0	459	95.0	93.0-97.0
45-54	666	366,527	16	2.2	1.0- 3.4	650	97.8	96.6-99.0
55-64	819	392,871	9	1.1	0.3- 1.9	810	98.9	98.1-99.7
65+	1592	568,012	8	0.4	0.0- 0.8	1584	99.6	99.2- 100
Less Than H.S.	279	271,278	11	4.2	1.5- 6.9	268	95.8	93.1-98.5
H.S. or G.E.D.	1285	730,941	41	4.6	3.0- 6.2	1244	95.4	93.8-97.0
Some Post-H.S.	1116	742,417	37	4.9	3.1- 6.7	1079	95.1	93.3-96.9
College Graduate	1438	614,729	39	3.9	2.5- 5.3	1399	96.1	94.7-97.5
Less than \$15,000	318	192,595	18	5.2	2.7- 7.7	300	94.8	92.3-97.3
\$15,000- 24,999	578	343,182	29	6.6	4.1- 9.1	549	93.4	90.9-95.9
\$25,000- 34,999	371	201,287	11	4.6	1.9- 7.3	360	95.4	92.7-98.1
\$35,000- 49,999	498	287,710	18	5.5	2.6- 8.4	480	94.5	91.6-97.4
\$50,000- 74,999	551	317,352	20	5.7	3.0- 8.4	531	94.3	91.6-97.0
\$75,000+	916	546,786	13	2.0	0.6- 3.4	903	98.0	96.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2020**

End of Core Data Report