

**ArcelorMittal Burns Harbor**  
**Shoreline Sample Points**  
**8/19/2019**

Shoreline 8

Shoreline 8:	
Dissolved Oxygen:	7.9 mg/l
Free Cyanide:	ND
Ammonia:	0.12 mg/l
Cyanide, Total:	ND

Shoreline 7  
Shoreline 6

Shoreline 7:	
Dissolved Oxygen:	8.0 mg/l
Free Cyanide:	ND
Ammonia:	0.13 mg/l
Cyanide, Total:	ND

Shoreline 6:	
Dissolved Oxygen:	8.3 mg/l
Free Cyanide:	ND
Ammonia:	0.19 mg/l
Cyanide, Total:	ND

Shoreline 5

Shoreline 5:	
Dissolved Oxygen:	8.6 mg/l
Free Cyanide:	ND
Ammonia:	0.23 mg/l
Cyanide, Total:	ND

Shoreline 4

Shoreline 4:	
Dissolved Oxygen:	8.4 mg/l
Free Cyanide:	ND
Ammonia:	0.27 mg/l
Cyanide, Total:	ND

Shoreline 3

Shoreline 3:	
Dissolved Oxygen:	8.7 mg/l
Free Cyanide:	ND
Ammonia:	0.50 mg/l
Cyanide, Total:	ND

Shoreline 2

Shoreline 2:	
Dissolved Oxygen:	8.5 mg/l
Free Cyanide:	ND
Ammonia:	0.71 mg/l
Cyanide, Total:	ND

Shoreline 1

Shoreline 1:	
Dissolved Oxygen:	10 mg/l
Free Cyanide:	ND
Ammonia:	2.3 mg/l
Cyanide, Total:	ND

