



12-Sep-2019

Robert Macial  
ArcelorMittal USA LLC  
Gary Plate Processing  
One North Buchanan Street  
Gary, IN 46402

Re: **Arcelor Mittal - Burns Harbor E.R.**

Work Order: **19090503**

Dear Robert,

ALS Environmental received 25 samples on 09-Sep-2019 for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 42.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA  
PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Sincerely,

A handwritten signature in black ink that reads "Amanda Grzybowski".

Electronically approved by: Amanda Grzybowski

Amanda Grzybowski  
Project Manager

## Report of Laboratory Analysis

Certificate No: IN: C-MI-08

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental 

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Work Order:** 19090503

**Work Order Sample Summary**

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
19090503-01	15	Aqueous		9/9/2019 08:55	9/9/2019 17:40	<input type="checkbox"/>
19090503-01	15	Aqueous		9/9/2019 08:55	9/10/2019 13:30	<input type="checkbox"/>
19090503-02	14	Aqueous		9/9/2019 09:10	9/9/2019 17:40	<input type="checkbox"/>
19090503-02	14	Aqueous		9/9/2019 09:10	9/10/2019 13:30	<input type="checkbox"/>
19090503-03	7	Aqueous		9/9/2019 09:22	9/9/2019 17:40	<input type="checkbox"/>
19090503-03	7	Aqueous		9/9/2019 09:22	9/10/2019 13:30	<input type="checkbox"/>
19090503-04	6	Aqueous		9/9/2019 09:36	9/9/2019 17:40	<input type="checkbox"/>
19090503-04	6	Aqueous		9/9/2019 09:36	9/10/2019 13:30	<input type="checkbox"/>
19090503-05	5	Aqueous		9/9/2019 09:48	9/9/2019 17:40	<input type="checkbox"/>
19090503-05	5	Aqueous		9/9/2019 09:48	9/10/2019 13:30	<input type="checkbox"/>
19090503-06	4	Aqueous		9/9/2019 09:55	9/9/2019 17:40	<input type="checkbox"/>
19090503-06	4	Aqueous		9/9/2019 09:55	9/10/2019 13:30	<input type="checkbox"/>
19090503-07	3	Aqueous		9/9/2019 10:06	9/9/2019 17:40	<input type="checkbox"/>
19090503-07	3	Aqueous		9/9/2019 10:06	9/10/2019 13:30	<input type="checkbox"/>
19090503-08	2	Aqueous		9/9/2019 10:18	9/9/2019 17:40	<input type="checkbox"/>
19090503-08	2	Aqueous		9/9/2019 10:18	9/10/2019 13:30	<input type="checkbox"/>
19090503-09	1	Aqueous		9/9/2019 10:30	9/9/2019 17:40	<input type="checkbox"/>
19090503-09	1	Aqueous		9/9/2019 10:30	9/10/2019 13:30	<input type="checkbox"/>
19090503-10	OF001	Aqueous		9/9/2019 10:51	9/9/2019 17:40	<input type="checkbox"/>
19090503-10	OF001	Aqueous		9/9/2019 10:51	9/10/2019 13:30	<input type="checkbox"/>
19090503-11	8	Aqueous		9/9/2019 11:20	9/9/2019 17:40	<input type="checkbox"/>
19090503-11	8	Aqueous		9/9/2019 11:20	9/10/2019 13:30	<input type="checkbox"/>
19090503-12	9	Aqueous		9/9/2019 11:31	9/9/2019 17:40	<input type="checkbox"/>
19090503-12	9	Aqueous		9/9/2019 11:31	9/10/2019 13:30	<input type="checkbox"/>
19090503-13	10	Aqueous		9/9/2019 11:43	9/9/2019 17:40	<input type="checkbox"/>
19090503-13	10	Aqueous		9/9/2019 11:43	9/10/2019 13:30	<input type="checkbox"/>
19090503-14	11	Aqueous		9/9/2019 11:54	9/9/2019 17:40	<input type="checkbox"/>
19090503-14	11	Aqueous		9/9/2019 11:54	9/10/2019 13:30	<input type="checkbox"/>
19090503-15	12	Aqueous		9/9/2019 12:09	9/9/2019 17:40	<input type="checkbox"/>
19090503-15	12	Aqueous		9/9/2019 12:09	9/10/2019 13:30	<input type="checkbox"/>
19090503-16	13	Aqueous		9/9/2019 12:20	9/9/2019 17:40	<input type="checkbox"/>
19090503-16	13	Aqueous		9/9/2019 12:20	9/10/2019 13:30	<input type="checkbox"/>
19090503-17	SL-1	Aqueous		9/9/2019 12:40	9/9/2019 17:40	<input type="checkbox"/>
19090503-17	SL-1	Aqueous		9/9/2019 12:40	9/10/2019 13:30	<input type="checkbox"/>
19090503-18	SL-2	Aqueous		9/9/2019 12:58	9/9/2019 17:40	<input type="checkbox"/>
19090503-18	SL-2	Aqueous		9/9/2019 12:58	9/10/2019 13:30	<input type="checkbox"/>
19090503-19	SL-3	Aqueous		9/9/2019 13:19	9/9/2019 17:40	<input type="checkbox"/>
19090503-19	SL-3	Aqueous		9/9/2019 13:19	9/10/2019 13:30	<input type="checkbox"/>
19090503-20	SL-4	Aqueous		9/9/2019 13:30	9/9/2019 17:40	<input type="checkbox"/>

---

---

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Work Order:** 19090503

## Work Order Sample Summary

---

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
19090503-20	SL-4	Aqueous		9/9/2019 13:30	9/10/2019 13:30	<input type="checkbox"/>
19090503-21	SL-5	Aqueous		9/9/2019 13:50	9/9/2019 17:40	<input type="checkbox"/>
19090503-21	SL-5	Aqueous		9/9/2019 13:50	9/10/2019 13:30	<input type="checkbox"/>
19090503-22	SL-6	Aqueous		9/9/2019 14:09	9/9/2019 17:40	<input type="checkbox"/>
19090503-22	SL-6	Aqueous		9/9/2019 14:09	9/10/2019 13:30	<input type="checkbox"/>
19090503-23	SL-7	Aqueous		9/9/2019 14:38	9/9/2019 17:40	<input type="checkbox"/>
19090503-23	SL-7	Aqueous		9/9/2019 14:38	9/10/2019 13:30	<input type="checkbox"/>
19090503-24	SL-8	Aqueous		9/9/2019 15:11	9/9/2019 17:40	<input type="checkbox"/>
19090503-24	SL-8	Aqueous		9/9/2019 15:11	9/10/2019 13:30	<input type="checkbox"/>
19090503-25	000	Aqueous		9/9/2019 16:01	9/9/2019 17:40	<input type="checkbox"/>
19090503-25	000	Aqueous		9/9/2019 16:01	9/10/2019 13:30	<input type="checkbox"/>

---

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Work Order:** 19090503

---

**Case Narrative**

Samples in this Work Order were received and analyzed at the ALS Valparaiso facility at 2400 Cumberland Drive, Valparaiso, Indiana; under Florida NELAP certification ID# E871119.

Any Batch MS/MSD results that are flagged, but not addressed in this Case Narrative, are not related to this project's sample(s); therefore the data does not require qualification.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 15  
**Collection Date:** 9/9/2019 08:55 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-01  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.50		0		mg/L	1	9/9/2019
				Method: A4500-O G-11			Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.43		0		s.u.	1	9/9/2019
				Method: A4500-H B-11			Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.9		0		°C	1	9/9/2019
				Method: A2550 B-10			Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
				Method: KELADA-01			Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
				Method: KELADA-01			Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.131		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:29
				Method: E350.1 R2.0			Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 14  
**Collection Date:** 9/9/2019 09:10 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-02  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.80		0		mg/L	1	9/9/2019
				Method: A4500-O G-11			Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.55		0		s.u.	1	9/9/2019
				Method: A4500-H B-11			Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.7		0		°C	1	9/9/2019
				Method: A2550 B-10			Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
				Method: KELADA-01			Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
				Method: KELADA-01			Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.0519		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:30
				Method: E350.1 R2.0			Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 7  
**Collection Date:** 9/9/2019 09:22 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-03  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	8.20		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.49		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.6		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.193		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:31
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 6  
**Collection Date:** 9/9/2019 09:36 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-04  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.90		0		mg/L	1	9/9/2019
				Method: A4500-O G-11			Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.62		0		s.u.	1	9/9/2019
				Method: A4500-H B-11			Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.0		0		°C	1	9/9/2019
				Method: A2550 B-10			Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
				Method: KELADA-01			Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
				Method: KELADA-01			Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.215		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:33
				Method: E350.1 R2.0			Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.



# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 5  
**Collection Date:** 9/9/2019 09:48 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-05  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	8.50		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.63		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.0		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.194		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:34
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 4  
**Collection Date:** 9/9/2019 09:55 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-06  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	8.90		0		mg/L	1	9/9/2019
							Analyst: <b>ALS</b>
							Method: A4500-O G-11
<b>PH (FIELD)</b>							
pH (field)	7.67		0		s.u.	1	9/9/2019
							Analyst: <b>ALS</b>
							Method: A4500-H B-11
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.2		0		°C	1	9/9/2019
							Analyst: <b>ALS</b>
							Method: A2550 B-10
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
							Analyst: <b>JB</b>
							Method: KELADA-01
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
							Analyst: <b>JB</b>
							Method: KELADA-01
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.193		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:35
							Analyst: <b>CD</b>
							Method: E350.1 R2.0

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 3  
**Collection Date:** 9/9/2019 10:06 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-07  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	9.10		0		mg/L	1	9/9/2019
				Method: A4500-O G-11			Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.68		0		s.u.	1	9/9/2019
				Method: A4500-H B-11			Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.3		0		°C	1	9/9/2019
				Method: A2550 B-10			Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
				Method: KELADA-01			Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
				Method: KELADA-01			Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.194		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:36
				Method: E350.1 R2.0			Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 2  
**Collection Date:** 9/9/2019 10:18 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-08  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	9.30		0		mg/L	1	9/9/2019
				Method: A4500-O G-11			Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.69		0		s.u.	1	9/9/2019
				Method: A4500-H B-11			Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.2		0		°C	1	9/9/2019
				Method: A2550 B-10			Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
				Method: KELADA-01			Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
				Method: KELADA-01			Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.199		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:40
				Method: E350.1 R2.0			Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 1  
**Collection Date:** 9/9/2019 10:30 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-09  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	8.30		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.76		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.7		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.242		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:41
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** OF001  
**Collection Date:** 9/9/2019 10:51 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-10  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	9.10		0		mg/L	1	9/9/2019
<b>PH (FIELD)</b>							
pH (field)	7.75		0		s.u.	1	9/9/2019
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	22.7		0		°C	1	9/9/2019
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.280		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:42

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 8  
**Collection Date:** 9/9/2019 11:20 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-11  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.70		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.56		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.0		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.166		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:43
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 9  
**Collection Date:** 9/9/2019 11:31 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-12  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.20		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.63		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.8		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.188		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:45
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.



# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 10  
**Collection Date:** 9/9/2019 11:43 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-13  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	8.30		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: <b>ALS</b>
<b>PH (FIELD)</b>							
pH (field)	7.61		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: <b>ALS</b>
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.1		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: <b>ALS</b>
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: <b>JB</b>
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: <b>JB</b>
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.142		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:46
			Method: E350.1 R2.0				Analyst: <b>CD</b>

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 11  
**Collection Date:** 9/9/2019 11:54 AM

**Work Order:** 19090503  
**Lab ID:** 19090503-14  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	8.30		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.61		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	22.6		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.125		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:47
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 12  
**Collection Date:** 9/9/2019 12:09 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-15  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	8.00		0		mg/L	1	9/9/2019
				Method: A4500-O G-11			Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.66		0		s.u.	1	9/9/2019
				Method: A4500-H B-11			Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.6		0		°C	1	9/9/2019
				Method: A2550 B-10			Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
				Method: KELADA-01			Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
				Method: KELADA-01			Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.123		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:48
				Method: E350.1 R2.0			Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 13  
**Collection Date:** 9/9/2019 12:20 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-16  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	8.80		0		mg/L	1	9/9/2019
							Analyst: <b>ALS</b>
<b>PH (FIELD)</b>							
pH (field)	7.69		0		s.u.	1	9/9/2019
							Analyst: <b>ALS</b>
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	21.0		0		°C	1	9/9/2019
							Analyst: <b>ALS</b>
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
							Analyst: <b>JB</b>
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
							Analyst: <b>JB</b>
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.105		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:49
							Analyst: <b>CD</b>

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** SL-1  
**Collection Date:** 9/9/2019 12:40 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-17  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.00		0		mg/L	1	9/9/2019
				Method: A4500-O G-11			Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.94		0		s.u.	1	9/9/2019
				Method: A4500-H B-11			Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	18.8		0		°C	1	9/9/2019
				Method: A2550 B-10			Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
				Method: KELADA-01			Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
				Method: KELADA-01			Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	U		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:51
				Method: E350.1 R2.0			Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** SL-2  
**Collection Date:** 9/9/2019 12:58 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-18  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.10		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.90		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	18.8		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	U		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:54
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** SL-3  
**Collection Date:** 9/9/2019 01:19 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-19  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.60		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.85		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	18.7		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	U		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:58
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** SL-4  
**Collection Date:** 9/9/2019 01:30 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-20  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.40		0		mg/L	1	9/9/2019
							Analyst: <b>ALS</b>
<b>PH (FIELD)</b>							
pH (field)	7.61		0		s.u.	1	9/9/2019
							Analyst: <b>ALS</b>
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	18.6		0		°C	1	9/9/2019
							Analyst: <b>ALS</b>
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
							Analyst: <b>JB</b>
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
							Analyst: <b>JB</b>
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	U		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 08:59
							Analyst: <b>CD</b>

**Note:** See Qualifiers page for a list of qualifiers and their definitions.



# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** SL-5  
**Collection Date:** 9/9/2019 01:50 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-21  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.80		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.85		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	18.8		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	U		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 09:05
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** SL-6  
**Collection Date:** 9/9/2019 02:09 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-22  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.30		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: <b>ALS</b>
<b>PH (FIELD)</b>							
pH (field)	7.83		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: <b>ALS</b>
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	19.0		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: <b>ALS</b>
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: <b>JB</b>
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: <b>JB</b>
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	U		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 09:09
			Method: E350.1 R2.0				Analyst: <b>CD</b>

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** SL-7  
**Collection Date:** 9/9/2019 02:38 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-23  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.70		0		mg/L	1	9/9/2019
							Analyst: <b>ALS</b>
							Method: A4500-O G-11
<b>PH (FIELD)</b>							
pH (field)	7.94		0		s.u.	1	9/9/2019
							Analyst: <b>ALS</b>
							Method: A4500-H B-11
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	18.5		0		°C	1	9/9/2019
							Analyst: <b>ALS</b>
							Method: A2550 B-10
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
							Analyst: <b>JB</b>
							Method: KELADA-01
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
							Analyst: <b>JB</b>
							Method: KELADA-01
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	U		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 09:10
							Analyst: <b>CD</b>
							Method: E350.1 R2.0

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** SL-8  
**Collection Date:** 9/9/2019 03:11 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-24  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.60		0		mg/L	1	9/9/2019
			Method: A4500-O G-11				Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.83		0		s.u.	1	9/9/2019
			Method: A4500-H B-11				Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	18.4		0		°C	1	9/9/2019
			Method: A2550 B-10				Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
			Method: KELADA-01				Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
			Method: KELADA-01				Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	U		0.00980	0.0320	mg NH3-N/L	1	9/10/2019 09:11
			Method: E350.1 R2.0				Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

# ALS Group, USA

Date: 12-Sep-19

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**Sample ID:** 000  
**Collection Date:** 9/9/2019 04:01 PM

**Work Order:** 19090503  
**Lab ID:** 19090503-25  
**Matrix:** AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
<b>DISSOLVED OXYGEN (FIELD)</b>							
Dissolved Oxygen (field)	7.20		0		mg/L	1	9/9/2019
				Method: A4500-O G-11			Analyst: ALS
<b>PH (FIELD)</b>							
pH (field)	7.75		0		s.u.	1	9/9/2019
				Method: A4500-H B-11			Analyst: ALS
<b>TEMPERATURE (FIELD)</b>							
Temperature (field)	20.1		0		°C	1	9/9/2019
				Method: A2550 B-10			Analyst: ALS
<b>CYANIDE, TOTAL</b>							
Cyanide, Total	U		0.0012	0.0050	mg/L	1	9/10/2019 12:38
				Method: KELADA-01			Analyst: JB
<b>CYANIDE, WEAK ACID DISSOCIABLE</b>							
Cyanide, WAD	U		0.0011	0.0050	mg/L	1	9/11/2019 09:51
				Method: KELADA-01			Analyst: JB
<b>AMMONIA AS NITROGEN</b>							
Ammonia as Nitrogen	0.0222	J	0.00980	0.0320	mg NH3-N/L	1	9/10/2019 09:12
				Method: E350.1 R2.0			Analyst: CD

**Note:** See Qualifiers page for a list of qualifiers and their definitions.

---

**Client:** ArcelorMittal USA LLC  
**Project:** Arcelor Mittal - Burns Harbor E.R.  
**WorkOrder:** 19090503

---

**QUALIFIERS,  
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
**	Estimated Value
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
Hr	BOD/CBOD - Sample was reset outside Hold Time, value should be considered estimated.
J	Analyte is present at an estimated concentration between the MDL and Report Limit
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection (see MDL)
LOQ	Limit of Quantitation (see PQL)
MBLK	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
TDL	Target Detection Limit
TNTC	Too Numerous To Count
A	APHA Standard Methods
D	ASTM
E	EPA
SW	SW-846 Update III

<u>Units Reported</u>	<u>Description</u>
°C	Degrees Celcius
mg NH3-N/L	Milligrams Ammonia-Nitrogen per Liter
mg/L	Milligrams per Liter
s.u.	Standard Units

Client: ArcelorMittal USA LLC

**QC BATCH REPORT**

Work Order: 19090503

Project: Arcelor Mittal - Burns Harbor E.R.

Batch ID: **R270193c** Instrument ID **SKALAR1** Method: **Kelada-01**

<b>MBLK</b>	Sample ID: <b>MB-R270193-R270193c</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/10/2019 12:38 PM</b>			
Client ID:	Run ID: <b>SKALAR1_190910A</b>			SeqNo: <b>5908334</b>		Prep Date:		DF: <b>1</b>		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, Total U 0.0050

<b>LCS</b>	Sample ID: <b>LCS-R270193-R270193c</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/10/2019 12:38 PM</b>			
Client ID:	Run ID: <b>SKALAR1_190910A</b>			SeqNo: <b>5908335</b>		Prep Date:		DF: <b>1</b>		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, Total 0.1079 0.0050 0.1 0 108 90-110 0

<b>MS</b>	Sample ID: <b>19090440-17B MS</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/10/2019 12:38 PM</b>			
Client ID:	Run ID: <b>SKALAR1_190910A</b>			SeqNo: <b>5908340</b>		Prep Date:		DF: <b>1</b>		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, Total 0.1052 0.0050 0.1 0.00021 105 90-110 0

<b>MS</b>	Sample ID: <b>19090503-01B MS</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/10/2019 12:38 PM</b>			
Client ID: <b>15</b>	Run ID: <b>SKALAR1_190910A</b>			SeqNo: <b>5908354</b>		Prep Date:		DF: <b>1</b>		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, Total 0.09416 0.0050 0.1 0.00049 93.7 90-110 0

<b>MS</b>	Sample ID: <b>19090503-07B MS</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/10/2019 12:38 PM</b>			
Client ID: <b>3</b>	Run ID: <b>SKALAR1_190910A</b>			SeqNo: <b>5908364</b>		Prep Date:		DF: <b>1</b>		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, Total 0.1054 0.0050 0.1 0.00054 105 90-110 0

<b>MS</b>	Sample ID: <b>19090503-13B MS</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/10/2019 12:38 PM</b>			
Client ID: <b>10</b>	Run ID: <b>SKALAR1_190910A</b>			SeqNo: <b>5908374</b>		Prep Date:		DF: <b>1</b>		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, Total 0.1017 0.0050 0.1 0.00077 101 90-110 0

<b>MSD</b>	Sample ID: <b>19090440-17B MSD</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/10/2019 12:38 PM</b>			
Client ID:	Run ID: <b>SKALAR1_190910A</b>			SeqNo: <b>5908341</b>		Prep Date:		DF: <b>1</b>		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, Total 0.1069 0.0050 0.1 0.00021 107 90-110 0.1052 1.59 20

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



Client: ArcelorMittal USA LLC  
 Work Order: 19090503  
 Project: Arcelor Mittal - Burns Harbor E.R.

# QC BATCH REPORT

Batch ID: **R270193c** Instrument ID **SKALAR1** Method: **Kelada-01**

MSD		Sample ID: 19090503-01B MSD				Units: mg/L		Analysis Date: 9/10/2019 12:38 PM		
Client ID: 15		Run ID: SKALAR1_190910A				SeqNo: 5908355		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Cyanide, Total	0.09509	0.0050	0.1	0.00049	94.6	90-110	0.09416	0.983	20	

MSD		Sample ID: 19090503-07B MSD				Units: mg/L		Analysis Date: 9/10/2019 12:38 PM		
Client ID: 3		Run ID: SKALAR1_190910A				SeqNo: 5908365		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Cyanide, Total	0.1053	0.0050	0.1	0.00054	105	90-110	0.1054	0.019	20	

MSD		Sample ID: 19090503-13B MSD				Units: mg/L		Analysis Date: 9/10/2019 12:38 PM		
Client ID: 10		Run ID: SKALAR1_190910A				SeqNo: 5908375		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Cyanide, Total	0.104	0.0050	0.1	0.00077	103	90-110	0.1017	2.28	20	

The following samples were analyzed in this batch:

19090503-01B	19090503-02B	19090503-03B
19090503-04B	19090503-05B	19090503-06B
19090503-07B	19090503-08B	19090503-09B
19090503-10B	19090503-11B	19090503-12B
19090503-13B	19090503-14B	19090503-15B
19090503-16B	19090503-17B	19090503-18B
19090503-19B	19090503-20B	19090503-21B
19090503-22B	19090503-23B	19090503-24B
19090503-25B		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ArcelorMittal USA LLC  
 Work Order: 19090503  
 Project: Arcelor Mittal - Burns Harbor E.R.

# QC BATCH REPORT

Batch ID: **R270286c** Instrument ID **SKALAR1** Method: **Kelada-01**

MBLK		Sample ID: <b>MB-R270286-R270286c</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID:		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910793</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD U 0.0050

LCS		Sample ID: <b>LCS-R270286-R270286c</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID:		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910794</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.1088 0.0050 0.1 0 109 90-110 0

MS		Sample ID: <b>19090440-17C MS</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID:		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910799</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.1079 0.0050 0.1 -0.00037 108 90-110 0

MS		Sample ID: <b>19090503-01C MS</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID: <b>15</b>		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910812</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.09362 0.0050 0.1 -0.00089 94.5 90-110 0

MSD		Sample ID: <b>19090440-17C MSD</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID:		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910800</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.1111 0.0050 0.1 -0.00037 112 90-110 0.1079 2.99 20 S

MSD		Sample ID: <b>19090503-01C MSD</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID: <b>15</b>		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910813</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.09383 0.0050 0.1 -0.00089 94.7 90-110 0.09362 0.224 20

The following samples were analyzed in this batch:

19090503-01C	19090503-02C	19090503-03C
19090503-04C	19090503-05C	19090503-06C

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ArcelorMittal USA LLC  
 Work Order: 19090503  
 Project: Arcelor Mittal - Burns Harbor E.R.

# QC BATCH REPORT

Batch ID: **R270286d** Instrument ID **SKALAR1** Method: **Kelada-01**

MBLK		Sample ID: <b>MB-R270286-R270286d</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID:		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910831</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD U 0.0050

LCS		Sample ID: <b>LCS-R270286-R270286d</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID:		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910832</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.1084 0.0050 0.1 0 108 90-110 0

MS		Sample ID: <b>19090503-07C MS</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID: <b>3</b>		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910834</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.1049 0.0050 0.1 -0.00034 105 90-110 0

MS		Sample ID: <b>19090503-13C MS</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID: <b>10</b>		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910860</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.1029 0.0050 0.1 -0.00041 103 90-110 0

MSD		Sample ID: <b>19090503-07C MSD</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID: <b>3</b>		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910835</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.1061 0.0050 0.1 -0.00034 106 90-110 0.1049 1.14 20

MSD		Sample ID: <b>19090503-13C MSD</b>				Units: <b>mg/L</b>		Analysis Date: <b>9/11/2019 09:51 AM</b>		
Client ID: <b>10</b>		Run ID: <b>SKALAR1_190911A</b>				SeqNo: <b>5910861</b>		Prep Date:		DF: <b>1</b>
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Cyanide, WAD 0.1044 0.0050 0.1 -0.00041 105 90-110 0.1029 1.45 20

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

**Client:** ArcelorMittal USA LLC  
**Work Order:** 19090503  
**Project:** Arcelor Mittal - Burns Harbor E.R.

## QC BATCH REPORT

---

Batch ID: **R270286d**      Instrument ID **SKALAR1**      Method: **Kelada-01**

---

**The following samples were analyzed in this batch:**

19090503-07C	19090503-08C	19090503-09C
19090503-10C	19090503-11C	19090503-12C
19090503-13C	19090503-14C	19090503-15C
19090503-16C	19090503-17C	19090503-18C
19090503-19C	19090503-20C	19090503-21C
19090503-22C	19090503-23C	19090503-24C
19090503-25C		

---

**Note:** See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ArcelorMittal USA LLC  
 Work Order: 19090503  
 Project: Arcelor Mittal - Burns Harbor E.R.

# QC BATCH REPORT

Batch ID: **R270159** Instrument ID **VAL-LACHAT** Method: **E350.1 R2.0**

MBLK		Sample ID: <b>MBLK-R270159</b>			Units: <b>mg NH3-N/L</b>			Analysis Date: <b>9/10/2019 08:27 AM</b>		
Client ID:		Run ID: <b>VAL-LACHAT_190910A</b>			SeqNo: <b>5906053</b>		Prep Date:		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen U 0.032

MBLK		Sample ID: <b>MBLK-R270159</b>			Units: <b>mg NH3-N/L</b>			Analysis Date: <b>9/10/2019 09:03 AM</b>		
Client ID:		Run ID: <b>VAL-LACHAT_190910A</b>			SeqNo: <b>5906099</b>		Prep Date:		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen U 0.032

LCS		Sample ID: <b>LCS-R270159</b>			Units: <b>mg NH3-N/L</b>			Analysis Date: <b>9/10/2019 08:28 AM</b>		
Client ID:		Run ID: <b>VAL-LACHAT_190910A</b>			SeqNo: <b>5906054</b>		Prep Date:		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen 0.389 0.032 0.4 0 97.2 90-110 0

LCS		Sample ID: <b>LCS-R270159</b>			Units: <b>mg NH3-N/L</b>			Analysis Date: <b>9/10/2019 09:04 AM</b>		
Client ID:		Run ID: <b>VAL-LACHAT_190910A</b>			SeqNo: <b>5906100</b>		Prep Date:		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen 0.392 0.032 0.4 0 98 90-110 0

MS		Sample ID: <b>19090503-18A MS</b>			Units: <b>mg NH3-N/L</b>			Analysis Date: <b>9/10/2019 08:55 AM</b>		
Client ID: <b>SL-2</b>		Run ID: <b>VAL-LACHAT_190910A</b>			SeqNo: <b>5906093</b>		Prep Date:		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen 0.197 0.032 0.2 0.00178 97.6 90-110 0

MS		Sample ID: <b>19090503-20A MS</b>			Units: <b>mg NH3-N/L</b>			Analysis Date: <b>9/10/2019 09:00 AM</b>		
Client ID: <b>SL-4</b>		Run ID: <b>VAL-LACHAT_190910A</b>			SeqNo: <b>5906097</b>		Prep Date:		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen 0.198 0.032 0.2 -0.00598 102 90-110 0

MS		Sample ID: <b>19090503-25A MS</b>			Units: <b>mg NH3-N/L</b>			Analysis Date: <b>9/10/2019 09:14 AM</b>		
Client ID: <b>000</b>		Run ID: <b>VAL-LACHAT_190910A</b>			SeqNo: <b>5906108</b>		Prep Date:		DF: <b>1</b>	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen 0.206 0.032 0.2 0.0222 91.9 90-110 0

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: ArcelorMittal USA LLC  
 Work Order: 19090503  
 Project: Arcelor Mittal - Burns Harbor E.R.

# QC BATCH REPORT

Batch ID: **R270159** Instrument ID **VAL-LACHAT** Method: **E350.1 R2.0**

MSD		Sample ID: 19090503-18A MSD				Units: mg NH3-N/L		Analysis Date: 9/10/2019 08:57 AM		
Client ID: SL-2		Run ID: VAL-LACHAT_190910A				SeqNo: 5906094		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ammonia as Nitrogen	0.196	0.032	0.2	0.00178	97.1	90-110	0.197	0.509	20	

MSD		Sample ID: 19090503-20A MSD				Units: mg NH3-N/L		Analysis Date: 9/10/2019 09:02 AM		
Client ID: SL-4		Run ID: VAL-LACHAT_190910A				SeqNo: 5906098		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ammonia as Nitrogen	0.194	0.032	0.2	-0.00598	100	90-110	0.198	2.04	20	

MSD		Sample ID: 19090503-25A MSD				Units: mg NH3-N/L		Analysis Date: 9/10/2019 09:15 AM		
Client ID: 000		Run ID: VAL-LACHAT_190910A				SeqNo: 5906109		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Ammonia as Nitrogen	0.205	0.032	0.2	0.0222	91.4	90-110	0.206	0.487	20	

The following samples were analyzed in this batch:

19090503-01A	19090503-02A	19090503-03A
19090503-04A	19090503-05A	19090503-06A
19090503-07A	19090503-08A	19090503-09A
19090503-10A	19090503-11A	19090503-12A
19090503-13A	19090503-14A	19090503-15A
19090503-16A	19090503-17A	19090503-18A
19090503-19A	19090503-20A	19090503-21A
19090503-22A	19090503-23A	19090503-24A
19090503-25A		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



ALS Environmental  
 3352 128th Avenue  
 Holland, Michigan 49424  
 (Tel) 616.399.6070  
 (Fax) 616.399.6185

# Chain of Custody Form

Page 1 of 3

Client Information		ALS Project Manager: Amanda Gryzbowski		ALS Work Order #: 19090503											
Project Information		Parameter/Method Request for Analysis													
Purchase Order	Project Name	Receiving Water Monitoring													
Work Order	Project Number														
Company Name	Company Name	ArcelorMittal (Burns Harbor)													
Send Report To	Invoice Attn:	Accounts Payable													
Address	Address	250 US 12													
City/State/Zip	City/State/Zip	Burns Harbor, IN 46304													
Phone	Phone	(219) 787-2120													
Fax	Fax														
e-Mail Address	e-Mail Address														
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	pH	Temp. °C	DO
1		9/9/2019	8:55	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.43	21.9	7.5
2			9:10	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.55	21.7	7.8
3			9:22	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.49	21.6	8.2
4			9:36	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.62	21.0	7.9
5			9:48	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.63	21.0	8.5
6			9:55	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.67	21.2	8.9
7			10:06	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.68	21.3	9.1
8			10:08	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.69	21.2	9.3
9			10:30	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.76	21.7	8.3
10	OFOO1	9/9/2019	10:51	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.75	22.7	9.1
Sampler(s): Please Print & Sign		Shipment Method:		Required Turnaround Time:		Results Due Date:									
Relinquished by: m.choel mail		Date: 9/9/19		Time: 4:05		<input type="checkbox"/> STD 10 WK Days <input type="checkbox"/> 5 WK Days <input type="checkbox"/> 2 WK Days <input type="checkbox"/> 24 Hour <input type="checkbox"/> Other									
Relinquished by: [Signature]		Date: 9-9-19		Time: 17:40		Notes: Recd 9/10/19 1330 [Signature]									
Logged by (Laboratory): [Signature]		Date:		Time:		Cooler Temp.		QC Package: (Check Box Below)							
						1.0		<input type="checkbox"/> Level II: Standard QC <input type="checkbox"/> Level III: Standard QC + Raw Data <input type="checkbox"/> Level IV: SW846 Methods/CLP Other:							

changes must be made in writing once samples and COC Form have been submitted to ALS

HN 44.c

Copyright 2007 by ALS Laboratory Group



ALS Environmental  
3352 128th Avenue  
Holland, Michigan 49424  
(Tel) 616.399.6070  
(Fax) 616.399.6185

# Chain of Custody Form


Page 2 of 3

Client Information		Project Information		ALS Project Manager: Amanda Gryzbowski		ALS Work Order #: 19090503									
Purchase Order		Project Name	Receiving Water Monitoring	Parameter/Method Request for Analysis											
Work Order		Project Number		A	Ammonia										
Company Name	ArcelorMittal (Burns Harbor)	Company Name	ArcelorMittal (Burns Harbor)	B	Total Cyanide										
Send Report To		Invoice Attn.	Accounts Payable	C	Free Cyanide										
Address	250 US 12	Address	250 US 12	D	pH (Field)										
City/State/Zip	Burns Harbor, IN 46304	City/State/Zip	Burns Harbor, IN 46304	E	Temperature (Field)										
Phone	(219) 787-2120	Phone	(219) 787-2120	F	Dissolved Oxygen (Field)										
Fax		Fax													
e-Mail Address															
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	pH	Temp. °C	DO
11		9/9/2019	11:20	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.56	21.0	7.7
12			11:31	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.63	21.8	7.2
13			11:43	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.61	21.1	8.3
14			11:54	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.61	22.6	8.3
15			12:09	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.66	21.6	8.0
16			12:20	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.69	21.0	8.8
17	SL-1		12:40	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.94	18.8	7.0
18	SL-2		12:58	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.70	18.8	7.1
19	SL-3		1:19	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.86	18.7	7.6
20	SL-4		1:30	Water	H <sub>2</sub> SO <sub>4</sub> , NaOH	2	X	X	X	X	X	X	7.81	18.6	7.4
Sampler(s): Please Print & Sign		Shipment Method:		Required Turnaround Time:		Results Due Date:									
Relinquished by: <i>[Signature]</i>		Date: 9/9/19		Time: 4:05		<input type="checkbox"/> STD 10 Wk Days <input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour									
Relinquished by: <i>[Signature]</i>		Date: 9-9-19		Time: 17:10		<input type="checkbox"/> Other									
Logged by (Laboratory): <i>[Signature]</i>		Date:		Time:		QC Package: (Check Box Below) Level II: Standard QC <input type="checkbox"/> Level III: Standard QC + Raw Data <input type="checkbox"/> Level IV: SW846 Methods/CLP <input type="checkbox"/> Other: <input type="checkbox"/>									
Cooler Temp. <i>18</i>		Notes: Rec'd 9/10/19 1330 2222L		Cooler Temp. <i>18</i>		Other: <i>18</i>									

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS

Copyright 2007 by ALS Laboratory Group





ALS Environmental  
 3352 128th Avenue  
 Holland, Michigan 49424  
 (Tel) 616.399.6070  
 (Fax) 616.399.6185

# Chain of Custody Form

Page 3 of 3

ALS Project Manager: Amanda Gryzbowski		ALS Work Order #: 19090503	
Parameter/Method Request for Analysis			
Project Information			
Project Name: Receiving Water Monitoring		A Ammonia	
Project Number:		B Total Cyanide	
Company Name: ArcelorMittal (Burns Harbor)		C Free Cyanide	
Invoice Attn: Accounts Payable		D pH (Field)	
Address: 250 US 12		E Temperature (Field)	
City/State/Zip: Burns Harbor, IN 46304		F Dissolved Oxygen (Field)	
Phone: (219) 787-2120			
Fax:			
e-Mail Address:			
Client Information			
Purchase Order:	Sample Description	Date	Time
Work Order:		9/9/2019	1:50
Company Name: ArcelorMittal (Burns Harbor)			2:09
Send Report To:			2:36
Address: 250 US 12			3:11
City/State/Zip: Burns Harbor, IN 46304		9/9/2019	4:01
Phone: (219) 787-2120			
Fax:			
e-Mail Address:			
No.	Sample Description	Date	Time
21	SL-5		
22	SL-6		
23	SL-7		
24	SL-8		
25	OOO		
26			
27			
28			
29			
30			
Sampler(s): Please Print & Sign		Required Turnaround Time:	
		<input type="checkbox"/> 5 Wk Days <input type="checkbox"/> 2 Wk Days <input type="checkbox"/> 24 Hour <input type="checkbox"/> Other	
Relinquished by: <i>M. K. Hall</i>		Received by: <i>[Signature]</i>	
Date: 9/9/19		Time: 4:05	
Relinquished by: <i>[Signature]</i>		Received by (Laboratory): <i>[Signature]</i>	
Date: 9-9-19		Time: 1740	
Logged by (Laboratory):		Checked by (Laboratory):	
Date:		Time:	
Notes: Rec'd 9/10/19 1330 272L		Cooler Temp: 10	
QC Package: (Check Box Below)		Level II: Standard QC	
Level III: Standard QC + Raw Data		Level IV: SW846 Methods/CLP	
Other:		X	
Results Due Date:			
Copyright 2007 by ALS Laboratory Group			

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS

HW 44c

Sample Receipt Checklist

Client Name: ARCELORMITTAL-BURNSHARBO

Date/Time Received: 09-Sep-19 00:00

Work Order: 19090503

Received by: CD

Checklist completed by *Diane Shaw* 10-Sep-19  
eSignature Date


Reviewed by: *Amanda Przybowski* 10-Sep-19  
eSignature Date

Matrices: Aqueous

Carrier name: ALSHN

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample(s) received on ice?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	<u>1.0</u>		
Cooler(s)/Kit(s):			
Date/Time sample(s) sent to storage:	<u>9/9/19 17:40</u>		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	N/A <input type="checkbox"/>
pH adjusted by:			

Login Notes: Holland - 4.4/4.4 c SR2



Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction: